

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

|          |              |    |
|----------|--------------|----|
| Item ID: | J0100A ..... | 3  |
| Item ID: | J0100B ..... | 4  |
| Item ID: | J0100C ..... | 5  |
| Item ID: | J0200.....   | 6  |
| Item ID: | J0300.....   | 8  |
| Item ID: | J0410.....   | 10 |
| Item ID: | J0510.....   | 12 |
| Item ID: | J0520.....   | 14 |
| Item ID: | J0530.....   | 16 |
| Item ID: | J0600A ..... | 18 |
| Item ID: | J0600B ..... | 20 |
| Item ID: | J0700.....   | 22 |
| Item ID: | J0800A ..... | 24 |
| Item ID: | J0800B ..... | 26 |
| Item ID: | J0800C ..... | 28 |
| Item ID: | J0800D ..... | 30 |
| Item ID: | J0800Z.....  | 32 |
| Item ID: | J0850.....   | 34 |
| Item ID: | J1100A ..... | 36 |
| Item ID: | J1100B ..... | 37 |
| Item ID: | J1100C ..... | 38 |
| Item ID: | J1100Z.....  | 39 |
| Item ID: | J1300.....   | 40 |
| Item ID: | J1400.....   | 41 |
| Item ID: | J1550A ..... | 42 |
| Item ID: | J1550B ..... | 43 |
| Item ID: | J1550C ..... | 44 |
| Item ID: | J1550D ..... | 45 |
| Item ID: | J1550Z.....  | 46 |
| Item ID: | J1700A ..... | 47 |
| Item ID: | J1700B ..... | 48 |
| Item ID: | J1700C ..... | 49 |
| Item ID: | J1800.....   | 50 |
| Item ID: | J1900A ..... | 51 |
| Item ID: | J1900B ..... | 52 |
| Item ID: | J1900C ..... | 53 |
| Item ID: | J2000.....   | 55 |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

|          |            |    |
|----------|------------|----|
| Item ID: | J2100..... | 56 |
| Item ID: | J2300..... | 58 |
| Item ID: | J2310..... | 59 |
| Item ID: | J2320..... | 60 |
| Item ID: | J2330..... | 61 |
| Item ID: | J2400..... | 62 |
| Item ID: | J2410..... | 63 |
| Item ID: | J2420..... | 64 |
| Item ID: | J2499..... | 65 |
| Item ID: | J2500..... | 66 |
| Item ID: | J2510..... | 67 |
| Item ID: | J2520..... | 68 |
| Item ID: | J2530..... | 69 |
| Item ID: | J2599..... | 70 |
| Item ID: | J2600..... | 71 |
| Item ID: | J2610..... | 72 |
| Item ID: | J2620..... | 73 |
| Item ID: | J2699..... | 74 |
| Item ID: | J2700..... | 75 |
| Item ID: | J2710..... | 76 |
| Item ID: | J2799..... | 77 |
| Item ID: | J2800..... | 78 |
| Item ID: | J2810..... | 79 |
| Item ID: | J2899..... | 80 |
| Item ID: | J2900..... | 81 |
| Item ID: | J2910..... | 82 |
| Item ID: | J2920..... | 83 |
| Item ID: | J2930..... | 84 |
| Item ID: | J2940..... | 85 |
| Item ID: | J5000..... | 86 |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J0100A

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Pain: received scheduled pain med regimen | Asmt       |            | Code      | 1          | 831-831                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
Inactive: NT,NPE,IPA,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text                                                                                                                                                                     |
|---------|-----------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J0100B

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Pain: received PRN pain medications | Asmt       |            | Code      | 1          | 832-832                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
Inactive: NT,NPE,IPA,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text                           |
|---------|-----------|----------|-------------------------------------|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items: |

Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J0100C

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Pain: received non-medication intervention | Asmt       |            | Code      | 1          | 833-833                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
Inactive: NT,NPE,IPA,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text                           |
|---------|-----------|----------|-------------------------------------|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items: |

Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0200

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Should pain assessment interview be conducted | Asmt       |            | Code      | 1          | 834-834                      |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                            |
|-------|------------|---------------------------------------|
| 0     |            | No (resident rarely/never understood) |
| 1     |            | Yes                                   |
| -     |            | Not assessed/no information           |
| ^     |            | Blank (skip pattern)                  |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------|--------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                                                                                                                    |
| -3837   | Consistency  | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                    |
| -3918   | Consistency  | Fatal    | a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^].<br>b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-].<br>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must not equal [^].<br>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must equal [-]. |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                     |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                   |
|---------|--------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3784   | Skip pattern | Fatal    | Skip patterns based on J0200:<br>a) If J0200=[0], then the following rules apply:<br>---a1) All active items from J0300 through J0700 must equal [^].<br>---a2) If J0800A through J0800Z are active, they must not equal [^].<br>b) If J0200=[1], then if J0300 is active it must not equal [^].<br>c) If J0200=[-], then J0300, if active, must equal [-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0300

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Res pain interview: presence | Asmt       |            | Code      | 1          | 835-835                      |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| 9     |            | Unable to answer            |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                     |
|---------|-------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                 |
| -3751   | Consistency | Warning  | A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").                                             |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0410

#### Item Label

Pain Frequency

| Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|-----------|------------|------------------------------|
| Asmt       |            | Code      | 1          | 3318-3318                    |

#### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 1     |            | Rarely or not at all        |
| 2     |            | Occasionally                |
| 3     |            | Frequently                  |
| 4     |            | Almost constantly           |
| 9     |            | Unable to answer            |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                     |
|---------|-------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                 |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3971   | Consistency  | Fatal    | <p>Consistency rules for J0700:</p> <p>a) If J0410=[1,2,3,4,-], then if J0700 is active it must equal [0].</p> <p>b) If J0410=[9], then if J0700 is active it must equal [1,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0510

| Item Label           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------|------------|------------|-----------|------------|------------------------------|
| Pain Effect on Sleep | Asmt       |            | Code      | 1          | 3319-3319                    |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 1     |            | Rarely or not at all        |
| 2     |            | Occasionally                |
| 3     |            | Frequently                  |
| 4     |            | Almost Constantly           |
| 8     |            | Unable to answer            |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                           |
|---------|-------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                       |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                       |
| -3897   | Consistency | Warning  | If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:<br>Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination. |
| -3908   | Consistency | Warning  | Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.                                                                                    |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type        | ID    | Description                                      |
|-------------|-------|--------------------------------------------------|
| Format      | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3897 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3908 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0520

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Pain Interference with Therapy Activities | Asmt       |            | Code      | 1          | 3320-3320                    |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                                                                     |
|-------|------------|--------------------------------------------------------------------------------|
| 0     |            | Does not apply - I have not received rehabilitation therapy in the past 5 days |
| 1     |            | Rarely or not at all                                                           |
| 2     |            | Occasionally                                                                   |
| 3     |            | Frequently                                                                     |
| 4     |            | Almost Constantly                                                              |
| 8     |            | Unable to answer                                                               |
| -     |            | Not assessed/no information                                                    |
| ^     |            | Blank (skip pattern)                                                           |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                           |
|---------|-------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                       |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                       |
| -3897   | Consistency | Warning  | If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:<br>Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination. |
| -3908   | Consistency | Warning  | Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.                                                                                    |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type        | ID    | Description                                      |
|-------------|-------|--------------------------------------------------|
| Format      | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3897 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3908 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0530

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Pain Interference with Day-to-Day Activities | Asmt       |            | Code      | 1          | 3321-3321                    |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 1     |            | Rarely or not at all        |
| 2     |            | Occasionally                |
| 3     |            | Frequently                  |
| 4     |            | Almost Constantly           |
| 8     |            | Unable to answer            |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                           |
|---------|-------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                       |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                       |
| -3897   | Consistency | Warning  | If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:<br>Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination. |
| -3908   | Consistency | Warning  | Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.                                                                                    |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type        | ID    | Description                                      |
|-------------|-------|--------------------------------------------------|
| Format      | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3897 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3908 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0600A

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Res pain interview: intensity rating scale | Asmt       |            | Number    | 2          | 839-840                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 00    |            | Minimum value               |
| 10    |            | Maximum value               |
| 99    |            | Unable to answer            |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------|-----------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br><br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.                                                                                                                              |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br><br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3837   | Consistency  | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| -3751   | Consistency  | Warning  | A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0600B

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Res pain interview: verbal descriptor scale | Asmt       |            | Code      | 1          | 841-841                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 1     |            | Mild                        |
| 2     |            | Moderate                    |
| 3     |            | Severe                      |
| 4     |            | Very severe, horrible       |
| 9     |            | Unable to answer            |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                     |
|---------|-------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                 |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0700

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Should staff assessment for pain be conducted | Asmt       |            | Code      | 1          | 842-842                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                          |
|-------|------------|-------------------------------------|
| 0     |            | No (J0400=1 thru 4)                 |
| 1     |            | Yes (J0200=0 or J0300=9 or J0400=9) |
| -     |            | Not assessed/no information         |
| ^     |            | Blank (skip pattern)                |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3971   | Consistency  | Fatal    | <p>Consistency rules for J0700:</p> <p>a) If J0410=[1,2,3,4,-], then if J0700 is active it must equal [0].</p> <p>b) If J0410=[9], then if J0700 is active it must equal [1,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0800A

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Staff pain asmt: non-verbal sounds | Asmt       |            | Checklist | 1          | 843-843                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency   | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern  | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern  | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| -3508   | None of above | Fatal    | <p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0800B

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Staff pain asmt: vocal complaints of pain | Asmt       |            | Checklist | 1          | 844-844                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency   | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern  | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern  | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| -3508   | None of above | Fatal    | <p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0800C

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Staff pain asmt: facial expressions | Asmt       |            | Checklist | 1          | 845-845                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency   | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern  | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern  | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| -3508   | None of above | Fatal    | <p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

**Item ID:** J0800D

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Staff pain asmt: protective movements/postures | Asmt       |            | Checklist | 1          | 846-846                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency   | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern  | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern  | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| -3508   | None of above | Fatal    | <p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0800Z

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Staff pain asmt: none of these signs observed | Asmt       |            | Checklist | 1          | 847-847                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency   | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern  | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3784   | Skip pattern  | Fatal    | <p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| -3787   | Skip pattern  | Fatal    | <p>a) If J0800Z=[0], then if J0850 is active it must not equal [^].</p> <p>b) If J0800Z=[1,^], then if J0850 is active it must equal [^].</p> <p>c) If J0800Z=[-], then if J0850 is active it must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| -3508   | None of above | Fatal    | <p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0850

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Staff pain asmt: frequency of pain | Asmt       |            | Code      | 1          | 848-848                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                                               |
|-------|------------|----------------------------------------------------------|
| 1     |            | Indicators of pain or possible pain observed 1 to 2 days |
| 2     |            | Indicators of pain or possible pain observed 3 to 4 days |
| 3     |            | Indicators of possible pain observed daily               |
| -     |            | Not assessed/no information                              |
| ^     |            | Blank (skip pattern)                                     |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                      |
| -3786   | Consistency | Fatal    | a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].<br>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].<br>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^]. |
| -3837   | Consistency | Fatal    | If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].                                                                                                                                      |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3970   | Consistency  | Fatal    | <p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0410 through J0530 must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0410 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0410 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p> |
| -3610   | Skip pattern | Fatal    | If B0100=[1], then all active items from J0200 through J0850 must equal [^].                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| -3787   | Skip pattern | Fatal    | <p>a) If J0800Z=[0], then if J0850 is active it must not equal [^].</p> <p>b) If J0800Z=[1,^], then if J0850 is active it must equal [^].</p> <p>c) If J0800Z=[-], then if J0850 is active it must equal [-].</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1100A

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Short breath/trouble breathing: with exertion | Asmt       |            | Checklist | 1          | 849-849                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                  |
| -3509   | None of above | Fatal    | a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1].<br>b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0].<br>c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1100B

| Item Label                                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Short breath/trouble breathing: sitting at rest | Asmt       |            | Checklist | 1          | 850-850                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                  |
| -3509   | None of above | Fatal    | a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1].<br>b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0].<br>c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1100C

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Short breath/trouble breathing: lying flat | Asmt       |            | Checklist | 1          | 851-851                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                  |
| -3509   | None of above | Fatal    | a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1].<br>b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0].<br>c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1100Z

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Short breath/trouble breathing: none of above | Asmt       |            | Checklist | 1          | 852-852                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                  |
| -3509   | None of above | Fatal    | a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1].<br>b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0].<br>c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1300

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Current tobacco use | Asmt       |            | Code      | 1          | 853-853                      |

#### Item Subsets

|                 |                           |
|-----------------|---------------------------|
| Active:         | NC                        |
| Inactive:       | ND,NT,NPE,IPA,SP,SD,ST,XX |
| State optional: | NQ,NP                     |

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text                                                                                                                                                                     |
|---------|-----------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item 00350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J1400

| Item Label                                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Prognosis: life expectancy of less than 6 months | Asmt       |            | Code      | 1          | 854-854                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
Inactive: NT,NPE,IPA,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text                           |
|---------|-----------|----------|-------------------------------------|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items: |

Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1550A

| Item Label                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Problem conditions: fever | Asmt       |            | Checklist | 1          | 855-855                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:                                                                                                                                                                                                                                                                                            |
|         |               |          | Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                                                             |
| -3510   | None of above | Fatal    | a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1].<br>b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0].<br>c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1550B

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Problem conditions: vomiting | Asmt       |            | Checklist | 1          | 856-856                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                  |
| -3510   | None of above | Fatal    | a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1].<br>b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0].<br>c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1550C

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Problem conditions: dehydrated | Asmt       |            | Checklist | 1          | 857-857                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
 Inactive: NT,NPE,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:                                                                                                                                                                                                                                                                                            |
|         |               |          | Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                                                             |
| -3510   | None of above | Fatal    | a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1].<br>b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0].<br>c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1550D

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Problem conditions: internal bleeding | Asmt       |            | Checklist | 1          | 858-858                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD  
Inactive: NT,NPE,IPA,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:                                                                                                                                                                                                                                                                                            |
|         |               |          | Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                                                             |
| -3510   | None of above | Fatal    | a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1].<br>b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0].<br>c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1550Z

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Problem conditions: none of the above | Asmt       |            | Checklist | 1          | 859-859                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not Checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text                                                                                                                                                                                                                                                                                                                      |
|---------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:                                                                                                                                                                                                                                                                                            |
|         |               |          | Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                                                             |
| -3510   | None of above | Fatal    | a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1].<br>b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0].<br>c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1700A

| Item Label                                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Fall history: fall during month before admission | Asmt       |            | Code      | 1          | 860-860                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| 9     |            | Unable to determine         |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                 |
|---------|-------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                             |
| -3797   | Consistency | Fatal    | a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].<br>b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1700B

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Fall history: fall 2-6 months before admission | Asmt       |            | Code      | 1          | 861-861                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| 9     |            | Unable to determine         |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                 |
|---------|-------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                             |
| -3797   | Consistency | Fatal    | a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].<br>b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J1700C

| Item Label                                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Fall history: fracture from fall 6 month pre admit | Asmt       |            | Code      | 1          | 862-862                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| 9     |            | Unable to determine         |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                 |
|---------|-------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                             |
| -3797   | Consistency | Fatal    | a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].<br>b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1800

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------|------------|------------|-----------|------------|------------------------------|
| Falls since admit/prior asmt: any falls | Asmt       |            | Code      | 1          | 863-863                      |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                      |
| -3605   | Consistency | Fatal    | a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].<br>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].<br>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1900A

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------|------------|------------|-----------|------------|------------------------------|
| Falls since admit/prior asmt: no injury | Asmt       |            | Code      | 1          | 864-864                      |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | None                        |
| 1     |            | One                         |
| 2     |            | Two or more                 |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                      |
| -3605   | Consistency | Fatal    | a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].<br>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].<br>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1900B

| Item Label                                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Falls since admit/prior asmt: injury (not major) | Asmt       |            | Code      | 1          | 865-865                      |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | None                        |
| 1     |            | One                         |
| 2     |            | Two or more                 |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                          |
|---------|-------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                      |
| -3605   | Consistency | Fatal    | a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].<br>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].<br>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J1900C

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Falls since admit/prior asmt: major injury | Asmt       |            | Code      | 1          | 866-866                      |

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | None                        |
| 1     |            | One                         |
| 2     |            | Two or more                 |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                                                                                                                                                           |
|---------|-------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                       |
| -3897   | Consistency | Warning  | If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:<br>Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination. |
| -3908   | Consistency | Warning  | Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.                                                                                    |
| -3605   | Consistency | Fatal    | a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].<br>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].<br>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].  |

**Data Submission Specifications for the MDS 3.0 (V3.11.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Version Changes**

| Type        | ID    | Description                                      |
|-------------|-------|--------------------------------------------------|
| Format      | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3897 | [V3.11.0]-Removed mapping to deleted item O0350. |
| Consistency | -3908 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2000

| Item Label               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------|------------|------------|-----------|------------|------------------------------|
| Prior Surgery (100 days) | Asmt       |            | Code      | 1          | 1697-1697                    |

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | No                   |
| 1     |            | Yes                  |
| 8     |            | Unknown              |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                     |
|---------|--------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3925   | Skip pattern | Fatal    | a) If A0310B=[01], then if J2000 is active, it must not be equal to [^].<br>b) If A0310B=[99], then if J2000 is active, it must be equal to [^].                              |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2100

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Recent Surgery Requiring Active SNF Care | Asmt       |            | Code      | 1          | 1734-1734                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | No                   |
| 1     |            | Yes                  |
| 8     |            | Unknown              |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------|--------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| -3943   | Consistency  | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].                                                                                                                                                                                                                                                                                                                                                                                                                           |
| -3942   | Skip pattern | Fatal    | a) If A0310B=[01,08], then if J2100 is active, it must not be equal to [^].<br>b) If A0310B=[99], then<br>--b1) If STATE_PDPM_OBRA_CD is active and STATE_PDPM_OBRA_CD=[0], then if J2100 is active, it must be equal to [^].<br>--b2) If STATE_PDPM_OBRA_CD is active and STATE_PDPM_OBRA_CD=[1], then if J2100 is active, it must not be equal to [^].<br>--b3) If STATE_PDPM_OBRA_CD is not active, then if J2100 is active, it must be equal to [^].<br><br>NOTE: The submission system will use the iQIES value instead of STATE_PDPM_OBRA_CD in order to determine whether to enforce the b1 and b2 edits. |

**Data Submission Specifications for the MDS 3.0 (V3.11.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Version Changes**

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2300

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Knee Replacement - partial or total | Asmt       |            | Checklist | 1          | 1735-1735                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2310

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Hip Replacement - partial or total | Asmt       |            | Checklist | 1          | 1736-1736                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2320

| Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| Ankle Replacement - partial or total | Asmt       |            | Checklist | 1          | 1737-1737                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2330

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------|------------|------------|-----------|------------|------------------------------|
| Shoulder Replacement - partial or total | Asmt       |            | Checklist | 1          | 1738-1738                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2400

| Item Label                                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Spinal Surgery-spinal cord or major spinal nerves | Asmt       |            | Checklist | 1          | 1739-1739                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2410

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------|------------|------------|-----------|------------|------------------------------|
| Spinal surgery - fusion of spinal bones | Asmt       |            | Checklist | 1          | 1740-1740                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2420

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Spinal surgery - lamina, discs, or facets | Asmt       |            | Checklist | 1          | 1741-1741                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2499

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Spinal surgery - other | Asmt       |            | Checklist | 1          | 1742-1742                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2500

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Ortho srgry - rpr frctrd shoulder/arm | Asmt       |            | Checklist | 1          | 1743-1743                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2510

| Item Label                                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Ortho srgr - rpr frctrd pelvis/hip/leg/knee/ankle | Asmt       |            | Checklist | 1          | 1744-1744                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2520

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Ortho srgry - rpr but not replace joints | Asmt       |            | Checklist | 1          | 1745-1745                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2530

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Ortho srgry - rpr other bones | Asmt       |            | Checklist | 1          | 1746-1746                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2599

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Ortho srgry - other | Asmt       |            | Checklist | 1          | 1747-1747                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2600

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Neuro surgery - brain, surrounding tissue | Asmt       |            | Checklist | 1          | 1748-1748                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2610

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Neuro surgery - nervous system | Asmt       |            | Checklist | 1          | 1749-1749                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2620

| Item Label                                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Neuro surgery - nsrt neural/brain neurostimulators | Asmt       |            | Checklist | 1          | 1750-1750                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2699

| Item Label            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------|------------|------------|-----------|------------|------------------------------|
| Neuro surgery - other | Asmt       |            | Checklist | 1          | 1751-1751                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2700

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Cardiopulmonary surgery - heart/mjr bld vssls | Asmt       |            | Checklist | 1          | 1752-1752                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2710

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Cardiopulmonary surgery - respiratory system | Asmt       |            | Checklist | 1          | 1753-1753                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2799

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Cardiopulmonary surgery - other | Asmt       |            | Checklist | 1          | 1754-1754                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2800

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Genitourinary surgery - male or female organs | Asmt       |            | Checklist | 1          | 1755-1755                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2810

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Genitourinary surgery - kidneys | Asmt       |            | Checklist | 1          | 1756-1756                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2899

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Genitourinary surgery - other | Asmt       |            | Checklist | 1          | 1757-1757                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2900

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Major surgery - tendons, ligament, or muscles | Asmt       |            | Checklist | 1          | 1758-1758                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

## Data Submission Specifications for the MDS 3.0 (V3.11.0)

### Detailed Data Specifications Report

#### Section: J

Item ID: J2910

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------------|------------|------------|-----------|------------|------------------------------|
| Major surgery - GI tract/abdominal contents | Asmt       |            | Checklist | 1          | 1759-1759                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2920

| Item Label                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Major surgery - endocrine organs | Asmt       |            | Checklist | 1          | 1760-1760                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2930

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Major surgery - breast | Asmt       |            | Checklist | 1          | 1761-1761                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2940

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Major surgery - repair deep ulcers | Asmt       |            | Checklist | 1          | 1762-1762                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br><br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.          |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |

# Data Submission Specifications for the MDS 3.0 (V3.11.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J5000

| Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------------|------------|------------|-----------|------------|------------------------------|
| Major surgery - other not listed above | Asmt       |            | Checklist | 1          | 1763-1763                    |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not Checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text                                                                                                                                                                              |
|---------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:                                                                                                                                                    |
|         |             |          | Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                                     |
| -3943   | Consistency | Fatal    | a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^].<br>b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1]. |

#### Version Changes

| Type   | ID    | Description                                      |
|--------|-------|--------------------------------------------------|
| Format | -3676 | [V3.11.0]-Removed mapping to deleted item O0350. |