

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID:	Q0110A.....	2
Item ID:	Q0110B.....	3
Item ID:	Q0110C.....	4
Item ID:	Q0110D.....	5
Item ID:	Q0110E.....	6
Item ID:	Q0110Z.....	7
Item ID:	Q0310A.....	8
Item ID:	Q0310B.....	9
Item ID:	Q0400A.....	10
Item ID:	Q0490.....	11
Item ID:	Q0500B.....	12
Item ID:	Q0500C.....	13
Item ID:	Q0550A.....	15
Item ID:	Q0550C.....	16
Item ID:	Q0610A.....	18
Item ID:	Q0620.....	19

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0110A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Participants: Resident	Asmt		Checklist	1	3437-3437

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4023	None of above	Fatal	a) If Q0110Z=[0], then at least one active item from Q0110A through Q0110E must equal [1]. b) If Q0110Z=[1], then all active items from Q0110A through Q0110E must equal [0].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0110B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Participants: Family	Asmt		Checklist	1	3438-3438

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4023	None of above	Fatal	a) If Q0110Z=[0], then at least one active item from Q0110A through Q0110E must equal [1]. b) If Q0110Z=[1], then all active items from Q0110A through Q0110E must equal [0].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0110C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Participants: Significant other	Asmt		Checklist	1	3439-3439

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4023	None of above	Fatal	a) If Q0110Z=[0], then at least one active item from Q0110A through Q0110E must equal [1]. b) If Q0110Z=[1], then all active items from Q0110A through Q0110E must equal [0].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0110D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Participants: Legal guardian	Asmt		Checklist	1	3440-3440

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4023	None of above	Fatal	a) If Q0110Z=[0], then at least one active item from Q0110A through Q0110E must equal [1]. b) If Q0110Z=[1], then all active items from Q0110A through Q0110E must equal [0].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0110E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Participants: Other legal representative	Asmt		Checklist	1	3441-3441

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4023	None of above	Fatal	a) If Q0110Z=[0], then at least one active item from Q0110A through Q0110E must equal [1]. b) If Q0110Z=[1], then all active items from Q0110A through Q0110E must equal [0].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0110Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Participants: None of the Above	Asmt		Checklist	1	3442-3442

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4023	None of above	Fatal	a) If Q0110Z=[0], then at least one active item from Q0110A through Q0110E must equal [1]. b) If Q0110Z=[1], then all active items from Q0110A through Q0110E must equal [0].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0310A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident's Overall Goal	Asmt		Code	1	3443-3443

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Discharge to the community
2		Remain in this facility
3		Discharge to another facility/institution
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4024	Skip pattern	Fatal	(a) If A0310E=[1], then the following items must not equal [^]: Q0310A, Q0310B. (b) If A0310E=[0], then the following items must equal [^]: Q0310A, Q0310B.

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0310B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0310A info source	Asmt		Code	1	3444-3444

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Resident
2		Family
3		Significant other
4		Legal guardian
5		Other legally authorized representative
9		None of the above
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4024	Skip pattern	Fatal	(a) If A0310E=[1], then the following items must not equal [^]: Q0310A, Q0310B. (b) If A0310E=[0], then the following items must equal [^]: Q0310A, Q0310B.

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0400A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active discharge planning for return to community	Asmt		Code	1	1137-1137

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3974	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550C must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550C must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0490

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident's preference to avoid being asked	Asmt		Code	1	1463-1463

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3974	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550C must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550C must equal [^].
-3973	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550C must equal [^]. b) If Q0490=[0,-], then all active items from Q0500B through Q0550C must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Do you want to talk about returning to community	Asmt		Code	1	1140-1140

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3974	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550C must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550C must equal [^].
-3973	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550C must equal [^]. b) If Q0490=[0,-], then all active items from Q0500B through Q0550C must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0500C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0500B info source	Asmt		Code	1	3445-3445

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Resident
2		Family
3		Significant other
4		Legal guardian
5		Other legally authorized representative
9		None of the above
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3974	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550C must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550C must equal [^].
-3973	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550C must equal [^]. b) If Q0490=[0,-], then all active items from Q0500B through Q0550C must not equal [^].

Data Submission Specifications for the MDS 3.0 (V3.11.0)
Detailed Data Specifications Report
Section: Q

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0550A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Reasking resident preference	Asmt		Code	1	1464-1464

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Information not available
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3974	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550C must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550C must equal [^].
-3973	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550C must equal [^]. b) If Q0490=[0,-], then all active items from Q0500B through Q0550C must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0550C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0550A info source	Asmt		Code	1	3446-3446

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Resident
2		Family
3		Significant other
4		Legal guardian
5		Other legally authorized representative
9		None of the above
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3974	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550C must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^].
-3973	Skip pattern	Fatal	c) If Q0400A=[1], then all active items from Q0490 through Q0550C must equal [^]. a) If Q0490=[1], then all active items from Q0500B through Q0550C must equal [^]. b) If Q0490=[0,-], then all active items from Q0500B through Q0550C must not equal [^].

Data Submission Specifications for the MDS 3.0 (V3.11.0)
Detailed Data Specifications Report
Section: Q

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0610A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Referral	Asmt		Code	1	3447-3447

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4025	Skip pattern	Fatal	(a) If Q0610A=[0], then Q0620 must not equal [^]. (b) If Q0610A=[1], then Q0620 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.

Data Submission Specifications for the MDS 3.0 (V3.11.0)

Detailed Data Specifications Report

Section: Q

Item ID: Q0620

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Reason referral not made	Asmt		Code	1	3448-3448

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		LCA unknown
2		Referral previously made
3		Referral not wanted
4		Discharge date 3 or fewer months away
5		Discharge date more than 3 months away
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4025	Skip pattern	Fatal	(a) If Q0610A=[0], then Q0620 must not equal [^]. (b) If Q0610A=[1], then Q0620 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.11.0]-Removed mapping to deleted item O0350.