

**Item ID:** H0100A

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Appliances: indwelling catheter | Asmt       |            | Checklist | 1          | 682-682                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text  |
|---------|---------------|----------|--|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3506   | None of above | Fatal    | a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1].<br>b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0].<br>c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0100B

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Appliances: external catheter | Asmt       |            | Checklist | 1          | 683-683                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text  |
|---------|---------------|----------|--|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3506   | None of above | Fatal    | a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1].<br>b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0].<br>c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0100C

| Item Label         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| Appliances: ostomy | Asmt       |            | Checklist | 1          | 684-684                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text  |
|---------|---------------|----------|--|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3506   | None of above | Fatal    | a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1].<br>b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0].<br>c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0100D

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Appliances: intermittent catheterization | Asmt       |            | Checklist | 1          | 685-685                      |

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

**Item Values**

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

**Item Edits**

| Edit ID | Edit Type     | Severity | Edit Text  |
|---------|---------------|----------|--|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3506   | None of above | Fatal    | a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1].<br>b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0].<br>c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-]. |

**Version Changes**

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0100Z

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Appliances: none of the above | Asmt       |            | Checklist | 1          | 686-686                      |

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text  |
|---------|---------------|----------|--|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3506   | None of above | Fatal    | a) If H0100Z=[0], then at least one active item from H0100A through H0100D must equal [1].<br>b) If H0100Z=[1], then all active items from H0100A through H0100D must equal [0].<br>c) If H0100Z=[-], then at least one active item from H0100A through H0100D must equal [-] and all remaining active items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0200A

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Urinary toileting program: has been attempted | Asmt       |            | Code      | 1          | 687-687                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| 9     |            | Unable to determine         |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                             |
| -3536   | Skip pattern | Fatal    | a) If H0200A=[0,9], then if H0200B is active it must equal [^].<br>b) If H0200A=[1], then if H0200B is active it must not equal [^].<br>c) If H0200A=[-], then if H0200B is active it must equal [-]. |
| -3537   | Skip pattern | Fatal    | a) If H0200A=[0], then if H0200C is active it must equal [^].<br>b) If H0200A=[1,9], then if H0200C is active it must not equal [^].<br>c) If H0200A=[-], then if H0200C is active it must equal [-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0200B

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Urinary toileting program: response | Asmt       |            | Code      | 1          | 688-688                      |

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                               |
|-------|------------|--|
| 0     |            | No improvement                           |
| 1     |            | Decreased wetness                        |
| 2     |            | Completely dry (continent)               |
| 9     |            | Unable to determine or trial in progress |
| -     |            | Not assessed/no information              |
| ^     |            | Blank (skip pattern)                     |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                             |
| -3536   | Skip pattern | Fatal    | a) If H0200A=[0,9], then if H0200B is active it must equal [^].<br>b) If H0200A=[1], then if H0200B is active it must not equal [^].<br>c) If H0200A=[-], then if H0200B is active it must equal [-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0200C

| Item Label                                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Urinary toileting program: current program/trial | Asmt       |            | Code      | 1          | 689-689                      |

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                             |
| -3537   | Skip pattern | Fatal    | a) If H0200A=[0], then if H0200C is active it must equal [^].<br>b) If H0200A=[1,9], then if H0200C is active it must not equal [^].<br>c) If H0200A=[-], then if H0200C is active it must equal [-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |



**Item ID:** H0300

| Item Label         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| Urinary continence | Asmt       |            | Code      | 1          | 690-690                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text   |
|-------|------------|--|
| 0     |            | Always continent   |
| 1     |            | Occasionally incontinent (less than 7 episodes of incontinence)  |
| 2     |            | Frequently incontinent (7 or more episodes of urinary incontinence, but at least one episode of continent voiding) |
| 3     |            | Always incontinent (no episodes of continent voiding)  |
| 9     |            | Not rated, resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for entire 7 days      |
| -     |            | Not assessed/no information  |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

**Item ID:** H0400

| Item Label       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------|------------|------------|-----------|------------|------------------------------|
| Bowel continence | Asmt       |            | Code      | 1          | 691-691                      |

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text   |
|-------|------------|--|
| 0     |            | Always continent   |
| 1     |            | Occasionally incontinent (one episode of bowel incontinence)   |
| 2     |            | Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement) |
| 3     |            | Always incontinent (no episodes of continent bowel movements)  |
| 9     |            | Not rated, resident had an ostomy or did not have a bowel movement for the entire 7 days                     |
| -     |            | Not assessed/no information  |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3897   | Consistency | Warning  | If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:<br><br>Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination. |

#### Version Changes

| Type        | ID    | Description   |
|-------------|-------|---|
| Format      | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |
| Consistency | -3897 | [V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340   |

Item ID: H0500

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Bowel toileting program being used | Asmt       |            | Code      | 1          | 692-692                      |

Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |

Item ID: H0600

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Constipation | Asmt       |            | Code      | 1          | 693-693                      |

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.<br>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300. |