

**Item ID:** O0110A1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (Admission)	Asmt		Checklist	1	3363-3363

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].  (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].  (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].  (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>

**Item ID:** O0110A1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (14 days)	Asmt		Checklist	1	3364-3364

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110A1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (Discharge)	Asmt		Checklist	1	3365-3365

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].  (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1].  (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].  (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** O0110A2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - IV (Admission)	Asmt		Checklist	1	3366-3366

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].  (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].  (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].  (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110A2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - IV (Discharge)	Asmt		Checklist	1	3367-3367

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].  (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1].  (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].  (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110A3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Oral (Admission)	Asmt		Checklist	1	3368-3368

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].  (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].  (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].  (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110A3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Oral (Discharge)	Asmt		Checklist	1	3369-3369

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].  (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1].  (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].  (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110A10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Other (Admission)	Asmt		Checklist	1	3361-3361

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].  (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].  (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].  (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110A10C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Other (Discharge)	Asmt		Checklist	1	3362-3362

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].  (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1].  (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].  (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110B1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (Admission)	Asmt		Checklist	1	3370-3370

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340

**Item ID:** O0110B1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (14 days)	Asmt		Checklist	1	3371-3371

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110B1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (Discharge)	Asmt		Checklist	1	3372-3372

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110C1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (Admission)	Asmt		Checklist	1	3373-3373

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].  (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].  (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>



**Item ID:** O0110C1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (14 days)	Asmt		Checklist	1	3374-3374

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110C1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (Discharge)	Asmt		Checklist	1	3375-3375

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].  (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].  (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** O0110C2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Continuous (Admission)	Asmt		Checklist	1	3376-3376

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].  (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].  (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110C2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Continuous (Discharge)	Asmt		Checklist	1	3377-3377

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].  (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].  (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110C3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Intermittent (Admission)	Asmt		Checklist	1	3378-3378

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].  (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].  (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110C3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Intermittent (Discharge)	Asmt		Checklist	1	3379-3379

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].  (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].  (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110C4A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - High-concentration (Admission)	Asmt		Checklist	1	3380-3380

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].  (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].  (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110C4C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - High-concentration (Discharge)	Asmt		Checklist	1	3381-3381

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].  (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1].  (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].  (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110D1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (Admission)	Asmt		Checklist	1	3382-3382

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4008	Consistency	Fatal	(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0].  (b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1].  (c) If O0110D1A=[-], then the following items O0110D2A and O0110D3A must equal [-].  (d) If O0110D1A=[^], then the following items O0110D2A and O0110D3A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.



-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>

**Item ID:** O0110D1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (14 days)	Asmt		Checklist	1	3383-3383

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110D1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (Discharge)	Asmt		Checklist	1	3384-3384

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4015	Consistency	Fatal	(a) If O0110D1C=[0], then the following items O0110D2C and O0110D3C must equal [0].  (b) If O0110D1C=[1], then at least one of the following items O0110D2C and O0110D3C must equal [1], and the remaining item must equal [0,1].  (c) If O0110D1C=[-], then the following items O0110D2C and O0110D3C must equal [-].  (d) If O0110D1C=[^], then the following items O0110D2C and O0110D3C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** O0110D2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - Scheduled (Admission)	Asmt		Checklist	1	3385-3385

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4008	Consistency	Fatal	(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0].  (b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1].  (c) If O0110D1A=[-], then the following items O0110D2A and O0110D3A must equal [-].  (d) If O0110D1A=[^], then the following items O0110D2A and O0110D3A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110D2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - Scheduled (Discharge)	Asmt		Checklist	1	3386-3386

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4015	Consistency	Fatal	(a) If O0110D1C=[0], then the following items O0110D2C and O0110D3C must equal [0].  (b) If O0110D1C=[1], then at least one of the following items O0110D2C and O0110D3C must equal [1], and the remaining item must equal [0,1].  (c) If O0110D1C=[-], then the following items O0110D2C and O0110D3C must equal [-].  (d) If O0110D1C=[^], then the following items O0110D2C and O0110D3C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,



**Item ID:** O0110D3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - As Needed (Admission)	Asmt		Checklist	1	3387-3387

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4008	Consistency	Fatal	(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0].  (b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1].  (c) If O0110D1A=[-], then the following items O0110D2A and O0110D3A must equal [-].  (d) If O0110D1A=[^], then the following items O0110D2A and O0110D3A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110D3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - As Needed (Discharge)	Asmt		Checklist	1	3388-3388

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4015	Consistency	Fatal	(a) If O0110D1C=[0], then the following items O0110D2C and O0110D3C must equal [0].  (b) If O0110D1C=[1], then at least one of the following items O0110D2C and O0110D3C must equal [1], and the remaining item must equal [0,1].  (c) If O0110D1C=[-], then the following items O0110D2C and O0110D3C must equal [-].  (d) If O0110D1C=[^], then the following items O0110D2C and O0110D3C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: O0110E1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (Admission)	Asmt		Checklist	1	3389-3389

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340

**Item ID:** O0110E1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (14 days)	Asmt		Checklist	1	3390-3390

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110E1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (Discharge)	Asmt		Checklist	1	3391-3391

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.



## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110F1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (Admis)	Asmt		Checklist	1	3392-3392

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110F1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (14day)	Asmt		Checklist	1	3393-3393

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110F1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (Disch)	Asmt		Checklist	1	3394-3394

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110G1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (Admis)	Asmt		Checklist	1	3395-3395

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4009	Consistency	Fatal	(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0].  (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A.  (c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-].  (d) If O0110G1A=[^], then O0110G2A and O0110G3A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>



**Item ID:** O0110G1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (14day)	Asmt		Checklist	1	3396-3396

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110G1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (Disch)	Asmt		Checklist	1	3397-3397

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4016	Consistency	Fatal	(a) If O0110G1C=[0], then O0110G2C and O0110G3C must equal [0].  (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C.  (c) If O0110G1C=[-], then O0110G2C and O0110G3C must equal [-].  (d) If O0110G1C=[^], then O0110G2C and O0110G3C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** O0110G2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: BiPAP (Admission)	Asmt		Checklist	1	3398-3398

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4009	Consistency	Fatal	(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0].  (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A.  (c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-].  (d) If O0110G1A=[^], then O0110G2A and O0110G3A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110G2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: BiPAP (Discharge)	Asmt		Checklist	1	3399-3399

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4016	Consistency	Fatal	(a) If O0110G1C=[0], then O0110G2C and O0110G3C must equal [0].  (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C.  (c) If O0110G1C=[-], then O0110G2C and O0110G3C must equal [-].  (d) If O0110G1C=[^], then O0110G2C and O0110G3C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110G3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: CPAP (Admission)	Asmt		Checklist	1	3400-3400

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4009	Consistency	Fatal	(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0].  (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A.  (c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-].  (d) If O0110G1A=[^], then O0110G2A and O0110G3A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110G3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: CPAP (Discharge)	Asmt		Checklist	1	3401-3401

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4016	Consistency	Fatal	(a) If O0110G1C=[0], then O0110G2C and O0110G3C must equal [0].  (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C.  (c) If O0110G1C=[-], then O0110G2C and O0110G3C must equal [-].  (d) If O0110G1C=[^], then O0110G2C and O0110G3C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110H1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (Admission)	Asmt		Checklist	1	3404-3404

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].  (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].  (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>

**Item ID:** O0110H1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (14 days)	Asmt		Checklist	1	3405-3405

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110H1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (Discharge)	Asmt		Checklist	1	3406-3406

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].  (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].  (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>



**Item ID:** O0110H2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Vasoactive medications (Admission)	Asmt		Checklist	1	3407-3407

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].  (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].  (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110H2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Vasoactive medications (Discharge)	Asmt		Checklist	1	3408-3408

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].  (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].  (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110H3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Antibiotics (Admission)	Asmt		Checklist	1	3409-3409

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].  (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].  (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110H3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Antibiotics (Discharge)	Asmt		Checklist	1	3410-3410

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].  (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].  (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,



**Item ID:** O0110H4A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Anticoagulation (Admission)	Asmt		Checklist	1	3411-3411

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].  (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].  (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110H4C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Anticoagulation (Discharge)	Asmt		Checklist	1	3412-3412

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].  (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].  (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110H10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Other (Admission)	Asmt		Checklist	1	3402-3402

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].  (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].  (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110H10C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Other (Discharge)	Asmt		Checklist	1	3403-3403

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].  (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].  (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].  (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,



**Item ID:** O0110I1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (Admission)	Asmt		Checklist	1	3413-3413

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340

**Item ID:** O0110I1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (14 days)	Asmt		Checklist	1	3414-3414

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Item ID: O0110I1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (Discharge)	Asmt		Checklist	1	3415-3415

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110J1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (Admission)	Asmt		Checklist	1	3416-3416

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4011	Consistency	Fatal	(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0].  (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A.  (c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-].  (d) If O0110J1A=[^], then O0110J2A and O0110J3A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>

**Item ID:** O0110J1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (14 days)	Asmt		Checklist	1	3417-3417

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



**Item ID:** O0110J1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (Discharge)	Asmt		Checklist	1	3418-3418

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4018	Consistency	Fatal	(a) if O0110J1C=[0], then O0110J2C and O0110J3C must equal [0].  (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C.  (c) If O0110J1C=[-], then O0110J2C and O0110J3C must equal [-].  (d) If O0110J1C=[^], then O0110J2C and O0110J3C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** O0110J2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hemodialysis (Admission)	Asmt		Checklist	1	3419-3419

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4011	Consistency	Fatal	(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0].  (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A.  (c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-].  (d) If O0110J1A=[^], then O0110J2A and O0110J3A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O0110J2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hemodialysis (Discharge)	Asmt		Checklist	1	3420-3420

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4018	Consistency	Fatal	(a) if O0110J1C=[0], then O0110J2C and O0110J3C must equal [0].  (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C.  (c) If O0110J1C=[-], then O0110J2C and O0110J3C must equal [-].  (d) If O0110J1C=[^], then O0110J2C and O0110J3C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110J3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Peritoneal dialysis (Admission)	Asmt		Checklist	1	3421-3421

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4011	Consistency	Fatal	(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0].  (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A.  (c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-].  (d) If O0110J1A=[^], then O0110J2A and O0110J3A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---



**Item ID:** O0110J3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Peritoneal dialysis (Discharge)	Asmt		Checklist	1	3422-3422

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4018	Consistency	Fatal	(a) if O0110J1C=[0], then O0110J2C and O0110J3C must equal [0].  (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C.  (c) If O0110J1C=[-], then O0110J2C and O0110J3C must equal [-].  (d) If O0110J1C=[^], then O0110J2C and O0110J3C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0110K1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hospice care (14 days)	Asmt		Checklist	1	3423-3423

#### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0110M1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Isolation - Infectious Disease (14 days)	Asmt		Checklist	1	3424-3424

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O011001A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (Admission)	Asmt		Checklist	1	3425-3425

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0].  (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1].  (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].  (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020	None of above	Fatal	<p>(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>
-------	---------------	-------	---

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340</p>

**Item ID:** O011001B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (14 days)	Asmt		Checklist	1	3426-3426

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O011001C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (Discharge)	Asmt		Checklist	1	3427-3427

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0].  (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1].  (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].  (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.



-4021	None of above	Fatal	<p>(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p>
-------	---------------	-------	--

## Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** O011002A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Peripheral (Admission)	Asmt		Checklist	1	3428-3428

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0].  (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1].  (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].  (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O011002C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Peripheral (Discharge)	Asmt		Checklist	1	3429-3429

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0].  (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1].  (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].  (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O011003A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Midline (Admission)	Asmt		Checklist	1	3430-3430

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0].  (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1].  (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].  (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O011003C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Midline (Discharge)	Asmt		Checklist	1	3431-3431

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0].  (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1].  (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].  (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O011004A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Central (Admission)	Asmt		Checklist	1	3432-3432

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0].  (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1].  (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].  (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
-------------	-------	---

**Item ID:** O011004C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Central (Discharge)	Asmt		Checklist	1	3433-3433

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0].  (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1].  (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].  (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Consistency

-3908

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: O0110Z1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (Admission)	Asmt		Checklist	1	3434-3434

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns:  (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.  (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.  (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340

**Item ID:** O0110Z1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (14 days)	Asmt		Checklist	1	3435-3435

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP

Inactive: NT,NPE,SD,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.  (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



**Item ID:** O0110Z1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (Discharge)	Asmt		Checklist	1	3436-3436

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns:  (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.  (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** O0250A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was influenza vaccine received	Asmt		Code	1	996-996

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3555	Skip pattern	Fatal	a) If O0250A=[1], then if O0250B is active it must not equal [^]. b) If O0250A=[0], then if O0250B is active it must equal [^]. c) If O0250A=[-], then if O0250B is active it must equal [-].
-3736	Skip pattern	Fatal	a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0250B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date influenza vaccine received.	Asmt		Date	8	997-1004

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date vaccine received
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

-4065	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.10.0***
-4075	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.

-----

#### GROUP A RULES (Edit -4073a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=

V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -4073b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

##### RULE C1 (Edit -4073c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=  
A2200 (previous ARD for significant correction) <=  
A2300 (assessment reference date)

##### RULE C2: (Edit -4073c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=  
A2200 (previous ARD for significant correction) <=  
A2300 (assessment reference date)

-3555      Skip pattern      Fatal

- a) If O0250A=[1], then if O0250B is active it must not equal [^].
- b) If O0250A=[0], then if O0250B is active it must equal [^].
- c) If O0250A=[-], then if O0250B is active it must equal [-].

## Version Changes

Type	ID	Description
Format	-3677	[V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6.
Consistency	-4065	[V3.10.0]-This edit was deleted, since the O0400 items were deleted. Replaced by edit -4075.
Consistency	-4075	[V3.10.0]-New edit. Replaces edit -4065.

**Item ID:** O0250C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
If influenza vaccine not received, state reason	Asmt		Code	1	1005-1005

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Resident not in this facility during this year's influenza vaccination season
2		Received outside of this facility
3		Not eligible - medical contraindication
4		Offered and declined
5		Not offered
6		Inability to obtain influenza vaccine due to a declared shortage
9		None of the above
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3736	Skip pattern	Fatal	a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

**Item ID:** O0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Is pneumococcal vaccination up to date	Asmt		Code	1	1006-1006

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3556	Skip pattern	Fatal	a) If O0300A=[0], then if O0300B is active it must not equal [^]. b) If O0300A=[1], then if O0300B is active it must equal [^]. c) If O0300A=[-], then if O0300B is active it must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.



**Item ID:** O0300B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
If pneumococcal vacc not received, state reason	Asmt		Code	1	1007-1007

#### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Not eligible - medical contraindication
2		Offered and declined
3		Not offered
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3556	Skip pattern	Fatal	a) If O0300A=[0], then if O0300B is active it must not equal [^]. b) If O0300A=[1], then if O0300B is active it must equal [^]. c) If O0300A=[-], then if O0300B is active it must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.

Item ID: O0350

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
COVID-19 Vaccination Up To Date	Asmt		Code	1	3451-3451

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No, patient is not up to date
1		Yes, patient is up to date
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,



**Item ID:** O0390A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-Language Pathology and Audiology Services	Asmt		Checklist	1	3452-3452

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No (Unchecked)
1		Yes (Checked)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4077	None of the	Fatal	(a) If O0390Z=[1], then O0390A through O0390E must equal [0]. (b) If O0390Z=[0], then at least one of O0390A through O0390E must equal [1]. (c) If O0390Z=[-], then at least one item from O0390A through O0390E must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Item	O0390A	[V3.10.0]-New item.
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
None of above	-4077	[V3.10.0]-New edit.

**Item ID:** O0390B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy	Asmt		Checklist	1	3453-3453

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No (Unchecked)
1		Yes (Checked)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4077	None of the	Fatal	(a) If O0390Z=[1], then O0390A through O0390E must equal [0]. (b) If O0390Z=[0], then at least one of O0390A through O0390E must equal [1]. (c) If O0390Z=[-], then at least one item from O0390A through O0390E must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Item	O0390B	[V3.10.0]-New item.
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
None of above	-4077	[V3.10.0]-New edit.

**Item ID:** O0390C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy	Asmt		Checklist	1	3454-3454

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (Unchecked)
1		Yes (Checked)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4077	None of the	Fatal	(a) If O0390Z=[1], then O0390A through O0390E must equal [0]. (b) If O0390Z=[0], then at least one of O0390A through O0390E must equal [1]. (c) If O0390Z=[-], then at least one item from O0390A through O0390E must equal [-] and all remaining items must equal [0,-].

**Version Changes**

Type	ID	Description
Item	O0390C	[V3.10.0]-New item.
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
None of above	-4077	[V3.10.0]-New edit.

**Item ID:** O0390D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory Therapy	Asmt		Checklist	1	3455-3455

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No (Unchecked)
1		Yes (Checked)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4076	Skip pattern	Fatal	If O0390D is active, then  (a) If O0390D=[1], then O0400D2 must not be equal to [^]. (b) If O0390D=[0], then O0400D2 must be equal to [^].  Otherwise  (c) If A0310B=[08], then O0400D2 must not be equal to [^].
-4077	None of the	Fatal	(a) If O0390Z=[1], then O0390A through O0390E must equal [0]. (b) If O0390Z=[0], then at least one of O0390A through O0390E must equal [1]. (c) If O0390Z=[-], then at least one item from O0390A through O0390E must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Item	O0390D	[V3.10.0]-New item.

Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
Skip pattern	-4076	[V3.10.0]-New edit. Replaces edit -4066.
None of above	-4077	[V3.10.0]-New edit.



**Item ID:** O0390E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychological Therapy	Asmt		Checklist	1	3456-3456

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (Unchecked)
1		Yes (Checked)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4077	None of the	Fatal	(a) If O0390Z=[1], then O0390A through O0390E must equal [0]. (b) If O0390Z=[0], then at least one of O0390A through O0390E must equal [1]. (c) If O0390Z=[-], then at least one item from O0390A through O0390E must equal [-] and all remaining items must equal [0,-].

**Version Changes**

Type	ID	Description
Item	O0390E	[V3.10.0]-New item.
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
None of above	-4077	[V3.10.0]-New edit.

**Item ID:** O0390Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
None of the above	Asmt		Checklist	1	3457-3457

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (Unchecked)
1		Yes (Checked)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4077	None of the	Fatal	(a) If O0390Z=[1], then O0390A through O0390E must equal [0]. (b) If O0390Z=[0], then at least one of O0390A through O0390E must equal [1]. (c) If O0390Z=[-], then at least one item from O0390A through O0390E must equal [-] and all remaining items must equal [0,-].

**Version Changes**

Type	ID	Description
Item	O0390Z	[V3.10.0]-New item.
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310. Mappings were removed from the following deleted items: A0800, X0300.
None of above	-4077	[V3.10.0]-New edit.

Item ID: O0400D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory therapy: number of days	Asmt		Number	1	1099-1099

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3560	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.10***
-4066	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.10.0***
-4076	Skip pattern	Fatal	If O0390D is active, then  (a) If O0390D=[1], then O0400D2 must not be equal to [^]. (b) If O0390D=[0], then O0400D2 must be equal to [^].

Otherwise

(c) If A0310B=[08], then O0400D2 must not be equal to [^].

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Skip pattern	-3560	[V3.10]-This edit was deleted, since the O0400D1 item was deleted.
Skip pattern	-4066	[V3.10.0]-This edit was deleted, since the O0400D1 item was deleted. Replaced by edit -4076.
Skip pattern	-4076	[V3.10.0]-New edit. Replaces edit -4066.

Item ID: O0425A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Individual Minutes	Asmt		Number	4	1764-1767

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5.  Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

-3960	Consistency	Warning	b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].
			c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].
			SLP and Audiology Services Concurrent and Group Therapy Minutes compliance:
-3944	Skip pattern	Fatal	a) Calculate the Total Therapy Minutes using O0425A1+O0425A2+O0425A3.
			b) Calculate the Total Concurrent and Group Minutes using O0425A2+O0425A3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Concurrent Minutes	Asmt		Number	4	1768-1771

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5.  Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

-3960	Consistency	Warning	b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].
			c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].
			SLP and Audiology Services Concurrent and Group Therapy Minutes compliance:
-3944	Skip pattern	Fatal	a) Calculate the Total Therapy Minutes using O0425A1+O0425A2+O0425A3.
			b) Calculate the Total Concurrent and Group Minutes using O0425A2+O0425A3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.



Item ID: O0425A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Group Minutes	Asmt		Number	4	1772-1775

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5.  Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

-3960	Consistency	Warning	b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].
			c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].
			SLP and Audiology Services Concurrent and Group Therapy Minutes compliance:
-3944	Skip pattern	Fatal	a) Calculate the Total Therapy Minutes using O0425A1+O0425A2+O0425A3.
			b) Calculate the Total Concurrent and Group Minutes using O0425A2+O0425A3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425A4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Co-treatment Minutes	Asmt		Number	4	1776-1779

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5.  Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

-3944	Skip pattern	Fatal	b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].
			c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].
			a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0425A5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Days	Asmt		Number	3	1780-1782

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5.  Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

-3944	Skip pattern	Fatal	b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].
			c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].
			a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Individual Minutes	Asmt		Number	4	1783-1786

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5.  Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

-3961	Consistency	Warning	b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].
			c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].
			Occupational Therapy Concurrent and Group Therapy Minutes compliance:
			a) Calculate the Total Therapy Minutes using O0425B1+O0425B2+O0425B3.
			b) Calculate the Total Concurrent and Group Minutes using O0425B2+O0425B3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.



Item ID: O0425B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Concurrent Minutes	Asmt		Number	4	1787-1790

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5.  Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

-3961	Consistency	Warning	b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].
			c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].
			Occupational Therapy Concurrent and Group Therapy Minutes compliance:
			a) Calculate the Total Therapy Minutes using O0425B1+O0425B2+O0425B3.
			b) Calculate the Total Concurrent and Group Minutes using O0425B2+O0425B3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Group Minutes	Asmt		Number	4	1791-1794

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5.  Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

-3961	Consistency	Warning	b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].
			c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].
			Occupational Therapy Concurrent and Group Therapy Minutes compliance:
			a) Calculate the Total Therapy Minutes using O0425B1+O0425B2+O0425B3.
			b) Calculate the Total Concurrent and Group Minutes using O0425B2+O0425B3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425B4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Co-treatment Minutes	Asmt		Number	4	1795-1798

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5.  Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

-3944	Skip pattern	Fatal	b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].
			c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].
			a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425B5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Days	Asmt		Number	3	1799-1801

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5.  Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

-3944	Skip pattern	Fatal	b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].
			c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].
			a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.



Item ID: O0425C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Individual Minutes	Asmt		Number	4	1802-1805

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5.  Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

-3962	Consistency	Warning	b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].
			c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].
			Physical Therapy Concurrent and Group Therapy Minutes compliance
-3944	Skip pattern	Fatal	a) Calculate the Total Therapy Minutes using O0425C1+O0425C2+O0425C3.
			b) Calculate the Total Concurrent and Group Minutes using O0425C2+O0425C3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Concurrent Minutes	Asmt		Number	4	1806-1809

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5.  Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

-3962	Consistency	Warning	b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].
			c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].
			Physical Therapy Concurrent and Group Therapy Minutes compliance
-3944	Skip pattern	Fatal	a) Calculate the Total Therapy Minutes using O0425C1+O0425C2+O0425C3.
			b) Calculate the Total Concurrent and Group Minutes using O0425C2+O0425C3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Group Minutes	Asmt		Number	4	1810-1813

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5.  Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

-3962	Consistency	Warning	b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].
			c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].
			Physical Therapy Concurrent and Group Therapy Minutes compliance
-3944	Skip pattern	Fatal	a) Calculate the Total Therapy Minutes using O0425C1+O0425C2+O0425C3.
			b) Calculate the Total Concurrent and Group Minutes using O0425C2+O0425C3.
			c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0425C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Co-treatment Minutes	Asmt		Number	4	1814-1817

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5.  Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

-3944	Skip pattern	Fatal	b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].
			c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].
			a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.



Item ID: O0425C5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Days	Asmt		Number	3	1818-1820

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5.  Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:  a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

-3944	Skip pattern	Fatal	b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].
			c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].
			a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].
			b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0430

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Distinct Calendar Days of Part A Therapy	Asmt		Number	3	1821-1823

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].  b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Range of motion (passive): number of days	Asmt		Number	1	1110-1110

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Range of motion (active): number of days	Asmt		Number	1	1111-1111

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.



**Item ID:** O0500C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Splint or brace assistance: number of days	Asmt		Number	1	1112-1112

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bed mobility training: number of days	Asmt		Number	1	1113-1113

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Transfer training: number of days	Asmt		Number	1	1114-1114

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walking training: number of days	Asmt		Number	1	1115-1115

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.



Item ID: O0500G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dressing and/or grooming training: number of days	Asmt		Number	1	1116-1116

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Eating and/or swallowing training: number of days	Asmt		Number	1	1117-1117

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

**Item ID:** O0500I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Amputation/prosthesis training: number of days	Asmt		Number	1	1118-1118

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: O0500J

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Communication training: number of days	Asmt		Number	1	1119-1119

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

#### Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Format

-3680

[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.