

Item ID: L0200A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dental: broken or loosely fitting denture | Asmt | | Checklist | 1 | 885-885 |

Item Subsets

Active: NC,NQ,NP
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dental: no natural teeth or tooth fragment(s) | Asmt | | Checklist | 1 | 886-886 |

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200C

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Dental: abnormal mouth tissue | Asmt | | Checklist | 1 | 887-887 |

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200D

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Dental: cavity or broken natural teeth | Asmt | | Checklist | 1 | 888-888 |

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200E

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dental: inflamed/bleeding gums or loose teeth | Asmt | | Checklist | 1 | 889-889 |

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200F

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Dental: pain, discomfort, difficulty chewing | Asmt | | Checklist | 1 | 890-890 |

Item Subsets

Active: NC,NQ,NP
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200G

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Dental: unable to examine | Asmt | | Checklist | 1 | 891-891 |

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |

Item ID: L0200Z

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Dental: none of the above | Asmt | | Checklist | 1 | 892-892 |

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3513 | None of above | Fatal | If L0200Z is active, and any of L0200A through L0200G are active, then the following rules apply: a) If L0200Z=[0], then at least one active item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all active items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one active item from L0200A through L0200G must equal [-] and all remaining active items must equal [0,-]. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330. |