

Item ID: N0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of days injectable medications received	Asmt		Number	1	958-958

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3753	Consistency	Fatal	If N0300 is equal to [1-7], then one of the following must be true: a) N0350A must be equal to [-], OR b) N0350A must be equal to [0-7] and must be less than or equal to N0300.
-3735	Skip pattern	Fatal	a) If N0300=[0], then all active items from N0350A through N0350B must equal [^]. b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^]. c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1 O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: N0350A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Insulin: insulin injections	Asmt		Number	1	959-959

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3753	Consistency	Fatal	If N0300 is equal to [1-7], then one of the following must be true: a) N0350A must be equal to [-], OR b) N0350A must be equal to [0-7] and must be less than or equal to N0300.
-3735	Skip pattern	Fatal	a) If N0300=[0], then all active items from N0350A through N0350B must equal [^]. b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^]. c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1 O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: N0350B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Insulin: orders for insulin	Asmt		Number	1	960-960

Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3735	Skip pattern	Fatal	a) If N0300=[0], then all active items from N0350A through N0350B must equal [^]. b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^]. c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1 O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: N0415A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Antipsychotic	Asmt		Checklist	1	3340-3340

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-3996	Skip pattern	Fatal	(a) If N0415A1=[0], then N0415A2 must equal [^]. (b) If N0415A1=[1], then N0415A2 must not equal [^]. (c) If N0415A1=[-], then N0415A2 must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,



**Item ID:** N0415A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antipsychotic	Asmt		Checklist	1	3341-3341

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3996	Skip pattern	Fatal	(a) If N0415A1=[0], then N0415A2 must equal [^]. (b) If N0415A1=[1], then N0415A2 must not equal [^]. (c) If N0415A1=[-], then N0415A2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** N0415B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Antianxiety	Asmt		Checklist	1	3342-3342

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-3997	Skip pattern	Fatal	(a) If N0415B1=[0], then N0415B2 must equal [^]. (b) If N0415B1=[1], then N0415B2 must not equal [^]. (c) If N0415B1=[-], then N0415B2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0415B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antianxiety	Asmt		Checklist	1	3343-3343

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3997	Skip pattern	Fatal	(a) If N0415B1=[0], then N0415B2 must equal [^]. (b) If N0415B1=[1], then N0415B2 must not equal [^]. (c) If N0415B1=[-], then N0415B2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0415C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Antidepressant	Asmt		Checklist	1	3344-3344

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-3998	Skip pattern	Fatal	(a) If N0415C1=[0], then N0415C2 must equal [^]. (b) If N0415C1=[1], then N0415C2 must not equal [^]. (c) If N0415C1=[-], then N0415C2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0415C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antidepressant	Asmt		Checklist	1	3345-3345

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3998	Skip pattern	Fatal	(a) If N0415C1=[0], then N0415C2 must equal [^]. (b) If N0415C1=[1], then N0415C2 must not equal [^]. (c) If N0415C1=[-], then N0415C2 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: N0415D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Hypnotic	Asmt		Checklist	1	3346-3346

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-3999	Skip pattern	Fatal	(a) If N0415D1=[0], then N0415D2 must equal [^]. (b) If N0415D1=[1], then N0415D2 must not equal [^]. (c) If N0415D1=[-], then N0415D2 must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0415D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Hypnotic	Asmt		Checklist	1	3347-3347

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3999	Skip pattern	Fatal	(a) If N0415D1=[0], then N0415D2 must equal [^]. (b) If N0415D1=[1], then N0415D2 must not equal [^]. (c) If N0415D1=[-], then N0415D2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.



Item ID: N0415E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Anticoagulant	Asmt		Checklist	1	3348-3348

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4000	Skip pattern	Fatal	(a) If N0415E1=[0], then N0415E2 must equal [^]. (b) If N0415E1=[1], then N0415E2 must not equal [^]. (c) If N0415E1=[-], then N0415E2 must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** N0415E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Anticoagulant	Asmt		Checklist	1	3349-3349

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4000	Skip pattern	Fatal	(a) If N0415E1=[0], then N0415E2 must equal [^]. (b) If N0415E1=[1], then N0415E2 must not equal [^]. (c) If N0415E1=[-], then N0415E2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

Item ID: N0415F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Antibiotic	Asmt		Checklist	1	3350-3350

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4001	Skip pattern	Fatal	(a) If N0415F1=[0], then N0415F2 must equal [^]. (b) If N0415F1=[1], then N0415F2 must not equal [^]. (c) If N0415F1=[-], then N0415F2 must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** N0415F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antibiotic	Asmt		Checklist	1	3351-3351

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4001	Skip pattern	Fatal	(a) If N0415F1=[0], then N0415F2 must equal [^]. (b) If N0415F1=[1], then N0415F2 must not equal [^]. (c) If N0415F1=[-], then N0415F2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>



**Item ID:** N0415G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Diuretic	Asmt		Checklist	1	3352-3352

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4002	Skip pattern	Fatal	(a) If N0415G1=[0], then N0415G2 must equal [^]. (b) If N0415G1=[1], then N0415G2 must not equal [^]. (c) If N0415G1=[-], then N0415G2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: N0415G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Diuretic	Asmt		Checklist	1	3353-3353

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD  
Inactive: NT,IPA,ST,XX  
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4002	Skip pattern	Fatal	(a) If N0415G1=[0], then N0415G2 must equal [^]. (b) If N0415G1=[1], then N0415G2 must not equal [^]. (c) If N0415G1=[-], then N0415G2 must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: N0415H1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Opioid	Asmt		Checklist	1	3354-3354

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4003	Skip pattern	Fatal	(a) If N0415H1=[0], then N0415H2 must equal [^]. (b) If N0415H1=[1], then N0415H2 must not equal [^]. (c) If N0415H1=[-], then N0415H2 must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** N0415H2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Opioid	Asmt		Checklist	1	3355-3355

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4003	Skip pattern	Fatal	(a) If N0415H1=[0], then N0415H2 must equal [^]. (b) If N0415H1=[1], then N0415H2 must not equal [^]. (c) If N0415H1=[-], then N0415H2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

Item ID: N0415I1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Antiplatelet	Asmt		Checklist	1	3356-3356

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4004	Skip pattern	Fatal	(a) If N0415I1=[0], then N0415I2 must equal [^]. (b) If N0415I1=[1], then N0415I2 must not equal [^]. (c) If N0415I1=[-], then N0415I2 must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,



**Item ID:** N0415I2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antiplatelet	Asmt		Checklist	1	3357-3357

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4004	Skip pattern	Fatal	(a) If N0415I1=[0], then N0415I2 must equal [^]. (b) If N0415I1=[1], then N0415I2 must not equal [^]. (c) If N0415I1=[-], then N0415I2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

Item ID: N0415J1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Hypoglycemic	Asmt		Checklist	1	3358-3358

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4005	Skip pattern	Fatal	(a) If N0415J1=[0], then N0415J2 must equal [^]. (b) If N0415J1=[1], then N0415J2 must not equal [^]. (c) If N0415J1=[-], then N0415J2 must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** N0415J2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Hypoglycemic	Asmt		Checklist	1	3359-3359

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4005	Skip pattern	Fatal	(a) If N0415J1=[0], then N0415J2 must equal [^]. (b) If N0415J1=[1], then N0415J2 must not equal [^]. (c) If N0415J1=[-], then N0415J2 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
Consistency	-3908	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,</p>

**Item ID:** N0415K1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Anticonvulsant	Asmt		Checklist	1	3449-3449

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.
-4068	Skip pattern	Fatal	(a) If N0415K1=[0], then N0415K2 must equal [^]. (b) If N0415K1=[1], then N0415K2 must not equal [^]. (c) If N0415K1=[-], then N0415K2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0415K2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Anticonvulsant	Asmt		Checklist	1	3450-3450

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4068	Skip pattern	Fatal	(a) If N0415K1=[0], then N0415K2 must equal [^]. (b) If N0415K1=[1], then N0415K2 must not equal [^]. (c) If N0415K1=[-], then N0415K2 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.



**Item ID:** N0415Z1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): None of the Above	Asmt		Checklist	1	3360-3360

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3995	Consistency	Fatal	(a) If N0415Z1=[1], then the following items, when active, must equal [0]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  (b) If N0415Z1=[0], then at least one of the following items, when active, must equal [1]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.  c) If N0415Z1=[-], then at least one of the following items, when active, must equal [-] and the rest of the active items must be [0,-]: N0415A1, N0415B1, N0415C1, N0415D1, N0415E1, N0415F1, N0415G1, N0415H1, N0415I1, N0415J1, N0415K1.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** N0450A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident received antipsychotic medications	Asmt		Code	1	1580-1580

#### Item Subsets

Active: NC,NQ  
Inactive: NP,ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No - Antipsychotics were not received
1		Yes - Antipsychotics were received on a routine basis only
2		Yes - Antipsychotics were received on a PRN basis only
3		Yes - Antipsychotics were received on a routine and PRN basis

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3879	Skip pattern	Fatal	a) If N0450A=[0], then all active items from N0450B through N0450E must be equal to [^].  b) If N0450A=[1,2,3], then N0450B and N0450D must not be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0450B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
GDR attempted	Asmt		Code	1	1581-1581

#### Item Subsets

Active: NC,NQ  
Inactive: NP,ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3879	Skip pattern	Fatal	a) If N0450A=[0], then all active items from N0450B through N0450E must be equal to [^].  b) If N0450A=[1,2,3], then N0450B and N0450D must not be equal to [^].
-3880	Skip pattern	Fatal	a) If N0450B=[0], then N0450C must be equal to [^].  b) If N0450B=[1], then N0450C must not be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0450C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date of last attempted GDR	Asmt		Date	8	1582-1589

#### Item Subsets

Active: NC,NQ  
Inactive: NP,ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Valid date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.  Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3912	Consistency	Fatal	The date must be greater than or equal to A0900 (Birthdate) and less than or equal to the current date.
-3879	Skip pattern	Fatal	a) If N0450A=[0], then all active items from N0450B through N0450E must be equal to [^].  b) If N0450A=[1,2,3], then N0450B and N0450D must not be equal to [^].
-3880	Skip pattern	Fatal	a) If N0450B=[0], then N0450C must be equal to [^].  b) If N0450B=[1], then N0450C must not be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3677	[V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6.

**Item ID:** N0450D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physician documented GDR	Asmt		Code	1	1590-1590

#### Item Subsets

Active: NC,NQ  
Inactive: NP,ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3879	Skip pattern	Fatal	a) If N0450A=[0], then all active items from N0450B through N0450E must be equal to [^].  b) If N0450A=[1,2,3], then N0450B and N0450D must not be equal to [^].
-3881	Skip pattern	Fatal	a) If N0450D=[0], then N0450E must be equal to [^].  b) If N0450D=[1], then N0450E must not be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

**Item ID:** N0450E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date physician documented GDR	Asmt		Date	8	1591-1598

#### Item Subsets

Active: NC,NQ  
Inactive: NP,ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Valid date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.  Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3912	Consistency	Fatal	The date must be greater than or equal to A0900 (Birthdate) and less than or equal to the current date.
-3879	Skip pattern	Fatal	a) If N0450A=[0], then all active items from N0450B through N0450E must be equal to [^].  b) If N0450A=[1,2,3], then N0450B and N0450D must not be equal to [^].
-3881	Skip pattern	Fatal	a) If N0450D=[0], then N0450E must be equal to [^].  b) If N0450D=[1], then N0450E must not be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3677	[V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6.

**Item ID:** N2001

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Drug Regimen Review	Asmt		Code	1	1698-1698

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No - No issues found during review
1		Yes - Issues found during review
9		NA - Resident is not taking any medications
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3896	Skip pattern	Fatal	a) If N2001=[0,9], then N2003 must be equal to [^].  b) If N2001=[1], then N2003 must not be equal to [^].  (c) If N2001=[-], then N2003 must equal [-].
-3926	Skip pattern	Fatal	a) If A0310B=[01], then if N2001 is active, it must not be equal to [^].  b) If A0310B=[99], then if N2001 and N2003 are active, they must be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.



Consistency

-3897

[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.

[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.

**Item ID:** N2003

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medication Follow-up	Asmt		Code	1	1699-1699

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3896	Skip pattern	Fatal	a) If N2001=[0,9], then N2003 must be equal to [^].  b) If N2001=[1], then N2003 must not be equal to [^].  (c) If N2001=[-], then N2003 must equal [-].
-3926	Skip pattern	Fatal	a) If A0310B=[01], then if N2001 is active, it must not be equal to [^].  b) If A0310B=[99], then if N2001 and N2003 are active, they must be equal to [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>
-------------	-------	---

**Item ID:** N2005

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medication Intervention	Asmt		Code	1	1700-1700

#### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		NA - There were no potentially clinically significant medication issues identified since admission or patient is not taking any medications
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3906	Consistency	Fatal	a) If A0310H=[1], then if N2005 is active it must not equal [^]. b) If A0310H=[0], then if N2005 is active it must equal [^].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,