

**Item ID:** V0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior OBRA reason for assessment	Asmt		Code	2	1142-1143

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
01		Admission assessment (required by day 14)
02		Quarterly review assessment
03		Annual assessment
04		Significant change in status assessment
05		Significant correction to prior comprehensive assessment
06		Significant correction to prior quarterly assessment
99		None of the above
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3782	Consistency	Fatal	V0100A and V0100B cannot both be equal to [99].
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].

#### Supplemental Information

Info ID	Type	Text
-9015	Information	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.
-9021	Information	V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01].

The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

## Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior PPS reason for assessment	Asmt		Code	2	1144-1145

**Item Subsets**

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
01		5-day scheduled assessment
08		IPA - Interim Payment Assessment
99		None of the above
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3782	Consistency	Fatal	V0100A and V0100B cannot both be equal to [99].
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].

**Supplemental Information**

Info ID	Type	Text
-9015	Information	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.
-9021	Information	V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01].

The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

## Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior assessment reference date	Asmt		Date	8	1146-1153

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Prior assessment reference date (A2300 value from prior assessment)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.  Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].
-4065	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.  -----  GROUP A RULES (Edit -4065a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:  A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <= V0200C2 (CAT care planning signature date) <= X1100E (correction: attestation date) <=

current date

-----

#### GROUP B (Edit -4065b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

##### RULE C1 (Edit -4065c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:  
A1600 (entry date) <=  
A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

##### RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:  
A0900 (birthdate) <=  
A2200 (previous ARD for significant correction) <=  
A2300 (assessment reference date)

-----

GROUP D (Edit -4065d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)  
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]) then

(1) If the assessment is an interrupted stay (A0310G1 = 1) then each of those dates must be greater than or equal to A2400B (Start date of most recent Medicare stay).

(2) If the assessment is NOT an interrupted stay (A0310G1 = 0,^ ) then each of those dates must be greater than or equal to A1600 (entry date).

### Supplemental Information

Info ID	Type	Text
-9015	Information	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.
-9021	Information	V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01].

The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.



Item ID: V0100D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior assessment BIMS summary score	Asmt		Number	2	1154-1155

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
00		Minimum value
15		Maximum value
99		Unable to complete interview
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].

## Supplemental Information

Info ID	Type	Text
-9015	Information	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.
-9021	Information	V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01].

The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

**Item ID:** V0100E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior asmt PHQ res: total mood severity score	Asmt		Number	2	1156-1157

**Item Subsets**

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
00		Minimum value
27		Maximum value
99		Unable to complete interview
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].

## Supplemental Information

Info ID	Type	Text
-9015	Information	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.
-9021	Information	V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01].

The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

**Item ID:** V0100F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior asmt PHQ staff: total mood score	Asmt		Number	2	1158-1159

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
00		Minimum value
30		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].

#### Supplemental Information

Info ID	Type	Text
-9015	Information	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.

-9021      Information      V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01].

The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

Item ID: V0200A01A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Delirium: triggered	Asmt		Checklist	1	1160-1160

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A01B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Delirium: plan	Asmt		Checklist	1	1161-1161

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.



Item ID: V0200A02A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Cognitive loss/dementia: triggered	Asmt		Checklist	1	1162-1162

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A02B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Cognitive loss/dementia: plan	Asmt		Checklist	1	1163-1163

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200A03A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Visual function: triggered	Asmt		Checklist	1	1164-1164

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A03B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Visual function: plan	Asmt		Checklist	1	1165-1165

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200A04A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Communication: triggered	Asmt		Checklist	1	1166-1166

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A04B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Communication: plan	Asmt		Checklist	1	1167-1167

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A05A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-ADL functional/rehab potential: triggered	Asmt		Checklist	1	1168-1168

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A05B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-ADL functional/rehab potential: plan	Asmt		Checklist	1	1169-1169

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.



**Item ID:** V0200A06A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Urinary incont/indwell catheter: triggered	Asmt		Checklist	1	1170-1170

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A06B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Urinary incont/indwell catheter: plan	Asmt		Checklist	1	1171-1171

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A07A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Psychosocial well-being: triggered	Asmt		Checklist	1	1172-1172

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A07B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Psychosocial well-being: plan	Asmt		Checklist	1	1173-1173

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A08A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Mood state: triggered	Asmt		Checklist	1	1174-1174

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A08B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Mood state: plan	Asmt		Checklist	1	1175-1175

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A09A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Behavioral symptoms: triggered	Asmt		Checklist	1	1176-1176

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A09B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Behavioral symptoms: plan	Asmt		Checklist	1	1177-1177

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.



**Item ID:** V0200A10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Activities: triggered	Asmt		Checklist	1	1178-1178

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A10B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Activities: plan	Asmt		Checklist	1	1179-1179

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200A11A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Falls: triggered	Asmt		Checklist	1	1180-1180

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A11B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Falls: plan	Asmt		Checklist	1	1181-1181

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A12A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Nutritional status: triggered	Asmt		Checklist	1	1182-1182

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A12B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Nutritional status: plan	Asmt		Checklist	1	1183-1183

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A13A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Feeding tubes: triggered	Asmt		Checklist	1	1184-1184

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A13B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Feeding tubes: plan	Asmt		Checklist	1	1185-1185

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.



**Item ID:** V0200A14A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Dehydration/fluid maintenance: triggered	Asmt		Checklist	1	1186-1186

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A14B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Dehydration/fluid maintenance: plan	Asmt		Checklist	1	1187-1187

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200A15A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Dental care: triggered	Asmt		Checklist	1	1188-1188

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A15B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Dental care: plan	Asmt		Checklist	1	1189-1189

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A16A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Pressure ulcer: triggered	Asmt		Checklist	1	1190-1190

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A16B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Pressure ulcer: plan	Asmt		Checklist	1	1191-1191

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200A17A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Psychotropic drug use: triggered	Asmt		Checklist	1	1192-1192

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A17B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Psychotropic drug use: plan	Asmt		Checklist	1	1193-1193

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.



**Item ID:** V0200A18A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Physical restraints: triggered	Asmt		Checklist	1	1194-1194

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A18B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Physical restraints: plan	Asmt		Checklist	1	1195-1195

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200A19A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Pain: triggered	Asmt		Checklist	1	1196-1196

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

#### Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A19B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Pain: plan	Asmt		Checklist	1	1197-1197

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A20A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Return to community referral: triggered	Asmt		Checklist	1	1198-1198

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: V0200A20B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Return to community referral: plan	Asmt		Checklist	1	1199-1199

Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

**Item ID:** V0200B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Assessment process signature date	Asmt		Date	8	1200-1207

#### Item Subsets

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		RN coordinator for RAP assessment process: Date signed

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.  Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3749	Consistency	Warning	Date Span Requirements The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.  a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.  b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.  c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.  d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.  e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.
-4065	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.

---

#### GROUP A RULES (Edit -4065a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

---

#### GROUP B (Edit -4065b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

---

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).



RULE C1 (Edit -4065c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -4065d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]) then

(1) If the assessment is an interrupted stay (A0310G1 = 1) then each of those dates must be greater than or equal to A2400B (Start date of most recent Medicare stay).

(2) If the assessment is NOT an interrupted stay (A0310G1 = 0,^ ) then each of those dates must be greater than or equal to A1600 (entry date).

**Item ID:** V0200C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CAA-Care planning signature date	Asmt		Date	8	1208-1215

**Item Subsets**

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
YYYYMMDD		Person completing care planning decision: date signed

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3810	Consistency	Warning	<p>RECORD SUBMISSION TIMING RULES</p> <p>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]).</p> <p>RULES FOR NEW RECORDS (WHERE A0050=[1]):</p> <p>The following rules apply to new records, where A0050=[1].</p> <p>a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.</p> <p>b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.</p> <p>c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.</p> <p>d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.</p>



RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):

e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

-3749	Consistency	Warning	<p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) &lt;= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) &lt;= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) &lt;= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) &lt;= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) &lt;= 13 days.</p>
-4065	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -4065a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) &lt;=</p> <p>A1900 (admission date) &lt;=</p> <p>A1600 (entry date) &lt;=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) &lt;=</p> <p>Z0500B (date RN signed assessment as complete) &lt;=</p> <p>V0200B2 (CAT assessment process signature date) &lt;=</p> <p>V0200C2 (CAT care planning signature date) &lt;=</p> <p>X1100E (correction: attestation date) &lt;=</p> <p>current date</p> <p>-----</p> <p>GROUP B (Edit -4065b)</p>

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

##### RULE C1 (Edit -4065c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:  
A1600 (entry date) <=  
A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

##### RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:  
A0900 (birthdate) <=  
A2200 (previous ARD for significant correction) <=  
A2300 (assessment reference date)

-----

#### GROUP D (Edit -4065d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)  
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]) then

(1) If the assessment is an interrupted stay (A0310G1 = 1) then each of those dates must be greater than or

equal to A2400B (Start date of most recent Medicare stay).

(2) If the assessment is NOT an interrupted stay (A0310G1 = 0,^) then each of those dates must be greater than or equal to A1600 (entry date).



