

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: J

Item ID: M1033_HOSP_RISK_HSTRY_FALLS.....	2
Item ID: M1033_HOSP_RISK_WEIGHT_LOSS	3
Item ID: M1033_HOSP_RISK_MLTPL_HOSPZTN	4
Item ID: M1033_HOSP_RISK_MLTPL_ED_VISIT	5
Item ID: M1033_HOSP_RISK_MNTL_BHV_DCLN	6
Item ID: M1033_HOSP_RISK_COMPLIANCE.....	7
Item ID: M1033_HOSP_RISK_5PLUS_MDCTN	8
Item ID: M1033_HOSP_RISK_CRNT_EXHSTN	9
Item ID: M1033_HOSP_RISK_OTHR_RISK	10
Item ID: J0510.....	12
Item ID: J0520.....	14
Item ID: J0530.....	16
Item ID: J1800.....	18
Item ID: J1900A	20
Item ID: J1900B.....	22
Item ID: J1900C.....	24
Item ID: M1400_WHEN_DYSPNEIC	26

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: J

Item ID: M1033_HOSP_RISK_HSTRY_FALLS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ falls or injury fall in past year	Asmt		Code	1	1515-1515

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: J

Item ID: M1033_HOSP_RISK_WEIGHT_LOSS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: unintentional weight loss	Asmt		Code	1	1516-1516

Item Subsets

Active: 01,03,04,05
 Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_MLTPL_HOSPZTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ hospitalizations in past 6 months	Asmt		Code	1	1517-1517

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_MLTPL_ED_VISIT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ emergency dept visits in past 6 months	Asmt		Code	1	1518-1518

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_MNTL_BHV_DCLN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: decline mental/emotional/behav status	Asmt		Code	1	1519-1519

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_COMPLIANCE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: difficulty with medical instructions	Asmt		Code	1	1520-1520

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_5PLUS_MDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: taking five or more medications	Asmt		Code	1	1521-1521

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_CRNT_EXHSTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: current exhaustion	Asmt		Code	1	1522-1522

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_OTHR_RISK

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: other risk(s) not listed	Asmt		Code	1	1523-1523

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1033_HOSP_RISK_NONE_ABOVE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: none of the above	Asmt		Code	1	1524-1524

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: J0510

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain effect on sleep	Asmt		Code	1	1911-1911

Item Subsets

Active:

Inactive:

Item Values

Value	LOINC Code	Value Text
0		Does not apply – I have not had any pain or hurting in the past 5 days
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5920	Consistency	Fatal	(a) If J0510 = [0], then all active items from J0520 through J0530 must equal [^] (b) If J0510 = [1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^]

Changes for Version

Type	ID	Description
Item	J0510	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5920	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: J

Item ID: J0520

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain interference with therapy activities	Asmt		Code	1	1912-1912

Item Subsets

Active:

Inactive:

Item Values

Value	LOINC Code	Value Text
0		Does not apply – I have not received rehabilitation therapy in the past 5 days
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5920	Consistency	Fatal	(a) If J0510 = [0], then all active items from J0520 through J0530 must equal [^] (b) If J0510 = [1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^]

Changes for Version

Type	ID	Description
Item	J0520	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5920	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: J

Item ID: J0530

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain interference with day-to-day activities	Asmt		Code	1	1913-1913

Item Subsets

Active:
Inactive:

Item Values

Value	LOINC Code	Value Text
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost constantly
8		Unable to answer
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5920	Consistency	Fatal	(a) If J0510 = [0], then all active items from J0520 through J0530 must equal [^] (b) If J0510 = [1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^]

Changes for Version

Type	ID	Description
Item	J0530	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5920	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: J1800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since SOC/ROC: any falls	Asmt		Code	1	1815-1815

Item Subsets

Active: 06,07,08,09
Inactive: 01,03,04,05,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1,

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: J1900A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num falls since SOC/ROC: no injury	Asmt		Code	1	1816-1816

Item Subsets

Active: 06,07,08,09
Inactive: 01,03,04,05,XX

Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E,

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: J1900B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num falls since SOC/ROC: injury (except major)	Asmt		Code	1	1817-1817

Item Subsets

Active: 06,07,08,09
Inactive: 01,03,04,05,XX

Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E,

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: J1900C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num falls since SOC/ROC: major injury	Asmt		Code	1	1818-1818

Item Subsets

Active: 06,07,08,09
Inactive: 01,03,04,05,XX

Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E,

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Item ID: M1400_WHEN_DYSPNEIC

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
When dyspneic	Asmt		Code	2	850-851

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Patient is not short of breath
01		When walking more than 20 feet, climbing stairs
02		With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)
03		With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation
04		At rest (during day or night)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5700	Format	Fatal	***THIS EDIT IS DELETED IN V3.00.0***

Changes for Version

Type	ID	Description
Item	M1400_WHEN_DYSPNEIC	[V3.00.0] - Removing from FU timepoints, removing =

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: J

Format	-3060	[V3.00.0] - Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Format	-5700	[V3.00.0] - This edit deleted as = is no longer a valid value