

# **Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)**

## **Item Change Report: Changes for Version V3.00.0**

<b>Item ID</b>	<b>Group</b>	<b>Type</b>	<b>Max Length</b>	<b>Description</b>	<b>Change</b>
ITM_SET_VRSN_CD	Control	Code	10	Item set version code	[V3.00.0]-Added ending date for D1-012020 and added [E-012021] to value list.
SPEC_VRSN_CD	Control	Code	10	Specifications version code	[V3.00.0]-Added ending date for V2.31 and added [3.00] to value list.
A1005A	Asmt	Checklist	1	No, not of Hispanic, Latino/a, or Spanish origin	[V3.00.0] - New value
A1005B	Asmt	Checklist	1	Yes, Mexican, Mexican American, Chicano/a	[V3.00.0] - New value
A1005C	Asmt	Checklist	1	Yes, Puerto Rican	[V3.00.0] - New value
A1005D	Asmt	Checklist	1	Yes, Cuban	[V3.00.0] - New value
A1005E	Asmt	Checklist	1	Yes, another Hispanic, Latino, or Spanish origin	[V3.00.0] - New value
A1005X	Asmt	Checklist	1	Patient unable to respond	[V3.00.0] - New value
A1010A	Asmt	Checklist	1	Race: White	[V3.00.0] - New value
A1010B	Asmt	Checklist	1	Race: Black or African American	[V3.00.0] - New value
A1010C	Asmt	Checklist	1	Race: American Indian or Alaska Native	[V3.00.0] - New value
A1010D	Asmt	Checklist	1	Race: Asian Indian	[V3.00.0] - New value
A1010E	Asmt	Checklist	1	Race: Chinese	[V3.00.0] - New value
A1010F	Asmt	Checklist	1	Race: Filipino	[V3.00.0] - New value
A1010G	Asmt	Checklist	1	Race: Japanese	[V3.00.0] - New value
A1010H	Asmt	Checklist	1	Race: Korean	[V3.00.0] - New value
A1010I	Asmt	Checklist	1	Race: Vietnamese	[V3.00.0] - New value
A1010J	Asmt	Checklist	1	Race: Other Asian	[V3.00.0] - New value
A1010K	Asmt	Checklist	1	Race: Native Hawaiian	[V3.00.0] - New value
A1010L	Asmt	Checklist	1	Race: Guamanian or Chamorro	[V3.00.0] - New value
A1010M	Asmt	Checklist	1	Race: Samoan	[V3.00.0] - New value
A1010N	Asmt	Checklist	1	Race: Other Pacific Islander	[V3.00.0] - New value
A1010X	Asmt	Checklist	1	Race: Patient unable to respond	[V3.00.0] - New value
B0200	Asmt	Code	1	Hearing	[V3.00.0] - New value
B1000	Asmt	Code	1	Vision	[V3.00.0] - New value
A1110A	Asmt	Text	15	Preferred language	[V3.00.0] - New value

## Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

### Item Change Report: Changes for Version V3.00.0

Item ID	Group	Type	Max Length	Description	Change
A1110B	Asmt	Code	1	Do you need or want an interpreter	[V3.00.0] - New value
A1250A	Asmt	Checklist	1	Transportation: Yes, medical	[V3.00.0] - New value
A1250B	Asmt	Checklist	1	Transportation: Yes, non-medical	[V3.00.0] - New value
A1250C	Asmt	Checklist	1	Transportation: No	[V3.00.0] - New value
A1250X	Asmt	Checklist	1	Transportation: Patient unable to respond	[V3.00.0] - New value
M2420_DSCHRG_DISP	Asmt	Code	2	Discharge disposition	[V3.00.0] - Adding skip pattern
A2121	Asmt	Code	1	Provision Current Reconciled Medication List (Dis)	[V3.00.0] - New value
A2120	Asmt	Code	1	Provision Current Reconciled Medication List (Tra)	[V3.00.0] - New value
A2122A	Asmt	Checklist	1	Electronic Health Record	[V3.00.0] - New value
A2122B	Asmt	Checklist	1	Health Information Exchange Organization	[V3.00.0] - New value
A2122C	Asmt	Checklist	1	Verbal	[V3.00.0] - New value
A2122D	Asmt	Checklist	1	Paper-based	[V3.00.0] - New value
A2122E	Asmt	Checklist	1	Other Methods	[V3.00.0] - New value
A2123	Asmt	Code	1	Provision Current Reconciled Medication (Dis)	[V3.00.0] - New value
A2124A	Asmt	Checklist	1	Electronic Health Record	[V3.00.0] - New value
A2124B	Asmt	Checklist	1	Health Information Exchange Organization	[V3.00.0] - New value
A2124C	Asmt	Checklist	1	Verbal	[V3.00.0] - New value
A2124D	Asmt	Checklist	1	Paper-based	[V3.00.0] - New value
A2124E	Asmt	Checklist	1	Other Methods	[V3.00.0] - New value
B1300	Asmt	Code	1	Health Literacy	[V3.00.0] - New value
C0100	Asmt	Code	1	Brief Interview for Mental Status	[V3.00.0] - New value
C0200	Asmt	Code	1	Repetition of three words	[V3.00.0] - New value
C0300A	Asmt	Code	1	Able to report correct year	[V3.00.0] - New value
C0300B	Asmt	Code	1	Able to report correct month	[V3.00.0] - New value
C0300C	Asmt	Code	1	Able to report correct day of the week	[V3.00.0] - New value
C0400A	Asmt	Code	1	Able to recall "sock"	[V3.00.0] - New value

## Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

### Item Change Report: Changes for Version V3.00.0

Item ID	Group	Type	Max Length	Description	Change
C0400B	Asmt	Code	1	Able to recall "blue"	[V3.00.0] - New value
C0400C	Asmt	Code	1	Able to recall "bed"	[V3.00.0] - New value
C0500	Asmt	Number	2	BIMS Summary Score	[V3.00.0] - New value
C1310A	Asmt	Code	1	Acute Onset Mental Status Change	[V3.00.0] - New value
C1310B	Asmt	Code	1	Inattention	[V3.00.0] - New value
C1310C	Asmt	Code	1	Disorganized thinking	[V3.00.0] - New value
C1310D	Asmt	Code	1	Altered level of consciousness	[V3.00.0] - New value
D0150A1	Asmt	Code	1	Little interest or pleasure in doing things: Pres	[V3.00.0] - New value
D0150A2	Asmt	Code	1	Little interest or pleasure in doing things: Freq	[V3.00.0]- New value
D0150B1	Asmt	Code	1	Feeling down, depressed, or hopeless: Pres	[V3.00.0] - New value
D0150B2	Asmt	Code	1	Feeling down, depressed, or hopeless: Freq	[V3.00.0] - New value
D0150C1	Asmt	Code	1	Trouble falling or staying asleep: Pres	[V3.00.0] - New value
D0150C2	Asmt	Code	1	Trouble falling or staying asleep: Freq	[V3.00.0]- New value
D0150D1	Asmt	Code	1	Feeling tired or having little energy: Pres	[V3.00.0] - New value
D0150D2	Asmt	Code	1	Feeling tired or having little energy: Freq	[V3.00.0] - New value
D0150E1	Asmt	Code	1	Poor appetite or overeating: Pres	[V3.00.0] - New value
D0150E2	Asmt	Code	1	Poor appetite or overeating: Freq	[V3.00.0]- New value
D0150F1	Asmt	Code	1	Feeling bad about yourself: Pres	[V3.00.0] - New value
D0150F2	Asmt	Code	1	Feeling bad about yourself: Freq	[V3.00.0] - New value
D0150G1	Asmt	Code	1	Trouble concentrating on things: Pres	[V3.00.0] - New value
D0150G2	Asmt	Code	1	Trouble concentrating on things: Freq	[V3.00.0] - New value
D0150H1	Asmt	Code	1	Moving or speaking so slowly: Pres	[V3.00.0] - New value
D0150H2	Asmt	Code	1	Moving or speaking so slowly: Freq	[V3.00.0] - New value
D0150I1	Asmt	Code	1	Thoughts that you would be better off dead: Pres	[V3.00.0] - New value
D0150I2	Asmt	Code	1	Thoughts that you would be better off dead: Freq	[V3.00.0] - New value
D0160	Asmt	Number	2	Total severity score	[V3.00.0] - New value

## Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

### Item Change Report: Changes for Version V3.00.0

Item ID	Group	Type	Max Length	Description	Change
D0700	Asmt	Code	1	Social Isolation	[V3.00.0] - New value
M1610_UR_INCONT	Asmt	Code	2	Urinary incontinence or urinary catheter present	[V3.00.0] Removing from FU timepoints, removing =
M1620_BWL_INCONT	Asmt	Code	2	Bowel incontinence frequency	[V3.00.0] - Removing from FU timepoints, removing =
M1630_OSTOMY	Asmt	Code	2	Ostomy for bowel elimination	[V3.00.0] - Removing from FU timepoints, removing =
M1021_PRIMARY_DIAG_ICD	Asmt	ICD	8	Primary diagnosis ICD code	[V3.00.0] - Removing the FU timepoints, removing =
M1021_PRIMARY_DIAG_SEVERITY	Asmt	Code	2	Primary diagnosis severity rating	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG1_ICD	Asmt	ICD	8	Other diagnosis 1: ICD code	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG1_SEVERITY	Asmt	Code	2	Other diagnosis 1: severity rating	[V3.00.0] - Removing the FU timepoints, removing =; added 'in treatment and dose monitoring' to response 03.
M1023_OTH_DIAG2_ICD	Asmt	ICD	8	Other diagnosis 2: ICD code	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG2_SEVERITY	Asmt	Code	2	Other diagnosis 2: severity rating	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG3_ICD	Asmt	ICD	8	Other diagnosis 3: ICD code	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG3_SEVERITY	Asmt	Code	2	Other diagnosis 3: severity rating	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG4_ICD	Asmt	ICD	8	Other diagnosis 4: ICD code	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG4_SEVERITY	Asmt	Code	2	Other diagnosis 4: severity rating	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG5_ICD	Asmt	ICD	8	Other diagnosis 5: ICD code	[V3.00.0] - Removing the FU timepoints, removing =
M1023_OTH_DIAG5_SEVERITY	Asmt	Code	2	Other diagnosis 5: severity rating	[V3.00.0] - Removing the FU timepoints, removing =
J0510	Asmt	Code	1	Pain effect on sleep	[V3.00.0] - New value
J0520	Asmt	Code	1	Pain interference with therapy activities	[V3.00.0] - New value
J0530	Asmt	Code	1	Pain interference with day-to-day activities	[V3.00.0] - New value
M1400_WHEN_DYSPNEIC	Asmt	Code	2	When dyspneic	[V3.00.0] - Removing from FU timepoints, removing =
K0520A1	Asmt	Checklist	1	Nutritional approach (Admission): Parenteral	[V3.00.0] - New value
K0520A4	Asmt	Checklist	1	Nutritional approaches (7 days): Parenteral	[V3.00.0] - New value
K0520A5	Asmt	Checklist	1	Nutritional approaches (discharge): Parenteral	[V3.00.0] - New value
K0520B1	Asmt	Checklist	1	Nutritional approaches (admission): Feeding tube	[V3.00.0] - New value
K0520B4	Asmt	Checklist	1	Nutritional approaches (7 days): Feeding tube	[V3.00.0] - New value

## Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

### Item Change Report: Changes for Version V3.00.0

Item ID	Group	Type	Max Length	Description	Change
K0520B5	Asmt	Checklist	1	Nutritional approaches (discharge): Feeding Tube	[V3.00.0] - New value
K0520C1	Asmt	Checklist	1	Nutritional approaches (admission) : Mech altered	[V3.00.0] - New value
K0520C4	Asmt	Checklist	1	Nutritional approaches (7 days): mech altered diet	[V3.00.0] - New value
K0520C5	Asmt	Checklist	1	Nutritional approaches (discharge): mech altered	[V3.00.0] - New value
K0520D1	Asmt	Checklist	1	Nutritional apprchs (admission) : Therapeutic diet	[V3.00.0] - New value
K0520D4	Asmt	Checklist	1	Nutritional approaches (7 day): Therapeutic diet	[V3.00.0] - New value
K0520D5	Asmt	Checklist	1	Nutritional apprchs (discharge): Therapeutic diet	[V3.00.0] - New value
K0520Z1	Asmt	Checklist	1	Nutritional approaches (admission) : None	[V3.00.0] - New value
K0520Z4	Asmt	Checklist	1	Nutritional approaches (7 days): None	[V3.00.0] - New value
K0520Z5	Asmt	Checklist	1	Nutritional approaches (discharge): None	[V3.00.0] - New value
M1311_NBR_PRSULC_STG2_A1	Asmt	Number	2	Number of Stage 2 Pressure Ulcers	[V3.00.0] - Removing from FU timepoints, removing =
M1311_NBR_PRSULC_STG3_B1	Asmt	Number	2	Number of Stage 3 Pressure Ulcers	[V3.00.0] - Removing from FU timepoints, removing =
M1311_NBR_PRSULC_STG4_C1	Asmt	Number	2	Number of Stage 4 Pressure Ulcers	[V3.00.0] - Removing from FU timepoints, removing =
M1311_NSTG_DRSG_D1	Asmt	Number	2	Num unstage pressure ulcer non-remov dress	[V3.00.0] - Removing from FU timepoints, removing =
M1311_NSTG_CVRG_E1	Asmt	Number	2	Unstageable: coverage by slough or eschar	[V3.00.0] - Removing from FU timepoints, removing =
M1311_NSTG_DEEP_TSUE_F1	Asmt	Number	2	Unstageable: deep tissue injury	[V3.00.0] - Removing from FU timepoints, removing =
M1322_NBR_PRSULC_STG1	Asmt	Code	2	Number of stage 1 pressure injuries	[V3.00.0] - Removed from FU timepoints, removing =
M1324_STG_PRBLM_ULCER	Asmt	Code	2	Stage of most problematic pressure ulcer/injury	[V3.00.0] - Removed from FU timepoints, removing =
M1330_STAS_ULCR_PRSNT	Asmt	Code	2	Does this patient have a stasis ulcer	[V3.00.0] - Removed from FU timepoints, removing =
M1332_NBR_STAS_ULCR	Asmt	Code	2	Number of stasis ulcers	[V3.00.0] - Removed from FU timepoints, removing =
M1334_STUS_PRBLM_STAS_ULCR	Asmt	Code	2	Status of most problematic stasis ulcer	[V3.00.0] - Removed from FU timepoints, removing =
M1340_SRGCL_WND_PRSNT	Asmt	Code	2	Does this patient have a surgical wound	[V3.00.0] - Removing from followup, removing =
M1342_STUS_PRBLM_SRGCL_WND	Asmt	Code	2	Status of most problematic surgical wound	[V3.00.0] - Removed from FU timepoints, removing =

# **Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)**

## **Item Change Report: Changes for Version V3.00.0**

<b>Item ID</b>	<b>Group</b>	<b>Type</b>	<b>Max Length</b>	<b>Description</b>	<b>Change</b>
N0415A1	Asmt	Checklist	1	High-Risk Drug (Is Taking): Antipsychotic	[V3.00.0] - New value
N0415A2	Asmt	Checklist	1	High-Risk Drug (Indication) : Antipsychotic	[V3.00.0] - New value
N0415E1	Asmt	Checklist	1	High-Risk Drug (Is taking): Anticoagulant	[V3.00.0] - New value
N0415E2	Asmt	Checklist	1	High-Risk Drug (Indication): Anticoagulant	[V3.00.0] - New value
N0415F1	Asmt	Checklist	1	High-Risk Drug (Is taking): Antibiotic	[V3.00.0] - New value
N0415F2	Asmt	Checklist	1	High-Risk Drug (Indication): Antibiotic	[V3.00.0] - New value
N0415H1	Asmt	Checklist	1	High-Risk Drug (Is taking): Opioid	[V3.00.0] - New value
N0415H2	Asmt	Checklist	1	High-Drug Risk (Indication): Opioid	[V3.00.0] - New value
N0415I1	Asmt	Checklist	1	High-Risk Drug (Is taking): Antiplatelet	[V3.00.0] - New value
N0415I2	Asmt	Checklist	1	High-Risk Drug (Indication): Antiplatelet	[V3.00.0] - New value
N0415J1	Asmt	Checklist	1	High-Risk Drug (Is taking): Hypoglycemic	[V3.00.0] - New value
N0415J2	Asmt	Checklist	1	High-Risk Drug (Indication): Hypoglycemic	[V3.00.0] - New value
N0415Z1	Asmt	Checklist	1	High-Risk Drug (Is taking): None of the above	[V3.00.0] - New value
M2030_CRNT_MGMT_INJCTN_MDCTN	Asmt	Code	2	Current: management of injectable medications	[V3.00.0] - Removed from followup, removed =
O0110A1a	Asmt	Checklist	1	Cancer Treatment: Chemotherapy (Admission)	[V3.00.0] - New value
O0110A1c	Asmt	Checklist	1	Cancer Treatment: Chemotherapy (Discharge)	[V3.00.0] - New value
O0110A2a	Asmt	Checklist	1	Chemotherapy: IV (Admission)	[V3.00.0] - New value
O0110A2c	Asmt	Checklist	1	Chemotherapy: IV (Discharge)	[V3.00.0] - New value
O0110A3a	Asmt	Checklist	1	Chemotherapy: Oral (Admission)	[V3.00.0] - New value
O0110A3c	Asmt	Checklist	1	Chemotherapy: Oral (Discharge)	[V3.00.0] - New value
O0110A10a	Asmt	Checklist	1	Chemotherapy: Other (Admission)	[V3.00.0] - New value
O0110A10c	Asmt	Checklist	1	Chemotherapy: Other (Discharge)	[V3.00.0] - New value
O0110B1a	Asmt	Checklist	1	Cancer Treatments: Radiation (Admission)	[V3.00.0] - New value
O0110B1c	Asmt	Checklist	1	Cancer Treatments: Radiation (Discharge)	[V3.00.0] - New value
O0110C1a	Asmt	Checklist	1	Respiratory Therapies: Oxygen Therapy (Admission)	[V3.00.0] - New value
O0110C1c	Asmt	Checklist	1	Respiratory Therapies: Oxygen Therapy (Discharge)	[V3.00.0] - New value

## Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

### Item Change Report: Changes for Version V3.00.0

Item ID	Group	Type	Max Length	Description	Change
O0110C2a	Asmt	Checklist	1	Oxygen Therapy: Continuous (Admission)	[V3.00.0] - New value
O0110C2c	Asmt	Checklist	1	Oxygen Therapy: Continuous (Discharge)	[V3.00.0] - New value
O0110C3a	Asmt	Checklist	1	Oxygen Therapy: Intermittent (Admission)	[V3.00.0] - New value
O0110C3c	Asmt	Checklist	1	Oxygen Therapy: Intermittent (Discharge)	[V3.00.0] - New value
O0110C4a	Asmt	Checklist	1	Oxygen Therapy: High-concentration (Admission)	[V3.00.0] - New value
O0110C4c	Asmt	Checklist	1	Oxygen Therapy: High-concentration (Discharge)	[V3.00.0] - New value
O0110D1a	Asmt	Checklist	1	Respiratory Therapies: Suctioning (Admission)	[V3.00.0] - New value
O0110D1c	Asmt	Checklist	1	Respiratory Therapies: Suctioning (Discharge)	[V3.00.0] - New value
O0110D2a	Asmt	Checklist	1	Suctioning: Scheduled (Admission)	[V3.00.0] - New value
O0110D2c	Asmt	Checklist	1	Suctioning: Scheduled (Discharge)	[V3.00.0] - New value
O0110D3a	Asmt	Checklist	1	Suctioning: As Needed (Admission)	[V3.00.0] - New value
O0110D3c	Asmt	Checklist	1	Suctioning: As Needed (Discharge)	[V3.00.0] - New value
O0110E1a	Asmt	Checklist	1	Respiratory Therapies: Trach Care (Admission)	[V3.00.0] - New value
O0110E1c	Asmt	Checklist	1	Respiratory Therapies: Trach Care (Discharge)	[V3.00.0] - New value
O0110F1a	Asmt	Checklist	1	Respiratory Therapies: Invasive Mech Vent (Admiss)	[V3.00.0] - New value
O0110F1c	Asmt	Checklist	1	Respiratory Therapies: Invasive Mech Vent (Disch)	[V3.00.0] - New value
O0110G1a	Asmt	Checklist	1	Respiratory Therapies: Non-Invas Mech Vent(Admiss)	[V3.00.0] - New value
O0110G1c	Asmt	Checklist	1	Respiratory Therapies: Non-Invas Mech Vent (Disch)	[V3.00.0] - New value
O0110G2a	Asmt	Checklist	1	Non-invasive Mech Vent: BiPAP (Admission)	[V3.00.0] - New value
O0110G2c	Asmt	Checklist	1	Non-invasive Mech Vent: BiPAP (Discharge)	[V3.00.0] - New value
O0110G3a	Asmt	Checklist	1	Non-invasive Mech Vent: CPAP (Admission)	[V3.00.0] - New value
O0110G3c	Asmt	Checklist	1	Non-invasive Mech Vent: CPAP (Discharge)	[V3.00.0] - New value
O0110H1a	Asmt	Checklist	1	Other: IV Medications (Admission)	[V3.00.0] - New value

# **Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)**

## **Item Change Report: Changes for Version V3.00.0**

<b>Item ID</b>	<b>Group</b>	<b>Type</b>	<b>Max Length</b>	<b>Description</b>	<b>Change</b>
O0110H1c	Asmt	Checklist	1	Other: IV Medications (Discharge)	[V3.00.0] - New value
O0110H2a	Asmt	Checklist	1	IV Medications: Vasoactive medications (Admission)	[V3.00.0] - New value
O0110H2c	Asmt	Checklist	1	IV Medications: Vasoactive medications (Discharge)	[V3.00.0] - New value
O0110H3a	Asmt	Checklist	1	IV Medications: Antibiotics (Admission)	[V3.00.0] - New value
O0110H3c	Asmt	Checklist	1	IV Medications: Antibiotics (Discharge)	[V3.00.0] - New value
O0110H4a	Asmt	Checklist	1	IV Medications: Anticoagulation (Admission)	[V3.00.0] - New value
O0110H4c	Asmt	Checklist	1	IV Medications: Anticoagulation (Discharge)	[V3.00.0] - New value
O0110H10a	Asmt	Checklist	1	IV Medications: Other (Admission)	[V3.00.0] - New value
O0110H10c	Asmt	Checklist	1	IV Medications: Other (Discharge)	[V3.00.0] - New value
O0110I1a	Asmt	Checklist	1	Other: Transfusions (Admission)	[V3.00.0] - New value
O0110I1c	Asmt	Checklist	1	Other: Transfusions (Discharge)	[V3.00.0] - New value
O0110J1a	Asmt	Checklist	1	Other: Dialysis (Admission)	[V3.00.0] - New value
O0110J1c	Asmt	Checklist	1	Other: Dialysis (Discharge)	[V3.00.0] - New value
O0110J2a	Asmt	Checklist	1	Dialysis: Hemodialysis (Admission)	[V3.00.0] - New value
O0110J2c	Asmt	Checklist	1	Dialysis: Hemodialysis (Discharge)	[V3.00.0] - New value
O0110J3a	Asmt	Checklist	1	Dialysis: Peritoneal dialysis (Admission)	[V3.00.0] - New value
O0110J3c	Asmt	Checklist	1	Dialysis: Peritoneal dialysis (Discharge)	[V3.00.0] - New value
O0110O1a	Asmt	Checklist	1	Other: IV Access (Admission)	[V3.00.0] - New value
O0110O1c	Asmt	Checklist	1	Other: IV Access (Discharge)	[V3.00.0] - New value
O0110O2a	Asmt	Checklist	1	IV Access: Peripheral (Admission)	[V3.00.0] - New value
O0110O2c	Asmt	Checklist	1	IV Access: Peripheral (Discharge)	[V3.00.0] - New value
O0110O3a	Asmt	Checklist	1	IV Access: Midline (Admission)	[V3.00.0] - New value
O0110O3c	Asmt	Checklist	1	IV Access: Midline (Discharge)	[V3.00.0] - New value
O0110O4a	Asmt	Checklist	1	IV Access: Central (Admission)	[V3.00.0] - New value
O0110O4c	Asmt	Checklist	1	IV Access: Central (Discharge)	[V3.00.0] - New value
O0110Z1a	Asmt	Checklist	1	None of the above (Admission)	[V3.00.0] - New value



# **Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)**

## **Item Change Report: Changes for Version V3.00.0**

<b>Item ID</b>	<b>Group</b>	<b>Type</b>	<b>Max Length</b>	<b>Description</b>	<b>Change</b>
O0110Z1c	Asmt	Checklist	1	None of the above (Discharge)	[V3.00.0] - New value
M2200_THER_NEED_NBR	Asmt	Number	3	Therapy need: number of visits indicated	[V3.00.0] - Removed for FU timepoint, removed =
M2200_THER_NEED_NA	Asmt	Code	1	Therapy need: not applicable	[V3.00.0] - Removed for FU timepoint, removed =
ITEM_FILLER_235	Filler	Filler	1	Filler: Replaces M0140_ETHNIC_AI_AN	[V3.00.0] - Value deleted
ITEM_FILLER_236	Filler	Filler	1	Filler: Replaces M0140_ETHNIC_ASIAN	[V3.00.0] - Value deleted
ITEM_FILLER_237	Filler	Filler	1	Filler: Replaces M0140_ETHNIC_BLACK	[V3.00.0] - Value deleted
ITEM_FILLER_238	Filler	Filler	1	Filler: Replaces M0140_ETHNIC_HISP	[V3.00.0] - Value deleted
ITEM_FILLER_239	Filler	Filler	1	Filler: Replaces M0140_ETHNIC_NH_PI	[V3.00.0] - Value deleted
ITEM_FILLER_240	Filler	Filler	1	Filler: Replaces M0140_ETHNIC_WHITE	[V3.00.0] - Value deleted
ITEM_FILLER_241	Filler	Filler	2	Filler: Replaces M1200_VISION	[V3.00.0] - Value deleted
ITEM_FILLER_242	Filler	Filler	2	Filler: Replaces M1242_PAIN_FREQ_ACTVTY_MVMT	[V3.00.0] - Value deleted
ITEM_FILLER_243	Filler	Filler	2	Filler: Replaces M1910_MLT_FCTR_FALL_RISK_ASMT	[V3.00.0] - Value deleted
ITEM_FILLER_244	Filler	Filler	1	Filler: Replaces M1030_THH_PAR_NUTRITION	[V3.00.0] - Value deleted
ITEM_FILLER_245	Filler	Filler	1	Filler: Replaces M1030_THH_ENT_NUTRITION	[V3.00.0] - Value deleted
ITEM_FILLER_246	Filler	Filler	1	Filler: Replaces M1030_THH_IV_INFUSION	[V3.00.0] - Value deleted
ITEM_FILLER_247	Filler	Filler	1	Filler: Replaces M1030_THH_NONE_ABOVE	[V3.00.0] - Value deleted
ITEM_FILLER_248	Filler	Filler	1	Filler: Replaces M1051_PVX_RCVD_AGENCY	[V3.00.0] - Value deleted
ITEM_FILLER_249	Filler	Filler	2	Filler: Replaces M1056_PVX_RSN_NOT_RCVD_AGENCY	[V3.00.0] - Value deleted
ITEM_FILLER_250	Filler	Filler	2	Filler: Replaces M2401_INTRVTN_SMRY_DBTS_FT	[V3.00.0] - Value deleted
ITEM_FILLER_251	Filler	Filler	2	Filler: Replaces M1730_STDZ DPRSN_SCRNG	[V3.00.0] - Value deleted
ITEM_FILLER_252	Filler	Filler	2	Filler: Replaces M1730_PHQ2_LACK_INTRST	[V3.00.0] - Value deleted
ITEM_FILLER_253	Asmt	Code	2	Filler: Replaces M1730_PHQ2 DPRSN	[V3.00.0] - Value deleted