

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3010	Format	Fatal	<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then the length of the submitted value must match exactly the maximum length that is listed for the item.</p> <p><b>Items:</b>   NATL_PRVDR_ID    </p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	M0150_CPAY_TITLEPGMS	Payment sources: title programs
	M0150_CPAY_OTH_GOVT	Payment sources: other government
	M0150_CPAY_PRIV_INS	Payment sources: private insurance
	M0150_CPAY_PRIV_HMO	Payment sources: private HMO/managed care
	M0150_CPAY_SELPAY	Payment sources: self-pay
	M0150_CPAY_OTHER	Payment sources: other
	M0150_CPAY_UK	Payment sources: unknown
	M0080_ASSESSOR_DISCIPLINE	Discipline of person completing assessment
	M0100_ASSMT_REASON	Reason for assessment
	M0102_PHYSN_ORDRD_SOCROC_DT_NA	Physician ordered SOC/ROC date - NA
	M1000_DC_LTC_14_DA	Past 14 days: disch from LTC NH
	M1000_DC_SNF_14_DA	Past 14 days: disch from skilled nursing facility
	M1000_DC_IPPS_14_DA	Past 14 days: disch from short stay acute hospital
	M1000_DC_LTCH_14_DA	Past 14 days: disch from long term care hospital
	M1000_DC_IRF_14_DA	Past 14 days: disch from inpatient rehab facility
	M1000_DC_PSYCH_14_DA	Past 14 days: disch from psych hospital or unit
	M1000_DC_OTH_14_DA	Past 14 days: disch from other
	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility
	M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown
	A1005A	Ethnicity: No, Not Hispanic, Latino/a, Spanish
	A1005B	Ethnicity: Yes, Mex, Mex Amer, Chicano/a
	A1005C	Ethnicity: Yes, Puerto Rican
	A1005D	Ethnicity: Yes, Cuban
	A1005E	Ethnicity: Yes, Another Hispanic/Latino/Spanish
	A1005X	Ethnicity: Patient unable to respond
	A1005Y	Ethnicity: Patient declines to respond
	A1010A	Race: White
	A1010B	Race: Black or African American
	A1010C	Race: American Indian or Alaska Native
	A1010D	Race: Asian Indian
	A1010E	Race: Chinese
	A1010F	Race: Filipino
	A1010G	Race: Japanese
	A1010H	Race: Korean
	A1010I	Race: Vietnamese
	A1010J	Race: Other Asian
	A1010K	Race: Native Hawaiian
	A1010L	Race: Guamanian or Chamorro

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	A1010M	Race: Samoan
	A1010N	Race: Other Pacific Islander
	A1010X	Race: Patient unable to respond
	A1010Y	Race: Patient declines to respond
	A1010Z	Race: None of the above
	A1110B	Do you need or want an interpreter
	A1255	Transportation
	M2301_EMER_USE_AFTR_LAST_ASMT	Emergent care: use since most recent SOC/ROC
	M2310_ECR_MEDICATION	Emergent care reason: medication
	M2310_ECR_HYPOGLYC	Emergent care reason: hypoglycemia/hyperglycemia
	M2310_ECR_OTHER	Emergent care reason: other than above
	M2310_ECR_UNKNOWN	Emergent care reason: unknown
	M2410_INPAT_FACILITY	Inpatient facility
	M2420_DSCHRG_DISP	Discharge disposition
	A2121	Current Reconciled Medication List - Prvdr (Dis)
	A2120	Current Reconciled Medication List - Prvdr (Tra)
	A2122A	Provider Trans - Electronic Health Record
	A2122B	Provider Trans - Health Info Exchange
	A2122C	Provider Trans - Verbal
	A2122D	Provider Trans - Paper-based
	A2122E	Provider Trans - Other Methods
	A2123	Current Reconciled Medication List - Ptnt (Dis)
	A2124A	Patient Trans - Electronic Health Record
	A2124B	Patient Trans - Health Info Exchange
	A2124C	Patient Trans - Verbal
	A2124D	Patient Trans - Paper-based
	A2124E	Patient Trans - Other Methods
	B0200	Hearing
	B1000	Vision
	B1300	Health Literacy
	C0100	Brief Interview for Mental Status
	C0200	Repetition of three words
	C0300A	Temporal Orientation: Able to report correct year
	C0300B	Temporal Orientation: Able to report correct month
	C0300C	Temporal Orientation: Able to report correct day
	C0400A	Recall: Able to recall "sock"
	C0400B	Recall: Able to recall "blue"
	C0400C	Recall: Able to recall "bed"

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	C1310A	Delirium: Acute Onset Mental Status Change
	C1310B	Delirium: Inattention
	C1310C	Delirium: Disorganized thinking
	C1310D	Delirium: Altered level of consciousness
	M1700_COG_FUNCTION	Cognitive functioning
	M1710_WHEN_CONFUSED	When confused (reported or observed)
	M1720_WHEN_ANXIOUS	When anxious (reported or observed)
	D0150A1	Mood: Little interest/pleasure doing things: Pres
	D0150A2	Mood: Little interest/pleasure doing things: Freq
	D0150B1	Mood: Feeling down, depressed, or hopeless: Pres
	D0150B2	Mood: Feeling down, depressed, or hopeless: Freq
	D0150C1	Mood: Trouble falling or staying asleep: Pres
	D0150C2	Mood: Trouble falling or staying asleep: Freq
	D0150D1	Mood: Feeling tired or having little energy: Pres
	D0150D2	Mood: Feeling tired or having little energy: Freq
	D0150E1	Mood: Poor appetite or overeating: Pres
	D0150E2	Mood: Poor appetite or overeating: Freq
	D0150F1	Mood: Feeling bad about yourself: Pres
	D0150F2	Mood: Feeling bad about yourself: Freq
	D0150G1	Mood: Trouble concentrating on things: Pres
	D0150G2	Mood: Trouble concentrating on things: Freq
	D0150H1	Mood: Moving or speaking so slowly: Pres
	D0150H2	Mood: Moving or speaking so slowly: Freq
	D0150I1	Mood: Thoughts of better off dead: Pres
	D0150I2	Mood: Thoughts of better off dead: Freq
	D0700	Social Isolation
	M1740_BD_MEM_DEFICIT	Behavior demonstrated: memory deficit
	M1740_BD_IMP_DECISN	Behavior demonstrated: impaired decision-making
	M1740_BD_VERBAL	Behavior demonstrated: verbal disruption
	M1740_BD_PHYSICAL	Behavior demonstrated: physical aggression
	M1740_BD_SOC_INAPPRO	Behavior demonstrated: socially inappropriate
	M1740_BD_DELUSIONS	Behavior demonstrated: delusions
	M1740_BD_NONE	Behavior demonstrated: none of the above
	M1745_BEH_PROB_FREQ	Frequency of behavior problems
	M1100_PTNT_LVG_STUTN	Patient living situation
	M2102_CARE_TYPE_SRC_ADL	Care mgmt, types/sources: ADL
	M2102_CARE_TYPE_SRC_MDCTN	Care mgmt, types/sources: med admin

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	M2102_CARE_TYPE_SRC_PRCDR	Care mgmt, types/sources: med procs tx
	M2102_CARE_TYPE_SRC_SPRVSN	Care mgmt, types/sources: supervision and safety
	M1800_CRNT_GROOMING	Current: grooming
	M1810_CRNT_DRESS_UPPER	Current: dress upper body
	M1820_CRNT_DRESS_LOWER	Current: dress lower body
	M1830_CRNT_BATHG	Current: bathing
	M1840_CRNT_TOILTG	Current: toileting
	M1845_CRNT_TOILTG_HYGN	Current: toileting hygiene
	M1850_CRNT_TRNSFRNG	Current: transferring
	M1860_CRNT_AMBLTN	Current: ambulation
	GG0100A	Prior Function - Self Care
	GG0100B	Prior Function - Indoor Mobility (Ambulation)
	GG0100C	Prior Function - Stairs
	GG0100D	Prior Function - Functional Cognition
	GG0110A	Prior Device - Manual wheelchair
	GG0110B	Prior Device - Motorized wheelchair and/or scooter
	GG0110C	Prior Device - Mechanical lift
	GG0110D	Prior Device - Walker
	GG0110E	Prior Device - Orthotics/Prosthetics
	GG0110Z	Prior Device - None of the above
	GG0130A1	Eating (SOC/ROC Perf)
	GG0130A3	Eating (Dischg Perf)
	GG0130A4	Eating (Follow-Up Perf)
	GG0130B1	Oral Hygiene (SOC/ROC Perf)
	GG0130B3	Oral Hygiene (Dschr Perf)
	GG0130B4	Oral Hygiene (Follow-Up Perf)
	GG0130C1	Toileting hygiene (SOC/ROC Perf)
	GG0130C3	Toileting hygiene (Dschr Perf)
	GG0130C4	Toileting hygiene (Follow-Up Perf)
	GG0130E1	Shower/bathe self (SOC/ROC Perf)
	GG0130E3	Shower/bathe self (Dschr Perf)
	GG0130F1	Upper body dressing (SOC/ROC Perf)
	GG0130F3	Upper body dressing (Dschr Perf)
	GG0130G1	Lower body dressing (SOC/ROC Perf)
	GG0130G3	Lower body dressing (Dschr Perf)
	GG0130H1	Put on/take off footwear (SOC/ROC Perf)
	GG0130H3	Put on/take off footwear (Dschr Perf)

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	GG0170A1	Roll left and right (SOC/ROC Perf)
	GG0170A3	Roll left and right (Dschrgr Perf)
	GG0170A4	Roll left and right (Follow-Up Perf)
	GG0170B1	Sit to lying (SOC/ROC Perf)
	GG0170B3	Sit to lying (Dschrgr Perf)
	GG0170B4	Sit to lying (Follow-Up Perf)
	GG0170C_MOBILITY_SOCROC_PERF	Lying to sitting on bed side (SOC/ROC Perf)
	GG0170C3	Lying to sitting on bed side (Dschrgr Perf)
	GG0170C4	Lying to sitting on bed side (Follow-Up Perf)
	GG0170D1	Sit to stand (SOC/ROC Perf)
	GG0170D3	Sit to stand (Dschrgr Perf)
	GG0170D4	Sit to stand (Follow-Up Perf)
	GG0170E1	Chair/bed-to-chair transfer (SOC/ROC Perf)
	GG0170E3	Chair/bed-to-chair transfer (Dschrgr Perf)
	GG0170E4	Chair/bed-to-chair transfer (Follow-Up Perf)
	GG0170F1	Toilet transfer (SOC/ROC Perf)
	GG0170F3	Toilet transfer (Dschrgr Perf)
	GG0170F4	Toilet transfer (Follow-Up Perf)
	GG0170G1	Car transfer (SOC/ROC Perf)
	GG0170G3	Car transfer (Dschrgr Perf)
	GG0170I1	Walk 10 feet (SOC/ROC Perf)
	GG0170I3	Walk 10 feet (Dschrgr Perf)
	GG0170I4	Walk 10 feet (Follow-Up Perf)
	GG0170J1	Walk 50 feet with two turns (SOC/ROC Perf)
	GG0170J3	Walk 50 feet with two turns (Dschrgr Perf)
	GG0170J4	Walk 50 feet with two turns (Follow-Up Perf)
	GG0170K1	Walk 150 feet (SOC/ROC Perf)
	GG0170K3	Walk 150 feet (Dschrgr Perf)
	GG0170L1	Walking 10 feet uneven surf (SOC/ROC Perf)
	GG0170L3	Walking 10 feet uneven surf (Dschrgr Perf)
	GG0170L4	Walking 10 feet uneven surf (Follow-Up Perf)
	GG0170M1	1 step (curb) (SOC/ROC Perf)
	GG0170M3	1 step (curb) (Dschrgr Perf)
	GG0170M4	1 step (curb) (Follow-Up Perf)
	GG0170N1	4 steps (SOC/ROC Perf)
	GG0170N3	4 steps (Dschrgr Perf)
	GG0170N4	4 steps (Follow-Up Perf)

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	GG0170O1	12 steps (SOC/ROC Perf)
	GG0170O3	12 steps (Dschrg Perf)
	GG0170P1	Picking up object (SOC/ROC Perf)
	GG0170P3	Picking up object (Dschrg Perf)
	GG0170Q1	Use wheelchair and/or scooter (SOC/ROC Perf)
	GG0170Q3	Use wheelchair and/or scooter (Dschrg Perf)
	GG0170Q4	Use wheelchair and/or scooter (Follow-Up Perf)
	GG0170R1	Wheel 50 feet with two turns (SOC/ROC Perf)
	GG0170R3	Wheel 50 feet with two turns (Dschrg Perf)
	GG0170R4	Wheel 50 feet with two turns (Follow-Up Perf)
	GG0170RR1	Type of wheelchair or scooter (SOC/ROC Perf)
	GG0170RR3	Type of wheelchair or scooter (Dschrg Perf)
	GG0170S1	Wheel 150 feet (SOC/ROC Perf)
	GG0170S3	Wheel 150 feet (Dschrg Perf)
	GG0170SS1	Type of wheelchair or scooter (SOC/ROC Perf)
	GG0170SS3	Type of wheelchair or scooter (Dschrg Perf)
	M1600_UTI	Treated for urinary tract infection past 14 days
	M1610_UR_INCONT	Urinary incontinence or urinary catheter present
	M1620_BWL_INCONT	Bowel incontinence frequency
	M1630_OSTOMY	Ostomy for bowel elimination
	M1028_ACTV_DIAG_PVD_PAD	Active Diagnoses - PVD or PAD
	M1028_ACTV_DIAG_DM	Active Diagnoses - Diabetes Mellitus
	M1028_ACTV_DIAG_NOA	Active Diagnoses - None of the above
	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating
	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating
	M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating
	M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating
	M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating
	M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating
	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year
	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss
	M1033_HOSP_RISK_MLTPL_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months
	M1033_HOSP_RISK_MLTPL_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months
	M1033_HOSP_RISK_MNTL_BHV_DCLN	Hosp risk: decline mental/emotional/behav status
	M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions
	M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications
	M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed
	M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above
	J0510	Pain effect on sleep
	J0520	Pain interference with therapy activities
	J0530	Pain interference with day-to-day activities
	J1800	Falls since SOC/ROC: any falls
	J1900A	Num falls since SOC/ROC: no injury
	J1900B	Num falls since SOC/ROC: injury (except major)
	J1900C	Num falls since SOC/ROC: major injury
	M1400_WHEN_DYSPNEIC	When dyspneic
	K0520A1	Nutritional Approaches (Admission): Parenteral
	K0520A4	Nutritional Approaches (7 days): Parenteral
	K0520A5	Nutritional Approaches (Discharge): Parenteral
	K0520B1	Nutritional Approaches (Admission): Feeding tube
	K0520B4	Nutritional Approaches (7 days): Feeding tube
	K0520B5	Nutritional Approaches (Discharge): Feeding Tube
	K0520C1	Nutritional Approaches (Admission): Mech Alt Diet
	K0520C4	Nutritional Approaches (7 days): Mech Alt Diet
	K0520C5	Nutritional Approaches (Discharge): Mech Alt Diet
	K0520D1	Nutritional Approaches (Admission): Therapeutic
	K0520D4	Nutritional Approaches (7 day): Therapeutic
	K0520D5	Nutritional Approaches (Discharge): Therapeutic
	K0520Z1	Nutritional Approaches (Admission): None
	K0520Z4	Nutritional Approaches (7 days): None
	K0520Z5	Nutritional Approaches (Discharge): None
	M1870_CRNT_FEEDING	Current: feeding
	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+
	M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch
	M1322_NBR_PRSULC_STG1	Number of stage 1 pressure injuries
	M1324_STG_PRBLM_ULCER	Stage of most problematic pressure ulcer/injury
	M1330_STAS_ULCR_PRSNT	Does this patient have a stasis ulcer
	M1332_NBR_STAS_ULCR	Number of stasis ulcers
	M1334_STUS_PRBLM_STAS_ULCR	Status of most problematic stasis ulcer
	M1340_SRGCL_WND_PRSNT	Does this patient have a surgical wound
	M1342_STUS_PRBLM_SRGCL_WND	Status of most problematic surgical wound
	N0415A1	High-Risk Drug (Is Taking): Antipsychotic
	N0415A2	High-Risk Drug (Indication) : Antipsychotic



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	N0415E1	High-Risk Drug (Is taking): Anticoagulant
	N0415E2	High-Risk Drug (Indication): Anticoagulant
	N0415F1	High-Risk Drug (Is taking): Antibiotic
	N0415F2	High-Risk Drug (Indication): Antibiotic
	N0415H1	High-Risk Drug (Is taking): Opioid
	N0415H2	High-Risk Drug (Indication): Opioid
	N0415I1	High-Risk Drug (Is taking): Antiplatelet
	N0415I2	High-Risk Drug (Indication): Antiplatelet
	N0415J1	High-Risk Drug (Is taking): Hypoglycemic
	N0415J2	High-Risk Drug (Indication): Hypoglycemic
	N0415Z1	High-Risk Drug (Is taking): None of the above
	M2001_DRUG_RGMN_RVW	Drug regimen review
	M2003_MDCTN_FLWP	Medication follow-up
	M2005_MDCTN_INTRVTN	Medication intervention
	M2010_HIGH_RISK_DRUG_EDCTN	Patient/caregiver high risk drug education
	M2020_CRNT_MGMT_ORAL_MDCTN	Current: management of oral medications
	M2030_CRNT_MGMT_INJCTN_MDCTN	Current: management of injectable medications
	O0110A1A	Treatment: Chemotherapy (Admission)
	O0110A1C	Treatment: Chemotherapy (Discharge)
	O0110A2A	Treatment: Chemo - IV (Admission)
	O0110A2C	Treatment: Chemo - IV (Discharge)
	O0110A3A	Treatment: Chemo - Oral (Admission)
	O0110A3C	Treatment: Chemo - Oral (Discharge)
	O0110A10A	Treatment: Chemo - Other (Admission)
	O0110A10C	Treatment: Chemo - Other (Discharge)
	O0110B1A	Treatment: Radiation (Admission)
	O0110B1C	Treatment: Radiation (Discharge)
	O0110C1A	Therapies: Oxygen Therapy (Admission)
	O0110C1C	Therapies: Oxygen Therapy (Discharge)
	O0110C2A	Therapies: Oxygen - Continuous (Admission)
	O0110C2C	Therapies: Oxygen - Continuous (Discharge)
	O0110C3A	Therapies: Oxygen - Intermittent (Admission)
	O0110C3C	Therapies: Oxygen - Intermittent (Discharge)
	O0110C4A	Therapies: Oxygen - High-concentration (Admission)
	O0110C4C	Therapies: Oxygen - High-concentration (Discharge)

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

<b>Items:</b>	O0110D1A	Therapies: Suctioning (Admission)
	O0110D1C	Therapies: Suctioning (Discharge)
	O0110D2A	Therapies: Suctioning - Scheduled (Admission)
	O0110D2C	Therapies: Suctioning - Scheduled (Discharge)
	O0110D3A	Therapies: Suctioning - As Needed (Admission)
	O0110D3C	Therapies: Suctioning - As Needed (Discharge)
	O0110E1A	Therapies: Tracheostomy Care (Admission)
	O0110E1C	Therapies: Tracheostomy Care (Discharge)
	O0110F1A	Therapies: Invasive Mechanical Ventilator (Admis)
	O0110F1C	Therapies: Invasive Mechanical Ventilator (Disch)
	O0110G1A	Therapies: Non-Invas Mechanical Ventilator (Admis)
	O0110G1C	Therapies: Non-Invas Mechanical Ventilator (Disch)
	O0110G2A	Therapies: BiPAP (Admission)
	O0110G2C	Therapies: BiPAP (Discharge)
	O0110G3A	Therapies: CPAP (Admission)
	O0110G3C	Therapies: CPAP (Discharge)
	O0110H1A	Other: IV Medications (Admission)
	O0110H1C	Other: IV Medications (Discharge)
	O0110H2A	Other: IV - Vasoactive medications (Admission)
	O0110H2C	Other: IV - Vasoactive medications (Discharge)
	O0110H3A	Other: IV - Antibiotics (Admission)
	O0110H3C	Other: IV - Antibiotics (Discharge)
	O0110H4A	Other: IV - Anticoagulation (Admission)
	O0110H4C	Other: IV - Anticoagulation (Discharge)
	O0110H10A	Other: IV - Other (Admission)
	O0110H10C	Other: IV - Other (Discharge)
	O0110I1A	Other: Transfusions (Admission)
	O0110I1C	Other: Transfusions (Discharge)
	O0110J1A	Other: Dialysis (Admission)
	O0110J1C	Other: Dialysis (Discharge)
	O0110J2A	Other: Hemodialysis (Admission)
	O0110J2C	Other: Hemodialysis (Discharge)
	O0110J3A	Other: Peritoneal dialysis (Admission)
	O0110J3C	Other: Peritoneal dialysis (Discharge)
	O0110O1A	Other: IV Access (Admission)
	O0110O1C	Other: IV Access (Discharge)
	O0110O2A	Other: IV Access - Peripheral (Admission)
	O0110O2C	Other: IV Access - Peripheral (Discharge)

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3070	Format	Fatal	<b>Items:</b> O011003A	Other: IV Access - Mid-line (Admission)
			O011003C	Other: IV Access - Mid-line (Discharge)
			O011004A	Other: IV Access - Central (Admission)
			O011004C	Other: IV Access - Central (Discharge)
			O0110Z1A	Other: None of the above (Admission)
			O0110Z1C	Other: None of the above (Discharge)
			M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31
			M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine
			M2401_INTRVTN_SMRY_FALL_PRVNT	Intervention synopsis: falls prevention
			M2401_INTRVTN_SMRY_DPRSN	Intervention synopsis: depression intervention
			M2401_INTRVTN_SMRY_PAIN_MNTR	Intervention synopsis: monitor and mitigate pain
			M2401_INTRVTN_SMRY_PRSULC_PRVN	Intervention synopsis: prevent pressure ulcers
			M2401_INTRVTN_SMRY_PRSULC_WET	Intervention synopsis: PU moist wound treatment
			VALUES OF DATE ITEMS	
			This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.	
			Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".	

<b>Items:</b>	M0030_START_CARE_DT	Start of care date
	M0032_ROC_DT	Resumption of care date
	M0090_INFO_COMPLETED_DT	Date assessment completed
	M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date
	M0104_PHYSN_RFRL_DT	Physician date of referral
	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date
	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date
	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3080	Format	Fatal	FORMATTING OF BIRTHDATE
<p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p>			
<b>Items:</b>		M0066_PAT_BIRTH_DT	Date of birth

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3090      Format      Fatal

#### VALUES OF NUMERIC ITEMS

Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.

<b>Items:</b>	CORRECTION_NUM	Correction number
	C0500	BIMS Summary Score
	D0160	Total severity score
	M1060_HEIGHT_A	Height (in inches)
	M1060_WEIGHT_B	Weight (in pounds)
	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers
	M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC
	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers
	M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC
	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers
	M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC
	M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress
	M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress
	M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar
	M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC
	M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury
	M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3100	Format	Fatal	<p>FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS</p> <p>Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].</p> <table><tr><td><b>Items:</b></td><td>CORRECTION_NUM</td><td>Correction number</td></tr><tr><td></td><td>C0500</td><td>BIMS Summary Score</td></tr><tr><td></td><td>D0160</td><td>Total severity score</td></tr><tr><td></td><td>M1060_HEIGHT_A</td><td>Height (in inches)</td></tr><tr><td></td><td>M1060_WEIGHT_B</td><td>Weight (in pounds)</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_ULC_SOCROC_STG2_A2</td><td>Number of Stage 2 pressure ulcers at SOC/ROC</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_ULC_SOCROC_STG3_B2</td><td>Number of Stage 3 pressure ulcers at SOC/ROC</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_ULC_SOCROC_STG4_C2</td><td>Number of Stage 4 pressure ulcers at SOC/ROC</td></tr><tr><td></td><td>M1311_NSTG_DRSG_D1</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td></td><td>M1311_NSTG_DRSG_SOCROC_D2</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td></td><td>M1311_NSTG_CVRG_E1</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td></td><td>M1311_NSTG_CVRG_SOCROC_E2</td><td>Unstageable: coverage by slough or eschar SOC/ROC</td></tr><tr><td></td><td>M1311_NSTG_DEEP_TSUE_F1</td><td>Unstageable: deep tissue injury</td></tr><tr><td></td><td>M1311_NSTG_DEEP_TSUE_SOCROC_F2</td><td>Unstageable: deep tissue injury SOC/ROC</td></tr></table>	<b>Items:</b>	CORRECTION_NUM	Correction number		C0500	BIMS Summary Score		D0160	Total severity score		M1060_HEIGHT_A	Height (in inches)		M1060_WEIGHT_B	Weight (in pounds)		M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers		M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC		M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers		M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC		M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers		M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC		M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress		M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress		M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar		M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC		M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury		M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC
<b>Items:</b>	CORRECTION_NUM	Correction number																																																				
	C0500	BIMS Summary Score																																																				
	D0160	Total severity score																																																				
	M1060_HEIGHT_A	Height (in inches)																																																				
	M1060_WEIGHT_B	Weight (in pounds)																																																				
	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																																																				
	M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC																																																				
	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																																																				
	M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC																																																				
	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																																																				
	M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC																																																				
	M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress																																																				
	M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress																																																				
	M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar																																																				
	M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC																																																				
	M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury																																																				
	M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC																																																				
-3110	Format	Fatal	<p>FORMATTING OF NUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only numeric characters: [0] through [9].</p> <table><tr><td><b>Items:</b></td><td>NATL_PRVDR_ID</td><td>Agency National Provider ID (NPI)</td></tr><tr><td></td><td>SFW_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td></td><td>M0018_PHYSICIAN_ID</td><td>Attending physician National Provider ID (NPI)</td></tr><tr><td></td><td>M0060_PAT_ZIP</td><td>Patient zip code</td></tr><tr><td></td><td>M0064_SSN</td><td>Patient's Social Security number</td></tr></table>	<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)		SFW_ID	Software vendor federal employer tax ID		M0018_PHYSICIAN_ID	Attending physician National Provider ID (NPI)		M0060_PAT_ZIP	Patient zip code		M0064_SSN	Patient's Social Security number																																				
<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)																																																				
	SFW_ID	Software vendor federal employer tax ID																																																				
	M0018_PHYSICIAN_ID	Attending physician National Provider ID (NPI)																																																				
	M0060_PAT_ZIP	Patient zip code																																																				
	M0064_SSN	Patient's Social Security number																																																				

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3120	Format	Fatal	FORMATTING OF ALPHANUMERIC TEXT ITEMS												
			<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <table><tr><td><b>Items:</b></td><td>M0010_CCN</td><td>Facility CMS certification number (CCN)</td></tr><tr><td></td><td>M0063_MEDICARE_NUM</td><td>Medicare number, including suffix</td></tr><tr><td></td><td>M0065_MEDICAID_NUM</td><td>Medicaid number</td></tr></table>	<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)		M0063_MEDICARE_NUM	Medicare number, including suffix		M0065_MEDICAID_NUM	Medicaid number			
<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)													
	M0063_MEDICARE_NUM	Medicare number, including suffix													
	M0065_MEDICAID_NUM	Medicaid number													
-3130	Format	Fatal	FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AND SPECIAL CHARACTERS												
			<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>    [@] (at sign)</p> <p>    ['] (single quote)</p> <p>    [/] (forward slash)</p> <p>    [+] (plus sign)</p> <p>    [,] (comma)</p> <p>    [.] (period)</p> <p>    [_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <table><tr><td><b>Items:</b></td><td>SFW_PROD_VRSN_CD</td><td>Software product version code</td></tr><tr><td></td><td>M0040_PAT_FNAME</td><td>Patient's first name</td></tr><tr><td></td><td>M0040_PAT_LNAME</td><td>Patient's last name</td></tr><tr><td></td><td>M0040_PAT_SUFFIX</td><td>Patient's suffix</td></tr></table>	<b>Items:</b>	SFW_PROD_VRSN_CD	Software product version code		M0040_PAT_FNAME	Patient's first name		M0040_PAT_LNAME	Patient's last name		M0040_PAT_SUFFIX	Patient's suffix
<b>Items:</b>	SFW_PROD_VRSN_CD	Software product version code													
	M0040_PAT_FNAME	Patient's first name													
	M0040_PAT_LNAME	Patient's last name													
	M0040_PAT_SUFFIX	Patient's suffix													

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3140	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <ul style="list-style-type: none"> <li>a) The numeric characters: [0] through [9].</li> <li>b) The letters [A] through [Z] and [a] through [z].</li> <li>c) The following special characters: <ul style="list-style-type: none"> <li>[@] (at sign)</li> <li>['] (single quote)</li> <li>[/] (forward slash)</li> <li>[+] (plus sign)</li> <li>[,] (comma)</li> <li>[.] (period)</li> <li>[_] (underscore)</li> </ul> </li> </ul>
-3150	Format	Fatal	<p><b>Items:</b> M0040_PAT_MI Patient's middle initial</p> <p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <ul style="list-style-type: none"> <li>' (single quote)</li> <li>" (double quote)</li> <li>,</li> <li>;</li> <li>:</li> <li>\ (back slash)</li> <li>() (right and left parentheses)</li> <li>[] (right and left brackets)</li> <li>{ } (right and left braces)</li> <li>&lt; (less than)</li> <li>&gt; (greater than)</li> <li>space (embedded space)</li> </ul>
-3160	Consistency	Fatal	<p><b>Items:</b> SFW_EMAIL_ADR Software vendor email address</p> <p>HHA_AGENCY_ID is the provider's submission ID. The value submitted for HHA_AGENCY_ID must match the HHA_AGENCY_ID in the National Database for the provider.</p> <p><b>Items:</b> HHA_AGENCY_ID Assigned agency submission ID</p>



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3162	Consistency	Fatal	A user submitting a file must be authorized to submit for the provider identified by the HHA_AGENCY_ID item in the file.	
-3170	Consistency	Warning	<b>Items:</b> HHA_AGENCY_ID The value submitted for M0010_CCN (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the National Database. If the values do not match, a warning will be issued.	Assigned agency submission ID
-3180	Format	Fatal	<b>Items:</b> M0010_CCN This is a required text item. A valid non-blank value must be submitted.	Facility CMS certification number (CCN)
-3190	Consistency	Fatal	<b>Items:</b> HHA_AGENCY_ID ***THIS EDIT WAS DELETED IN V3.02.0***	Assigned agency submission ID
			<b>Items:</b> M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK M0066_PAT_BIRTH_DT M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT	Start of care date Resumption of care date No resumption of care date Patient's first name Patient's last name Patient's Social Security number No Social Security number Date of birth Date assessment completed Reason for assessment Discharge, transfer, death date
-3200	Consistency	Fatal	The first record that is submitted to correct or inactivate an existing record must have a value of "01" in CORRECTION_NUM (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in CORRECTION_NUM on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in CORRECTION_NUM is incorrect, a fatal error will result and the submitted record will be rejected.	
			<b>Items:</b> CORRECTION_NUM	Correction number

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3210	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.	
			<b>Items:</b>	
			HHA_AGENCY_ID	Assigned agency submission ID
			SFW_NAME	Software vendor company name
			SFW_EMAIL_ADR	Software vendor email address
			SFW_PROD_NAME	Software product name
			SFW_PROD_VRSN_CD	Software product version code
			ACY_DOC_CD	Document ID code (agency use)
			M0016_BRANCH_ID	Branch ID
			M0020_PAT_ID	Patient ID number
			M0040_PAT_FNAME	Patient's first name
			M0040_PAT_MI	Patient's middle initial
			M0040_PAT_LNAME	Patient's last name
			M0040_PAT_SUFFIX	Patient's suffix
			M0063_MEDICARE_NUM	Medicare number, including suffix
			M0065_MEDICAID_NUM	Medicaid number
			A1110A	Preferred language
-3220	Consistency	Fatal	If SFW_PROD_NAME is equal to [^], then SFW_PROD_VRSN_CD must be equal to [^].	
			<b>Items:</b>	
			SFW_PROD_NAME	Software product name
			SFW_PROD_VRSN_CD	Software product version code
-3230	Consistency	Fatal	If SFW_PROD_NAME is not equal to [^], then SFW_PROD_VRSN_CD must not be equal to [^].	
			<b>Items:</b>	
			SFW_PROD_NAME	Software product name
			SFW_PROD_VRSN_CD	Software product version code
-3240	Consistency	Fatal	The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.	
			<b>Items:</b>	
			ITM_SBST_CD	Item subset code

## FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AMPERSANDS, AND OTHER SPECIAL CHARACTERS

If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:

- e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.

Software vendor company name  
Software product name  
Preferred language

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3261	Consistency	Fatal	DATE ITEM CONSISTENCY: PATTERN 1																								
			<p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt; M1005_INP_DISCHARGE_DT &lt;= M0102_PHYSN_ORDRD_SOCROC_DT &lt;= M0030_START_CARE_DT &lt;= M1307_OLDST_STG2_ONST_DT &lt;= M0906_DC_TRAN_DTH_DT &lt;= M0090_INFO_COMPLETED_DT &lt;= Current date</p> <table><tr><td><b>Items:</b></td><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td></td><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td></td><td>M0066_PAT_BIRTH_DT</td><td>Date of birth</td></tr><tr><td></td><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td></td><td>M0102_PHYSN_ORDRD_SOCROC_DT</td><td>Physician ordered SOC/ROC date</td></tr><tr><td></td><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td></td><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr><tr><td></td><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr></table>	<b>Items:</b>	M0030_START_CARE_DT	Start of care date		M0032_ROC_DT	Resumption of care date		M0066_PAT_BIRTH_DT	Date of birth		M0090_INFO_COMPLETED_DT	Date assessment completed		M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date		M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date		M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date		M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer
<b>Items:</b>	M0030_START_CARE_DT	Start of care date																									
	M0032_ROC_DT	Resumption of care date																									
	M0066_PAT_BIRTH_DT	Date of birth																									
	M0090_INFO_COMPLETED_DT	Date assessment completed																									
	M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date																									
	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																									
	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																									
	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																									

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt; M0030_START_CARE_DT &lt;= M1005_INP_DISCHARGE_DT &lt;= M0102_PHYSN_ORDRD_SOCROC_DT &lt;= M0032_ROC_DT &lt;= M1307_OLDST_STG2_ONST_DT &lt;= M0906_DC_TRAN_DTH_DT &lt;= M0090_INFO_COMPLETED_DT &lt;= Current date</p> <p><b>Items:</b></p> <table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td>M0066_PAT_BIRTH_DT</td><td>Date of birth</td></tr><tr><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td>M0102_PHYSN_ORDRD_SOCROC_DT</td><td>Physician ordered SOC/ROC date</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr><tr><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0032_ROC_DT	Resumption of care date	M0066_PAT_BIRTH_DT	Date of birth	M0090_INFO_COMPLETED_DT	Date assessment completed	M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer
M0030_START_CARE_DT	Start of care date																		
M0032_ROC_DT	Resumption of care date																		
M0066_PAT_BIRTH_DT	Date of birth																		
M0090_INFO_COMPLETED_DT	Date assessment completed																		
M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																		
M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																		
M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																		
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p> <p><b>Items:</b></p> <table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0100_ASSMT_REASON	Reason for assessment	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date										
M0030_START_CARE_DT	Start of care date																		
M0100_ASSMT_REASON	Reason for assessment																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																		
-3290	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.</p> <p><b>Items:</b></p> <table><tr><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr></table>	M0032_ROC_DT	Resumption of care date	M0100_ASSMT_REASON	Reason for assessment	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date										
M0032_ROC_DT	Resumption of care date																		
M0100_ASSMT_REASON	Reason for assessment																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																		

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3300	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.</p> <p><b>Items:</b>    M0030_START_CARE_DT                      Start of care date                         M0090_INFO_COMPLETED_DT            Date assessment completed                         M0100_ASSMT_REASON                  Reason for assessment</p>
-3310	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.</p> <p><b>Items:</b>    M0032_ROC_DT                                  Resumption of care date                         M0090_INFO_COMPLETED_DT            Date assessment completed                         M0100_ASSMT_REASON                  Reason for assessment</p>
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.</p> <p><b>Items:</b>    M0090_INFO_COMPLETED_DT            Date assessment completed                         M0100_ASSMT_REASON                  Reason for assessment                         M0906_DC_TRAN_DTH_DT                  Discharge, transfer, death date</p>
-3330	Consistency	Warning	<p>If TRANS_TYPE_CD=[1] (new record), then submission date SUBMSN_DT minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.</p> <p><b>Items:</b>    TRANS_TYPE_CD                                  Transaction type code                         M0090_INFO_COMPLETED_DT            Date assessment completed</p>
-3340	Consistency	Fatal	<p>If TRANS_TYPE_CD=[1], then CORRECTION_NUM must equal [00].</p> <p><b>Items:</b>    TRANS_TYPE_CD                                  Transaction type code                         CORRECTION_NUM                              Correction number</p>
-3341	Consistency	Fatal	<p>If TRANS_TYPE_CD=[2,3], then CORRECTION_NUM must not equal [00].</p> <p><b>Items:</b>    TRANS_TYPE_CD                                  Transaction type code                         CORRECTION_NUM                              Correction number</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3390	Consistency	Fatal	<p>PATIENT AGE</p> <p>a) Patient age at the time the assessment was completed cannot be more than 140 years.  b) Patient age at the time the assessment was completed cannot be less than 18 years.  c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.</p> <p>Patient age is computed as follows:</p> <p>1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.</p> <p>2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.</p> <p>3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p><b>Items:</b>    M0066_PAT_BIRTH_DT                      Date of birth                   M0090_INFO_COMPLETED_DT              Date assessment completed</p>
-3410	Consistency	Fatal	<p>If M0016_BRANCH_ID contains a standard branch ID (i.e., is not equal to [N,P]), then M0014_BRANCH_STATE must not equal [^].</p> <p><b>Items:</b>    M0014_BRANCH_STATE                      Branch state                   M0016_BRANCH_ID                      Branch ID</p>
-3420	Consistency	Fatal	<p>If M0016_BRANCH_ID is equal to [N,P], then M0014_BRANCH_STATE must equal [^].</p> <p><b>Items:</b>    M0014_BRANCH_STATE                      Branch state                   M0016_BRANCH_ID                      Branch ID</p>
-3430	Format	Fatal	<p>The patient ZIP code must be either 5 or 9 bytes in length. Do not include a dash if a ZIP+4 code is submitted.</p>
-3450	Consistency	Fatal	<p><b>Items:</b>    M0060_PAT_ZIP                              Patient zip code</p> <p>If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].</p> <p><b>Items:</b>    M1005_INP_DISCHARGE_DT                      Most recent inpatient discharge date                   M1005_INP_DSCHG_UNKNOWN                      Inpatient discharge date unknown</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3460	Consistency	Fatal	If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].
			<b>Items:</b> M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown
-3470	Consistency	Fatal	If M0018_PHYSICIAN_UK=[0], then if M0018_PHYSICIAN_ID is active it cannot equal [^].
			<b>Items:</b> M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown
-3480	Consistency	Fatal	If M0018_PHYSICIAN_UK=[1], then if M0018_PHYSICIAN_ID is active it must equal [^].
			<b>Items:</b> M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown
-3490	Consistency	Fatal	If M0032_ROC_DT_NA=[0], then if M0032_ROC_DT is active it must not equal [^].
			<b>Items:</b> M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date
-3500	Consistency	Fatal	If M0032_ROC_DT_NA=[1], then if M0032_ROC_DT is active it must equal [^].
			<b>Items:</b> M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date
-3510	Consistency	Fatal	If M0063_MEDICARE_NA=[0], then if M0063_MEDICARE_NUM is active it must not equal [^].
			<b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix M0063_MEDICARE_NA No Medicare number
-3520	Consistency	Fatal	If M0063_MEDICARE_NA=[1], then if M0063_MEDICARE_NUM is active it must equal [^].
			<b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix M0063_MEDICARE_NA No Medicare number
-3530	Consistency	Fatal	If M0064_SSN_UK=[0], then if M0064_SSN is active it must not equal [^].
			<b>Items:</b> M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number
-3540	Consistency	Fatal	If M0064_SSN_UK=[1], then if M0064_SSN is active it must equal [^].
			<b>Items:</b> M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number
-3550	Consistency	Fatal	If M0065_MEDICAID_NA=[0], then if M0065_MEDICAID_NUM is active it must not equal [^].
			<b>Items:</b> M0065_MEDICAID_NUM Medicaid number M0065_MEDICAID_NA No Medicaid number



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3560	Consistency	Fatal	If M0065_MEDICAID_NA=[1], then if M0065_MEDICAID_NUM is active it must equal [^].	
			<b>Items:</b>	M0065_MEDICAID_NUM Medicaid number M0065_MEDICAID_NA No Medicaid number
-3570	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].	
			<b>Items:</b>	M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA
-3580	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].	
			<b>Items:</b>	M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA
-3590	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].	
			<b>Items:</b>	M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral
-3600	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].	
			<b>Items:</b>	M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].	
			<b>Items:</b>	M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].	
			<b>Items:</b> M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility	
-4030	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^].	
			<b>Items:</b> M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer	
-4040	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^].	
			<b>Items:</b> M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer	
-4171	Consistency	Fatal	If M0100_ASSMT_REASON = [01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be > [00].	
			<b>Items:</b> M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury	
-4182	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].	
			<b>Items:</b> M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury	
-4192	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].	
			<b>Items:</b> M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury	
-4202	Consistency	Fatal	If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].	
			<b>Items:</b> M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury	

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-4221	Skip pattern	Fatal	If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSNT = [00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].
			<b>Items:</b> M1330_STAS_ULCR_PRSNT                      Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR                      Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR                      Status of most problematic stasis ulcer
-4231	Skip pattern	Fatal	If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSNT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].
			<b>Items:</b> M1330_STAS_ULCR_PRSNT                      Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR                      Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR                      Status of most problematic stasis ulcer
-4241	Skip pattern	Fatal	If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGL_WND_PRSNT = [00,02], then if M1342_STUS_PRBLM_SRGL_WND is active it must equal [^].
			<b>Items:</b> M1340_SRGL_WND_PRSNT                      Does this patient have a surgical wound M1342_STUS_PRBLM_SRGL_WND                      Status of most problematic surgical wound
-4251	Skip pattern	Fatal	If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGL_WND_PRSNT = [01], then if M1342_STUS_PRBLM_SRGL_WND is active it must not equal [^].
			<b>Items:</b> M1340_SRGL_WND_PRSNT                      Does this patient have a surgical wound M1342_STUS_PRBLM_SRGL_WND                      Status of most problematic surgical wound
-4320	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].
			<b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M1600_UTI    Treated for urinary tract infection past 14 days
-4351	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M1620_BWL_INCONT is active it cannot equal [UK].
			<b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M1620_BWL_INCONT                                      Bowel incontinence frequency
-4361	Consistency	Fatal	If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [00,01,02,03,04,05,UK], then if M1630_OSTOMY is active it must equal [00].
			<b>Items:</b> M1620_BWL_INCONT                                      Bowel incontinence frequency M1630_OSTOMY    Ostomy for bowel elimination
-4371	Consistency	Fatal	If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [NA], then if M1630_OSTOMY is active it must equal [01,02].
			<b>Items:</b> M1620_BWL_INCONT                                      Bowel incontinence frequency M1630_OSTOMY    Ostomy for bowel elimination

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-4400	Consistency	Fatal	If M1740_BD_NONE=[0], then at least one active item from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [1].
			<div> <div>Items:</div> <div> M1740_BD_MEM_DEFICIT  M1740_BD_IMP_DECISN  M1740_BD_VERBAL  M1740_BD_PHYSICAL  M1740_BD_SOC_INAPPRO  M1740_BD_DELUSIONS  M1740_BD_NONE </div> <div> Behavior demonstrated: memory deficit  Behavior demonstrated: impaired decision-making  Behavior demonstrated: verbal disruption  Behavior demonstrated: physical aggression  Behavior demonstrated: socially inappropriate  Behavior demonstrated: delusions  Behavior demonstrated: none of the above </div> </div>
-4410	Consistency	Fatal	If M1740_BD_NONE=[1], then all active items from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [0].
			<div> <div>Items:</div> <div> M1740_BD_MEM_DEFICIT  M1740_BD_IMP_DECISN  M1740_BD_VERBAL  M1740_BD_PHYSICAL  M1740_BD_SOC_INAPPRO  M1740_BD_DELUSIONS  M1740_BD_NONE </div> <div> Behavior demonstrated: memory deficit  Behavior demonstrated: impaired decision-making  Behavior demonstrated: verbal disruption  Behavior demonstrated: physical aggression  Behavior demonstrated: socially inappropriate  Behavior demonstrated: delusions  Behavior demonstrated: none of the above </div> </div>
-4421	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].
			<div> <div>Items:</div> <div> M2001_DRUG_RGMN_RVW  M2003_MDCTN_FLWP </div> <div> Drug regimen review  Medication follow-up </div> </div>
-4431	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].
			<div> <div>Items:</div> <div> M2001_DRUG_RGMN_RVW  M2003_MDCTN_FLWP  M2010_HIGH_RISK_DRUG_EDCTN  M2020_CRNT_MGMT_ORAL_MDCTN  M2030_CRNT_MGMT_INJCTN_MDCTN </div> <div> Drug regimen review  Medication follow-up  Patient/caregiver high risk drug education  Current: management of oral medications  Current: management of injectable medications </div> </div>
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].
			<div> <div>Items:</div> <div> M2001_DRUG_RGMN_RVW  M2003_MDCTN_FLWP  M2010_HIGH_RISK_DRUG_EDCTN  M2020_CRNT_MGMT_ORAL_MDCTN  M2030_CRNT_MGMT_INJCTN_MDCTN </div> <div> Drug regimen review  Medication follow-up  Patient/caregiver high risk drug education  Current: management of oral medications  Current: management of injectable medications </div> </div>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-4480	Consistency	Fatal	If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].
			<b>Items:</b> M0100_ASSMT_REASON Reason for assessment M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications
-4531	Skip pattern	Fatal	If M2301 Emergent care use since most recent SOC/ROC medication through M2310 ECR UNKNOWN must equal [^].
			<b>Items:</b> M2301 Emergent care use since most recent SOC/ROC M2310 ECR MEDICATION Emergent care reason: medication M2310 ECR HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310 ECR OTHER Emergent care reason: other than above M2310 ECR UNKNOWN Emergent care reason: unknown
-4541	Skip pattern	Fatal	If M2301 Emergent care use since most recent SOC/ROC medication through M2310 ECR UNKNOWN must not equal [^].
			<b>Items:</b> M2301 Emergent care use since most recent SOC/ROC M2310 ECR MEDICATION Emergent care reason: medication M2310 ECR HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310 ECR OTHER Emergent care reason: other than above M2310 ECR UNKNOWN Emergent care reason: unknown
-4550	Consistency	Fatal	If M2310 ECR UNKNOWN=[0], then at least one active item from M2310 ECR MEDICATION through M2310 ECR OTHER must equal [1].
			<b>Items:</b> M2310 ECR MEDICATION Emergent care reason: medication M2310 ECR HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310 ECR OTHER Emergent care reason: other than above M2310 ECR UNKNOWN Emergent care reason: unknown
-4560	Consistency	Fatal	If M2310 ECR UNKNOWN=[1], then all active items from M2310 ECR MEDICATION through M2310 ECR OTHER must equal [0].
			<b>Items:</b> M2310 ECR MEDICATION Emergent care reason: medication M2310 ECR HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310 ECR OTHER Emergent care reason: other than above M2310 ECR UNKNOWN Emergent care reason: unknown
-4570	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].
			<b>Items:</b> M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-4580	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].
			<b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M2410_INPAT_FACILITY                      Inpatient facility
-4690	Consistency	Fatal	If the assessment was performed by an HHA which has no branches or by a subunit which has no branches, then M0016_BRANCH_ID must contain [N]. This indicates that the assessment was completed by an HHA or subunit which has no branches.
			<b>Items:</b> M0016_BRANCH_ID                              Branch ID
-4700	Consistency	Fatal	If the assessment was performed by the home office of an HHA which has branches or by the home office of a subunit which has branches, then M0016_BRANCH_ID must contain [P]. This indicates that the assessment was completed by the home office (an HHA parent or subunit -- not a branch).
			<b>Items:</b> M0016_BRANCH_ID                              Branch ID
-4710	Consistency	Fatal	If M0016_BRANCH_ID does not contain a standard branch ID, [N], or [P], a fatal error will result and the record will be rejected. If a standard branch ID (i.e., not [N,P]) is submitted, then it will be checked against the system table of the HHA's or subunit's current and past branch IDs. If the submitted branch ID does not match a current or past branch ID, then the assessment record will be rejected (i.e., it will result in a fatal error).
			<b>Items:</b> M0016_BRANCH_ID                              Branch ID
-4730	Consistency	Fatal	If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].
			<b>Items:</b> M0032_ROC_DT_NA                              No resumption of care date M0100_ASSMT_REASON                              Reason for assessment
-4740	Consistency	Fatal	If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].
			<b>Items:</b> M0032_ROC_DT_NA                              No resumption of care date M0100_ASSMT_REASON                              Reason for assessment
-4850	Consistency	Fatal	If M0150_CPAY_MCARE_FFS=[1], then M0063_MEDICARE_NUM must not equal [^].
			<b>Items:</b> M0063_MEDICARE_NUM                              Medicare number, including suffix M0150_CPAY_MCARE_FFS                              Payment sources: Medicare fee-for-service
-4860	Consistency	Fatal	If M0150_CPAY_MCAID_FFS=[1], then M0065_MEDICAID_NUM must not equal [^].
			<b>Items:</b> M0065_MEDICAID_NUM                              Medicaid number M0150_CPAY_MCAID_FFS                              Payment sources: Medicaid fee-for-service
-4870	Consistency	Fatal	If the SFW_ID is not equal to [^], then SFW_NAME and SFW_EMAIL_ADR must not equal [^].
			<b>Items:</b> SFW_ID    Software vendor federal employer tax ID SFW_NAME    Software vendor company name SFW_EMAIL_ADR                                      Software vendor email address

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-4880	Consistency	Fatal	<p>If the SFW_ID is equal to [^], then SFW_NAME and SFW_EMAIL_ADR must equal [^].</p> <p><b>Items:</b> SFW_ID Software vendor federal employer tax ID  SFW_NAME Software vendor company name  SFW_EMAIL_ADR Software vendor email address</p>
-4885	Format	Fatal	<p>*** THIS EDIT WAS DELETED IN V3.01.3***</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code  M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code  M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code  M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code  M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code  M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-4900	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code</p>
-4921	Skip pattern	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].</p> <p><b>Items:</b> M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility  M1005_INP_DISCHARGE_DT Most recent inpatient discharge date  M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-4991	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01,03], then M1021_PRIMARY_DIAG_SEVERITY should equal [01,02,03,04,^].</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating</p>
-5001	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code  M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code  M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code  M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code  M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code  M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5050	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].</p> <table><tr><td><b>Items:</b></td><td>M1033_HOSP_RISK_HSTRY_FALLS</td><td>Hosp risk: 2+ falls or injury fall in past year</td></tr><tr><td></td><td>M1033_HOSP_RISK_WEIGHT_LOSS</td><td>Hosp risk: unintentional weight loss</td></tr><tr><td></td><td>M1033_HOSP_RISK_MLTPH_HOSPZTN</td><td>Hosp risk: 2+ hospitalizations in past 6 months</td></tr><tr><td></td><td>M1033_HOSP_RISK_MLTPH_ED_VISIT</td><td>Hosp risk: 2+ emergency dept visits in past 6 months</td></tr><tr><td></td><td>M1033_HOSP_RISK_MNTH_BHV_DCLN</td><td>Hosp risk: decline mental/emotional/behav status</td></tr><tr><td></td><td>M1033_HOSP_RISK_COMPLIANCE</td><td>Hosp risk: difficulty with medical instructions</td></tr><tr><td></td><td>M1033_HOSP_RISK_5PLUS_MDCTN</td><td>Hosp risk: taking five or more medications</td></tr><tr><td></td><td>M1033_HOSP_RISK_CRNT_EXHSTN</td><td>Hosp risk: current exhaustion</td></tr><tr><td></td><td>M1033_HOSP_RISK_OTHR_RISK</td><td>Hosp risk: other risk(s) not listed</td></tr><tr><td></td><td>M1033_HOSP_RISK_NONE_ABOVE</td><td>Hosp risk: none of the above</td></tr></table>	<b>Items:</b>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year		M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss		M1033_HOSP_RISK_MLTPH_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months		M1033_HOSP_RISK_MLTPH_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months		M1033_HOSP_RISK_MNTH_BHV_DCLN	Hosp risk: decline mental/emotional/behav status		M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions		M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications		M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion		M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed		M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above
<b>Items:</b>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year																															
	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss																															
	M1033_HOSP_RISK_MLTPH_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months																															
	M1033_HOSP_RISK_MLTPH_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months																															
	M1033_HOSP_RISK_MNTH_BHV_DCLN	Hosp risk: decline mental/emotional/behav status																															
	M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions																															
	M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications																															
	M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion																															
	M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed																															
	M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above																															
-5060	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].</p> <table><tr><td><b>Items:</b></td><td>M1033_HOSP_RISK_HSTRY_FALLS</td><td>Hosp risk: 2+ falls or injury fall in past year</td></tr><tr><td></td><td>M1033_HOSP_RISK_WEIGHT_LOSS</td><td>Hosp risk: unintentional weight loss</td></tr><tr><td></td><td>M1033_HOSP_RISK_MLTPH_HOSPZTN</td><td>Hosp risk: 2+ hospitalizations in past 6 months</td></tr><tr><td></td><td>M1033_HOSP_RISK_MLTPH_ED_VISIT</td><td>Hosp risk: 2+ emergency dept visits in past 6 months</td></tr><tr><td></td><td>M1033_HOSP_RISK_MNTH_BHV_DCLN</td><td>Hosp risk: decline mental/emotional/behav status</td></tr><tr><td></td><td>M1033_HOSP_RISK_COMPLIANCE</td><td>Hosp risk: difficulty with medical instructions</td></tr><tr><td></td><td>M1033_HOSP_RISK_5PLUS_MDCTN</td><td>Hosp risk: taking five or more medications</td></tr><tr><td></td><td>M1033_HOSP_RISK_CRNT_EXHSTN</td><td>Hosp risk: current exhaustion</td></tr><tr><td></td><td>M1033_HOSP_RISK_OTHR_RISK</td><td>Hosp risk: other risk(s) not listed</td></tr><tr><td></td><td>M1033_HOSP_RISK_NONE_ABOVE</td><td>Hosp risk: none of the above</td></tr></table>	<b>Items:</b>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year		M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss		M1033_HOSP_RISK_MLTPH_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months		M1033_HOSP_RISK_MLTPH_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months		M1033_HOSP_RISK_MNTH_BHV_DCLN	Hosp risk: decline mental/emotional/behav status		M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions		M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications		M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion		M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed		M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above
<b>Items:</b>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year																															
	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss																															
	M1033_HOSP_RISK_MLTPH_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months																															
	M1033_HOSP_RISK_MLTPH_ED_VISIT	Hosp risk: 2+ emergency dept visits in past 6 months																															
	M1033_HOSP_RISK_MNTH_BHV_DCLN	Hosp risk: decline mental/emotional/behav status																															
	M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions																															
	M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications																															
	M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion																															
	M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed																															
	M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above																															
-5070	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].</p> <table><tr><td><b>Items:</b></td><td>M1041_IN_INFLNZ_SEASON</td><td>Does episode include Oct 1 thru Mar 31</td></tr><tr><td></td><td>M1046_INFLNZ_RECD_CRNT_SEASON</td><td>Did patient receive influenza vaccine</td></tr></table>	<b>Items:</b>	M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31		M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																								
<b>Items:</b>	M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31																															
	M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																															
-5080	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].</p> <table><tr><td><b>Items:</b></td><td>M1041_IN_INFLNZ_SEASON</td><td>Does episode include Oct 1 thru Mar 31</td></tr><tr><td></td><td>M1046_INFLNZ_RECD_CRNT_SEASON</td><td>Did patient receive influenza vaccine</td></tr></table>	<b>Items:</b>	M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31		M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																								
<b>Items:</b>	M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31																															
	M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine																															



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5112	Skip pattern	Fatal	If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].																																													
			<table><tr><td><b>Items:</b></td><td>M1306_UNHLD_STG2_PRSR_ULCR</td><td>Patient has 1+ unhealed PU/injury at stage 2+</td></tr><tr><td></td><td>M1307_OLDST_STG2_AT_DSCHRG</td><td>Status of oldest stage 2 pressure ulcer at disch</td></tr><tr><td></td><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_ULC_SOCROC_STG2_A2</td><td>Number of Stage 2 pressure ulcers at SOC/ROC</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_ULC_SOCROC_STG3_B2</td><td>Number of Stage 3 pressure ulcers at SOC/ROC</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_ULC_SOCROC_STG4_C2</td><td>Number of Stage 4 pressure ulcers at SOC/ROC</td></tr><tr><td></td><td>M1311_NSTG_DRSG_D1</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td></td><td>M1311_NSTG_DRSG_SOCROC_D2</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td></td><td>M1311_NSTG_CVRG_E1</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td></td><td>M1311_NSTG_CVRG_SOCROC_E2</td><td>Unstageable: coverage by slough or eschar SOC/ROC</td></tr><tr><td></td><td>M1311_NSTG_DEEP_TSUE_F1</td><td>Unstageable: deep tissue injury</td></tr><tr><td></td><td>M1311_NSTG_DEEP_TSUE_SOCROC_F2</td><td>Unstageable: deep tissue injury SOC/ROC</td></tr></table>	<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+		M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch		M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer		M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers		M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC		M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers		M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC		M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers		M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC		M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress		M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress		M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar		M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC		M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury		M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC
<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+																																														
	M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch																																														
	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																																														
	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																																														
	M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC																																														
	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																																														
	M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC																																														
	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																																														
	M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC																																														
	M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress																																														
	M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress																																														
	M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar																																														
	M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC																																														
	M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury																																														
	M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC																																														
-5123	Skip pattern	Fatal	If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.																																													
			<table><tr><td><b>Items:</b></td><td>M1306_UNHLD_STG2_PRSR_ULCR</td><td>Patient has 1+ unhealed PU/injury at stage 2+</td></tr><tr><td></td><td>M1307_OLDST_STG2_AT_DSCHRG</td><td>Status of oldest stage 2 pressure ulcer at disch</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NSTG_DRSG_D1</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td></td><td>M1311_NSTG_CVRG_E1</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td></td><td>M1311_NSTG_DEEP_TSUE_F1</td><td>Unstageable: deep tissue injury</td></tr></table>	<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+		M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch		M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers		M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers		M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers		M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress		M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar		M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury																					
<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+																																														
	M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch																																														
	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																																														
	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																																														
	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																																														
	M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress																																														
	M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar																																														
	M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury																																														

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5132	Consistency	Fatal	If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.	
			<b>Items:</b>	
			M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+
			M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers
			M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers
			M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers
			M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress
			M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar
			M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].	
			<b>Items:</b>	
			M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code
			M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating
			M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code
			M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating
			M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code
			M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating
			M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code
			M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating
			M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code
			M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating
			M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
			M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].	
			<b>Items:</b> M1021_PRIMARY_DIAG_ICD M1021_PRIMARY_DIAG_SEVERITY M1023_OTH_DIAG1_ICD M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG2_ICD M1023_OTH_DIAG2_SEVERITY M1023_OTH_DIAG3_ICD M1023_OTH_DIAG3_SEVERITY M1023_OTH_DIAG4_ICD M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_ICD M1023_OTH_DIAG5_SEVERITY	Primary diagnosis ICD code Primary diagnosis severity rating Other diagnosis 1: ICD code Other diagnosis 1: severity rating Other diagnosis 2: ICD code Other diagnosis 2: severity rating Other diagnosis 3: ICD code Other diagnosis 3: severity rating Other diagnosis 4: ICD code Other diagnosis 4: severity rating Other diagnosis 5: ICD code Other diagnosis 5: severity rating
-5221	Consistency	Fatal	If M0100_ASSMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].	
			<b>Items:</b> M1021_PRIMARY_DIAG_ICD M1021_PRIMARY_DIAG_SEVERITY M1023_OTH_DIAG1_ICD M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG2_ICD M1023_OTH_DIAG2_SEVERITY M1023_OTH_DIAG3_ICD M1023_OTH_DIAG3_SEVERITY M1023_OTH_DIAG4_ICD M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_ICD M1023_OTH_DIAG5_SEVERITY	Primary diagnosis ICD code Primary diagnosis severity rating Other diagnosis 1: ICD code Other diagnosis 1: severity rating Other diagnosis 2: ICD code Other diagnosis 2: severity rating Other diagnosis 3: ICD code Other diagnosis 3: severity rating Other diagnosis 4: ICD code Other diagnosis 4: severity rating Other diagnosis 5: ICD code Other diagnosis 5: severity rating
-5280	Format	Fatal	The value submitted in M0010_CCN must either be equal to [^] or it must be exactly 6 characters in length.	
			<b>Items:</b> M0010_CCN	Facility CMS certification number (CCN)
-5290	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].	
			<b>Items:</b> M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT	Reason for assessment Discharge, transfer, death date

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5300	Consistency	Fatal	If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].  <div><div>Items:</div><div><div>TRANS_TYPE_CD</div><div>Transaction type code</div></div><div><div>M0100_ASSMT_REASON</div><div>Reason for assessment</div></div><div><div>M0906_DC_TRAN_DTH_DT</div><div>Discharge, transfer, death date</div></div></div>
-5320	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].  <div><div>Items:</div><div><div>M1000_DC_NONE_14_DA</div><div>Past 14 days: not disch from inpatient facility</div></div><div><div>M1005_INP_DSCHG_UNKNOWN</div><div>Inpatient discharge date unknown</div></div></div>
-5340	Consistency	Fatal	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.  <div><div>Items:</div><div><div>M0030_START_CARE_DT</div><div>Start of care date</div></div><div><div>M0066_PAT_BIRTH_DT</div><div>Date of birth</div></div><div><div>M0100_ASSMT_REASON</div><div>Reason for assessment</div></div><div><div>M0104_PHYSN_RFRL_DT</div><div>Physician date of referral</div></div></div>
-5350	Consistency	Fatal	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.  <div><div>Items:</div><div><div>M0032_ROC_DT</div><div>Resumption of care date</div></div><div><div>M0066_PAT_BIRTH_DT</div><div>Date of birth</div></div><div><div>M0100_ASSMT_REASON</div><div>Reason for assessment</div></div><div><div>M0104_PHYSN_RFRL_DT</div><div>Physician date of referral</div></div></div>
-5360	Format	Warning	Version Code Values: The version code submitted should match one of the values listed in the “Item Values” table of the Detailed Data Specifications Report.
-5371	Skip pattern	Fatal	<div><div>Items:</div><div><div>ITM_SET_VRSN_CD</div><div>Item set version code</div></div></div> <div>(a) If M1311_NBR_PRSULC_STG2_A1=[0], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG2_A1&gt;0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^].</div> <div><div>Items:</div><div><div>M1311_NBR_PRSULC_STG2_A1</div><div>Number of Stage 2 Pressure Ulcers</div></div><div><div>M1311_NBR_ULC_SOCROC_STG2_A2</div><div>Number of Stage 2 pressure ulcers at SOC/ROC</div></div></div>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5372	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG2_A2                      Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5373	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG2_A2                      Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5381	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG3_B1=[0], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^].  (b) If M1311_NBR_PRSULC_STG3_B1&gt;0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG3_B2                      Number of Stage 3 pressure ulcers at SOC/ROC</p>
-5382	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG3_B2                      Number of Stage 3 pressure ulcers at SOC/ROC</p>
-5383	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG3_B2                      Number of Stage 3 pressure ulcers at SOC/ROC</p>
-5391	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG4_C1=[0], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].  (b) If M1311_NBR_PRSULC_STG4_C1&gt;0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG4_C2                      Number of Stage 4 pressure ulcers at SOC/ROC</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5392	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG4_C2                      Number of Stage 4 pressure ulcers at SOC/ROC</p>
-5393	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-].</p> <p><b>Items:</b>    M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers                   M1311_NBR_ULC_SOCROC_STG4_C2                      Number of Stage 4 pressure ulcers at SOC/ROC</p>
-5401	Skip pattern	Fatal	<p>(a) If M1311_NSTG_DRSG_D1=[0], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^].  (b) If M1311_NSTG_DRSG_D1&gt;0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^].</p> <p><b>Items:</b>    M1311_NSTG_DRSG_D1                                  Num unstage pressure ulcer non-remov dress                   M1311_NSTG_DRSG_SOCROC_D2                                  Num unstage pressure ulcer non-remov dress</p>
-5402	Consistency	Fatal	<p>If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-].</p> <p><b>Items:</b>    M1311_NSTG_DRSG_D1                                  Num unstage pressure ulcer non-remov dress                   M1311_NSTG_DRSG_SOCROC_D2                                  Num unstage pressure ulcer non-remov dress</p>
-5403	Consistency	Fatal	<p>If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-].</p> <p><b>Items:</b>    M1311_NSTG_DRSG_D1                                  Num unstage pressure ulcer non-remov dress                   M1311_NSTG_DRSG_SOCROC_D2                                  Num unstage pressure ulcer non-remov dress</p>
-5411	Skip pattern	Fatal	<p>(a) If M1311_NSTG_CVRG_E1=[0], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^].  (b) If M1311_NSTG_CVRG_E1 &gt;0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^].</p> <p><b>Items:</b>    M1311_NSTG_CVRG_E1                                      Unstageable: coverage by slough or eschar                   M1311_NSTG_CVRG_SOCROC_E2                                      Unstageable: coverage by slough or eschar SOC/ROC</p>
-5412	Consistency	Fatal	<p>If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-].</p> <p><b>Items:</b>    M1311_NSTG_CVRG_E1                                      Unstageable: coverage by slough or eschar                   M1311_NSTG_CVRG_SOCROC_E2                                      Unstageable: coverage by slough or eschar SOC/ROC</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5413	Consistency	Fatal	<p>If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-].</p> <p><b>Items:</b> M1311_NSTG_CVRG_E1                      Unstageable: coverage by slough or eschar  M1311_NSTG_CVRG_SOCROC_E2                      Unstageable: coverage by slough or eschar SOC/ROC</p>
-5421	Skip pattern	Fatal	<p>(a) If M1311_NSTG_DEEP_TSUE_F=[0], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^].  (b) If M1311_NSTG_DEEP_TSUE_F1 &gt;0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^].</p> <p><b>Items:</b> M1311_NSTG_DEEP_TSUE_F1                      Unstageable: deep tissue injury  M1311_NSTG_DEEP_TSUE_SOCROC_F2                      Unstageable: deep tissue injury SOC/ROC</p>
-5422	Consistency	Fatal	<p>If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-].</p> <p><b>Items:</b> M1311_NSTG_DEEP_TSUE_F1                      Unstageable: deep tissue injury  M1311_NSTG_DEEP_TSUE_SOCROC_F2                      Unstageable: deep tissue injury SOC/ROC</p>
-5423	Consistency	Fatal	<p>If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-].</p> <p><b>Items:</b> M1311_NSTG_DEEP_TSUE_F1                      Unstageable: deep tissue injury  M1311_NSTG_DEEP_TSUE_SOCROC_F2                      Unstageable: deep tissue injury SOC/ROC</p>
-5460	Consistency	Fatal	<p>The value for M0090_INFO_COMPLETED_DT must be within the allowable date range specified by the value for SPEC_VRSN_CD. The list of SPEC_VRSN_CD values and their corresponding date ranges are provided in the Overview document for the OASIS Data Specifications.</p> <p><b>Items:</b> SPEC_VRSN_CD                                      Specifications version code  M0090_INFO_COMPLETED_DT                                      Date assessment completed</p>
-5470	Consistency	Fatal	<p>If M2001_DRUG_RGMN_RVW=[-], then M2003_MDCTN_FLWP must equal [-].</p> <p><b>Items:</b> M2001_DRUG_RGMN_RVW                                      Drug regimen review  M2003_MDCTN_FLWP                                      Medication follow-up</p>
-5490	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2010_HIGH_RISK_DRUG_EDCTN must not equal [^].</p> <p><b>Items:</b> M2001_DRUG_RGMN_RVW                                      Drug regimen review  M2010_HIGH_RISK_DRUG_EDCTN                                      Patient/caregiver high risk drug education</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5500	Consistency	Fatal	GG0110 Consistency:  a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].  <b>Items:</b> GG0110A
-------	-------------	-------	--



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5550	Skip pattern	Fatal	<p>(a) If GG0170M1=[07,09,10,88], then GG0170N1 must equal [^].</p> <p>(b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^].</p> <p>(c) If GG0170M1=[-], then GG0170N1 must equal [-].</p> <p><b>Items:</b> GG0170M1 1 step (curb) (SOC/ROC Perf)</p> <p>GG0170N1 4 steps (SOC/ROC Perf)</p>
-5560	Skip pattern	Fatal	<p>(a) If GG0170M3=[07,09,10,88], then GG0170N3 must equal [^].</p> <p>(b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^].</p> <p>(c) If GG0170M3=[-], then GG0170N3 must equal [-].</p> <p><b>Items:</b> GG0170M3 1 step (curb) (Dschr Perf)</p> <p>GG0170N3 4 steps (Dschr Perf)</p>
-5570	Skip pattern	Fatal	<p>(a) If GG0170M4=[07,09,10,88], then GG0170N4 must equal [^].</p> <p>(b) If GG0170M4=[06,05,04,03,02,01], then GG0170N4 must not equal [^].</p> <p>(c) If GG0170M4=[-], then GG0170N4 must equal [-].</p> <p><b>Items:</b> GG0170M4 1 step (curb) (Follow-Up Perf)</p> <p>GG0170N4 4 steps (Follow-Up Perf)</p>
-5580	Skip pattern	Fatal	<p>(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^].</p> <p>(b) If GG0170N1=[06,05,04,03,02,01], then GG0170O1 must not equal [^].</p> <p>(c) If GG0170N1=[-], then GG0170O1 must equal [-].</p> <p><b>Items:</b> GG0170N1 4 steps (SOC/ROC Perf)</p> <p>GG0170O1 12 steps (SOC/ROC Perf)</p>
-5590	Skip pattern	Fatal	<p>(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^].</p> <p>(b) If GG0170N3=[06,05,04,03,02,01], then GG0170O3 must not equal [^].</p> <p>(c) If GG0170N3=[-], then GG0170O3 must equal [-].</p> <p><b>Items:</b> GG0170N3 4 steps (Dschr Perf)</p> <p>GG0170O3 12 steps (Dschr Perf)</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5610	Skip pattern	Fatal	<p>(a) If GG0170Q3=[0], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <table><tr><td><b>Items:</b></td><td>GG0170Q3</td><td>Use wheelchair and/or scooter (Dschrng Perf)</td></tr><tr><td></td><td>GG0170R3</td><td>Wheel 50 feet with two turns (Dschrng Perf)</td></tr><tr><td></td><td>GG0170RR3</td><td>Type of wheelchair or scooter (Dschrng Perf)</td></tr><tr><td></td><td>GG0170S3</td><td>Wheel 150 feet (Dschrng Perf)</td></tr><tr><td></td><td>GG0170SS3</td><td>Type of wheelchair or scooter (Dschrng Perf)</td></tr></table>	<b>Items:</b>	GG0170Q3	Use wheelchair and/or scooter (Dschrng Perf)		GG0170R3	Wheel 50 feet with two turns (Dschrng Perf)		GG0170RR3	Type of wheelchair or scooter (Dschrng Perf)		GG0170S3	Wheel 150 feet (Dschrng Perf)		GG0170SS3	Type of wheelchair or scooter (Dschrng Perf)						
<b>Items:</b>	GG0170Q3	Use wheelchair and/or scooter (Dschrng Perf)																						
	GG0170R3	Wheel 50 feet with two turns (Dschrng Perf)																						
	GG0170RR3	Type of wheelchair or scooter (Dschrng Perf)																						
	GG0170S3	Wheel 150 feet (Dschrng Perf)																						
	GG0170SS3	Type of wheelchair or scooter (Dschrng Perf)																						
-5620	Skip pattern	Fatal	<p>(a) If GG0170Q4=[0], then GG0170R4 must be equal to [^].</p> <p>(b) If GG0170Q4=[1], then GG0170R4 must not be equal to [^].</p> <p>(c) If GG0170Q4=[-], then GG0170R4 must be equal to [-].</p> <table><tr><td><b>Items:</b></td><td>GG0170Q4</td><td>Use wheelchair and/or scooter (Follow-Up Perf)</td></tr><tr><td></td><td>GG0170R4</td><td>Wheel 50 feet with two turns (Follow-Up Perf)</td></tr></table>	<b>Items:</b>	GG0170Q4	Use wheelchair and/or scooter (Follow-Up Perf)		GG0170R4	Wheel 50 feet with two turns (Follow-Up Perf)															
<b>Items:</b>	GG0170Q4	Use wheelchair and/or scooter (Follow-Up Perf)																						
	GG0170R4	Wheel 50 feet with two turns (Follow-Up Perf)																						
-5630	Skip pattern	Fatal	<p>(a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].</p> <p>(b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].</p> <p>(c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].</p> <table><tr><td><b>Items:</b></td><td>J1800</td><td>Falls since SOC/ROC: any falls</td></tr><tr><td></td><td>J1900A</td><td>Num falls since SOC/ROC: no injury</td></tr><tr><td></td><td>J1900B</td><td>Num falls since SOC/ROC: injury (except major)</td></tr><tr><td></td><td>J1900C</td><td>Num falls since SOC/ROC: major injury</td></tr></table>	<b>Items:</b>	J1800	Falls since SOC/ROC: any falls		J1900A	Num falls since SOC/ROC: no injury		J1900B	Num falls since SOC/ROC: injury (except major)		J1900C	Num falls since SOC/ROC: major injury									
<b>Items:</b>	J1800	Falls since SOC/ROC: any falls																						
	J1900A	Num falls since SOC/ROC: no injury																						
	J1900B	Num falls since SOC/ROC: injury (except major)																						
	J1900C	Num falls since SOC/ROC: major injury																						
-5661	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.</p> <table><tr><td><b>Items:</b></td><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NSTG_DRSG_D1</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td></td><td>M1311_NSTG_CVRG_E1</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td></td><td>M1311_NSTG_DEEP_TSUE_F1</td><td>Unstageable: deep tissue injury</td></tr></table>	<b>Items:</b>	M0100_ASSMT_REASON	Reason for assessment		M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers		M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers		M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers		M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress		M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar		M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury
<b>Items:</b>	M0100_ASSMT_REASON	Reason for assessment																						
	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																						
	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																						
	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																						
	M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress																						
	M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar																						
	M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury																						

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5670	Consistency	Fatal	<p>(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1].</p> <p>(b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0].</p> <p>(c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].</p> <table><tr><td><b>Items:</b></td><td>M1028_ACTV_DIAG_PVD_PAD</td><td>Active Diagnoses - PVD or PAD</td></tr><tr><td></td><td>M1028_ACTV_DIAG_DM</td><td>Active Diagnoses - Diabetes Mellitus</td></tr><tr><td></td><td>M1028_ACTV_DIAG_NOA</td><td>Active Diagnoses - None of the above</td></tr></table>	<b>Items:</b>	M1028_ACTV_DIAG_PVD_PAD	Active Diagnoses - PVD or PAD		M1028_ACTV_DIAG_DM	Active Diagnoses - Diabetes Mellitus		M1028_ACTV_DIAG_NOA	Active Diagnoses - None of the above									
<b>Items:</b>	M1028_ACTV_DIAG_PVD_PAD	Active Diagnoses - PVD or PAD																			
	M1028_ACTV_DIAG_DM	Active Diagnoses - Diabetes Mellitus																			
	M1028_ACTV_DIAG_NOA	Active Diagnoses - None of the above																			
-5681	Consistency	Fatal	<p>(a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA].</p> <p>(b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [01, NA].</p> <table><tr><td><b>Items:</b></td><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td></td><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td></td><td>M1322_NBR_PRSULC_STG1</td><td>Number of stage 1 pressure injuries</td></tr><tr><td></td><td>M1324_STG_PRBLM_ULCER</td><td>Stage of most problematic pressure ulcer/injury</td></tr></table>	<b>Items:</b>	M0100_ASSMT_REASON	Reason for assessment		M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers		M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers		M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers		M1322_NBR_PRSULC_STG1	Number of stage 1 pressure injuries		M1324_STG_PRBLM_ULCER	Stage of most problematic pressure ulcer/injury
<b>Items:</b>	M0100_ASSMT_REASON	Reason for assessment																			
	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																			
	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																			
	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																			
	M1322_NBR_PRSULC_STG1	Number of stage 1 pressure injuries																			
	M1324_STG_PRBLM_ULCER	Stage of most problematic pressure ulcer/injury																			
-5710	Format	Fatal	<p>Incorrect Medicare Number: This item must conform to the format defined below:</p> <ul style="list-style-type: none"><li>• The Medicare Number shall be eleven characters in length</li><li>• The first character must be numeric, excluding zero (0)</li><li>• The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z.</li><li>• The fourth, seventh, tenth and eleventh characters must be numeric.</li><li>• The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</li></ul> <table><tr><td><b>Items:</b></td><td>M0063_MEDICARE_NUM</td><td>Medicare number, including suffix</td></tr></table>	<b>Items:</b>	M0063_MEDICARE_NUM	Medicare number, including suffix															
<b>Items:</b>	M0063_MEDICARE_NUM	Medicare number, including suffix																			

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5720	Consistency	Fatal	<p>(a) At least one active item from A1005A to A1005Y must equal [1].</p> <p>(b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0].</p> <p>(c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0].</p> <p>(d) If A1005X=[1], then A1005Y must equal [0].</p> <p>(e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].</p>	
			<p><b>Items:</b></p> <p>A1005A                      Ethnicity: No, Not Hispanic, Latino/a, Spanish</p> <p>A1005B                      Ethnicity: Yes, Mex, Mex Amer, Chicano/a</p> <p>A1005C                      Ethnicity: Yes, Puerto Rican</p> <p>A1005D                      Ethnicity: Yes, Cuban</p> <p>A1005E                      Ethnicity: Yes, Another Hispanic/Latino/Spanish</p> <p>A1005X                      Ethnicity: Patient unable to respond</p> <p>A1005Y                      Ethnicity: Patient declines to respond</p>	
-5730	Consistency	Fatal	<p>(a) At least one active item from A1010A through A1010Z must equal [1].</p> <p>(b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0].</p> <p>(c) If A1010X=[1], then A1010Y must equal [0].</p> <p>(d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0].</p> <p>(e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].</p>	
			<p><b>Items:</b></p> <p>A1010A                      Race: White</p> <p>A1010B                      Race: Black or African American</p> <p>A1010C                      Race: American Indian or Alaska Native</p> <p>A1010D                      Race: Asian Indian</p> <p>A1010E                      Race: Chinese</p> <p>A1010F                      Race: Filipino</p> <p>A1010G                      Race: Japanese</p> <p>A1010H                      Race: Korean</p> <p>A1010I                      Race: Vietnamese</p> <p>A1010J                      Race: Other Asian</p> <p>A1010K                      Race: Native Hawaiian</p> <p>A1010L                      Race: Guamanian or Chamorro</p> <p>A1010M                      Race: Samoan</p> <p>A1010N                      Race: Other Pacific Islander</p> <p>A1010X                      Race: Patient unable to respond</p> <p>A1010Y                      Race: Patient declines to respond</p> <p>A1010Z                      Race: None of the above</p>	

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5750	Skip pattern	Fatal	(a) If A2121=[0], then all active items from A2122A through A2122E must equal [^]. (b) If A2121=[1], then all active items from A2122A through A2122E must not equal [^]. (c) If A2121=[1], then at least one active item from A2122A through A2122E must equal [1].  <b>Items:</b> <table><tr><td>A2121</td><td>Current Reconciled Medication List - Prvdr (Dis)</td></tr><tr><td>A2122A</td><td>Provider Trans - Electronic Health Record</td></tr><tr><td>A2122B</td><td>Provider Trans - Health Info Exchange</td></tr><tr><td>A2122C</td><td>Provider Trans - Verbal</td></tr><tr><td>A2122D</td><td>Provider Trans - Paper-based</td></tr><tr><td>A2122E</td><td>Provider Trans - Other Methods</td></tr></table>	A2121	Current Reconciled Medication List - Prvdr (Dis)	A2122A	Provider Trans - Electronic Health Record	A2122B	Provider Trans - Health Info Exchange	A2122C	Provider Trans - Verbal	A2122D	Provider Trans - Paper-based	A2122E	Provider Trans - Other Methods		
A2121	Current Reconciled Medication List - Prvdr (Dis)																
A2122A	Provider Trans - Electronic Health Record																
A2122B	Provider Trans - Health Info Exchange																
A2122C	Provider Trans - Verbal																
A2122D	Provider Trans - Paper-based																
A2122E	Provider Trans - Other Methods																
-5760	Skip pattern	Fatal	(a) If A2120=[0,2], then all active items from A2122A through A2122E must equal [^]. (b) If A2120=[1], then all active items from A2122A through A2122E must not equal [^]. (c) If A2120=[1], then at least one active item from A2122A through A2122E must equal [1].  <b>Items:</b> <table><tr><td>A2120</td><td>Current Reconciled Medication List - Prvdr (Tra)</td></tr><tr><td>A2122A</td><td>Provider Trans - Electronic Health Record</td></tr><tr><td>A2122B</td><td>Provider Trans - Health Info Exchange</td></tr><tr><td>A2122C</td><td>Provider Trans - Verbal</td></tr><tr><td>A2122D</td><td>Provider Trans - Paper-based</td></tr><tr><td>A2122E</td><td>Provider Trans - Other Methods</td></tr></table>	A2120	Current Reconciled Medication List - Prvdr (Tra)	A2122A	Provider Trans - Electronic Health Record	A2122B	Provider Trans - Health Info Exchange	A2122C	Provider Trans - Verbal	A2122D	Provider Trans - Paper-based	A2122E	Provider Trans - Other Methods		
A2120	Current Reconciled Medication List - Prvdr (Tra)																
A2122A	Provider Trans - Electronic Health Record																
A2122B	Provider Trans - Health Info Exchange																
A2122C	Provider Trans - Verbal																
A2122D	Provider Trans - Paper-based																
A2122E	Provider Trans - Other Methods																
-5770	Skip pattern	Fatal	If M2420_DSCHRG_DISP=[01,04,UK], then all active items from A2121 through A2122E must equal [^].  <b>Items:</b> <table><tr><td>M2420_DSCHRG_DISP</td><td>Discharge disposition</td></tr><tr><td>A2121</td><td>Current Reconciled Medication List - Prvdr (Dis)</td></tr><tr><td>A2122A</td><td>Provider Trans - Electronic Health Record</td></tr><tr><td>A2122B</td><td>Provider Trans - Health Info Exchange</td></tr><tr><td>A2122C</td><td>Provider Trans - Verbal</td></tr><tr><td>A2122D</td><td>Provider Trans - Paper-based</td></tr><tr><td>A2122E</td><td>Provider Trans - Other Methods</td></tr></table>	M2420_DSCHRG_DISP	Discharge disposition	A2121	Current Reconciled Medication List - Prvdr (Dis)	A2122A	Provider Trans - Electronic Health Record	A2122B	Provider Trans - Health Info Exchange	A2122C	Provider Trans - Verbal	A2122D	Provider Trans - Paper-based	A2122E	Provider Trans - Other Methods
M2420_DSCHRG_DISP	Discharge disposition																
A2121	Current Reconciled Medication List - Prvdr (Dis)																
A2122A	Provider Trans - Electronic Health Record																
A2122B	Provider Trans - Health Info Exchange																
A2122C	Provider Trans - Verbal																
A2122D	Provider Trans - Paper-based																
A2122E	Provider Trans - Other Methods																
-5780	Consistency	Fatal	(a) If A2123=[0], then all active items from A2124A through A2124E must equal [^]. (b) If A2123=[1], then all active item from A2124A through A2124E must not equal [^]. (c) If A2123=[1], then at least one active item from A2124A through A2124E must equal [1].  <b>Items:</b> <table><tr><td>A2123</td><td>Current Reconciled Medication List - Ptnt (Dis)</td></tr><tr><td>A2124A</td><td>Patient Trans - Electronic Health Record</td></tr><tr><td>A2124B</td><td>Patient Trans - Health Info Exchange</td></tr><tr><td>A2124C</td><td>Patient Trans - Verbal</td></tr><tr><td>A2124D</td><td>Patient Trans - Paper-based</td></tr><tr><td>A2124E</td><td>Patient Trans - Other Methods</td></tr></table>	A2123	Current Reconciled Medication List - Ptnt (Dis)	A2124A	Patient Trans - Electronic Health Record	A2124B	Patient Trans - Health Info Exchange	A2124C	Patient Trans - Verbal	A2124D	Patient Trans - Paper-based	A2124E	Patient Trans - Other Methods		
A2123	Current Reconciled Medication List - Ptnt (Dis)																
A2124A	Patient Trans - Electronic Health Record																
A2124B	Patient Trans - Health Info Exchange																
A2124C	Patient Trans - Verbal																
A2124D	Patient Trans - Paper-based																
A2124E	Patient Trans - Other Methods																

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5790	Skip pattern	Fatal	<p>(a) If C0100=[0], then all active items from C0200 through C0500 must equal [^].</p> <p>(b) If C0100=[1], then all active items from C0200 through C0500 must not equal [^].</p> <p>(c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].</p> <p><b>Items:</b> C0100 Brief Interview for Mental Status</p> <p>C0200 Repetition of three words</p> <p>C0300A Temporal Orientation: Able to report correct year</p> <p>C0300B Temporal Orientation: Able to report correct month</p> <p>C0300C Temporal Orientation: Able to report correct day</p> <p>C0400A Recall: Able to recall "sock"</p> <p>C0400B Recall: Able to recall "blue"</p> <p>C0400C Recall: Able to recall "bed"</p> <p>C0500 BIMS Summary Score</p>
-5800	Consistency	Fatal	<p>The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C:</p> <p>(a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.</p> <p>(b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99].</p> <p>(c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].</p> <p>(d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> <p><b>Items:</b> C0200 Repetition of three words</p> <p>C0300A Temporal Orientation: Able to report correct year</p> <p>C0300B Temporal Orientation: Able to report correct month</p> <p>C0300C Temporal Orientation: Able to report correct day</p> <p>C0400A Recall: Able to recall "sock"</p> <p>C0400B Recall: Able to recall "blue"</p> <p>C0400C Recall: Able to recall "bed"</p> <p>C0500 BIMS Summary Score</p>
-5810	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.02.0***</p> <p><b>Items:</b> D0150A1 Mood: Little interest/pleasure doing things: Pres</p> <p>D0150A2 Mood: Little interest/pleasure doing things: Freq</p>
-5820	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V3.02.0***</p> <p><b>Items:</b> D0150B1 Mood: Feeling down, depressed, or hopeless: Pres</p> <p>D0150B2 Mood: Feeling down, depressed, or hopeless: Freq</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5830	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150C1 D0150C2	Mood: Trouble falling or staying asleep: Pres Mood: Trouble falling or staying asleep: Freq
-5840	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150D1 D0150D2	Mood: Feeling tired or having little energy: Pres Mood: Feeling tired or having little energy: Freq
-5850	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150E1 D0150E2	Mood: Poor appetite or overeating: Pres Mood: Poor appetite or overeating: Freq
-5860	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150F1 D0150F2	Mood: Feeling bad about yourself: Pres Mood: Feeling bad about yourself: Freq
-5870	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150G1 D0150G2	Mood: Trouble concentrating on things: Pres Mood: Trouble concentrating on things: Freq
-5880	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150H1 D0150H2	Mood: Moving or speaking so slowly: Pres Mood: Moving or speaking so slowly: Freq
-5890	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150I1 D0150I2	Mood: Thoughts of better off dead: Pres Mood: Thoughts of better off dead: Freq
-5900	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b> D0150A1 D0150A2 D0150B1 D0150B2 D0150C1 D0150D1 D0150E1 D0150F1 D0150G1 D0150H1 D0150I1	Mood: Little interest/pleasure doing things: Pres Mood: Little interest/pleasure doing things: Freq Mood: Feeling down, depressed, or hopeless: Pres Mood: Feeling down, depressed, or hopeless: Freq Mood: Trouble falling or staying asleep: Pres Mood: Feeling tired or having little energy: Pres Mood: Poor appetite or overeating: Pres Mood: Feeling bad about yourself: Pres Mood: Trouble concentrating on things: Pres Mood: Moving or speaking so slowly: Pres Mood: Thoughts of better off dead: Pres

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5910	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.02.0***	
			<b>Items:</b>	
			D0150A1	Mood: Little interest/pleasure doing things: Pres
			D0150A2	Mood: Little interest/pleasure doing things: Freq
			D0150B1	Mood: Feeling down, depressed, or hopeless: Pres
			D0150B2	Mood: Feeling down, depressed, or hopeless: Freq
			D0150C2	Mood: Trouble falling or staying asleep: Freq
			D0150D2	Mood: Feeling tired or having little energy: Freq
			D0150E2	Mood: Poor appetite or overeating: Freq
			D0150F2	Mood: Feeling bad about yourself: Freq
			D0150G2	Mood: Trouble concentrating on things: Freq
			D0150H2	Mood: Moving or speaking so slowly: Freq
			D0150I2	Mood: Thoughts of better off dead: Freq
			D0160	Total severity score
-5920	Consistency	Fatal	(a) If J0510=[0], then all active items from J0520 through J0530 must equal [^].	
			(b) If J0510=[1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^].	
			<b>Items:</b>	
			J0510	Pain effect on sleep
			J0520	Pain interference with therapy activities
			J0530	Pain interference with day-to-day activities
-5930	Consistency	Fatal	(a) If K0520Z1=[1], then all active items from K0520A1 through K0520D1 must equal [0].	
			(b) If K0520Z1=[0], then at least one active item from K0520A1 through K0520D1 must equal [1], and the remaining items must equal [0,1].	
			(c) If K0520Z1=[-], then at least one active item from K0520A1 through K0520D1 must equal [-], and the remaining items must equal [0,-].	
			<b>Items:</b>	
			K0520A1	Nutritional Approaches (Admission): Parenteral
			K0520B1	Nutritional Approaches (Admission): Feeding tube
			K0520C1	Nutritional Approaches (Admission) : Mech Alt Diet
			K0520D1	Nutritional Approaches (Admission) : Therapeutic
			K0520Z1	Nutritional Approaches (Admission) : None



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5940	Consistency	Fatal	<p>(a) If K0520Z4=[1], then all active items from K0520A4 through K0520D4 must equal [0].</p> <p>(b) If K0520Z4=[0], then at least one active item from K0520A4 through K0520D4 must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If K0520Z4=[-], then at least one item from K0520A4 through K0520D4 must equal [-], and the remaining active items must equal [0,-].</p> <p><b>Items:</b> K0520A4 Nutritional Approaches (7 days): Parenteral  K0520B4 Nutritional Approaches (7 days): Feeding tube  K0520C4 Nutritional Approaches (7 days): Mech Alt Diet  K0520D4 Nutritional Approaches (7 day): Therapeutic  K0520Z4 Nutritional Approaches (7 days): None</p>
-5950	Consistency	Fatal	<p>(a) If K0520Z5=[1], then all active items from K0520A5 through K0520D5 must equal [0].</p> <p>(b) If K0520Z5=[0], then at least one active item from K0520A5 through K0520D5 must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If K0520Z5=[-], then at least one active item from K0520A5 through K0520D5 must equal [-], and all remaining active items must equal [0,-].</p> <p><b>Items:</b> K0520A5 Nutritional Approaches (Discharge): Parenteral  K0520B5 Nutritional Approaches (Discharge): Feeding Tube  K0520C5 Nutritional Approaches (Discharge): Mech Alt Diet  K0520D5 Nutritional Approaches (Discharge): Therapeutic  K0520Z5 Nutritional Approaches (Discharge): None</p>
-5960	Skip pattern	Fatal	<p>(a) If N0415A1=[0], then N0415A2 must equal [^].</p> <p>(b) If N0415A1=[1], then N0415A2 must not equal [^].</p> <p><b>Items:</b> N0415A1 High-Risk Drug (Is Taking): Antipsychotic  N0415A2 High-Risk Drug (Indication) : Antipsychotic</p>
-5970	Skip pattern	Fatal	<p>(a) If N0415E1=[0], then N0415E2 must equal [^].</p> <p>(b) If N0415E1=[1], then N0415E2 must not equal [^].</p> <p><b>Items:</b> N0415E1 High-Risk Drug (Is taking): Anticoagulant  N0415E2 High-Risk Drug (Indication): Anticoagulant</p>
-5980	Skip pattern	Fatal	<p>(a) If N0415F1=[0], then N0415F2 must equal [^].</p> <p>(b) If N0415F1=[1], then N0415F2 must not equal [^].</p> <p><b>Items:</b> N0415F1 High-Risk Drug (Is taking): Antibiotic  N0415F2 High-Risk Drug (Indication): Antibiotic</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-5990	Skip pattern	Fatal	<p>(a) If N0415H1=[0], then N0415H2 must equal [^].</p> <p>(b) If N0415H1=[1], then N0415H2 must not equal [^].</p> <p><b>Items:</b> N0415H1 High-Risk Drug (Is taking): Opioid</p> <p>N0415H2 High-Risk Drug (Indication): Opioid</p>
-6000	Skip pattern	Fatal	<p>(a) If N0415I1=[0], then N0415I2 must equal [^].</p> <p>(b) If N0415I1=[1], then N0415I2 must not equal [^].</p> <p><b>Items:</b> N0415I1 High-Risk Drug (Is taking): Antiplatelet</p> <p>N0415I2 High-Risk Drug (Indication): Antiplatelet</p>
-6010	Skip pattern	Fatal	<p>(a) If N0415J1=[0], then N0415J2 must equal [^].</p> <p>(b) If N0415J1=[1], then N0415J2 must not equal [^].</p> <p><b>Items:</b> N0415J1 High-Risk Drug (Is taking): Hypoglycemic</p> <p>N0415J2 High-Risk Drug (Indication): Hypoglycemic</p>
-6020	None of above	Fatal	<p>(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</p> <p>(b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</p> <p>(c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</p> <p><b>Items:</b> N0415A1 High-Risk Drug (Is Taking): Antipsychotic</p> <p>N0415E1 High-Risk Drug (Is taking): Anticoagulant</p> <p>N0415F1 High-Risk Drug (Is taking): Antibiotic</p> <p>N0415H1 High-Risk Drug (Is taking): Opioid</p> <p>N0415I1 High-Risk Drug (Is taking): Antiplatelet</p> <p>N0415J1 High-Risk Drug (Is taking): Hypoglycemic</p> <p>N0415Z1 High-Risk Drug (Is taking): None of the above</p>
-6030	Consistency	Fatal	<p>(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].</p> <p>(b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].</p> <p><b>Items:</b> O0110A1A Treatment: Chemotherapy (Admission)</p> <p>O0110A2A Treatment: Chemo - IV (Admission)</p> <p>O0110A3A Treatment: Chemo - Oral (Admission)</p> <p>O0110A10A Treatment: Chemo - Other (Admission)</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-6040	Consistency	Fatal	<p>(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].</p> <p>(b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].</p> <p><b>Items:</b> O0110C1A Therapies: Oxygen Therapy (Admission)  O0110C2A Therapies: Oxygen - Continuous (Admission)  O0110C3A Therapies: Oxygen - Intermittent (Admission)  O0110C4A Therapies: Oxygen - High-concentration (Admission)</p>
-6050	Consistency	Fatal	<p>(a) If O0110D1A=[0], then the following items must equal [0]: O0110D2A, O0110D3A.</p> <p>(b) If O0110D1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2A, O0110D3A.</p> <p>(c) If O0110D1A=[-], then the following items must equal [-]: O0110D2A, O0110D3A.</p> <p><b>Items:</b> O0110D1A Therapies: Suctioning (Admission)  O0110D2A Therapies: Suctioning - Scheduled (Admission)  O0110D3A Therapies: Suctioning - As Needed (Admission)</p>
-6060	Consistency	Fatal	<p>(a) If O0110G1A=[0], then the following items must equal [0]: O0110G2A, O0110G3A.</p> <p>(b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2A, O0110G3A.</p> <p>(c) If O0110G1A=[-], then the following items must equal [-]: O0110G2A, O0110G3A.</p> <p><b>Items:</b> O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis)  O0110G2A Therapies: BiPAP (Admission)  O0110G3A Therapies: CPAP (Admission)</p>
-6070	Consistency	Fatal	<p>(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].</p> <p>(b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].</p> <p><b>Items:</b> O0110H1A Other: IV Medications (Admission)  O0110H2A Other: IV - Vasoactive medications (Admission)  O0110H3A Other: IV - Antibiotics (Admission)  O0110H4A Other: IV - Anticoagulation (Admission)  O0110H10A Other: IV - Other (Admission)</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-6080	Consistency	Fatal	<p>(a) If O0110J1A=[0], then the following items must equal [0]: O0110J2A, O0110J3A.</p> <p>(b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2A, O0110J3A.</p> <p>(c) If O0110J1A=[-], then the following items must equal [-]: O0110J2A, O0110J3A.</p>	
			<p><b>Items:</b> O0110J1A                      Other: Dialysis (Admission)</p> <p>             O0110J2A                      Other: Hemodialysis (Admission)</p> <p>             O0110J3A                      Other: Peritoneal dialysis (Admission)</p>	
-6090	Consistency	Fatal	<p>(a) If O0110O1A=[0], then all active items from O0110O2A through O0110O4A must equal [0].</p> <p>(b) If O0110O1A=[1], then at least one item from O0110O2A through O0110O4A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110O1A=[-], then all active items from O0110O2A through O0110O4A must equal [-].</p>	
			<p><b>Items:</b> O0110O1A                      Other: IV Access (Admission)</p> <p>             O0110O2A                      Other: IV Access - Peripheral (Admission)</p> <p>             O0110O3A                      Other: IV Access - Mid-line (Admission)</p> <p>             O0110O4A                      Other: IV Access - Central (Admission)</p>	
-6100	Consistency	Fatal	<p>(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p>	
			<p><b>Items:</b> O0110A1A                      Treatment: Chemotherapy (Admission)</p> <p>             O0110B1A                      Treatment: Radiation (Admission)</p> <p>             O0110C1A                      Therapies: Oxygen Therapy (Admission)</p> <p>             O0110D1A                      Therapies: Suctioning (Admission)</p> <p>             O0110E1A                      Therapies: Tracheostomy Care (Admission)</p> <p>             O0110F1A                      Therapies: Invasive Mechanical Ventilator (Admis)</p> <p>             O0110G1A                      Therapies: Non-Invas Mechanical Ventilator (Admis)</p> <p>             O0110H1A                      Other: IV Medications (Admission)</p> <p>             O0110I1A                      Other: Transfusions (Admission)</p> <p>             O0110J1A                      Other: Dialysis (Admission)</p> <p>             O0110O1A                      Other: IV Access (Admission)</p> <p>             O0110Z1A                      Other: None of the above (Admission)</p>	

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-6110	Consistency	Fatal	<p>(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].</p> <p>(b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].</p> <p><b>Items:</b> O0110A1C Treatment: Chemotherapy (Discharge)</p> <p>O0110A2C Treatment: Chemo - IV (Discharge)</p> <p>O0110A3C Treatment: Chemo - Oral (Discharge)</p> <p>O0110A10C Treatment: Chemo - Other (Discharge)</p>
-6120	Consistency	Fatal	<p>(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].</p> <p>(b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].</p> <p><b>Items:</b> O0110C1C Therapies: Oxygen Therapy (Discharge)</p> <p>O0110C2C Therapies: Oxygen - Continuous (Discharge)</p> <p>O0110C3C Therapies: Oxygen - Intermittent (Discharge)</p> <p>O0110C4C Therapies: Oxygen - High-concentration (Discharge)</p>
-6130	Consistency	Fatal	<p>(a) If O0110D1C=[0], then the following items must equal [0]: O0110D2C, O0110D3C.</p> <p>(b) If O0110D1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2C, O0110D3C.</p> <p>(c) If O0110D1C=[-], then the following items must equal [-]: O0110D2C, O0110D3C.</p> <p><b>Items:</b> O0110D1C Therapies: Suctioning (Discharge)</p> <p>O0110D2C Therapies: Suctioning - Scheduled (Discharge)</p> <p>O0110D3C Therapies: Suctioning - As Needed (Discharge)</p>
-6140	Consistency	Fatal	<p>(a) If O0110G1C=[0], then the following items must equal [0]: O0110G2C, O0110G3C.</p> <p>(b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2C, O0110G3C.</p> <p>(c) If O0110G1C=[-], then the following items must equal [-]: O0110G2C, O0110G3C.</p> <p><b>Items:</b> O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch)</p> <p>O0110G2C Therapies: BiPAP (Discharge)</p> <p>O0110G3C Therapies: CPAP (Discharge)</p>

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-6150	Consistency	Fatal	<p>(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].</p> <p>(b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].</p> <table><tr><td><b>Items:</b></td><td>O0110H1C</td><td>Other: IV Medications (Discharge)</td></tr><tr><td></td><td>O0110H2C</td><td>Other: IV - Vasoactive medications (Discharge)</td></tr><tr><td></td><td>O0110H3C</td><td>Other: IV - Antibiotics (Discharge)</td></tr><tr><td></td><td>O0110H4C</td><td>Other: IV - Anticoagulation (Discharge)</td></tr><tr><td></td><td>O0110H10C</td><td>Other: IV - Other (Discharge)</td></tr></table>	<b>Items:</b>	O0110H1C	Other: IV Medications (Discharge)		O0110H2C	Other: IV - Vasoactive medications (Discharge)		O0110H3C	Other: IV - Antibiotics (Discharge)		O0110H4C	Other: IV - Anticoagulation (Discharge)		O0110H10C	Other: IV - Other (Discharge)
<b>Items:</b>	O0110H1C	Other: IV Medications (Discharge)																
	O0110H2C	Other: IV - Vasoactive medications (Discharge)																
	O0110H3C	Other: IV - Antibiotics (Discharge)																
	O0110H4C	Other: IV - Anticoagulation (Discharge)																
	O0110H10C	Other: IV - Other (Discharge)																
-6160	Consistency	Fatal	<p>(a) If O0110J1C=[0], then the following items must equal [0]: O0110J2C, O0110J3C.</p> <p>(b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2C, O0110J3C.</p> <p>(c) If O0110J1C=[-], then the following items must equal [-]: O0110J2C, O0110J3C.</p> <table><tr><td><b>Items:</b></td><td>O0110J1C</td><td>Other: Dialysis (Discharge)</td></tr><tr><td></td><td>O0110J2C</td><td>Other: Hemodialysis (Discharge)</td></tr><tr><td></td><td>O0110J3C</td><td>Other: Peritoneal dialysis (Discharge)</td></tr></table>	<b>Items:</b>	O0110J1C	Other: Dialysis (Discharge)		O0110J2C	Other: Hemodialysis (Discharge)		O0110J3C	Other: Peritoneal dialysis (Discharge)						
<b>Items:</b>	O0110J1C	Other: Dialysis (Discharge)																
	O0110J2C	Other: Hemodialysis (Discharge)																
	O0110J3C	Other: Peritoneal dialysis (Discharge)																
-6170	Consistency	Fatal	<p>(a) If O0110O1C=[0], then all active items from O0110O2C through O0110O4C must equal [0].</p> <p>(b) If O0110O1C=[1], then at least one active item from O0110O2C through O0110O4C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110O1C=[-], then all active items from O0110O2C through O0110O4C must equal [-].</p> <table><tr><td><b>Items:</b></td><td>O0110O1C</td><td>Other: IV Access (Discharge)</td></tr><tr><td></td><td>O0110O2C</td><td>Other: IV Access - Peripheral (Discharge)</td></tr><tr><td></td><td>O0110O3C</td><td>Other: IV Access - Mid-line (Discharge)</td></tr><tr><td></td><td>O0110O4C</td><td>Other: IV Access - Central (Discharge)</td></tr></table>	<b>Items:</b>	O0110O1C	Other: IV Access (Discharge)		O0110O2C	Other: IV Access - Peripheral (Discharge)		O0110O3C	Other: IV Access - Mid-line (Discharge)		O0110O4C	Other: IV Access - Central (Discharge)			
<b>Items:</b>	O0110O1C	Other: IV Access (Discharge)																
	O0110O2C	Other: IV Access - Peripheral (Discharge)																
	O0110O3C	Other: IV Access - Mid-line (Discharge)																
	O0110O4C	Other: IV Access - Central (Discharge)																

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-6180	Consistency	Fatal	<p>(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.</p> <table><tr><td><b>Items:</b></td><td>O0110A1C</td><td>Treatment: Chemotherapy (Discharge)</td></tr><tr><td></td><td>O0110B1C</td><td>Treatment: Radiation (Discharge)</td></tr><tr><td></td><td>O0110C1C</td><td>Therapies: Oxygen Therapy (Discharge)</td></tr><tr><td></td><td>O0110D1C</td><td>Therapies: Suctioning (Discharge)</td></tr><tr><td></td><td>O0110E1C</td><td>Therapies: Tracheostomy Care (Discharge)</td></tr><tr><td></td><td>O0110F1C</td><td>Therapies: Invasive Mechanical Ventilator (Disch)</td></tr><tr><td></td><td>O0110G1C</td><td>Therapies: Non-Invas Mechanical Ventilator (Disch)</td></tr><tr><td></td><td>O0110H1C</td><td>Other: IV Medications (Discharge)</td></tr><tr><td></td><td>O0110I1C</td><td>Other: Transfusions (Discharge)</td></tr><tr><td></td><td>O0110J1C</td><td>Other: Dialysis (Discharge)</td></tr><tr><td></td><td>O0110O1C</td><td>Other: IV Access (Discharge)</td></tr><tr><td></td><td>O0110Z1C</td><td>Other: None of the above (Discharge)</td></tr></table>	<b>Items:</b>	O0110A1C	Treatment: Chemotherapy (Discharge)		O0110B1C	Treatment: Radiation (Discharge)		O0110C1C	Therapies: Oxygen Therapy (Discharge)		O0110D1C	Therapies: Suctioning (Discharge)		O0110E1C	Therapies: Tracheostomy Care (Discharge)		O0110F1C	Therapies: Invasive Mechanical Ventilator (Disch)		O0110G1C	Therapies: Non-Invas Mechanical Ventilator (Disch)		O0110H1C	Other: IV Medications (Discharge)		O0110I1C	Other: Transfusions (Discharge)		O0110J1C	Other: Dialysis (Discharge)		O0110O1C	Other: IV Access (Discharge)		O0110Z1C	Other: None of the above (Discharge)
<b>Items:</b>	O0110A1C	Treatment: Chemotherapy (Discharge)																																					
	O0110B1C	Treatment: Radiation (Discharge)																																					
	O0110C1C	Therapies: Oxygen Therapy (Discharge)																																					
	O0110D1C	Therapies: Suctioning (Discharge)																																					
	O0110E1C	Therapies: Tracheostomy Care (Discharge)																																					
	O0110F1C	Therapies: Invasive Mechanical Ventilator (Disch)																																					
	O0110G1C	Therapies: Non-Invas Mechanical Ventilator (Disch)																																					
	O0110H1C	Other: IV Medications (Discharge)																																					
	O0110I1C	Other: Transfusions (Discharge)																																					
	O0110J1C	Other: Dialysis (Discharge)																																					
	O0110O1C	Other: IV Access (Discharge)																																					
	O0110Z1C	Other: None of the above (Discharge)																																					
-6190	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP =[02,03], then A2121 must not equal [^].</p> <table><tr><td><b>Items:</b></td><td>M2420_DSCHRG_DISP</td><td>Discharge disposition</td></tr><tr><td></td><td>A2121</td><td>Current Reconciled Medication List - Prvdr (Dis)</td></tr></table>	<b>Items:</b>	M2420_DSCHRG_DISP	Discharge disposition		A2121	Current Reconciled Medication List - Prvdr (Dis)																														
<b>Items:</b>	M2420_DSCHRG_DISP	Discharge disposition																																					
	A2121	Current Reconciled Medication List - Prvdr (Dis)																																					
-7000	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP = [01,04,UK], then A2123 must not equal [^].</p> <table><tr><td><b>Items:</b></td><td>M2420_DSCHRG_DISP</td><td>Discharge disposition</td></tr><tr><td></td><td>A2123</td><td>Current Reconciled Medication List - Ptnt (Dis)</td></tr></table>	<b>Items:</b>	M2420_DSCHRG_DISP	Discharge disposition		A2123	Current Reconciled Medication List - Ptnt (Dis)																														
<b>Items:</b>	M2420_DSCHRG_DISP	Discharge disposition																																					
	A2123	Current Reconciled Medication List - Ptnt (Dis)																																					
-7010	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP = [02,03], then all active items from A2123 through A2124E must equal [^].</p> <table><tr><td><b>Items:</b></td><td>M2420_DSCHRG_DISP</td><td>Discharge disposition</td></tr><tr><td></td><td>A2123</td><td>Current Reconciled Medication List - Ptnt (Dis)</td></tr><tr><td></td><td>A2124A</td><td>Patient Trans - Electronic Health Record</td></tr><tr><td></td><td>A2124B</td><td>Patient Trans - Health Info Exchange</td></tr><tr><td></td><td>A2124C</td><td>Patient Trans - Verbal</td></tr><tr><td></td><td>A2124D</td><td>Patient Trans - Paper-based</td></tr><tr><td></td><td>A2124E</td><td>Patient Trans - Other Methods</td></tr></table>	<b>Items:</b>	M2420_DSCHRG_DISP	Discharge disposition		A2123	Current Reconciled Medication List - Ptnt (Dis)		A2124A	Patient Trans - Electronic Health Record		A2124B	Patient Trans - Health Info Exchange		A2124C	Patient Trans - Verbal		A2124D	Patient Trans - Paper-based		A2124E	Patient Trans - Other Methods															
<b>Items:</b>	M2420_DSCHRG_DISP	Discharge disposition																																					
	A2123	Current Reconciled Medication List - Ptnt (Dis)																																					
	A2124A	Patient Trans - Electronic Health Record																																					
	A2124B	Patient Trans - Health Info Exchange																																					
	A2124C	Patient Trans - Verbal																																					
	A2124D	Patient Trans - Paper-based																																					
	A2124E	Patient Trans - Other Methods																																					

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7020	Skip pattern	Fatal	<p>(a) If GG0170Q1=[0], then the following items must be equal to [^]: GG0170R1, GG0170RR1, GG0170S1, GG0170SS1.</p> <p>(b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170RR1, GG0170S1, GG0170SS1.</p> <p>(c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170RR1, GG0170S1, GG0170SS1.</p>
			<p><b>Items:</b> GG0170Q1                      Use wheelchair and/or scooter (SOC/ROC Perf)</p> <p>             GG0170R1                      Wheel 50 feet with two turns (SOC/ROC Perf)</p> <p>             GG0170RR1                      Type of wheelchair or scooter (SOC/ROC Perf)</p> <p>             GG0170S1                      Wheel 150 feet (SOC/ROC Perf)</p> <p>             GG0170SS1                      Type of wheelchair or scooter (SOC/ROC Perf)</p>
-7030	Consistency	Fatal	<p>If M0150_CPAY_NONE=[1], then M0150_CPAY_MCARE_FFS through M0150_CPAY_UK must equal [0].</p>
			<p><b>Items:</b> M0150_CPAY_NONE                      Payment sources: no charge for current services</p> <p>             M0150_CPAY_MCARE_FFS                      Payment sources: Medicare fee-for-service</p> <p>             M0150_CPAY_MCARE_HMO                      Payment sources: Medicare HMO/managed care</p> <p>             M0150_CPAY_MCAID_FFS                      Payment sources: Medicaid fee-for-service</p> <p>             M0150_CPAY_MCAID_HMO                      Payment sources: Medicaid HMO/managed care</p> <p>             M0150_CPAY_WRKCOMP                      Payment sources: worker's compensation</p> <p>             M0150_CPAY_TITLEPGMS                      Payment sources: title programs</p> <p>             M0150_CPAY_OTH_GOVT                      Payment sources: other government</p> <p>             M0150_CPAY_PRIV_INS                      Payment sources: private insurance</p> <p>             M0150_CPAY_PRIV_HMO                      Payment sources: private HMO/managed care</p> <p>             M0150_CPAY_SELPAY                      Payment sources: self-pay</p> <p>             M0150_CPAY_OTHER                      Payment sources: other</p> <p>             M0150_CPAY_UK                      Payment sources: unknown</p>



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7040	Consistency	Fatal	<p>If M0150_CPAY_UK=[1], then M0150_CPAY_NONE through M0150_CPAY_OTHER must equal [0].</p> <table><tr><td><b>Items:</b></td><td>M0150_CPAY_NONE</td><td>Payment sources: no charge for current services</td></tr><tr><td></td><td>M0150_CPAY_MCARE_FFS</td><td>Payment sources: Medicare fee-for-service</td></tr><tr><td></td><td>M0150_CPAY_MCARE_HMO</td><td>Payment sources: Medicare HMO/managed care</td></tr><tr><td></td><td>M0150_CPAY_MCAID_FFS</td><td>Payment sources: Medicaid fee-for-service</td></tr><tr><td></td><td>M0150_CPAY_MCAID_HMO</td><td>Payment sources: Medicaid HMO/managed care</td></tr><tr><td></td><td>M0150_CPAY_WRKCOMP</td><td>Payment sources: worker's compensation</td></tr><tr><td></td><td>M0150_CPAY_TITLEPGMS</td><td>Payment sources: title programs</td></tr><tr><td></td><td>M0150_CPAY_OTH_GOV</td><td>Payment sources: other government</td></tr><tr><td></td><td>M0150_CPAY_PRIV_INS</td><td>Payment sources: private insurance</td></tr><tr><td></td><td>M0150_CPAY_PRIV_HMO</td><td>Payment sources: private HMO/managed care</td></tr><tr><td></td><td>M0150_CPAY_SELFPAY</td><td>Payment sources: self-pay</td></tr><tr><td></td><td>M0150_CPAY_OTHER</td><td>Payment sources: other</td></tr><tr><td></td><td>M0150_CPAY_UK</td><td>Payment sources: unknown</td></tr></table>	<b>Items:</b>	M0150_CPAY_NONE	Payment sources: no charge for current services		M0150_CPAY_MCARE_FFS	Payment sources: Medicare fee-for-service		M0150_CPAY_MCARE_HMO	Payment sources: Medicare HMO/managed care		M0150_CPAY_MCAID_FFS	Payment sources: Medicaid fee-for-service		M0150_CPAY_MCAID_HMO	Payment sources: Medicaid HMO/managed care		M0150_CPAY_WRKCOMP	Payment sources: worker's compensation		M0150_CPAY_TITLEPGMS	Payment sources: title programs		M0150_CPAY_OTH_GOV	Payment sources: other government		M0150_CPAY_PRIV_INS	Payment sources: private insurance		M0150_CPAY_PRIV_HMO	Payment sources: private HMO/managed care		M0150_CPAY_SELFPAY	Payment sources: self-pay		M0150_CPAY_OTHER	Payment sources: other		M0150_CPAY_UK	Payment sources: unknown
<b>Items:</b>	M0150_CPAY_NONE	Payment sources: no charge for current services																																								
	M0150_CPAY_MCARE_FFS	Payment sources: Medicare fee-for-service																																								
	M0150_CPAY_MCARE_HMO	Payment sources: Medicare HMO/managed care																																								
	M0150_CPAY_MCAID_FFS	Payment sources: Medicaid fee-for-service																																								
	M0150_CPAY_MCAID_HMO	Payment sources: Medicaid HMO/managed care																																								
	M0150_CPAY_WRKCOMP	Payment sources: worker's compensation																																								
	M0150_CPAY_TITLEPGMS	Payment sources: title programs																																								
	M0150_CPAY_OTH_GOV	Payment sources: other government																																								
	M0150_CPAY_PRIV_INS	Payment sources: private insurance																																								
	M0150_CPAY_PRIV_HMO	Payment sources: private HMO/managed care																																								
	M0150_CPAY_SELFPAY	Payment sources: self-pay																																								
	M0150_CPAY_OTHER	Payment sources: other																																								
	M0150_CPAY_UK	Payment sources: unknown																																								
-7045	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <ul style="list-style-type: none"><li>a) Character 1 must be alphabetic [A-Z,a-z].</li><li>b) Character 2 must be numeric [0-9] or alphabetic [A-Z,a-z].</li><li>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</li><li>d) Character 4 must be a decimal point.</li><li>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</li><li>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</li></ul> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p> <table><tr><td><b>Items:</b></td><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code		M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code		M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code		M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code		M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code		M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																					
<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																																								
	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																																								
	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																																								
	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																																								
	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																																								
	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																																								

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7050	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK M0066_PAT_BIRTH_DT A0810 M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> <table><tr><td><b>Items:</b></td><td>M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK A0810 M0066_PAT_BIRTH_DT M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</td><td>Start of care date Resumption of care date No resumption of care date Patient's first name Patient's last name Patient's Social Security number No Social Security number Sex Date of birth Date assessment completed Reason for assessment Discharge, transfer, death date</td></tr></table>	<b>Items:</b>	M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK A0810 M0066_PAT_BIRTH_DT M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT	Start of care date Resumption of care date No resumption of care date Patient's first name Patient's last name Patient's Social Security number No Social Security number Sex Date of birth Date assessment completed Reason for assessment Discharge, transfer, death date
<b>Items:</b>	M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK A0810 M0066_PAT_BIRTH_DT M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT	Start of care date Resumption of care date No resumption of care date Patient's first name Patient's last name Patient's Social Security number No Social Security number Sex Date of birth Date assessment completed Reason for assessment Discharge, transfer, death date				

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7060	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (f) If D0150A2 = [-] or D0150B2 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.																																	
			<table><tr><td><b>Items:</b></td><td>D0150A1</td><td>Mood: Little interest/pleasure doing things: Pres</td></tr><tr><td></td><td>D0150A2</td><td>Mood: Little interest/pleasure doing things: Freq</td></tr><tr><td></td><td>D0150B1</td><td>Mood: Feeling down, depressed, or hopeless: Pres</td></tr><tr><td></td><td>D0150B2</td><td>Mood: Feeling down, depressed, or hopeless: Freq</td></tr><tr><td></td><td>D0150C1</td><td>Mood: Trouble falling or staying asleep: Pres</td></tr><tr><td></td><td>D0150D1</td><td>Mood: Feeling tired or having little energy: Pres</td></tr><tr><td></td><td>D0150E1</td><td>Mood: Poor appetite or overeating: Pres</td></tr><tr><td></td><td>D0150F1</td><td>Mood: Feeling bad about yourself: Pres</td></tr><tr><td></td><td>D0150G1</td><td>Mood: Trouble concentrating on things: Pres</td></tr><tr><td></td><td>D0150H1</td><td>Mood: Moving or speaking so slowly: Pres</td></tr><tr><td></td><td>D0150I1</td><td>Mood: Thoughts of better off dead: Pres</td></tr></table>	<b>Items:</b>	D0150A1	Mood: Little interest/pleasure doing things: Pres		D0150A2	Mood: Little interest/pleasure doing things: Freq		D0150B1	Mood: Feeling down, depressed, or hopeless: Pres		D0150B2	Mood: Feeling down, depressed, or hopeless: Freq		D0150C1	Mood: Trouble falling or staying asleep: Pres		D0150D1	Mood: Feeling tired or having little energy: Pres		D0150E1	Mood: Poor appetite or overeating: Pres		D0150F1	Mood: Feeling bad about yourself: Pres		D0150G1	Mood: Trouble concentrating on things: Pres		D0150H1	Mood: Moving or speaking so slowly: Pres		D0150I1	Mood: Thoughts of better off dead: Pres
<b>Items:</b>	D0150A1	Mood: Little interest/pleasure doing things: Pres																																		
	D0150A2	Mood: Little interest/pleasure doing things: Freq																																		
	D0150B1	Mood: Feeling down, depressed, or hopeless: Pres																																		
	D0150B2	Mood: Feeling down, depressed, or hopeless: Freq																																		
	D0150C1	Mood: Trouble falling or staying asleep: Pres																																		
	D0150D1	Mood: Feeling tired or having little energy: Pres																																		
	D0150E1	Mood: Poor appetite or overeating: Pres																																		
	D0150F1	Mood: Feeling bad about yourself: Pres																																		
	D0150G1	Mood: Trouble concentrating on things: Pres																																		
	D0150H1	Mood: Moving or speaking so slowly: Pres																																		
	D0150I1	Mood: Thoughts of better off dead: Pres																																		

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7061	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^].</p> <p>(b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2.</p> <p>Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <p>(c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>(d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [-,^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [-,^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> <table><tr><td><b>Items:</b></td><td>D0150A1</td><td>Mood: Little interest/pleasure doing things: Pres</td></tr><tr><td></td><td>D0150A2</td><td>Mood: Little interest/pleasure doing things: Freq</td></tr><tr><td></td><td>D0150B1</td><td>Mood: Feeling down, depressed, or hopeless: Pres</td></tr><tr><td></td><td>D0150B2</td><td>Mood: Feeling down, depressed, or hopeless: Freq</td></tr><tr><td></td><td>D0150C2</td><td>Mood: Trouble falling or staying asleep: Freq</td></tr><tr><td></td><td>D0150D2</td><td>Mood: Feeling tired or having little energy: Freq</td></tr><tr><td></td><td>D0150E2</td><td>Mood: Poor appetite or overeating: Freq</td></tr><tr><td></td><td>D0150F2</td><td>Mood: Feeling bad about yourself: Freq</td></tr><tr><td></td><td>D0150G2</td><td>Mood: Trouble concentrating on things: Freq</td></tr><tr><td></td><td>D0150H2</td><td>Mood: Moving or speaking so slowly: Freq</td></tr><tr><td></td><td>D0150I2</td><td>Mood: Thoughts of better off dead: Freq</td></tr><tr><td></td><td>D0160</td><td>Total severity score</td></tr></table>	<b>Items:</b>	D0150A1	Mood: Little interest/pleasure doing things: Pres		D0150A2	Mood: Little interest/pleasure doing things: Freq		D0150B1	Mood: Feeling down, depressed, or hopeless: Pres		D0150B2	Mood: Feeling down, depressed, or hopeless: Freq		D0150C2	Mood: Trouble falling or staying asleep: Freq		D0150D2	Mood: Feeling tired or having little energy: Freq		D0150E2	Mood: Poor appetite or overeating: Freq		D0150F2	Mood: Feeling bad about yourself: Freq		D0150G2	Mood: Trouble concentrating on things: Freq		D0150H2	Mood: Moving or speaking so slowly: Freq		D0150I2	Mood: Thoughts of better off dead: Freq		D0160	Total severity score
<b>Items:</b>	D0150A1	Mood: Little interest/pleasure doing things: Pres																																					
	D0150A2	Mood: Little interest/pleasure doing things: Freq																																					
	D0150B1	Mood: Feeling down, depressed, or hopeless: Pres																																					
	D0150B2	Mood: Feeling down, depressed, or hopeless: Freq																																					
	D0150C2	Mood: Trouble falling or staying asleep: Freq																																					
	D0150D2	Mood: Feeling tired or having little energy: Freq																																					
	D0150E2	Mood: Poor appetite or overeating: Freq																																					
	D0150F2	Mood: Feeling bad about yourself: Freq																																					
	D0150G2	Mood: Trouble concentrating on things: Freq																																					
	D0150H2	Mood: Moving or speaking so slowly: Freq																																					
	D0150I2	Mood: Thoughts of better off dead: Freq																																					
	D0160	Total severity score																																					
-7070	Consistency	Fatal	<p>(a) If D0150A1=[0], then D0150A2 must equal [0].</p> <p>(b) If D0150A1=[1], then D0150A2 must equal [0,1,2,3,-].</p> <p>(c) If D0150A1=[9,-], then D0150A2 must equal [^].</p> <table><tr><td><b>Items:</b></td><td>D0150A1</td><td>Mood: Little interest/pleasure doing things: Pres</td></tr><tr><td></td><td>D0150A2</td><td>Mood: Little interest/pleasure doing things: Freq</td></tr></table>	<b>Items:</b>	D0150A1	Mood: Little interest/pleasure doing things: Pres		D0150A2	Mood: Little interest/pleasure doing things: Freq																														
<b>Items:</b>	D0150A1	Mood: Little interest/pleasure doing things: Pres																																					
	D0150A2	Mood: Little interest/pleasure doing things: Freq																																					

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7071	Consistency	Fatal	(a) If D0150B1=[0], then D0150B2 must equal [0]. (b) If D0150B1=[1], then D0150B2 must equal [0,1,2,3,-]. (c) If D0150B1=[9,-], then D0150B2 must equal [^].
			<b>Items:</b> D0150B1 Mood: Feeling down, depressed, or hopeless: Pres D0150B2 Mood: Feeling down, depressed, or hopeless: Freq
-7072	Consistency	Fatal	(a) If D0150C1=[0], then D0150C2 must equal [0]. (b) If D0150C1=[1], then D0150C2 must equal [0,1,2,3,-]. (c) If D0150C1=[9,^,-], then D0150C2 must equal [^].
			<b>Items:</b> D0150C1 Mood: Trouble falling or staying asleep: Pres D0150C2 Mood: Trouble falling or staying asleep: Freq
-7073	Consistency	Fatal	(a) If D0150D1=[0], then D0150D2 must equal [0]. (b) If D0150D1=[1], then D0150D2 must equal [0,1,2,3,-]. (c) If D0150D1=[9,^,-], then D0150D2 must equal [^].
			<b>Items:</b> D0150D1 Mood: Feeling tired or having little energy: Pres D0150D2 Mood: Feeling tired or having little energy: Freq
-7074	Consistency	Fatal	(a) If D0150E1=[0], then D0150E2 must equal [0]. (b) If D0150E1=[1], then D0150E2 must equal [0,1,2,3,-]. (c) If D0150E1=[9,^,-], then D0150E2 must equal [^].
			<b>Items:</b> D0150E1 Mood: Poor appetite or overeating: Pres D0150E2 Mood: Poor appetite or overeating: Freq
-7075	Consistency	Fatal	(a) If D0150F1=[0], then D0150F2 must equal [0]. (b) If D0150F1=[1], then D0150F2 must equal [0,1,2,3,-]. (c) If D0150F1=[9,^,-], then D0150F2 must equal [^].
			<b>Items:</b> D0150F1 Mood: Feeling bad about yourself: Pres D0150F2 Mood: Feeling bad about yourself: Freq
-7076	Consistency	Fatal	(a) If D0150G1=[0], then D0150G2 must equal [0]. (b) If D0150G1=[1], then D0150G2 must equal [0,1,2,3,-]. (c) If D0150G1=[9,^,-], then D0150G2 must equal [^].
			<b>Items:</b> D0150G1 Mood: Trouble concentrating on things: Pres D0150G2 Mood: Trouble concentrating on things: Freq

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-7077	Consistency	Fatal	(a) If D0150H1=[0], then D0150H2 must equal [0]. (b) If D0150H1=[1], then D0150H2 must equal [0,1,2,3,-]. (c) If D0150H1=[9,^,-], then D0150H2 must equal [^].
			<b>Items:</b> D0150H1 Mood: Moving or speaking so slowly: Pres D0150H2 Mood: Moving or speaking so slowly: Freq
-7078	Consistency	Fatal	(a) If D0150I1=[0], then D0150I2 must equal [0]. (b) If D0150I1=[1], then D0150I2 must equal [0,1,2,3,-]. (c) If D0150I1=[9,^,-], then D0150I2 must equal [^].
			<b>Items:</b> D0150I1 Mood: Thoughts of better off dead: Pres D0150I2 Mood: Thoughts of better off dead: Freq
-9010	Information	None	Vendor's version number for the software that was used to create the OASIS data submission file.
			<b>Items:</b> SFW_PROD_VRSN_CD Software product version code
-9020	Information	None	Valid federal tax ID (EIN) for the company that developed the software used to create the OASIS data submission file.
			<b>Items:</b> SFW_ID Software vendor federal employer tax ID
-9030	Information	None	Name of the software that was used to create the OASIS data submission file.
			<b>Items:</b> SFW_PROD_NAME Software product name
-9040	Information	None	Email address of the vendor who created the software that was used to produce the OASIS submission file.
			<b>Items:</b> SFW_EMAIL_ADR Software vendor email address
-9050	Information	None	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the system. System reports will therefore display upper case values.
			<b>Items:</b> SFW_NAME Software vendor company name SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-9060	Information	None	CALCULATION OF EFFECTIVE DATE												
			a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT. b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT. c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT. d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.												
		<b>Items:</b>	<table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr><tr><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr><tr><td>ASMT_EFF_DATE</td><td>Effective date</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0032_ROC_DT	Resumption of care date	M0090_INFO_COMPLETED_DT	Date assessment completed	M0100_ASSMT_REASON	Reason for assessment	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date	ASMT_EFF_DATE	Effective date
M0030_START_CARE_DT	Start of care date														
M0032_ROC_DT	Resumption of care date														
M0090_INFO_COMPLETED_DT	Date assessment completed														
M0100_ASSMT_REASON	Reason for assessment														
M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date														
ASMT_EFF_DATE	Effective date														

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-9080	Information	None	<p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows:</p> <ul style="list-style-type: none"><li>-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).</li><li>-Let SOC be the start of care date (M0030_START_CARE_DT).</li><li>-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.</li></ul> <p>Given these symbols, the rule for completion of follow-up assessments is as follows: SOC + (60*j) - 5 &lt;= FCD &lt;= SOC + (60*j) - 1 Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> <table><tr><td><b>Items:</b></td><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td></td><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td></td><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td></td><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr></table>	<b>Items:</b>	M0030_START_CARE_DT	Start of care date		M0032_ROC_DT	Resumption of care date		M0090_INFO_COMPLETED_DT	Date assessment completed		M0100_ASSMT_REASON	Reason for assessment
<b>Items:</b>	M0030_START_CARE_DT	Start of care date													
	M0032_ROC_DT	Resumption of care date													
	M0090_INFO_COMPLETED_DT	Date assessment completed													
	M0100_ASSMT_REASON	Reason for assessment													
-9090	Information	None	<p>This is an optional item that can be used by agency for unique identification of record and tracking of records submitted to the system.</p>												
-9100	Information	None	<table><tr><td><b>Items:</b></td><td>ACY_DOC_CD</td><td>Document ID code (agency use)</td></tr></table> <p>If a non-blank value for National Provider ID (NPI) in NATL_PRVDR_ID is submitted, it should represent the NPI of the parent agency, not of any branches if they have separate NPIs. The NPI that is submitted should be the one that is used on the agency's HIPAA billing transactions with CMS.</p> <table><tr><td><b>Items:</b></td><td>NATL_PRVDR_ID</td><td>Agency National Provider ID (NPI)</td></tr></table>	<b>Items:</b>	ACY_DOC_CD	Document ID code (agency use)	<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)						
<b>Items:</b>	ACY_DOC_CD	Document ID code (agency use)													
<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)													



## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-9110	Information	None	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by iQIES if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code														
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code														
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code														
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code														
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code														
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code														
-9130	Information	None	<p>If the agency is located in AS (American Samoa), GU (Guam), or MP (Saipan -- Northern Mariana Islands), then STATE_CD must equal [HI].</p> <p><b>Items:</b></p> <table><tr><td>STATE_CD</td><td>Agency's state postal code</td></tr></table>	STATE_CD	Agency's state postal code										
STATE_CD	Agency's state postal code														
-9140	Information	None	<p>If the assessment was performed by a branch, then M0016_BRANCH_ID must contain a standard branch ID. It must contain numbers or uppercase letters in bytes 1 and 2, Q in byte 3, numbers or uppercase letters in bytes 4 through 7, and numbers in bytes 8 through 10.</p> <p><b>Items:</b></p> <table><tr><td>M0016_BRANCH_ID</td><td>Branch ID</td></tr></table>	M0016_BRANCH_ID	Branch ID										
M0016_BRANCH_ID	Branch ID														
-9150	Information	None	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code														
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code														
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code														
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code														
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code														
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code														

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-9160	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p>
-------	-------------	------	---

```

If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01]
    then ITM_SBST_CD = [01]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03]
    then ITM_SBST_CD = [03]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04]
    then ITM_SBST_CD = [04]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05]
    then ITM_SBST_CD = [05]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06]
    then ITM_SBST_CD = [06]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07]
    then ITM_SBST_CD = [07]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08]
    then ITM_SBST_CD = [08]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09]
    then ITM_SBST_CD = [09]
If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09]
    then ITM_SBST_CD = [XX]

```

For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.

<b>Items:</b>	TRANS_TYPE_CD	Transaction type code
	ITM_SBST_CD	Item subset code
	M0100_ASSMT_REASON	Reason for assessment

## Data Submission Specifications for the OASIS Item Set (V3.02.0)

### Unduplicated Edits Report by Edit ID

-9170	Information	None	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^]</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456]</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul> <table><tr><td><b>Items:</b></td><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code		M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code		M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code		M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code		M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code		M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																			
	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																			
	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																			
	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																			
	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																			
	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																			
-9180	Information	None	<p>When a record is submitted, the system will determine if the provider has been certified. If the provider is not certified, then the submitted record is considered (processed as) a test record. If the provider is certified, then the submitted record is considered (processed as) a production record. If the record is a production record, then a system edit will reject the record if M0010_CCN is equal to [^].</p> <table><tr><td><b>Items:</b></td><td>M0010_CCN</td><td>Facility CMS certification number (CCN)</td></tr></table>	<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)															
<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)																			
-9190	Information	None	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p> <table><tr><td><b>Items:</b></td><td>M1060_HEIGHT_A</td><td>Height (in inches)</td></tr><tr><td></td><td>M1060_WEIGHT_B</td><td>Weight (in pounds)</td></tr></table>	<b>Items:</b>	M1060_HEIGHT_A	Height (in inches)		M1060_WEIGHT_B	Weight (in pounds)												
<b>Items:</b>	M1060_HEIGHT_A	Height (in inches)																			
	M1060_WEIGHT_B	Weight (in pounds)																			