

Item ID: A0050

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of transaction (formerly X0100)	Asmt		Code	1	1216-1216

Item Subsets

Active: OSA,XX

Inactive:

State optional:

Item Values

Value	LOINC Code	Value Text
1		Add new record
2		Modify existing record
3		Inactivate existing record

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3748	Consistency	Fatal	If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1].
-3795	Consistency	Fatal	If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3796	Consistency	Fatal	The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If A0050 (formerly X0100)=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If A0050=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.
-3810	Consistency	Warning	RECORD SUBMISSION TIMING RULES The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]). RULES FOR NEW RECORDS (WHERE A0050=[1]): The following rules apply to new records, where A0050=[1]. a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days. b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.

c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.

d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):

e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

-3746	Consistency	Fatal	If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Consistency	Fatal	a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^].
-3780	Consistency	Fatal	a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^]. b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^].
-3781	Consistency	Fatal	If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].
-3792	Consistency	Fatal	If A0050 (formerly X0100)=[2,3], then if X0800 is active it must not equal [^].
-3839	Consistency	Fatal	If A0050 (formerly X0100)=[2] (modification record), then the value in ITM_SBST_CD in the modification record must be equal to the value that was submitted in the prior record (the record that is being modified).
-3934	Consistency	Fatal	a) If A0050 (formerly X0100)=[2,3] and X0570A is active, then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400. b) If A0050 (formerly X0100)=[2,3] and X0570A is NOT active, then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F, X0600H.
-3959	Skip pattern	Fatal	If A0050 (formerly X0100)=[3], then X0570B must be equal to [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Facility National Provider Identifier (NPI)	Asmt		Text	10	232-241

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		National Provider Identifier
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3687	Format	Fatal	Formatting of Numeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9].
-3568	Format	Fatal	If A0100A is not equal to [^], then it must be 10 digits long.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Version Changes

Type	ID	Description
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Facility CMS Certification Number (CCN)	Asmt		Text	12	242-253

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		CMS Certification Number (CCN)
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3688	Format	Fatal	Formatting of Alphanumeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z].
-3854	Format	Fatal	The value submitted in A0100B must either be equal to [^] or it must be exactly 6 characters in length.
-3695	Consistency	Warning	The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will
-3853	Consistency	Fatal	If A0410=[3] (federal required submission), then A0100B (facility CCN) must not equal [^].

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
State provider number	Asmt		Text	15	254-268

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		State Provider Number
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3688	Format	Fatal	Formatting of Alphanumeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z].
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of provider	Asmt		Code	1	269-269

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
1		Nursing home (SNF/NF)
2		Swing bed

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3706	Consistency	Fatal	The submitted value of A0200 will be checked against the information stored in CMS's database. For nursing homes, A0200 must equal [1]. For swing-bed providers, A0200 must equal [2]. If the value submitted for A0200 is inconsistent with the information stored in CMS's database, a fatal error will occur and the submitted record will be rejected.
-3707	Consistency	Fatal	a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]). b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3]. c) For both nursing homes and swing bed providers, A0410 must not be equal to [1].
-3796	Consistency	Fatal	The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If A0050 (formerly X0100)=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If A0050=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.
-3952	Consistency	Fatal	(a) If A0200=[2], then A0300A must equal [0]. (b) If A0300A=[1], then A0200 must equal [1].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
State Payment Assessment Purpose	Asmt		Code	1	1701-1701

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3658	Consistency	Fatal	Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows: a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date). d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).

Given the target date, the following rules apply:

- a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).
- b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).
- c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).

If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.

NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.

-3937	Consistency	Fatal	a) If A0300A=[0], then ITM_SBST_CD must not equal [OSA].
-3952	Consistency	Fatal	b) If A0300A=[1], then ITM_SBST_CD must equal [OSA]. (a) If A0200=[2], then A0300A must equal [0]. (b) If A0300A=[1], then A0200 must equal [1].
-3956	Skip pattern	Fatal	a) If A0300A=[1] and B0100=[0], then if D0100 is active it must not equal [^]. b) If A0300A=[1] and B0100=[-], then if D0100 is active it must equal [-].
-3957	Skip pattern	Fatal	a) If A0300A=[1] and B0100=[0], then if C0100 is active it must not equal [^]. b) If A0300A=[1] and B0100=[-], then if C0100 is active it must equal [-].

Supplemental Information

Info ID	Type	Text
-9017	Information	The target date is defined as follows: a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date). d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A0300B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
State Payment Assessment Type	Asmt		Code	1	1702-1702

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
1		Start of Therapy assessment
2		End of Therapy assessment
3		Both Start and End of Therapy assessment
4		Change of Therapy assessment
5		Other payment assessment

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3955	Consistency	Fatal	If A0300B=[1,2,3,4], then all active items from A2400B through A2400C must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A0410

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Submission requirement	Asmt		Code	1	279-279

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
1		Unit is not Medicare nor Medicaid certified and MDS data is not required by the State.
2		Unit is not Medicare nor Medicaid certified but MDS data is required by the State.
3		Unit is Medicare and/or Medicaid certified.

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3658	Consistency	Fatal	Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows: a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date). d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).

Given the target date, the following rules apply:

a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).

b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).

c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).

If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.

NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.

-3707	Consistency	Fatal	a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]). b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3]. c) For both nursing homes and swing bed providers, A0410 must not be equal to [1].
-3853	Consistency	Fatal	If A0410=[3] (federal required submission), then A0100B (facility CCN) must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A0500A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident first name	Asmt		Text	12	280-291

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident first name

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3702	Format	Fatal	This is a required text item. A valid non-blank value must be submitted.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident middle initial	Asmt		Text	1	292-292

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident middle initial
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3691	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore)
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0}-Added mapping to new item A1110A.

Item ID: A0500C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident last name	Asmt		Text	18	293-310

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident last name

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3702	Format	Fatal	This is a required text item. A valid non-blank value must be submitted.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0500D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident name suffix	Asmt		Text	3	311-313

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident name suffix
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0600A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Social Security Number	Asmt		Text	9	314-322

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident social security number
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3687	Format	Fatal	Formatting of Numeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9].
-3565	Format	Fatal	If the value is not equal to [^], it must be 9 characters long.
-3566	Format	Fatal	If the value is not equal to [^], the first three characters must not be equal to [000].
-3567	Format	Fatal	The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Version Changes

Type	ID	Description
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0600B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medicare number	Asmt		Text	12	323-334

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident Medicare number
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3688	Format	Fatal	Formatting of Alphanumeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z].
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
-3878	Format	Fatal	Incorrect Medicare Number: This item must conform to one of two possible formats, as defined below: Format 1: The Medicare Number shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric. Format 2: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.
-3913	Format	Fatal	Incorrect Medicare Number: This item must conform to the format defined below: The Medicare Number shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric.

The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medicaid number	Asmt		Text	14	335-348

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident Medicaid number
+		Enter "+" if Medicaid application is pending
N		Enter "N" if not a Medicaid recipient
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3688	Format	Fatal	Formatting of Alphanumeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z].
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9008	Information	Submit [+] (the plus sign) to indicate that Medicaid number is pending.
-9009	Information	Submit [N] to indicate that the resident is non-Medicaid.

Version Changes

Type	ID	Description
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.

Information

-9006

[V3.01.0]-Added mapping to new item A1110A.

Item ID: A0800

Item Label

Gender

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
1		Male
2		Female

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Asmt		Code	1	350-350

Item ID: A0900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Birthdate	Asmt		Date	8	351-358

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Resident birthdate
YYYYMM		Resident birthdate (if day of month is unknown)
YYYY		Resident birthdate (if month and day unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3678	Format	Fatal	Formatting of Birthdate: This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101". If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901". If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".
-3659	Consistency	Fatal	A0900 (birthdate) cannot be more than 140 years earlier than the current date.
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.

GROUP A RULES (Edit -3886a)
Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes)

must be in the specified order:

A0900 (birthdate) <=
A1900 (admission date) <=
A1600 (entry date) <=
A2300 (assessment reference date) = A2000 (discharge date) <=
Z0500B (date RN signed assessment as complete) <=
V0200B2 (CAT assessment process signature date) <=
V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=

A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: A1005A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: No, not Hispanic, Latino/a, Spanish	Asmt		Checklist	1	1828-1828

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1005B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: Yes, Mex, Mex Amer, Chicano/a	Asmt		Checklist	1	1829-1829

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005B	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1005C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: Yes, Puerto Rican	Asmt		Checklist	1	1830-1830

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1005D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: Yes, Cuban	Asmt		Checklist	1	1831-1831

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005D	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1005E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: Yes, another Hispanic/Latino/Spanish	Asmt		Checklist	1	1832-1832

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005E	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1005X

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: Patient unable to respond	Asmt		Checklist	1	1833-1833

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005X	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1005Y

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ethnicity: Patient declines to respond	Asmt		Checklist	1	1834-1834

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3982	Consistency	Fatal	(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].

Version Changes

Type	ID	Description
Item	A1005Y	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3982	[V3.01.0]-New edit.

Item ID: A1010A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: White	Asmt		Checklist	1	1835-1835

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Black or African American	Asmt		Checklist	1	1836-1836

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010B	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: American Indian or Alaska Native	Asmt		Checklist	1	1837-1837

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Asian Indian	Asmt		Checklist	1	1838-1838

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010D	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Chinese	Asmt		Checklist	1	1839-1839

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010E	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010F

Item Label

Race: Filipino

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010F	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Asmt		Checklist	1	1840-1840

Item ID: A1010G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Japanese	Asmt		Checklist	1	1841-1841

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010G	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Korean	Asmt		Checklist	1	1842-1842

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010H	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Vietnamese	Asmt		Checklist	1	1843-1843

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010I	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010J

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Other Asian	Asmt		Checklist	1	1844-1844

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010J	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010K

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Native Hawaiian	Asmt		Checklist	1	1845-1845

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010K	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010L

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Guamanian or Chamorro	Asmt		Checklist	1	1846-1846

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010L	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010M

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Samoan	Asmt		Checklist	1	1847-1847

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010M	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010N

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Other Pacific Islander	Asmt		Checklist	1	1848-1848

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010N	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010X

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Patient unable to respond	Asmt		Checklist	1	1849-1849

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010X	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010Y

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: Patient declines to respond	Asmt		Checklist	1	1850-1850

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010Y	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1010Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Race: None of the above	Asmt		Checklist	1	1851-1851

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3983	Consistency	Fatal	(a) At least one active item from A1010A through A1010Z must equal [1]. (b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0]. (c) If A1010X=[1], then A1010Y must equal [0]. (d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0]. (e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].

Version Changes

Type	ID	Description
Item	A1010Z	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.
Consistency	-3983	[V3.01.0]-New edit.

Item ID: A1110A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Preferred language	Asmt		Text	15	1852-1866

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Specify preferred language
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Item	A1110A	[V3.01.0]-New item.
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A1110B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Does the patient need or want an interpreter	Asmt		Code	1	1867-1867

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Item	A1110B	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A1200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Marital status	Asmt		Code	1	381-381

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
1		Never married
2		Married
3		Widowed
4		Separated
5		Divorced
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B.

Item ID: A1300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medical record number	Asmt		Text	12	382-393

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
Text		Facility medical record number
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A1300B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Room number	Asmt		Text	10	394-403

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Resident room number
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A1300C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Name by which resident prefers to be addressed	Asmt		Text	23	404-426

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
Text		Name by which resident prefers to be addressed
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A1300D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lifetime occupation(s)	Asmt		Text	23	427-449

Item Subsets

Active: OSA

Inactive: XX

State optional:

Item Values

Value	LOINC Code	Value Text
Text		Lifetime occupation(s) - put "/" between two occupations
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

-9010 Information Put [/] (slash) between two occupations.

Version Changes

Type	ID	Description
Format	-3690	[V3.01.0]-Added mapping to new item A1110A.
Format	-3793	[V3.01.0]-Added mapping to new item A1110A.
Information	-9006	[V3.01.0]-Added mapping to new item A1110A.

Item ID: A1600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Entry date (date of admission/reentry in facility)	Asmt		Date	8	457-464

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Entry Date (date of this admission/entry or reentry into the facility)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3658	Consistency	Fatal	<p>Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date). d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).</p> <p>Given the target date, the following rules apply:</p> <p>a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).</p> <p>b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).</p> <p>c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).</p>

If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.

NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.

-3668	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p>
-3749	Consistency	Warning	<p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p>
-3810	Consistency	Warning	<p>RECORD SUBMISSION TIMING RULES</p> <p>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]).</p> <p>RULES FOR NEW RECORDS (WHERE A0050=[1]):</p> <p>The following rules apply to new records, where A0050=[1].</p> <p>a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.</p> <p>b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.</p> <p>c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then</p>

submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.

d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):

e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

-3886 Consistency Fatal

Date Item Consistency Rules

Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.

GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=
A1900 (admission date) <=
A1600 (entry date) <=
A2300 (assessment reference date) = A2000 (discharge date) <=
Z0500B (date RN signed assessment as complete) <=
V0200B2 (CAT assessment process signature date) <=
V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)

O0250B (date influenza vaccine received)

O0400A5 <= O0400A6 (speech-language audiology therapy start/end)

O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)

V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=

A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3923 Consistency Fatal

If A0310B=[08], then the following items in Column 1 must not be equal to [^]: K0510A1, K0510B1, K0510Z1. Otherwise:

a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510Z1.

b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply:

---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1.

---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following item in Column 1 is active, it must equal [^]: K0510Z1.

---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if the following item in Column 1 is active, it must not equal [^]: K0510Z1.

---b4) If A0310G=[1,^], then if the following item in Column 1 is active, it must not equal [^]: K0510Z1.

Supplemental Information

Info ID	Type	Text
-9017	Information	<p>The target date is defined as follows:</p> <ul style="list-style-type: none">a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).

Item ID: A1900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Admission date	Asmt		Date	8	1485-1492

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Admission date

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

Item ID: A2300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Assessment reference date	Asmt		Date	8	486-493

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Assessment reference date

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3658	Consistency	Fatal	<p>Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date). d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).</p> <p>Given the target date, the following rules apply:</p> <p>a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).</p> <p>b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).</p> <p>c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).</p>

If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.

NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.

-3668	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p>
-3749	Consistency	Warning	<p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p>
-3886	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3886a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) <=</p> <p>A1900 (admission date) <=</p> <p>A1600 (entry date) <=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) <=</p> <p>Z0500B (date RN signed assessment as complete) <=</p>

V0200B2 (CAT assessment process signature date) <=
V0200C2 (CAT care planning signature date) <=

X1100E (correction: attestation date) <=
current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3923	Consistency	Fatal	If A0310B=[08], then the following items in Column 1 must not be equal to [^]: K0510A1, K0510B1, K0510Z1. Otherwise:
-------	-------------	-------	--

a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510Z1.

b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply:

---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1.

---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following item in Column 1 is active, it must equal [^]: K0510Z1.

---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if the following item in Column 1 is active, it must not equal [^]: K0510Z1.

---b4) If A0310G=[1,^], then if the following item in Column 1 is active, it must not equal [^]: K0510Z1.

Supplemental Information

Info ID	Type	Text
-9017	Information	The target date is defined as follows:

a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).

b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).

c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).

d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).

Item ID: A2400B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Start date of most recent Medicare stay	Asmt		Date	8	495-502

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Start date of most recent Medicare stay
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <= V0200C2 (CAT care planning signature date) <= X1100E (correction: attestation date) <= current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)

O0250B (date influenza vaccine received)

O0400A5 <= O0400A6 (speech-language audiology therapy start/end)

O0400B5 <= O0400B6 (occupational therapy start/end)

O0400C5 <= O0400C6 (physical therapy start/end)

V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3955	Consistency	Fatal	If A0300B=[1,2,3,4], then all active items from A2400B through A2400C must not equal [^].
-------	-------------	-------	---

Item ID: A2400C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
End date of most recent Medicare stay	Asmt		Date	8	503-510

Item Subsets

Active: OSA
Inactive: XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		End Date of Most recent Medicare Stay
-----		Medicare stay is ongoing
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <= V0200C2 (CAT care planning signature date) <= X1100E (correction: attestation date) <=

current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3955	Consistency	Fatal	If A0300B=[1,2,3,4], then all active items from A2400B through A2400C must not equal [^].
-------	-------------	-------	---