

DEPARTMENT OF HEALTH & HUMAN SERVICES  
Centers for Medicare & Medicaid Services  
7500 Security Boulevard  
Baltimore, Maryland



**CENTER FOR MEDICARE**

---

February 11, 2026

**Warning Letter**

Contract ID: H8026

Parent Organization Name: CVS Health Corporation

Legal Entity Name: AETNA BETTER HEALTH OF MICHIGAN INC.

Patrick Jeswald  
Medicare Compliance Officer  
9501 E Shea Blvd.  
MC-016  
Scottsdale, AZ 85260

VIA EMAIL: MedicareCO@aetna.com

RE: Warning Letter for Call Center Monitoring - 2025 Accuracy and Accessibility Study - Interpreter Availability

Dear Patrick Jeswald:

The Centers for Medicare & Medicaid Services (CMS) is issuing this warning letter to AETNA BETTER HEALTH OF MICHIGAN INC., H8026, for failure to meet the above-referenced call center standard for prospective beneficiary customer service phone lines. We are issuing a warning letter because CMS issued a notice of non-compliance to your organization for its failure to comply with the same standard for 2024.

CMS advised Medicare Advantage Organizations, Medicare Advantage Prescription Drug Plans, Prescription Drug Plans, and Medicare-Medicaid Plans of our call center monitoring efforts in a December 5, 2024 Health Plan Management System (HPMS) memorandum entitled "2025 Part C and Part D Call Center Monitoring - Timeliness and Accuracy & Accessibility Studies." In the memorandum, CMS stated that we would be working with our own contractor to monitor call center performance, and we offered tips for improvement on performance.

Pursuant to 42 C.F.R. §§ 422.111(h)(1) and 423.128(d)(1), all organizations must have call centers that serve current and prospective enrollees and provide customer telephone service in accordance with standard business practices. These call centers must be able to provide interpreters for Limited English Proficient callers (per §§ 422.111(h)(1)(iii) and 423.128(d)(1)(iii)), TTY services for the hearing and speech impaired (per §§ 422.111(h)(1)(iv) and 423.128(d)(1)(v)), and accurate Part C and/or Part D benefit information (per §§ 422.2262 and 423.2262).

The Accuracy and Accessibility study measures Part C and Part D prospective beneficiary call center phone lines to determine (1) the availability of interpreters for individuals, (2) TTY functionality, and (3) the accuracy of plan information provided by customer service representatives (CSRs) in all languages.

Your organization is out of compliance because your organization did not meet the requirements, as indicated by its performance on the Accuracy and Accessibility study element(s) shown below. Only non-compliant data are shown. In the future, please ensure that your organization takes action to avoid non-compliance.

Part C Interpreter Availability: 68.09%  
Part D Interpreter Availability: 72.92%

The Accuracy and Accessibility study elements are defined as follows:

**Interpreter Availability.** Pursuant to §§ 422.111(h)(1)(iii) and 423.128(d)(1)(iii), interpreters must be available for 80 percent of incoming calls requiring an interpreter within 8 minutes of reaching the CSR and be made available at no cost to the caller. Interpreter availability is defined as the ability of a caller to communicate with someone and receive answers to questions in the caller's language.

**TTY Functionality.** Pursuant to §§ 422.111(h)(1)(iv) and 423.128(d)(1)(v), Medicare Advantage Organizations and Part D sponsors must connect 80 percent of incoming calls requiring TTY services to a TTY operator within 7 minutes. TTY functionality is defined as the ability of a caller using a TTY device to communicate with someone and receive answers to questions at the plan's call center directly or via a relay operator.

**Accuracy.** Pursuant to §§ 422.2262 and 423.2262, Medicare Advantage Organizations and Part D Sponsors may not mislead confuse, or provide materially inaccurate information to current or potential enrollees. We determined the accuracy compliance threshold to be 90 percent. Medicare Advantage Organizations and Part D sponsors with accuracy results below 90 percent are outliers and per §§ 422.504(m)(1) and 423.505(n)(1), CMS may determine that a Medicare Advantage Organization or Part D sponsor is out of compliance when its performance in fulfilling requirements represents an outlier relative to the performance of other organizations.

Please see our July 9, 2025 HPMS memorandum entitled "2025 Call Center Monitoring Performance Metrics for Accuracy and Accessibility Study" for instructions about how to access your contract's data. Please be aware that this letter will be included in the record of your organization's past Medicare contract performance, which CMS will consider as part of our review of any application for new or expanded Medicare contracts your organization may submit. CMS deems this instance of non-compliance a Part C and D issue. If you have any questions regarding this letter, please email the call center monitoring mailbox at [CallCenterMonitoring@cms.hhs.gov](mailto:CallCenterMonitoring@cms.hhs.gov) and copy your account manager.

Sincerely,



Linda Anders, Division Director  
Division of Benefit Purchasing and Monitoring  
Medicare Drug Benefit and C&D Data Group

CC via email:

Stephanie Arriaga, CMS  
Arianne Spaccarelli, CMS  
Stephen Stoyer, CMS