

## STATS ICF Bibliography

This document contains an extensive listing of published papers related to the International Classification of Functioning, Disability, and Health (ICF) that were identified and reviewed as part of the Centers of Medicare and Medicaid Services (CMS) Short Term Alternatives for Therapy Services (STATS) project, conducted from October 2008 through September 2010 by Computer Sciences Corporation (CSC). It has been prepared as a reference document for interested professionals and researchers to become more familiar with the ICF and current state of knowledge in using the ICF in research and clinical practice. Users may click on the alphabet links below as a short-cut to author names in this document.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

### A

Allet L, Cieza A, Bürge E, Finger M, Stucki G, Huber EO. Intervention categories for physiotherapists treating patients with musculoskeletal conditions on the basis of the international classification of functioning, disability and health. *Int J Rehabil Res*. 2007;30(4):273-280.

American Occupational Therapy Association. Occupational therapy practice framework: domain and process. *American Journal of Occupational Therapy*. 2008;62(6):625-683.

Aringer M, Stamm T, Pisetsky D, Yarboro C, Cieza A, Smolen J, Stucki G. Icf core sets: how to specify impairment and function in systemic lupus erythematosus. *Lupus*. 2006;15(4):248-253.

Arkela-Kautiainen M, Haapasaari J, Kautiainen H, Leppänen L, Vilkkumaa I, Mälkiä E, Leirisalo-Repo M. Functioning and preferences for improvement of health among patients with juvenile idiopathic arthritis in early adulthood using the who icf model. *J Rheumatol*. 2006;33(7):1369-1376.

Arthanat S, Nochajski SM, Stone J. The international classification of functioning, disability and health and its application to cognitive disorders. *Disabil Rehabil*. 2004;26(4):235-245.

### B

Badley E. Enhancing the conceptual clarity of the activity and participation components of the international classification of functioning, disability, and health. *Soc Sci Med*. 2008;66(11):2335-2345.

Bautz-Holter E, Sveen U, Cieza A, Geyh S, Røe C. Does the international classification of functioning, disability and health (icf) core set for low back pain cover the patients' problems? A cross-sectional content-validity study with a norwegian population. *Eur J Phys Rehabil Med*. 2008;44(4):387-397.

- Beninato M, Portney L, Sullivan P. Using the international classification of functioning, disability and health as a framework to examine the association between falls and clinical assessment tools in people with stroke. *Phys Ther*. 2009;89:816-825.
- Berg K, Finne-Soveri H, Gray L, Henrard J, Hirdes J, Ikegami N, Ljunggren G, Morris J, Paquay L, Resnik L, Teare G. Relationship between international classification of functioning, disability and health and the icf: opportunity for operationalizing the icf. *BMC Health Serv Res*. 2009;17:9:47.
- Bernabeu M, Laxe S, Lopez R, Stucki G, Ward A, Barnes M, Kostanjsek N, Reed G, Tate R, Whyte J, Zasler N, Cieza A. Developing core sets for persons with traumatic brain injury based on the international classification of functioning, disability, and health. *Neurorehabil Neural Repair*. 2009;23(5):464-467.
- Biering-Sørensen F, Scheuringer M, Baumberger M, Charlifue S, Post M, Montero F, Kostanjsek N, Stucki G. Developing core sets for persons with spinal cord injuries based on the international classification of functioning, disability and health as a way to specify functioning. *Spinal Cord*. 2006;44(9):541-546.
- Bilbao A, Kennedy C, Chatterji S, Ustün B, Barquero J, Barth J. The icf: Applications of the who model of functioning, disability and health to brain injury rehabilitation. *NeuroRehabilitation*. 2003;18(3):239-250.
- Boldt C, Brach M, Grill E, Berthou A, Meister K, Scheuringer M, Stucki G. The icf categories identified in nursing interventions administered to neurological patients with post-acute rehabilitation needs. *Disabil Rehabil*. 2005;27(7-8):431-436.
- Boldt C, Grill E, Wildner M, Portenier L, Wilke S, Stucki G, Kostanjsek N, Quittan M. Icf core set for patients with cardiopulmonary conditions in the acute hospital. *Disabil Rehabil*. 2005;27(7-8):375-380.
- Boonen A, Braun J, van der Horst-Bruinsma I, Huang F, Maksymowych W, Kostanjsek N, Cieza A, Stucki G, van der Heijde D. The asas/who icf core sets for ankylosing spondylitis: How to classify the impact of as on functioning and health. *Ann Rheum Dis*. 2009 Mar 11.
- Boonen A, Rasker J, Stucki G. The international classification for functioning, disability and health: A challenge and a need for rheumatology. *Clin Rheumatol*. 2007;26:1803-1808.
- Boonen A, van Berkel M, Kirchberger I, Cieza A, Stucki G, van der Heijde D. Aspects relevant for functioning in patients with ankylosing spondylitis according to the health professionals: A delphi study with the icf as reference. *Rheumatology (Oxford)*. 2009;48(8):997-1002.
- Borchers M, Cieza A, Sigl T, Kollerits B, Kostanjsek N, Stucki G. Content comparison of osteoporosis-targeted health status measures in relation to the international classification of functioning, disability and health (icf). *Clin Rheumatol*. 2005;24(2):139-44.

Bornman J. The world health organisation's terminology and classification application to severe disability. *Disability and Rehabilitation*. 2004;26(3):182-188.

Brach M, Cieza A, Stucki G, Füssl M, Cole A, Ellerin B, Fialka-Moser V, Kostanjsek N, Melvin J. Icf core sets for breast cancer. *J Rehabil Med*. 2004;44 Suppl:121-127.

Brage S, Donceel P, Falez F; Working group of the european union of medicine in assurance and social security. Development of icf core set for disability evaluation in social security. *Disabil Rehabil*. 2008;30(18):1392-1396.

Brobeck T. Strategies for enhancing the body of evidence in clinical decision making. *Perspectives in Neurophysiology and Neurogenic Speech and Language Disorders*. 2004;14(1):11-14.

Brockow T, Duddeck K, Geyh S, Schwarzkopf S, Weigl M, Franke T, Brach M. Identifying the concepts contained in outcome measures of clinical trials on breast cancer using the international classification of functioning, disability and health as a reference. *J Rehabil Med*. 2004;44 Suppl:43-48.

Brockow T, Wohlfahrt K, Hillert A, Geyh S, Weigl M, Franke T, Resch K, Cieza A. Identifying the concepts contained in outcome measures of clinical trials on depressive disorders using the international classification of functioning, disability and health as a reference. *J Rehabil Med*. 2004;44 Suppl:49-55.

Brown J, Hasselkus A. Professional associations' role in advancing the icf in speech-language pathology. *International Journal of Speech-Language Pathology*. 2008;10(1-2) :78-82.

Brunani A, Liuzzi A, Sirtori A, Raggi A, Berselli M, Villa V, Ceriani F, Tacchini E, Vicari V, Parisio C, Vismara L, Zanini A, Vinci C, Contini F, Braga E, Ricappi A, Camerlengo M, Ristea M, Leonardi M. Mapping an obesity clinical evaluation protocol to the international classification of functioning, disability and health. *Disabil Rehabil*. 2009 Oct 26.

Brush J, Threats T, Calkins M. Influences on perceived function for a nursing home resident. *Journal of Communication Disorders*. 2003;36:379-393.

Bufka L, Stewart D, Stark S. The international classification of functioning, disability and health (icf) is emerging as the principal framework for the description of health and health related status. *Can J Occup Ther*. 2008;75(3):134.

Bürge E, Cieza A, Allet L, Finger M, Stucki G, Huber E. Intervention categories for physiotherapists treating patients with internal medicine conditions on the basis of the international classification of functioning disability and health. *Int J Rehabil Res*. 2008;31(1):43-50.

## C

Childs J, Cleland J, Elliott J, Teyhen D, Wainner R, Whitman J, Sopky B, Godges J, Flynn T. Neck pain: clinical practice guidelines linked to the international classification of functioning, disability, and health from the orthopaedic section of the american physical therapy association. *J Orthop Sports Phys Ther.* 2008;38(9):A1-A34.

Cibulka M, White D, Woehrle J, Harris-Hayes M, Enseki K, Fagerson T, Slover J, Godges J. Hip pain and mobility deficits – hip osteoarthritis: clinical practice guidelines linked to the international classification of functioning, disability, and health from the orthopaedic section of the american physical therapy association. *J Orthop Sports Phys Ther.* 2009;39(4):A1-A25.

Cieza A, Brockow T, Ewert T, Amman E, Kollerits B, Chatterji S, Ustün TB, Stucki G. Linking health-status measurements to the international classification of functioning, disability and health. *J Rehabil Med.* 2002;34(5):205-210.

Cieza A, Chatterji S, Andersen C, Cantista P, Herceg M, Melvin J, Stucki G, de Bie R. Icf core sets for depression. *J Rehabil Med.* 2004;44 Suppl:128-134.

Cieza A, Ewert T, Ustün T, Chatterji S, Kostanjsek N, Stucki G. Development of icf core sets for patients with chronic conditions. *J Rehabil Med.* 2004;44 Suppl:9-11.

Cieza A, Geyh S, Chatterji S, Kostanjsek N, Ustün B, Stucki G. Icf linking rules: an update based on lessons learned. *J Rehabil Med.* 2005;37(4):212-218.

Cieza A, Geyh S, Chatterji S, Kostanjsek N, Ustün B, Stucki G. Identification of candidate categories of the international classification of functioning disability and health (icf) for a generic icf core set based on regression modelling. *BMC Med Res Methodol.* 2006;6:36.

Cieza A, Hilfiker R, Boonen A, van der Heijde D, Braun J, Stucki G. Towards an icf-based clinical measure of functioning in people with ankylosing spondylitis: A methodological exploration. *Disabil Rehabil.* 2009;31(7):528-537.

Cieza A, Hilfiker R, Chatterji S, Kostanjsek N, Ustün B, Stucki G. The international classification of functioning, disability, and health could be used to measure functioning. *J Clin Epidemiol.* 2009;62(9):899-911.

Cieza A, Schwarzkopf S, Sigl T, Stucki G, Melvin J, Stoll T, Woolf A, Kostanjsek N, Walsh N. Icf core sets for osteoporosis. *J Rehabil Med.* 2004;44 Suppl:81-86.

Cieza A, Stucki G. Content comparison of health-related quality of life (hrqol) instruments based on the international classification of functioning, disability and health (icf). *Qual Life Res.* 2005;14(5):1225-1237.

Cieza A, Stucki G. The international classification of functioning disability and health: Its development process and content validity. *Eur J Phys Rehabil Med.* 2008;44(3):303-313.

Cieza A, Stucki A, Geyh S, Berteanu M, Quittan M, Simon A, Kostanjsek N, Stucki G, Walsh N. Icf core sets for chronic ischaemic heart disease. *J Rehabil Med.* 2004;44 Suppl:94-99.

Cieza A, Stucki G, Weigl M, Disler P, Jäckel W, van der Linden S, Kostanjsek N, de Bie R. Icf core sets for low back pain. *J Rehabil Med.* 2004;44 Suppl:69-74.

Cieza A, Stucki G, Weigl M, Kullmann L, Stoll T, Kamen L, Kostanjsek N, Walsh N. Icf core sets for chronic widespread pain. *J Rehabil Med.* 2004;44 Suppl:63-68.

Coenen M, Cieza A, Stamm T, Amann E, Kollerits B, Stucki G. Validation of the international classification of functioning, disability and health (icf) core set for rheumatoid arthritis from the patient perspective using focus groups. *Arthritis Res Ther.* 2006;8(4):R84.

Cruice M. The contribution and impact of the international classification of functioning, disability, and health on quality of life in communication disorders. *International Journal of Speech-Language Pathology.* 2008;10(1-2):38-49.

Cruice M, Worrall L, Hickson L, Murison R. Finding a focus for quality of life with aphasia: Social and emotional health and psychological well-being. *Aphasology.* 2003;17(4):333-353.

Cup E, Pieterse A, Ten Broek-Pastoor J, Munneke M, van Engelen B, Hendricks H, van der Wilt G, Oostendorp R. Exercise therapy and other types of physical therapy for patients with neuromuscular diseases: a systematic review. *Arch Phys Med Rehabil.* 2007;88(11):1452-1464.

## **D**

Davidson B, Worrall L, Hickson L. Identifying the communication activities of older people with aphasia: evidence from naturalistic observation. *Aphasology.* 2003;17(3):243-264.

De Vriendt P, Lambert M, Mets T. Integrating the international classification of functioning, disability and health (icf) in the geriatric minimum data set-25 (gmms-25) for intervention studies in older people. *J Nutr Health Aging.* 2009;13(2):128-134.

Dixon D, Johnston M, McQueen M, Court-Brown C. The disabilities of the arm, shoulder and hand questionnaire (dash) can measure the impairment, activity limitations and participation restriction constructs from the international classification of functioning, disability and health (icf). *BMC Musculoskeletal Disorders.* 2008;9:114.

Dreinhöfer K, Stucki G, Ewert T, Huber E, Ebenbichler G, Gutenbrunner C, Kostanjsek N, Cieza A. Icf core sets for osteoarthritis. *J Rehabil Med.* 2004;44 Suppl:75-80.

Duchan JF. Where is the person in the icf? *Advances in Speech-Language Pathology.* 2004;6(1):67-70.

## **E**

Eadie T. A proposed framework for comprehensive rehabilitation of individuals who use alaryngeal speech. *American Journal of Speech-Language Pathology.* 2003;12(2):189-197.

Eadie T. Application of the icf in communication after total laryngectomy. *Semin Speech Lang*. 2007;28(4):291-300.

Eadie T. The icf: A proposed framework for comprehensive rehabilitation of individuals who use alaryngeal speech. *Am J Speech Lang Pathol*. 2003;12(2):189-197.

Eadie T, Yorkston K, Klasner E, Dudgeon B, Deitz J, Baylor C, Miller R, Antmann D. Measuring communication participation: a review of self-report instruments in speech-language pathology. *American Journal of Speech-Language Pathology*. 2006;15:307-320.

Escorpizo R, Cieza A, Beaton D, Boonen A. Content comparison of worker productivity questionnaires in arthritis and musculoskeletal conditions using the international classification of functioning, disability, and health framework. *J Occup Rehabil*. 2009;19(4):382-397.

Escorpizo R, Cieza A, Stucki G. Invited commentary on "Using the international classification of functioning, disability and health as a framework to examine the association between falls and clinical assessment tools in people with stroke." *Phys Ther*. 2009;89:825-827.

Escorpizo R, Stucki G, Cieza A, Davis K, Stumbo T, Riddle D. Creating an interface between the international classification of functioning, disability and health and physical therapist practice. *Phys Ther*. 2010;90(7):1053-1063.

Ewert T, Fuessl M, Cieza A, Andersen C, Chatterji S, Kostanjsek N, Stucki G. Identification of the most common patient problems in patients with chronic conditions using the icf checklist. *J Rehabil Med*. 2004;44 Suppl:22-29.

Ewert T, Grill E, Bartholomeyczik S, Finger M, Mokrusch T, Kostanjsek N, Stucki G. Icf core set for patients with neurological conditions in the acute hospital. *Disabil Rehabil*. 2005;27(7-8):367-373.

## **F**

Farin E, Fleitz A, Frey C. Psychometric properties of an international classification of functioning, disability and health (icf)-oriented, adaptive questionnaire for the assessment of mobility, self-care and domestic life. *J Rehabil Med*. 2007;39(7):537-546.

Fava L, Muehlan H, Bullinger M. Linking the disabkids modules for health-related quality of life assessment with the international classification of functioning, disability and health (icf). *Disabil Rehabil*. 2009;31(23):1943-1954.

Finger M, Cieza A, Stoll J, Stucki G, Huber E. Identification of intervention categories for physical therapy, based on the international classification of functioning, disability and health: A delphi exercise. *Phys Ther*. 2006;86(9):1203-1220.

Frew K, Joyce E, Tanner B, Gray M. Clinical reasoning and the international classification of functioning: A linking framework. *HKJOT* 2008;18(2):68-72.

## **G**

Gaidhane A, Zahiruddin Q, Waghmare L, Zodpey S, Goyal R, Johrapurkar S. Assessing self-care component of activities and participation domain of the international classification of functioning, disability and health (icf) among people living with hiv/aids. *AIDS Care*. 2008;20(9):1098-1104.

Geyh S, Cieza A, Schouten J, Dickson H, Frommelt P, Omar Z, Kostanjsek N, Ring H, Stucki G. icf core sets for stroke. *J Rehabil Med*. 2004;44 Suppl:135-141.

Geyh S, Kurt T, Brockow T, Cieza A, Ewert T, Omar Z, Resch K. Identifying the concepts contained in outcome measures of clinical trials on stroke using the international classification of functioning, disability and health as a reference. *J Rehabil Med*. 2004;44 Suppl:56-62.

Giannangelo K, Bowman S, Dougherty M, Fenton S. Icf: Representing the patient beyond a medical classification of diagnoses. *Perspectives in Health Information Management*. 2005;2:7.

Gilchrist L, Galantino M, Wampler M, Marchese V, Morris G, Ness K. A framework for assessment in oncology rehabilitation. 2009;89:286-306.

Gladman J. The international classification of functioning, disability and health and its value to rehabilitation and geriatric medicine. *J Chin Med Assoc*. 2008;71(6):275-278.

Grill E, Ewert T, Chatterji S, Kostanjsek N, Stucki G. Icf core sets development for the acute hospital and early post-acute rehabilitation facilities. *Disabil Rehabil*. 2005;27(7-8):361-366.

Grill E, Hermes R, Swoboda W, Uzarewicz C, Kostanjsek N, Stucki G. Icf core set for geriatric patients in early post-acute rehabilitation facilities. *Disabil Rehabil*. 2005;27(7-8):411-417.

Grill E, Huber E, Gloor-Juzi T, Stucki G. Intervention goals determine physical therapists' workload in acute care setting. *Phys Ther*. 2010;90(10):1053-1063.

Grill E, Huber E, Stucki G, Herceg M, Fialka-Moser V, Quittan M. Identification of relevant icf categories by patients in the acute hospital. *Disabil Rehabil*. 2005;27(7-8):447-548.

Grill E, Joisten S, Swoboda W, Stucki G. Early-stage impairments and limitations of functioning from the geriatric icf core set as determinants of independent living in older patients after discharge from post-acute rehabilitation. *J Rehabil Med*. 2007;39(8):591-597.

Grill E, Lipp B, Boldt C, Stucki G, Koenig E. Identification of relevant icf categories by patients with neurological conditions in early post-acute rehabilitation facilities. *Disabil Rehabil*. 2005;27(7-8):459-465.

Grill E, Quittan M, Huber E, Boldt C, Stucki G. Identification of relevant icf categories by health professionals in the acute hospital. *Disabil Rehabil*. 2005;27(7-8):437-445.

Grill E, Stucki G. Scales could be developed based on simple clinical ratings of international classification of functioning, disability and health core set categories. *J Clin Epidemiol*. 2009;62(9):891-898.

Grill E, Stucki G, Boldt C, Joisten S, Swoboda W. Identification of relevant icf categories by geriatric patients in an early post-acute rehabilitation facility. *Disabil Rehabil*. 2005;27(7-8):467-473.

Grill E, Stucki G, Scheuringer M, Melvin J. Validation of international classification of functioning, disability, and health (icf) core sets for early postacute rehabilitation facilities: comparisons with three other functional measures. *Am J Phys Med Rehabil*. 2006;85(8):640-649.

Grill E, Zochling J, Stucki G, Mittrach R, Scheuringer M, Liman W, Kostanjsek N, Braun J. International classification of functioning, disability and health (icf) core set for patients with acute arthritis. *Clin Exp Rheumatol*. 2007;25(2):252-258.

## **H**

Haglund L. The icf vs. occupational therapy instruments – similarities and differences from a mental health perspective. *WFOT Bulletin*. 2008;57:5-11.

Haglund, L, Henriksson C. Concepts in occupational therapy in relation to the icf. *Occupational Therapy International*. 2003;10:253-268.

Heerkens Y, Engels J, Kuiper C, Van der Gulden J, Oostendorp R. The use of the icf to describe work related factors influencing the health of employees. *Disabil Rehabil*. 2004;26(17):1060-1066.

Heerkens Y, van der Brug Y, Napel H, van Ravensburg D. Past and future use of the icf (former icidh) by nursing and allied health. *Disability and Rehabilitation*. 2003;25(11-12):620-627.

Helgeson K, Smith A Jr. Process for applying the international classification of functioning, disability and health model to a patient with patellar dislocation. *Phys Ther*. 2008;88(8):956-964.

Hemmingsson H, Jonsson H. An occupational perspective on the concept of participation in the international classification of functioning, disability and health--some critical remarks. *Am J Occup Ther*. 2005;59(5):569-576.

Hickson L, Scarinci N. Older adults with acquired hearing impairment: Applying the icf in rehabilitation. *Semin Speech Lang*. 2007;28(4):283-290.

Hieblinger R, Coenen M, Stucki G, Winkelmann A, Cieza A. Validation of the international classification of functioning, disability and health core set for chronic widespread pain from the perspective of fibromyalgia patients. *Arthritis Res Ther*. 2009;11(3):R67.



Hilfiker R, Obrist S, Christen G, Lorenz T, Cieza A. The use of the comprehensive international classification of functioning, disability and health core set for low back pain in clinical practice: a reliability study. *Physiother Res Int*. 2009;14(3):147-166.

Holman R, Weisscher N, Glas C, Dijkgraaf M, Vermeulen M, Haan R, Lindeboom M. The academic medical center linear disability score (alds) item bank: item response theory analysis in a mixed patient population. *Health and Quality of Life Outcomes*. 2005;3:83.

Holper L, Coenen M, Weise A, Stucki G, Cieza A, Kesselring J. Characterization of functioning in multiple sclerosis using the icf. *J Neurol*. 2010;257:103-113.

Homa D. Using the international classification of functioning, disability and health (icf) in job placement. *Work*. 2007;29(4):277-286.

Hopper T. The icf and dementia. *Semin Speech Lang*. 2007;28(4):273-282.

Howe T. The icf contextual factors related to speech-language pathology. *International Journal of Speech-Language Pathology*. 2008;10(1-2):27-37.

Howe T, Worrall L, Hickson L. What is an aphasia-friendly environment? *Aphasology*. 2004;18(11):1015-1037.

Huang H, Chung K, Lai ID, Sung S. The impact of timing and dose of rehabilitation delivery on functional recovery of stroke patients. *J Chin Med Assoc*. 2009;72(5):257-264.

## **I**

## **J**

Jerosch-Herold C, Leite J, Song F. A systematic review of outcomes assessed in randomized controlled trials of surgical interventions for carpal tunnel syndrome using the international classification of functioning, disability and health (icf) as a reference tool. *BMC Musculoskeletal Disord*. 2006;7:96.

Jette A. Toward a common language for function, disability, and health. *Phys Ther*. 2006;86(5):726-734.

Jette A, Norweg A, Haley S. Achieving meaningful measurements of icf concepts. *Disabil Rehabil*. 2008;30(12-13):963-969.

Jette A, Tao W, Haley S. Blending activity and participation sub-domains of the icf. *Disabil Rehabil*. 2007;29(22):1742-1750.

Jönsson G, Ekholm J, Schult M. The international classification of functioning, disability and health environmental factors as facilitators or barriers used in describing personal and social networks: a pilot study of adults with cerebral palsy. *Int J Rehabil Res*. 2008;31(2):119-129.

## **K**

Kagan A, Simmons-Mackie N, Rowland A, Huijbregts M, Shumway E, McEwen S, Threats T, Sharp S. *Aphasology*. 2008;22(3):258-280.

Kesselring J, Coenen M, Cieza A, Thompson A, Kostanjsek N, Stucki G. Developing the icf core sets for multiple sclerosis to specify functioning. *Mult Scler*. 2008;14(2):252-254.

Khan F, Pallant J. Use of international classification of functioning, disability and health (icf) to describe patient-reported disability in multiple sclerosis and identification of relevant environmental factors. *J Rehabil Med*. 2007;39(1):63-70.

Khan F, Pallant J. Use of the international classification of functioning, disability and health (icf) to identify preliminary comprehensive and brief core sets for multiple sclerosis. *Disabil Rehabil*. 2007;29(3):205-213.

Kirchberger I, Biering-Sørensen F, Charlifue S, Baumberger M, Campbell R, Kovindha A, Ring H, Sinnott A, Scheuringer M, Stucki G. Identification of the most common problems in functioning of individuals with spinal cord injury using the international classification of functioning, disability and health. *Spinal Cord*. 2009; Sep 15.

Kirchberger I, Cieza A, Biering-Sørensen F, Baumberger M, Charlifue S, Post M, Campbell R, Kovindha A, Ring H, Sinnott A, Kostanjsek N, Stucki G. Icf core sets for individuals with spinal cord injury in the early post-acute context. *Spinal Cord*. 2009; Sep 29.

Kirchberger I, Coenen M, Hierl F, Dieterle C, Seissler J, Stucki G, Cieza A. Validation of the international classification of functioning, disability and health (icf) core set for diabetes mellitus from the patient perspective using focus groups. *Diabet Med*. 2009;26(7):700-707.

Kirchberger I, Glaessel A, Stucki G, Cieza A. Validation of the comprehensive international classification of functioning, disability and health core set for rheumatoid arthritis: the perspective of physical therapists. *Phys Ther*. 2007;87(4):368-384.

Kirchberger I, Stamm T, Cieza A, Stucki G. Does the comprehensive icf core set for rheumatoid arthritis capture occupational therapy practice? A content-validity study. *Can J Occup Ther*. 2007;74 Spec No.:267-280.

Kirchberger I, Stucki G, Böhni U, Cieza A, Kirschneck M, Dvorak J. Towards an outcome documentation in manual medicine: a first proposal of the international classification of functioning, disability and health (icf) intervention categories for manual medicine based on a delphi survey. *Eur J Phys Rehabil Med*. 2009; Feb 23.

Kohler F, Cieza A, Stucki G, Geertzen J, Burger H, Dillon M, Schiappacasse C, Esquenazi A, Kistenberg R, Kostanjsek N. Developing core sets for persons following amputation based on the international classification of functioning, disability and health as a way to specify functioning. *Prosthet Orthot Int*. 2009;33(2):117-129.

Koskinen S, Hokkinen E, Sarajuuri J, Alaranta H. Applicability of the icf checklist to traumatically brain-injured patients in post-acute rehabilitation settings. *J Rehabil Med*. 2007;39(6):467-472.

Kukafka R, Bales M, Burkhardt A, Friedman C. Human and automated coding of rehabilitation discharge summaries according to the international classification of functioning, disability, and health. *J Am Med Inform Assoc*. 2006;13(5):508-515.

## **L**

Larkins B. The application of the icf in cognitive-communication disorders following traumatic brain injury. *Semin Speech Lang*. 2007;28(4):334-432.

Leonardi M, Raggi A, Antozzi C, Confalonieri P, Maggi L, Cornelio F, Mantegazza R. Identification of international classification of functioning, disability and health relevant categories to describe functioning and disability of patients with myasthenia gravis. *Disabil Rehabil*. 2009;21:1-6

Leonardi M, Raggi A, Antozzi C, Confalonieri P, Maggi L, Cornelio F, Mantegazza R. Identification of international classification of functioning, disability and health relevant categories to describe functioning and disability of patients with myasthenia gravis. *Disabil Rehabil*. 2009;31(24):2041-2046.

Levack W. The international classification of functioning, disability and health – application to physiotherapy. *New Zealand Journal of Physiotherapy*. 2004;Mar.

Levasseur M, Desrosiers J, St-Cyr T. Comparing the disability creation process and international classification of functioning, disability and health models. *Can J Occup Ther*. 2007;74 Spec No.:233-242.

## **M**

Ma E, Threats T, Worrall L. An introduction to the international classification of functioning, disability, and health (icf) for speech-language pathology: its past, present, and future. *International Journal of Speech-Language Pathology*. 2008;10(1-2):2-8.

Ma E, Worrall L, Threats T. The international classification of functioning, disability and health (icf) in clinical practice. *Semin Speech Lang*. 2007;28(4):241-243.

Ma E, Yiu E, Abbott K. Application of the icf in voice disorders. *Semin Speech Lang*. 2007;28(4):343-350.

Maini M, Nocentini U, Prevedini A, Giardini A, Muscolo E. An italian experience in the icf implementation in rehabilitation: Preliminary theoretical and practical considerations. *Disabil Rehabil*. 2008;30(15):1146-1152.

Mandich M. International classification of functioning, disability and health. *Phys Occup Ther Pediatr*. 2007;27(2):1-4.

Mayo N, Poissant L, Ahmed S, Finch L, Higgins J, Salbach M, Soicher J, Jaglal S. Incorporating the international classification of functioning, disability, and health (icf) into an electronic health record to create indicators of function: Proof of concept using the sf-12. *J Am Med Inform Assoc*. 2004;11:514–522.

McCormack J, Worrall L. The icf body functions and structures related to speech-language pathology. *International Journal of Speech-Language Pathology*. 2008;10(1-2):9-17.

McIntyre A, Tempest S. Two steps forward, one step back? A commentary on the disease-specific core sets of the international classification of functioning, disability and health (icf). *Disabil Rehabil*. 2007;29(18):1475-1479.

McLeod S, McCormack J. Application of the icf and icf-children and youth in children with speech impairment. *Semin Speech Lang*. 2007;28(4):254-264.

McLeod S, Threats T. The icf-cy and children with communication disorders. *International Journal of Speech-Language Pathology*. 2008;10(1-2):92-109.

McPherson K, Levack W, Kersten P. A new classification for outcomes in illness and injury. *Hosp Med*. 2005;66(4):210-214.

McPoil T, Martin R, Cornwall M, Wukich D, Irrgang J, Godges J. Heel pain – plantar fasciitis: clinical practice guidelines linked to the international classification of function, disability, and health from the orthopaedic section of the American physical therapy association. *J Orthop Sports Phys Ther*. 2008;38(4):A1-A18.

Metcalf C, Adams J, Burridge J, Yule V, Chappell P. A review of clinical upper limb assessments within the framework of the who icf. *Musculoskeletal Care*. 2007;5(3):160-173.

Moriello C, Byrne K, Cieza A, Nash C, Stolee P, Mayo N. Mapping the stroke impact scale (sis-16) to the international classification of functioning, disability and health. *J Rehabil Med*. 2008;40(2):102-106.

Mueller M, Boldt C, Grill E, Strobl R, Stucki G. Identification of icf categories relevant for nursing in the situation of acute and early post-acute rehabilitation. *BMC Nurs*. 2008;7:3.

Mulhorn K, Threats T. Speech, hearing and communication across five national disability surveys: results of a distab study using the icf to compare prevalence patterns. *International Journal of Speech-Language Pathology*. 2008;10(1-2):61-71.

Mullis R, Barber J, Lewis M, Hay E. Icf core sets for low back pain: do they include what matters to patients? *J Rehabil Med*. 2007;39(5):353-357

Muò R, Schindler A, Venero I, Schindler O, Ferrario E, Frisoni G. Alzheimer's disease-associated disability: An icf approach. *Disabil Rehabil*. 2005;27(23):1405-1413.

## **N**

Noonan V, Kopec J, Noreau L, Singer J, Chan A, Mâsse L, Dvorak M. Comparing the content of participation instruments using the international classification of functioning, disability and health. *Health Qual Life Outcomes*. 2009;7:93.

## **O**

O'Halloran R, Hickson L, Worrall L. Environmental factors that influence communication between people with communication disability and their healthcare providers in hospital: A review of the literature within the international classification of functioning, disability and health (icf) framework. *Int J Lang Commun Disord*. 2008;43(6):601-632.

Offenbächer M, Cieza A, Brockow T, Amann E, Kollerits B, Stucki G; Who. Are the contents of treatment outcomes in fibromyalgia trials represented in the international classification of functioning, disability, and health? *Clin J Pain*. 2007;23(8):691-701.

Okochi J, Utsunomiya S, Takahashi T. Health measurement using the icf: Test-retest reliability study of icf codes and qualifiers in geriatric care. *Health and Quality of Life Outcomes*. 2005;3:46.

Oltman R, Neises G, Scheible D, Mehrtens G, Grüneberg C. Icf components of corresponding outcome measures in flexor tendon rehabilitation - a systematic review. *BMC Musculoskeletal Disord*. 2008;9:139.

## **P**

Paltamaa J, Sarasoja T, Leskinen E, Wikstrom J, Malkia E. Measuring deterioration in international classification of functioning domains of people with multiple sclerosis who are ambulatory. *Physical Therapy*. 2008;88(2):176-190.

Paul B, Leitner C, Vacariu G, Wick F, Zehetmayer S, Matzner M, Mittermaier C, Vanecek E, Ebenbichler G. Low-back pain assessment based on the brief icf core sets: diagnostic relevance of motor performance and psychological tests. *Am J Phys Med Rehabil*. 2008;87(6):452-460.

Peyrin-Biroulet L, Cieza A, Sandborn W, Kostanjsek N, Kamm M, Hibi T, Lémann M, Stucki G, Colombel J. Disability in inflammatory bowel diseases: Developing icf core sets for patients with inflammatory bowel diseases based on the international classification of functioning, disability, and health. *Inflamm Bowel Dis*. 2009;Jul 16.

Pisoni C, Giardini A, Majani G, Maini M. International classification of functioning, disability and health (icf) core sets for osteoarthritis. A useful tool in the follow-up of patients after joint arthroplasty. *Eur J Phys Rehabil Med*. 2008;44(4):377-385.

Prodinger B, Cieza A, Williams D, Mease P, Boonen A, Kerschman-Schindl K, Fialka-Moser V, Smolen J, Stucki G, Machold K, Stamm T. Measuring health in patients with fibromyalgia: content comparison of questionnaires based on the international classification of functioning, disability and health. *Arthritis Rheum*. 2008;59(5):650-658.

## Q

## R

Raghavendra P, Bornman J, Granlund M, Björck-Akesson E. The world health organization's international classification of functioning, disability and health: implications for clinical and research practice in the field of augmentative and alternative communication. *Augment Altern Commun.* 2007;23(4):349-361.

Rat A, Guillemin F, Pouchot J. Mapping the osteoarthritis knee and hip quality of life (oakhqol) instrument to the international classification of functioning, disability and health and comparison to five health status instruments used in osteoarthritis. *Rheumatology (Oxford).* 2008;47(11):1719-1725.

Rauch A, Cieza A, Stucki G. How to apply the international classification of functioning, disability and health (icf) for rehabilitation management in clinical practice. *European Journal of Physical and Rehabilitation Medicine.* 2008;44:329-342.

Rauch A, Escorpizo R, Riddle D, Eriks-Hoogland I, Stucki G, Cieza A. Using a case report of a patient with spinal cord injury to illustrate the application of the international classification of functioning, disability and health during multidisciplinary patient management. *Phys Ther.* 2010;90(7):1039-1052.

Rauch A, Kirchberger I, Boldt C, Cieza A, Stucki G. Does the comprehensive international classification of functioning, disability and health (icf) core set for rheumatoid arthritis capture nursing practice? A delphi survey. *Int J Nurs Stud.* 2009;46(10):1320-1334.

Rauch A, Kirchberger I, Stucki G, Cieza A. Validation of the comprehensive icf core set for obstructive pulmonary diseases from the perspective of physiotherapists. *Physiother Res Int.* 2009;14(4):242-259.

Reed G, Lux J, Bufka L, trask C, Peterson D, Stark S, Threats T, Jacobson J, Hawley J. Operationalizing the international classification of functioning, disability and health (icf) in clinical settings. *Rehabilitation Psychology.* 2005;50(2):122-131.

Rejeski W, Ip E, Marsh A, Miller M, Farmer D. Measuring disability in older adults: The international classification system of functioning, disability and health (icf) framework. *Geriatr Gerontol Int.* 2008;8(1):48-54.

Rimmer J. Use of the icf in identifying factors that impact participation in physical activity/rehabilitation among people with disabilities. *Disabil Rehabil.* 2006;28(17):1087-1095.

Ruof J, Cieza A, Wolff B, Angst F, Ergeletzis D, Omar Z, Kostanjsek N, Stucki G. Icf core sets for diabetes mellitus. *J Rehabil Med.* 2004;(44 Suppl):100-106.

Røe C, Sveen U, Cieza A, Geyh S, Bautz-Holter E. Validation of the brief icf core set for low back pain from the norwegian perspective. *Eur J Phys Rehabil Med.* 2009;45(3):403-414.

Røe C, Sveen U, Geyh S, Cieza A, Bautz-Holter E. Construct dimensionality and properties of the categories in the icf core set for low back pain. *J Rehabil Med.* 2009;41(6):429-437.

Rundell S, Davenport T, Wagner T. Physical therapist management of acute and chronic low back pain using the world health organization's international classification of functioning, disability and health. *Physical Therapy.* 2009;89(1):82-90.

## **S**

Schepers V, Ketelaar M, van de Port I, Visser-Meily J, Lindeman E. Comparing contents of functional outcome measures in stroke rehabilitation using the international classification of functioning, disability and health. *Disabil Rehabil.* 2007;29(3):221-230.

Scherer M, DiCowden M. Organizing future research and intervention efforts on the impact and effects of gender differences on disability and rehabilitation: the usefulness of the international classification of functioning, disability and health (icf). *Disabil Rehabil.* 2008;30(3):161-165.

Scheuringer M, Stucki G, Huber E, Brach M, Schwarzkopf S, Kostanjsek N, Stoll T. Icf core set for patients with musculoskeletal conditions in early post-acute rehabilitation facilities. *Disabil Rehabil.* 2005;27(7-8):405-410.

Schult M, Ekholm J. Agreement of a work-capacity assessment with the world health organisation international classification of functioning, disability and health pain sets and back-to-work predictors. *Int J Rehabil Res.* 2006;29(3):183-193.

Schwarzkopf S, Ewert T, Dreinhöfer K, Cieza A, Stucki G. Towards an icf core set for chronic musculoskeletal conditions: commonalities across icf core sets for osteoarthritis, rheumatoid arthritis, osteoporosis, low back pain and chronic widespread pain. *Clin Rheumatol.* 2008;27(11):1355-1361.

Schönrich S, Brockow T, Franke T, Dembski R, Resch K, Cieza A. Analyzing the content of outcome measures in clinical trials on irritable bowel syndrome using the international classification of functioning, disability and health as a reference. *Rehabilitation (Stuttg).* 2006;45(3):172-180.

Sigl T, Cieza A, Brockow T, Chatterji S, Kostanjsek N, Stucki G. Content comparison of low back pain-specific measures based on the international classification of functioning, disability and health (icf). *Clin J Pain.* 2006;22(2):147-153.

Sigl T, Cieza A, van der Heijde D, Stucki G. Icf based comparison of disease specific instruments measuring physical functional ability in ankylosing spondylitis. *Ann Rheum Dis.* 2005;64(11):1576-1581.

- Silva Drummond A, Ferreira Sampaio R, Cotta Mancini M, Noce Kirkwood R, Stamm T. Linking the disabilities of arm, shoulder, and hand to the international classification of functioning, disability, and health. *J Hand Ther.* 2007;20(4):336-343;
- Simeonsson R, Scarborough A, Hebbeler K. Icf and icd codes provide a standard language of disability in young children. *J Clin Epidemiol.* 2006;59(4):365-373.
- Simmons-Mackie N. Cautiously embracing the icf. *Advances in speech-language pathology.* 2004;6(1):67-70.
- Simmons-Mackie N. Using the icf to define outcomes. *Perspectives in Neurophysiology and Neurogenic Speech and Language Disorders.* 2004;14(1):9-11.
- Simmons-Mackie N, Kagan A. Application of the icf in aphasia. *Semin Speech Lang.* 2007;28(4):244-253.
- Simmons-Mackie N, Threats T, Kagan A. Outcomes assessment in aphasia: A survey. *Journal of Communication disorders.* 2005;38:1-27.
- Skarakis-Doyle E, Doyle P. The icf as a framework for interdisciplinary doctoral education in rehabilitation: implications for speech-language pathology. *International Journal of Speech-Language Pathology.* 2008;10(1-2):83-91.
- Soberg H, Finset A, Roise O, Bautz-Holter E. Identification and comparison of rehabilitation goals after multiple injuries: An icf analysis of the patients', physiotherapists' and other allied professionals' reported goals. *J Rehabil Med.* 2008;40(5):340-346.
- Soberg H, Sandvik L, Ostensjo S. Reliability and applicability of the icf in coding problems, resources and goals of persons with multiple injuries. *Disabil Rehabil.* 2008;30(2):98-106.
- Stamm T, Cieza A, Coenen M, Machold K, Nell V, Smolen J, Stucki G. Validating the international classification of functioning, disability and health comprehensive core set for rheumatoid arthritis from the patient perspective: A qualitative study. *Arthritis Rheum.* 2005;53(3):431-439.
- Stamm T, Cieza A, Machold K, Smolen J, Stucki G. Content comparison of occupation-based instruments in adult rheumatology and musculoskeletal rehabilitation based on the international classification of functioning, disability and health. *Arthritis Rheum.* 2004;51(6):917-924.
- Stamm T, Cieza A, Machold K, Smolen J, Stucki G. Exploration of the link between conceptual occupational therapy models and the international classification of functioning, disability and health. *Australian Occupational Therapy Journal.* 2006;53(1):9-17.
- Stamm T, Geyh S, Cieza A, Machold K, Kollerits B, Kloppenburg M, Smolen J, Stucki G. Measuring functioning in patients with hand osteoarthritis—content comparison of



questionnaires based on the international classification of functioning, disability and health (icf). *Rheumatology (Oxford)*. 2006;45(12):1534-1541.

Stamm T, Machold K. The international classification of functioning, disability and health in practice in rheumatological care and research. *Curr Opin Rheumatol*. 2007;19(2):184-189.

Starrost K, Geyh S, Trautwein A, Grunow J, Ceballos-Baumann A, Prosiegel M, Stucki G, Cieza A. Interrater reliability of the extended icf core set for stroke applied by physical therapists. *Phys Ther*. 2008;88(7):841-851.

Steiner W, Ryser L, Huber E, Uebelhart D, Aeschlimann A, Stucki G. Use of the icf model as a clinical problem-solving tool in physical therapy and rehabilitation medicine. *Phys Ther*. 2002;82(11):1098-1107.

Stier-Jarmer M, Cieza A, Borchers M, Stucki G; World health organization. How to apply the icf and icf core sets for low back pain. *Clin J Pain*. 2009;25(1):29-38.

Stier-Jarmer M, Grill E, Ewert T, Bartholomeyczik S, Finger M, Mokrusch T, Kostanjsek N, Stucki G. Icf core set for patients with neurological conditions in early post-acute rehabilitation facilities. *Disabil Rehabil*. 2005;27(7-8):389-395.

Stinemann M, Ross R, Maislin G. Functional status measures for integrating medical and social care. *International Journal of Integrated Care*. 2005;5(21).

Stoll T, Brach M, Huber E, Scheuringer M, Schwarzkopf S, Konstanjsek N, Stucki G. Icf core set for patients with musculoskeletal conditions in the acute hospital. *Disabil Rehabil*. 2005;27(7-8):381-387.

Stucki A, Cieza A, Michel F, Stucki G, Bentley A, Culebras A, Tufik S, Kotchabhakdi N, Tachibana N, Ustun B, Partinen M. Developing icf core sets for persons with sleep disorders based on the international classification of functioning, disability and health. *Sleep Med*. 2008;9(2):191-198.

Stucki A, Daansen P, Fuessl M, Cieza A, Huber E, Atkinson R, Kostanjsek N, Stucki G, Ruof J. Icf core sets for obesity. *J Rehabil Med*. 2004;44 Suppl:107-113.

Stucki A, Stoll T, Cieza A, Weigl M, Giardini A, Wever D, Kostanjsek N, Stucki G. Icf core Sets for obstructive pulmonary diseases. *J Rehabil Med*. 2004;44 Suppl:114-20.

Stucki G. International classification of functioning, disability, and health (icf): A promising framework and classification for rehabilitation medicine. *Am J Phys Med Rehabil*. 2005;84(10):733-740.

Stucki G, Boonen A, Tugwell P, Cieza A, Boers M. The world health organisation international classification of functioning, disability and health: A conceptual model and interface for the omeract process. *J Rheumatol*. 2007;34(3):600-606.

Stucki G, Cieza A. The international classification of functioning, disability and health (icf) core sets for rheumatoid arthritis: A way to specify functioning. *Ann Rheum Dis*. 2004;63 Suppl 2:ii40-ii45.

Stucki G, Cieza A, Ewert T, Kostanjsek N, Chatterji s, Ustun T. Application of the international classification of functioning, disability, and health (icf) in clinical practice. *Disability and Rehabilitation*. 2002;24:281-282.

Stucki G, Cieza A, Geyh S, Battistella L, Lloyd J, Symmons D, Kostanjsek N, Schouten J. Icf core sets for rheumatoid arthritis. *J Rehabil Med*. 2004;44 Suppl:87-93.

Stucki G, Ewert T. How to assess the impact of arthritis on the individual patient: the who icf. *Ann Rheum Dis*. 2005;64(5):664-668..

Stucki G, Kostanjsek N, Ustün B, Cieza A. Icf-based classification and measurement of functioning. *Eur J Phys Rehabil Med*. 2008;44(3):315-328.

Stucki G, Melvin J. The international classification of functioning, disability and health: A unifying model for the conceptual description of physical and rehabilitation medicine. *J Rehabil Med*. 2007;39(4):286-292.

Stucki G, Stier-Jarmer M, Grill E, Melvin J. Rationale and principles of early rehabilitation care after an acute injury or illness. *Disability and Rehabilitation*. 2005;27(7/8):353-359.

Stucki G, Ustün T, Melvin J. Applying the icf for the acute hospital and early post-acute rehabilitation facilities. *Disabil Rehabil*. 2005;27(7-8):349-352.

Sundar V, Daumen M, Conley D, Stone J. The use of icf codes for information retrieval in rehabilitation research: An empirical study. *Disabil Rehabil*. 2008;30(12-13):955-962.

## **T**

Teixeira-Salmela L, Neto M, Magalhães L, Lima R, Faria C. Content comparisons of stroke-specific quality of life based upon the international classification of functioning, disability, and health. *Qual Life Res*. 2009;18(6):765-773.

Tempest S, McIntyre A. Using the icf to clarify team roles and demonstrate clinical reasoning in stroke rehabilitation. *Disabil Rehabil*. 2006;28(10):663-667.

Threats T. Access for persons with neurogenic communication disorders: influence of personal and environmental factors of the icf. *Aphasology*. 2007;21(1):67-80.

Threats T. The use of icf in intervention for persons with neurogenic communication disorders. *Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders*. 2004;14(1):4-8.

Threats T. Towards an international framework for communication disorders: Use of the icf. *J Commun Disord.* 2006;39(4):251-265.

Threats T. Use of the icf for clinical practice in speech-language pathology. *International Journal of Speech-Language Pathology.* 2008;10(1-2):50-60.

Threats T. Use of the icf in dysphagia management. *Semin Speech Lang.* 2007;28(4):323-333.

Threats T, Worrall L. Classifying communication disability using the icf. *Advances in Speech-Language Pathology.* 2004;6(1):53-62.

Tschiesner U, Chen A, Funk G, Yueh B, Rogers S. Shortfalls in international, multidisciplinary outcome data collection following head and neck cancer: Does the icf core set for hnc provide a common solution? *Oral Oncol.* 2009;45(10):849-855.

Tschiesner U, Cieza A, Rogers SN, Piccirillo J, Funk G, Stucki G, Berghaus Developing core sets for patients with head and neck cancer based on the international classification of functioning, disability and health (icf). *Eur Arch Otorhinolaryngol.* 2007;264(10):1215-1222.

Tschiesner U, Linseisen E, Baumann S, Siedek V, Stelter K, Berghaus A, Cieza Assessment of functioning in patients with head and neck cancer according to the international classification of functioning, disability, and health (icf): A multicenter study. *Laryngoscope.* 2009;119(5):915-923.

Tschiesner U, Linseisen E, Coenen M, Rogers S, Harreus U, Berghaus A, Cieza. Evaluating sequelae after head and neck cancer from the patient perspective with the help of the international classification of functioning, disability and health. *Eur Arch Otorhinolaryngol.* 2009;266(3):425-436.

Tschiesner U, Rogers S, Dietz A, Yueh B, Cieza A. Development of icf core sets for head and neck cancer. *Head Neck.* 2010;Feb:210-220.

Tsutsui H, Koike T, Yamazaki C, Ito A, Kato F, Sato H, Tawada H, Oshida Y. Identification of hemodialysis patients' common problems using the international classification of functioning, disability and health. *Ther Apher Dial.* 2009;13(3):186-192.

## **U**

Uhlig T, Lillemo S, Moe R, Stamm T, Cieza A, Boonen A, Mowinckel P, Kvien T, Stucki G. Reliability of the icf core set for rheumatoid arthritis. *Ann Rheum Dis.* 2007;66(8):1078-1084.

Uhlig T, Moe R, Reinsberg S, Kvien T, Cieza A, Stucki G. Responsiveness of the international classification of functioning, disability and health (icf) core set for rheumatoid arthritis. *Ann Rheum Dis.* 2009;68(6):879-884.

Ustun T, Chatterji M, Kostansjek N, Bickenbach J. Who's icf and functional status information in health records. *Health Care Financing Review.* 2003;24(3):77-88.

## V

Van Achterberg T, Holleman G, Heijnen-Kaales Y, Van der Brug Y, Roodbol G, Stallinga H, Hellema F, Frederiks C. Using a multidisciplinary classification in nursing: the international classification of functioning disability and health. *J Adv Nurs*. 2005;49(4):432-441.

Van Echteld I, Cieza A, Boonen A, Stucki G, Zochling J, Braun J, Van der Heijde D. Identification of the most common problems by patients with ankylosing spondylitis using the international classification of functioning, disability and health. *J Rheumatol*. 2006;33(12):2475-2483.

Van Langeveld S, Post M, Van Asbeck F, Postma K, Ten Dam D, Pons K. Development of a classification of physical, occupational, and sports therapy interventions to document mobility and self-care in spinal cord injury rehabilitation. *J of Neurologic Phys Ther*. 2008 32(1):2-7.

Verhoef J, Toussaint P, Zwetsloot-Schonk J, Breedveld F, Putter H, Vliet Vlieland T. Effectiveness of the introduction of an international classification of functioning, disability and health-based rehabilitation tool in multidisciplinary team care in patients with rheumatoid arthritis. *Arthritis & Rheumatism*. 2007;57(2):240-248.

Vieta E, Cieza A, Stucki G, Chatterji S, Nieto M, Sánchez-Moreno J, Jaeger J, Grunze H, Ayuso-Mateos J. Developing core sets for persons with bipolar disorder based on the international classification of functioning, disability and health. *Bipolar Disord*. 2007;9(1-2):16-24.

## W

Weigl M, Cieza A, Andersen C, Kollerits B, Amann E, Stucki G. Identification of relevant icf categories in patients with chronic health conditions: A delphi exercise. *J Rehabil Med*. 2004;44 Suppl:12-21.

Weigl M, Cieza A, Harder M, Geyh S, Amann E, Kostanjsek N, Stucki G. Linking osteoarthritis-specific health-status measures to the international classification of functioning, disability, and health (icf). *Osteoarthritis Cartilage*. 2003;11(7):519-523.

Weigl M, Cieza A, Kostanjsek N, Kirschneck M, Stucki G. The icf comprehensively covers the spectrum of health problems encountered by health professionals in patients with musculoskeletal conditions. *Rheumatology (Oxford)*. 2006;45(10):1247-1254.

Wildner M, Quittan M, Portenier L, Wilke S, Boldt C, Stucki G, Kostanjsek N, Grill E. Icf core set for patients with cardiopulmonary conditions in early post-acute rehabilitation facilities. *Disabil Rehabil*. 2005;27(7-8):397-404.

Worrall L, Hickson L. The use of the icf in speech-language pathology research: towards a research agenda. *International Journal of Speech-Language Pathology*. 2008;10(1-2):72-77.

Wynia K, Middel B, Van Dijk J, De Ruiter H, Lok W, Ha De Keyser J, Reijneveld S. Broadening the scope on health problems among the chronically neurologically ill with the international classification of functioning (icf). *Disabil Rehabil.* 2006;28(23):1445-1454.

## X

Xie F, Lo N, Lee H, Cieza A, Li S. Validation of the comprehensive icf core set for osteoarthritis (oa) in patients with knee oa: A singaporean perspective. *J Rheumatol.* 2007;34(11):2301-2307.

Xie F, Lo N, Lee H, Cieza A, Li S. Validation of the international classification of functioning, disability, and health (icf) brief core set for osteoarthritis. *Scand J Rheumatol.* 2008;37(6):450-461.

Xie F, Thumboo J, Fong K, Lo N, Yeo S, Yang K, Li S. Are they relevant? A critical evaluation of the international classification of functioning, disability, and health core sets for osteoarthritis from the perspective of patients with knee osteoarthritis in singapore. *Ann Rheum Dis.* 2006;65(8):1067-1073.

## Y

Yaruss J. Application of the icf in fluency disorders. *Semin Speech Lang.* 2007;28(4):312-322.

## Z

Zochling J, Grill E, Alten R, Ernst J, Stucki G, Braun J. Identification of relevant functional issues for the care of patients with acute arthritis by health professionals, using the icf framework and a multi-disciplinary focus group approach. *Clin Exp Rheumatol.* 2007;25(3):354-360.

Zochling J, Grill E, Scheuringer M, Liman W, Stucki G, Braun J. Identification of health problems in patients with acute inflammatory arthritis, using the international classification of functioning, disability and health (icf). *Clin Exp Rheumatol.* 2006;24(3):239-246.