

**TABLE 7A.—MEDICARE PROSPECTIVE PAYMENT SYSTEM SELECTED  
PERCENTILE LENGTHS OF STAY; FY 2011 MedPAR UPDATE –  
DECEMBER 2011 GROUPER V29.0 MS-DRGs**

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
1	1,320	37.8614	12	18	30	46	68
2	339	19.7168	8	10	15	23	33
3	18,641	34.2465	14	20	28	41	59
4	19,679	25.3900	10	15	21	30	43
5	920	21.4043	7	9	14	26	44
6	321	8.8380	5	6	8	10	13
7	526	18.2985	8	10	14	20	32
8	406	11.1823	6	7	9	12	19
10	83	8.3373	5	6	8	9	11
11	1,587	14.8374	6	8	12	18	28
12	1,796	9.9972	4	6	8	12	17
13	831	6.4994	3	4	6	8	11
14	512	25.5430	6	16	23	30	45
16	1,329	19.9044	13	15	18	22	28
17	295	14.1525	2	12	16	18	21
20	1,212	17.5223	6	11	16	23	29
21	419	13.5895	6	9	13	17	22
22	113	7.9469	2	4	8	11	13
23	4,613	11.1385	2	5	9	15	22
24	1,815	6.5207	1	2	5	9	14
25	13,542	10.5245	3	5	8	13	20
26	9,668	6.7936	2	3	6	9	13
27	10,703	3.6337	1	2	3	5	7
28	1,901	12.8322	4	6	10	16	24
29	3,608	6.4146	1	3	5	8	13
30	3,261	3.2162	1	1	3	4	6
31	1,278	11.9687	3	5	9	16	24
32	2,291	5.3252	1	2	4	7	12
33	2,800	2.5957	1	1	2	3	5
34	848	6.9741	1	2	5	9	15
35	2,438	3.1936	1	1	2	4	8
36	5,410	1.5312	1	1	1	1	3
37	4,657	8.3352	1	3	6	11	17
38	12,252	3.4680	1	1	2	5	8
39	36,294	1.6286	1	1	1	2	3
40	4,549	11.6991	3	6	9	15	23
41	6,524	6.3769	2	3	5	8	12
42	2,855	3.4494	1	1	3	5	7
52	1,169	5.7468	1	3	4	7	11

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
53	456	3.5548	1	2	3	5	6
54	9,095	5.7018	2	3	4	7	11
55	9,654	4.2757	1	2	3	5	8
56	9,387	7.0857	2	3	5	9	14
57	36,616	4.7391	1	2	4	6	8
58	913	6.9551	2	3	5	8	13
59	3,206	4.7383	2	3	4	6	8
60	3,349	3.6127	1	2	3	5	6
61	3,138	7.8467	2	4	6	10	15
62	4,937	5.2184	2	3	4	7	9
63	1,420	3.7169	2	2	3	5	6
64	65,373	6.6461	1	3	5	8	13
65	106,367	4.4566	2	3	4	6	8
66	59,849	3.0636	1	2	3	4	5
67	1,147	5.4028	2	3	4	7	10
68	7,938	3.1885	1	2	3	4	6
69	84,425	2.6646	1	1	2	3	5
70	12,625	6.8264	2	3	5	8	13
71	15,082	4.6719	2	2	4	6	8
72	5,650	3.0191	1	2	2	4	6
73	8,802	5.4226	2	2	4	7	11
74	28,557	3.9226	1	2	3	5	7
75	1,407	7.0483	2	4	6	9	13
76	632	3.8797	1	2	3	5	7
77	1,656	5.9921	2	3	5	7	11
78	2,434	4.0156	1	2	3	5	7
79	822	2.8832	1	1	2	4	5
80	1,683	5.2472	1	2	4	6	10
81	5,661	3.3536	1	2	3	4	6
82	2,728	5.6202	1	1	3	7	13
83	2,595	4.4613	1	2	4	6	8
84	2,458	2.7474	1	1	2	4	5
85	8,677	6.8609	2	3	5	9	14
86	15,238	4.3056	1	2	3	5	8
87	13,354	2.7105	1	1	2	3	5
88	848	5.2394	2	3	4	7	10
89	2,838	3.4133	1	2	3	4	6
90	1,977	2.1856	1	1	2	3	4
91	9,752	6.0357	1	3	4	7	12
92	18,744	3.9689	1	2	3	5	7
93	11,430	2.7587	1	1	2	3	5
94	1,313	11.5103	3	6	10	15	21
95	1,190	7.8681	3	5	7	10	14

MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
96	512	5.4902	1	3	5	7	9
97	1,257	11.4956	4	6	9	14	22
98	1,053	7.5859	3	4	6	9	14
99	494	4.9777	2	3	4	7	9
100	20,753	5.7990	2	3	4	7	11
101	52,867	3.2853	1	2	3	4	6
102	1,366	4.0703	1	2	3	5	8
103	12,563	2.8846	1	1	2	4	5
113	601	5.6090	1	2	4	7	10
114	373	2.8954	1	1	2	4	5
115	746	4.5054	1	2	4	5	7
116	403	4.9429	1	1	3	5	7
117	357	2.3725	1	1	1	2	3
121	708	4.8672	2	3	4	6	8
122	437	3.8627	2	2	3	5	6
123	2,870	2.6864	1	1	2	3	5
124	862	4.9095	1	2	3	6	10
125	4,080	3.1946	1	2	3	4	6
129	1,433	5.3719	1	2	4	6	10
130	986	2.9128	1	1	2	4	6
131	1,116	6.0403	1	2	4	7	12
132	660	2.6909	1	1	2	3	5
133	2,219	5.4403	1	2	4	7	12
134	2,010	2.2174	1	1	2	3	4
135	368	5.8940	1	2	4	8	12
136	264	2.3371	1	1	1	3	5
137	855	5.0760	1	2	4	6	9
138	700	2.3271	1	1	2	3	5
139	995	1.7698	1	1	1	2	3
146	699	9.0072	2	4	7	11	17
147	1,220	5.3738	1	2	4	7	11
148	473	3.1924	1	1	2	4	6
149	29,812	2.5203	1	1	2	3	5
150	1,292	5.2175	1	2	4	7	10
151	5,612	2.7915	1	1	2	4	5
152	2,896	4.3653	1	2	3	5	8
153	14,184	3.0671	1	2	3	4	5
154	2,521	5.7073	2	3	5	7	11
155	5,809	4.0510	1	2	3	5	7
156	3,016	2.8034	1	1	2	3	5
157	1,375	6.5549	1	3	5	8	13
158	3,669	4.0886	1	2	3	5	8
159	1,385	2.6166	1	1	2	3	5

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
163	12,369	13.6584	5	8	12	17	24
164	17,060	6.9849	3	4	6	9	13
165	10,024	4.1433	1	2	4	5	7
166	20,175	11.4558	4	6	9	14	21
167	15,536	6.8216	2	4	6	9	13
168	3,580	4.0961	1	2	3	5	8
175	16,052	6.5820	3	4	6	8	11
176	38,032	4.5981	2	3	4	6	8
177	69,418	8.1833	3	4	7	10	15
178	59,834	6.3847	2	4	5	8	11
179	14,158	4.6356	2	3	4	6	8
180	19,690	7.2907	2	4	6	9	14
181	20,906	5.1601	1	2	4	7	10
182	2,198	3.4486	1	2	3	4	7
183	2,865	6.1997	2	3	5	8	11
184	5,516	4.1846	1	3	4	5	7
185	2,076	2.9147	1	2	3	4	5
186	10,033	6.4177	2	3	5	8	12
187	9,507	4.7284	1	2	4	6	9
188	2,645	3.3127	1	2	3	4	6
189	95,689	5.2093	2	3	4	7	10
190	146,816	5.2701	2	3	4	7	9
191	145,837	4.3625	2	2	4	5	8
192	113,672	3.4329	1	2	3	4	6
193	126,245	6.2838	2	3	5	8	11
194	190,951	4.7323	2	3	4	6	8
195	80,008	3.5279	1	2	3	4	6
196	6,944	6.9166	2	4	6	9	13
197	5,738	4.8548	2	3	4	6	9
198	2,503	3.5689	1	2	3	4	6
199	3,850	7.8081	2	4	6	10	15
200	8,390	4.4603	1	2	4	6	8
201	2,847	3.3231	1	2	3	4	6
202	39,053	4.0070	1	2	3	5	7
203	25,344	3.0365	1	2	3	4	5
204	20,395	2.6719	1	1	2	3	5
205	7,472	5.3717	1	2	4	7	10
206	18,190	3.1938	1	2	3	4	6
207	32,114	14.5713	6	9	13	18	24
208	70,042	6.9831	1	3	6	9	14
215	170	14.6294	1	3	11	19	30
216	9,757	16.4240	7	10	14	20	28
217	5,741	10.1993	5	7	9	13	17

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
218	1,021	7.4613	4	5	7	9	12
219	15,460	12.5223	5	7	10	15	23
220	18,581	7.5286	4	5	7	9	12
221	4,692	5.5746	3	4	5	7	8
222	1,812	11.9592	4	7	10	15	22
223	2,478	5.9516	1	3	5	8	11
224	2,454	10.0293	4	5	8	13	19
225	3,337	5.0285	2	3	4	7	9
226	5,417	8.7340	1	4	7	11	17
227	20,963	3.1568	1	1	2	4	7
228	1,700	13.3694	5	7	11	17	24
229	2,173	7.9443	4	5	7	10	13
230	602	5.5631	2	4	5	7	9
231	1,161	12.0879	6	7	11	15	20
232	1,005	9.1373	5	6	9	11	14
233	13,271	13.3863	7	9	12	16	22
234	21,166	8.7126	5	6	8	10	13
235	8,387	10.6625	5	6	9	13	18
236	20,880	6.4854	4	5	6	7	10
237	19,198	10.0747	2	4	8	13	20
238	36,238	3.9293	1	1	3	5	8
239	9,787	14.0062	5	7	11	17	26
240	9,270	9.1091	3	5	7	11	16
241	1,407	5.6468	2	3	5	7	10
242	17,408	7.8506	2	4	6	10	15
243	33,716	4.7158	1	2	4	6	9
244	32,274	2.8432	1	1	2	4	5
245	2,751	4.3813	1	1	3	5	9
246	29,252	5.2204	1	2	4	7	11
247	108,638	2.4137	1	1	2	3	4
248	13,632	6.3604	2	3	5	8	13
249	35,021	2.8821	1	1	2	4	5
250	8,424	7.0989	2	3	6	9	14
251	31,378	2.9430	1	1	2	4	6
252	37,269	7.7439	1	3	6	10	16
253	39,809	5.9083	1	3	5	8	12
254	31,005	2.7006	1	1	2	3	6
255	2,343	8.7960	3	4	7	11	17
256	3,001	6.7341	2	4	6	9	12
257	368	4.0734	1	2	3	5	8
258	670	6.4015	2	3	5	8	12
259	3,320	3.3151	1	1	3	4	6
260	1,877	10.5077	3	4	8	13	21

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
261	3,408	4.4287	1	2	4	6	9
262	1,936	2.7087	1	1	2	4	5
263	390	5.8487	1	2	4	7	13
264	19,826	8.2684	2	3	6	10	17
265	1,238	3.7528	1	1	2	5	8
280	66,987	6.2988	2	3	5	8	12
281	46,198	4.0160	1	2	3	5	7
282	29,588	2.5836	1	1	2	3	5
283	11,536	5.1230	1	1	3	7	12
284	2,753	2.6157	1	1	1	3	6
285	1,060	1.7453	1	1	1	2	3
286	25,776	6.6101	2	3	5	8	13
287	113,619	3.1091	1	1	2	4	6
288	2,147	9.8370	3	5	8	12	18
289	1,041	7.2988	3	4	6	9	13
290	171	5.0760	2	3	4	6	8
291	181,389	6.0513	2	3	5	8	11
292	215,022	4.6124	2	3	4	6	8
293	89,782	3.1684	1	2	3	4	5
294	1,016	5.0295	2	3	4	6	9
295	423	3.9811	2	2	4	5	7
296	2,176	2.7514	1	1	1	3	6
297	640	1.5422	1	1	1	1	3
298	393	1.1985	1	1	1	1	1
299	20,212	5.8430	2	3	5	7	10
300	44,400	4.6067	1	2	4	6	8
301	25,330	3.3440	1	2	3	4	6
302	5,847	3.9345	1	2	3	5	8
303	37,123	2.3351	1	1	2	3	4
304	2,898	4.4241	1	2	3	5	8
305	32,443	2.6260	1	1	2	3	5
306	3,079	5.1997	1	2	4	7	10
307	5,258	3.2632	1	2	3	4	6
308	64,379	5.0524	2	3	4	6	9
309	102,887	3.4815	1	2	3	4	6
310	113,468	2.3419	1	1	2	3	4
311	11,292	2.1555	1	1	2	3	4
312	144,991	2.9013	1	1	2	4	5
313	130,639	2.0576	1	1	2	2	4
314	54,020	6.7019	2	3	5	9	13
315	25,594	3.9586	1	2	3	5	7
316	8,354	2.4928	1	1	2	3	5
326	10,621	15.3379	5	8	12	19	29

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
327	9,762	8.1919	2	4	7	11	15
328	9,527	3.3608	1	1	2	4	7
329	42,112	14.8702	6	8	12	19	27
330	54,198	8.6394	4	5	7	11	15
331	23,082	5.0293	3	3	5	6	8
332	1,448	13.3377	5	7	12	17	24
333	4,550	7.8218	4	5	7	9	13
334	2,875	4.5690	2	3	4	6	7
335	6,923	13.4153	5	8	12	17	23
336	12,158	8.4361	3	5	7	11	15
337	7,302	5.0086	1	3	4	7	9
338	1,222	10.0188	4	6	9	12	18
339	3,012	6.3878	3	4	6	8	11
340	2,926	3.6254	1	2	3	5	6
341	834	6.6775	2	3	5	8	13
342	2,654	3.7072	1	2	3	5	7
343	5,832	1.9084	1	1	2	2	3
344	882	11.5578	4	6	9	14	22
345	3,109	6.5770	3	4	6	8	11
346	2,543	4.3547	2	3	4	5	7
347	1,602	8.6086	2	4	7	11	17
348	4,160	5.3178	2	3	4	7	10
349	3,426	2.8100	1	1	2	4	5
350	1,636	7.8056	2	4	6	10	15
351	4,155	4.3675	1	2	4	6	8
352	5,298	2.3786	1	1	2	3	5
353	3,349	8.2550	2	4	7	10	16
354	9,350	4.9214	2	3	4	6	9
355	11,012	2.8531	1	1	2	4	5
356	7,508	11.9647	3	6	9	15	23
357	7,220	7.0932	2	4	6	9	13
358	1,799	3.9839	1	2	3	5	8
368	3,275	6.5557	2	3	5	8	12
369	5,266	4.2465	2	2	4	5	8
370	1,498	2.9533	1	2	3	4	5
371	22,839	8.4024	3	4	7	10	16
372	34,940	5.9472	2	3	5	7	11
373	10,965	4.2896	2	3	4	5	7
374	7,967	8.4997	2	4	7	10	16
375	15,878	5.5297	2	3	4	7	10
376	2,145	3.4946	1	2	3	4	6
377	52,393	6.2754	2	3	5	8	12
378	136,241	3.9979	2	2	3	5	7

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
379	40,208	2.8629	1	2	2	4	5
380	2,999	7.1647	2	4	6	9	14
381	5,549	4.5455	2	2	4	6	8
382	2,272	3.3820	1	2	3	4	6
383	1,121	5.5665	2	3	4	7	11
384	6,862	3.4768	1	2	3	4	6
385	2,010	8.2532	2	4	6	10	16
386	8,584	5.0553	2	3	4	6	9
387	4,152	3.8054	1	2	3	5	7
388	18,214	7.1478	2	3	6	9	14
389	51,733	4.5791	2	2	4	6	8
390	38,006	3.2667	1	2	3	4	6
391	48,030	5.1255	1	2	4	6	10
392	238,010	3.4230	1	2	3	4	6
393	21,921	6.6359	2	3	5	8	13
394	45,972	4.4177	1	2	4	6	8
395	18,419	2.9777	1	2	2	4	5
405	4,085	15.0918	4	7	12	19	29
406	4,792	7.8420	2	4	7	10	14
407	1,860	5.0710	1	3	5	7	8
408	1,192	12.6837	4	7	10	16	23
409	1,076	8.2249	3	5	7	10	15
410	403	5.7022	2	3	5	7	9
411	489	11.6053	5	7	10	14	20
412	602	8.3140	4	5	7	10	13
413	338	5.3314	2	3	5	7	9
414	3,969	10.8924	4	6	9	13	19
415	4,662	6.9307	3	4	6	9	12
416	3,160	4.3902	2	3	4	5	7
417	17,066	7.7271	3	4	6	9	14
418	25,617	5.1091	2	3	4	7	9
419	24,049	3.0392	1	2	3	4	6
420	516	11.8973	3	5	9	16	24
421	763	6.2346	1	3	5	8	13
422	183	4.0601	1	2	4	6	7
423	1,418	13.5423	4	6	10	17	26
424	652	8.2623	2	4	7	10	16
425	87	4.8621	1	2	4	6	8
432	10,955	6.3096	2	3	5	8	12
433	7,030	4.2464	1	2	3	5	8
434	313	3.2173	1	2	3	4	6
435	11,634	7.0670	2	3	6	9	14
436	11,339	5.1819	1	2	4	7	10



<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
437	1,735	3.6248	1	2	3	5	7
438	14,777	7.2379	2	3	5	9	14
439	26,927	4.6199	2	2	4	6	8
440	19,157	3.3327	1	2	3	4	6
441	16,902	6.9545	2	3	5	9	14
442	18,500	4.4184	1	2	4	5	8
443	4,332	3.1720	1	2	3	4	6
444	11,886	6.2240	2	3	5	8	12
445	18,044	4.3192	1	2	4	5	8
446	10,498	2.9750	1	2	2	4	5
453	1,315	12.4973	4	7	10	16	24
454	3,482	6.2277	3	4	5	8	11
455	3,073	3.6043	1	2	3	4	6
456	1,184	12.9552	5	7	10	16	24
457	3,467	6.4327	3	4	5	8	11
458	1,621	3.6872	2	2	3	4	6
459	4,106	9.1003	3	5	7	11	17
460	64,795	3.6448	1	2	3	4	6
461	517	7.9362	3	4	6	9	14
462	9,836	3.8080	3	3	3	4	5
463	4,472	14.7234	4	7	10	17	29
464	7,847	8.0905	3	4	6	10	15
465	2,208	4.9076	2	3	4	6	9
466	3,845	8.6577	3	5	7	10	16
467	21,722	4.5779	3	3	4	5	8
468	15,855	3.3123	2	3	3	4	5
469	26,951	7.5992	3	4	6	9	13
470	404,898	3.4696	2	3	3	4	5
471	3,013	8.9774	2	4	7	12	18
472	9,619	3.6331	1	1	2	5	8
473	26,687	1.7795	1	1	1	2	3
474	2,920	11.5647	3	6	9	14	21
475	3,657	7.3839	2	4	6	9	14
476	1,124	4.0009	1	2	3	5	8
477	2,573	11.0303	4	6	9	14	20
478	7,132	6.8155	2	4	6	9	12
479	3,470	4.1620	1	2	3	6	8
480	24,872	8.4594	4	5	7	10	15
481	77,945	5.3158	3	4	5	6	8
482	27,812	4.2826	3	3	4	5	6
483	12,283	3.4790	1	2	3	4	6
484	20,763	2.0862	1	1	2	3	3
485	1,086	10.3831	4	6	9	13	18

MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
486	2,436	6.8025	3	4	6	8	11
487	1,000	4.8810	2	3	4	6	8
488	3,423	4.2886	2	3	3	5	8
489	4,323	2.7192	1	2	3	3	4
490	18,689	4.4586	1	2	3	6	9
491	36,752	2.0760	1	1	2	3	4
492	5,549	8.2694	3	4	7	10	15
493	20,434	4.8031	2	3	4	6	8
494	22,815	3.0472	1	2	3	4	5
495	1,644	9.8169	3	5	8	12	18
496	4,900	5.1696	1	3	4	7	10
497	4,297	2.5332	1	1	2	3	5
498	1,442	7.1942	2	3	6	9	14
499	769	2.6489	1	1	2	3	5
500	1,948	10.1427	3	5	8	13	19
501	4,878	5.6527	2	3	5	7	10
502	4,719	2.9004	1	1	2	3	5
503	923	8.6360	3	4	7	10	16
504	2,877	5.8728	2	3	5	7	11
505	2,103	3.1897	1	2	3	4	6
506	632	4.0364	1	1	3	5	8
507	611	5.6023	1	2	4	7	10
508	660	2.1909	1	1	2	3	4
509	240	3.7917	1	1	3	5	8
510	1,105	6.2869	2	3	5	8	12
511	4,079	3.7772	1	2	3	5	7
512	6,270	2.2308	1	1	2	3	4
513	1,307	4.7498	1	2	4	6	9
514	857	2.6184	1	1	2	3	5
515	3,641	9.7067	3	5	8	12	18
516	9,645	5.6653	2	3	5	7	10
517	7,519	3.4592	1	2	3	5	7
533	814	6.0946	1	3	5	8	12
534	3,048	3.6535	1	2	3	4	6
535	7,391	5.3700	2	3	4	7	10
536	30,465	3.5475	1	3	3	4	6
537	825	3.9842	2	3	3	5	7
538	525	2.8476	1	2	3	4	5
539	2,834	8.6711	3	4	7	10	15
540	3,711	6.0709	2	3	5	7	10
541	939	4.8317	1	3	4	6	8
542	5,053	8.2947	3	4	6	10	16
543	14,095	5.3786	2	3	4	7	10

MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
544	4,864	3.8610	1	3	3	5	7
545	3,663	8.6462	2	3	6	11	17
546	5,640	5.1695	2	3	4	6	9
547	2,839	3.4959	1	2	3	4	6
548	568	7.6021	2	4	6	9	14
549	1,134	5.5432	2	3	5	7	9
550	473	3.8203	1	2	3	5	7
551	11,592	6.4233	2	3	5	8	12
552	66,340	3.8666	1	2	3	5	7
553	2,402	5.5891	2	3	4	7	10
554	16,572	3.5465	1	2	3	4	6
555	2,991	5.0906	1	2	4	6	10
556	16,718	3.1886	1	2	3	4	6
557	4,337	6.5578	2	3	5	8	12
558	16,278	4.0941	2	3	3	5	7
559	1,993	6.9885	2	3	5	9	14
560	5,051	4.4286	1	2	4	6	8
561	4,325	2.4516	1	1	2	3	5
562	5,948	5.6617	2	3	4	7	10
563	28,164	3.4958	1	2	3	4	6
564	1,874	6.1558	2	3	5	8	12
565	3,956	4.5061	1	2	4	6	8
566	1,403	3.2174	1	2	3	4	6
570	4,436	9.7200	3	5	7	11	17
571	5,026	6.6673	3	4	6	8	12
572	2,222	4.6454	2	3	4	6	8
573	2,445	12.9252	3	5	8	15	27
574	1,134	9.4480	3	5	7	12	18
575	544	5.3658	1	3	4	7	10
576	397	12.4710	2	5	8	17	27
577	1,743	5.7556	1	2	4	7	13
578	1,866	3.1886	1	1	2	4	6
579	5,768	9.5527	3	5	7	12	18
580	9,753	5.1196	1	2	4	7	10
581	8,821	2.5296	1	1	2	3	5
582	3,746	2.6981	1	1	2	3	5
583	5,609	1.7197	1	1	1	2	3
584	778	5.3188	1	2	4	7	11
585	1,235	2.2211	1	1	2	3	4
592	6,195	6.8944	2	3	5	8	12
593	6,437	5.2689	2	3	4	6	9
594	896	3.9297	1	2	3	5	7
595	1,082	7.7089	2	4	6	9	15

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
596	4,583	4.5204	1	2	4	6	8
597	607	7.2438	2	3	6	10	14
598	1,431	5.4892	1	2	4	7	10
599	144	3.1806	1	1	2	4	5
600	1,092	5.0998	2	3	4	6	9
601	788	3.5609	1	2	3	4	6
602	25,599	6.4925	2	3	5	8	12
603	137,604	4.3372	2	3	4	5	7
604	2,677	5.2705	1	2	4	7	10
605	17,714	3.2043	1	2	3	4	6
606	1,628	5.9558	1	2	4	7	11
607	6,705	3.5760	1	2	3	4	7
614	1,545	5.7890	2	3	4	7	11
615	1,222	2.7119	1	2	2	3	5
616	1,634	14.0361	5	8	11	17	25
617	7,817	7.4622	3	4	6	9	13
618	121	5.0826	1	3	4	6	8
619	776	7.0490	2	3	4	8	15
620	3,035	3.0517	1	2	2	4	5
621	9,928	1.8670	1	1	2	2	3
622	1,037	12.6770	4	6	10	16	24
623	2,573	7.2705	3	4	6	9	13
624	200	4.3450	2	3	4	5	7
625	1,140	6.8211	1	2	4	8	15
626	2,675	2.9533	1	1	2	3	7
627	9,515	1.3931	1	1	1	1	2
628	3,726	10.0870	2	4	7	13	20
629	5,115	7.4420	3	4	6	9	13
630	370	4.1811	1	2	3	6	8
637	20,748	5.6680	2	3	4	7	11
638	52,453	3.8319	1	2	3	5	7
639	20,948	2.6509	1	1	2	3	5
640	60,417	4.7175	1	2	3	6	9
641	149,332	3.4017	1	2	3	4	6
642	1,464	4.6373	1	2	3	6	9
643	6,653	7.1213	2	4	6	9	13
644	12,829	4.9223	2	3	4	6	9
645	5,968	3.3996	1	2	3	4	6
652	9,412	7.0285	4	4	6	8	12
653	1,635	16.0606	6	8	13	20	29
654	3,518	9.0145	4	6	8	11	15
655	1,266	5.5569	2	4	6	7	9
656	3,248	9.5083	3	5	7	12	18

MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
657	8,129	5.4218	2	3	5	7	9
658	6,398	3.2348	1	2	3	4	5
659	3,966	10.8449	3	5	8	14	21
660	8,157	5.7524	2	3	4	7	11
661	3,778	2.8317	1	1	2	4	5
662	817	10.2240	3	5	8	13	20
663	1,653	5.2154	1	2	4	7	11
664	2,100	1.9962	1	1	1	2	4
665	571	11.9422	4	6	10	15	22
666	1,831	6.2004	1	2	5	9	13
667	1,741	2.5773	1	1	2	3	5
668	3,378	8.8020	2	4	7	11	17
669	14,763	4.2466	1	2	3	5	9
670	6,650	2.4200	1	1	2	3	5
671	713	5.1879	1	2	4	7	10
672	553	2.2893	1	1	2	3	4
673	10,813	9.7320	1	3	7	12	20
674	7,583	6.9913	1	3	6	9	14
675	1,878	2.4766	1	1	1	3	5
682	101,002	6.4708	2	3	5	8	12
683	147,923	4.6551	2	3	4	6	8
684	27,797	3.1428	1	2	3	4	5
685	2,657	3.4558	1	1	2	4	7
686	1,223	7.1406	2	3	6	9	14
687	2,893	4.7041	1	2	4	6	9
688	498	2.8775	1	1	2	4	6
689	69,990	5.5035	2	3	4	7	10
690	200,062	3.8871	1	2	3	5	7
691	934	3.9979	1	2	3	5	8
692	298	2.0872	1	1	2	3	4
693	2,165	5.2462	1	2	4	7	10
694	16,740	2.4348	1	1	2	3	5
695	1,303	5.5119	2	3	4	7	10
696	10,300	3.1135	1	2	3	4	6
697	520	3.1962	1	1	3	4	6
698	27,807	6.6188	2	3	5	8	12
699	30,414	4.5135	1	2	4	6	8
700	6,932	3.2866	1	2	3	4	6
707	4,918	4.0661	1	2	3	5	8
708	16,471	1.9397	1	1	1	2	3
709	717	6.3975	1	2	4	7	14
710	1,072	1.8228	1	1	1	2	3
711	666	7.8123	2	3	6	10	15

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
712	338	3.1154	1	1	2	3	6
713	7,527	4.3716	1	2	3	6	9
714	14,589	1.8360	1	1	2	2	3
715	466	6.5322	1	2	5	9	13
716	408	1.4853	1	1	1	2	2
717	783	6.1750	2	3	5	7	12
718	377	2.9867	1	1	2	4	6
722	519	7.1830	2	3	6	9	14
723	1,493	5.0764	2	3	4	6	9
724	185	2.6270	1	1	2	3	5
725	617	5.8639	2	3	5	7	11
726	3,792	3.3605	1	2	3	4	6
727	1,470	6.3027	2	3	5	8	12
728	5,853	3.9303	1	2	3	5	7
729	760	4.3697	1	2	4	5	8
730	256	2.5391	1	1	2	3	4
734	1,443	7.1074	2	3	5	9	15
735	1,076	2.2667	1	1	2	3	4
736	797	13.0050	5	7	11	16	23
737	2,837	6.3757	3	4	5	8	11
738	639	3.3584	1	2	3	4	5
739	817	9.2007	3	4	7	11	19
740	4,015	4.1631	1	2	3	5	8
741	4,442	2.1544	1	1	2	3	4
742	9,097	3.8717	1	2	3	4	7
743	22,218	1.9297	1	1	2	2	3
744	1,503	5.9175	1	2	4	7	11
745	890	2.1775	1	1	2	3	4
746	2,192	4.3723	1	2	3	5	9
747	5,008	1.7390	1	1	1	2	3
748	12,178	1.6723	1	1	1	2	3
749	948	8.5179	2	3	6	11	17
750	295	3.0339	1	1	2	4	6
754	1,173	8.1142	2	3	6	10	16
755	3,102	4.9839	1	2	4	6	10
756	321	2.6947	1	1	2	3	4
757	1,494	7.8293	3	4	6	9	15
758	2,216	5.4039	2	3	4	7	10
759	940	3.7202	1	2	3	5	7
760	2,121	3.6106	1	2	3	5	7
761	913	2.2169	1	1	2	3	4
765	3,370	4.7392	2	3	3	4	7
766	2,591	3.0957	2	2	3	3	4

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
767	204	3.1863	2	2	2	3	4
768	7	4.0000	0	2	4	4	5
769	108	5.0463	1	2	3	6	11
770	156	2.0192	1	1	1	2	3
774	1,762	3.2928	2	2	2	3	5
775	5,775	2.3503	1	2	2	3	3
776	615	3.2244	1	2	2	4	6
777	166	2.2651	1	1	2	3	4
778	434	3.1728	1	1	2	3	7
779	101	1.9307	1	1	1	2	3
780	38	1.2105	1	1	1	1	2
781	3,212	3.7400	1	1	2	4	7
782	182	2.5330	1	1	1	3	4
790	2	98.0000	0	0	142	142	142
794	1	6.0000	0	0	0	0	0
799	466	12.7296	4	6	10	16	24
800	546	6.9725	2	4	5	8	14
801	348	3.8362	1	2	3	5	6
802	850	11.6482	3	5	8	14	22
803	1,059	5.7413	1	3	5	7	11
804	618	2.9806	1	1	2	4	6
808	9,761	7.7910	2	4	6	9	15
809	16,097	4.7491	2	2	4	6	9
810	2,957	3.3673	1	2	3	4	6
811	30,119	5.0035	1	2	4	6	10
812	90,524	3.3852	1	2	3	4	6
813	9,642	5.0029	1	2	4	6	10
814	1,418	6.5719	2	3	5	8	14
815	3,235	4.4482	1	2	4	6	8
816	1,141	3.0850	1	2	3	4	5
820	1,175	16.7617	5	8	13	21	33
821	1,760	6.8835	2	3	5	9	14
822	1,335	2.8367	1	1	2	4	5
823	1,718	14.8399	5	8	12	19	29
824	2,597	8.0709	2	4	7	10	16
825	1,059	3.7809	1	1	3	5	8
826	564	13.8652	4	7	11	18	26
827	1,321	6.7971	2	3	6	8	13
828	794	3.4370	1	2	3	5	6
829	1,253	9.7007	2	3	7	12	21
830	354	3.3079	1	1	2	4	7
834	3,579	16.0503	2	5	10	25	36
835	2,781	8.2344	1	3	5	9	21

MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
836	979	3.9959	1	1	3	5	8
837	1,403	22.4661	5	8	22	30	41
838	1,368	10.2712	4	4	6	12	26
839	1,292	5.5642	3	4	5	6	7
840	7,401	10.5125	3	5	8	14	21
841	9,241	6.3736	2	3	5	8	12
842	2,963	3.9754	1	2	3	5	8
843	1,506	7.8865	2	4	6	10	15
844	2,758	5.5747	2	3	4	7	11
845	568	3.7835	1	2	3	5	7
846	2,488	8.2227	2	3	5	10	18
847	18,012	3.4931	1	2	3	4	6
848	935	2.9765	1	1	3	4	5
849	749	6.1268	2	3	5	6	13
853	43,254	14.5368	5	8	12	18	27
854	9,015	8.8348	3	5	8	11	15
855	320	5.1094	1	2	3	6	10
856	5,842	13.8524	4	7	10	17	27
857	8,904	7.3830	2	4	6	9	13
858	1,978	4.7235	2	3	4	6	8
862	9,651	7.5656	2	4	6	9	14
863	19,148	4.6604	2	3	4	6	8
864	18,152	3.6727	1	2	3	4	7
865	2,164	6.2075	2	3	4	7	13
866	6,990	3.4233	1	2	3	4	6
867	4,993	9.3803	3	4	7	12	18
868	2,478	4.8733	2	3	4	6	9
869	688	3.4390	1	2	3	4	6
870	27,885	14.7854	6	9	13	18	25
871	306,047	6.9138	2	3	6	9	13
872	110,911	5.0422	2	3	4	6	9
876	632	12.3718	2	4	8	15	23
880	7,022	2.9631	1	1	2	4	6
881	5,100	4.3165	1	2	3	5	8
882	1,720	4.2291	1	2	3	5	8
883	905	8.1635	1	2	5	8	16
884	18,197	5.3703	2	3	4	6	9
885	90,122	7.3889	2	3	6	8	13
886	555	5.6595	1	2	4	6	11
887	429	4.6900	1	2	3	5	10
894	4,449	2.9827	1	1	2	3	4
895	5,743	11.6888	4	4	5	7	8
896	6,995	6.7099	2	3	5	8	13



<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
897	35,222	3.9825	1	2	3	5	6
901	705	14.9163	3	6	10	18	33
902	1,542	6.9066	2	3	5	8	14
903	662	4.0816	1	2	3	5	8
904	1,994	10.0466	2	4	7	13	21
905	813	4.5892	1	2	4	6	9
906	680	3.6603	1	1	2	4	7
907	8,254	10.8696	3	5	8	14	21
908	9,146	5.9917	2	3	5	7	11
909	4,437	3.3489	1	2	3	4	6
913	929	5.1593	1	2	4	6	10
914	4,946	3.0734	1	1	3	4	6
915	1,703	5.1104	1	2	4	7	11
916	5,950	2.0966	1	1	2	2	4
917	23,878	4.9359	1	2	4	6	10
918	35,496	2.7005	1	1	2	3	5
919	10,438	6.0618	2	3	4	7	12
920	14,828	3.9991	1	2	3	5	8
921	6,232	2.7723	1	1	2	3	5
922	1,308	5.7171	1	2	4	7	10
923	3,394	2.8939	1	1	2	3	5
927	167	29.4611	9	14	26	41	57
928	948	15.1076	4	7	12	19	29
929	415	7.0169	1	3	6	10	14
933	142	5.4648	1	1	2	5	11
934	578	5.7353	1	2	4	7	12
935	2,109	5.0057	1	2	3	6	10
939	704	9.1108	2	4	7	12	19
940	1,462	5.2435	1	2	4	6	11
941	1,137	2.6825	1	1	2	3	5
945	5,898	10.1612	4	6	8	11	14
946	2,283	7.4713	3	5	6	7	8
947	13,295	4.7592	1	2	4	6	9
948	55,063	3.3280	1	2	3	4	6
949	511	4.1272	1	1	3	5	7
950	213	3.2723	1	1	2	3	5
951	999	5.9209	1	1	2	3	7
955	402	11.6418	2	5	9	15	24
956	4,416	8.3098	4	5	6	10	15
957	1,557	13.8144	2	7	12	19	26
958	1,156	9.0208	3	5	7	11	16
959	178	5.8933	2	3	5	7	10
963	1,922	8.5640	1	3	7	11	18

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
964	2,820	5.4454	2	3	5	7	10
965	827	3.6699	1	2	3	5	6
969	509	16.3320	4	7	13	21	32
970	77	7.4026	2	3	5	10	14
974	4,800	9.6098	2	4	7	12	19
975	3,559	6.2256	2	3	5	7	11
976	1,219	4.0246	1	2	3	5	7
977	2,812	4.6533	1	2	3	6	9
981	23,314	13.6551	4	7	11	17	25
982	16,392	7.8012	2	4	7	10	15
983	4,043	3.8699	1	2	3	5	8
984	483	13.1615	4	7	11	16	23
985	854	8.2119	2	3	7	11	16
986	390	3.5462	1	1	2	4	8
987	7,618	11.4082	3	6	9	14	21
988	8,978	6.7247	1	3	6	9	13
989	2,976	3.0622	1	1	2	4	6
	10,320,349						