

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
ASMT_SYS_CD	ASMT_SYS_CD	Assessment System Code	Control	Code	10	1-10

Item Values

Value	Value Text
IRF-PAI	IRF-PAI

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
REC_ID	REC_ID	Record ID	Control	Code	1	11-11

Item Values

Value	Value Text
1	Add new record
2	Modify existing record
3	Inactivate existing record

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1002	Consistency	Fatal	Invalid REC_ID : The record ID (REC_ID) submitted in this record does not identify a valid transaction code for the record. Contact your vendor.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_ID	FAC_ID	Facility ID	Control	Text	16	12-27

Item Values

Value	Value Text
Text	CMS Assigned Unique Facility ID

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1001	Consistency	Fatal	Invalid FAC_ID: The facility ID (FAC_ID) submitted in this record does not identify a valid provider in the QIES ASAP System. Please contact the QTSO Help Desk.
-1071	Consistency	Fatal	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC_ID in this record.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
STATE_CD	STATE_CD	State Code	Control	Code	2	28-29
Item Values						
Value	Value Text					
AK	Alaska					
AL	Alabama					
AR	Arkansas					
AZ	Arizona					
CA	California					
CO	Colorado					
CT	Connecticut					
DC	District of Columbia					
DE	Delaware					
FL	Florida					
GA	Georgia					
HI	Hawaii					
IA	Iowa					
ID	Idaho					
IL	Illinois					
IN	Indiana					
KS	Kansas					
KY	Kentucky					
LA	Louisiana					
MA	Massachusetts					
MD	Maryland					
ME	Maine					
MI	Michigan					
MN	Minnesota					
MO	Missouri					
MS	Mississippi					Bytes
MT	Montana					
NC	North Carolina					
ND	North Dakota					
NE	Nebraska					
NH	New Hampshire					

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

NJ	New Jersey
NM	New Mexico
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
UT	Utah
VA	Virginia
VI	Virgin Islands
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_ADDR_1	FAC_ADDR_1	Facility Address Line 1	Control	Text	30	30-59

Item Values

Value	Value Text
Text	Facility address line 1

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_ADDR_2	FAC_ADDR_2	Facility Address Line 2	Control	Text	30	60-89

Item Values

Value	Value Text
Text	Facility address line 2
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_CITY	FAC_CITY	Facility City	Control	Text	20	90-109

Item Values

Value	Value Text
Text	Facility city

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_ZIP	FAC_ZIP	Facility ZIP Code	Control	Text	5	110-114

Item Values

Value	Value Text
Text	Facility ZIP code (5 digit numeric)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1007	Format	Fatal	Invalid format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0] through [9].
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_CNTCT	FAC_CNTCT	Facility Contact Person Name	Control	Text	30	115-144

Item Values

Value	Value Text
Text	Name of facility contact person

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign, [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_PHONE	FAC_PHONE	Facility Contact Person Phone	Control	Text	10	145-154

Item Values

Value	Value Text
Text	Phone number of facility contact person
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1007	Format	Fatal	Invalid format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0] through [9].
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_EXTEN	FAC_EXTEN	Facility Contact Person Phone Extension	Control	Text	5	155-159

Item Values

Value	Value Text
Text	Phone extension number of facility contact person
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1007	Format	Fatal	Invalid format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0] through [9].
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
FAC_DOC_CD	FAC_DOC_CD	Facility Document ID	Control	Text	8	160-167
Item Values						
Value	Value Text					
Text	Facility Document ID Code					
space	Not assessed/no information					

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
VERSION_CD1	VERSION_CD1	IRF-PAI Assessment Version	Control	Code	5	168-172

Item Values

Value	Value Text
1.01A	Initial Version of IRF-PAI 1.0
1.10	IRF-PAI Version 1.10

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
VERSION_CD2	VERSION_CD2	IRF-PAI Specifications Version	Control	Code	5	173-177

Item Values

Value	Value Text
1.00A	1.00A
1.01A	1.01A
1.10	1.10.0 effective 10/01/2012

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1032	Consistency	Warning	Inconsistent Version Number: The version number of the data specifications used for this submission file is not the current version.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SFTWR_VNDR_ID	SFTWR_VNDR_ID	Software Vendor EIN	Control	Text	9	178-186

Item Values

Value	Value Text
Text	Software vendor federal employer tax identification number (EIN)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1005	Format	Fatal	Invalid format: Item cannot contain any embedded spaces or dashes.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1022	Consistency	Warning	New Software Vendor: The submitted software vendor ID number was not found in the QIES ASAP database. A new vendor record was added.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SFTWR_VNDR_NAME	SFTWR_VNDR_NAME	Software Vendor Name	Control	Text	30	187-216

Item Values

Value	Value Text
Text	Software vendor name

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign, [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1021	Consistency	Warning	Software vendor information updated: Submitted values for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SFTWR_VNDR_EMAIL_ADR	SFTWR_VNDR_EMAIL_ADR	Software Vendor Email Address	Control	Text	50	217-266

Item Values

Value	Value Text
Text	Software vendor email address

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1016	Consistency	Fatal	Invalid E-mail Address: An e-mail address may contain any printable character except single quotes ['] or double quotes ["].
-1021	Consistency	Warning	Software vendor information updated: Submitted values for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SFTWR_PROD_NAME	SFTWR_PROD_NAME	Software Product Name	Control	Text	50	267-316

Item Values

Value	Value Text
Text	Software product name
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign, [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SFTWR_PROD_VRSN_CD	SFTWR_PROD_VRSN_CD	Software Product Version Code	Control	Text	20	317-336
Item Values						
Value		Value Text				
Text		Software product version code				
space		Not assessed/no information				

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
CORRECTION_NUM	CORRECTION_NUM	Correction Number	Control	Number	2	337-338

Item Values

Value	Value Text
00	Not a correction record
01	Minimum correction number value
99	Maximum correction number value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1011	Consistency	Fatal	Invalid Correction Number: The Correction Number value is invalid for this record. This number must be one number greater than the number on the original or previously corrected assessment.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
CONTROL_FILLER	CNRTL_FLR	Control items filler	Control	Text	200	339-538

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SBMTD_CMG_TXT	SBMTD_CMG_TXT	Submitted CMG Code	Control	Text	10	2128-2137

Item Values

Value	Value Text
CMG	Valid CMG code

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1054	Consistency	Fatal	No CMG value calculated: A CMG value was not calculated due to an invalid ICD list passed to the CMS CMG. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.
-1055	Consistency	Fatal	Failed CMG Calculation: CMG calculation could not be performed due to a system error. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.
-1056	Consistency	Warning	Inconsistent CMG_CODE/CMG_VERSION: The submitted CMG_CODE/CMG_VERSION must match the calculated values.
-1057	Consistency	Warning	CMG not recalculated: The CMG for this assessment was not recalculated as the discharge date is more than 27 months prior to the submission date.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Control

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SBMTD_CMG_VRSN_TXT	SBMTD_CMG_VRSN_TXT	Submitted CMG Version Code	Control	Text	10	2148-2157

Item Values

Value	Value Text
CMG version	Valid CMG version code

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1056	Consistency	Warning	Inconsistent CMG_CODE/CMG_VERSION: The submitted CMG_CODE/CMG_VERISON must match the calculated values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
1A	R1A	Facility Name	Asmt	Text	50	539-588

Item Values

Value	Value Text
Text	Facility name

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
1B	R1B	CMS Certification Number (CCN) (Medicare Prov Num)	Asmt	Text	12	589-600

Item Values

Value	Value Text
Text	CMS Certification Number (CCN)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1006	Format	Fatal	Invalid Format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z].
-1023	Format	Fatal	Invalid CCN length: The CMS Certification Number (CCN) (1B) must be exactly 6 characters.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1015	Consistency	Warning	CCN Mismatch: The CCN submitted on the assessment does not match the CCN stored in the QIES ASAP database for the facility. Please contact the help desk.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
2	R2	Patient Medicare Number	Asmt	Text	12	601-612

Item Values

Value	Value Text
Text	Patient Medicare number
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1033	Consistency	Fatal	Incorrect Medicare Number: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.
-1036	Consistency	Fatal	Inconsistent 2/20A and 20B values: If Medicare is a payor (20A = [02, 51] or 20B = [02, 51], then item 2 (Patient Medicare number) cannot be blank.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
3	R3	Patient Medicaid Number	Asmt	Text	14	613-626

Item Values

Value

Text

+

space

Value Text

Patient Medicaid number

Enter "+" if Medicaid application is pending

Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1006	Format	Fatal	Invalid Format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z].

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
4	R4	Patient First Name	Asmt	Text	12	627-638

Item Values

Value	Value Text
Text	Patient first name

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z]. [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign, [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
5A	R5A	Patient Last Name	Asmt	Text	18	639-656

Item Values

Value	Value Text
Text	Patient last name

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1008	Consistency	Fatal	Invalid Format: This text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period) [_] (underscore), [] embedded spaces(s). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1030	Consistency	Warning	Patient Provider Updated: Our records indicated that a different provider previously cared for this resident. The provider associated with this resident has been updated.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
6	R6	Birth Date	Asmt	Date	8	657-664

Item Values

Value	Value Text
YYYYMMDD	Patient birth date
YYYYMM	Patient birth date (if day of month is unknown)
YYYY	Patient birth date (if month and day unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	<p>Formatting of Birthdate: This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY and must be zero filled, where necessary. For example, 1909 must be submitted as "1909" and 1900 must be submitted as "1900".</p>
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.
-1046	Consistency	Fatal	Date Too Old: This date is more than 140 years in the past. This date cannot be more than 140 years in the past.
-1047	Consistency	Fatal	<p>Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows:</p> <p>6 (Birth Date) 23 (Date of Onset) 12 (Admission Date) 13 (Assessment Reference Date) 40 (Discharge Date) SUBMISSION_DATE (Submission Date)</p>

Bytes

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
7	R7	Social Security Number (SSN)	Asmt	Text	9	665-673

Item Values

Value	Value Text
Text	Patient Social Security Number (SSN)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1007	Format	Fatal	Invalid format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0] through [9].
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.
-1003	Format	Fatal	Invalid SSN: If the value is not equal to space, it must be 9 characters long, the first three characters must not be equal to [000], and the value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
8	R8	Gender	Asmt	Code	1	674-674

Item Values

Value	Value Text
1	Male
2	Female

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
9A	R9A	Race: American Indian/Alaskan Native	Asmt	Checklist	1	675-675

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
9B	R9B	Race: Asian	Asmt	Checklist	1	676-676

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
9C	R9C	Race: Black or African American	Asmt	Checklist	1	677-677

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
9D	R9D	Ethnicity: Hispanic or Latino	Asmt	Checklist	1	678-678

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
9E	R9E	Race: Native Hawaiian or other Pacific Islander	Asmt	Checklist	1	679-679

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
9F	R9F	Race: White	Asmt	Checklist	1	680-680

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
10	R10	Marital Status	Asmt	Code	2	681-682

Item Values

Value	Value Text
01	Never Married
02	Married
03	Widowed
04	Separated
05	Divorced
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Identification

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
11	R11	ZIP Code of Patient's Pre-hospital Residence	Asmt	Text	5	683-687

Item Values

Value	Value Text
Text	Zip code, country abbreviation
space	Not assessed/no information

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
12	R12	Admission Date	Asmt	Date	8	688-695

Item Values

Value	Value Text
YYYYMMDD	Admission Date

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: 6 (Birth Date) 23 (Date of Onset) 12 (Admission Date) 13 (Assessment Reference Date) 40 (Discharge Date) SUBMISSION_DATE (Submission Date)
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1053	Consistency	Fatal	Inconsistent Admission date: Admission Date (12) should be later than 1980.
-1060	Consistency	Warning	Inconsistent 12/13. The Assessment Reference Date (13) usually must be two days later than the Admission Date (12).

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
13	R13	Assessment Reference Date	Asmt	Date	8	696-703

Item Values

Value	Value Text
YYYYMMDD	Assessment Reference Date

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: 6 (Birth Date) 23 (Date of Onset) 12 (Admission Date) 13 (Assessment Reference Date) 40 (Discharge Date) SUBMISSION_DATE (Submission Date)
-1060	Consistency	Warning	Inconsistent 12/13. The Assessment Reference Date (13) usually must be two days later than the Admission Date (12).

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
14	R14	Admission Class	Asmt	Code	2	704-705

Item Values

Value	Value Text
01	Initial Rehab
02	Evaluation
03	Readmission
04	Unplanned Discharge
05	Continuing Rehabilitation
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
15	R15	Admit From	Asmt	Code	2	706-707

Item Values

Value	Value Text
01	Home
02	Board & Care
03	Transitional Living
04	Intermediate Care
05	Skilled Nursing Facility
06	Acute Unit of Own Facility
07	Acute Unit of Another Facility
08	Chronic Hospital
09	Rehabilitation Facility
10	Other
12	Alternate Level of Care Unit
13	Subacute Setting
14	Assisted Living Residence

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
16	R16	Pre-Hospital Living Setting	Asmt	Code	2	708-709

Item Values

Value	Value Text
01	Home
02	Board & Care
03	Transitional Living
04	Intermediate Care
05	Skilled Nursing Facility
06	Acute Unit of Own Facility
07	Acute Unit of Another Facility
08	Chronic Hospital
09	Rehabilitation Facility
10	Other
12	Alternate Level of Care Unit
13	Subacute Setting
14	Assistance Living Residence
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1035	Consistency	Fatal	Inconsistent 16/17 values: The Pre-Hospital Living With (17) value is not consistent with the Pre-Hospital Living Setting (16) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
17	R17	Pre-Hospital Living With	Asmt	Code	2	710-711

Item Values

Value	Value Text
01	Alone
02	Family/Relatives
03	Friends
04	Attendant
05	Other
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1035	Consistency	Fatal	Inconsistent 16/17 values: The Pre-Hospital Living With (17) value is not consistent with the Pre-Hospital Living Setting (16) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
18	R18	Pre-Hospital Vocational Category	Asmt	Code	2	712-713

Item Values

Value	Value Text
01	Employed
02	Sheltered
03	Student
04	Homemaker
05	Not Working
06	Retired for Age
07	Retired for Disability
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1037	Consistency	Fatal	Inconsistent 18/19 values: The Pre-Hospital Vocational Category (18) value is not consistent with Pre-Hospital Vocational Effort (19) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Admission

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
19	R19	Pre-Hospital Vocational Effort	Asmt	Code	2	714-715

Item Values

Value	Value Text
01	Full-time
02	Part-time
03	Adjusted Workload
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1037	Consistency	Fatal	Inconsistent 18/19 values: The Pre-Hospital Vocational Category (18) value is not consistent with Pre-Hospital Vocational Effort (19) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Payer Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
20A	R20A	Primary Payment Source	Asmt	Code	2	716-717

Item Values

Value	Value Text
01	Blue Cross
02	Medicare non-MCO
03	Medicaid non-MCO
04	Commercial Insurance
05	MCO HMO
06	Workers' Compensation
07	Crippled Children's Services
08	Developmental Disabilities Services
09	State Vocational Rehabilitation
10	Private Pay
11	Employee Courtesy
12	Unreimbursed
13	CHAMPUS
14	Other
15	None
16	No-Fault Auto Insurance
51	Medicare MCO
52	Medicaid MCO

Item Edits

Edit ID	Edit Type	Severity	Edit Text	Bytes
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.	
-1036	Consistency	Fatal	Inconsistent 2/20A and 20B values: If Medicare is a payor (20A = [02, 51] or 20B = [02, 51], then item 2 (Patient Medicare number) cannot be blank.	
-1038	Consistency	Fatal	Inconsistent 20A/20B values: The Primary Payment Source (20A) cannot be equal to [02, 51] if Secondary Payment Source (20B) is equal to [02, 51].	
-1044	Consistency	Fatal	Non-Medicare Record: This is a non-Medicare record and was not accepted by the ASAP system.	

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Payer Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
20B	R20B	Secondary Payment Source	Asmt	Code	2	718-719

Item Values

Value	Value Text
01	Blue Cross
02	Medicare non-MCO
03	Medicaid non-MCO
04	Commercial Insurance
05	MCO HMO
06	Workers' Compensation
07	Crippled Children's Services
08	Developmental Disabilities Services
09	State Vocational Rehabilitation
10	Private Pay
11	Employee Courtesy
12	Unreimbursed
13	CHAMPUS
14	Other
15	None
16	No-Fault Auto Insurance
51	Medicare MCO
52	Medicaid MCO
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1036	Consistency	Fatal	Inconsistent 2/20A and 20B values: If Medicare is a payor (20A = [02, 51] or 20B = [02, 51], then item 2 (Patient Medicare number) cannot be blank.
-1038	Consistency	Fatal	Inconsistent 20A/20B values: The Primary Payment Source (20A) cannot be equal to [02, 51] if Secondary
-1044	Consistency	Fatal	Non-Medicare Record: This is a non-Medicare record and was not accepted by the ASAP system.

Bytes

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
21A	R21A	Impairment Group: Admission	Asmt	Code	9	720-728

Item Values

Value	Value Text
RIC Code	Valid value listed in Appendix A "Rehabilitation Impairment Categories (RICs) and Associated Impairment Group Codes"

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1013	Format	Fatal	00 (zero, zero) followed by a valid code in the list. Valid code

See "Rehabilitation Impairment Categories (RICs) and Associated Impairment Group Codes" for valid values.

*This code must conform as follows:

Character 1 must be 0 (zero) (reserved for future use).

Character 2 must be 0 (zero) (reserved for future use).

Character 3 must be 0 (zero) or 1.

Character 4 must be 0 (zero) thru 9.

Character 5 must be a decimal point or space.

Characters 6 thru 9 must be 0 (zero) thru 9 or space.

If character 6 is a space, then character 5 must be a space. I

If character 6 is a space, then characters 7 thru 9 must be spaces.

If character 7 is a space, then characters 8 and 9 must be spaces.

If character 8 is a space, then character 9 must be a space.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
21D	R21D	Impairment Group: Discharge	Asmt	Code	9	729-737

Item Values

Value	Value Text
RIC Code	Valid value listed in Appendix A "Rehabilitation Impairment Categories (RICs) and Associated Impairment Group Codes"

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1013	Format	Fatal	00 (zero, zero) followed by a valid code in the list. Valid code

See "Rehabilitation Impairment Categories (RICs) and Associated Impairment Group Codes" for valid values.

*This code must conform as follows:

Character 1 must be 0 (zero) (reserved for future use).

Character 2 must be 0 (zero) (reserved for future use).

Character 3 must be 0 (zero) or 1.

Character 4 must be 0 (zero) thru 9.

Character 5 must be a decimal point or space.

Characters 6 thru 9 must be 0 (zero) thru 9 or space.

If character 6 is a space, then character 5 must be a space. I

If character 6 is a space, then characters 7 thru 9 must be spaces.

If character 7 is a space, then characters 8 and 9 must be spaces.

If character 8 is a space, then character 9 must be a space.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
22	R22	Etiologic Diagnosis Code (ICD-9 Code)	Asmt	ICD	8	738-745

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].

Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
23	R23	Date of Onset	Asmt	Date	8	746-753

Item Values

Value	Value Text
YYYYMMDD	Date of Onset
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: 6 (Birth Date) 23 (Date of Onset) 12 (Admission Date) 13 (Assessment Reference Date) 40 (Discharge Date) SUBMISSION_DATE (Submission Date)

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24A	R24A	Comorbid Condition 1 (ICD-9 Code)	Asmt	ICD	8	754-761

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24B	R24B	Comorbid Condition 2 (ICD-9 Code)	Asmt	ICD	8	762-769

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24C	R24C	Comorbid Condition 3 (ICD-9 Code)	Asmt	ICD	8	770-777

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24D	R24D	Comorbid Condition 4 (ICD-9 Code)	Asmt	ICD	8	778-785

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24E	R24E	Comorbid Condition 5 (ICD-9 Code)	Asmt	ICD	8	786-793

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24F	R24F	Comorbid Condition 6 (ICD-9 Code)	Asmt	ICD	8	794-801

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24G	R24G	Comorbid Condition 7 (ICD-9 Code)	Asmt	ICD	8	802-809

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Cormorbid Condition 1) and 24B (Cormorbid Condition 2)</p> <p>24B (Cormorbid Condition 2) and 24C (Cormorbid Condition 3)</p> <p>24C (Cormorbid Condition 3) and 24D (Cormorbid Condition 4)</p> <p>24D (Cormorbid Condition 4) and 24E (Cormorbid Condition 5)</p> <p>24E (Cormorbid Condition 5) and 24F (Cormorbid Condition 6)</p> <p>24G (Cormorbid Condition 6) and 24H (Cormorbid Condition 7)</p> <p>24H (Cormorbid Condition 7) and 24I (Cormorbid Condition 8)</p> <p>24H (Cormorbid Condition 8) and 24I (Cormorbid Condition 9)</p> <p>24I (Cormorbid Condition 9) and 24J (Cormorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24H	R24H	Comorbid Condition 8 (ICD-9 Code)	Asmt	ICD	8	810-817

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24I	R24I	Comorbid Condition 9 (ICD-9 Code)	Asmt	ICD	8	818-825

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
24J	R24J	Comorbid Condition 10 (ICD-9 Code)	Asmt	ICD	8	826-833

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1041	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Comorbid Condition ICD codes. For the item listed, if the first item is blank, then the second item must be blank.</p> <p>24A (Comorbid Condition 1) and 24B (Comorbid Condition 2)</p> <p>24B (Comorbid Condition 2) and 24C (Comorbid Condition 3)</p> <p>24C (Comorbid Condition 3) and 24D (Comorbid Condition 4)</p> <p>24D (Comorbid Condition 4) and 24E (Comorbid Condition 5)</p> <p>24E (Comorbid Condition 5) and 24F (Comorbid Condition 6)</p> <p>24G (Comorbid Condition 6) and 24H (Comorbid Condition 7)</p> <p>24H (Comorbid Condition 7) and 24I (Comorbid Condition 8)</p> <p>24H (Comorbid Condition 8) and 24I (Comorbid Condition 9)</p> <p>24I (Comorbid Condition 9) and 24J (Comorbid Condition 10)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Needs

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
25	R25	Comatose: Admission	Asmt	Code	1	834-834

Item Values

Value	Value Text
0	No
1	Yes
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Needs

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
26	R26	Delirious: Admission	Asmt	Code	1	835-835

Item Values

Value	Value Text
0	No
1	Yes
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Needs

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
27A	R27A	Swallowing Status: Admission	Asmt	Code	2	836-837

Item Values

Value	Value Text
03	Regular Food
02	Modified Food Consistency/Supervision
01	Tube/Parenteral Feeding
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Needs

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
27D	R27D	Swallowing Status: Discharge	Asmt	Code	2	838-839

Item Values

Value	Value Text
03	Regular Food
02	Modified Food Consistency/Supervision
01	Tube/Parenteral Feeding
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Needs

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
28A	R28A	Clinical Signs of Dehydration: Admission	Asmt	Code	1	840-840

Item Values

Value	Value Text
0	No
1	Yes
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Medical Needs

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
28D	R28D	Clinical Signs of Dehydration: Discharge	Asmt	Code	1	841-841

Item Values

Value	Value Text
0	No
1	Yes
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
29A	R29A	Bladder Level of Assistance: Admission	Asmt	Code	2	842-843

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
29D	R29D	Bladder Level of Assistance: Discharge	Asmt	Code	2	844-845

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
30A	R30A	Bladder Frequency of Accidents: Admission	Asmt	Code	2	846-847

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a catheter
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
30D	R30D	Bladder Frequency of Accidents: Discharge	Asmt	Code	2	848-849

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a catheter
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
31A	R31A	Bowel Level of Assistance: Admission	Asmt	Code	2	850-851

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
31D	R31D	Bowel Level of Assistance: Discharge	Asmt	Code	2	852-853

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
32A	R32A	Bowel Frequency of Accidents: Admission	Asmt	Code	2	854-855

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a ostomy
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
32D	R32D	Bowel Frequency of Accidents: Discharge	Asmt	Code	2	856-857

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a ostomy
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
33A	R33A	Tub Transfer: Admission	Asmt	Code	2	858-859

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1039	Consistency	Fatal	Inconsistent 33A/34A values: The Tub Transfer: Admission (33A) value is not consistent with the Shower Transfer: Admission (34A) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
33D	R33D	Tub Transfer: Discharge	Asmt	Code	2	860-861

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1040	Consistency	Fatal	Inconsistent 33D/34D values: The Tub Transfer: Discharge (33D) value is not consistent with the Shower Transfer: Discharge (34D) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
34A	R34A	Shower Transfer: Admission	Asmt	Code	2	862-863

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1039	Consistency	Fatal	Inconsistent 33A/34A values: The Tub Transfer: Admission (33A) value is not consistent with the Shower Transfer: Admission (34A) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
34D	R34D	Shower Transfer: Discharge	Asmt	Code	2	864-865

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1040	Consistency	Fatal	Inconsistent 33D/34D values: The Tub Transfer: Discharge (33D) value is not consistent with the Shower Transfer: Discharge (34D) value.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
35A	R35A	Distance Walked: Admission	Asmt	Code	2	866-867

Item Values

Value	Value Text
03	150 feet
02	50 to 149 feet
01	Less than 50 feet
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
35D	R35D	Distance Walked: Discharge	Asmt	Code	2	868-869

Item Values

Value	Value Text
03	150 feet
02	50 to 149 feet
01	Less than 50 feet
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
36A	R36A	Distance Traveled in Wheelchair: Admission	Asmt	Code	2	870-871

Item Values

Value	Value Text
03	150 feet
02	50 to 149 feet
01	Less than 50 feet
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
36D	R36D	Distance Traveled in Wheelchair: Discharge	Asmt	Code	2	872-873

Item Values

Value	Value Text
03	150 feet
02	50 to 149 feet
01	Less than 50 feet
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
37A	R37A	Walk: Admission	Asmt	Code	2	874-875

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
37D	R37D	Walk: Discharge	Asmt	Code	2	876-877

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
38A	R38A	Wheelchair: Admission	Asmt	Code	2	878-879

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Function Modifiers

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
38D	R38D	Wheelchair: Discharge	Asmt	Code	2	880-881

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39AA	R39AA	Self-Care -Eating: Admission	Asmt	Code	2	882-883

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39AD	R39AD	Self-Care -Eating: Discharge	Asmt	Code	2	884-885

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39AG	R39AG	Self-Care -Eating: Goal	Asmt	Code	2	886-887

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39BA	R39BA	Self-Care -Grooming: Admission	Asmt	Code	2	888-889

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39BD	R39BD	Self-Care -Grooming: Discharge	Asmt	Code	2	890-891

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39BG	R39BG	Self-Care -Grooming: Goal	Asmt	Code	2	892-893

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39CA	R39CA	Self-Care -Bathing: Admission	Asmt	Code	2	894-895

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39CD	R39CD	Self-Care -Bathing: Discharge	Asmt	Code	2	896-897

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39CG	R39CG	Self-Care -Bathing: Goal	Asmt	Code	2	898-899

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39DA	R39DA	Self-Care -Dressing - Upper: Admission	Asmt	Code	2	900-901

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39DD	R39DD	Self-Care -Dressing - Upper: Discharge	Asmt	Code	2	902-903

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39DG	R39DG	Self-Care -Dressing - Upper: Goal	Asmt	Code	2	904-905

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39EA	R39EA	Self-Care -Dressing - Lower: Admission	Asmt	Code	2	906-907

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39ED	R39ED	Self-Care -Dressing - Lower: Discharge	Asmt	Code	2	908-909

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39EG	R39EG	Self-Care -Dressing - Lower: Goal	Asmt	Code	2	910-911

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39FA	R39FA	Self-Care -Toileting: Admission	Asmt	Code	2	912-913

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39FD	R39FD	Self-Care -Toileting: Discharge	Asmt	Code	2	914-915

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39FG	R39FG	Self-Care -Toileting: Goal	Asmt	Code	2	916-917

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39GA	R39GA	Sphincter Control -Bladder: Admission	Asmt	Code	2	918-919

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39GD	R39GD	Sphincter Control -Bladder: Discharge	Asmt	Code	2	920-921

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39GG	R39GG	Sphincter Control -Bladder: Goal	Asmt	Code	2	922-923

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39HA	R39HA	Sphincter Control -Bowel: Admission	Asmt	Code	2	924-925

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39HD	R39HD	Sphincter Control -Bowel: Discharge	Asmt	Code	2	926-927

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39HG	R39HG	Sphincter Control -Bowel: Goal	Asmt	Code	2	928-929

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39IA	R39IA	Transfers -Bed, Chair, Wheelchair: Admission	Asmt	Code	2	930-931

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39ID	R39ID	Transfers -Bed, Chair, Wheelchair: Discharge	Asmt	Code	2	932-933

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39IG	R39IG	Transfers -Bed, Chair, Wheelchair: Goal	Asmt	Code	2	934-935

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39JA	R39JA	Transfers -Toilet: Admission	Asmt	Code	2	936-937

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39JD	R39JD	Transfers -Toilet: Discharge	Asmt	Code	2	938-939

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39JG	R39JG	Transfers -Toilet: Goal	Asmt	Code	2	940-941

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39KA	R39KA	Transfers -Tub, Shower: Admission	Asmt	Code	2	942-943

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39KD	R39KD	Transfers - Tub, Shower: Discharge	Asmt	Code	2	944-945

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39KG	R39KG	Transfers -Tub, Shower: Goal	Asmt	Code	2	946-947

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39LA	R39LA	Locomotion -Walk/Wheelchair: Admission	Asmt	Code	2	948-949

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39LAA	R39LAA	Locomotion -Walk/Wheelchair/both: Admission	Asmt	Code	1	950-950

Item Values

Value	Value Text
W	Walk
C	Wheelchair
B	Both

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39LD	R39LD	Locomotion -Walk/Wheelchair: Discharge	Asmt	Code	2	951-952

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39LDD	R39LDD	Locomotion -Walk/Wheelchair/both: Discharge	Asmt	Code	1	953-953

Item Values

Value	Value Text
W	Walk
C	Wheelchair
B	Both

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39LG	R39LG	Locomotion -Walk/Wheelchair: Goal	Asmt	Code	2	954-955

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39MA	R39MA	Locomotion -Stairs: Admission	Asmt	Code	2	956-957

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39MD	R39MD	Locomotion -Stairs: Discharge	Asmt	Code	2	958-959

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39MG	R39MG	Locomotion -Stairs: Goal	Asmt	Code	2	960-961

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39NA	R39NA	Communication -Comprehension: Admission	Asmt	Code	2	962-963

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39NAA	R39NAA	Communication -Comp Auditory/Visual/Both:Admission	Asmt	Code	1	964-964

Item Values

Value	Value Text
A	Auditory
V	Visual
B	Both

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39ND	R39ND	Communication -Comprehension: Discharge	Asmt	Code	2	965-966

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39NDD	R39NDD	Communication -Comp Auditory/Visual/Both:Discharge	Asmt	Code	1	967-967

Item Values

Value	Value Text
A	Auditory
V	Visual
B	Both

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39NG	R39NG	Communication -Comprehension: Goal	Asmt	Code	2	968-969

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
390A	R390A	Communication -Expression: Admission	Asmt	Code	2	970-971

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39OAA	R39OAA	Communication -Expr Vocal/Nonvocal/Both: Admission	Asmt	Code	1	972-972

Item Values

Value	Value Text
V	Vocal
N	Nonvocal
B	Both

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39OD	R39OD	Communication -Expression: Discharge	Asmt	Code	2	973-974

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39ODD	R39ODD	Communication -Expr Vocal/Nonvocal/Both: Discharge	Asmt	Code	1	975-975

Item Values

Value	Value Text
V	Vocal
N	Nonvocal
B	Both

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39OG	R39OG	Communication -Expression: Goal	Asmt	Code	2	976-977

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39PA	R39PA	Social Cognition -Social Interaction: Admission	Asmt	Code	2	978-979

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39PD	R39PD	Social Cognition -Social Interaction: Discharge	Asmt	Code	2	980-981

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39PG	R39PG	Social Cognition -Social Interaction: Goal	Asmt	Code	2	982-983

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39QA	R39QA	Social Cognition -Problem Solving: Admission	Asmt	Code	2	984-985

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39QD	R39QD	Social Cognition -Problem Solving: Discharge	Asmt	Code	2	986-987

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39QG	R39QG	Social Cognition -Problem Solving: Goal	Asmt	Code	2	988-989

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39RA	R39RA	Social Cognition -Memory: Admission	Asmt	Code	2	990-991

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39RD	R39RD	Social Cognition -Memory: Discharge	Asmt	Code	2	992-993

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: FIM Instrument

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
39RG	R39RG	Social Cognition -Memory: Goal	Asmt	Code	2	994-995

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
40	R40	Discharge Date	Asmt	Date	8	996-1003

Item Values

Value	Value Text
YYYYMMDD	Discharge Date

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: 6 (Birth Date) 23 (Date of Onset) 12 (Admission Date) 13 (Assessment Reference Date) 40 (Discharge Date) SUBMISSION_DATE (Submission Date)
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1070	Consistency	Fatal	Invalid Record: The Discharge Date is earlier than 01/01/2002. This record may not be submitted to the QIES ASAP system.
-1072	Consistency	Warning	Late Transmission (Submission): This record was transmitted (submitted) late. The transmission (submission) date must be reported on your Medicare claim, and may result in a late transmission penalty.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
41	R41	Patient Discharged Against Medical Advice	Asmt	Code	1	1004-1004

Item Values

Value	Value Text
0	No
1	Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
42	R42	Program Interruption(s) Indicator	Asmt	Code	1	1005-1005

Item Values

Value	Value Text
0	No
1	Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1050	Consistency	Fatal	Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to 1 (Yes), then 1st Interruption Date (43A) must not be blank.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
43A	R43A	1st Interruption Date	Asmt	Date	8	1006-1013

Item Values

Value	Value Text
YYYYMMDD	1st Interruption Date
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1050	Consistency	Fatal	Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to 1 (Yes), then 1st Interruption Date (43A) must not be blank.
-1051	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is blank then the second date must be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)
-1052	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is not blank then the second date must not be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43C (2nd Interruption Date) and 43D (2nd Return Date)

Bytes

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

43E (3rd Interruption Date) and 43F (3rd Return Date)

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
43B	R43B	1st Return Date	Asmt	Date	8	1014-1021

Item Values

Value	Value Text
YYYYMMDD	1st Return Date
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1051	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is blank then the second date must be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)
-1052	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is not blank then the second date must not be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
43C	R43C	2nd Interruption Date	Asmt	Date	8	1022-1029

Item Values

Value	Value Text
YYYYMMDD	2nd Interruption Date
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1051	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is blank then the second date must be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)
-1052	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is not blank then the second date must not be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
43D	R43D	2nd Return Date	Asmt	Date	8	1030-1037

Item Values

Value	Value Text
YYYYMMDD	2nd Return Date
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1051	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is blank then the second date must be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)
-1052	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is not blank then the second date must not be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
43E	R43E	3rd Interruption Date	Asmt	Date	8	1038-1045

Item Values

Value	Value Text
YYYYMMDD	3rd Interruption Date
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1051	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is blank then the second date must be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)
-1052	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is not blank then the second date must not be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
43F	R43F	3rd Return Date	Asmt	Date	8	1046-1053

Item Values

Value	Value Text
YYYYMMDD	3rd Return Date
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
-1048	Consistency	Fatal	Inconsistent Program Interruption Date Pairs: For the following date pairs, the first date must precede or be the same as the second date if the dates are not blank. 12 (Admission Date) and 43A (1st Interruption Date) 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date) 43F (3rd Return Date) and 40 (Discharge Date)
-1049	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then Program Interruption Dates (43A - 43F) must all be blank.
-1051	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is blank then the second date must be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43B (1st Return Date) and 43C (2nd Interruption Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43D (2nd Return Date) and 43E (3rd Interruption Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)
-1052	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if the first date is not blank then the second date must not be blank. 43A (1st Interruption Date) and 43B (1st Return Date) 43C (2nd Interruption Date) and 43D (2nd Return Date) 43E (3rd Interruption Date) and 43F (3rd Return Date)

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
44A	R44A	Discharge to Living Setting	Asmt	Code	2	1054-1055

Item Values

Value	Value Text
01	Home
02	Board and Care
03	Transitional Living
04	Intermediate Care
05	Skilled Nursing Facility
06	Acute Unit of Own Facility
07	Acute Unit of Another Facility
08	Chronic Hospital
09	Rehabilitation Facility
10	Other
11	Died
12	Alternate Level of Care Unit
13	Subacute Setting
14	Assisted Living Residence
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1042	Consistency	Fatal	Inconsistent 44A/45 values: If Discharge to Living Setting (44A) = [01], then Discharge to Living With (45) is cannot equal blank. If Discharge to Living Setting (44A) not = [01] then Discharge to Living With (45) must be blank.
-1058	Consistency	Fatal	Inconsistent 44A/44B values: If Discharge to Living Setting (44A) = [01,02,03,14], then Discharged With Home Health Services (44B) must equal [0,1]. If Discharge to Living Setting (44A) not = [01,02,03,14], then Discharged With Home Health Services (44B) must equal blank.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
44B	R44B	Patient Discharged with Home Health Services	Asmt	Code	1	1056-1056

Item Values

Value	Value Text
0	No
1	Yes
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1058	Consistency	Fatal	Inconsistent 44A/44B values: If Discharge to Living Setting (44A) = [01,02,03,14], then Discharged With Home Health Services (44B) must equal [0,1]. If Discharge to Living Setting (44A) not = [01,02,03,14], then Discharged With Home Health Services (44B) must equal blank.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
45	R45	Discharge to Living With	Asmt	Code	2	1057-1058

Item Values

Value	Value Text
01	Alone
02	Family / Relatives
03	Friends
04	Attendant
05	Other
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1042	Consistency	Fatal	Inconsistent 44A/45 values: If Discharge to Living Setting (44A) = [01], then Discharge to Living With (45) is cannot equal blank. If Discharge to Living Setting (44A) not = [01] then Discharge to Living With (45) must be blank.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
46	R46	Diagnosis for Interruption or Death (ICD-9 Code)	Asmt	ICD	8	1059-1066

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p>

Other formatting rules are as follows:

- a) Character 1 must be a space
- b) Character 2 must be [E,space]
- c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9]
- d) Characters 4 through 5 must be [0-9]
- e) Character 6 must be a decimal point
- f) Characters 7 and 8 must be [0-9,space]
- g) If character 7 is a [space], then character 8 must be a [space].

Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
47A	R47A	Complication during rehab stay 1 (ICD-9 Code)	Asmt	ICD	8	1067-1074

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1043	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if the first item is blank then the second item must be blank.</p> <p>47A (complication 1) and 47B (complication 2)</p> <p>47B (complication 2) and 47C (complication 3)</p> <p>47C (complication 3) and 47D (complication 4)</p> <p>47D (complication 4) and 47E (complication 5)</p> <p>47E (complication 5) and 47F (complication 6)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
47B	R47B	Complication during rehab stay 2 (ICD-9 Code)	Asmt	ICD	8	1075-1082

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1043	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if the first item is blank then the second item must be blank.</p> <p>47A (complication 1) and 47B (complication 2)</p> <p>47B (complication 2) and 47C (complication 3)</p> <p>47C (complication 3) and 47D (complication 4)</p> <p>47D (complication 4) and 47E (complication 5)</p> <p>47E (complication 5) and 47F (complication 6)</p>

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
47C	R47C	Complication during rehab stay 3 (ICD-9 Code)	Asmt	ICD	8	1083-1090

Item Values

Value	Value Text
ICD-9 Code	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1043	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if the first item is blank then the second item must be blank.</p> <p>47A (complication 1) and 47B (complication 2)</p> <p>47B (complication 2) and 47C (complication 3)</p> <p>47C (complication 3) and 47D (complication 4)</p> <p>47D (complication 4) and 47E (complication 5)</p> <p>47E (complication 5) and 47F (complication 6)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
47D	R47D	Complication during rehab stay 4 (ICD-9 Code)	Asmt	ICD	8	1091-1098

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1043	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if the first item is blank then the second item must be blank.</p> <p>47A (complication 1) and 47B (complication 2)</p> <p>47B (complication 2) and 47C (complication 3)</p> <p>47C (complication 3) and 47D (complication 4)</p> <p>47D (complication 4) and 47E (complication 5)</p> <p>47E (complication 5) and 47F (complication 6)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
47E	R47E	Complication during rehab stay 5 (ICD-9 Code)	Asmt	ICD	8	1099-1106

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1043	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if the first item is blank then the second item must be blank.</p> <p>47A (complication 1) and 47B (complication 2)</p> <p>47B (complication 2) and 47C (complication 3)</p> <p>47C (complication 3) and 47D (complication 4)</p> <p>47D (complication 4) and 47E (complication 5)</p> <p>47E (complication 5) and 47F (complication 6)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Discharge Information

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
47F	R47F	Complication during rehab stay 6 (ICD-9 Code)	Asmt	ICD	8	1107-1114

Item Values

Value	Value Text
ICD-9	Valid ICD-9 Code
space	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-9 item is active and not all spaces, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 6th character.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be a space b) Character 2 must be [E,space] c) If character 2 is [space], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9] d) Characters 4 through 5 must be [0-9] e) Character 6 must be a decimal point f) Characters 7 and 8 must be [0-9,space] g) If character 7 is a [space], then character 8 must be a [space].
-1043	Consistency	Fatal	<p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p>Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if the first item is blank then the second item must be blank.</p> <p>47A (complication 1) and 47B (complication 2)</p> <p>47B (complication 2) and 47C (complication 3)</p> <p>47C (complication 3) and 47D (complication 4)</p> <p>47D (complication 4) and 47E (complication 5)</p> <p>47E (complication 5) and 47F (complication 6)</p>

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
48AA	R48AA	Number of Stage 2 pressure ulcers: Admission	Asmt	Number	1	1115-1115

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
48AD	R48AD	Number of Stage 2 pressure ulcers: Discharge	Asmt	Number	1	1116-1116

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
48BA	R48BA	Number of Stage 3 pressure ulcers: Admission	Asmt	Number	1	1117-1117

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
48BD	R48BD	Number of Stage 3 pressure ulcers: Discharge	Asmt	Number	1	1118-1118

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
48CA	R48CA	Number of Stage 4 pressure ulcers: Admission	Asmt	Number	1	1119-1119

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
48CD	R48CD	Number of Stage 4 pressure ulcers: Discharge	Asmt	Number	1	1120-1120

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
49A	R49A	Number of Stage 2 worsening pressure ulcers	Asmt	Number	1	1121-1121

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
49B	R49B	Number of Stage 3 worsening pressure ulcers	Asmt	Number	1	1122-1122

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
49C	R49C	Number of Stage 4 worsening pressure ulcers	Asmt	Number	1	1123-1123

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
50A	R50A	Pressure Ulcers Present on Admission	Asmt	Code	1	1124-1124

Item Values

Value	Value Text
0	No
1	Yes
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5001	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 1 (Yes), then Healed pressure ulcers (50B, 50C, 50D) must not equal skipped [^].
-5002	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 0 (No), then Healed pressure ulcers (50B, 50C, 50D) must all be equal to skipped [^].
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
50B	R50B	Number of Stage 2 Healed Pressure Ulcers	Asmt	Number	1	1125-1125

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
^	Skipped
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5001	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 1 (Yes), then Healed pressure ulcers (50B, 50C, 50D) must not equal skipped [^].
-5002	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 0 (No), then Healed pressure ulcers (50B, 50C, 50D) must all be equal to skipped [^].
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
50C	R50C	Number of Stage 3 Healed Pressure Ulcers	Asmt	Number	1	1126-1126

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
^	Skipped
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5001	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 1 (Yes), then Healed pressure ulcers (50B, 50C, 50D) must not equal skipped [^].
-5002	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 0 (No), then Healed pressure ulcers (50B, 50C, 50D) must all be equal to skipped [^].
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
50D	R50D	Number of Stage 4 Healed Pressure Ulcers	Asmt	Number	1	1127-1127

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
^	Skipped
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Consistency	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5001	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 1 (Yes), then Healed pressure ulcers (50B, 50C, 50D) must not equal skipped [^].
-5002	Consistency	Fatal	Inconsistent 50A value: If Pressure ulcers present on admission (50A) is equal to 0 (No), then Healed pressure ulcers (50B, 50C, 50D) must all be equal to skipped [^].
-5004	Consistency	Warning	Entering a dash as a response to the items in the quality indicators section may result in payment reductions for your facility of two percentage points starting October 1, 2013.

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Filler

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
ASMT_FILLER	ASMT_FILLER	Assessment items filler	Filler	Text	1000	1128-2127

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
RCALC_CMG_TXT	RCALC_CMG_TXT	Recalculated CMG Code	Calc	Text	10	2138-2147

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
RCALC_CMG_VRSN_TXT	RCALC_CMG_VRSN_TXT	Recalculated CMG Version Code	Calc	Text	10	2158-2167

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
ASSESSMENT_ID	ASSESSMENT_ID	Assessment ID	Calc	Number	15	2168-2182

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
ORIGINAL_ASSESSMENT_ID	ORIGINAL_ASSESSMENT_ID	Original Assessment ID	Calc	Number	15	2183-2197

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
RESIDENT_INTERNAL_ID	RESIDENT_INTERNAL_ID	Resident ID	Calc	Number	10	2198-2207

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
PROVIDER_INTERNAL_ID	PROVIDER_INTERNAL_ID	Provider Internal Number	Calc	Number	10	2208-2217

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SUBMISSION_ID	SUBMISSION_ID	Submission ID	Calc	Number	15	2218-2232

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SUBMISSION_DATE	SUBMISSION_DATE	Submission Date	Calc	Date	8	2233-2240

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: 6 (Birth Date) 23 (Date of Onset) 12 (Admission Date) 13 (Assessment Reference Date) 40 (Discharge Date) SUBMISSION_DATE (Submission Date)

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SUBMISSION_COMPLETE_DATE	SUBMISSION_COMPLETE_DATE	Submission Complete Date	Calc	Date	8	2241-2248

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
SUBMITTING_USER_ID	SUBMITTING_USER_ID	Submitting User ID	Calc	Text	30	2249-2278

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
BIRTHDATE_SUBMIT_CODE	BIRTHDATE_SUBMIT_CODE	Birthdate Submit Code	Calc	Code	1	2279-2279
<i>Item Values</i>						
Value	Value Text					
S	Full date submitted					
M	Year only (month and day were set to default values)					
D	Year and month only (day was set to default value)					

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
RESIDENT_MATCH_CRITERIA	RESIDENT_MATCH_CRITERIA	Resident Matching Criteria	Calc	Number	2	2280-2281

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
RESIDENT_AGE	RESIDENT_AGE	Resident Age	Calc	Number	3	2282-2284

Data Submission Specifications for IRF (V1.10.0) **Detailed Data Specifications Report** **Section: Calc**

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
DATA_END_INDICATOR	DATA_END_INDICATOR	End of Data Terminator Code	Calc	Text	1	2285-2285
Item Values						
Value	Value Text					
%	Percent sign					

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
CALC_FILLER	CALC_FILLER	Calculated items filler	Calc	Text	500	2286-2785

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
CR	CR	Carriage Return	Calc	Text	1	2786-2786

Data Submission Specifications for IRF (V1.10.0)
Detailed Data Specifications Report
Section: Calc

Item ID	XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
LF	LF	Line Feed	Calc	Text	1	2787-2787