PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**. The time required to complete this information collection is estimated to average **54.5 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

Identification Information*			Payer Information*			
1.	Facility Information A. Facility Name	20.	Payment Source (02 - Medicare Fee For Service; 51- Medicare-Medicare Advantage; 99 - Not Listed)			
			A. Primary Source			
			B. Secondary Source			
			Medical Information*			
		21				
	B. Facility Medicare Provider Number	21.	Impairment Group Admission Discharge			
2.	Patient Medicare Number		Condition requiring admission to rehabilitation; code according to Appendix			
3.	Patient Medicaid Number		A.			
4.	Patient First Name	22.	Etiologic Diagnosis (Use ICD codes to indicate the etiologic problem B			
5A.	Patient Last Name		that led to the condition for which the patient is receiving C			
5B.	Patient Identification Number	22	rehabilitation)			
6.	Birth Date//	23.	Date of Onset of Impairment/_/ MM / DD / YYYY			
7.	Social Security Number	24.	Comorbid Conditions			
8.	Gender (1 - Male; 2 - Female)		Use ICD codes to enter comorbid medical conditions			
9.	Race/Ethnicity (Check all that apply)		A J S			
· ·	American Indian or Alaska Native A		B K T			
	Asian B		C U V.			
			D M V E N. W			
	Black or African American C.					
	Hispanic or Latino D		F O X G P. Y			
	Native Hawaiian or Other Pacific Islander E		Н Q			
	White F		I R			
10.	Marital Status					
	(1 - Never Married; 2 - Married; 3 - Widowed; 4 - Separated; 5 - Divorced)	24A	A. Are there any arthritis conditions recorded in items #21, #22, or #24 that meet all of the regulatory requirements for IRF classification (in 42 CFR			
11.	Zip Code of Patient's Pre-Hospital Residence		412.29(b)(2)(x), (xi), and (xii))? (0 - No; 1 - Yes)			
12.	Admission Date/ MM / DD / YYYY	25.	DELETED			
13.	Assessment Reference Date//	26.	DELETED			
1.4	Admission Class		Height and Weight			
14.	(1 - Initial Rehab; 2 - Evaluation; 3 - Readmission; 4 - Unplanned Discharge; 5 - Continuing Rehabilitation)		(While measuring if the number is X.1-X.4 round down, X.5 or greater round up)			
15A.	Admit From	25A	A. Height on admission (in inches)			
	(01- Home (private home/apt., board/care, assisted living, group home, transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)	26A 27.	A. Weight on admission (in pounds)			
16A.	Pre-hospital Living Setting Use codes from 15A. Admit From		modified food consistency 2- <u>Modified Food Consistency/Supervision:</u> subject requires modified food			
17.	Pre-hospital Living With		consistency and/or needs supervision for safety			
	(Code only if item 16A is 01- Home: Code using 01 - Alone; 02 - Family/Relatives; 03 - Friends; 04 - Attendant; 05 - Other)	20	1- <u>Tube/Parenteral Feeding</u> : tube/parenteral feeding used wholly or partially as a means of sustenance			
18.	DELETED	∠ŏ.	DELETED			
19.	DELETED					

	Function Mo	odifiers*			39.	FIM TM Instrum	nent*	
Con	plete the following specific functional	l items prior to	scoring the			Admission	Discharge	Goal
FIM	TM Instrument:			SELF	-CARE			
		Admission	Discharge	A.	Eating			
29.	Bladder Level of Assistance			В.	Grooming			
	(Score using FIM Levels 1 - 7)			C.	Bathing			
30.	Bladder Frequency of Accidents			D.	Dressing - Upper	П		
	(Score as below)			E.		$\overline{\Box}$		
	7 - No accidents	41 4			Dressing - Lower	H	ä	
	6 - No accidents; uses device such as a5 - One accident in the past 7 days	catneter		F.	Toileting	ш	ш	ш
	4 - Two accidents in the past 7 days3 - Three accidents in the past 7 days			SPHI	NCTER CONTROL			
	2 - Four accidents in the past 7 days			G.	Bladder	H		
	1 - Five or more accidents in the past 7	-		H.	Bowel	Ц		
	Enter in Item 39G (Bladder) the lower and 30 above	(more depender	it) score from Items 29	TRAN	ISFERS			
		Admission	Discharge	I.	Bed, Chair, Wheelchair			
31.	Bowel Level of Assistance			J.	Toilet			
J.,	(Score using FIM Levels 1 - 7)	_	_	K.	Tub, Shower			
32.	Bowel Frequency of Accidents					V	V - Walk	
J2.	(Score as below)	_	_	1.000	MOTION		Wheelchair	
	7 - No accidents				OMOTION		B - Both	
	6 - No accidents; uses device such as a5 - One accident in the past 7 days	ostomy		L.	Walk/Wheelchair		П	
	4 - Two accidents in the past 7 days			M.	Stairs	ш	ш	Ш
	3 - Three accidents in the past 7 days2 - Four accidents in the past 7 days					_	- Auditory ' - Visual	
	1 - Five or more accidents in the past 7	•		COM	MUNICATION		B - Both	
	Enter in Item 39H (Bowel) the lower (nabove.	nore dependent	score of Items 31 and 32	N.	Comprehension			
	ubove.	Admission	Discharge	O.	Expression			
22	Tub Transfer	П	П				/ - Vocal - Nonvocal	
33.	Tub Transfer						B - Both	
34.	Shower Transfer	Ш	Ц	SOCL	AL COGNITION			
	(Score Items 33 and 34 using FIM Lev			P.	Social Interaction			
	occur) See training manual for scoring	Admission	Discharge	Q.	Problem Solving			
		Aumission		R.	Memory			
35.	Distance Walked	Ц	ы	14.	Memory	_	_	_
36.	Distance Traveled in Wheelchair							
	(Code items 35 and 36 using: 3 - 150)		19 feet;	FIM	LEVELS			
	1 - Less than 50 feet; 0 – activity does i		D' I	No H				
		Admission	Discharge	7	Complete Independence	(Timely, Safely))	
37.	Walk	Ц	Ц	6	Modified Independence ((Device)		
38.	Wheelchair			Helpe	er - Modified Dependence			
	(Score Items 37 and 38 using FIM Leve			5	Supervision (Subject = 1			
	See training manual for scoring of Item	n 39L (Walk/Wh	eelchair)	4	Minimal Assistance (Sub	-		
	ne FIM data set, measurement scale and			3 Helm	Moderate Assistance (Su er - Complete Dependence	·	поге)	
	ferenced herein are the property of U B 001 U B Foundation Activities, Inc. The			<i>пеіре</i>	Maximal Assistance (Sul		nore)	
				1	Total Assistance (Subjec	•		
				0	Activity does not occur;			
					receiving does not occur,	ose uns code on	1.j at adminosion	

	Discharge Information*	Therapy Information
40.	Discharge Date//	O0401. Week 1: Total Number of Minutes Provided
	MM / DD / YYYY	O0401A: Physical Therapy
41.	Patient discharged against medical advice?	a. Total minutes of individual therapy
71.	(0 - No; 1 - Yes)	b. Total minutes of concurrent therapy
42	D [c. Total minutes of group therapy
42.	Program Interruption(s) (0 - No; 1 - Yes)	d. Total minutes of co-treatment therapy
42		
43.	Program Interruption Dates (Code only if item 42 is 1 - Yes)	O0401B: Occupational Therapy
		a. Total minutes of individual therapy
	A. 1st Interruption Date B. 1st Return Date	b. Total minutes of concurrent therapy
		c. Total minutes of group therapy
	MM / DD / YYYY MM / DD / YYYY	d. Total minutes of co-treatment therapy
(C. 2 nd Interruption Date D. 2 nd Return Date	
		O0401C: Speech-Language Pathology
	MM / DD / YYYY MM / DD / YYYY	a. Total minutes of individual therapy
		b. Total minutes of concurrent therapy
]	E. 3 rd Interruption Date F. 3 rd Return Date	c. Total minutes of group therapy
		d. Total minutes of co-treatment therapy
	MM / DD / YYYY	
44C	. Was the patient discharged alive?	O0402. Week 2: Total Number of Minutes Provided
440.	(0 - No; 1 - Yes)	O0402A: Physical Therapy
44D	. Patient's discharge destination/living setting, using codes below: (answer	a. Total minutes of individual therapy
サナレ	only if $44C = 1$; if $44C = 0$, skip to item 46)	b. Total minutes of concurrent therapy
	<u> </u>	c. Total minutes of group therapy
	(01- Home (private home/apt., board/care, assisted living, group home,	d. Total minutes of co-treatment therapy
	transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of	
	organized home health service organization; 50 - Hospice (home);	O0402B: Occupational Therapy
	51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another	a. Total minutes of individual therapy
	Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility;	b. Total minutes of concurrent therapy
	66 - Critical Access Hospital; 99 - Not Listed)	c. Total minutes of group therapy
45.	Discharge to Living With	d. Total minutes of co-treatment therapy
45.	(Code only if item 44C is 1 - Yes and 44D is 01 - Home; Code using 1 -	
	Alone; 2 - Family / Relatives; 3 - Friends; 4 - Attendant;	O0402C: Speech-Language Pathology
	5 - Other)	a. Total minutes of individual therapy
46.	Diagnosis for Interruption or Death	b. Total minutes of concurrent therapy
• -	(Code using ICD code)	c. Total minutes of group therapy
47		d. Total minutes of co-treatment therapy
47.	ı Ç	
	(Use ICD codes to specify up to six conditions that began with this rehabilitation stay)	
	A B	
	C	
	E F	
	he FIM data set, measurement scale and impairment codes incorporated or ferenced herein are the property of U B Foundation Activities, Inc. © 1993,	
	001 U B Foundation Activities, Inc. The FIM mark is owned by UBFA, Inc.	

Quality Indicators- Admission Assessment			Quality Indicators- Discharge Assessment		
Unhealed Pressure Ulcer(s)- Admission			Unhealed Pressure Ulcer(s)- Discharge		
Enter Code	 M0210. Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher at Admission? No → skip to question I0900 on Admission Assessment Yes → continue to question M0300A on Admission Assessment 	Enter Code	 M0210. Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher on Discharge? 0. No→ skip to question M0900A on Discharge Assessment 1. Yes → continue to question M0300A on Discharge Assessment 		
	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Admission		M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Discharge		
	M0300A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones it may appear with persistent blue or purple hues.		M0300A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones it may appear with persistent blue or purple hues.		
Enter Number	M0300A1. Number of Stage 1 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300A1. Enter total number of pressure ulcers currently at Stage 1. If patient has no Stage 1 pressure ulcers at discharge, skip to Item M0300B1.		
		Enter Number	M0300A2. Of <u>these</u> Stage 1 pressure ulcers present at discharge, enter number that were: (a) present on admission as a Stage 1 and (b) remained at Stage 1 at discharge.		
		Enter Number	M0300A3. Of these Stage 1 pressure ulcers, enter the number that were not present on admission. (i.e. – New stage 1 pressure ulcers that have developed during the IRF stay)		
	M0300B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.		M0300B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.		
Enter Number	M0300B1. Number of Stage 2 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300B1. Enter total number of pressure ulcers currently at Stage 2. (If patient has no Stage 2 pressure ulcers at discharge, skip to Item M0300C1.)		
		Enter Number	M0300B2. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) present on admission, and (b) remained at Stage 2 at discharge. M0300B3. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an unstageable pressure ulcer due to the presence of a non-removable device and (b) when it became stageable, the pressure ulcer was staged as a Stage 2, and (c) it remained at Stage 2 at the time of discharge.		
		Enter Number	M0300B4. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) not present on admission; or (b) were at a lesser stage at admission and worsened to a Stage 2 during the IRF stay		

	Quality Indicators- Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Admission, Continued		M0300. Current Number of Unhealed Pressure Ulcers at Each Stage-Discharge, Continued
	M0300C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.		M0300C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.
Enter Number	M0300C1. Number of Stage 3 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300C1. Enter total number of pressure ulcers currently at Stage 3. (If patient has no Stage 3 pressure ulcers at discharge, skip to Item M0300D1.
		Enter Number	M0300C2. Of <u>these</u> Stage 3 pressure ulcers present at discharge, enter the number that were: (a) present on admission, and (b) remained at Stage 3 at discharge.
		Enter Number	M0300C3. Of <u>these</u> Stage 3 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an <u>unstageable pressure ulcer</u> , and (b) when it became stageable, it was staged as a Stage 3; and (c) it remained at Stage 3 at the time of discharge.
		Enter Number	M0300C4. Of these Stage 3 pressure ulcers present at discharge, enter the number that were: (a) not present on admission; or (b) were at a lesser stage at admission and worsened to a Stage 3 during the IRF stay; or (c) were unstageable due to a non-removeable device at admission, initially became stageable at a lesser stage, , but then progressed to a Stage 3 by the time of discharge.
	M0300D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and		M0300D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.
Enter Number	tunneling. M0300D1. Number of Stage 4 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300D1. Enter total number of pressure ulcers currently at Stage 4. (If patient has no Stage 4 pressure ulcers at discharge, skip to Item M0300E1.)
		Enter Number	M0300D2. Of these Stage 4 pressure ulcers present at discharge, enter number that were: (a) present on admission at Stage 4, and (b) remained at Stage 4 at discharge.
		Enter Number	M0300D3. Of these Stage 4 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an unstageable pressure ulcer, and (b) when it became stageable, it was staged as a Stage 4, and (c) it remained at Stage 4 at the time of discharge.
		Enter Number	M0300D4. Of these Stage 4 pressure ulcers present at discharge, enter the number that were: (a) not present on admission); or (b) were at a lesser stage at admission and worsened to a Stage 4 by discharge; or (c) were unstageable on admission, initially became stageable at a lesser stage, and then progressed to a Stage 4 by the time of discharge.

	Quality Indicators-Admission Assessment, Continued	Quality Indicators-Discharge Assessment, Continued		
Enter Number	M0300E. Unstageable Pressure Ulcers due to non-removable dressing/device: Known but not stageable due to the presence of a non-removable dressing/device.		M0300E. Unstageable Pressure Ulcers due to a non-removable dressing or device: pressure ulcers that are known but not stageable due to the presence of a non-removable dressing or device.	
Line Number	M0300E1. Number of unstageable pressure ulcers due to non-removable dressing/device: enter how many were noted at the time of admission	Enter Number	M0300E1. Enter total number of pressure ulcers currently Unstageable due to a Non-removable dressing or device. (If patient has no pressure ulcers Unstageable due to Non-Removable Device at discharge, skip to Item M0300F1.)	
		Enter Number	M0300E2. Of these Unstageable pressure ulcers due to a non- removable dressing or device present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to non-removable dressing or device; and (b) remained unstageable due to non-removable dressing or device until discharge. M0300E3. Of these Unstageable pressure ulcers due to non- removable dressing or device present at discharge, enter number that were (a) present on admission as a stageable pressure ulcer and became unstageable due to non-removable dressing or device during the IRF stay; and (b) remained unstageable due to a non- removable dressing or device until discharge.	
	M0300F. Unstageable Pressure Ulcers due to slough and/or eschar: pressure ulcers that are known but not stageable due to coverage of wound bed by slough and/or eschar.		M0300F. Unstageable Pressure Ulcers due to slough or eschar: pressure ulcers that are known but not stageable due to coverage of wound bed by slough and/or eschar.	
Enter Number	M0300F1. Number of unstageable pressure ulcers due to slough and/or eschar: enter how many were noted at the time of admission	Enter Number	M0300F1. Enter total number of pressure ulcers currently Unstageable due to a Slough and/or Eschar. (If patient has no pressure ulcers Unstageable due to Slough and/or Eschar at discharge, skip to Item M0300G1.)	
		Enter Number	M0300F2. Of these Unstageable pressure ulcers due to slough and/or eschar present at discharge, enter number that were: (a) present on admission as an unstageable pressure ulcer due to slough and/or eschar; and (b) remained unstageable due to slough and/or eschar until discharge.	
			M0300F3. Of these Unstageable pressure ulcers due to slough or eschar present at discharge, enter number that were: (a) present on admission as a stageable pressure ulcer and became unstageable due to slough and/or eschar, during the IRF stay; and (b) remained unstageable due to slough and/or eschar until discharge.	
	M0300G. Unstageable Pressure Ulcers with Suspected Deep Tissue Injury (DTI) in evolution: suspected deep tissue injury in evolution.		M0300G. Unstageable Pressure Ulcers with Suspected Deep Tissue Injury (DTI) in evolution: suspected deep tissue injury in evolution.	
Enter Number	M0300G1. Number of unstageable pressure ulcers with Suspected Deep Tissue Injury in evolution: enter how many were noted at the time of admission	Enter Number	M0300G1. Enter total number of unstageable pressure ulcers with Suspected Deep Tissue Injury. (If patient has no Unstageable pressure ulcers with Suspected Deep Tissue Injury at discharge, skip to Item M0900A.)	
		Enter Number	M0300G2. Of these unstageable pressure ulcers with Suspected DTI present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to a suspected deep tissue injury; and (b) remained unstageable due to a suspected DTI until discharge.	

	Quality Indicators- Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	I0900. Pressure Ulcer Risk Conditions- Admission		M0900. Healed Pressure Ulcers- Discharge
	Indicate below if the patient has any of the following pressure ulcer risk conditions: (NOTE: You must also document the appropriate ICD codes for any pressure ulcer risk conditions documented below in Item 24 "Comorbid Conditions" above.)		Indicate the number of pressure ulcers that were: (a) present on Admission ; and (b) have completely closed (resurfaced with epithelium) upon Discharge . If there are no healed pressure ulcers noted at a given stage, enter 0.
Enter Number	I0900A. Peripheral Vascular Disease (PVD) 0. No 1. Yes	Enter Number	M0900A. Stage 1
Enter Number	I0900B. Peripheral Arterial Disease(PAD) 0. No 1. Yes	Enter Number	M0900B. Stage 2
Enter Number	I2900A. Diabetes Mellitus (DM) If 12900A = 0, skip 12900B-D 0. No 1. Yes	Enter Number	M0900C. Stage 3
Enter Number	I2900B. Diabetic Retinopathy 0. No 1. Yes	Enter Number	M0900D. Stage 4
Enter Number	I2900C. Diabetic Nephropathy 0. No 1. Yes		
Enter Number	I2900D. Diabetic Neuropathy 0. No 1. Yes		
		IRF-PA	uenza Vaccine – Discharge - Refer to current version of I Training Manual for current influenza vaccination
		season a	and reporting period.
		Enter Code	O0250A. Did the patient receive the influenza vaccine <i>in this facility</i> for this year's influenza <i>vaccination</i> season?
			 0. No → Skip to O0250C, If influenza vaccine not received, state reason 1. Yes → Continue to O0250B, Date influenza vaccine received
			O0250B. Date influenza vaccine received → Complete date and skip to Z0400A, Signature of Persons Completing the Assessment
			MM DD YYYY
		Enter Code	O0250C. If influenza vaccine not received, state reason:
			Patient not in this facility during this year's influenza vaccination season
		_	2. Received outside of this facility
			3. Not eligible - medical contraindication
			4. Offered and declined 5. Not offered
			6. Inability to obtain influenza vaccine due to a declared
			shortage. 9. None of the above

Item Z0400A. Signature of Persons Completing the Assessment*

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
Α.			
В.			
C.			
D.			
E.			
F.			
G.			
н.			
I.			
J.			
K.			
L.			