

Data Submission Specifications for the IRF-PAI (V2.00.1)
Detailed Data Specifications Report
Section: M

Item ID: M0210_1.....	3
Item ID: M0210_2.....	5
Item ID: M0300A1_1.....	7
Item ID: M0300A1_2.....	9
Item ID: M0300B1_1.....	11
Item ID: M0300B1_2.....	13
Item ID: M0300B2_2.....	16
Item ID: M0300C1_1.....	18
Item ID: M0300C1_2.....	20
Item ID: M0300C2_2.....	23
Item ID: M0300D1_1	25
Item ID: M0300D1_2	27
Item ID: M0300D2_2	30
Item ID: M0300E1_1.....	32
Item ID: M0300E1_2.....	34
Item ID: M0300E2_2.....	37
Item ID: M0300F1_1.....	39
Item ID: M0300F1_2.....	41
Item ID: M0300F2_2.....	44
Item ID: M0300G1_1	46
Item ID: M0300G1_2	48
Item ID: M0300G2_2	51
Item ID: M0800A	53
Item ID: M0800B	55
Item ID: M0800C	57
Item ID: M0800D	59

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800E.....	61
Item ID: M0800F.....	63
Item ID: M0900A1	65
Item ID: M0900B	67
Item ID: M0900C	69
Item ID: M0900D	71

Data Submission Specifications for the IRF-PAI (V2.00.1)
Detailed Data Specifications Report
Section: M

Item ID: M0210_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0210_1	Pressure Ulcers Present on Admission	Asmt	Code	1	1261-1261

Item Values

Value	Value Text
0	No
1	Yes
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must all be equal to zero [0].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Version Changes

Type	ID	Description
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5013	[V2.00.0]-Revised edit to use new item M0900A1, which replaced deleted item M0900A.
Consistency	-5044	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.
Consistency	-5045	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Also, the edit was revised to use new item M0900A1, which replaced deleted item M0900A.

Data Submission Specifications for the IRF-PAI (V2.00.1)
Detailed Data Specifications Report
Section: M

Item ID: M0210_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0210_2	Pressure Ulcers Present on Discharge	Asmt	Code	1	1262-1262

Item Values

Value	Value Text
0	No
1	Yes
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Version Changes

Type	ID	Description
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>
Consistency	-5011	<p>[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F.</p> <p>[V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.</p>
Consistency	-5046	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300A1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300A1_1	Number of Stage 1 pressure ulcers: Admission	Asmt	Number	1	1263-1263

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300A1_1	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2. [V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2. Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300A1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300A1_2	Number of Stage 1 pressure ulcers: Discharge	Asmt	Number	1	1264-1264

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^].
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5014	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5015	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5033	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5034	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5047	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Version Changes

Type	ID	Description
Item	M0300A1_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5004	[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2. [V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2. Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5014	[V2.00.0]-This edit was deleted because items M0300A2_2 and M0300A3_2 have been discontinued.
Consistency	-5015	[V2.00.0]-This edit was deleted because items M0300A2_2 and M0300A3_2 have been discontinued.
Consistency	-5033	[V2.00.0]-This edit was deleted because items M0300A2_2 and M0300A3_2 have been discontinued.
Consistency	-5034	[V2.00.0]-This edit was deleted because items M0300A2_2 and M0300A3_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5047	[V2.00.0]-This edit was deleted because items M0300A2_2 and M0300A3_2 have been discontinued.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300B1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300B1_1	Number of Stage 2 pressure ulcers: Admission	Asmt	Number	1	1267-1267

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300B1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300B1_2	Number of Stage 2 pressure ulcers: Discharge	Asmt	Number	1	1268-1268

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2 must be "Skipped" [^].
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2 must not be "Skipped" [^].
-5035	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5036	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5048	Consistency	Fatal	Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2) must be equal to "Not assessed/no information" [-].
-5069	Consistency	Fatal	If M0300B1_2=[1-9], then one of the following must be true: a) M0300B2_2 must be equal to [-] OR b) M0300B2_2 must be equal to [0-9] and must be less than or equal to M0300B1_2.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-5074	Consistency	Fatal	<p>a) If M0300B1_2=[0-9], then if M0800A is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300B1_2=[-], then if M0800A is active it must equal [-].</p> <p>c) If M0300B1_2=[0-9] and M0800A=[0-9], then the value of M0800A must be less than or equal to the value of M0300B1_2.</p>
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5016	[V2.00.0]-This edit was modified to remove discontinued items M0300B3_2 and M0300B4_2.
Consistency	-5017	[V2.00.0]-This edit was modified to remove discontinued items M0300B3_2 and M0300B4_2.
Consistency	-5035	[V2.00.0]-This edit was deleted because items M0300B3_2 and M0300B4_2 have been discontinued.
Consistency	-5036	[V2.00.0]-This edit was deleted because items M0300B3_2 and M0300B4_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5048	[V2.00.0]-This edit was modified because items M0300B3_2 and M0300 B4_2 have been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5069	[V2.00.0]-New edit.
Consistency	-5074	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300B2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300B2_2	Nbr Disch Stg 2 PU were Adm Stg 2 PU	Asmt	Number	1	1269-1269

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2 must be "Skipped" [^].
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2 must not be "Skipped" [^].
-5035	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5036	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5048	Consistency	Fatal	Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2) must be equal to "Not assessed/no information" [-].
-5069	Consistency	Fatal	If M0300B1_2=[1-9], then one of the following must be true: a) M0300B2_2 must be equal to [-] OR b) M0300B2_2 must be equal to [0-9] and must be less than or equal to M0300B1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-1010 Format Fatal Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300B2_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5016	[V2.00.0]-This edit was modified to remove discontinued items M0300B3_2 and M0300B4_2.
Consistency	-5017	[V2.00.0]-This edit was modified to remove discontinued items M0300B3_2 and M0300B4_2.
Consistency	-5035	[V2.00.0]-This edit was deleted because items M0300B3_2 and M0300B4_2 have been discontinued.
Consistency	-5036	[V2.00.0]-This edit was deleted because items M0300B3_2 and M0300B4_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5048	[V2.00.0]-This edit was modified because items M0300B3_2 and M0300 B4_2 have been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5069	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300C1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300C1_1	Number of Stage 3 pressure ulcers: Admission	Asmt	Number	1	1272-1272

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300C1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300C1_2	Number of Stage 3 pressure ulcers: Discharge	Asmt	Number	1	1273-1273

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^].
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2 must be "Skipped" [^].
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2 must not be "Skipped" [^].
-5037	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5038	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5049	Consistency	Fatal	Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2) must be equal to "Not assessed/no information" [-].
-5070	Consistency	Fatal	If M0300C1_2=[1-9], then one of the following must be true: a) M0300C2_2 must be equal to [-] OR b) M0300C2_2 must be equal to [0-9] and must be less than or equal to M0300C1_2.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-5075	Consistency	Fatal	<p>a) If M0300C1_2=[0-9], then if M0800B is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300C1_2=[-], then if M0800B is active it must equal [-].</p> <p>c) If M0300C1_2=[0-9] and M0800B=[0-9], then the value of M0800B must be less than or equal to the value of M0300C1_2.</p>
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5018	[V2.00.0]-This edit was modified to remove discontinued items M0300C3_2 and M0300C4_2.
Consistency	-5019	[V2.00.0]-This edit was modified to remove discontinued items M0300C3_2 and M0300C4_2.
Consistency	-5037	[V2.00.0]-This edit was deleted because items M0300C3_2 and M0300C4_2 have been discontinued.
Consistency	-5038	[V2.00.0]-This edit was deleted because items M0300C3_2 and M0300C4_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5049	[V2.00.0]-This edit was modified because items M0300C3_2 and M0300 C4_2 have been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5070	[V2.00.0]-New edit.
Consistency	-5075	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300C2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300C2_2	Nbr Disch Stg 3 PU were Adm Stg 3 PU	Asmt	Number	1	1274-1274

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2 must be "Skipped" [^].
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2 must not be "Skipped" [^].
-5037	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5038	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5049	Consistency	Fatal	Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2) must be equal to "Not assessed/no information" [-].
-5070	Consistency	Fatal	If M0300C1_2=[1-9], then one of the following must be true: a) M0300C2_2 must be equal to [-] OR b) M0300C2_2 must be equal to [0-9] and must be less than or equal to M0300C1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-1010 Format Fatal Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300C2_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5018	[V2.00.0]-This edit was modified to remove discontinued items M0300C3_2 and M0300C4_2.
Consistency	-5019	[V2.00.0]-This edit was modified to remove discontinued items M0300C3_2 and M0300C4_2.
Consistency	-5037	[V2.00.0]-This edit was deleted because items M0300C3_2 and M0300C4_2 have been discontinued.
Consistency	-5038	[V2.00.0]-This edit was deleted because items M0300C3_2 and M0300C4_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5049	[V2.00.0]-This edit was modified because items M0300C3_2 and M0300 C4_2 have been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5070	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300D1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300D1_1	Number of Stage 4 pressure ulcers: Admission	Asmt	Number	1	1277-1277

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300D1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300D1_2	Number of Stage 4 pressure ulcers: Discharge	Asmt	Number	1	1278-1278

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^].
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2 must be "Skipped" [^].
-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2 must not be "Skipped" [^].
-5039	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5040	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5050	Consistency	Fatal	Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2) must be equal to "Not assessed/no information" [-].
-5071	Consistency	Fatal	If M0300D1_2=[1-9], then one of the following must be true: a) M0300D2_2 must be equal to [-] OR b) M0300D2_2 must be equal to [0-9] and must be less than or equal to M0300D1_2.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-5076	Consistency	Fatal	<p>a) If M0300D1_2=[0-9], then if M0800C is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300D1_2=[-], then if M0800C is active it must equal [-].</p> <p>c) If M0300D1_2=[0-9] and M0800C=[0-9], then the value of M0800C must be less than or equal to the value of M0300D1_2.</p>
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5020	[V2.00.0]-This edit was modified to remove discontinued items M0300D3_2 and M0300D4_2.
Consistency	-5021	[V2.00.0]-This edit was modified to remove discontinued items M0300D3_2 and M0300D4_2.
Consistency	-5039	[V2.00.0]-This edit was deleted because items M0300D3_2 and M0300D4_2 have been discontinued.
Consistency	-5040	[V2.00.0]-This edit was deleted because items M0300D3_2 and M0300D4_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5050	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed the references to M0300D3_2 and M0300D4_2, as these items have been deleted.
Consistency	-5071	[V2.00.0]-New edit.
Consistency	-5076	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300D2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU	Asmt	Number	1	1279-1279

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2 must be "Skipped" [^].
-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2 must not be "Skipped" [^].
-5039	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5040	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5050	Consistency	Fatal	Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2) must be equal to "Not assessed/no information" [-].
-5071	Consistency	Fatal	If M0300D1_2=[1-9], then one of the following must be true: a) M0300D2_2 must be equal to [-] OR b) M0300D2_2 must be equal to [0-9] and must be less than or equal to M0300D1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-1010 Format Fatal Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300D2_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5020	[V2.00.0]-This edit was modified to remove discontinued items M0300D3_2 and M0300D4_2.
Consistency	-5021	[V2.00.0]-This edit was modified to remove discontinued items M0300D3_2 and M0300D4_2.
Consistency	-5039	[V2.00.0]-This edit was deleted because items M0300D3_2 and M0300D4_2 have been discontinued.
Consistency	-5040	[V2.00.0]-This edit was deleted because items M0300D3_2 and M0300D4_2 have been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5050	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed the references to M0300D3_2 and M0300D4_2, as these items have been deleted.
Consistency	-5071	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300E1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300E1_1	Nbr Unstg non-remov drsg pressure ulcers: Adm	Asmt	Number	1	1282-1282

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300E1_1	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2. [V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2. Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300E1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300E1_2	Nbr Unstg non-remov drsg pressure ulcers: Dschrg	Asmt	Number	1	1283-1283

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5022	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 must be "Skipped" [^].
-5023	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 must not be "Skipped" [^].
-5041	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5051	Consistency	Fatal	Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed pressure ulcers unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2) must be equal to "Not assessed/no information" [-].
-5072	Consistency	Fatal	If M0300E1_2=[1-9], then one of the following must be true: a) M0300E2_2 must be equal to [-] OR b) M0300E2_2 must be equal to [0-9] and must be less than or equal to M0300E1_2.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-5077	Consistency	Fatal	<p>a) If M0300E1_2=[0-9], then if M0800D is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300E1_2=[-], then if M0800D is active it must equal [-].</p> <p>c) If M0300E1_2=[0-9] and M0800D=[0-9], then the value of M0800D must be less than or equal to the value of M0300E1_2.</p>
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300E1_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.</p> <p>Added items M0800A through M0800F to the skip pattern.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5022	[V2.00.0]-This edit was modified to remove discontinued item M0300E3_2.
Consistency	-5023	[V2.00.0]-This edit was modified to remove discontinued item M0300E3_2.
Consistency	-5041	[V2.00.0]-This edit was deleted because item M0300E3_2 has been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5051	[V2.00.0]-This edit was modified because item M0300E3_2 has been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5072	[V2.00.0]-New edit.
Consistency	-5077	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300E2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300E2_2	Nbr Unstg NRD Disch PU were Adm Unstg NRD PU	Asmt	Number	1	1284-1284

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5022	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 must be "Skipped" [^].
-5023	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 must not be "Skipped" [^].
-5041	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5051	Consistency	Fatal	Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed pressure ulcers unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2) must be equal to "Not assessed/no information" [-].
-5072	Consistency	Fatal	If M0300E1_2=[1-9], then one of the following must be true: a) M0300E2_2 must be equal to [-] OR b) M0300E2_2 must be equal to [0-9] and must be less than or equal to M0300E1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-1010 Format Fatal Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300E2_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5022	[V2.00.0]-This edit was modified to remove discontinued item M0300E3_2.
Consistency	-5023	[V2.00.0]-This edit was modified to remove discontinued item M0300E3_2.
Consistency	-5041	[V2.00.0]-This edit was deleted because item M0300E3_2 has been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5051	[V2.00.0]-This edit was modified because item M0300E3_2 has been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5072	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300F1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300F1_1	Nbr Unstg slough/eschar pressure ulcers: Adm	Asmt	Number	1	1286-1286

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300F1_1	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300F1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg	Asmt	Number	1	1287-1287

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5024	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 must be "Skipped" [^].
-5025	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 must not be "Skipped" [^].
-5042	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5052	Consistency	Fatal	Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2) must be equal to "Not assessed/no information" [-].
-5073	Consistency	Fatal	If M0300F1_2=[1-9], then one of the following must be true: a) M0300F2_2 must be equal to [-] OR b) M0300F2_2 must be equal to [0-9] and must be less than or equal to M0300F1_2.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-5078	Consistency	Fatal	<p>a) If M0300F1_2=[0-9], then if M0800E is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300F1_2=[-], then if M0800E is active it must equal [-].</p> <p>c) If M0300F1_2=[0-9] and M0800E=[0-9], then the value of M0800E must be less than or equal to the value of M0300F1_2.</p>
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300F1_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5024	[V2.00.0]-This edit was modified to remove discontinued item M0300F3_2.
Consistency	-5025	[V2.00.0]-This edit was modified to remove discontinued item M0300F3_2.
Consistency	-5042	[V2.00.0]-This edit was deleted because item M0300F3_2 has been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5052	[V2.00.0]-This edit was modified because item M0300F3_2 has been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5073	[V2.00.0]-New edit.
Consistency	-5078	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300F2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300F2_2	Nbr Unstg S/E Disch PU were Adm Unstg S/E PU	Asmt	Number	1	1288-1288

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5024	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 must be "Skipped" [^].
-5025	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 must not be "Skipped" [^].
-5042	Consistency	Fatal	***THIS EDIT HAS BEEN DELETED IN V2.00.0 OF THE DATA SPECIFICATIONS.
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5052	Consistency	Fatal	Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2) must be equal to "Not assessed/no information" [-].
-5073	Consistency	Fatal	If M0300F1_2=[1-9], then one of the following must be true: a) M0300F2_2 must be equal to [-] OR b) M0300F2_2 must be equal to [0-9] and must be less than or equal to M0300F1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-1010 Format Fatal Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300F2_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5024	[V2.00.0]-This edit was modified to remove discontinued item M0300F3_2.
Consistency	-5025	[V2.00.0]-This edit was modified to remove discontinued item M0300F3_2.
Consistency	-5042	[V2.00.0]-This edit was deleted because item M0300F3_2 has been discontinued.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5052	[V2.00.0]-This edit was modified because item M0300F3_2 has been discontinued and that the response of voluntary [=] is no longer valid.
Consistency	-5073	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300G1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300G1_1	Nbr Unstg DTI pressure ulcers: Adm	Asmt	Number	1	1290-1290

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300G1_1	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5044	<p>[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300G1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300G1_2	Nbr Unstg DTI pressure ulcers: Dschrg	Asmt	Number	1	1291-1291

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5026	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI present on discharge (M0300G1_2) is equal to [0], then M0300G2_2 must be "Skipped" [^].
-5027	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI on discharge (M0300G1_2) is equal to [1] thru [9], then M0300G2_2 must not be "Skipped" [^].
-5043	Consistency	Fatal	If the following Unstageable ulcers due to deep tissue injury (DTI) present on discharge item (M0300G2_2) is a numeric value ([0]-[9]) and M0300G1_2 is a numeric value ([0]-[9]) THEN The item (M0300G2_2) must be equal to or less than the total count of Unstageable ulcers due to DTI present on discharge (M0300G1_2).
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5053	Consistency	Fatal	Inconsistent M0300G1_2 value: If the number of unhealed pressure ulcers with suspected deep tissue injury at discharge (M0300G1_2) is equal to "Not assessed/no information" [-], then the subsequent item that was unstageable with suspected deep tissue injury at discharge (M0300G2_2) must be equal to "Not assessed/no information" [-].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-5079	Consistency	Fatal	<p>a) If M0300G1_2=[0-9], then if M0800F is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300G1_2=[-], then if M0800F is active it must equal [-].</p> <p>c) If M0300G1_2=[0-9] and M0800F=[0-9], then the value of M0800F must be less than or equal to the value of M0300G1_2.</p>
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300G1_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2. Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.</p> <p>Added items M0800A through M0800F to the skip pattern.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5043	[V2.00.0]-Removed reference to the equal sign [=], since this item is no longer voluntary. Modified the text "equal to less than" to "equal to or less than". [V2.00.1]-Removed the text "counting the dash [-] value as 0", per issue 06 of the errata for V2.00.0.
Consistency	-5046	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5053	[V2.00.0]-This edit was modified to reflect that that the response of voluntary [=] is no longer valid.
Consistency	-5079	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0300G2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0300G2_2	Nbr Unstg DTI Disch PU were Adm Unstg DTI PU	Asmt	Number	1	1292-1292

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5026	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI present on discharge (M0300G1_2) is equal to [0], then M0300G2_2 must be "Skipped" [^].
-5027	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI on discharge (M0300G1_2) is equal to [1] thru [9], then M0300G2_2 must not be "Skipped" [^].
-5043	Consistency	Fatal	If the following Unstageable ulcers due to deep tissueinjury (DTI) present on discharge item (M0300G2_2) is anumeric value ([0]-[9]) and M0300G1_2 is a numericvalue ([0]-[9]) THEN The item (M0300G2_2) must be equal to or less than thetotal count of Unstageable ulcers due to DTI present on discharge (M0300G1_2).
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
-5053	Consistency	Fatal	Inconsistent M0300G1_2 value: If the number of unhealed pressure ulcers with suspected deep tissue injury at discharge (M0300G1_2) is equal to "Not assessed/no information" [-], then the subsequent item that was unstageable with suspected deep tissue injury at discharge (M0300G2_2) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

-1010 Format Fatal Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0300G2_2	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5043	[V2.00.0]-Removed reference to the equal sign [=], since this item is no longer voluntary. Modified the text "equal to less than" to "equal to or less than".
Consistency	-5046	[V2.00.1]-Removed the text "counting the dash [-] value as 0", per issue 06 of the errata for V2.00.0. [V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2.
Consistency	-5053	[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0800A	Worsened: Stage 2 pressure ulcers	Asmt	Number	1	1628-1628

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5074	Consistency	Fatal	a) If M0300B1_2=[0-9], then if M0800A is active it must equal [0,1,2,3,4,5,6,7,8,9,-]. b) If M0300B1_2=[-], then if M0800A is active it must equal [-]. c) If M0300B1_2=[0-9] and M0800A=[0-9], then the value of M0800A must be less than or equal to the value of M0300B1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0800A	[V2.00.0]-New item.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>
Consistency	-5011	<p>[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F.</p> <p>[V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.</p>
Consistency	-5074	<p>[V2.00.0]-New edit.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0800B	Worsened: Stage 3 pressure ulcers	Asmt	Number	1	1629-1629

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5075	Consistency	Fatal	a) If M0300C1_2=[0-9], then if M0800B is active it must equal [0,1,2,3,4,5,6,7,8,9,-]. b) If M0300C1_2=[-], then if M0800B is active it must equal [-]. c) If M0300C1_2=[0-9] and M0800B=[0-9], then the value of M0800B must be less than or equal to the value of M0300C1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0800B	[V2.00.0]-New item.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N. [V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2. [V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2. Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.
Consistency	-5004	
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5075	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0800C	Worsened: Stage 4 pressure ulcers	Asmt	Number	1	1630-1630

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5076	Consistency	Fatal	a) If M0300D1_2=[0-9], then if M0800C is active it must equal [0,1,2,3,4,5,6,7,8,9,-]. b) If M0300D1_2=[-], then if M0800C is active it must equal [-]. c) If M0300D1_2=[0-9] and M0800C=[0-9], then the value of M0800C must be less than or equal to the value of M0300D1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0800C	[V2.00.0]-New item.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.
Format	-1010	[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.
Consistency	-5004	[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C. Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2. [V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2. Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.
Consistency	-5007	[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.
Consistency	-5011	[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F. [V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.
Consistency	-5076	[V2.00.0]-New edit.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800D

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0800D	Worsened: Unstageable - Non-removable dressing	Asmt	Number	1	1631-1631

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5077	Consistency	Fatal	a) If M0300E1_2=[0-9], then if M0800D is active it must equal [0,1,2,3,4,5,6,7,8,9,-]. b) If M0300E1_2=[-], then if M0800D is active it must equal [-]. c) If M0300E1_2=[0-9] and M0800D=[0-9], then the value of M0800D must be less than or equal to the value of M0300E1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0800D	[V2.00.0]-New item.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>
Consistency	-5011	<p>[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F.</p> <p>[V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.</p>
Consistency	-5077	<p>[V2.00.0]-New edit.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800E

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0800E	Worsened: Unstageable - Slough and/or eschar	Asmt	Number	1	1632-1632

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5078	Consistency	Fatal	a) If M0300F1_2=[0-9], then if M0800E is active it must equal [0,1,2,3,4,5,6,7,8,9,-]. b) If M0300F1_2=[-], then if M0800E is active it must equal [-]. c) If M0300F1_2=[0-9] and M0800E=[0-9], then the value of M0800E must be less than or equal to the value of M0300F1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0800E	[V2.00.0]-New item.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>
Consistency	-5011	<p>[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F.</p> <p>[V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.</p>
Consistency	-5078	<p>[V2.00.0]-New edit.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0800F

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0800F	Worsened: Unstageable - Deep tissue injury	Asmt	Number	1	1633-1633

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must all be skipped with value of "Skipped" [^] .
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) and the number of pressure ulcers not present or at a lesser stage from admission (M0800A through M0800F) must not be "Skipped" [^].
-5079	Consistency	Fatal	a) If M0300G1_2=[0-9], then if M0800F is active it must equal [0,1,2,3,4,5,6,7,8,9,-]. b) If M0300G1_2=[-], then if M0800F is active it must equal [-]. c) If M0300G1_2=[0-9] and M0800F=[0-9], then the value of M0800F must be less than or equal to the value of M0300G1_2.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0800F	[V2.00.0]-New item.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1004	<p>[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.</p>
Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5007	<p>[V2.00.0]-Removed mappings to the following deleted items: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, and M0300F3_2. Added items M0800A through M0800F to the skip pattern.</p>
Consistency	-5011	<p>[V2.00.0]-Reworded edit to include the following items in the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F.</p> <p>[V2.00.1]-Per issue 10 of the errata for V2.00.0, revised the edit text to exclude the following items from the skip pattern: M0300B2_2, M0300C2_2, M0300D2_2, M0300E2_2, M0300F2_2, M0300G2_2. Also, the mappings to these items were deleted.</p>
Consistency	-5079	<p>[V2.00.0]-New edit.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0900A1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0900A1	Number of Stage 1 Healed Pressure Ulcers	Asmt	Number	1	1293-1293

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must all be equal to zero [0].
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0900A1	[V2.00.0]-New item. Replaces M0900A.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5013	<p>[V2.00.0]-Revised edit to use new item M0900A1, which replaced deleted item M0900A.</p>
Consistency	-5045	<p>[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Also, the edit was revised to use new item M0900A1, which replaced deleted item M0900A.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0900B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0900B	Number of Stage 2 Healed Pressure Ulcers	Asmt	Number	1	1294-1294

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must all be equal to zero [0].
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0900B	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5013	<p>[V2.00.0]-Revised edit to use new item M0900A1, which replaced deleted item M0900A.</p>
Consistency	-5045	<p>[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Also, the edit was revised to use new item M0900A1, which replaced deleted item M0900A.</p>

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0900C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0900C	Number of Stage 3 Healed Pressure Ulcers	Asmt	Number	1	1295-1295

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must all be equal to zero [0].
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0900C	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5013	[V2.00.0]-Revised edit to use new item M0900A1, which replaced deleted item M0900A.
Consistency	-5045	[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Also, the edit was revised to use new item M0900A1, which replaced deleted item M0900A.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Item ID: M0900D

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
M0900D	Number of Stage 4 Healed Pressure Ulcers	Asmt	Number	1	1296-1296

Item Values

Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must all be equal to zero [0].
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A1, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-].
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	M0900D	[V2.00.0]-This item is no longer voluntary, so the response of [=] has been removed.
Format	-1004	[V2.00.0]-The following items were removed from this edit: M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A. The following items were added for this edit: C0500, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1.

Data Submission Specifications for the IRF-PAI (V2.00.1)

Detailed Data Specifications Report

Section: M

Format	-1010	<p>[V2.00.0]-The following items were removed from this edit: ITM_SET_VRSN_CD, SPEC_VRSN_CD, I0900A, I0900B, I2900A, I2900B, I2900C, I2900D, M0300A2_2, M0300A3_2, M0300B3_2, M0300B4_2, M0300C3_2, M0300C4_2, M0300D3_2, M0300D4_2, M0300E3_2, M0300F3_2, M0900A.</p> <p>The following items were added for this edit: BB0700, BB0800, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C0600, C0900A, C0900B, C0900C, C0900E, C0900Z, GG0100A, GG0100B, GG0100C, GG0100D, GG0110A, GG0110B, GG0110C, GG0110D, GG0110E, GG0110Z, GG0130A1, GG0130A2, GG0130A3, GG0130B1, GG0130B2, GG0130B3, GG0130C1, GG0130C2, GG0130C3, GG0130E1, GG0130E2, GG0130E3, GG0130F1, GG0130F2, GG0130F3, GG0130G1, GG0130G2, GG0130G3, GG0130H1, GG0130H2, GG0130H3, GG0170A1, GG0170A2, GG0170A3, GG0170B1, GG0170B2, GG0170B3, GG0170C1, GG0170C2, GG0170C3, GG0170D1, GG0170D2, GG0170D3, GG0170E1, GG0170E2, GG0170E3, GG0170F1, GG0170F2, GG0170F3, GG0170G1, GG0170G2, GG0170G3, GG0170H1, GG0170H3, GG0170I1, GG0170I2, GG0170I3, GG0170J1, GG0170J2, GG0170J3, GG0170K1, GG0170K2, GG0170K3, GG0170L1, GG0170L2, GG0170L3, GG0170M1, GG0170M2, GG0170M3, GG0170N1, GG0170N2, GG0170N3, GG0170O1, GG0170O2, GG0170O3, GG0170P1, GG0170P2, GG0170P3, GG0170Q1, GG0170Q3, GG0170R1, GG0170R2, GG0170R3, GG0170RR1, GG0170RR3, GG0170S1, GG0170S2, GG0170S3, GG0170SS1, GG0170SS3, H0350, H0400, I0900, I2900, I7900, J1750, J1800, J1900A, J1900B, J1900C, J2000, K0110A, K0110B, K0110C, M0800A, M0800B, M0800C, M0800D, M0800E, M0800F, M0900A1, O0100N.</p>
Consistency	-5004	<p>[V2.00.0]-Added mappings to all Quality Measure items, with the exceptions of O0250A through O0250C.</p> <p>Removed mappings to the following deleted items: I0900A, I0900B, I2900A, M0300B4_2, M0300C4_2, and M0300D4_2.</p> <p>[V2.00.1]-Per issue 07 of the errata for V2.00.0, removed mappings to the following items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Per issue 09 of the errata for V2.00.0, removed mappings to the following items: C0400A, C0400B, C0400C.</p>
Consistency	-5013	<p>[V2.00.0]-Revised edit to use new item M0900A1, which replaced deleted item M0900A.</p>
Consistency	-5045	<p>[V2.00.0]-This edit was modified to reflect that the response of voluntary [=] is no longer valid. Also, the edit was revised to use new item M0900A1, which replaced deleted item M0900A.</p>