

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

HIP and KNEE REPLACEMENT  
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 5  
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- \* Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2007 - September 30, 2008  
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range  
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
AL	Dothan	SOUTHEAST ALABAMA MEDICAL CENTER†	010001	98.12%	100.00%	96.94%	98.33%	93.56%	88.92%	411
AL	Opelika	EAST ALABAMA MEDICAL CENTER AND SNF†	010029	99.56%	99.57%	97.79%	93.70%	98.95%	98.11%	495
AR	Batesville	WHITE RIVER MEDICAL CENTER†	040119	98.69%	100.00%	99.55%	92.88%	98.28%	93.56%	243
AR	Mountain View	STONE COUNTY MEDICAL CENTER	041310	53.85%	96.15%	96.15%	96.89%	92.00%	88.00%	32
AR	Pine Bluff	JEFFERSON REGIONAL MED CENTER-AR	040071	96.06%	94.62%	85.28%	99.48%	100.00%	97.14%	290
CA	Apple Valley	ST MARY MEDICAL CENTER	050300	95.45%	96.40%	67.68%	101.87%	99.18%	99.18%	129
CA	Bakersfield	SAN JOAQUIN COMMUNITY HOSPITAL†◆	050455	93.03%	98.01%	92.46%	99.29%	98.53%	95.59%	213

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
CA	Escondido	PALOMAR MEDICAL CENTER†	050115	96.23%	100.00%	96.15%	99.63%	97.76%	97.76%	371
CA	Fullerton	ST JUDE MEDICAL CENTER†	050168	97.27%	98.25%	94.63%	98.75%	96.73%	95.09%	586
CA	Gilroy	SAINT LOUISE REGIONAL HOSPITAL†◆	050688	97.73%	100.00%	94.32%	91.19%	100.00%	100.00%	97
CA	Glendale	GLENDALE ADVENTIST MEDICAL CENTER	050239	97.69%	100.00%	71.71%	93.63%	93.67%	90.05%	274
CA	Los Angeles	WHITE MEMORIAL MEDICAL CENTER†	050103	100.00%	93.68%	100.00%	99.56%	97.97%	96.45%	206
CA	Los Angeles	SAINT VINCENT MEDICAL CENTER†◆	050502	96.90%	99.74%	91.10%	99.40%	85.75%	84.50%	411
CA	Lynwood	ST FRANCIS MEDICAL CENTER†	050104	93.18%	100.00%	97.67%	90.93%	95.45%	93.18%	47
CA	Orange	ST JOSEPH HOSPITAL*†	050069	98.93%	99.89%	96.76%	99.12%	100.00%	99.09%	1023
CA	Paradise	FEATHER RIVER HOSPITAL†◆	050225	94.62%	100.00%	94.31%	96.10%	97.08%	97.08%	147
CA	Poway	POMERADO HOSPITAL†	050636	98.03%	100.00%	96.63%	96.44%	96.74%	96.09%	320
CA	San Jose	O'CONNOR HOSPITAL†◆	050153	89.39%	100.00%	98.47%	100.00%	96.89%	90.67%	208
CA	Simi Valley	SIMI VALLEY HOSPITAL & HEALTH CARE SVC	050236	72.34%	100.00%	95.65%	98.56%	86.96%	82.61%	50
CA	Sonora	SONORA REGIONAL MEDICAL CENTER*†	050335	97.93%	99.59%	98.73%	99.66%	99.59%	99.59%	254
CO	Grand Junction	ST MARYS HOSPITAL AND MEDICAL CENTER†	060023	92.89%	99.05%	99.28%	99.49%	99.27%	98.31%	454
FL	Clearwater	MORTON PLANT HOSPITAL†◆	100127	94.16%	99.34%	98.25%	96.44%	99.21%	97.76%	1010

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
FL	Dunedin	MEASE HEALTHCARE DUNEDIN†◆	100043	94.15%	100.00%	96.82%	92.64%	100.00%	95.60%	195
FL	Hollywood	MEMORIAL REGIONAL HOSPITAL†	100038	97.63%	100.00%	94.66%	96.50%	100.00%	97.71%	243
FL	Jacksonville	BAPTIST MEDICAL CENTER	100088	80.95%	91.13%	85.26%	94.12%	98.36%	94.10%	318
FL	Miami	SOUTH MIAMI HOSPITAL†	100154	99.41%	100.00%	95.15%	95.01%	98.84%	91.33%	183
FL	Miami	BAPTIST HOSPITAL OF MIAMI INC†	100008	98.99%	99.16%	98.10%	95.19%	99.68%	98.56%	651
FL	Miami Beach	MOUNT SINAI MEDICAL CENTER	100034	85.15%	99.12%	88.60%	96.24%	98.22%	97.33%	237
FL	Naples	NAPLES COMMUNITY HOSPITAL†	100018	91.61%	98.65%	92.36%	98.26%	99.72%	98.79%	1576
FL	New Port Richey	MORTON PLANT NORTH BAY HOSPITAL	100063	74.42%	98.78%	93.42%	94.16%	98.91%	95.65%	98
FL	Pembroke Pines	MEMORIAL HOSPITAL WEST†	100281	96.43%	100.00%	100.00%	90.52%	100.00%	97.60%	133
FL	Pembroke Pines	MEMORIAL HOSPITAL PEMBROKE†	100230	99.18%	100.00%	100.00%	86.53%	100.00%	99.18%	126
FL	Plant City	SOUTH FLORIDA BAPTIST HOSPITAL	100132	78.26%	100.00%	97.50%	95.56%	90.20%	90.20%	53
FL	Safety Harbor	MORTON PLANT MEASE HEALTHCARE COUNTRYSID	100265	88.70%	99.15%	92.89%	96.34%	99.24%	96.58%	276
FL	Saint Petersburg	ST ANTHONY'S HOSPITAL	100067	93.63%	98.50%	91.09%	94.64%	100.00%	100.00%	300
FL	Tampa	ST JOSEPH'S HOSPITAL	100075	89.05%	96.01%	93.01%	97.45%	99.61%	97.44%	529
FL	Winter Haven	WINTER HAVEN HOSPITAL†	100052	97.41%	98.96%	96.15%	94.28%	100.00%	98.08%	227

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
GA	La Grange	WEST GEORGIA HEALTH SYSTEM, INC†	110016	97.33%	100.00%	98.59%	87.52%	100.00%	100.00%	95
GA	Savannah	MEMORIAL HEALTH UNIVERSITY MEDICAL CENTER†	110036	91.67%	100.00%	93.85%	97.97%	99.28%	94.93%	144
GA	Savannah	ST. JOSEPH'S HOSPITAL†	110043	97.31%	99.53%	92.37%	98.54%	98.50%	98.17%	785
HI	Kailua	CASTLE MEDICAL CENTER†◆	120006	99.49%	99.48%	92.06%	100.66%	98.96%	94.79%	201
IA	Council Bluffs	ALEGENT HEALTH MERCY HOSPITAL†	160028	98.96%	99.48%	98.66%	94.21%	100.00%	99.76%	444
IA	Mason City	MERCY MEDICAL CENTER-NORTH IOWA†	160064	95.09%	99.62%	97.05%	99.64%	93.41%	89.93%	567
ID	Coeur D'Alene	KOOTENAI MEDICAL CENTER	130049	78.78%	96.01%	71.24%	99.00%	98.39%	94.62%	397
IL	Chicago	MT SINAI HOSPITAL MEDICAL CENTER	140018	88.24%	94.00%	77.55%	104.61%	100.00%	97.73%	54
IL	Elmhurst	ELMHURST MEMORIAL HOSPITAL	140200	99.14%	90.93%	81.79%	100.70%	99.73%	98.11%	399
IL	Peoria	METHODIST MEDICAL CENTER OF ILLINOIS*†	140209	97.64%	99.66%	96.14%	99.63%	100.00%	98.70%	328
IL	Springfield	MEMORIAL MEDICAL CENTER†	140148	97.49%	99.56%	97.54%	98.37%	99.58%	98.52%	1008
KS	Kansas City	PROVIDENCE MEDICAL CENTER†	170146	97.74%	100.00%	99.34%	93.20%	99.40%	99.10%	346
KS	Topeka	ST FRANCIS HEALTH CENTER†	170016	94.88%	100.00%	99.12%	98.25%	97.24%	96.60%	661
KY	Ashland	OUR LADY OF BELLEFONTE HOSPITAL†◆	180036	98.16%	98.94%	99.43%	93.26%	99.17%	98.34%	394
KY	Bowling Green	MEDICAL CENTER, THE†	180013	96.66%	99.39%	94.10%	96.84%	97.09%	85.76%	345

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
KY	Lexington	CENTRAL BAPTIST HOSPITAL†	180103	98.97%	99.18%	96.96%	97.45%	99.42%	98.46%	540
KY	Murray	MURRAY-CALLOWAY COUNTY HOSPITAL	180027	94.68%	97.89%	76.34%	98.01%	100.00%	100.00%	102
KY	Paducah	WESTERN BAPTIST HOSPITAL†♦	180104	95.63%	99.45%	98.86%	89.16%	98.45%	95.36%	205
MA	Fall River	SOUTHCOAST HOSPITAL GROUP, INC†	220074	94.71%	98.52%	96.00%	94.53%	98.98%	96.68%	845
MA	Pittsfield	BERKSHIRE MEDICAL CENTER INC*†	220046	98.16%	100.00%	97.77%	98.76%	100.00%	98.55%	286
MA	Springfield	BAYSTATE MEDICAL CENTER†	220077	99.52%	100.00%	96.56%	94.95%	99.90%	99.90%	1079
MD	Baltimore	BON SECOURS HOSPITAL	210013	72.00%	100.00%	79.17%	Low Sample (10 or less)	78.57%	78.57%	30
MD	Frederick	FREDERICK MEMORIAL HOSPITAL†♦	210005	95.71%	99.39%	95.85%		98.38%	97.17%	519
MD	Salisbury	PENINSULA REGIONAL MEDICAL CENTER	210019	91.67%	100.00%	89.68%	97.97%	100.00%	100.00%	144
MI	Lapeer	LAPEER REGIONAL MEDICAL CENTER*†	230193	99.63%	100.00%	98.15%	99.61%	100.00%	100.00%	280
MN	Burnsville	FAIRVIEW RIDGES HOSPITAL*†	240207	95.21%	99.11%	98.78%	100.30%	99.70%	99.40%	354
MN	Edina	FAIRVIEW SOUTHDAL E HOSPITAL*†	240078	98.79%	99.81%	94.96%	100.68%	99.91%	98.11%	1131
MN	Minneapolis	UNIVERSITY OF MINNESOTA MEDICAL CENTER,†	240080	96.66%	99.80%	95.83%	98.53%	99.42%	97.28%	561
MN	Princeton	FAIRVIEW NORTHLAND REGIONAL HOSPITAL†	240141	92.16%	100.00%	95.88%	96.77%	100.00%	100.00%	111
MN	Saint Louis Park	METHODIST HOSPITAL†	240053	99.27%	100.00%	97.79%	96.45%	89.21%	88.49%	146

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
MN	Winona	WINONA COMMUNITY MEMORIAL HOSPITAL†	240044	100.00%	100.00%	89.13%	104.12%	95.56%	93.33%	49
MN	Wyoming	FAIRVIEW LAKES REGIONAL HEALTH CARE†◆	240050	97.81%	100.00%	87.71%	102.30%	99.47%	97.86%	202
MO	Blue Springs	ST. MARY'S MEDICAL CENTER*†	260193	98.82%	100.00%	98.43%	97.56%	100.00%	100.00%	260
MO	Bridgeton	SSM DEPAUL HEALTH CENTER*†	260104	98.06%	99.55%	98.59%	96.47%	100.00%	99.14%	725
MO	Kansas City	ST. JOSEPH MEDICAL CENTER*†	260085	99.63%	98.89%	98.15%	97.60%	99.62%	99.62%	276
MO	Saint Joseph	HEARTLAND REGIONAL MEDICAL CENTER*†	260006	100.00%	100.00%	97.37%	96.88%	100.00%	99.75%	435
MS	Meridian	RUSH FOUNDATION HOSPITAL†◆	250069	100.00%	100.00%	96.19%	95.68%	99.09%	99.09%	235
MT	Billings	ST VINCENT HEALTHCARE*†	270049	100.00%	100.00%	97.80%	96.01%	100.00%	99.52%	683
MT	Butte	ST JAMES HEALTHCARE†	270017	92.11%	100.00%	97.27%	98.86%	100.00%	99.12%	123
MT	Miles City	HOLY ROSARY HEALTHCARE†◆	270002	93.88%	100.00%	89.13%	101.43%	100.00%	100.00%	54
MT	Missoula	ST PATRICK HOSPITAL AND HEALTH SCIENCES†	270014	98.11%	100.00%	98.52%	99.75%	95.28%	92.45%	234
NC	Albemarle	STANLY REGIONAL MEDICAL CENTER†	340119	98.18%	98.21%	98.00%	92.23%	100.00%	100.00%	61
NC	Asheboro	RANDOLPH HOSPITAL	340123	95.92%	98.98%	95.56%	86.78%	99.06%	98.11%	122
NC	Asheville	MISSION HOSPITALS, INC†	340002	93.18%	99.79%	90.83%	99.64%	99.38%	97.74%	532
NC	Boone	WATAUGA MEDICAL CENTER	340051	97.56%	100.00%	78.13%	101.40%	100.00%	94.71%	181

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
NC	Burlington	ALAMANCE REGIONAL MEDICAL CENTER	340070	95.56%	99.32%	84.04%	97.05%	97.70%	97.05%	321
NC	Clyde	HAYWOOD REGIONAL MEDICAL CENTER	340184	93.98%	100.00%	85.37%	88.30%	96.55%	94.25%	90
NC	Durham	DURHAM REGIONAL HOSPITAL†	340155	95.99%	100.00%	96.81%	96.71%	99.82%	99.46%	593
NC	Durham	DUKE UNIVERSITY HOSPITAL*†	340030	97.83%	100.00%	98.53%	97.46%	99.26%	99.26%	143
NC	Fayetteville	CAPE FEAR VALLEY MEDICAL CENTER*†	340028	99.71%	99.27%	97.42%	98.17%	99.86%	98.85%	773
NC	Gastonia	CAROMONT HEALTH GASTON MEMORIAL HOSPITAL*†	340032	99.42%	99.81%	99.59%	98.65%	100.00%	99.22%	555
NC	Goldsboro	WAYNE MEMORIAL HOSPITAL†	340010	98.29%	100.00%	96.85%	97.83%	99.35%	98.06%	337
NC	Hickory	CATAWBA VALLEY MEDICAL CENTER†◆	340143	93.37%	99.71%	94.69%	98.33%	99.44%	93.24%	367
NC	Lumberton	SOUTHEASTERN REGIONAL MEDICAL CENTER†◆	340050	97.47%	100.00%	89.74%	97.64%	98.84%	94.19%	88
NC	Pinehurst	FIRSTHEALTH MOORE REGIONAL HOSPITAL†◆	340115	92.99%	99.89%	98.62%	96.71%	99.68%	99.14%	974
NC	Raleigh	DUKE HEALTH RALEIGH HOSPITAL	340073	93.33%	99.26%	85.87%	98.32%	100.00%	100.00%	276
NC	Shelby	CLEVELAND REGIONAL MEDICAL CENTER†	340021	98.12%	99.69%	96.83%	95.45%	99.40%	99.40%	350
NC	Sylva	HARRIS REGIONAL HOSPITAL, INC	340016	94.23%	98.72%	84.67%	96.57%	100.00%	88.68%	167
NC	Wilmington	NEW HANOVER REGIONAL MEDICAL CENTER†	340141	96.79%	98.72%	98.71%	97.68%	96.75%	79.22%	163
NC	Wilson	WILSON MEDICAL CENTER	340126	99.06%	100.00%	80.06%	100.06%	99.39%	99.08%	344

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
NE	Fremont	FREMONT AREA MEDICAL CENTER†◆	280077	96.79%	100.00%	91.51%	101.30%	100.00%	100.00%	240
NE	Omaha	ALEGENT HEALTH IMMANUEL MEDICAL CTR†	280081	94.84%	100.00%	95.89%	100.10%	99.39%	98.17%	177
NE	Omaha	ALEGENT HEALTH-BERGAN MERCY MEDICAL CTR†	280060	95.45%	99.85%	96.39%	98.55%	99.86%	99.86%	777
NE	Papillion	ALEGENT HEALTH-MIDLANDS COMM HOSP*†	280105	100.00%	100.00%	98.15%	101.22%	100.00%	98.21%	63
NJ	Hackensack	HACKENSACK UNIVERSITY MEDICAL CENTER†	310001	100.00%	99.92%	97.73%	96.56%	98.76%	97.91%	1369
NY	Bay Shore	SOUTHSIDE HOSPITAL†	330043	98.39%	100.00%	96.67%	90.54%	100.00%	100.00%	139
NY	Brockport	LAKESIDE MEMORIAL HOSPITAL	330037	100.00%	100.00%	86.67%	91.58%	97.50%	97.50%	40
NY	Elmira	ARNOT OGDEN MEDICAL CENTER*†	330090	99.67%	100.00%	99.66%	93.28%	100.00%	100.00%	325
NY	Forest Hills	NS-LIJ HS-NORTH SHORE UNIV HOSP AT FOREST HILLS	330353	98.20%	100.00%	94.39%	82.70%	97.56%	93.50%	124
NY	Glen Cove	NS-LIJ HS-NORTH SHORE UNIV HOSP AT GLEN COVE†	330181	99.19%	100.00%	99.17%	94.02%	97.04%	95.56%	144
NY	Huntington	HUNTINGTON HOSPITAL†	330045	96.27%	96.27%	96.92%	92.17%	98.50%	98.50%	140
NY	Manhasset	NS-LIJ HS-NORTH SHORE UNIVERSITY HOSPITAL†	330106	91.13%	100.00%	94.07%	97.47%	68.03%	68.03%	131
NY	New Hyde Park	LONG ISLAND JEWISH MEDICAL CENTER*†	330195	99.25%	99.25%	97.71%	96.30%	100.00%	100.00%	142
NY	Plainview	NS-LIJ HS-NORTH SHORE UNIV HOSP AT PLAINVIEW†	330331	100.00%	100.00%	94.26%	94.63%	98.54%	97.81%	142
NY	Rochester	ROCHESTER GENERAL HOSPITAL*†	330125	98.98%	99.85%	98.97%	99.58%	100.00%	99.71%	729



				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
NY	Staten Island	STATEN ISLAND UNIVERSITY HOSPITAL†	330160	98.51%	99.25%	99.25%	90.76%	100.00%	100.00%	143
NY	Suffern	GOOD SAMARITAN HOSPITAL OF SUFFERN	330158	89.72%	100.00%	87.62%	98.05%	98.15%	96.30%	118
NY	Valley Stream	FRANKLIN HOSPITAL MED CTR†	330372	95.00%	99.17%	94.83%	96.80%	100.00%	100.00%	132
NY	Warwick	ST ANTHONY COMMUNITY HOSPITAL*†	330205	98.00%	100.00%	98.00%	97.69%	100.00%	100.00%	53
OH	Akron	SUMMA HEALTH SYSTEMS HOSPITALS*†	360020	98.94%	100.00%	97.28%	96.90%	99.44%	99.44%	192
OH	Dayton	GRANDVIEW HOSPITAL & MEDICAL CENTER*†	360133	98.90%	99.73%	98.57%	96.93%	100.00%	99.45%	390
OH	Kettering	KETTERING MEDICAL CENTER*†	360079	99.42%	99.93%	99.34%	99.26%	99.93%	99.72%	1483
OH	Lorain	COMMUNITY HEALTH PARTNERS OF OH-WEST	360172	91.38%	99.42%	93.86%	94.54%	99.72%	98.87%	384
OH	Miamisburg	SYCAMORE HOSPITAL*†	360239	98.74%	100.00%	99.56%	97.85%	100.00%	99.19%	259
OH	Springfield	SPRINGFIELD REGIONAL MEDICAL CENTER	360086	82.80%	88.84%	85.54%	94.81%	92.74%	92.34%	266
OH	Toledo	ST. VINCENT MERCY MEDICAL CENTER	360112	95.68%	98.56%	85.61%	82.23%	96.35%	93.43%	146
OK	Oklahoma City	ST ANTHONY HOSPITAL†◆	370037	98.07%	99.52%	95.61%	99.42%	97.13%	95.69%	215
OK	Oklahoma City	BONE AND JOINT HOSPITAL†	370105	97.77%	99.33%	97.96%	97.67%	90.46%	85.47%	479
OK	Tulsa	ST. FRANCIS HOSPITAL SOUTH†	370218	97.16%	100.00%	96.30%	99.53%	99.32%	98.64%	156
OK	Tulsa	SAINT FRANCIS HOSPITAL, INC	370091	94.95%	99.58%	81.70%	97.19%	99.31%	98.33%	787

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
OR	Medford	ROGUE VALLEY MEDICAL CENTER†◆	380018	95.78%	99.86%	98.91%	99.52%	98.71%	98.71%	759
OR	Portland	ADVENTIST MEDICAL CENTER	380060	85.19%	100.00%	93.13%	98.91%	100.00%	96.35%	144
PA	Bethlehem	ST. LUKES HOSPITAL NETWORK	390049	93.54%	98.33%	89.54%	93.01%	99.55%	99.11%	503
PA	Bryn Mawr	MAIN LINE HEALTH-BRYN MAWR HOSPITAL*†	390139	99.67%	99.89%	98.63%	97.77%	99.35%	98.05%	972
PA	Erie	SAINT VINCENT HEALTH CENTER*†	390009	99.76%	100.00%	99.04%	97.15%	99.75%	99.75%	442
PA	Meadville	MEADVILLE MEDICAL CENTER†	390113	97.16%	99.65%	95.27%	96.42%	100.00%	99.20%	317
PA	Paoli	MAIN LINE HOSPITALS-PAOLI MEMORIAL HOSPITAL*†	390153	99.72%	99.15%	95.16%	102.58%	100.00%	99.44%	382
PA	Philadelphia	ALBERT EINSTEIN MEDICAL CENTER†	390142	99.64%	100.00%	97.82%	92.50%	100.00%	100.00%	291
PA	Philadelphia	FRANKFORD HOSPITAL	390115	93.78%	100.00%	84.41%	86.75%	97.96%	97.96%	211
PA	Philadelphia	THOMAS JEFFERSON UNIVERSITY HOSPITAL†	390174	98.38%	99.79%	98.44%	95.45%	99.49%	99.20%	1516
PA	Wynnewood	MAIN LINE HEALTH-LANKENAU HOSPITAL†◆	390195	98.29%	96.93%	93.06%	95.05%	99.32%	99.32%	310
SC	Anderson	ANMED HEALTH†	420027	93.98%	100.00%	95.14%	100.21%	99.38%	99.07%	342
SC	Columbia	PALMETTO HEALTH BAPTIST*†	420086	98.44%	99.78%	97.75%	98.65%	99.77%	97.75%	468
SC	Columbia	PALMETTO HEALTH RICHLAND*†	420018	99.59%	99.79%	96.77%	100.75%	99.79%	96.60%	1005
SC	Conway	CONWAY MEDICAL CENTER†◆	420049	97.20%	99.30%	95.52%	96.31%	100.00%	100.00%	163

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
SC	Easley	PALMETTO HEALTH BAPTIST EASLEY†	420015	100.00%	100.00%	94.79%	94.45%	100.00%	99.08%	117
SC	Florence	MCLEOD REGIONAL MEDICAL CENTER†	420051	95.05%	97.54%	95.82%	97.93%	100.00%	99.80%	514
SC	Greenville	ST FRANCIS HOSPITAL*†	420023	94.87%	99.36%	98.66%	99.50%	100.00%	99.38%	169
SC	Greenville	GREENVILLE MEMORIAL HOSPITAL	420078	89.29%	100.00%	94.44%	92.58%	85.44%	79.61%	124
SC	Greenwood	SELF REGIONAL HEALTHCARE†	420071	94.49%	99.72%	97.22%	102.24%	99.74%	90.96%	412
SC	Greer	ALLEN BENNETT MEMORIAL HOSPITAL†	420033	94.29%	100.00%	100.00%	98.22%	96.10%	88.31%	81
SC	Simpsonville	HILLCREST HOSPITAL†	420037	98.04%	100.00%	98.99%	103.68%	88.79%	82.24%	115
SD	Aberdeen	AVERA ST. LUKE'S†◆	430014	92.86%	97.40%	94.67%	104.65%	91.28%	91.28%	166
SD	Mitchell	AVERA QUEEN OF PEACE*†	430013	98.04%	100.00%	100.00%	98.33%	100.00%	100.00%	119
SD	Rapid City	RAPID CITY REGIONAL HOSPITAL†	430077	97.83%	100.00%	94.01%	99.16%	98.74%	95.38%	264
SD	Sioux Falls	AVERA MCKENNAN HOSP&UNIVERSITY HLTH CT†	430016	99.44%	99.72%	98.57%	97.66%	98.13%	96.70%	736
SD	Yankton	AVERA SACRED HEART HOSPITAL†	430012	96.83%	100.00%	93.10%	100.29%	100.00%	100.00%	80
TN	Elizabethton	SYCAMORE SHOALS HOSPITAL	440018	93.02%	90.70%	93.02%	97.12%	100.00%	100.00%	46
TN	Johnson City	JOHNSON CITY MEDICAL CENTER	440063	95.08%	88.62%	87.27%	96.44%	98.46%	93.85%	144
TN	Kingsport	INDIAN PATH MEDICAL CENTER†	440176	97.69%	98.46%	90.08%	96.01%	100.00%	99.26%	144

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
TN	Memphis	METHODIST HEALTHCARE MEMPHIS HOSPITALS†	440049	98.98%	98.99%	97.65%	95.91%	99.08%	94.14%	1012
TX	Allen	PRESBYTERIAN HOSPITAL OF ALLEN	450840	73.74%	83.84%	92.93%	95.38%	100.00%	100.00%	104
TX	Arlington	ARLINGTON MEMORIAL HOSPITAL	450064	95.79%	99.37%	87.31%	94.76%	97.93%	97.51%	509
TX	Azle	HARRIS METHODIST NORTHWEST†◆	450419	96.30%	100.00%	91.84%	100.93%	100.00%	100.00%	59
TX	Bedford	HARRIS METHODIST H E B HOSPITAL†◆	450639	90.57%	99.32%	93.45%	98.36%	100.00%	95.11%	336
TX	Cleburne	WALLS REGIONAL HOSPITAL*†	450148	98.06%	100.00%	100.00%	98.90%	100.00%	100.00%	216
TX	Dallas	METHODIST CHARLTON MEDICAL CENTER	450723	86.51%	100.00%	95.04%	94.21%	99.67%	96.36%	315
TX	Dallas	METHODIST DALLAS MEDICAL CENTER†	450051	91.73%	98.80%	96.27%	94.88%	97.38%	94.76%	285
TX	Dallas	PRESBYTERIAN HOSPITAL OF DALLAS†	450462	94.43%	99.70%	95.50%	97.07%	99.50%	96.97%	1040
TX	Fort Worth	HARRIS METHODIST FORT WORTH	450135	99.34%	95.19%	87.02%	92.06%	81.43%	77.54%	521
TX	Fort Worth	HARRIS METHODIST SOUTHWEST†	450779	98.05%	98.70%	95.33%	95.86%	99.40%	99.40%	170
TX	Harlingen	VALLEY BAPTIST MEDICAL CENTER	450033	92.53%	98.13%	88.14%	99.12%	99.74%	99.48%	419
TX	Kaufman	PRESBYTERIAN HOSPITAL OF KAUFMAN†	450292	100.00%	100.00%	90.63%	95.36%	100.00%	100.00%	40
TX	Livingston	MEMORIAL MEDICAL CENTER LIVINGSTON	450395	87.01%	100.00%	8.11%	94.73%	96.34%	96.34%	87
TX	Lufkin	MEMORIAL MEDICAL CENTER OF EAST TEXAS	450211	90.91%	86.36%	95.37%	93.69%	100.00%	99.18%	124

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
TX	Plano	PRESBYTERIAN HOSP OF PLANO†◆	450771	94.89%	99.31%	92.52%	99.75%	96.55%	96.55%	1041
TX	Stephenville	HARRIS METHODIST ERATH COUNTY	450351	100.00%	62.32%	95.45%	87.91%	98.72%	98.72%	81
TX	Victoria	CITIZENS MEDICAL CENTER†	450023	99.11%	100.00%	96.43%	98.35%	99.38%	93.48%	343
VA	Chesapeake	CHESAPEAKE GENERAL HOSPITAL	490120	96.71%	99.70%	74.37%	94.51%	100.00%	99.10%	358
VA	Galax	TWIN COUNTY REGIONAL HOSPITAL	490115	90.63%	100.00%	77.78%	97.15%	100.00%	96.97%	37
VA	Gloucester	RIVERSIDE WALTER REED HOSPITAL	490130	90.91%	29.55%	45.35%	92.46%	100.00%	98.84%	96
VA	Mechanicsville	BON SECOURS - MEMORIAL REGIONAL MEDICAL*†	490069	98.35%	99.73%	98.29%	104.66%	100.00%	98.69%	409
VA	Newport News	BON SECOURS - MARY IMMACULATE HOSPITAL†	490041	93.90%	99.84%	95.96%	97.83%	92.46%	92.13%	649
VA	Newport News	RIVERSIDE REGIONAL MEDICAL CENTER†	490052	96.84%	100.00%	92.14%	96.72%	91.77%	78.55%	426
VA	Norfolk	BON SECOURS-DEPAUL MEDICAL CENTER*†	490011	99.24%	98.47%	100.00%	99.45%	100.00%	100.00%	141
VA	Portsmouth	BON SECOURS MARYVIEW MEDICAL CENTER†	490017	95.90%	97.45%	92.70%	100.13%	100.00%	99.05%	229
VA	Richmond	BON SECOURS - ST MARYS HOSPITAL OF RICHM†	490059	97.78%	99.75%	97.86%	97.94%	99.24%	98.98%	832
VA	South Hill	COMMUNITY MEM HEALTHCENTER	490098	98.31%	100.00%	81.03%	89.35%	98.44%	98.44%	66
VA	Tappahannock	RIVERSIDE TAPPAHANNOCK HOSP INC†	490084	94.12%	100.00%	92.54%	100.63%	100.00%	93.06%	75
WA	Spokane	HOLY FAMILY HOSPITAL†	500077	97.65%	100.00%	96.90%	99.39%	98.08%	97.84%	496

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
WA	Spokane	SACRED HEART MEDICAL CENTER†	500054	99.01%	99.90%	96.23%	97.92%	97.13%	97.13%	1053
WA	Walla Walla	ST MARY MEDICAL CENTER*†	500002	97.50%	99.50%	94.44%	101.44%	99.49%	99.49%	207
WI	Burlington	MEMORIAL HOSPITAL OF BURLINGTON*†	520059	100.00%	100.00%	97.62%	98.20%	100.00%	99.42%	188
WI	Elkhorn	AURORA LAKELAND MED CTR	520102	98.85%	98.88%	91.36%	87.85%	100.00%	97.50%	100
WI	Green Bay	AURORA BAYCARE MED CTR*†	520193	99.47%	100.00%	99.46%	97.53%	100.00%	100.00%	201
WI	Hartford	AURORA MEDICAL CENTER OF WASHINGTON COUNTY*†	520038	99.35%	100.00%	99.34%	102.57%	100.00%	100.00%	165
WI	Kenosha	AURORA MED CTR KENOSHA*†	520189	100.00%	100.00%	98.63%	95.65%	100.00%	100.00%	85
WI	Madison	ST MARYS HSPTL MED CTR†	520083	97.88%	99.80%	97.01%	97.64%	96.57%	96.37%	1069
WI	Milwaukee	ST LUKES MEDICAL CENTER†	520138	98.83%	99.47%	98.04%	94.49%	99.49%	98.26%	1057
WI	Milwaukee	AURORA SINAI MEDICAL CENTER†	520064	99.28%	98.91%	98.13%	96.93%	99.64%	97.83%	290
WI	Sheboygan	AURORA SHEBOYGAN MEMORIAL MEDICAL CENTER*†	520035	100.00%	100.00%	100.00%	102.83%	100.00%	100.00%	312
WI	Two Rivers	AURORA MEDICAL CENTER MANITOWOC COUNTY†	520034	99.10%	100.00%	97.25%	93.65%	98.92%	98.92%	122
WI	West Allis	WEST ALLIS MEMORIAL HOSPITAL†	520139	98.21%	99.49%	98.67%	95.24%	98.96%	98.17%	411
WV	Bluefield	BLUEFIELD REGIONAL MEDICAL CENTER†◆	510071	94.39%	99.53%	92.42%	94.52%	99.03%	99.03%	223
WV	Charleston	CHARLESTON AREA MEDICAL CENTER†	510022	98.61%	100.00%	95.41%	93.89%	98.90%	97.43%	574

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Readmission (30 day) avoidance index	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	% Patients Received	% Patients Received	
WV	Clarksburg	UNITED HOSPITAL CENTER*†	510006	100.00%	100.00%	99.59%	99.54%	100.00%	100.00%	274
WV	Huntington	ST MARY’S MEDICAL CENTER†	510007	96.09%	100.00%	92.86%	96.99%	89.58%	76.04%	202
WV	Huntington	CABELL HUNTINGTON HOSPITAL*†	510055	100.00%	99.75%	92.70%	100.68%	99.76%	98.59%	446
WV	Morgantown	MONONGALIA COUNTY GENERAL HOSPITAL†	510024	98.46%	99.78%	98.01%	99.25%	95.91%	94.09%	485
WV	Morgantown	WEST VIRGINIA UNIVERSITY HOSPITALS†◆	510001	96.25%	99.63%	90.35%	100.80%	98.90%	97.43%	298
WV	Weirton	WEIRTON MEDICAL CENTER†◆	510023	92.50%	100.00%	93.71%	96.83%	97.37%	97.37%	164