

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
AL	Dothan	SOUTHEAST ALABAMA MEDICAL CENTER†	010001	98.11%	100.00%	96.38%	100.00%	95.24%	87.23%	96.99%	401
AL	Opelika	EAST ALABAMA MEDICAL CENTER AND SNF*†	010029	99.58%	99.79%	98.94%	100.00%	98.89%	95.87%	98.41%	515
AR	Batesville	WHITE RIVER MEDICAL CENTER†	040119	98.87%	100.00%	96.53%	100.00%	100.00%	73.17%	98.46%	282
AR	Pine Bluff	JEFFERSON REGIONAL MED CENTER-AR†◆	040071	97.00%	99.67%	94.94%	100.00%	100.00%	100.00%	95.72%	326
CA	Apple Valley	ST MARY MEDICAL CENTER	050300	97.04%	97.76%	74.56%	97.06%	95.59%	100.00%	95.16%	163
CA	Bakersfield	SAN JOAQUIN COMMUNITY HOSPITAL	050455	91.51%	98.68%	93.24%	98.80%	96.39%	92.86%	95.86%	393
CA	Escondido	PALOMAR MEDICAL CENTER†	050115	96.06%	99.15%	99.14%	98.21%	98.21%	98.33%	95.53%	379
CA	Fullerton	ST JUDE MEDICAL CENTER†	050168	98.74%	99.64%	98.54%	99.30%	97.16%	92.86%	96.62%	650

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
CA	Gilroy	SAINT LOUISE REGIONAL HOSPITAL†◆	050688	97.70%	100.00%	95.35%	100.00%	100.00%	100.00%	96.54%	95
CA	Glendale	GLENDALE ADVENTIST MEDICAL CENTER	050239	96.01%	100.00%	86.85%	96.05%	96.03%	84.34%	96.17%	315
CA	Los Angeles	SAINT VINCENT MEDICAL CENTER†◆	050502	97.18%	100.00%	95.14%	95.96%	95.96%	81.69%	96.49%	500
CA	Los Angeles	WHITE MEMORIAL MEDICAL CENTER†	050103	98.96%	99.48%	97.74%	100.00%	95.71%	75.56%	102.70%	210
CA	Lynwood	ST FRANCIS MEDICAL CENTER†	050104	91.84%	100.00%	100.00%	100.00%	95.83%	Low Sample (10 or less)	92.95%	51
CA	Orange	ST JOSEPH HOSPITAL*†	050069	99.53%	99.91%	97.73%	100.00%	99.24%		99.86%	1175
CA	Paradise	FEATHER RIVER HOSPITAL†	050225	96.21%	98.48%	96.83%	98.00%	98.00%	93.94%	98.57%	143
CA	Poway	POMERADO HOSPITAL*†	050636	98.80%	100.00%	98.34%	100.00%	100.00%	100.00%	98.14%	258

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
CA	Saint Helena	ST HELENA HOSPITAL†	050013	100.00%	97.32%	93.75%	Low Sample (10 or less)	Low Sample (10 or less)	95.83%	100.90%	116
CA	San Jose	O'CONNOR HOSPITAL†	050153	94.64%	99.55%	97.22%	95.24%	93.98%	87.76%	99.39%	235
CA	Simi Valley	SIMI VALLEY HOSPITAL & HEALTH CARE SVC	050236	77.78%	98.77%	94.87%	100.00%	100.00%	88.24%	92.26%	90
CA	Sonora	SONORA REGIONAL MEDICAL CENTER†	050335	98.16%	99.26%	99.62%	100.00%	100.00%	94.87%	97.00%	284
CO	Grand Junction	ST MARYS HOSPITAL AND MEDICAL CENTER†	060023	98.64%	99.77%	98.18%	100.00%	98.24%	91.00%	99.48%	471
FL	Clearwater	MORTON PLANT HOSPITAL†	100127	97.55%	99.26%	98.31%	99.63%	98.88%	97.63%	94.98%	1063
FL	Dunedin	MEASE HEALTHCARE DUNEDIN†	100043	96.48%	97.89%	96.24%	100.00%	100.00%	92.16%	97.76%	171
FL	Hollywood	MEMORIAL REGIONAL HOSPITAL†	100038	97.57%	100.00%	98.48%	100.00%	100.00%	98.31%	92.76%	242

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
FL	Homestead	HOMESTEAD HOSPITAL	100125	100.00%	100.00%	100.00%	100.00%	95.24%	Low Sample (10 or less)	72.81%	35
FL	Jacksonville	BAPTIST MEDICAL CENTER	100088	86.76%	93.38%	90.00%	100.00%	87.80%	79.31%	96.21%	147
FL	Miami	BAPTIST HOSPITAL OF MIAMI INC*†	100008	99.84%	99.69%	97.76%	99.50%	99.50%	95.85%	99.18%	704
FL	Miami	SOUTH MIAMI HOSPITAL†	100154	98.84%	100.00%	97.55%	96.30%	96.30%	96.08%	92.11%	188
FL	Miami Beach	MOUNT SINAI MEDICAL CENTER†◆	100034	98.03%	100.00%	91.04%	98.61%	100.00%	97.67%	97.31%	216
FL	Naples	NAPLES COMMUNITY HOSPITAL†	100018	95.67%	99.17%	92.15%	99.30%	98.25%	66.67%	99.34%	1764
FL	New Port Richey	MORTON PLANT NORTH BAY HOSPITAL	100063	98.21%	100.00%	89.13%	100.00%	100.00%	95.24%	93.62%	62
FL	Pembroke Pines	MEMORIAL HOSPITAL PEMBROKE*†	100230	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	95.08%	113

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
FL	Pembroke Pines	MEMORIAL HOSPITAL WEST	100281	99.14%	100.00%	96.43%	100.00%	96.72%	100.00%	86.74%	135
FL	Plant City	SOUTH FLORIDA BAPTIST HOSPITAL	100132	99.17%	100.00%	99.07%	100.00%	90.00%	95.00%	84.43%	141
FL	Safety Harbor	MORTON PLANT MEASE HEALTHCARE COUNTRYSIDE†◆	100265	93.39%	99.16%	97.77%	100.00%	98.55%	98.59%	93.02%	280
FL	Saint Petersburg	ST ANTHONY'S HOSPITAL†◆	100067	97.88%	99.15%	98.21%	100.00%	96.83%	100.00%	99.02%	272
FL	Tampa	ST JOSEPH'S HOSPITAL	100075	98.81%	97.86%	95.69%	99.29%	91.43%	81.58%	92.55%	480
FL	Winter Haven	WINTER HAVEN HOSPITAL†	100052	98.80%	99.40%	94.87%	100.00%	100.00%	95.83%	96.20%	194
GA	La Grange	WEST GEORGIA MEDICAL CENTER, INC*†	110016	100.00%	100.00%	98.57%	100.00%	100.00%	100.00%	94.51%	101
GA	Savannah	MEMORIAL HEALTH UNIVERSITY MEDICAL CENTER†	110036	93.45%	100.00%	96.32%	100.00%	100.00%	83.33%	96.96%	180

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
GA	Savannah	ST. JOSEPH'S HOSPITAL†	110043	99.66%	99.89%	97.69%	100.00%	99.05%	90.40%	97.29%	916
HI	Kailua	CASTLE MEDICAL CENTER†	120006	100.00%	100.00%	93.60%	96.92%	95.38%	100.00%	97.45%	196
IA	Council Bluffs	ALEGENT HEALTH MERCY HOSPITAL*†	160028	98.56%	100.00%	100.00%	100.00%	100.00%	97.73%	97.06%	518
IA	Mason City	MERCY MEDICAL CENTER-NORTH IOWA†◆	160064	99.01%	99.61%	96.77%	92.44%	91.60%	92.64%	101.32%	556
ID	Coeur D'Alene	KOOTENAI MEDICAL CENTER	130049	92.49%	98.25%	80.90%	96.12%	95.15%	92.86%	96.76%	469
IL	Chicago	MT SINAI HOSPITAL MEDICAL CENTER†◆	140018	100.00%	100.00%	93.33%	100.00%	100.00%	82.35%	104.63%	58
IL	Elmhurst	ELMHURST MEMORIAL HOSPITAL†◆	140200	99.33%	98.99%	92.36%	100.00%	99.48%	87.32%	103.03%	329
IL	Peoria	METHODIST MEDICAL CENTER OF ILLINOIS*†	140209	99.25%	99.63%	97.70%	100.00%	96.97%	91.46%	104.05%	304

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
IL	Springfield	MEMORIAL MEDICAL CENTER†	140148	99.41%	99.41%	98.00%	100.00%	100.00%	96.76%	96.56%	1112
KS	Kansas City	PROVIDENCE MEDICAL CENTER†	170146	99.65%	100.00%	98.55%	100.00%	94.74%	94.29%	92.61%	321
KS	Topeka	ST FRANCIS HEALTH CENTER†	170016	96.95%	100.00%	97.60%	100.00%	100.00%	98.61%	97.63%	648
KY	Ashland	OUR LADY OF BELLEFONTE HOSPITAL†	180036	97.53%	100.00%	99.39%	100.00%	100.00%	100.00%	96.03%	397
KY	Bowling Green	THE MEDICAL CENTER AT BOWLING GREEN†	180013	99.17%	100.00%	96.88%	98.31%	96.61%	88.51%	96.81%	395
KY	Murray	MURRAY-CALLOWAY COUNTY HOSPITAL	180027	95.18%	97.59%	81.25%	100.00%	100.00%	90.91%	82.82%	91
MA	Fall River	SOUTHCOAST HOSPITAL GROUP, INC†	220074	96.17%	99.40%	96.44%	99.41%	94.49%	94.76%	98.15%	889
MA	Pittsfield	BERKSHIRE MEDICAL CENTER INC†	220046	99.32%	99.66%	99.65%	99.36%	99.36%	100.00%	92.72%	302

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
MA	Springfield	BAYSTATE MEDICAL CENTER*†	220077	99.59%	99.80%	98.52%	100.00%	100.00%	99.48%	99.26%	1021
MD	Baltimore	BON SECOURS HOSPITAL	210013	66.67%	94.74%	66.67%	100.00%	89.47%	Low Sample (10 or less)	96.56%	30
MD	Frederick	FREDERICK MEMORIAL HOSPITAL†	210005	98.26%	99.35%	94.48%	100.00%	100.00%		98.65%	509
MD	Salisbury	PENINSULA REGIONAL MEDICAL CENTER	210019	91.73%	100.00%	94.40%	100.00%	96.43%	83.78%	94.65%	143
MI	Lapeer	LAPEER REGIONAL MEDICAL CENTER*†	230193	99.59%	100.00%	99.58%	100.00%	100.00%	98.61%	98.21%	252
MN	Burnsville	FAIRVIEW RIDGES HOSPITAL†	240207	97.10%	100.00%	96.84%	97.96%	97.96%	97.87%	99.15%	504
MN	Edina	FAIRVIEW SOUTHDAL E HOSPITAL†	240078	98.39%	100.00%	96.06%	100.00%	96.72%	96.64%	99.52%	1199
MN	Minneapolis	UNIVERSITY OF MINNESOTA MEDICAL CENTER,†	240080	98.32%	100.00%	96.58%	98.51%	97.01%	97.12%	99.24%	596

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
MN	Princeton	FAIRVIEW NORTHLAND REGIONAL HOSPITAL†	240141	98.99%	100.00%	97.92%	Low Sample (10 or less)	Low Sample (10 or less)	100.00%	93.59%	102
MN	Saint Louis Park	METHODIST HOSPITAL†◆	240053	98.58%	99.53%	99.04%	100.00%	100.00%	86.54%	98.59%	227
MN	Winona	WINONA COMMUNITY MEMORIAL HOSPITAL*†	240044	100.00%	98.15%	92.31%	100.00%	100.00%	100.00%	104.02%	59
MN	Wyoming	FAIRVIEW LAKES REGIONAL HEALTH CARE†	240050	96.55%	100.00%	96.84%	100.00%	100.00%	90.48%	95.03%	222
MO	Blue Springs	ST. MARY'S MEDICAL CENTER†	260193	96.56%	98.85%	96.55%	100.00%	100.00%	100.00%	95.62%	275
MO	Kansas City	ST. JOSEPH MEDICAL CENTER	260085	98.42%	98.81%	91.67%	92.19%	92.19%	98.00%	95.98%	281
MO	Saint Joseph	HEARTLAND REGIONAL MEDICAL CENTER*†	260006	99.77%	100.00%	98.37%	100.00%	100.00%	99.17%	96.61%	478
MS	Meridian	RUSH FOUNDATION HOSPITAL*†	250069	100.00%	99.63%	98.05%	100.00%	98.95%	100.00%	101.45%	298

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
MT	Billings	ST VINCENT HEALTHCARE*†	270049	99.86%	100.00%	99.56%	100.00%	99.33%	99.36%	99.82%	794
MT	Butte	ST JAMES HEALTHCARE†	270017	99.12%	100.00%	97.22%	100.00%	100.00%	91.67%	93.46%	129
MT	Miles City	HOLY ROSARY HEALTHCARE†◆	270002	100.00%	100.00%	91.84%	100.00%	100.00%	Low Sample (10 or less)	97.40%	51
MT	Missoula	ST PATRICK HOSPITAL AND HEALTH SCIENCES*†	270014	99.32%	100.00%	97.92%	100.00%	100.00%		100.62%	166
NC	Albemarle	STANLY REGIONAL MEDICAL CENTER†	340119	100.00%	100.00%	96.00%	100.00%	100.00%	88.24%	95.51%	65
NC	Asheboro	RANDOLPH HOSPITAL	340123	92.96%	97.18%	95.59%	100.00%	97.44%	92.86%	93.53%	88
NC	Asheville	MISSION HOSPITALS, INC†◆	340002	97.54%	100.00%	98.41%	99.70%	99.39%	92.41%	98.23%	1245
NC	Boone	WATAUGA MEDICAL CENTER	340051	97.90%	100.00%	80.92%	100.00%	100.00%	100.00%	100.72%	172

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
NC	Burlington	ALAMANCE REGIONAL MEDICAL CENTER	340070	96.70%	99.10%	92.86%	97.06%	96.57%	88.89%	96.97%	354
NC	CLYDE	HAYWOOD REGIONAL MEDICAL CENTER	340184	81.40%	98.43%	93.39%	100.00%	95.00%	94.59%	96.52%	144
NC	Durham	DURHAM REGIONAL HOSPITAL†	340155	97.72%	99.65%	98.72%	100.00%	98.99%	93.13%	98.01%	617
NC	Durham	DUKE UNIVERSITY HOSPITAL†	340030	96.21%	99.25%	100.00%	100.00%	97.92%	100.00%	98.08%	144
NC	Fayetteville	CAPE FEAR VALLEY MEDICAL CENTER†	340028	99.37%	100.00%	96.61%	99.47%	98.41%	96.86%	97.68%	848
NC	Gastonia	CAROMONT HEALTH GASTON MEMORIAL HOSPITAL*†	340032	100.00%	100.00%	99.07%	100.00%	100.00%	99.23%	96.82%	617
NC	Goldsboro	WAYNE MEMORIAL HOSPITAL†	340010	96.31%	99.39%	97.76%	100.00%	99.28%	90.24%	97.93%	372
NC	Hickory	CATAWBA VALLEY MEDICAL CENTER†	340143	96.07%	100.00%	94.05%	98.74%	98.11%	100.00%	96.73%	387

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
NC	Lumberton	SOUTHEASTERN REGIONAL MEDICAL CENTER	340050	98.13%	92.45%	90.10%	100.00%	93.94%	93.94%	89.40%	114
NC	Pinehurst	FIRSTHEALTH MOORE REGIONAL HOSPITAL†	340115	98.50%	99.79%	97.70%	100.00%	100.00%	95.12%	97.79%	1043
NC	Raleigh	DUKE HEALTH RALEIGH HOSPITAL†	340073	94.83%	99.21%	95.58%	100.00%	100.00%	89.31%	100.34%	521
NC	Shelby	CLEVELAND REGIONAL MEDICAL CENTER†	340021	98.67%	97.02%	96.31%	100.00%	97.06%	95.52%	95.12%	329
NC	Sylva	HARRIS REGIONAL HOSPITAL, INC†◆	340016	97.33%	99.33%	94.74%	100.00%	93.81%	97.06%	103.81%	156
NC	Wilmington	NEW HANOVER REGIONAL MEDICAL CENTER†	340141	97.22%	97.92%	98.58%	100.00%	97.87%	84.38%	99.61%	166
NC	Wilson	WILSON MEDICAL CENTER	340126	98.23%	99.12%	78.01%	97.22%	98.59%	96.00%	95.16%	363
NE	Fremont	FREMONT AREA MEDICAL CENTER†	280077	96.84%	99.60%	91.67%	100.00%	100.00%	96.36%	98.75%	270

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
NE	Omaha	ALEGENT HEALTH-BERGAN MERCY MEDICAL CTR†	280060	93.73%	99.71%	97.37%	98.25%	98.25%	93.55%	101.51%	789
NE	Omaha	ALEGENT HEALTH IMMANUEL MEDICAL CTR†	280081	98.68%	98.68%	96.58%	100.00%	96.15%	98.00%	96.63%	171
NE	Papillion	ALEGENT HEALTH-MIDLANDS COMM HOSP*†	280105	91.43%	100.00%	100.00%	Low Sample (10 or less)	Low Sample (10 or less)	100.00%	104.38%	49
NJ	Hackensack	HACKENSACK UNIVERSITY MEDICAL CENTER*†	310001	99.85%	99.55%	98.91%	100.00%	97.50%	97.14%	95.71%	1411
NY	Bay Shore	SOUTHSIDE HOSPITAL†◆	330043	99.31%	100.00%	96.38%	100.00%	100.00%	90.24%	97.73%	164
NY	Brockport	LAKESIDE MEMORIAL HOSPITAL	330037	97.56%	100.00%	86.84%	100.00%	100.00%	100.00%	95.36%	51
NY	Bronx	ST BARNABAS HOSPITAL	330399	86.21%	100.00%	74.07%	100.00%	87.88%	Low Sample (10 or less)	Low Sample (10 or less)	37
NY	Elmira	ARNOT OGDEN MEDICAL CENTER*†	330090	99.68%	99.68%	99.34%	100.00%	100.00%	100.00%	98.98%	336

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
NY	Forest Hills	NS-LIJ HS-NORTH SHORE UNIV HOSP AT FOREST HILLS	330353	100.00%	100.00%	99.29%	100.00%	91.67%	94.87%	84.65%	158
NY	Glen Cove	NS-LIJ HS-NORTH SHORE UNIV HOSP AT GLEN COVE†◆	330181	98.08%	100.00%	98.68%	100.00%	100.00%	92.50%	97.47%	167
NY	Huntington	HUNTINGTON HOSPITAL†◆	330045	95.33%	100.00%	98.62%	100.00%	100.00%	97.78%	94.71%	168
NY	Manhasset	NS-LIJ HS-NORTH SHORE UNIVERSITY HOSPITAL†◆	330106	99.02%	99.51%	94.33%	100.00%	100.00%	98.11%	96.13%	225
NY	New Hyde Park	LONG ISLAND JEWISH MEDICAL CENTER†	330195	98.77%	99.38%	98.73%	100.00%	100.00%	82.76%	95.89%	168
NY	Plainview	NS-LIJ HS-NORTH SHORE UNIV HOSP AT PLAINVIEW†◆	330331	99.33%	99.33%	97.33%	100.00%	99.07%	100.00%	89.83%	166
NY	Port Jervis	BON SECOURS COMMUNITY HOSPITAL†	330135	100.00%	100.00%	100.00%	100.00%	93.75%	Low Sample (10 or less)	99.40%	30
NY	Rochester	ROCHESTER GENERAL HOSPITAL†	330125	98.44%	100.00%	99.86%	100.00%	100.00%		97.79%	763

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
NY	Staten Island	STATEN ISLAND UNIVERSITY HOSPITAL†	330160	99.28%	100.00%	99.28%	100.00%	100.00%	96.88%	88.42%	149
NY	Suffern	GOOD SAMARITAN HOSPITAL OF SUFFERN	330158	95.45%	99.10%	91.51%	100.00%	89.29%	100.00%	93.37%	117
NY	Valley Stream	FRANKLIN HOSPITAL MED CTR†	330372	98.60%	99.30%	97.81%	100.00%	96.61%	100.00%	97.01%	168
NY	Warwick	ST ANTHONY COMMUNITY HOSPITAL†	330205	100.00%	100.00%	94.29%	100.00%	100.00%	90.91%	100.33%	41
OH	Akron	SUMMA HEALTH SYSTEMS HOSPITALS†	360020	98.33%	100.00%	96.67%	100.00%	100.00%		98.34%	60
OH	Dayton	GRANDVIEW HOSPITAL & MEDICAL CENTER†	360133	98.67%	99.20%	98.61%	100.00%	98.59%	94.29%	99.36%	400
OH	Kettering	KETTERING MEDICAL CENTER*†	360079	100.00%	99.77%	99.53%	100.00%	100.00%	98.49%	100.30%	1385
OH	Miamisburg	SYCAMORE HOSPITAL*†	360239	99.29%	99.65%	98.91%	100.00%	100.00%	98.92%	96.97%	306

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
OH	Springfield	SPRINGFIELD REGIONAL MEDICAL CENTER†	360086	96.82%	100.00%	98.50%	98.97%	98.97%	96.55%	97.69%	432
OH	Toledo	ST. VINCENT MERCY MEDICAL CENTER	360112	97.25%	100.00%	86.44%	97.73%	93.18%	89.13%	80.93%	196
OK	BROKEN ARROW	ST. FRANCIS HOSPITAL SOUTH†	370218	99.41%	99.41%	98.80%	100.00%	96.67%	94.44%	96.13%	176
OK	Tulsa	SAINT FRANCIS HOSPITAL, INC	370091	96.19%	99.61%	88.89%	99.68%	97.45%	92.23%	95.78%	806
OR	Medford	ROGUE VALLEY MEDICAL CENTER*†	380018	99.54%	100.00%	99.85%	100.00%	98.99%	86.57%	101.44%	651
OR	Portland	ADVENTIST MEDICAL CENTER†◆	380060	91.54%	100.00%	94.53%	100.00%	100.00%	100.00%	101.26%	144
PA	Bethlehem	ST. LUKES HOSPITAL NETWORK†	390049	99.10%	99.82%	96.81%	100.00%	99.09%	84.35%	96.21%	590
PA	Bryn Mawr	MAIN LINE HEALTH-BRYN MAWR HOSPITAL*†	390139	99.34%	100.00%	99.77%	100.00%	100.00%	98.78%	97.43%	973

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
PA	Erie	SAINT VINCENT HEALTH CENTER*†	390009	99.50%	99.75%	97.70%	100.00%	100.00%	94.53%	99.83%	425
PA	Meadville	MEADVILLE MEDICAL CENTER†	390113	98.52%	99.70%	95.08%	100.00%	100.00%	97.06%	97.77%	385
PA	Paoli	MAIN LINE HOSPITALS-PAOLI MEMORIAL HOSPITAL*†	390153	99.40%	99.70%	99.34%	100.00%	100.00%	96.39%	100.06%	373
PA	Philadelphia	ALBERT EINSTEIN MEDICAL CENTER†	390142	99.38%	100.00%	97.83%	100.00%	100.00%	98.57%	91.10%	337
PA	Philadelphia	THOMAS JEFFERSON UNIVERSITY HOSPITAL†	390174	98.78%	99.39%	98.37%	99.58%	98.32%	100.00%	95.21%	1952
PA	Philadelphia	FRANKFORD HOSPITAL	390115	90.00%	100.00%	95.18%	98.95%	98.95%	95.74%	89.83%	207
PA	Wynnewood	MAIN LINE HEALTH-LANKENAU HOSPITAL†◆	390195	99.74%	98.96%	98.66%	98.86%	96.59%	81.11%	98.00%	412
SC	Anderson	ANMED HEALTH SYSTEM†	420027	96.68%	100.00%	97.89%	100.00%	98.77%	85.07%	96.14%	340

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
SC	Columbia	PALMETTO HEALTH BAPTIST†	420086	98.61%	100.00%	97.37%	100.00%	98.85%	98.08%	95.80%	519
SC	Columbia	PALMETTO HEALTH RICHLAND*†	420018	99.50%	99.50%	97.78%	100.00%	100.00%	98.55%	99.86%	1039
SC	Conway	CONWAY MEDICAL CENTER*†	420049	98.06%	100.00%	98.59%	100.00%	100.00%	92.00%	99.32%	173
SC	Easley	PALMETTO HEALTH BAPTIST EASLEY†	420015	100.00%	100.00%	100.00%	100.00%	97.22%	96.00%	91.71%	131
SC	Florence	MCLEOD REGIONAL MEDICAL CENTER†	420051	96.00%	99.80%	97.54%	100.00%	100.00%	99.31%	95.83%	546
SC	Greenville	GREENVILLE MEMORIAL HOSPITAL†	420078	100.00%	100.00%	98.41%	98.15%	94.44%	81.82%	95.10%	111
SC	Greenville	ST FRANCIS HOSPITAL*†	420023	98.92%	100.00%	98.92%	100.00%	100.00%	90.91%	99.57%	188
SC	Greenwood	SELF REGIONAL HEALTHCARE†◆	420071	96.28%	100.00%	95.38%	100.00%	100.00%	82.42%	100.60%	452

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
SC	Greer	GREER MEMORIAL HOSPITAL†◆	420033	96.93%	98.85%	98.39%	98.89%	97.78%	75.00%	95.03%	302
SC	Simpsonville	HILLCREST HOSPITAL*†	420037	99.16%	100.00%	99.15%	100.00%	100.00%	88.46%	98.97%	128
SD	Aberdeen	AVERA ST. LUKE'S†	430014	95.68%	99.46%	94.41%	98.51%	97.01%	96.30%	104.65%	199
SD	Mitchell	AVERA QUEEN OF PEACE*†	430013	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.73%	126
SD	Rapid City	RAPID CITY REGIONAL HOSPITAL†	430077	98.94%	100.00%	91.11%	100.00%	97.90%	86.54%	99.93%	225
SD	Sioux Falls	AVERA MCKENNAN HOSP&UNIVERSITY HLTH CT†	430016	98.51%	99.75%	96.93%	100.00%	98.80%	97.83%	98.59%	435
SD	Yankton	AVERA SACRED HEART HOSPITAL†◆	430012	97.89%	96.84%	94.44%	100.00%	100.00%	100.00%	97.69%	114
TN	Elizabethton	SYCAMORE SHOALS HOSPITAL†	440018	96.61%	98.31%	100.00%	100.00%	100.00%	Low Sample (10 or less)	92.77%	62

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
TN	Johnson City	JOHNSON CITY MEDICAL CENTER	440063	97.26%	98.63%	95.52%	100.00%	81.82%	95.24%	93.65%	84
TN	Kingsport	INDIAN PATH MEDICAL CENTER†◆	440176	97.17%	100.00%	91.75%	100.00%	97.06%	97.14%	100.21%	124
TN	Memphis	METHODIST HEALTHCARE MEMPHIS HOSPITALS†◆	440049	99.26%	99.26%	97.77%	99.63%	99.25%	92.45%	97.82%	1244
TX	Allen	TEXAS HEALTH PRESBYTERIAN HOSPITAL ALLEN	450840	85.06%	94.25%	93.02%	Low Sample (10 or less)	Low Sample (10 or less)	80.00%	96.72%	102
TX	Arlington	TEXAS HEALTH ARLINGTON MEMORIAL HOSPITAL†	450064	98.74%	98.96%	91.87%	99.53%	96.24%	91.58%	98.44%	512
TX	Azle	TEXAS HEALTH HARRIS METHODIST HOSPITAL AZLE†◆	450419	100.00%	97.73%	95.12%	100.00%	100.00%	Low Sample (10 or less)	99.61%	48
TX	Bedford	TEXAS HEALTH HARRIS METHODIST HOSPITAL HURST-EULESS-BEDFORD	450639	94.69%	99.03%	93.26%	100.00%	97.32%	87.27%	91.46%	243
TX	Cleburne	TEXAS HEALTH HARRIS METHODIST HOSPITAL CLEBURNE†	450148	98.24%	100.00%	95.86%	100.00%	100.00%	85.71%	100.03%	188

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
TX	Dallas	METHODIST CHARLTON MEDICAL CENTER†	450723	99.64%	99.64%	96.23%	100.00%	100.00%	89.33%	97.85%	295
TX	Dallas	TEXAS HEALTH PRESBYTERIAN HOSPITAL DALLAS†	450462	98.47%	99.78%	94.66%	99.62%	97.32%	81.15%	98.64%	1034
TX	Dallas	METHODIST DALLAS MEDICAL CENTER†	450051	98.46%	99.61%	97.99%	98.68%	96.05%	89.80%	97.08%	278
TX	Fort Worth	TEXAS HEALTH HARRIS METHODIST HOSPITAL SOUTHWEST FORT WORTH*†	450779	97.62%	98.41%	98.33%	100.00%	100.00%	100.00%	104.88%	149
TX	Fort Worth	TEXAS HEALTH HARRIS METHODIST HOSPITAL FORT WORTH	450135	99.57%	99.78%	90.65%	98.63%	93.61%	96.32%	94.57%	525
TX	Harlingen	VALLEY BAPTIST MEDICAL CENTER	450033	94.68%	98.59%	89.63%	98.50%	98.20%	92.86%	96.38%	401
TX	Kaufman	TEXAS HEALTH PRESBYTERIAN HOSPITAL KAUFMAN†	450292	100.00%	97.96%	91.67%	100.00%	100.00%	84.62%	96.10%	58
TX	Livingston	MEMORIAL MEDICAL CENTER LIVINGSTON	450395	96.52%	98.20%	19.27%	95.24%	90.48%	80.00%	95.59%	124

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
TX	Lufkin	MEMORIAL MEDICAL CENTER OF EAST TEXAS	450211	85.32%	91.82%	98.08%	100.00%	98.53%	83.87%	96.59%	130
TX	Plano	TEXAS HEALTH PRESBYTERIAN HOSPITAL PLANO†◆	450771	96.15%	99.44%	94.92%	98.21%	97.76%	64.22%	100.28%	1100
TX	Stephenville	TEXAS HEALTH HARRIS METHODIST HOSPITAL STEPHENVILLE†	450351	98.94%	96.81%	95.65%	100.00%	100.00%	79.17%	97.08%	104
TX	Victoria	CITIZENS MEDICAL CENTER*†	450023	99.47%	100.00%	95.48%	100.00%	98.39%	100.00%	99.49%	387
VA	Chesapeake	CHESAPEAKE GENERAL HOSPITAL	490120	96.74%	99.67%	85.82%	100.00%	99.35%	86.42%	97.10%	345
VA	Galax	TWIN COUNTY REGIONAL HOSPITAL†	490115	100.00%	100.00%	92.31%	100.00%	100.00%	Low Sample (10 or less)	92.00%	41
VA	Gloucester	RIVERSIDE WALTER REED HOSPITAL	490130	92.74%	91.13%	97.46%	100.00%	100.00%		99.54%	129
VA	Mechanicsville	BON SECOURS - MEMORIAL REGIONAL MEDICAL*†	490069	98.90%	99.63%	98.50%	100.00%	100.00%	100.00%	104.60%	319

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
VA	Newport News	RIVERSIDE REGIONAL MEDICAL CENTER†◆	490052	98.51%	99.51%	92.64%	97.67%	94.19%	82.05%	95.66%	444
VA	Newport News	BON SECOURS - MARY IMMACULATE HOSPITAL	490041	91.71%	99.76%	91.38%	98.61%	98.61%	98.83%	98.14%	864
VA	Norfolk	BON SECOURS-DEPAUL MEDICAL CENTER†	490011	96.64%	99.16%	96.58%	100.00%	100.00%	100.00%	96.82%	126
VA	Portsmouth	BON SECOURS MARYVIEW MEDICAL CENTER†	490017	94.18%	97.84%	92.08%	99.35%	98.69%	100.00%	100.40%	296
VA	Richmond	BON SECOURS - ST MARYS HOSPITAL OF RICHMOND*†	490059	98.56%	99.64%	98.78%	99.67%	99.34%	96.30%	98.70%	898
VA	South Hill	COMMUNITY MEM HEALTHCENTER†	490098	97.14%	100.00%	94.29%	100.00%	100.00%	100.00%	87.54%	60
VA	Tappahannock	RIVERSIDE TAPPAHANNOCK HOSP INC*†	490084	100.00%	100.00%	100.00%	100.00%	100.00%	92.86%	95.95%	73
WA	Spokane	HOLY FAMILY HOSPITAL†	500077	97.74%	100.00%	98.29%	98.04%	97.06%	83.54%	99.84%	536

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
WA	Spokane	SACRED HEART MEDICAL CENTER†	500054	98.62%	99.47%	95.89%	99.64%	99.64%	70.77%	100.96%	1029
WA	Walla Walla	ST MARY MEDICAL CENTER†	500002	99.01%	99.50%	89.95%	97.92%	97.92%	100.00%	98.10%	210
WI	Burlington	MEMORIAL HOSPITAL OF BURLINGTON*†	520059	100.00%	100.00%	100.00%	100.00%	96.77%	100.00%	98.39%	174
WI	Elkhorn	AURORA LAKELAND MED CTR*†	520102	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.96%	92
WI	Green Bay	AURORA BAYCARE MED CTR*†	520193	100.00%	100.00%	98.59%	Low Sample (10 or less)	Low Sample (10 or less)	95.00%	103.85%	241
WI	Hartford	AURORA MEDICAL CENTER OF WASHINGTON COUNTY†	520038	98.04%	99.35%	97.99%	100.00%	100.00%	95.35%	94.09%	173
WI	Kenosha	AURORA MED CTR KENOSHA†	520189	96.34%	98.78%	95.51%	100.00%	100.00%	95.00%	99.20%	183
WI	Madison	ST MARYS HSPTL MED CTR†	520083	98.15%	99.90%	97.53%	94.74%	93.68%	92.96%	96.87%	1082

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
* Hospital received Top Performer Award
◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
WI	Milwaukee	AURORA HEALTH CARE METRO INC*†	520138	99.77%	99.46%	99.19%	100.00%	100.00%	98.58%	98.43%	1468
WI	Sheboygan	AURORA SHEBOYGAN MEMORIAL MEDICAL CENTER*†	520035	99.19%	100.00%	100.00%	Low Sample (10 or less)	Low Sample (10 or less)	92.13%	99.49%	393
WI	Two Rivers	AURORA MEDICAL CENTER MANITOWOC COUNTY†	520034	98.84%	100.00%	95.24%	Low Sample (10 or less)	Low Sample (10 or less)	97.06%	99.50%	96
WI	West Allis	WEST ALLIS MEMORIAL HOSPITAL†	520139	98.98%	98.72%	97.59%	100.00%	99.30%	96.36%	96.00%	422
WV	Bluefield	BLUEFIELD REGIONAL MEDICAL CENTER	510071	96.79%	99.36%	92.95%	90.91%	81.82%	86.05%	99.66%	166
WV	Charleston	CHARLESTON AREA MEDICAL CENTER†	510022	98.02%	99.82%	96.41%	98.72%	96.79%	86.63%	96.52%	655
WV	Clarksburg	UNITED HOSPITAL CENTER*†	510006	99.57%	100.00%	100.00%	100.00%	100.00%	100.00%	100.03%	251
WV	Huntington	ST MARY'S MEDICAL CENTER†◆	510007	97.85%	99.73%	96.76%	100.00%	98.31%	91.87%	97.13%	435

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project - Year 6
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2008 - September 30, 2009
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

				Prophylactic antibiotic received within 1 hour prior to surgical incision	Prophylactic antibiotic selection for surgical patients	Prophylactic antibiotic discontinued within 24 hours after surgery end time	Hip/Knee Replacement patients with recommended venous thromboembolism (VTE) prophylaxis ordered	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time	Patients on BB Therapy who Receive BB during Perioperative Period	Readmission (30 day) avoidance index	Total Case Count
State	City	Hospital	CMS Certification Number (CCN)	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	% Patients Received	Occurrence rate expressed as Avoidance Index, can exceed 100%	
WV	Huntington	CABELL HUNTINGTON HOSPITAL†	510055	98.80%	99.76%	95.82%	100.00%	100.00%	98.31%	97.56%	476
WV	Morgantown	MONONGALIA COUNTY GENERAL HOSPITAL†	510024	97.97%	98.99%	98.16%	97.98%	100.00%	87.97%	97.05%	535
WV	Morgantown	WEST VIRGINIA UNIVERSITY HOSPITALS†◆	510001	99.29%	100.00%	94.53%	100.00%	100.00%	100.00%	99.64%	329
WV	Weirton	WEIRTON MEDICAL CENTER†◆	510023	98.72%	98.05%	96.75%	98.59%	98.59%	97.56%	95.68%	160