PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**, Expiration date: 10/31/2020. The time required to complete this information collection is estimated to average **115.8 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. ***CMS Disclaimer***Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Kadie Derby at Kadie. Derby@cms.hhs.gov.

INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT

	Identification Information*		Payer Information*
1.	Facility Information A. Facility Name	20.	Payment Source (02 - Medicare Fee For Service; 51- Medicare-Medicare Advantage; 99 - Not Listed) A. Primary Source
			B. Secondary Source
			Medical Information*
		21	Impairment Group
	B. Facility Medicare Provider Number	21.	Admission Discharge
2.	Patient Medicare Number		Condition requiring admission to rehabilitation; code according to Appendix
3.	Patient Medicaid Number		A.
4.	Patient First Name	22.	Etiologic Diagnosis A (Use ICD codes to indicate the etiologic problem B.
5A.	Patient Last Name		(Use ICD codes to indicate the etiologic problem B. that led to the condition for which the patient is C.
5B.	Patient Identification Number		receiving rehabilitation)
6.	Birth Date/	23.	Date of Onset of Impairment / / / MM / DD / YYYY
7.		24.	Comorbid Conditions
8.	Social Security Number Gender (1 - Male; 2 - Female)		Use ICD codes to enter comorbid medical conditions
9.	Race/Ethnicity (Check all that apply)		A J S
9.	American Indian or Alaska Native A		B K T
			C U
	Asian B		D M V
	Black or African American C.		E N W
	Hispanic or Latino D		F O X
	Native Hawaiian or Other Pacific Islander E		G P Y
	White F		H Q I. R.
10.	Marital Status		
	(1 - Never Married; 2 - Married; 3 - Widowed; 4 - Separated; 5 - Divorced)	24A.	. Are there any arthritis conditions recorded in items #21, #22, or #24 that meet all of the regulatory requirements for IRF classification (in 42 CFR
11.	Zip Code of Patient's Pre-Hospital Residence		412.29(b)(2)(x), (xi), and (xii))?
12.	Admission Date/		(0 - No; 1 - Yes)
13	Assessment Reference Date / /		DELETED
13.	MM / DD / YYYY	26.	DELETED
14.	Admission Class		Height and Weight
	(1 - Initial Rehab; 2 - Evaluation; 3 - Readmission; 4 - Unplanned Discharge; 5 - Continuing Rehabilitation)		(While measuring if the number is X.1-X.4 round down, X.5 or greater round up)
15A	. Admit From	25A.	. Height on admission (in inches)
	(01- Home (private home/apt., board/care, assisted living, group home, transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)	27.	. Weight on admission (in pounds)
16A	Pre-hospital Living Setting Use codes from 15A. Admit From		
17.	Pre-hospital Living With (Code only if item 16A is 01- Home: Code using 01 - Alone; 02 - Family/Relatives; 03 - Friends; 04 - Attendant; 05 - Other)		
18.	DELETED		
19.	DELETED		

	Function Mo	odifiers*			39.	FIM TM Instrum	ent*		
Com	plete the following specific functional	l items prior to	scoring the			Admission	Discharge	Goal	
FIM	TM Instrument:			SELF	-CARE				
		Admission	Discharge	A.	Eating				
29.	Bladder Level of Assistance			B.	Grooming				
	(Score using FIM Levels 1 - 7)			C.	Bathing				
30.	Bladder Frequency of Accidents			D.	Dressing - Upper				
	(Score as below)			E.	Dressing - Lower				
	7 - No accidents6 - No accidents; uses device such as a	catheter		F.	Toileting				
	5 - One accident in the past 7 days				NCTER CONTROL	_	_		
	4 - Two accidents in the past 7 days3 - Three accidents in the past 7 days			G.	Bladder	П		П	
	2 - Four accidents in the past 7 days1 - Five or more accidents in the past 7	dove					Ä	H	
	Enter in Item 39G (Bladder) the lower	•	nt) score from Items 29	H.	Bowel	ш	ш	ш	
	and 30 above	(more dependen	ii) score grom nems 29		NSFERS				
		Admission	Discharge	I.	Bed, Chair, Wheelchair				
31.	Bowel Level of Assistance			J.	Toilet				
	(Score using FIM Levels 1 - 7)			K.	Tub, Shower	Ш	Ш		
32.	Bowel Frequency of Accidents						V - Walk Wheelchair		
	(Score as below)			LOCG	OMOTION		B - Both		
	7 - No accidents6 - No accidents; uses device such as a	ostomy		L.	Walk/Wheelchair				
	5 - One accident in the past 7 days	•		M.	Stairs				
	4 - Two accidents in the past 7 days3 - Three accidents in the past 7 days					A -	Auditory		
	2 - Four accidents in the past 7 days1 - Five or more accidents in the past 7	dave				\[\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- Visual		
	Enter in Item 39H (Bowel) the lower (n	•	score of Items 31 and 32		MUNICATION		B - Both	П	
	above.	iore dependent,	, score of tiems 51 and 52	N.	Comprehension			_	
		Admission	Discharge	O.	Expression		- Vocal		
33.	Tub Transfer					LN -	Nonvocal		
34.	Shower Transfer			SOCI	AL COGNITION	_	D om		
	(Score Items 33 and 34 using FIM Lev	els 1 - 7; use 0	if activity does not	P.	Social Interaction				
	occur) See training manual for scoring		,	Q.	Problem Solving	$\overline{\Box}$	$\overline{\Box}$	$\overline{\Box}$	
		Admission	Discharge	R.	Memory	$\overline{\Box}$	$\overline{\Box}$	$\overline{\Box}$	
35.	Distance Walked	Ц	Ц	K.	Memory			_	
36.	Distance Traveled in Wheelchair								
	(Code items 35 and 36 using: 3 - 150 f 1 - Less than 50 feet; 0 – activity does n		19 feet;	FIM	LEVELS				
	•	Admission	Discharge	No H	elper				
37.	Walk			7	Complete Independence				
		_	_	6 Helm	Modified Independence (er - Modified Dependence	Device)			
	Wheelchair	ப	<u> </u>	5	Supervision (Subject = 10	00%)			
	(Score Items 37 and 38 using FIM Levels 1 - 7; 0 if activity does not occur) See training manual for scoring of Item 39L (Walk/Wheelchair)			4	Minimal Assistance (Sub		ore)		
* 171				3	Moderate Assistance (Su	bject = 50% or n	nore)		
re	* The FIM data set, measurement scale and impairment codes incorporated or referenced herein are the property of U B Foundation Activities, Inc. ©1993,			_	er - Complete Dependence				
20	001 U B Foundation Activities, Inc. The	FIM mark is o	wned by UBFA, Inc.	2	Maximal Assistance (Sub-	3	iore)		
				1	Total Assistance (Subject	t iess than 25%)			
				0	Activity does not occur; l	Use this code on	ly at admission		

	Discharge Information*	Therapy Information
40.	Discharge Date/	O0401. Week 1: Total Number of Minutes Provided
10.	MM / DD / YYYY	O0401A: Physical Therapy
41.	Patient discharged against medical advice?	a. Total minutes of individual therapy
41.	(0 - No; 1 - Yes)	b. Total minutes of concurrent therapy
42	Do Intermention(a)	c. Total minutes of group therapy
42.	Program Interruption(s) (0 - No; 1 - Yes)	d. Total minutes of co-treatment therapy
12	· · · · · · · · · · · · · · · · · · ·	
43.	Program Interruption Dates (Code only if item 42 is 1 - Yes)	O0401B: Occupational Therapy
		a. Total minutes of individual therapy
	A. 1st Interruption Date B. 1st Return Date	b. Total minutes of concurrent therapy
	MM / DD / YYYY MM / DD / YYYY	c. Total minutes of group therapy
		d. Total minutes of co-treatment therapy
(C. 2 nd Interruption Date D. 2 nd Return Date	
		O0401C: Speech-Language Pathology
	MM / DD / YYYY MM / DD / YYYY	a. Total minutes of individual therapy
	E. 3 rd Interruption Date F. 3 rd Return Date	b. Total minutes of concurrent therapy
1	E. 3 rd Interruption Date F. 3 rd Return Date	c. Total minutes of group therapy d. Total minutes of co-treatment therapy
	MM / DD / YYYY MM / DD / YYYY	d. Total fillilities of co-treatment therapy
		O0402. Week 2: Total Number of Minutes Provided
44C.	. Was the patient discharged alive?	O0402A: Physical Therapy
	(0 - No; 1 - Yes)	a. Total minutes of individual therapy
44D	Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46)	b. Total minutes of concurrent therapy
	OIIIY II 44C = 1, II 44C = 0, SKIP to Item 40)	c. Total minutes of group therapy
	(01- Home (private home/apt., board/care, assisted living, group home,	d. Total minutes of co-treatment therapy
	transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing	
	Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home);	O0402B: Occupational Therapy
	51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another	a. Total minutes of individual therapy
	Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility;	b. Total minutes of concurrent therapy
	66 - Critical Access Hospital; 99 - Not Listed)	c. Total minutes of group therapy
45	Discharge to Living With	d. Total minutes of co-treatment therapy
٦٥.	(Code only if item 44C is 1 - Yes and 44D is 01 - Home; Code using 1 -	COMOC C. I. I Pub. I
	Alone; 2 - Family / Relatives; 3 - Friends; 4 - Attendant;	O0402C: Speech-Language Pathology
	5 - Other)	a. Total minutes of individual therapy b. Total minutes of concurrent therapy
46.	Diagnosis for Interruption or Death	c. Total minutes of concurrent therapy
	(Code using ICD code)	d. Total minutes of group therapy
47.	Complications during rehabilitation stay	d. Total limited of to detailed decapy
	(Use ICD codes to specify up to six conditions that	
	began with this rehabilitation stay)	
	A	
	C D	
	E F	
* T	he FIM data set, measurement scale and impairment codes incorporated or	
re	eferenced herein are the property of U B Foundation Activities, Inc. © 1993,	
20	001 U B Foundation Activities, Inc. The FIM mark is owned by UBFA, Inc.	

Patient Identifier Date

INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT QUALITY INDICATORS

ADMISSION

Section B Hearing, Speech, and Vision

BB0700. Expression of Ideas and Wants (3-day assessment period)

Inter Code

Expression of Ideas and Wants (consider both verbal and non-verbal expression and excluding language barriers)

- 4. Expresses complex messages without difficulty and with speech that is clear and easy to understand
- 3. Exhibits some difficulty with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not clear
- 2. **Frequently** exhibits difficulty with expressing needs and ideas
- 1. Rarely/Never expresses self or speech is very difficult to understand

BB0800. Understanding Verbal and Non-Verbal Content (3-day assessment period)

Enter Code

Understanding Verbal and Non-Verbal Content (with hearing aid or device, if used, and excluding language barriers)

- 4. Understands: Clear comprehension without cues or repetitions
- 3. **Usually Understands:** Understands most conversations, but misses some part/intent of message. Requires cues at times to understand
- 2. Sometimes Understands: Understands only basic conversations or simple, direct phrases. Frequently requires cues to understand
- 1. Rarely/Never Understands

Section C Cognitive Patterns

C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period)

Attempt to conduct interview with all patients.

Enter Code

- 0. **No** (patient is rarely/never understood) → Skip to C0900, Memory/Recall Ability
- 1. **Yes** → Continue to C0200, Repetition of Three Words

Brief Interview for Mental Status (BIMS)

C0200. Repetition of Three Words

Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: **sock, blue and bed**. Now tell me the three words."

Number of words repeated after first attempt

Enter Code

- 3. Three
- 2. **Two**
- 1. One
- 0. None

After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times.

Patient Identifier Date

Λ		ΝЛ	ISS		N
_	u	171	133	U	1

Sectio	n C Cognitive Patterns						
Brief Inte	Brief Interview for Mental Status (BIMS) - Continued						
C0300. T	Temporal Orientation (orientation to year, month, and day)						
Enter Code	Ask patient: "Please tell me what year it is right now." A. Able to report correct year 3. Correct 2. Missed by 1 year 1. Missed by 2 - 5 years 0. Missed by > 5 years or no answer						
Enter Code	Ask patient: "What month are we in right now?" B. Able to report correct month 2. Accurate within 5 days 1. Missed by 6 days to 1 month 0. Missed by > 1 month or no answer						
Enter Code	Ask patient: "What day of the week is today?" C. Able to report correct day of the week 1. Correct 0. Incorrect or no answer						
C0400. F	Recall						
Enter Code	Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. A. Able to recall "sock" 2. Yes, no cue required 1. Yes, after cueing ("something to wear") 0. No - could not recall						
Enter Code	B. Able to recall "blue" 2. Yes, no cue required 1. Yes, after cueing ("a color") 0. No - could not recall						
Enter Code	C. Able to recall "bed" 2. Yes, no cue required 1. Yes, after cueing ("a piece of furniture") 0. No - could not recall						
C0500. E	BIMS Summary Score						
Enter Score	Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview						
C0600. S	hould the Staff Assessment for Mental Status (C0900) be Conducted?						
Enter Code	 No (patient was able to complete Brief Interview for Mental Status) → Skip to GG0100, Prior Functioning: Everyday Activities Yes (patient was unable to complete Brief Interview for Mental Status) → Continue to C0900, Memory/Recall Ability 						
Staff Assessment for Mental Status							
Do not co	nduct if Brief Interview for Mental Status (C0200-C0500) was completed.						
C0900. Memory/Recall Ability (3-day assessment period)							
↓ Che	eck all that the patient was normally able to recall						
	A. Current season						
	B. Location of own room						
	C. Staff names and faces						
	E. That he or she is in a hospital/hospital unit 7. None of the above were recalled						

Patient Identifier Date

ΛГ	\mathbf{N}	ICC		N
AL	JIVI	ISS	U	IV

			A	DMISSION		
Sectio	n GG	Functional A	bilities a	nd Goals		
	. Prior Functioning kacerbation, or injur		es. Indicate t	he patient's usual ability with everyday activities prior to the current		
			↓ Enter	Codes in Boxes		
	pendent - Patient cor		A.	Self-Care: Code the patient's need for assistance with bathing, dressing, using the toilet, or eating prior to the current illness, exacerbation, or injury.		
by him/herself, with or without an assistive device, with no assistance from a helper. 2. Needed Some Help - Patient needed partial assistance from another person to complete activities. 1. Dependent - A helper completed the activities for the patient. 8. Unknown 9. Not Applicable			B.	Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.		
			C.	Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.		
			D.	Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.		
GG0110.	. Prior Device Use.	Indicate devices and	aids used b	y the patient prior to the current illness, exacerbation, or injury.		
↓ c	heck all that apply					
	A. Manual wheelch	air				
	B. Motorized wheelchair and/or scooter					
	C. Mechanical lift					
	D. Walker					
	E. Orthotics/Prosth	etics				
	Z. None of the above					

Patient Identifier

ADMISSION

Section GG Functional Abilities and Goals

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code discharge goal(s).

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

1.	2.	
Admission	Discharge	
Performance	Goal	
↓ Enter Code	s in Boxes ↓	
		A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
		B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
		C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
		E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
		F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
		G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
		H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Patient Identifier

ADMISSION

Section GG Functional Abilities and Goals

GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code discharge goal(s).

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

1. Admission Performance	2. Discharge Goal	
↓ Enter Code	s in Boxes ↓	
		A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
		B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
		C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.
		D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
		E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
		F. Toilet transfer: The ability to get on and off a toilet or commode.
		G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
		I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)
		J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
		K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

Patient Identifier

ADMISSION

Section GG Functional Abilities and Goals

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code discharge goal(s).

Coding

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

1. Admission Performance	2. Discharge Goal					
↓ Enter Code	es in Boxes 👃					
		L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.				
		. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object				
		N. 4 steps: The ability to go up and down four steps with or without a rail. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object				
		O. 12 steps: The ability to go up and down 12 steps with or without a rail.				
		Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.				
		Q1. Does the patient use a wheelchair and/or scooter? 0. No → Skip to H0350, Bladder Continence 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns				
		R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.				
		RR1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized				
		S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.				
		SS1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized				

Patient		Identifier	Date
		ADMISSION	
Sect	tion H	Bladder and Bowel	
H035	0. Bladder Continen	ce (3-day assessment period)	
Enter Co	0. Always conti 1. Stress incont 2. Incontinent I 3. Incontinent c 4. Always incon 5. No urine out	ess than daily (e.g., once or twice during the 3-day assessment plaily (at least once a day)	period)
H040	0. Bowel Continence	(3-day assessment period)	
Enter Co	0. Always conti 1. Occasionally 2. Frequently ir 3. Always incon	- Select the one category that best describes the patient. nent incontinent (one episode of bowel incontinence) icontinent (2 or more episodes of bowel incontinence, but at leatinent (no episodes of continent bowel movements) tient had an ostomy or did not have a bowel movement for the e	
Sect	tion I	Active Diagnoses	
Como	orbidities and Co-exi	sting Conditions	
1	Check all that apply		
	10900. Peripheral Vasc	ular Disease (PVD) or Peripheral Arterial Disease (PAD)	
	12900. Diabetes Mellit	us (DM) (e.g., diabetic retinopathy, nephropathy, and neuropath	y)
	17900. None of the abo	ve	
Sect	tion J	Health Conditions	
J1750). History of Falls		
Enter Co	ode Has the patient had 0. No 1. Yes 8. Unknown	d two or more falls in the past year or any fall with injury in the pa	ast year?
J2000). Prior Surgery		
Enter Co	ode Did the patient hav 0. No 1. Yes 8. Unknown	ve major surgery during the 100 days prior to admission?	
Sect	tion K	Swallowing/Nutritional Status	
K011	0. Swallowing/Nutri	tional Status (3-day assessment period) Indicate the patie	ent's usual ability to swallow.
1	Check all that apply		
	A. Regular food - S	olids and liquids swallowed safely without supervision or modifi	ied food or liquid consistency.
	B. Modified food of for safety.	onsistency/supervision - Patient requires modified food or liqu	iid consistency and/or needs supervision during eating
	C. Tube/parentera	I feeding - Tube/parenteral feeding used wholly or partially as a	means of sustenance.

Patient Identifier Date

ADMISSION

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0210.	M0210. Unhealed Pressure Ulcers/Injuries						
Enter Code	,,,,						
	 No → Skip to N2001, Drug Regimen Review Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage 						
M0300.	M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage						
Enter Number	A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.						
	1. Number of Stage 1 pressure injuries						
Enter Number	B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.						
	1. Number of Stage 2 pressure ulcers						
Enter Number	C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.						
	1. Number of Stage 3 pressure ulcers						
Enter Number	D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.						
	1. Number of Stage 4 pressure ulcers						
Enter Number	E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device						
	1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device						
Enter Number	F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar						
	1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar						
Enter Number	G. Unstageable - Deep tissue injury						
	1. Number of unstageable pressure injuries presenting as deep tissue injury						
Section N Medications							
N2001. D	Orug Regimen Review						
Enter Code	5.4.4.5, p. 1.5						
	 No - No issues found during review → Skip to O0100, Special Treatments, Procedures, and Programs Yes - Issues found during review → Continue to N2003, Medication Follow-up 						
	9. NA - Patient is not taking any medications → Skip to O0100, Special Treatments, Procedures, and Programs						
N2003. N	Nedication Follow-up						
Enter Code	Did the facility contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues?						
	0. No						
	1. Yes						
Sectio	n O Special Treatments, Procedures, and Programs						
O0100. S	pecial Treatments, Procedures, and Programs						
↓ Che	eck if treatment applies at admission						
	N. Total Parenteral Nutrition						

OMB No. 0938-0842

Patient Identifier Date

DISCHARGE

Section GG Functional Abilities and Goals

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0130 items.

Coding

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3. Discharge Performance	
Enter Codes in Boxes ↓	
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Patient Identifier

DISCHARGE

Section GG Functional Abilities and Goals

GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

Coding

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

-	·			
3. Discharge				
Performance				
Enter Codes in Boxes ↓				
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.			
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.			
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.			
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.			
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).			
	F. Toilet transfer: The ability to get on and off a toilet or commode.			
	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.			
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)			
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.			
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.			

Patient Identifier Date

DISCHARGE

Section GG Functional Abilities and Goals

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

Coding

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.					
Discharge					
Performance					
Enter Codes in Boxes ↓					
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.				
	M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object				
	N. 4 steps: The ability to go up and down four steps with or without a rail. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object				
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.				
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.				
	Q3. Does the patient use a wheelchair and/or scooter?				
	0. No → Skip to J1800, Any Falls Since Admission				
	1. Yes → Continue to GG0170R, Wheel 50 feet with two turns				
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.				
	RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized				
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.				
	SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized				

Patient _____ Identifier _____ Date ____

DISCHARG

Section J Health Conditions

J1800. Any Falls Since Admission

Enter Code

Has the patient had any falls since admission?

- 0. **No** → Skip to M0210, Unhealed Pressure Ulcers/Injuries
- 1. **Yes** → Continue to J1900, Number of Falls Since Admission

J1900. Number of Falls Since Admission

Coding:

- 0. None
- 1. One
- 2. Two or more
- Enter Codes in Boxes
 - **A. No injury:** No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall
 - **B.** Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain
 - C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0210. Unhealed Pressure Ulcers/Injuries

Enter Code

Does this patient have one or more unhealed pressure ulcers/injuries?

- 0. **No** → Skip to N2005, Medication Intervention
- 1. **Yes** → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage

present but does not obscure the depth of tissue loss. May include undermining and tunneling.

M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage

Enter Number

- **A. Stage 1:** Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.
 - 1. Number of Stage 1 pressure injuries

Enter Number

Enter Number

- **B. Stage 2:** Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.
 - 1. Number of Stage 2 pressure ulcers

If 0 → Skip to M0300C, Stage 3

- 2. Number of https://example.com/these-stage-2 pressure ulcers that were present upon admission enter how many were noted at the time of admission
- admission

 C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be
- Enter Number
- 1. Number of Stage 3 pressure ulcers

If 0 → Skip to M0300D, Stage 4

Enter Number

Enter Number

Enter Number

- 2. Number of <u>these</u> Stage 3 pressure ulcers that were present upon admission enter how many were noted at the time of admission
- D. Store & Full
 - **D. Stage 4:** Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.
- Number of Stage 4 pressure ulcers

If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device

2. Number of <u>these</u> Stage 4 pressure ulcers that were present upon admission - enter how many were noted at the time of admission

Patient Identifier

DISCHARGE

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued				
Enter Number	E. Un	stageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device		
	1.	Number of unstageable pressure ulcers/injuries due to non-removable dressing/device If 0 → Skip to M0300F, Unstageable - Slough and/or eschar		
Enter Number	2.	Number of <u>these</u> unstageable pressure ulcers/injuries that were present upon admission - enter how many were noted at the time of admission		
Enter Number	F. Ur	nstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar		
	1.	Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar If 0		
Enter Number	2.	Number of these unstageable pressure ulcers that were present upon admission - enter how many were noted at the time of admission		
Enter Number	G. Ur	tageable - Deep tissue injury		
	1.	Number of unstageable pressure injuries presenting as deep tissue injury If 0 → Skip to N2005, Medication Intervention		
Enter Number	2.	Number of these unstageable pressure injuries that were present upon admission - enter how many were noted at the time of admission		

Section N Medications

N2005. Medication Intervention

Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission?

- 0. **No**
- 1. Yes
- 9. NA There were no potential clinically significant medication issues identified since admission or patient is not taking any medications.

Section O Special Treatments, Procedures, and Programs

00250. Influenza Vaccine - Refer to current version of IRF-PAI Training Manual for current influenza vaccination season and reporting period.

Enter Code

- **A.** Did the **patient receive the influenza vaccine in this facility** for this year's influenza vaccination season?
 - 0. **No** \longrightarrow Skip to O0250C, If influenza vaccine not received, state reason
 - 1. **Yes** → Continue to O0250B, Date influenza vaccine received
- **B.** Date influenza vaccine received → Complete date and skip to Z0400A, Signature of Persons Completing the Assessment

D D м м

Enter Code

- C. If influenza vaccine not received, state reason:
 - 1. Patient not in this facility during this year's influenza vaccination season
 - 2. Received outside of this facility
 - 3. Not eligible medical contraindication
 - 4. Offered and declined
 - 5. Not offered
 - 6. Inability to obtain influenza vaccine due to a declared shortage
 - 9. None of the above

Item Z0400A. Signature of Persons Completing the Assessment*

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
A.			
В.			
C.			
D.			
E.			
F.			
G.			
Н.			
I.			
J.			
K.			
L.			