

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|                       |    |
|-----------------------|----|
| Item ID: A0050.....   | 4  |
| Item ID: A0100A ..... | 5  |
| Item ID: A0100B ..... | 6  |
| Item ID: A0100C ..... | 7  |
| Item ID: A0200.....   | 8  |
| Item ID: A0210.....   | 9  |
| Item ID: A0220.....   | 10 |
| Item ID: A0250.....   | 12 |
| Item ID: A0270.....   | 14 |
| Item ID: A0500A ..... | 16 |
| Item ID: A0500B ..... | 18 |
| Item ID: A0500C ..... | 19 |
| Item ID: A0500D ..... | 21 |
| Item ID: A0600A ..... | 22 |
| Item ID: A0600B ..... | 23 |
| Item ID: A0700.....   | 25 |
| Item ID: A0800.....   | 26 |
| Item ID: A0900.....   | 27 |
| Item ID: A1000A ..... | 29 |
| Item ID: A1000B ..... | 30 |
| Item ID: A1000C ..... | 31 |
| Item ID: A1000D ..... | 32 |
| Item ID: A1000E.....  | 33 |
| Item ID: A1000F.....  | 34 |
| Item ID: A1100A ..... | 35 |
| Item ID: A1100B ..... | 36 |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|                        |    |
|------------------------|----|
| Item ID: A1200.....    | 37 |
| Item ID: A1400A .....  | 38 |
| Item ID: A1400B .....  | 39 |
| Item ID: A1400C .....  | 40 |
| Item ID: A1400D .....  | 41 |
| Item ID: A1400E.....   | 42 |
| Item ID: A1400F.....   | 43 |
| Item ID: A1400G .....  | 44 |
| Item ID: A1400H .....  | 45 |
| Item ID: A1400I.....   | 46 |
| Item ID: A1400J .....  | 47 |
| Item ID: A1400K .....  | 48 |
| Item ID: A1400X.....   | 49 |
| Item ID: A1400Y.....   | 50 |
| Item ID: A1802.....    | 51 |
| Item ID: A2110.....    | 52 |
| Item ID: A2500.....    | 53 |
| Item ID: A2510.....    | 54 |
| Item ID: A2525A1 ..... | 55 |
| Item ID: A2525A2 ..... | 57 |
| Item ID: A2525B1 ..... | 59 |
| Item ID: A2525B2 ..... | 61 |
| Item ID: A2525C1 ..... | 63 |
| Item ID: A2525C2 ..... | 65 |
| Item ID: A2525D1 ..... | 67 |
| Item ID: A2525D2 ..... | 69 |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

Item ID: A2525E1.....71

Item ID: A2525E2.....73

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0050

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Type of record | Asmt       |            | Code      | 1          | 411-411                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text                 |
|-------|------------|----------------------------|
| 1     |            | Add new record             |
| 2     |            | Modify existing record     |
| 3     |            | Inactivate existing record |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -1026   | Consistency | Fatal    | If A0050=[1], then A0055 (correction number) must equal [0].  |
| -1036   | Consistency | Fatal    | If A0050 = [2,3], then A0055 must not be equal to [0].  |
| -3810   | Consistency | Warning  | The record was submitted Late. The submission date is more than 7 days after Z0500B for this new (A0050 equals 1) record.         |

#### Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9002   | Information | <p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If A0050 = [1,2] and A0250 = [01] then ITM_SBST_CD = [LA]</p> <p>If A0050 = [1,2] and A0250 = [10] then ITM_SBST_CD = [LP]</p> <p>If A0050 = [1,2] and A0250 = [11] then ITM_SBST_CD = [LU]</p> <p>If A0050 = [1,2] and A0250 = [12] then ITM_SBST_CD = [LE]</p> <p>If A0050 = [3] and A0250 = [01,10,11,12] then ITM_SBST_CD = [XX]</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0100A

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Facility National Provider Identifier (NPI) | Asmt       |            | Text      | 10         | 414-423                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| Text  |            | National Provider Identifier     |
| ^     |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -1003   | Format    | Fatal    | If A0100A is not equal to [^], then it must be 10 digits long.   |
| -1016   | Format    | Fatal    | Formatting of Numeric Text Items:<br>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9]. |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0100B

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Facility CMS Certification Number (CCN) | Asmt       |            | Text      | 12         | 424-435                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                     |
|-------|------------|--------------------------------|
| Text  |            | CMS Certification Number (CCN) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1017   | Format      | Fatal    | <p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> |
| -1022   | Consistency | Warning  | The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the ASAP database. If the values do not match, a warning will be issued.   |
| -3924   | Format      | Fatal    | The CMS Certification Number (CCN) must be exactly 6 characters in length.  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0100C

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| State Medicaid provider number | Asmt       |            | Text      | 15         | 436-450                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| Text  |            | State Provider Number            |
| ^     |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -1017   | Format    | Fatal    | Formatting of Alphanumeric Text Items:<br>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z]. |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0200

| Item Label       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------|------------|------------|-----------|------------|------------------------------|
| Type of provider | Asmt       |            | Code      | 1          | 451-451                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text              |
|-------|------------|-------------------------|
| 3     |            | Long-Term Care Hospital |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -1007   | Consistency | Fatal    | The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:<br>Characters 1 and 2 indicate the type of record and are based upon the values of the Type of Provider (A0200) and Reason For Assessment (RFA) (A0250). The "Item Subset Code (ISC) Report" that accompanies the data specifications lists all possible combinations of the RFA items and their associated ISCs.<br>Note: A special ISC is used for inactivations. When the record is an inactivation (A0050=[3]), then the ISC is equal to [XX]. |
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0210

| Item Label                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Assessment reference date | Asmt       |            | Date      | 8          | 452-459                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value    | LOINC Code | Value Text                |
|----------|------------|---------------------------|
| YYYYMMDD |            | Assessment reference date |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101". |
| -3573   | Consistency | Fatal    | Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order:<br>A0900 (birth date) <=<br>A0220 (admission date) <=<br>A0210 (assessment reference date) = A0270 (discharge date) <=<br>Z0500B (date assessment signed as complete) <=<br>current date   |
| -3749   | Consistency | Warning  | Record Completion Timing Rule<br>The following rule describes allowable spans between pairs of dates. The rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values).<br>Z0500B (completion date) - A0210 (assessment reference date) <= 5 days.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0220

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Admission date | Asmt       |            | Date      | 8          | 460-467                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value    | LOINC Code | Value Text  |
|----------|------------|---|
| YYYYMMDD |            | Admission Date (date of this admission into the facility) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3573   | Consistency | Fatal    | Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order:<br>A0900 (birth date) <=<br>A0220 (admission date) <=<br>A0210 (assessment reference date) = A0270 (discharge date) <=<br>Z0500B (date assessment signed as complete) <=<br>current date   |
| -3745   | Consistency | Fatal    | Unable to Match a Previously Accepted Record<br>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:<br>a) A0270 (discharge date) when A0250 = 10, 11, 12<br>b) A0220 (admission date) when A0250 = 01<br>c) A0250 (reason for assessment)<br>d) A0500A (patient first name)<br>e) A0500C (patient last name)<br>f) A0600A (social security number)<br>g) A0800 (gender)<br>h) A0900 (birth date) |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0250

| Item Label            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------|------------|------------|-----------|------------|------------------------------|
| Reason for Assessment | Asmt       |            | Code      | 2          | 468-469                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text          |
|-------|------------|---------------------|
| 01    |            | Admission           |
| 10    |            | Planned discharge   |
| 11    |            | Unplanned discharge |
| 12    |            | Expired             |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -1007   | Consistency | Fatal    | The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:<br>Characters 1 and 2 indicate the type of record and are based upon the values of the Type of Provider (A0200) and Reason For Assessment (RFA) (A0250). The "Item Subset Code (ISC) Report" that accompanies the data specifications lists all possible combinations of the RFA items and their associated ISCs.<br>Note: A special ISC is used for inactivations. When the record is an inactivation (A0050=[3]), then the ISC is equal to [XX]. |
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3010   | Consistency | Fatal    | If A0250=[10,11] and M0300B1=[0,^], then M0300B2 must equal [^].   |
| -3011   | Consistency | Fatal    | If A0250=[10,11] and M0300B1=[-], then M0300B2 must equal [-].   |
| -3012   | Consistency | Fatal    | If A0250=[10,11] and M0300C1=[0,^], then M0300C2 must equal [^].   |
| -3013   | Consistency | Fatal    | If A0250=[10,11] and M0300C1=[-], then M0300C2 must equal [-].   |
| -3014   | Consistency | Fatal    | If A0250=[10,11] and M0300D1=[0,^], then M0300D2 must equal [^].   |
| -3015   | Consistency | Fatal    | If A0250=[10,11] and M0300D1=[-], then M0300D2 must equal [-].   |
| -3016   | Consistency | Fatal    | If A0250=[10,11] and M0300E1=[0,^], then M0300E2 must equal [^].   |
| -3017   | Consistency | Fatal    | (a) If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].   |
| -3018   | Consistency | Fatal    | If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].   |
| -3019   | Consistency | Fatal    | (a) If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].   |
| -3020   | Consistency | Fatal    | If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].   |
| -3021   | Consistency | Fatal    | (a) If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |   |
|-------|-------------|-------|---|
| -3025 | Consistency | Fatal | If A0250=[01], then A0270 must equal [^].   |
| -3548 | Consistency | Fatal | If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].  |
| -3549 | Consistency | Fatal | If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].  |
| -3550 | Consistency | Fatal | If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].  |
| -3551 | Consistency | Fatal | If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].  |
| -3552 | Consistency | Fatal | If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].  |
| -3553 | Consistency | Fatal | If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].  |
| -3745 | Consistency | Fatal | Unable to Match a Previously Accepted Record<br>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:<br>a) A0270 (discharge date) when A0250 = 10, 11, 12<br>b) A0220 (admission date) when A0250 = 01<br>c) A0250 (reason for assessment)<br>d) A0500A (patient first name)<br>e) A0500C (patient last name)<br>f) A0600A (social security number)<br>g) A0800 (gender)<br>h) A0900 (birth date) |
| -3790 | Consistency | Fatal | If A0250=[10, 11, 12], then A0270 must not equal [^].   |
| -3938 | Consistency | Fatal | If A0250=[11], then all active items from C1610A through C1610E2 must not be equal to [^].  |

### Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9002   | Information | <p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If A0050 = [1,2] and A0250 = [01] then ITM_SBST_CD = [LA]<br/>           If A0050 = [1,2] and A0250 = [10] then ITM_SBST_CD = [LP]<br/>           If A0050 = [1,2] and A0250 = [11] then ITM_SBST_CD = [LU]<br/>           If A0050 = [1,2] and A0250 = [12] then ITM_SBST_CD = [LE]<br/>           If A0050 = [3] and A0250 = [01,10,11,12] then ITM_SBST_CD = [XX]</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0270

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Discharge date | Asmt       |            | Date      | 8          | 470-477                      |

#### Item Subsets

Active: LP,LU,LE,XX  
Inactive: LA

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Discharge date       |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3025   | Consistency | Fatal    | If A0250=[01], then A0270 must equal [^].   |
| -3573   | Consistency | Fatal    | Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order:<br>A0900 (birth date) <=<br>A0220 (admission date) <=<br>A0210 (assessment reference date) = A0270 (discharge date) <=<br>Z0500B (date assessment signed as complete) <=<br>current date   |
| -3745   | Consistency | Fatal    | Unable to Match a Previously Accepted Record<br>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:<br>a) A0270 (discharge date) when A0250 = 10, 11, 12<br>b) A0220 (admission date) when A0250 = 01<br>c) A0250 (reason for assessment)<br>d) A0500A (patient first name)<br>e) A0500C (patient last name)<br>f) A0600A (social security number)<br>g) A0800 (gender)<br>h) A0900 (birth date) |

## Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

### Detailed Data Specifications Report

#### Section: A

|       |             |       |   |
|-------|-------------|-------|---|
| -3790 | Consistency | Fatal | If A0250=[10, 11, 12], then A0270 must not equal [^].   |
| -3928 | Consistency | Fatal | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>A0220 <=<br>A2525A1 <=<br>A2525A2 <=<br>A2525B1 <=<br>A2525B2 <=<br>A2525C1 <=<br>A2525C2 <=<br>A2525D1 <=<br>A2525D2 <=<br>A2525E1 <=<br>A2525E2<=<br>A0270 |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0500A

| Item Label         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| Patient first name | Asmt       |            | Text      | 12         | 478-489                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text         |
|-------|------------|--------------------|
| Text  |            | Patient first name |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -1018   | Format    | Fatal    | <p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |  |
|-------|-------------|-------|--|
| -3745 | Consistency | Fatal | <p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <ul style="list-style-type: none"><li>a) A0270 (discharge date) when A0250 = 10, 11, 12</li><li>b) A0220 (admission date) when A0250 = 01</li><li>c) A0250 (reason for assessment)</li><li>d) A0500A (patient first name)</li><li>e) A0500C (patient last name)</li><li>f) A0600A (social security number)</li><li>g) A0800 (gender)</li><li>h) A0900 (birth date)</li></ul> |
|-------|-------------|-------|--|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0500B

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Patient middle initial | Asmt       |            | Text      | 1          | 490-490                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| Text  |            | Patient middle initial           |
| ^     |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -1019   | Format    | Fatal    | <p>Formatting of Alphanumeric Text Items That Can Contain Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[.] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0500C

| Item Label        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------|------------|------------|-----------|------------|------------------------------|
| Patient last name | Asmt       |            | Text      | 18         | 491-508                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text        |
|-------|------------|-------------------|
| Text  |            | Patient last name |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -1018   | Format    | Fatal    | <p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |  |
|-------|-------------|-------|--|
| -3745 | Consistency | Fatal | <p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <ul style="list-style-type: none"><li>a) A0270 (discharge date) when A0250 = 10, 11, 12</li><li>b) A0220 (admission date) when A0250 = 01</li><li>c) A0250 (reason for assessment)</li><li>d) A0500A (patient first name)</li><li>e) A0500C (patient last name)</li><li>f) A0600A (social security number)</li><li>g) A0800 (gender)</li><li>h) A0900 (birth date)</li></ul> |
|-------|-------------|-------|--|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0500D

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Patient name suffix | Asmt       |            | Text      | 3          | 509-511                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| Text  |            | Patient name suffix              |
| ^     |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -1018   | Format    | Fatal    | <p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[.] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0600A

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Social Security Number | Asmt       |            | Text      | 9          | 512-520                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| Text  |            | Social security number           |
| ^     |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1000   | Format      | Fatal    | If the value is not equal to [^], it must be 9 characters long.   |
| -1001   | Format      | Fatal    | If the value is not equal to [^], the first three characters must not be equal to [000].  |
| -1002   | Format      | Fatal    | The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].  |
| -1016   | Format      | Fatal    | Formatting of Numeric Text Items:<br>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].  |
| -1027   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |
| -3745   | Consistency | Fatal    | Unable to Match a Previously Accepted Record<br>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:<br>a) A0270 (discharge date) when A0250 = 10, 11, 12<br>b) A0220 (admission date) when A0250 = 01<br>c) A0250 (reason for assessment)<br>d) A0500A (patient first name)<br>e) A0500C (patient last name)<br>f) A0600A (social security number)<br>g) A0800 (gender)<br>h) A0900 (birth date) |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0600B

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Medicare/railroad insurance number | Asmt       |            | Text      | 12         | 521-532                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text  |
|-------|------------|---|
| Text  |            | Medicare number (or comparable railroad insurance number) |
| ^     |            | Blank (not available or unknown)                          |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -1004   | Format    | Fatal    | If the first character is numeric [0 through 9], then the first 9 characters must be digits [0 through 9].  |
| -1005   | Format    | Fatal    | If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.   |
| -1017   | Format    | Fatal    | Formatting of Alphanumeric Text Items:<br>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z].  |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |
| -1037   | Format    | Fatal    | Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): This item must conform to one of two possible formats, as defined below:<br>a) MBI format: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.<br>b) Medicare Number format: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers. |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Changes for Version**

| <b>Type</b> | <b>ID</b> | <b>Description</b>   |
|-------------|-----------|--|
| Format      | -1004     | [V2.02.0]-This edit will be replaced by edit -1037. Please read the data spec overview document for further information.               |
| Format      | -1005     | [V2.02.0]-This edit will be replaced by edit -1037. Please read the data spec overview document for further information.               |
| Format      | -1037     | [V2.02.0]-New edit. This edit will replace edits -1004 and -1005. Please read the data spec overview document for further information. |



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0700

| Item Label      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------|------------|------------|-----------|------------|------------------------------|
| Medicaid number | Asmt       |            | Text      | 14         | 533-546                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                                   |
|-------|------------|--|
| Text  |            | Medicaid number                              |
| +     |            | Enter "+" if Medicaid application is pending |
| N     |            | Enter "N" if not a Medicaid recipient        |
| ^     |            | Blank (not available or unknown)             |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -1017   | Format    | Fatal    | Formatting of Alphanumeric Text Items:<br>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z]. |
| -1027   | Format    | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0800

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Gender     | Asmt       |            | Code      | 1          | 547-547                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------|
| 1     |            | Male       |
| 2     |            | Female     |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3745   | Consistency | Fatal    | <p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <ul style="list-style-type: none"> <li>a) A0270 (discharge date) when A0250 = 10, 11, 12</li> <li>b) A0220 (admission date) when A0250 = 01</li> <li>c) A0250 (reason for assessment)</li> <li>d) A0500A (patient first name)</li> <li>e) A0500C (patient last name)</li> <li>f) A0600A (social security number)</li> <li>g) A0800 (gender)</li> <li>h) A0900 (birth date)</li> </ul> |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A0900

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Birth Date | Asmt       |            | Date      | 8          | 548-555                      |

#### Item Subsets

Active: LA,LP,LU,LE,XX

Inactive:

#### Item Values

| Value    | LOINC Code | Value Text                             |
|----------|------------|--|
| YYYYMMDD |            | Birthdate                              |
| YYYYMM   |            | Birthdate (if day of month is unknown) |
| YYYY     |            | Birthdate (if month and day unknown)   |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1008   | Consistency | Fatal    | A0900 (Birth Date) cannot be more than 140 years earlier than the current date.   |
| -1011   | Format      | Fatal    | <p>This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> |
| -3573   | Consistency | Fatal    | <p>Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birth date) &lt;=</p> <p>A0220 (admission date) &lt;=</p> <p>A0210 (assessment reference date) = A0270 (discharge date) &lt;=</p> <p>Z0500B (date assessment signed as complete) &lt;=</p> <p>current date</p>  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |  |
|-------|-------------|-------|--|
| -3745 | Consistency | Fatal | <p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <ul style="list-style-type: none"><li>a) A0270 (discharge date) when A0250 = 10, 11, 12</li><li>b) A0220 (admission date) when A0250 = 01</li><li>c) A0250 (reason for assessment)</li><li>d) A0500A (patient first name)</li><li>e) A0500C (patient last name)</li><li>f) A0600A (social security number)</li><li>g) A0800 (gender)</li><li>h) A0900 (birth date)</li></ul> |
|-------|-------------|-------|--|

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1000A**

| <b>Item Label</b>                           | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|---|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Ethnicity: American Indian or Alaska Native | Asmt              |                   | Checklist        | 1                 | 556-556                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>           |
|--------------|-------------------|-----------------------------|
| 0            |                   | Not checked (No)            |
| 1            |                   | Checked (Yes)               |
| -            |                   | Not assessed/no information |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3761          | Consistency      | Fatal           | (a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].           |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1000B**

| <b>Item Label</b> | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Ethnicity: Asian  | Asmt              |                   | Checklist        | 1                 | 557-557                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>           |
|--------------|-------------------|-----------------------------|
| 0            |                   | Not checked (No)            |
| 1            |                   | Checked (Yes)               |
| -            |                   | Not assessed/no information |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3761          | Consistency      | Fatal           | (a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].           |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1000C**

| <b>Item Label</b>                    | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--------------------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Ethnicity: Black or African American | Asmt              |                   | Checklist        | 1                 | 558-558                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>           |
|--------------|-------------------|-----------------------------|
| 0            |                   | Not checked (No)            |
| 1            |                   | Checked (Yes)               |
| -            |                   | Not assessed/no information |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3761          | Consistency      | Fatal           | (a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].           |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1000D**

| <b>Item Label</b>             | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Ethnicity: Hispanic or Latino | Asmt              |                   | Checklist        | 1                 | 559-559                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>           |
|--------------|-------------------|-----------------------------|
| 0            |                   | Not checked (No)            |
| 1            |                   | Checked (Yes)               |
| -            |                   | Not assessed/no information |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3761          | Consistency      | Fatal           | (a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].           |



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A1000E

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Ethnicity: Native Hawaiian/Pacific Islander | Asmt       |            | Checklist | 1          | 560-560                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3761   | Consistency | Fatal    | (a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].           |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A1000F

| Item Label       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------|------------|------------|-----------|------------|------------------------------|
| Ethnicity: White | Asmt       |            | Checklist | 1          | 561-561                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3761   | Consistency | Fatal    | (a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].           |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1100A**

| <b>Item Label</b>                            | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Does the patient need or want an interpreter | Asmt              |                   | Code             | 1                 | 563-563                             |

**Item Subsets**

Active: LA  
 Inactive: LP,LU,LE,XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>           |
|--------------|-------------------|-----------------------------|
| 0            |                   | No                          |
| 1            |                   | Yes                         |
| 9            |                   | Unable to determine         |
| -            |                   | Not assessed/no information |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3022          | Consistency      | Fatal           | If A1100A=[1], then A1100B must not equal [^].  |
| -3023          | Consistency      | Fatal           | If A1100A=[-], then A1100B must equal [-].  |
| -3572          | Consistency      | Fatal           | If A1100A=[0,9], then A1100B must equal [^].  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A1100B

| Item Label         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| Preferred language | Asmt       |            | Text      | 15         | 564-578                      |

#### Item Subsets

|           |             |
|-----------|-------------|
| Active:   | LA          |
| Inactive: | LP,LU,LE,XX |

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| Text  |            | Specify preferred language  |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1018   | Format      | Fatal    | <p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[.] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> |
| -1027   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.  |
| -3022   | Consistency | Fatal    | If A1100A=[1], then A1100B must not equal [^].  |
| -3023   | Consistency | Fatal    | If A1100A=[-], then A1100B must equal [-].  |
| -3572   | Consistency | Fatal    | If A1100A=[0,9], then A1100B must equal [^].  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A1200

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Marital status | Asmt       |            | Code      | 1          | 579-579                      |

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 1     |            | Never married               |
| 2     |            | Married                     |
| 3     |            | Widowed                     |
| 4     |            | Separated                   |
| 5     |            | Divorced                    |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -1009   | Format    | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400A**

| <b>Item Label</b>     | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-----------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Medicare (FFS) | Asmt              |                   | Checklist        | 1                 | 603-603                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400B**

| <b>Item Label</b>                                 | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|---|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Medicare (managed care/Part C/Mcr Advant.) | Asmt              |                   | Checklist        | 1                 | 604-604                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400C**

| <b>Item Label</b>     | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-----------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Medicaid (FFS) | Asmt              |                   | Checklist        | 1                 | 605-605                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |



**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400D**

| <b>Item Label</b>              | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--------------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Medicaid (managed care) | Asmt              |                   | Checklist        | 1                 | 606-606                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400E**

| <b>Item Label</b>            | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|------------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Workers' compensation | Asmt              |                   | Checklist        | 1                 | 607-607                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A1400F

| Item Label            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------|------------|------------|-----------|------------|------------------------------|
| Payer: Title programs | Asmt       |            | Checklist | 1          | 608-608                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text       |
|-------|------------|------------------|
| 0     |            | Not checked (No) |
| 1     |            | Checked (Yes)    |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863   | Consistency | Warning  | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400G**

| <b>Item Label</b>       | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Other Government | Asmt              |                   | Checklist        | 1                 | 609-609                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400H**

| <b>Item Label</b>                | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|----------------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Private insurance/Medigap | Asmt              |                   | Checklist        | 1                 | 610-610                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400I**

| <b>Item Label</b>           | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-----------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Private managed care | Asmt              |                   | Checklist        | 1                 | 611-611                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400J**

| <b>Item Label</b> | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Self-pay   | Asmt              |                   | Checklist        | 1                 | 612-612                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A1400K

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Payer: No payor source | Asmt       |            | Checklist | 1          | 613-613                      |

#### Item Subsets

Active: LA,LP,LU,LE  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text       |
|-------|------------|------------------|
| 0     |            | Not checked (No) |
| 1     |            | Checked (Yes)    |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1009   | Format      | Fatal    | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863   | Consistency | Warning  | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |



**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400X**

| <b>Item Label</b> | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Unknown    | Asmt              |                   | Checklist        | 1                 | 614-614                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1400Y**

| <b>Item Label</b> | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Payer: Other      | Asmt              |                   | Checklist        | 1                 | 615-615                             |

**Item Subsets**

Active: LA,LP,LU,LE  
 Inactive: XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | Not checked (No)  |
| 1            |                   | Checked (Yes)     |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3863          | Consistency      | Warning         | If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]  |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A1802**

| <b>Item Label</b> | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|-------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Admitted from     | Asmt              |                   | Code             | 2                 | 768-769                             |

**Item Subsets**

|           |             |
|-----------|-------------|
| Active:   | LA          |
| Inactive: | LP,LU,LE,XX |

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>  |
|--------------|-------------------|--|
| 01           |                   | Community residential setting (e.g., private home, assisted living, group home, adult foster care) |
| 02           |                   | Long term care facility (LTC)  |
| 03           |                   | Skilled nursing facility (SNF)   |
| 04           |                   | Hospital emergency department  |
| 05           |                   | Short-stay acute hospital (IPPS)   |
| 06           |                   | Long term care hospital (LTCH)   |
| 07           |                   | Inpatient rehabilitation facility or unit (IRF)  |
| 08           |                   | Psychiatric hospital or unit   |
| 09           |                   | ID/DD facility   |
| 10           |                   | Hospice  |
| 99           |                   | None of the above  |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A2110**

| <b>Item Label</b>  | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Discharge location | Asmt              |                   | Code             | 2                 | 770-771                             |

**Item Subsets**

Active: LP,LU  
 Inactive: LA,LE,XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>  |
|--------------|-------------------|--|
| 01           |                   | Community residential setting (e.g., private home, assisted living, group home, adult foster care) |
| 02           |                   | Long term care facility (LTC)  |
| 03           |                   | Skilled nursing facility (SNF)   |
| 04           |                   | Hospital emergency department  |
| 05           |                   | Short-stay acute hospital (IPPS)   |
| 06           |                   | Long term care hospital (LTCH)   |
| 07           |                   | Inpatient rehabilitation facility or unit (IRF)  |
| 08           |                   | Psychiatric hospital or unit   |
| 09           |                   | ID/DD facility   |
| 10           |                   | Hospice  |
| 12           |                   | Discharged against medical advice  |
| 98           |                   | Other  |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

**Item ID: A2500**

| <b>Item Label</b>                              | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Were there program interruption(s) during stay | Asmt              |                   | Code             | 1                 | 707-707                             |

**Item Subsets**

Active: LP,LU  
 Inactive: LA,LE,XX

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b> |
|--------------|-------------------|-------------------|
| 0            |                   | No                |
| 1            |                   | Yes               |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>  |
|----------------|------------------|-----------------|---|
| -1009          | Format           | Fatal           | Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3051          | Consistency      | Fatal           | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3917          | Consistency      | Fatal           | (a) If A2500=[1], then A2510 must equal [01-99].  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2510

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Number of program interruptions during stay | Asmt       |            | Number    | 2          | 708-709                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 01    |            | Minimum value        |
| 99    |            | Maximum value        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1012   | Format      | Fatal    | Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are not accepted.  |
| -1013   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed.<br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3917   | Consistency | Fatal    | (a) If A2500=[1], then A2510 must equal [01-99].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal  |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525A1

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| First Interruption Start Date | Asmt       |            | Date      | 8          | 925-932                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525A2

| Item Label                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------|------------|------------|-----------|------------|------------------------------|
| First Interruption End Date | Asmt       |            | Date      | 8          | 933-940                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525B1

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Second Interruption Start Date | Asmt       |            | Date      | 8          | 941-948                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525B2

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Second Interruption End Date | Asmt       |            | Date      | 8          | 949-956                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525C1

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Third Interruption Start Date | Asmt       |            | Date      | 8          | 957-964                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525C2

| Item Label                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------|------------|------------|-----------|------------|------------------------------|
| Third Interruption End Date | Asmt       |            | Date      | 8          | 965-972                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525D1

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Fourth Interruption Start Date | Asmt       |            | Date      | 8          | 973-980                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

**Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: A**

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>A0220 <=<br>A2525A1 <=<br>A2525A2 <=<br>A2525B1 <=<br>A2525B2 <=<br>A2525C1 <=<br>A2525C2 <=<br>A2525D1 <=<br>A2525D2 <=<br>A2525E1 <=<br>A2525E2<=<br>A0270 |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525D2

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Fourth Interruption End Date | Asmt       |            | Date      | 8          | 981-988                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525E1

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Fifth Interruption Start Date | Asmt       |            | Date      | 8          | 989-996                      |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

Item ID: A2525E2

| Item Label                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------|------------|------------|-----------|------------|------------------------------|
| Fifth Interruption End Date | Asmt       |            | Date      | 8          | 997-1004                     |

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Valid date           |
| ^        |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -1010   | Format      | Fatal    | This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3051   | Consistency | Fatal    | If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].  |
| -3926   | Consistency | Fatal    | a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^].<br>b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^].<br>c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^].<br>d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^].<br>e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^]. |
| -3927   | Consistency | Warning  | The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:<br>a) A2525A2 minus A2525A1 should be less than or equal to 2 days.<br>b) A2525B2 minus A2525B1 should be less than or equal to 2 days.<br>c) A2525C2 minus A2525C1 should be less than or equal to 2 days.<br>d) A2525D2 minus A2525D1 should be less than or equal to 2 days.<br>e) A2525E2 minus A2525E1 should be less than or equal to 2 days.   |

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.0) – DRAFT

## Detailed Data Specifications Report

### Section: A

|       |             |       |   |
|-------|-------------|-------|---|
| -3928 | Consistency | Fatal | <p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 &lt;=</p> <p>A2525A1 &lt;=</p> <p>A2525A2 &lt;=</p> <p>A2525B1 &lt;=</p> <p>A2525B2 &lt;=</p> <p>A2525C1 &lt;=</p> <p>A2525C2 &lt;=</p> <p>A2525D1 &lt;=</p> <p>A2525D2 &lt;=</p> <p>A2525E1 &lt;=</p> <p>A2525E2&lt;=</p> <p>A0270</p> |
|-------|-------------|-------|---|