

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

Table of Contents

-1000	Format Fatal	3
-1001	Format Fatal	3
-1002	Format Fatal	3
-1003	Format Fatal	3
-1004	Format Fatal	3
-1005	Format Fatal	3
-1007	Consistency Fatal	3
-1008	Consistency Fatal	3
-1009	Format Fatal	3
-1011	Format Fatal	6
-1012	Format Fatal	6
-1013	Format Fatal	7
-1014	Consistency Fatal	8
-1015	Consistency Fatal	8
-1016	Format Fatal	8
-1017	Format Fatal	8
-1018	Format Fatal	8
-1019	Format Fatal	9
-1020	Format Fatal	9
-1021	Consistency Fatal	9
-1022	Consistency Warning	9
-1025	Consistency Fatal	9
-1026	Consistency Fatal	9
-1027	Format Fatal	9
-1028	Consistency Fatal	10
-1029	Consistency Fatal	10
-1030	Format Fatal	10
-1031	Format Warning	10
-1033	Consistency Fatal	10
-1034	Consistency Fatal	10
-1036	Consistency Fatal	11
-1037	Format Fatal	11
-3010	Consistency Fatal	11
-3011	Consistency Fatal	11
-3012	Consistency Fatal	11
-3013	Consistency Fatal	11
-3014	Consistency Fatal	11
-3015	Consistency Fatal	11
-3016	Consistency Fatal	11
-3017	Consistency Fatal	12
-3018	Consistency Fatal	12
-3019	Consistency Fatal	12
-3020	Consistency Fatal	12
-3021	Consistency Fatal	12
-3022	Consistency Fatal	12
-3023	Consistency Fatal	12
-3025	Consistency Fatal	12
-3034	Consistency Fatal	12
-3036	Consistency Fatal	13
-3039	Consistency Fatal	13
-3042	Consistency Fatal	13
-3043	Consistency Fatal	13
-3044	Consistency Fatal	13
-3046	Consistency Fatal	14
-3049	Consistency Fatal	14

Data Submission Specifications for the IRF-PAI (V2.01.0)-DRAFT

Unduplicated Edits Report by Edit ID

-3050	Consistency Fatal	14
-3051	Consistency Fatal	14
-3052	Consistency Fatal	15
-3542	Consistency Fatal	15
-3543	Consistency Fatal	15
-3544	Consistency Fatal	15
-3545	Consistency Fatal	15
-3546	Consistency Fatal	15
-3547	Consistency Fatal	15
-3548	Consistency Fatal	15
-3549	Consistency Fatal	15
-3550	Consistency Fatal	16
-3551	Consistency Fatal	16
-3552	Consistency Fatal	16
-3553	Consistency Fatal	16
-3572	Consistency Fatal	16
-3573	Consistency Fatal	16
-3612	Consistency Fatal	16
-3662	Consistency Fatal	17
-3663	Consistency Fatal	17
-3664	Consistency Fatal	17
-3665	Consistency Fatal	17
-3666	Consistency Fatal	17
-3667	Consistency Fatal	17
-3745	Consistency Fatal	18
-3749	Consistency Warning.....	18
-3761	Consistency Fatal	18
-3790	Consistency Fatal	18
-3810	Consistency Warning.....	18
-3852	Format Fatal	19
-3863	Consistency Warning.....	19
-3900	Consistency Warning.....	19
-3910	Consistency Fatal	20
-3911	Consistency Fatal	20
-3912	Consistency Fatal	20
-3917	Consistency Fatal	20
-3922	Consistency Fatal	20
-3923	Consistency Fatal	21
-3924	Format Fatal	21
-3926	Consistency Fatal	21
-3927	Consistency Warning.....	21
-3928	Consistency Fatal	22
-3929	Consistency Fatal	22
-3930	Consistency Fatal	22
-3931	Consistency Fatal	22
-3932	Consistency Fatal	22
-3933	Consistency Warning.....	23
-3934	Consistency Fatal	23
-3935	Consistency Fatal	23
-3936	Consistency Fatal	23
-3937	Consistency Fatal	23
-3938	Consistency Fatal	24
-3939	Consistency Fatal	24
-9001	Information None	24
-9002	Information None	24

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1000	Format	Fatal	<p>If the value is not equal to [^], it must be 9 characters long.</p> <p>Items: A0600A Social Security Number</p>
-1001	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p>Items: A0600A Social Security Number</p>
-1002	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p>Items: A0600A Social Security Number</p>
-1003	Format	Fatal	<p>If A0100A is not equal to [^], then it must be 10 digits long.</p> <p>Items: A0100A Facility National Provider Identifier (NPI)</p>
-1004	Format	Fatal	<p>If the first character is numeric [0 through 9], then the first 9 characters must be digits [0 through 9].</p> <p>Items: A0600B Medicare/railroad insurance number</p>
-1005	Format	Fatal	<p>If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</p> <p>Items: A0600B Medicare/railroad insurance number</p>
-1007	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:</p> <p>Characters 1 and 2 indicate the type of record and are based upon the values of the Type of Provider (A0200) and Reason For Assessment (RFA) (A0250). The "Item Subset Code (ISC) Report" that accompanies the data specifications lists all possible combinations of the RFA items and their associated ISCs.</p> <p>Note: A special ISC is used for inactivations. When the record is an inactivation (A0050=[3]), then the ISC is equal to [XX].</p> <p>Items: A0200 Type of provider A0250 Reason for Assessment</p>
-1008	Consistency	Fatal	<p>A0900 (Birth Date) cannot be more than 140 years earlier than the current date.</p> <p>Items: A0900 Birth Date</p>
-1009	Format	Fatal	<p>Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p>Items: ASMT_SYS_CD Assessment system code ITM_SBST_CD Item subset code STATE_CD Facility's state postal code A0050 Type of record A0200 Type of provider A0250 Reason for Assessment A0800 Gender A1000A Ethnicity: American Indian or Alaska Native A1000B Ethnicity: Asian A1000C Ethnicity: Black or African American A1000D Ethnicity: Hispanic or Latino A1000E Ethnicity: Native Hawaiian/Pacific Islander A1000F Ethnicity: White</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			A1100A Does the patient need or want an interpreter
			A1200 Marital status
			A1400A Payer: Medicare (FFS)
			A1400B Payer: Medicare (managed care/Part C/Mcr Advant.)
			A1400C Payer: Medicaid (FFS)
			A1400D Payer: Medicaid (managed care)
			A1400E Payer: Workers' compensation
			A1400F Payer: Title programs
			A1400G Payer: Other Government
			A1400H Payer: Private insurance/Medigap
			A1400I Payer: Private managed care
			A1400J Payer: Self-pay
			A1400K Payer: No payor source
			A1400X Payer: Unknown
			A1400Y Payer: Other
			A1802 Admitted from
			A2110 Discharge location
			A2500 Were there program interruption(s) during stay
			B0100 Comatose
			BB0700 Expression of Ideas and Wants (3-day asmt period)
			BB0800 Understanding Verbal Content (3-day asmt period)
			C1610A Acute onset
			C1610B Fluctuating Course
			C1610C Inattention
			C1610D Disorganized Thinking
			C1610E1 Altered Consc Lvl - Alert
			C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma
			GG0100B Indoor Mobility (Ambulation)
			GG0110A Manual wheelchair
			GG0110B Motorized wheelchair or scooter
			GG0110C Mechanical lift
			GG0110Z None of the above
			GG0130A1 Self-Care (Adm Perf) - Eating
			GG0130A2 Self-Care (Dschg Goal) - Eating
			GG0130A3 Self-Care (Dschg Perf) - Eating
			GG0130B1 Self-Care (Adm Perf) - Oral hygiene
			GG0130B2 Self-Care (Dschg Goal) - Oral hygiene
			GG0130B3 Self-Care (Dschg Perf) - Oral hygiene
			GG0130C1 Self-Care (Adm Perf) - Toileting hygiene
			GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene
			GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene
			GG0130D1 Self-Care (Adm Perf) - Wash upper body
			GG0130D2 Self-Care (Dschg Goal) - Wash upper body
			GG0130D3 Self-Care (Dschg Perf) - Wash upper body
			GG0170A1 Func Mobil (Adm Perf) - Roll left and right
			GG0170A2 Func Mobil (Dschg Goal) - Roll left and right
			GG0170A3 Func Mobil (Dschg Perf) - Roll left and right
			GG0170B1 Func Mobil (Adm Perf) - Sit to lying
			GG0170B2 Func Mobil (Dschg Goal) - Sit to lying
			GG0170B3 Func Mobil (Dschg Perf) - Sit to lying
			GG0170C1 Func Mobil (Adm Perf) - Lying to sit on side
			GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side
			GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side
			GG0170D1 Func Mobil (Adm Perf) - Sit to stand
			GG0170D2 Func Mobil (Dschg Goal) - Sit to stand
			GG0170D3 Func Mobil (Dschg Perf) - Sit to stand

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			GG0170E1
			GG0170E2
			GG0170E3
			GG0170F1
			GG0170F2
			GG0170F3
			GG0170H1
			GG0170H3
			GG0170I1
			GG0170I2
			GG0170I3
			GG0170J1
			GG0170J2
			GG0170J3
			GG0170K1
			GG0170K2
			GG0170K3
			GG0170Q1
			GG0170Q3
			GG0170R1
			GG0170R2
			GG0170R3
			GG0170RR1
			GG0170RR3
			GG0170S1
			GG0170S2
			GG0170S3
			GG0170SS1
			GG0170SS3
			H0350
			H0400
			I0050
			I0101
			I0900
			I1501
			I1502
			I2101
			I2600
			I2900
			I4100
			I4501
			I4801
			I4900
			I5000
			I5101
			I5102
			I5110
			I5200
			I5250
			I5300
			I5450
			I5460
			I5470
			I5601
			I5602
			I7900
			Func Mobil (Adm Perf) - Chair/bed-to-chair trans
			Func Mobil (Dschg Goal) - Chair/bed-to-chair trans
			Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
			Func Mobil (Adm Perf) - Toilet transfer
			Func Mobil (Dschg Goal) - Toilet transfer
			Func Mobil (Dschg Perf) - Toilet transfer
			Does the patient walk
			Does the patient walk
			Func Mobil (Adm Perf) - Walk 10 feet
			Func Mobil (Dschg Goal) - Walk 10 feet
			Func Mobil (Dschg Perf) - Walk 10 feet
			Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns
			Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
			Func Mobil (Adm Perf) - Walk 150 feet
			Func Mobil (Dschg Goal) - Walk 150 feet
			Func Mobil (Dschg Perf) - Walk 150 feet
			Does the patient use a wheelchair/scooter
			Does the patient use a wheelchair/scooter
			Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
			Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
			Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
			Indicate the type of wheelchair/scooter used
			Indicate the type of wheelchair/scooter used
			Func Mobil (Adm Perf) - Wheel 150 feet
			Func Mobil (Dschg Goal) - Wheel 150 feet
			Func Mobil (Dschg Perf) - Wheel 150 feet
			Indicate the type of wheelchair/scooter used
			Indicate the type of wheelchair/scooter used.
			Bladder continence
			Bowel continence
			Patient primary medical condition
			Severe and Metastatic Cancers
			Peripheral vascular disease (PVD) or PAD
			Chronic Kidney Disease, Stage 5
			Acute Renal Failure
			Septicemia, Sepsis, Systemic Inflammatory Response
			CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect
			Diabetes mellitus (DM)
			Major Lower Limb Amputation
			Stroke
			Dementia
			Hemiplegia or Hemiparesis
			Paraplegia
			Complete Tetraplegia
			Incomplete Tetraplegia
			Other Spinal Cord Disorder/Injury
			Multiple Sclerosis (MS)
			Huntington's Disease
			Parkinson's Disease
			Amyotrophic Lateral Sclerosis
			Locked-In State
			Severe Anoxic Brain Damage, Cerebral Edema
			Malnutrition
			At Risk for Malnutrition
			None of the Above

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J1800 Any Falls Since Admission J1900A Num Falls Since Admission - No injury J1900B Num Falls Since Admission - Injury (except major) J1900C Num Falls Since Admission - Major injury M0210 Patient has Stage 1 or higher pressure ulcers O0100F3 Invasive Mechanical Ventilator - weaning O0100F4 Invasive Mechanical Ventilator - non-weaning O0100G Non-invasive ventilator (BIPAP, CPAP) O0100J Dialysis O0100N Total Parenteral Nutrition O0100Z None of the above O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason
-1010	Format	Fatal	<p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> Items: A0210 Assessment reference date A0220 Admission date A0270 Discharge date A2525A1 First Interruption Start Date A2525A2 First Interruption End Date A2525B1 Second Interruption Start Date A2525B2 Second Interruption End Date A2525C1 Third Interruption Start Date A2525C2 Third Interruption End Date A2525D1 Fourth Interruption Start Date A2525D2 Fourth Interruption End Date A2525E1 Fifth Interruption Start Date A2525E2 Fifth Interruption End Date O0250B Date influenza vaccine received Z0500B Date assessment signed as complete
-1011	Format	Fatal	<p>This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101". If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901". If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> Items: A0900 Birth Date
-1012	Format	Fatal	<p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are not accepted.</p> Items: A0055 Correction number A2510 Number of program interruptions during stay

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: K0200A Height (in inches) K0200B Weight (in pounds) M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit M0800A Worsened: Stage 2 pressure ulcers M0800B Worsened: Stage 3 pressure ulcers M0800C Worsened: Stage 4 pressure ulcers M0800D Worsened: Unstageable - Non-removable dressing M0800E Worsened: Unstageable - Slough and/or eschar M0800F Worsened: Unstageable - Deep tissue injury
-1013	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> Items: A0055 Correction number A2510 Number of program interruptions during stay K0200A Height (in inches) K0200B Weight (in pounds) M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit M0800A Worsened: Stage 2 pressure ulcers M0800B Worsened: Stage 3 pressure ulcers M0800C Worsened: Stage 4 pressure ulcers M0800D Worsened: Unstageable - Non-removable dressing M0800E Worsened: Unstageable - Slough and/or eschar M0800F Worsened: Unstageable - Deep tissue injury

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items								
-1014	Consistency	Fatal	<p>If the SFTWR_VNDR_ID=[^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> <p>Items:</p> <table><tr><td>SFTWR_VNDR_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td>SFTWR_VNDR_NAME</td><td>Software vendor company name</td></tr><tr><td>SFTWR_VNDR_EMAIL_ADR</td><td>Software vendor email address</td></tr></table>	SFTWR_VNDR_ID	Software vendor federal employer tax ID	SFTWR_VNDR_NAME	Software vendor company name	SFTWR_VNDR_EMAIL_ADR	Software vendor email address		
SFTWR_VNDR_ID	Software vendor federal employer tax ID										
SFTWR_VNDR_NAME	Software vendor company name										
SFTWR_VNDR_EMAIL_ADR	Software vendor email address										
-1015	Consistency	Fatal	<p>If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p>Items:</p> <table><tr><td>SFTWR_VNDR_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td>SFTWR_VNDR_NAME</td><td>Software vendor company name</td></tr><tr><td>SFTWR_VNDR_EMAIL_ADR</td><td>Software vendor email address</td></tr></table>	SFTWR_VNDR_ID	Software vendor federal employer tax ID	SFTWR_VNDR_NAME	Software vendor company name	SFTWR_VNDR_EMAIL_ADR	Software vendor email address		
SFTWR_VNDR_ID	Software vendor federal employer tax ID										
SFTWR_VNDR_NAME	Software vendor company name										
SFTWR_VNDR_EMAIL_ADR	Software vendor email address										
-1016	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>Items:</p> <table><tr><td>SFTWR_VNDR_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td>A0100A</td><td>Facility National Provider Identifier (NPI)</td></tr><tr><td>A0600A</td><td>Social Security Number</td></tr></table>	SFTWR_VNDR_ID	Software vendor federal employer tax ID	A0100A	Facility National Provider Identifier (NPI)	A0600A	Social Security Number		
SFTWR_VNDR_ID	Software vendor federal employer tax ID										
A0100A	Facility National Provider Identifier (NPI)										
A0600A	Social Security Number										
-1017	Format	Fatal	<p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>Items:</p> <table><tr><td>A0100B</td><td>Facility CMS Certification Number (CCN)</td></tr><tr><td>A0100C</td><td>State Medicaid provider number</td></tr><tr><td>A0600B</td><td>Medicare/railroad insurance number</td></tr><tr><td>A0700</td><td>Medicaid number</td></tr></table>	A0100B	Facility CMS Certification Number (CCN)	A0100C	State Medicaid provider number	A0600B	Medicare/railroad insurance number	A0700	Medicaid number
A0100B	Facility CMS Certification Number (CCN)										
A0100C	State Medicaid provider number										
A0600B	Medicare/railroad insurance number										
A0700	Medicaid number										
-1018	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <ul style="list-style-type: none">[@] (at sign)['] (single quote)[/] (forward slash)[+] (plus sign)[,] (comma)[.] (period)[_] (underscore) <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> <p>Items:</p> <table><tr><td>SFTWR_PROD_VRSN_CD</td><td>Software product version code</td></tr><tr><td>A0500A</td><td>Patient first name</td></tr><tr><td>A0500C</td><td>Patient last name</td></tr><tr><td>A0500D</td><td>Patient name suffix</td></tr></table>	SFTWR_PROD_VRSN_CD	Software product version code	A0500A	Patient first name	A0500C	Patient last name	A0500D	Patient name suffix
SFTWR_PROD_VRSN_CD	Software product version code										
A0500A	Patient first name										
A0500C	Patient last name										
A0500D	Patient name suffix										

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1100B Preferred language
-1019	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters: If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore)</p>
-1020	Format	Fatal	<p>Items: A0500B Patient middle initial</p> <p>Formatting of email address. Any valid email address is accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p>
-1021	Consistency	Fatal	<p>Items: SFTWR_VNDR_EMAIL_ADR Software vendor email address</p> <p>The value submitted for FAC_ID is inconsistent with the information stored in QIES ASAP system. It must match the FAC_ID in the QIES ASAP System for the provider. The FAC_ID is the provider's submission ID.</p>
-1022	Consistency	Warning	<p>Items: FAC_ID Assigned facility/provider submission ID</p> <p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the ASAP database. If the values do not match, a warning will be issued.</p>
-1025	Consistency	Fatal	<p>Items: A0100B Facility CMS Certification Number (CCN)</p> <p>For the first record that is submitted to correct or inactivate an existing record, A0055 (correction number) must equal "01". If that correction/inactivation is accepted and if a subsequent correction/inactivation is required A0055 must equal "02", and so on. If the value submitted in A0055 is incorrect, a fatal error will result and the submitted record will be rejected.</p>
-1026	Consistency	Fatal	<p>Items: A0055 Correction number</p> <p>If A0050=[1], then A0055 (correction number) must equal [0].</p>
			<p>Items: A0055 Correction number</p> <p>A0050 Type of record</p>
-1027	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.</p> <p>Items: SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NAME Software vendor company name SFTWR_VNDR_EMAIL_ADR Software vendor email address SFTWR_PROD_NAME Software product name SFTWR_PROD_VRSN_CD Software product version code A0100A Facility National Provider Identifier (NPI) A0100C State Medicaid provider number</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A0500A Patient first name A0500B Patient middle initial A0500C Patient last name A0500D Patient name suffix A0600A Social Security Number A0600B Medicare/railroad insurance number A0700 Medicaid number A1100B Preferred language
-1028	Consistency	Fatal	<p>If SFTWR_PROD_NAME=[^], then SFTWR_PROD_VRSN_CD must be equal to [^].</p> Items: SFTWR_PROD_NAME Software product name SFTWR_PROD_VRSN_CD Software product version code
-1029	Consistency	Fatal	<p>If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].</p> Items: SFTWR_PROD_NAME Software product name SFTWR_PROD_VRSN_CD Software product version code
-1030	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[&] (ampersand)</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> Items: SFTWR_VNDR_NAME Software vendor company name SFTWR_PROD_NAME Software product name
-1031	Format	Warning	<p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> Items: ITM_SET_VRSN_C Item set version code SPEC_VRSN_CD Specifications version code
-1033	Consistency	Fatal	<p>A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> Items: FAC_ID Assigned facility/provider submission ID
-1034	Consistency	Fatal	<p>The ASAP system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> Items: ITM_SBST_CD Item subset code

Unduplicated Edits Report by Edit ID

Page 1 of 26

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3017	Consistency	Fatal	<p>(a) If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit</p>
-3018	Consistency	Fatal	<p>If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3019	Consistency	Fatal	<p>(a) If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3020	Consistency	Fatal	<p>If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit</p>
-3021	Consistency	Fatal	<p>(a) If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit</p>
-3022	Consistency	Fatal	<p>If A1100A=[1], then A1100B must not equal [^].</p> <p>Items: A1100A Does the patient need or want an interpreter A1100B Preferred language</p>
-3023	Consistency	Fatal	<p>If A1100A=[-], then A1100B must equal [-].</p> <p>Items: A1100A Does the patient need or want an interpreter A1100B Preferred language</p>
-3025	Consistency	Fatal	<p>If A0250=[01], then A0270 must equal [^].</p> <p>Items: A0250 Reason for Assessment A0270 Discharge date</p>
-3034	Consistency	Fatal	<p>If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p> <p>Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable deep tissue: number present</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300G2 Unstageable deep tissue: number at admit
-3036	Consistency	Fatal	<p>a) If B0100=[1], then all active items from BB0700 through C1610E2 must equal [^].</p> <p>b) If B0100=[0], then all active items from BB0700 through C1610E2 must not equal [^].</p> <p>c) If B0100=[-], then all active items from BB0700 through C1610E2 must equal [-].</p> <p>Items: B0100 Comatose</p> <p>BB0700 Expression of Ideas and Wants (3-day asmt period)</p> <p>BB0800 Understanding Verbal Content (3-day asmt period)</p> <p>C1610A Acute onset</p> <p>C1610B Fluctuating Course</p> <p>C1610C Inattention</p> <p>C1610D Disorganized Thinking</p> <p>C1610E1 Altered Consc Lvl - Alert</p> <p>C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma</p>
-3039	Consistency	Fatal	<p>a) If GG0110Z=[1], then all active items from GG0110A through GG0110C must equal [0].</p> <p>b) If GG0110Z=[0], then at least one active item from GG0110A through GG0110C must not be equal to [0].</p> <p>c) If GG0110Z=[-], then all active items from GG0110A through GG0110C must equal [0,-].</p> <p>Items: GG0110A Manual wheelchair</p> <p>GG0110B Motorized wheelchair or scooter</p> <p>GG0110C Mechanical lift</p> <p>GG0110Z None of the above</p>
-3042	Consistency	Fatal	<p>a) If GG0170H1=[0], then all active items from GG0170I1 through GG0170K2 must be equal to [^].</p> <p>b) If GG0170H1=[1], then items GG0170I1, GG0170J1 and GG0170K1 must be equal to [^], and items GG0170I2, GG0170J2 and GG0170K2 must not be equal to [^].</p> <p>c) If GG0170H1=[2], then all active items from GG0170I1 through GG0170K2 must not be equal to [^].</p> <p>Items: GG0170H1 Does the patient walk</p> <p>GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet</p> <p>GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet</p> <p>GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns</p> <p>GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns</p> <p>GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet</p> <p>GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet</p>
-3043	Consistency	Fatal	<p>a) If GG0170Q1=[0], then all active items from GG0170R1 through GG0170SS1 must be equal to [^].</p> <p>b) If GG0170Q1=[1], then all active items from GG0170R1 through GG0170SS1 must not be equal to [^].</p> <p>Items: GG0170Q1 Does the patient use a wheelchair/scooter</p> <p>GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns</p> <p>GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns</p> <p>GG0170RR1 Indicate the type of wheelchair/scooter used</p> <p>GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet</p> <p>GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet</p> <p>GG0170SS1 Indicate the type of wheelchair/scooter used</p>
-3044	Consistency	Fatal	<p>a) If I0050=[5], then I0050A must not be equal to [^].</p> <p>b) If I0050=[1,2,3,4,-], then I0050A must be equal to [^].</p> <p>Items: I0050 Patient primary medical condition</p> <p>I0050A Other medical condition - ICD code</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																																								
-3046	Consistency	Fatal	<p>a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0].</p> <p>b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0].</p> <p>c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].</p> <table><tr><td>Items:</td><td>I0101</td><td>Severe and Metastatic Cancers</td></tr><tr><td></td><td>I0900</td><td>Peripheral vascular disease (PVD) or PAD</td></tr><tr><td></td><td>I1501</td><td>Chronic Kidney Disease, Stage 5</td></tr><tr><td></td><td>I1502</td><td>Acute Renal Failure</td></tr><tr><td></td><td>I2101</td><td>Septicemia, Sepsis, Systemic Inflammatory Response</td></tr><tr><td></td><td>I2600</td><td>CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect</td></tr><tr><td></td><td>I2900</td><td>Diabetes mellitus (DM)</td></tr><tr><td></td><td>I4100</td><td>Major Lower Limb Amputation</td></tr><tr><td></td><td>I4501</td><td>Stroke</td></tr><tr><td></td><td>I4801</td><td>Dementia</td></tr><tr><td></td><td>I4900</td><td>Hemiplegia or Hemiparesis</td></tr><tr><td></td><td>I5000</td><td>Paraplegia</td></tr><tr><td></td><td>I5101</td><td>Complete Tetraplegia</td></tr><tr><td></td><td>I5102</td><td>Incomplete Tetraplegia</td></tr><tr><td></td><td>I5110</td><td>Other Spinal Cord Disorder/Injury</td></tr><tr><td></td><td>I5200</td><td>Multiple Sclerosis (MS)</td></tr><tr><td></td><td>I5250</td><td>Huntington's Disease</td></tr><tr><td></td><td>I5300</td><td>Parkinson's Disease</td></tr><tr><td></td><td>I5450</td><td>Amyotrophic Lateral Sclerosis</td></tr><tr><td></td><td>I5460</td><td>Locked-In State</td></tr><tr><td></td><td>I5470</td><td>Severe Anoxic Brain Damage, Cerebral Edema</td></tr><tr><td></td><td>I5601</td><td>Malnutrition</td></tr><tr><td></td><td>I5602</td><td>At Risk for Malnutrition</td></tr><tr><td></td><td>I7900</td><td>None of the Above</td></tr></table>	Items:	I0101	Severe and Metastatic Cancers		I0900	Peripheral vascular disease (PVD) or PAD		I1501	Chronic Kidney Disease, Stage 5		I1502	Acute Renal Failure		I2101	Septicemia, Sepsis, Systemic Inflammatory Response		I2600	CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect		I2900	Diabetes mellitus (DM)		I4100	Major Lower Limb Amputation		I4501	Stroke		I4801	Dementia		I4900	Hemiplegia or Hemiparesis		I5000	Paraplegia		I5101	Complete Tetraplegia		I5102	Incomplete Tetraplegia		I5110	Other Spinal Cord Disorder/Injury		I5200	Multiple Sclerosis (MS)		I5250	Huntington's Disease		I5300	Parkinson's Disease		I5450	Amyotrophic Lateral Sclerosis		I5460	Locked-In State		I5470	Severe Anoxic Brain Damage, Cerebral Edema		I5601	Malnutrition		I5602	At Risk for Malnutrition		I7900	None of the Above
Items:	I0101	Severe and Metastatic Cancers																																																																									
	I0900	Peripheral vascular disease (PVD) or PAD																																																																									
	I1501	Chronic Kidney Disease, Stage 5																																																																									
	I1502	Acute Renal Failure																																																																									
	I2101	Septicemia, Sepsis, Systemic Inflammatory Response																																																																									
	I2600	CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect																																																																									
	I2900	Diabetes mellitus (DM)																																																																									
	I4100	Major Lower Limb Amputation																																																																									
	I4501	Stroke																																																																									
	I4801	Dementia																																																																									
	I4900	Hemiplegia or Hemiparesis																																																																									
	I5000	Paraplegia																																																																									
	I5101	Complete Tetraplegia																																																																									
	I5102	Incomplete Tetraplegia																																																																									
	I5110	Other Spinal Cord Disorder/Injury																																																																									
	I5200	Multiple Sclerosis (MS)																																																																									
	I5250	Huntington's Disease																																																																									
	I5300	Parkinson's Disease																																																																									
	I5450	Amyotrophic Lateral Sclerosis																																																																									
	I5460	Locked-In State																																																																									
	I5470	Severe Anoxic Brain Damage, Cerebral Edema																																																																									
	I5601	Malnutrition																																																																									
	I5602	At Risk for Malnutrition																																																																									
	I7900	None of the Above																																																																									
-3049	Consistency	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must be equal to [^].</p> <p>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^], and at least one of these items must equal [-,1,2].</p> <p>c) If J1800=[-], then all active items from J1900A through J1900C must be equal to [-].</p> <table><tr><td>Items:</td><td>J1800</td><td>Any Falls Since Admission</td></tr><tr><td></td><td>J1900A</td><td>Num Falls Since Admission - No injury</td></tr><tr><td></td><td>J1900B</td><td>Num Falls Since Admission - Injury (except major)</td></tr><tr><td></td><td>J1900C</td><td>Num Falls Since Admission - Major injury</td></tr></table>	Items:	J1800	Any Falls Since Admission		J1900A	Num Falls Since Admission - No injury		J1900B	Num Falls Since Admission - Injury (except major)		J1900C	Num Falls Since Admission - Major injury																																																												
Items:	J1800	Any Falls Since Admission																																																																									
	J1900A	Num Falls Since Admission - No injury																																																																									
	J1900B	Num Falls Since Admission - Injury (except major)																																																																									
	J1900C	Num Falls Since Admission - Major injury																																																																									
-3050	Consistency	Fatal	<p>a) If O0100Z=[1], then all active items from O0100F3 through O0100N must be equal to [0].</p> <p>b) If O0100Z=[0], then at least one active item from O0100F3 through O0100N must not be equal to [0].</p> <p>c) If O0100Z=[-], then all active items from O0100F3 through O0100N must be equal to [0,-].</p> <table><tr><td>Items:</td><td>O0100F3</td><td>Invasive Mechanical Ventilator - weaning</td></tr><tr><td></td><td>O0100F4</td><td>Invasive Mechanical Ventilator - non-weaning</td></tr><tr><td></td><td>O0100G</td><td>Non-invasive ventilator (BIPAP, CPAP)</td></tr><tr><td></td><td>O0100J</td><td>Dialysis</td></tr><tr><td></td><td>O0100N</td><td>Total Parenteral Nutrition</td></tr><tr><td></td><td>O0100Z</td><td>None of the above</td></tr></table>	Items:	O0100F3	Invasive Mechanical Ventilator - weaning		O0100F4	Invasive Mechanical Ventilator - non-weaning		O0100G	Non-invasive ventilator (BIPAP, CPAP)		O0100J	Dialysis		O0100N	Total Parenteral Nutrition		O0100Z	None of the above																																																						
Items:	O0100F3	Invasive Mechanical Ventilator - weaning																																																																									
	O0100F4	Invasive Mechanical Ventilator - non-weaning																																																																									
	O0100G	Non-invasive ventilator (BIPAP, CPAP)																																																																									
	O0100J	Dialysis																																																																									
	O0100N	Total Parenteral Nutrition																																																																									
	O0100Z	None of the above																																																																									
-3051	Consistency	Fatal	<p>If A2500=[0], then all active items from A2510 through A2525E2 must equal [^].</p> <table><tr><td>Items:</td><td>A2500</td><td>Were there program interruption(s) during stay</td></tr><tr><td></td><td>A2510</td><td>Number of program interruptions during stay</td></tr><tr><td></td><td>A2525A1</td><td>First Interruption Start Date</td></tr><tr><td></td><td>A2525A2</td><td>First Interruption End Date</td></tr><tr><td></td><td>A2525B1</td><td>Second Interruption Start Date</td></tr></table>	Items:	A2500	Were there program interruption(s) during stay		A2510	Number of program interruptions during stay		A2525A1	First Interruption Start Date		A2525A2	First Interruption End Date		A2525B1	Second Interruption Start Date																																																									
Items:	A2500	Were there program interruption(s) during stay																																																																									
	A2510	Number of program interruptions during stay																																																																									
	A2525A1	First Interruption Start Date																																																																									
	A2525A2	First Interruption End Date																																																																									
	A2525B1	Second Interruption Start Date																																																																									

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A2525B2 Second Interruption End Date A2525C1 Third Interruption Start Date A2525C2 Third Interruption End Date A2525D1 Fourth Interruption Start Date A2525D2 Fourth Interruption End Date A2525E1 Fifth Interruption Start Date A2525E2 Fifth Interruption End Date
-3052	Consistency	Fatal	<p>a) If GG0170H3=[0], then all active items from GG0170I3 through GG0170K3 must be equal to [^]. b) If GG0170H3=[2], then all active items from GG0170I3 through GG0170K3 must not be equal to [^].</p> Items: GG0170H3 Does the patient walk GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
-3542	Consistency	Fatal	<p>If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].</p> Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present
-3543	Consistency	Fatal	<p>If M0210=[1], then M0300C1 must not equal [^].</p> Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300C1 Stage 3 pressure ulcers: number present
-3544	Consistency	Fatal	<p>If M0210=[1], then M0300D1 must not equal [^].</p> Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300D1 Stage 4 pressure ulcers: number present
-3545	Consistency	Fatal	<p>If M0210=[1], then M0300E1 must not equal [^].</p> Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300E1 Unstageable dressing: number present
-3546	Consistency	Fatal	<p>If M0210=[1], then M0300F1 must not equal [^].</p> Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300F1 Unstageable slough/eschar: number present
-3547	Consistency	Fatal	<p>If M0210=[1], then M0300G1 must not equal [^].</p> Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300G1 Unstageable deep tissue: number present
-3548	Consistency	Fatal	<p>If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].</p> Items: A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit
-3549	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].</p> Items: A0250 Reason for Assessment M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3550	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3551	Consistency	Fatal	<p>If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit</p>
-3552	Consistency	Fatal	<p>If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3553	Consistency	Fatal	<p>If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit</p>
-3572	Consistency	Fatal	<p>If A1100A=[0,9], then A1100B must equal [^].</p> <p>Items: A1100A Does the patient need or want an interpreter A1100B Preferred language</p>
-3573	Consistency	Fatal	<p>Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birth date) <= A0220 (admission date) <= A0210 (assessment reference date) = A0270 (discharge date) <= Z0500B (date assessment signed as complete) <= current date</p> <p>Items: A0210 Assessment reference date A0220 Admission date A0270 Discharge date A0900 Birth Date Z0500B Date assessment signed as complete</p>
-3612	Consistency	Fatal	<p>If M0210=[0], then all active items from M0300A through M0800F must equal [^].</p> <p>Items: M0210 Patient has Stage 1 or higher pressure ulcers M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0800A Worsened: Stage 2 pressure ulcers M0800B Worsened: Stage 3 pressure ulcers M0800C Worsened: Stage 4 pressure ulcers M0800D Worsened: Unstageable - Non-removable dressing M0800E Worsened: Unstageable - Slough and/or eschar M0800F Worsened: Unstageable - Deep tissue injury
-3662	Consistency	Fatal	<p>If M0300B1=[1-9], then one of the following must be true: a) M0300B2 must be equal to [-] OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> Items: M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit
-3663	Consistency	Fatal	<p>If M0300C1=[1-9], then one of the following must be true: a) M0300C2 must be equal to [-] OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> Items: M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit
-3664	Consistency	Fatal	<p>If M0300D1=[1-9], then one of the following must be true: a) M0300D2 must be equal to [-] OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> Items: M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit
-3665	Consistency	Fatal	<p>If M0300E1=[1-9], then one of the following must be true: a) M0300E2 must be equal to [-] OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> Items: M0300E1 Unstageable dressing: number present M0300E2 Unstageable dressing: number at admit
-3666	Consistency	Fatal	<p>If M0300F1=[1-9], then one of the following must be true: a) M0300F2 must be equal to [-] OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> Items: M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit
-3667	Consistency	Fatal	<p>If M0300G1=[1-9], then one of the following must be true: a) M0300G2 must be equal to [-] OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> Items: M0300G1 Unstageable deep tissue: number present M0300G2 Unstageable deep tissue: number at admit

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3745	Consistency	Fatal	<p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <p>a) A0270 (discharge date) when A0250 = 10, 11, 12</p> <p>b) A0220 (admission date) when A0250 = 01</p> <p>c) A0250 (reason for assessment)</p> <p>d) A0500A (patient first name)</p> <p>e) A0500C (patient last name)</p> <p>f) A0600A (social security number)</p> <p>g) A0800 (gender)</p> <p>h) A0900 (birth date)</p> <table><tr><td>Items:</td><td>A0220</td><td>Admission date</td></tr><tr><td></td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>A0270</td><td>Discharge date</td></tr><tr><td></td><td>A0500A</td><td>Patient first name</td></tr><tr><td></td><td>A0500C</td><td>Patient last name</td></tr><tr><td></td><td>A0600A</td><td>Social Security Number</td></tr><tr><td></td><td>A0800</td><td>Gender</td></tr><tr><td></td><td>A0900</td><td>Birth Date</td></tr></table>	Items:	A0220	Admission date		A0250	Reason for Assessment		A0270	Discharge date		A0500A	Patient first name		A0500C	Patient last name		A0600A	Social Security Number		A0800	Gender		A0900	Birth Date
Items:	A0220	Admission date																									
	A0250	Reason for Assessment																									
	A0270	Discharge date																									
	A0500A	Patient first name																									
	A0500C	Patient last name																									
	A0600A	Social Security Number																									
	A0800	Gender																									
	A0900	Birth Date																									
-3749	Consistency	Warning	<p>Record Completion Timing Rule</p> <p>The following rule describes allowable spans between pairs of dates. The rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values).</p> <p>Z0500B (completion date) - A0210 (assessment reference date) <= 5 days.</p> <table><tr><td>Items:</td><td>A0210</td><td>Assessment reference date</td></tr><tr><td></td><td>Z0500B</td><td>Date assessment signed as complete</td></tr></table>	Items:	A0210	Assessment reference date		Z0500B	Date assessment signed as complete																		
Items:	A0210	Assessment reference date																									
	Z0500B	Date assessment signed as complete																									
-3761	Consistency	Fatal	<p>(a) If any item A1000A through A1000F is equal to [-], then all active items from A1000A through A1000F must equal [-].</p> <table><tr><td>Items:</td><td>A1000A</td><td>Ethnicity: American Indian or Alaska Native</td></tr><tr><td></td><td>A1000B</td><td>Ethnicity: Asian</td></tr><tr><td></td><td>A1000C</td><td>Ethnicity: Black or African American</td></tr><tr><td></td><td>A1000D</td><td>Ethnicity: Hispanic or Latino</td></tr><tr><td></td><td>A1000E</td><td>Ethnicity: Native Hawaiian/Pacific Islander</td></tr><tr><td></td><td>A1000F</td><td>Ethnicity: White</td></tr></table>	Items:	A1000A	Ethnicity: American Indian or Alaska Native		A1000B	Ethnicity: Asian		A1000C	Ethnicity: Black or African American		A1000D	Ethnicity: Hispanic or Latino		A1000E	Ethnicity: Native Hawaiian/Pacific Islander		A1000F	Ethnicity: White						
Items:	A1000A	Ethnicity: American Indian or Alaska Native																									
	A1000B	Ethnicity: Asian																									
	A1000C	Ethnicity: Black or African American																									
	A1000D	Ethnicity: Hispanic or Latino																									
	A1000E	Ethnicity: Native Hawaiian/Pacific Islander																									
	A1000F	Ethnicity: White																									
-3790	Consistency	Fatal	<p>If A0250=[10, 11, 12], then A0270 must not equal [^].</p> <table><tr><td>Items:</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>A0270</td><td>Discharge date</td></tr></table>	Items:	A0250	Reason for Assessment		A0270	Discharge date																		
Items:	A0250	Reason for Assessment																									
	A0270	Discharge date																									
-3810	Consistency	Warning	<p>The record was submitted Late. The submission date is more than 7 days after Z0500B for this new (A0050 equals 1) record.</p> <table><tr><td>Items:</td><td>A0050</td><td>Type of record</td></tr><tr><td></td><td>Z0500B</td><td>Date assessment signed as complete</td></tr></table>	Items:	A0050	Type of record		Z0500B	Date assessment signed as complete																		
Items:	A0050	Type of record																									
	Z0500B	Date assessment signed as complete																									

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3852	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> <p>Items: I0050A Other medical condition - ICD code</p>
-3863	Consistency	Warning	<p>If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]</p> <p>Items: A1400A Payer: Medicare (FFS)</p> <p>A1400B Payer: Medicare (managed care/Part C/Mcr Advant.)</p> <p>A1400C Payer: Medicaid (FFS)</p> <p>A1400D Payer: Medicaid (managed care)</p> <p>A1400E Payer: Workers' compensation</p> <p>A1400F Payer: Title programs</p> <p>A1400G Payer: Other Government</p> <p>A1400H Payer: Private insurance/Medigap</p> <p>A1400I Payer: Private managed care</p> <p>A1400J Payer: Self-pay</p> <p>A1400K Payer: No payor source</p> <p>A1400X Payer: Unknown</p> <p>A1400Y Payer: Other</p>
-3900	Consistency	Warning	<p>A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p>Items: H0350 Bladder continence</p> <p>H0400 Bowel continence</p> <p>I0101 Severe and Metastatic Cancers</p> <p>I0900 Peripheral vascular disease (PVD) or PAD</p> <p>I1501 Chronic Kidney Disease, Stage 5</p> <p>I1502 Acute Renal Failure</p> <p>I2101 Septicemia, Sepsis, Systemic Inflammatory Response</p> <p>I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect</p> <p>I2900 Diabetes mellitus (DM)</p> <p>I4100 Major Lower Limb Amputation</p> <p>I4501 Stroke</p> <p>I4801 Dementia</p> <p>I4900 Hemiplegia or Hemiparesis</p> <p>I5000 Paraplegia</p> <p>I5101 Complete Tetraplegia</p> <p>I5102 Incomplete Tetraplegia</p> <p>I5110 Other Spinal Cord Disorder/Injury</p> <p>I5200 Multiple Sclerosis (MS)</p> <p>I5250 Huntington's Disease</p> <p>I5300 Parkinson's Disease</p> <p>I5450 Amyotrophic Lateral Sclerosis</p> <p>I5460 Locked-In State</p> <p>I5470 Severe Anoxic Brain Damage, Cerebral Edema</p> <p>I5601 Malnutrition</p> <p>I5602 At Risk for Malnutrition</p> <p>I7900 None of the Above</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J1800 Any Falls Since Admission J1900A Num Falls Since Admission - No injury J1900B Num Falls Since Admission - Injury (except major) J1900C Num Falls Since Admission - Major injury K0200A Height (in inches) K0200B Weight (in pounds) M0800A Worsened: Stage 2 pressure ulcers M0800B Worsened: Stage 3 pressure ulcers M0800C Worsened: Stage 4 pressure ulcers M0800D Worsened: Unstageable - Non-removable dressing M0800E Worsened: Unstageable - Slough and/or eschar M0800F Worsened: Unstageable - Deep tissue injury O0100F3 Invasive Mechanical Ventilator - weaning O0100F4 Invasive Mechanical Ventilator - non-weaning O0100G Non-invasive ventilator (BIPAP, CPAP) O0100J Dialysis O0100N Total Parenteral Nutrition O0100Z None of the above
-3910	Consistency	Fatal	<p>a) If M0300B1=[0-9], then if M0800A is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300B1=[-], then if M0800A is active it must equal [-].</p> <p>c) If M0300B1=[0-9] and M0800A=[0-9], then the value of M0800A must be less than or equal to the value of M0300B1.</p> <p>Items: M0300B1 Stage 2 pressure ulcers: number present M0800A Worsened: Stage 2 pressure ulcers</p>
-3911	Consistency	Fatal	<p>a) If M0300C1=[0-9], then if M0800B is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300C1=[-], then if M0800B is active it must equal [-].</p> <p>c) If M0300C1=[0-9] and M0800B=[0-9], then the value of M0800B must be less than or equal to the value of M0300C1.</p> <p>Items: M0300C1 Stage 3 pressure ulcers: number present M0800B Worsened: Stage 3 pressure ulcers</p>
-3912	Consistency	Fatal	<p>a) If M0300D1=[0-9], then if M0800C is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300D1=[-], then if M0800C is active it must equal [-].</p> <p>c) If M0300D1=[0-9] and M0800C=[0-9], then the value of M0800C must be less than or equal to the value of M0300D1.</p> <p>Items: M0300D1 Stage 4 pressure ulcers: number present M0800C Worsened: Stage 4 pressure ulcers</p>
-3917	Consistency	Fatal	<p>(a) If A2500=[1], then A2510 must equal [01-99].</p> <p>Items: A2500 Were there program interruption(s) during stay A2510 Number of program interruptions during stay</p>
-3922	Consistency	Fatal	<p>a) If O0250A=[1], then O0250B must not equal [^].</p> <p>b) If O0250A=[0], then O0250B must equal [^].</p> <p>c) If O0250A=[-], then O0250B must equal [-].</p> <p>Items: O0250A Was influenza vaccine received O0250B Date influenza vaccine received</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3923	Consistency	Fatal	<p>a) If O0250A=[0], then O0250C must not equal [^]. b) If O0250A=[1], then O0250C must equal [^]. c) If O0250A=[-], then O0250C must equal [-]</p> <p>Items: O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason</p>
-3924	Format	Fatal	<p>The CMS Certification Number (CCN) must be exactly 6 characters in length.</p> <p>Items: A0100B Facility CMS Certification Number (CCN)</p>
-3926	Consistency	Fatal	<p>a) If A2510=[01], then A2525A1 through A2525A2 must not equal [^] and A2525B1 through A2525E2 must equal [^]. b) If A2510=[02], then A2525A1 through A2525B2 must not equal [^] and A2525C1 through A2525E2 must equal [^]. c) If A2510=[03], then A2525A1 through A2525C2 must not equal [^] and A2525D1 through A2525E2 must equal [^]. d) If A2510=[04], then A2525A1 through A2525D2 must not equal [^] and A2525E1 through A2525E2 must equal [^]. e) If A2510=[05-99], then A2525A1 through A2525E2 must not equal [^].</p> <p>Items: A2510 Number of program interruptions during stay A2525A1 First Interruption Start Date A2525A2 First Interruption End Date A2525B1 Second Interruption Start Date A2525B2 Second Interruption End Date A2525C1 Third Interruption Start Date A2525C2 Third Interruption End Date A2525D1 Fourth Interruption Start Date A2525D2 Fourth Interruption End Date A2525E1 Fifth Interruption Start Date A2525E2 Fifth Interruption End Date</p>
-3927	Consistency	Warning	<p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>a) A2525A2 minus A2525A1 should be less than or equal to 2 days. b) A2525B2 minus A2525B1 should be less than or equal to 2 days. c) A2525C2 minus A2525C1 should be less than or equal to 2 days. d) A2525D2 minus A2525D1 should be less than or equal to 2 days. e) A2525E2 minus A2525E1 should be less than or equal to 2 days.</p> <p>Items: A2525A1 First Interruption Start Date A2525A2 First Interruption End Date A2525B1 Second Interruption Start Date A2525B2 Second Interruption End Date A2525C1 Third Interruption Start Date A2525C2 Third Interruption End Date A2525D1 Fourth Interruption Start Date A2525D2 Fourth Interruption End Date A2525E1 Fifth Interruption Start Date A2525E2 Fifth Interruption End Date</p>

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																				
-3928	Consistency	Fatal	<p>The following rules apply to items A2525A1 through A2525E2 when the values in those items are dates and are not equal to [^]:</p> <p>A0220 <= A2525A1 <= A2525A2 <= A2525B1 <= A2525B2 <= A2525C1 <= A2525C2 <= A2525D1 <= A2525D2 <= A2525E1 <= A2525E2<= A0270</p> <table><tr><td>Items:</td><td>A0220</td><td>Admission date</td></tr><tr><td></td><td>A0270</td><td>Discharge date</td></tr><tr><td></td><td>A2525A1</td><td>First Interruption Start Date</td></tr><tr><td></td><td>A2525A2</td><td>First Interruption End Date</td></tr><tr><td></td><td>A2525B1</td><td>Second Interruption Start Date</td></tr><tr><td></td><td>A2525B2</td><td>Second Interruption End Date</td></tr><tr><td></td><td>A2525C1</td><td>Third Interruption Start Date</td></tr><tr><td></td><td>A2525C2</td><td>Third Interruption End Date</td></tr><tr><td></td><td>A2525D1</td><td>Fourth Interruption Start Date</td></tr><tr><td></td><td>A2525D2</td><td>Fourth Interruption End Date</td></tr><tr><td></td><td>A2525E1</td><td>Fifth Interruption Start Date</td></tr><tr><td></td><td>A2525E2</td><td>Fifth Interruption End Date</td></tr></table>	Items:	A0220	Admission date		A0270	Discharge date		A2525A1	First Interruption Start Date		A2525A2	First Interruption End Date		A2525B1	Second Interruption Start Date		A2525B2	Second Interruption End Date		A2525C1	Third Interruption Start Date		A2525C2	Third Interruption End Date		A2525D1	Fourth Interruption Start Date		A2525D2	Fourth Interruption End Date		A2525E1	Fifth Interruption Start Date		A2525E2	Fifth Interruption End Date
Items:	A0220	Admission date																																					
	A0270	Discharge date																																					
	A2525A1	First Interruption Start Date																																					
	A2525A2	First Interruption End Date																																					
	A2525B1	Second Interruption Start Date																																					
	A2525B2	Second Interruption End Date																																					
	A2525C1	Third Interruption Start Date																																					
	A2525C2	Third Interruption End Date																																					
	A2525D1	Fourth Interruption Start Date																																					
	A2525D2	Fourth Interruption End Date																																					
	A2525E1	Fifth Interruption Start Date																																					
	A2525E2	Fifth Interruption End Date																																					
-3929	Consistency	Fatal	<p>a) If M0300E1=[0-9], then if M0800D is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300E1=[-], then if M0800D is active it must equal [-].</p> <p>c) If M0300E1=[0-9] and M0800D=[0-9], then the value of M0800D must be less than or equal to the value of M0300E1</p> <table><tr><td>Items:</td><td>M0300E1</td><td>Unstageable dressing: number present</td></tr><tr><td></td><td>M0800D</td><td>Worsened: Unstageable - Non-removable dressing</td></tr></table>	Items:	M0300E1	Unstageable dressing: number present		M0800D	Worsened: Unstageable - Non-removable dressing																														
Items:	M0300E1	Unstageable dressing: number present																																					
	M0800D	Worsened: Unstageable - Non-removable dressing																																					
-3930	Consistency	Fatal	<p>a) If M0300F1=[0-9], then if M0800E is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300F1=[-], then if M0800E is active it must equal [-].</p> <p>c) If M0300F1=[0-9] and M0800E=[0-9], then the value of M0800E must be less than or equal to the value of M0300F1.</p> <table><tr><td>Items:</td><td>M0300F1</td><td>Unstageable slough/eschar: number present</td></tr><tr><td></td><td>M0800E</td><td>Worsened: Unstageable - Slough and/or eschar</td></tr></table>	Items:	M0300F1	Unstageable slough/eschar: number present		M0800E	Worsened: Unstageable - Slough and/or eschar																														
Items:	M0300F1	Unstageable slough/eschar: number present																																					
	M0800E	Worsened: Unstageable - Slough and/or eschar																																					
-3931	Consistency	Fatal	<p>a) If M0300G1=[0-9], then if M0800F is active it must equal [0,1,2,3,4,5,6,7,8,9,-].</p> <p>b) If M0300G1=[-], then if M0800F is active it must equal [-].</p> <p>c) If M0300G1=[0-9] and M0800F=[0-9], then the value of M0800F must be less than or equal to the value of M0300G1.</p> <table><tr><td>Items:</td><td>M0300G1</td><td>Unstageable deep tissue: number present</td></tr><tr><td></td><td>M0800F</td><td>Worsened: Unstageable - Deep tissue injury</td></tr></table>	Items:	M0300G1	Unstageable deep tissue: number present		M0800F	Worsened: Unstageable - Deep tissue injury																														
Items:	M0300G1	Unstageable deep tissue: number present																																					
	M0800F	Worsened: Unstageable - Deep tissue injury																																					
-3932	Consistency	Fatal	<p>a) If C1610E1=[1], then C1610E2 must equal [0].</p> <p>b) If B0100=[0], then C1610E1 and C1610E2 cannot BOTH be equal to [-].</p> <table><tr><td>Items:</td><td>B0100</td><td>Comatose</td></tr><tr><td></td><td>C1610E1</td><td>Altered Consc Lvl - Alert</td></tr><tr><td></td><td>C1610E2</td><td>Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma</td></tr></table>	Items:	B0100	Comatose		C1610E1	Altered Consc Lvl - Alert		C1610E2	Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma																											
Items:	B0100	Comatose																																					
	C1610E1	Altered Consc Lvl - Alert																																					
	C1610E2	Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma																																					

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																													
-3933	Consistency	Warning	<p>Self-Care and Mobility Discharge Goals:</p> <p>At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170I2, GG0170J2, GG0170K2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06]. Entering the dash [-] as the response to all of the Discharge Goal items may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <table><tr><td>Items:</td><td>GG0130A2</td><td>Self-Care (Dschg Goal) - Eating</td></tr><tr><td></td><td>GG0130B2</td><td>Self-Care (Dschg Goal) - Oral hygiene</td></tr><tr><td></td><td>GG0130C2</td><td>Self-Care (Dschg Goal) - Toileting hygiene</td></tr><tr><td></td><td>GG0130D2</td><td>Self-Care (Dschg Goal) - Wash upper body</td></tr><tr><td></td><td>GG0170A2</td><td>Func Mobil (Dschg Goal) - Roll left and right</td></tr><tr><td></td><td>GG0170B2</td><td>Func Mobil (Dschg Goal) - Sit to lying</td></tr><tr><td></td><td>GG0170C2</td><td>Func Mobil (Dschg Goal) - Lying to sitting on side</td></tr><tr><td></td><td>GG0170D2</td><td>Func Mobil (Dschg Goal) - Sit to stand</td></tr><tr><td></td><td>GG0170E2</td><td>Func Mobil (Dschg Goal) - Chair/bed-to-chair trans</td></tr><tr><td></td><td>GG0170F2</td><td>Func Mobil (Dschg Goal) - Toilet transfer</td></tr><tr><td></td><td>GG0170I2</td><td>Func Mobil (Dschg Goal) - Walk 10 feet</td></tr><tr><td></td><td>GG0170J2</td><td>Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns</td></tr><tr><td></td><td>GG0170K2</td><td>Func Mobil (Dschg Goal) - Walk 150 feet</td></tr><tr><td></td><td>GG0170R2</td><td>Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns</td></tr><tr><td></td><td>Items:</td><td>GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet</td></tr></table>	Items:	GG0130A2	Self-Care (Dschg Goal) - Eating		GG0130B2	Self-Care (Dschg Goal) - Oral hygiene		GG0130C2	Self-Care (Dschg Goal) - Toileting hygiene		GG0130D2	Self-Care (Dschg Goal) - Wash upper body		GG0170A2	Func Mobil (Dschg Goal) - Roll left and right		GG0170B2	Func Mobil (Dschg Goal) - Sit to lying		GG0170C2	Func Mobil (Dschg Goal) - Lying to sitting on side		GG0170D2	Func Mobil (Dschg Goal) - Sit to stand		GG0170E2	Func Mobil (Dschg Goal) - Chair/bed-to-chair trans		GG0170F2	Func Mobil (Dschg Goal) - Toilet transfer		GG0170I2	Func Mobil (Dschg Goal) - Walk 10 feet		GG0170J2	Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns		GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet		GG0170R2	Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns		Items:	GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
Items:	GG0130A2	Self-Care (Dschg Goal) - Eating																																														
	GG0130B2	Self-Care (Dschg Goal) - Oral hygiene																																														
	GG0130C2	Self-Care (Dschg Goal) - Toileting hygiene																																														
	GG0130D2	Self-Care (Dschg Goal) - Wash upper body																																														
	GG0170A2	Func Mobil (Dschg Goal) - Roll left and right																																														
	GG0170B2	Func Mobil (Dschg Goal) - Sit to lying																																														
	GG0170C2	Func Mobil (Dschg Goal) - Lying to sitting on side																																														
	GG0170D2	Func Mobil (Dschg Goal) - Sit to stand																																														
	GG0170E2	Func Mobil (Dschg Goal) - Chair/bed-to-chair trans																																														
	GG0170F2	Func Mobil (Dschg Goal) - Toilet transfer																																														
	GG0170I2	Func Mobil (Dschg Goal) - Walk 10 feet																																														
	GG0170J2	Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns																																														
	GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet																																														
	GG0170R2	Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns																																														
	Items:	GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet																																														
-3934	Consistency	Fatal	<p>If GG0170H1=[-], then all active items from GG0170I1 through GG0170K2 must all be equal to [-].</p> <table><tr><td>Items:</td><td>GG0170H1</td><td>Does the patient walk</td></tr><tr><td></td><td>GG0170I1</td><td>Func Mobil (Adm Perf) - Walk 10 feet</td></tr><tr><td></td><td>GG0170I2</td><td>Func Mobil (Dschg Goal) - Walk 10 feet</td></tr><tr><td></td><td>GG0170J1</td><td>Func Mobil (Adm Perf) - Walk 50 feet w/2 turns</td></tr><tr><td></td><td>GG0170J2</td><td>Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns</td></tr><tr><td></td><td>GG0170K1</td><td>Func Mobil (Adm Perf) - Walk 150 feet</td></tr><tr><td></td><td>GG0170K2</td><td>Func Mobil (Dschg Goal) - Walk 150 feet</td></tr></table>	Items:	GG0170H1	Does the patient walk		GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet		GG0170I2	Func Mobil (Dschg Goal) - Walk 10 feet		GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns		GG0170J2	Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns		GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet		GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet																								
Items:	GG0170H1	Does the patient walk																																														
	GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet																																														
	GG0170I2	Func Mobil (Dschg Goal) - Walk 10 feet																																														
	GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns																																														
	GG0170J2	Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns																																														
	GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet																																														
	GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet																																														
-3935	Consistency	Fatal	<p>If GG0170H3=[-], then GG0170I3, GG0170J3, and GG0170K3 must all be equal to [-].</p> <table><tr><td>Items:</td><td>GG0170H3</td><td>Does the patient walk</td></tr><tr><td></td><td>GG0170I3</td><td>Func Mobil (Dschg Perf) - Walk 10 feet</td></tr><tr><td></td><td>GG0170J3</td><td>Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns</td></tr><tr><td></td><td>GG0170K3</td><td>Func Mobil (Dschg Perf) - Walk 150 feet</td></tr></table>	Items:	GG0170H3	Does the patient walk		GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet		GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns		GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet																																	
Items:	GG0170H3	Does the patient walk																																														
	GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet																																														
	GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns																																														
	GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet																																														
-3936	Consistency	Fatal	<p>If GG0170Q1=[-], then all active items from GG0170R1 through GG0170SS1 must be equal to [-].</p> <table><tr><td>Items:</td><td>GG0170Q1</td><td>Does the patient use a wheelchair/scooter</td></tr><tr><td></td><td>GG0170R1</td><td>Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns</td></tr><tr><td></td><td>GG0170RR1</td><td>Indicate the type of wheelchair/scooter used</td></tr><tr><td></td><td>GG0170S1</td><td>Func Mobil (Adm Perf) - Wheel 150 feet</td></tr><tr><td></td><td>GG0170SS1</td><td>Indicate the type of wheelchair/scooter used</td></tr></table>	Items:	GG0170Q1	Does the patient use a wheelchair/scooter		GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns		GG0170RR1	Indicate the type of wheelchair/scooter used		GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet		GG0170SS1	Indicate the type of wheelchair/scooter used																														
Items:	GG0170Q1	Does the patient use a wheelchair/scooter																																														
	GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns																																														
	GG0170RR1	Indicate the type of wheelchair/scooter used																																														
	GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet																																														
	GG0170SS1	Indicate the type of wheelchair/scooter used																																														
-3937	Consistency	Fatal	<p>a) If GG0170Q3=[0], then all active items from GG0170R3 through GG0170SS3 must be equal to [^].</p> <p>b) If GG0170Q3=[1], then all active items from GG0170R3 through GG0170SS3 must not be equal to [^].</p> <p>c) If GG0170Q3=[-], then all active items from GG0170R3 through GG0170SS3 must be equal to [-].</p> <table><tr><td>Items:</td><td>GG0170Q3</td><td>Does the patient use a wheelchair/scooter</td></tr><tr><td></td><td>GG0170R3</td><td>Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns</td></tr><tr><td></td><td>GG0170RR3</td><td>Indicate the type of wheelchair/scooter used</td></tr><tr><td></td><td>GG0170S3</td><td>Func Mobil (Dschg Perf) - Wheel 150 feet</td></tr></table>	Items:	GG0170Q3	Does the patient use a wheelchair/scooter		GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns		GG0170RR3	Indicate the type of wheelchair/scooter used		GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet																																	
Items:	GG0170Q3	Does the patient use a wheelchair/scooter																																														
	GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns																																														
	GG0170RR3	Indicate the type of wheelchair/scooter used																																														
	GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet																																														

Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			GG0170SS3 Indicate the type of wheelchair/scooter used.
-3938	Consistency	Fatal	<p>If A0250=[11], then all active items from C1610A through C1610E2 must not be equal to [^].</p> <p>Items: A0250 Reason for Assessment C1610A Acute onset C1610B Fluctuating Course C1610C Inattention C1610D Disorganized Thinking C1610E1 Altered Consc Lvl - Alert Items: C1610E2 Altered Consc Lvl - Vigilant/Lethargic/Stupor/Coma</p>
-3939	Consistency	Fatal	<p>(a) If O0100F3=[1], then O0100F4 must not be equal to [1]. (b) If O0100F4=[1], then O0100F3 must not be equal to [1]. (c) If O0100F3=[-], then O0100F4 must be equal to [-]. (d) If O0100F4=[-], then O0100F3 must be equal to [-].</p> <p>Items: O0100F3 Invasive Mechanical Ventilator - weaning O0100F4 Invasive Mechanical Ventilator - non-weaning</p>
-9001	Information	None	<p>The target date is defined as follows: a) If A0250=[01], then the target date is equal to A0220 (admission date) b) If A0250=[10,11,12], then the target date is equal to A0270 (discharge date)</p> <p>Items: TARGET_DATE Target date</p>
-9002	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows: If A0050 = [1,2] and A0250 = [01] then ITM_SBST_CD = [LA] If A0050 = [1,2] and A0250 = [10] then ITM_SBST_CD = [LP] If A0050 = [1,2] and A0250 = [11] then ITM_SBST_CD = [LU] If A0050 = [1,2] and A0250 = [12] then ITM_SBST_CD = [LE] If A0050 = [3] and A0250 = [01,10,11,12] then ITM_SBST_CD = [XX] For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p>Items: ITM_SBST_CD Item subset code A0050 Type of record A0250 Reason for Assessment</p>