

## Sample Data for ACO Accelerated Development Learning Session Participants

		State		Selected HRRs	
	National	Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b>Demographics</b>					
Count of Beneficiaries	25,832,920	510,801	170,386	41,443	123,760
Average Age	76.5	77.1	77.1	75.7	75.6
Percent Female	57.9	58.5	61.2	55.0	55.2
Percent Male	42.1	41.5	38.8	45.0	44.8
Percent Eligible for Medicaid	14.4	11.8	45.1	49.9	17.2
Average HCC Score	1.15	1.11	1.51	1.44	1.02
Average HCC Score Expressed as a Ratio to the National Average	1.00	0.96	1.31	1.25	0.89
<b>Disease Prevalence</b>					
% benes who have had a heart attack	1.1	1.0	1.3	1.1	0.8
% benes with atrial fibrillation	8.9	9.3	7.4	5.4	5.5
% benes with chronic kidney disease	13.1	13.7	14.1	17.7	10.1
% benes with chronic obstructive pulmonary disease	11.1	8.7	20.4	16.7	8.5
% benes with depression	10.7	11.1	22.6	15.2	10.2
% benes with diabetes	26.9	23.8	36.9	42.5	23.2
% benes with heart failure	18.0	16.6	23.6	24.0	13.7
% benes with ischemic heart disease	34.5	29.0	53.6	54.4	23.4
% benes with breast cancer	2.1	1.9	2.4	1.6	1.8
% benes with colorectal cancer	1.0	0.9	1.2	0.9	0.8
% benes with lung cancer	1.1	0.9	1.0	0.7	0.7
% benes with prostate cancer	3.4	2.9	3.5	3.0	2.8

## Sample Data for ACO Accelerated Development Learning Session Participants

		State	Selected HRRs		
	National	Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b><i>Percent of Beneficiaries Using Benefits</i></b>					
% of Beneficiaries Using IP	21.5%	21.3%	23.0%	22.4%	17.0%
% of Beneficiaries Using PAC	13.9%	11.2%	28.6%	37.8%	9.8%
% of Beneficiaries Using OP	70.3%	74.5%	64.7%	61.5%	73.4%
% of Beneficiaries Using E&M	90.3%	90.7%	90.8%	88.9%	86.9%
% of Beneficiaries Using PROC	64.5%	60.6%	70.6%	66.2%	54.6%
% of Beneficiaries Using IMG	72.3%	69.7%	78.7%	74.1%	63.6%
% of Beneficiaries Using LABTST	73.0%	71.6%	82.9%	83.0%	56.9%
% of Beneficiaries Using Hospice	2.9%	3.0%	3.3%	1.1%	3.0%
% of Beneficiaries Using DRUG	55.8%	56.2%	49.0%	61.3%	40.5%
% of Beneficiaries Using OTHER	59.9%	64.7%	56.3%	62.8%	44.6%
% of Beneficiaries Using DME	28.5%	26.8%	35.4%	39.9%	26.9%
% of Beneficiaries Using ASC	10.6%	5.7%	11.0%	7.1%	9.5%
% of Beneficiaries Using OTHST	50.5%	42.6%	65.8%	56.7%	35.5%
% of Beneficiaries Using PAC: SNF	6.5%	7.5%	5.7%	4.0%	3.6%
% of Beneficiaries Using PAC: HH	10.1%	5.5%	25.7%	35.4%	7.4%
% of Beneficiaries Using PAC: IRF	1.1%	0.6%	1.6%	2.7%	1.0%
% of Beneficiaries Using PAC: LTCH	0.3%	0.2%	0.6%	2.1%	0.2%

## Sample Data for ACO Accelerated Development Learning Session Participants

		State		Selected HRRs	
	National	Wisconsin	FL - Miami	TX - McAllen	NM - Albuquerque
<b>Utilization Rates</b>					
IP Admissions Per 1000 Beneficiaries	351.99	333.86	409.53	387.64	254.05
IP Days Per 1000 Beneficiaries	1858.71	1566.99	2594.31	2196.58	1210.57
PAC: IRF Admissions Per 1000 Beneficiaries	11.71	6.41	17.32	29.75	11.18
PAC: IRF Days Per 1000 Beneficiaries	155.72	79.91	239.05	367.23	160.29
PAC: LTCH Admissions Per 1000 Beneficiaries	3.94	1.94	7.11	24.25	1.65
PAC: LTCH Days Per 1000 Beneficiaries	103.27	53.73	184.15	642.11	46.36
PAC: SNF Admissions Per 1000 beneficiaries	92.15	98.26	89.46	59.33	46.88
PAC: SNF Days Per 1000 Beneficiaries	2353.15	2570.93	2628.95	1938.66	1357.16
PAC: HH Episodes Per 1000 Beneficiaries	195.53	81.73	763.92	1428.95	145.05
PAC: HH Visits Per 1000 Beneficiaries	3821.84	1270.05	67735.35	30593.08	2364.83
OP Service Events Per 1000	4044.09	4942.77	4339.57	2599.79	4921.57
E&M Medicare service events per 1000	12042.61	9384.99	17975.10	16633.18	8987.00
PROC Medicare service events per 1000	4384.60	3438.11	5672.01	5070.53	3013.07
IMG Medicare service events per 1000	4254.08	3638.01	5958.81	5490.79	3050.82
LABTST Medicare service events per 1000	8888.23	8552.22	13156.25	15550.13	4975.42
Hospice Admissions Per 1000 Beneficiaries	32.69	32.21	38.80	12.81	33.44
Hospice Days Per 1000 Beneficiaries	2057.31	2083.56	2459.70	491.86	2464.00
DME Medicare service events per 1000	1653.40	1469.92	2813.88	2603.79	1921.36
ASC Service Events Per 1000 Beneficiaries	187.12	101.40	182.73	135.20	161.47
OTHTST Medicare service events per 1000	1575.95	1236.65	2442.28	2001.42	933.78
<b>Readmissions &amp; Emergency Department Visits</b>					
Hospital Readmission Rate	19.3%	17.6%	22.0%	20.0%	16.2%
Hospital Readmission Costs as % of Total Admissions Costs	21.2%	19.8%	24.0%	20.8%	18.7%
Emergency Department Visits per 1,000 Beneficiaries	530.7	511.5	564.0	471.4	455.0
Hospital 30-day readmission rates for heart attack patients	19.4	18.5	19.9	19.2	16.9
Hospital 30-day readmission rates for heart failure patients	24.7	23.4	25.6	24.4	22.2
Hospital 30-day readmission rates for pneumonia patients	18.5	18.3	19.0	17.4	16.5

## Sample Data for ACO Accelerated Development Learning Session Participants

		State	Selected HRRs		
	National	Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b>Actual Per Capita Costs</b>					
Actual Per Capita Costs	\$9,103	\$7,766	\$18,199	\$14,940	\$6,732
IP Per Capita Actual Costs	\$3,192	\$2,889	\$4,272	\$4,306	\$2,269
PAC Per Capita Actual Costs	\$1,691	\$1,320	\$6,442	\$5,741	\$1,077
OP Per Capita Actual Costs	\$1,082	\$1,239	\$2,197	\$1,133	\$1,027
E&M Per Capita Actual Costs	\$820	\$561	\$1,470	\$1,032	\$533
PROC Per Capita Actual Costs	\$590	\$440	\$832	\$609	\$417
IMG Per Capita Actual Costs	\$367	\$205	\$757	\$480	\$202
LABTST Per Capita Actual Costs	\$229	\$161	\$395	\$328	\$131
Hospice Per Capita Actual Costs	\$309	\$314	\$471	\$66	\$348
DRUG Per Capita Actual Costs	\$252	\$233	\$441	\$285	\$183
OTHER Per Capita Actual Costs	\$238	\$181	\$321	\$506	\$187
DME Per Capita Actual Costs	\$193	\$145	\$373	\$291	\$257
ASC Per Capita Actual Costs	\$78	\$44	\$82	\$55	\$68
OTHTST Per Capita Actual Costs	\$64	\$36	\$145	\$107	\$34
PAC: SNF Per Capita Actual Costs	\$827	\$939	\$945	\$613	\$465
PAC: HH Per Capita Actual Costs	\$545	\$204	\$4,948	\$3,863	\$376
PAC: IRF Per Capita Actual Costs	\$190	\$107	\$330	\$512	\$182
PAC: LTCH Per Capita Actual Costs	\$129	\$70	\$219	\$752	\$55

## Sample Data for ACO Accelerated Development Learning Session Participants

		State	Selected HRRs		
	National	Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b>Per User Actual Costs</b>					
IP Per User Actual Costs	\$14,858	\$13,563	\$18,602	\$19,210	\$13,344
PAC Per User Actual Costs	\$12,162	\$11,824	\$22,563	\$15,198	\$11,019
OP Per User Actual Costs	\$1,539	\$1,663	\$3,396	\$1,841	\$1,399
E&M Per User Actual Costs	\$908	\$618	\$1,619	\$1,161	\$613
PROC Per User Actual Costs	\$914	\$726	\$1,178	\$919	\$764
IMG Per User Actual Costs	\$507	\$294	\$962	\$648	\$318
LABTST Per User Actual Costs	\$314	\$224	\$477	\$396	\$230
Hospice Per User Actual Costs	\$10,578	\$10,484	\$14,418	\$6,215	\$11,744
DRUG Per User Actual Costs	\$451	\$414	\$900	\$464	\$451
OTHER Per User Actual Costs	\$397	\$280	\$570	\$806	\$419
DME Per User Actual Costs	\$677	\$539	\$1,052	\$729	\$953
ASC Per User Actual Costs	\$734	\$758	\$748	\$775	\$708
OTHTST Per User Actual Costs	\$126	\$84	\$221	\$189	\$96
PAC: SNF Per User Actual Costs	\$12,791	\$12,545	\$16,557	\$15,261	\$12,805
PAC: HH Per User Actual Costs	\$5,411	\$3,736	\$19,269	\$10,898	\$5,051
PAC: IRF Per User Actual Costs	\$17,655	\$17,450	\$20,953	\$19,114	\$17,364
PAC: LTCH Per User Actual Costs	\$37,197	\$40,196	\$34,985	\$35,267	\$36,541

## Sample Data for ACO Accelerated Development Learning Session Participants

	National	State	Selected HRRs		
		Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b><i>Hospital Compare</i></b>					
Heart attack patients given aspirin at hospital arrival	98.3	98.6	98.8	97.4	99
Heart attack patients with aspirin prescribed at hospital discharge	98.1	98.5	98.5	93.5	98.8
Heart attack patients prescribed angiotensin converting enzyme inhibitors	95.0	95.1	97.9	90.1	95.1
Heart attack patients with smoking cessation counseling during hospitalization	99.2	98.7	99.9	95.1	98.6
Heart attack patients with beta blocker prescribed at hospital discharge	98.2	98.4	98.2	93.1	97.7
Heart attack patients with fibrinolytic received within 30 minutes of hospital arrival	48.0	8.6	55.3	*	45.5
Heart attack patients with percutaneous coronary intervention within 90 days of hospital arrival	85.3	88.8	92.1	64.1	76.1
Heart failure patients with discharge instructions	85.3	83.0	96.0	89.0	75.2
Heart failure patients with evaluation of left ventricular systolic function	97.1	96.6	99.2	94.0	92.9
Heart failure patients prescribed angiotensin converting enzyme inhibitors	93.0	93.2	96.9	89.1	88.0
Heart failure patients with smoking cessation counseling	97.7	94.8	99.5	97.6	90.9
Pneumonia patients with pneumococcal vaccination	91.1	91.7	95.3	82.2	86.8
Pneumonia patients with appropriate initial antibiotic selection for community-acquired pneumonia	90.7	92.7	93.3	86.8	86.6
Pneumonia patients with blood cultures in emergency department before admission	94.2	94.4	95.7	94.6	88.6
Pneumonia patients with influenza vaccination	88.1	89.3	93.8	83.5	79.7
Pneumonia patients with smoking cessation counseling	95.5	93.1	98.8	88.6	78.1
Pneumonia patients with initial antibiotic received within 6 hours of hospital arrival	94.6	96.6	94.5	87.5	89.7
Surgery patients with prophylactic antibiotic received within one hour of surgery	95.7	95.5	97.3	97.1	94.9
Surgery patients with appropriate prophylactic antibiotic selection	97.6	98.1	97.4	96.6	98.1
Surgery patients with prophylactic antibiotics discontinued within 24 hours of surgery	92.6	93.0	91.9	86.6	92.3
Cardiac surgery patients with controlled 6 A.M. postoperative blood glucose	91.6	92.3	94.4	92.3	93.5
Surgery patients with appropriate hair removal	99.0	99.3	99.6	99.9	98.7
Surgery patients with recommended venous thromboembolism prophylaxis	92.8	93.5	92.3	88.7	91.4
Surgery patients who received appropriate venous thromboembolism prophylaxis	90.6	91.2	90.7	87.2	88.3
Hospital 30-day readmission rates for heart attack patients	19.4	18.5	19.9	19.2	16.9
Hospital 30-day readmission rates for heart failure patients	24.7	23.4	25.6	24.4	22.2
Hospital 30-day readmission rates for pneumonia patients	18.5	18.3	19.0	17.4	16.5
Hospital 30-day death (mortality) rates for heart attack patients	15.3	14.7	15.0	17.3	13.3
Hospital 30-day death (mortality) rates for heart failure patients	10.9	11.3	9.9	9.5	11.1
Hospital 30-day death (mortality) rates for pneumonia patients	11.5	11.5	10.2	10.1	11.8

## Sample Data for ACO Accelerated Development Learning Session Participants

		State	Selected HRRs		
	National	Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b>AHRQ: Prevention Quality Indicators (PQIs)</b>					
PQI03 Diabetes LT Complication (age 65-74)	279	220	445	414	299
PQI03 Diabetes LT Complication (age 75+)	327	273	504	579	259
PQI05 COPD (age 65-74)	842	633	883	778	440
PQI05 COPD (age 75+)	1,052	826	1,513	1,503	725
PQI07 Hypertension (age 65-74)	106	61	223	190	*
PQI07 Hypertension (age 75+)	190	143	372	345	101
PQI08 CHF (age 65-74)	891	716	1,190	1,703	563
PQI08 CHF (age 75+)	2,484	2,259	3,029	3,619	1,522
PQI10 Dehydration (age 65-74)	222	216	221	209	140
PQI10 Dehydration (age 75+)	597	584	594	618	394
PQI11 Bacterial Pneumonia (age 65-74)	775	723	630	662	774
PQI11 Bacterial Pneumonia (age 75+)	1,982	1,968	1,905	2,331	2,285
PQI12 UTI (age 65-74)	345	265	575	671	263
PQI12 UTI (age 75+)	1,261	962	1,904	1,829	1,035
PQI15 Adult Asthma (age 65-74)	217	163	394	214	149
PQI15 Adult Asthma (age 75+)	275	211	548	273	174
PQI16 Lower Extremity Amputation (age 65-74)	86	90	103	165	80
PQI16 Lower Extremity Amputation (age 75+)	83	79	118	244	70

## Sample Data for ACO Accelerated Development Learning Session Participants

		State	Selected HRRs		
	National	Wisconsin ▼	FL - Miami ▼	TX - McAllen ▼	NM - Albuquerque ▼
<b>AHRQ: Patient Safety Indicators (PSIs)</b>					
PSI03: Pressure/decubitus ulcer (age 65 -74)	2,893	2,447	3,580	2,467	2,515
PSI03: Pressure/decubitus ulcer (age 75+)	4,484	2,947	5,737	5,630	3,773
PSI06: Iatrogenic pneumothorax (age 65-74)	60	69	37	31	35
PSI06: Iatrogenic pneumothorax (age 75+)	67	61	50	47	69
PSI07: Central venous catheter-related bloodstream infections (age 65-74)	128	143	85	342	39
PSI07: Central venous catheter-related bloodstream infections (age 75+)	86	67	53	165	48
PSI12: Postoperative pulmonary embolism or deep vein thrombosis (age 65-74)	1,297	989	1,435	1,742	1,486
PSI12: Postoperative pulmonary embolism or deep vein thrombosis (age 75+)	1,531	1,215	1,944	2,204	1,793
PSI13: Postoperative sepsis (age 65-74)	1,664	1,036	1,670	1,957	1,282
PSI13: Postoperative sepsis (age 75+)	2,061	1,519	2,332	5,230	1,717
PSI15: Accidental puncture or laceration (age 65-74)	327	457	253	237	403
PSI15: Accidental puncture or laceration (age 75+)	205	294	133	254	252