

## Shared Decision Making Model ACO Applicant Guidance Beneficiary Fee-For-Service Preference-Sensitive Condition Visits

### Purpose:

The Shared Decision Making model application, *ACO Organizational Profile: Question 9*, requires the ACO to input Medicare fee-for-service (FFS) beneficiary visits with a preference-sensitive condition (PSC) by practice type. This document provides guidance to ACOs for how to identify these visits and serves as a starting point for the ACOs by offering ICD-9/10 codes that may be used to complete this section of the application.

### Guidance:

The application provides a table with data fields for ACO practice Medicare FFS visits by practice type: primary adult care, oncology, radiology, urology, orthopedics, and 'other' specialty types. Beneficiary visits that occurred in CY2015 for any of the PSCs eligible for SDM: stable ischemic heart disease, osteoarthritis of the hip or knee, back pain (herniated disc or spinal stenosis), localized prostate cancer, and benign prostate hyperplasia should be included in the table count (see Figure 1). The 'other' specialty type fields should be used for cardiology, neurology, rheumatology, and any other practice types included in the ACO that have FFS beneficiary PSC visits. Please identify each additional specialty type by name and include the respective number of FFS visits with PSCs.

**FIGURE 1. SDM APPLICATION: ACO ORGANIZATIONAL PROFILE QUESTION 9**

\* 9. The first three columns below have been pre-populated from your LOI submission. Please review and make any applicable changes to ensure that the total number of practices, practitioners, and Medicare FFS visits in Primary Adult Care, Oncology, Radiology, Urology, Orthopedics, and Other are accurate for the last full calendar year. In addition, you will need to populate the last column.

| * Practices                      | * Practitioners                   | * Medicare FFS visits            | * Medicare FFS visits with a PSC ?         |
|----------------------------------|-----------------------------------|----------------------------------|--|
| Primary Adult Care<br>10         | Primary Adult Care<br>10          | Primary Adult Care<br>10         | Primary Adult Care<br><input type="text"/> |
| Oncology<br><input type="text"/> | Oncology<br><input type="text"/>  | Oncology<br><input type="text"/> | Oncology<br>5                              |
| Radiology<br>10                  | Radiology<br><input type="text"/> | Radiology<br>10                  | Radiology<br><input type="text"/>          |
| Urology<br><input type="text"/>  | Urology<br><input type="text"/>   | Urology<br><input type="text"/>  | Urology<br><input type="text"/>            |
| Orthopedics<br>10                | Orthopedics<br>10                 | Orthopedics<br>10                | Orthopedics<br>20                          |
| Other<br><input type="text"/>    | Other<br><input type="text"/>     | Other<br><input type="text"/>    | Other<br>2                                 |
|                                  |                                   |                                  | Please specify for Other<br>test           |

### Counting FFS PSC Visits:

ACOs may arrive at counts for FFS PSC visits using ICD-9/10 diagnosis codes and HCPCS procedure codes. Both ICD-9/10 codes are appropriate for use, where applicable to a given PSC, as the ICD-9 codes were in effect until October 1, 2015 when the ICD-10 codes were implemented. To the degree possible, the approach for identifying FFS PSC visits should be consistently applied for all practices and practitioners. The FFS PSC visit tallies should be provided at the ACO aggregate level for the medical specialties listed in the reporting table.

**The guidance and codes provided below are not precise, and are intended to simply serve as a common starting point for ACOs to reasonably report estimated numbers of FFS PSC beneficiary visits in the application.**

### ***Stable Ischemic Heart Disease***

ICD-9/10 codes may be used to identify and count beneficiary FFS visits with a principal diagnosis consistent with stable coronary artery disease (CAD), such as coronary atherosclerosis or ischemic heart disease during the year, and to **exclude** those who had a revascularization procedure within two years of the reference period, a diagnosis of Prinzmetal angina, or a diagnosis of unstable disease (such as infarction or total occlusion) during the previous two years. Please see Appendix for the ICD-9/10 codes.

The following HCPCS codes may be used to identify revascularization procedures:

|             |   |
|-------------|---|
| 35452       | TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; AORTIC                          |
| 35472       | TRANSLUMINAL BALLOON ANGIOPLASTY, PERCUTANEOUS; AORTIC                  |
| 92982       | PERCUTANEOUS TRANSLUMINAL CORONARY BALLOON ANGIOPLASTY; SINGLE VESSEL   |
| 92984       | PERCUTANEOUS TRANSLUMINAL CORONARY BALLOON ANGIOPLASTY; EACH ADD VESSEL |
| 33510-33536 | CORONARY ARTERY BYPASS  |

### ***Low Back Pain/Herniated Disc/Spinal Stenosis***

ICD-9/10 codes may be used to identify and count beneficiary FFS visits with a diagnosis of low back pain, herniated disc or spinal stenosis. Please see Appendix for the ICD-9/10 codes.

### ***Knee/Hip Osteoarthritis***

ICD-9/10 codes may be used to identify and count beneficiary FFS visits with a diagnosis of knee and/or hip osteoarthritis. Please see Appendix for the ICD-9/10 codes.

### ***Localized Prostate Cancer***

ICD-9/10 codes are not offered to estimate beneficiary visit counts for this condition because clinical information, such as beneficiary cancer stage, is not detailed in the codes. ACOs may estimate the numbers of beneficiary FFS visits for early/localized prostate cancer using available methods such as EHR data or other means to derive a reasonable estimate.

### ***Benign Prostatic Hyperplasia***

ICD-9/10 codes may be used to identify and count beneficiary FFS visits with benign prostatic hyperplasia. Please see Appendix for the listing of ICD-9/10 inclusion & exclusion codes.

**Disclaimer:** ICD-9 and HCPCS codes referenced in this document were originally used for a different purpose; to project the number of beneficiaries with the six PSCs using the 2012 Medicare claims data, and were later translated to FY2016 ICD-10-CM codes for use in this document.

## Appendix: ICD-9/10 Codes by Condition<sup>1</sup>

### Stable Ischemic Heart Disease

| Diagnosis/Condition                           | Code    | Code Description   | Code System |
|---|---------|--|-------------|
| Other Ischemic Heart Disease                  | 414.2   | Chronic total occlusion of coronary artery   | ICD-9-CM    |
| Other Ischemic Heart Disease                  | 414.3   | Coronary atherosclerosis due to lipid rich plaque  | ICD-9-CM    |
| Stable Angina                                 | 413.39  | Other and unspecified angina pectoris  | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.00  | Coronary atherosclerosis of unspecified type of vessel, native or graft                                | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.01  | Coronary atherosclerosis of native coronary artery   | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.02  | Coronary atherosclerosis of autologous vein bypass graft   | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.03  | Coronary atherosclerosis of nonautologous biological bypass graft                                      | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.04  | Coronary atherosclerosis of artery bypass graft  | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.05  | Coronary atherosclerosis of unspecified bypass graft   | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.06  | Coronary atherosclerosis of native coronary artery of transplanted heart                               | ICD-9-CM    |
| Coronary Atherosclerosis                      | 414.07  | Coronary atherosclerosis of bypass graft (artery) (vein) of transplanted heart                         | ICD-9-CM    |
| Other Ischemic Heart Disease                  | 414.48  | Other specified forms of chronic ischemic heart disease  | ICD-9-CM    |
| Other Ischemic Heart Disease                  | 414.49  | Chronic ischemic heart disease, unspecified  | ICD-9-CM    |
| Stable Angina                                 | 413.30  | Angina decubitus   | ICD-9-CM    |
| Other Forms of Chronic Ischemic Heart Disease | I25.82  | Chronic total occlusion of coronary artery   | ICD-10-CM   |
| Other Forms of Chronic Ischemic Heart Disease | I25.83  | Coronary atherosclerosis due to lipid rich plaque  | ICD-10-CM   |
| Coronary Atherosclerosis with Stable Angina   | I25.118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris            | ICD-10-CM   |
| Coronary Atherosclerosis with Stable Angina   | I25.119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris               | ICD-10-CM   |
| Coronary Atherosclerosis with Stable Angina   | I25.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris   | ICD-10-CM   |
| Coronary Atherosclerosis with Stable Angina   | I25.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris      | ICD-10-CM   |
| Coronary Atherosclerosis with Stable Angina   | I25.718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM   |

<sup>1</sup> Code System Version: FY2015 ICD-9-CM codes and FY2016 ICD-10-CM codes

| <b>Diagnosis/Condition</b>                    | <b>Code</b> | <b>Code Description</b>   | <b>Code System</b> |
|---|-------------|---|--------------------|
| Coronary Atherosclerosis with Stable Angina   | I25.719     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris             | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.728     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris        | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.729     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris           | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.738     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.739     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris    | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.758     | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris             | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.759     | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris                | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.768     | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris    | ICD-10-CM          |
| Coronary Atherosclerosis with Stable Angina   | I25.769     | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris       | ICD-10-CM          |
| Other Forms of Chronic Ischemic Heart Disease | 414.8       | Other specified forms of chronic ischemic heart disease   | ICD-9-CM           |
| Other Forms of Chronic Ischemic Heart Disease | 414.9       | Chronic ischemic heart disease, unspecified   | ICD-9-CM           |
| Other Forms of Chronic Ischemic Heart Disease | I25.5       | Ischemic cardiomyopathy   | ICD-10-CM          |
| Other Forms of Chronic Ischemic Heart Disease | I25.89      | Other forms of chronic ischemic heart disease   | ICD-10-CM          |
| Other Forms of Chronic Ischemic Heart Disease | I25.9       | Chronic ischemic heart disease, unspecified   | ICD-10-CM          |
| Stable Angina                                 | I20.8       | Other forms of angina pectoris  | ICD-10-CM          |
| Stable Angina                                 | I20.9       | Angina pectoris, unspecified  | ICD-10-CM          |
| Coronary Atherosclerosis without Angina       | I25.10      | Atherosclerotic heart disease of native coronary artery without angina pectoris                                 | ICD-10-CM          |
| Coronary Atherosclerosis without Angina       | I25.810     | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris                                      | ICD-10-CM          |
| Coronary Atherosclerosis without Angina       | I25.811     | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris                         | ICD-10-CM          |
| Coronary Atherosclerosis without Angina       | I25.812     | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris                | ICD-10-CM          |

| <b>Diagnosis/Condition</b>   | <b>Code</b> | <b>Code Description</b>   | <b>Code System</b> |
|--|-------------|---|--------------------|
| Prinzmetal Angina<br><b>(exclusion)</b>  | 413.1       | Prinzmetal angina   | ICD-9-CM           |
| Prinzmetal Angina<br><b>(exclusion)</b>  | I20.1       | Angina pectoris with documented spasm   | ICD-10-CM          |
| Old Myocardial Infarction<br><b>(exclusion)</b>                                | 412         | Old myocardial infarction   | ICD-9-CM           |
| Old Myocardial Infarction<br><b>(exclusion)</b>                                | I25.2       | Old myocardial infarction   | ICD-10-CM          |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | 411.1       | Intermediate coronary syndrome  | ICD-9-CM           |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | 411.89      | Other acute and subacute forms of ischemic heart disease, other                 | ICD-9-CM           |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | 411.0       | Postmyocardial infarction syndrome  | ICD-9-CM           |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | 411.81      | Acute coronary occlusion without myocardial infarction                          | ICD-9-CM           |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | I24.1       | Dressler's syndrome   | ICD-10-CM          |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | I24.0       | Acute coronary thrombosis not resulting in myocardial infarction                | ICD-10-CM          |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | I20.0       | Unstable angina   | ICD-10-CM          |
| Other Acute and Subacute Forms of Ischemic Heart Disease<br><b>(exclusion)</b> | I24.8       | Other forms of acute ischemic heart disease                                     | ICD-10-CM          |
| Acute Myocardial Infarction<br><b>(exclusion)</b>                              | 410.00      | Acute myocardial infarction of anterolateral wall, episode of care unspecified  | ICD-9-CM           |
| Acute Myocardial Infarction<br><b>(exclusion)</b>                              | 410.01      | Acute myocardial infarction of anterolateral wall, initial episode of care      | ICD-9-CM           |
| Acute Myocardial Infarction<br><b>(exclusion)</b>                              | 410.02      | Acute myocardial infarction of anterolateral wall, subsequent episode of care   | ICD-9-CM           |
| Acute Myocardial Infarction<br><b>(exclusion)</b>                              | 410.10      | Acute myocardial infarction of other anterior wall, episode of care unspecified | ICD-9-CM           |
| Acute Myocardial Infarction<br><b>(exclusion)</b>                              | 410.11      | Acute myocardial infarction of other anterior wall, initial episode of care     | ICD-9-CM           |

| <b>Diagnosis/Condition</b>                        | <b>Code</b> | <b>Code Description</b>   | <b>Code System</b> |
|---|-------------|---|--------------------|
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.12      | Acute myocardial infarction of other anterior wall, subsequent episode of care    | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.20      | Acute myocardial infarction of inferolateral wall, episode of care unspecified    | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.21      | Acute myocardial infarction of inferolateral wall, initial episode of care        | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.22      | Acute myocardial infarction of inferolateral wall, subsequent episode of care     | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.30      | Acute myocardial infarction of inferoposterior wall, episode of care unspecified  | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.31      | Acute myocardial infarction of inferoposterior wall, initial episode of care      | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.32      | Acute myocardial infarction of inferoposterior wall, subsequent episode of care   | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.40      | Acute myocardial infarction of other inferior wall, episode of care unspecified   | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.41      | Acute myocardial infarction of other inferior wall, initial episode of care       | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.42      | Acute myocardial infarction of other inferior wall, subsequent episode of care    | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.50      | Acute myocardial infarction of other lateral wall, episode of care unspecified    | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.51      | Acute myocardial infarction of other lateral wall, initial episode of care        | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.52      | Acute myocardial infarction of other lateral wall, subsequent episode of care     | ICD-9-CM           |
| True Posterior Wall Infarction <b>(exclusion)</b> | 410.60      | True posterior wall infarction, episode of care unspecified                       | ICD-9-CM           |
| True Posterior Wall Infarction <b>(exclusion)</b> | 410.61      | True posterior wall infarction, initial episode of care                           | ICD-9-CM           |
| True Posterior Wall Infarction <b>(exclusion)</b> | 410.62      | True posterior wall infarction, subsequent episode of care                        | ICD-9-CM           |
| Subendocardial Infarction <b>(exclusion)</b>      | 410.70      | Subendocardial infarction, episode of care unspecified                            | ICD-9-CM           |
| Subendocardial Infarction <b>(exclusion)</b>      | 410.71      | Subendocardial infarction, initial episode of care                                | ICD-9-CM           |
| Subendocardial Infarction <b>(exclusion)</b>      | 410.72      | Subendocardial infarction, subsequent episode of care                             | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.80      | Acute myocardial infarction of other specified sites, episode of care unspecified | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.81      | Acute myocardial infarction of other specified sites, initial episode of care     | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.82      | Acute myocardial infarction of other specified sites, subsequent episode of care  | ICD-9-CM           |
| Acute Myocardial Infarction <b>(exclusion)</b>    | 410.90      | Acute myocardial infarction of unspecified site, episode of care unspecified      | ICD-9-CM           |

| Diagnosis/Condition                              | Code   | Code Description  | Code System |
|--|--------|---|-------------|
| Acute Myocardial Infarction ( <b>exclusion</b> ) | 410.91 | Acute myocardial infarction of unspecified site, initial episode of care                      | ICD-9-CM    |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | 410.92 | Acute myocardial infarction of unspecified site, subsequent episode of care                   | ICD-9-CM    |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall   | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery                | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery                    | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall   | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.29 | ST elevation (STEMI) myocardial infarction involving other sites                              | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery          | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.3  | ST elevation (STEMI) myocardial infarction of unspecified site                                | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I21.4  | Non-ST elevation (NSTEMI) myocardial infarction   | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I22.0  | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall                        | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I22.1  | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall                        | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I22.2  | Subsequent non-ST elevation (NSTEMI) myocardial infarction                                    | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I22.8  | Subsequent ST elevation (STEMI) myocardial infarction of other sites                          | ICD-10-CM   |
| Acute Myocardial Infarction ( <b>exclusion</b> ) | I22.9  | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site                     | ICD-10-CM   |

### Low Back Pain/Herniated Disc/Spinal Stenosis

| Diagnosis/Condition | Code   | Code Description  | Code System |
|---------------------|--------|---|-------------|
| Herniated disc      | 722.10 | Displacement of lumbar intervertebral disc without myelopathy   | ICD-9-CM    |
| Herniated disc      | 722.10 | Displacement of lumbar intervertebral disc without myelopathy   | ICD-9-CM    |
| Herniated disc      | 722.73 | Intervertebral disc disorder with myelopathy, lumbar region     | ICD-9-CM    |
| Herniated disc      | M51.26 | Other intervertebral disc displacement, lumbar region           | ICD-10-CM   |
| Herniated disc      | M51.27 | Other intervertebral disc displacement, lumbosacral region      | ICD-10-CM   |
| Herniated disc      | M51.06 | Intervertebral disc disorders with myelopathy, lumbar region    | ICD-10-CM   |
| Low back pain       | M54.5  | Low back pain   | ICD-10-CM   |
| Spinal stenosis     | 721.42 | Spondylosis with myelopathy, lumbar region                      | ICD-9-CM    |
| Spinal stenosis     | 724.02 | Spinal stenosis, lumbar region, without neurogenic claudication | ICD-9-CM    |
| Spinal stenosis     | M47.16 | Other spondylosis with myelopathy, lumbar region                | ICD-10-CM   |
| Spinal stenosis     | M48.06 | Spinal stenosis, lumbar region                                  | ICD-10-CM   |

| Diagnosis/Condition | Code    | Code Description  | Code System |
|---------------------|---------|---|-------------|
| Spinal Stenosis     | M47.016 | Anterior spinal artery compression syndromes, lumbar region | ICD-10-CM   |
| Spinal Stenosis     | M48.07  | Spinal stenosis, lumbosacral region                         | ICD-10-CM   |

### Hip Osteoarthritis

| Diagnosis/Condition | Code   | Code Description   | Code System |
|---------------------|--------|--|-------------|
| Hip Osteoarthritis  | 715.15 | Osteoarthrosis, localized, primary, pelvic region and thigh                                    | ICD-9-CM    |
| Hip Osteoarthritis  | 715.35 | Osteoarthrosis, localized, not specified whether primary or secondary, pelvic region and thigh | ICD-9-CM    |
| Hip Osteoarthritis  | 715.95 | Osteoarthrosis, unspecified whether generalized or localized, pelvic region and thigh          | ICD-9-CM    |
| Hip Osteoarthritis  | M16.0  | Bilateral primary osteoarthritis of hip  | ICD-10-CM   |
| Hip Osteoarthritis  | M16.11 | Unilateral primary osteoarthritis, right hip   | ICD-10-CM   |
| Hip Osteoarthritis  | M16.12 | Unilateral primary osteoarthritis, left hip  | ICD-10-CM   |
| Hip Osteoarthritis  | M16.2  | Bilateral osteoarthritis resulting from hip dysplasia  | ICD-10-CM   |
| Hip Osteoarthritis  | M16.30 | Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip                        | ICD-10-CM   |
| Hip Osteoarthritis  | M16.31 | Unilateral osteoarthritis resulting from hip dysplasia, right hip                              | ICD-10-CM   |
| Hip Osteoarthritis  | M16.32 | Unilateral osteoarthritis resulting from hip dysplasia, left hip                               | ICD-10-CM   |
| Hip Osteoarthritis  | M16.4  | Bilateral post-traumatic osteoarthritis of hip   | ICD-10-CM   |
| Hip Osteoarthritis  | M16.50 | Unilateral post-traumatic osteoarthritis, unspecified hip                                      | ICD-10-CM   |
| Hip Osteoarthritis  | M16.51 | Unilateral post-traumatic osteoarthritis, right hip  | ICD-10-CM   |
| Hip Osteoarthritis  | M16.52 | Unilateral post-traumatic osteoarthritis, left hip   | ICD-10-CM   |
| Hip Osteoarthritis  | M16.6  | Other bilateral secondary osteoarthritis of hip  | ICD-10-CM   |
| Hip Osteoarthritis  | M16.7  | Other unilateral secondary osteoarthritis of hip   | ICD-10-CM   |

### Knee Osteoarthritis

| Diagnosis/Condition | Code   | Code Description   | Code System |
|---------------------|--------|--|-------------|
| Knee Osteoarthritis | 715.36 | Osteoarthrosis, localized, not specified whether primary or secondary, lower leg | ICD-9-CM    |
| Knee Osteoarthritis | 715.96 | Osteoarthrosis, unspecified whether generalized or localized, lower leg          | ICD-9-CM    |
| Knee Osteoarthritis | M17.0  | Bilateral primary osteoarthritis of knee   | ICD-10-CM   |
| Knee Osteoarthritis | M17.10 | Unilateral primary osteoarthritis, unspecified knee                              | ICD-10-CM   |
| Knee Osteoarthritis | M17.11 | Unilateral primary osteoarthritis, right knee                                    | ICD-10-CM   |
| Knee Osteoarthritis | M17.12 | Unilateral primary osteoarthritis, left knee                                     | ICD-10-CM   |
| Knee Osteoarthritis | M17.2  | Bilateral post-traumatic osteoarthritis of knee                                  | ICD-10-CM   |
| Knee Osteoarthritis | M17.30 | Unilateral post-traumatic osteoarthritis, unspecified knee                       | ICD-10-CM   |
| Knee Osteoarthritis | M17.31 | Unilateral post-traumatic osteoarthritis, right knee                             | ICD-10-CM   |
| Knee Osteoarthritis | M17.32 | Unilateral post-traumatic osteoarthritis, left knee                              | ICD-10-CM   |
| Knee Osteoarthritis | M17.4  | Other bilateral secondary osteoarthritis of knee                                 | ICD-10-CM   |
| Knee Osteoarthritis | M17.5  | Other unilateral secondary osteoarthritis of knee                                | ICD-10-CM   |

### Prostate Cancer

ICD 9/10 codes are not recommended to estimate beneficiary visit counts for this condition.

## Benign Prostatic Hyperplasia

| Diagnosis/Condition                              | Code   | Code Description   | Code System |
|--|--------|--|-------------|
| Benign prostatic hyperplasia                     | 600.00 | Hypertrophy (benign) of prostate without urinary obstruction and other lower urinary tract symptom (LUTS)          | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.01 | Hypertrophy (benign) of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)            | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.10 | Nodular prostate without urinary obstruction   | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.11 | Nodular prostate with urinary obstruction  | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.20 | Benign localized hyperplasia of prostate without urinary obstruction and other lower urinary tract symptoms (LUTS) | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.21 | Benign localized hyperplasia of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)    | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.3  | Cyst of prostate   | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.90 | Hyperplasia of prostate, unspecified, without urinary obstruction and other lower urinary symptoms (LUTS)          | ICD-9-CM    |
| Benign prostatic hyperplasia                     | 600.91 | Hyperplasia of prostate, unspecified, with urinary obstruction and other lower urinary symptoms (LUTS)             | ICD-9-CM    |
| Benign prostatic hyperplasia                     | N40.0  | Enlarged prostate without lower urinary tract symptoms   | ICD-10-CM   |
| Benign prostatic hyperplasia                     | N40.1  | Enlarged prostate with lower urinary tract symptoms  | ICD-10-CM   |
| Benign prostatic hyperplasia                     | N40.2  | Nodular prostate without lower urinary tract symptoms  | ICD-10-CM   |
| Benign prostatic hyperplasia                     | N40.3  | Nodular prostate with lower urinary tract symptoms   | ICD-10-CM   |
| Benign prostatic hyperplasia                     | N42.83 | Dysplasia of prostate  | ICD-10-CM   |
| Benign neoplasm of prostate ( <b>exclusion</b> ) | 222.2  | Benign neoplasm of prostate  | ICD-9-CM    |
| Benign neoplasm of prostate ( <b>exclusion</b> ) | D29.1  | Benign neoplasm of prostate  | ICD-10-CM   |