



Clinical Episode Construction Specifications Appendix A - MS-DRG Mapping Specifications Model Year 3

**Center for Medicare & Medicaid Services (CMS)
Center for Medicare & Medicaid Innovation (Innovation
Center)**

December 2020

TABLE OF CONTENTS

1	BPCI Advanced MS-DRG Mapping	1
1.1	FY 2015 – FY 2016	1
1.1.1	MS-DRGs 237-238 to MS-DRGs 268-272	1
1.1.2	MS-DRGs 246-251 to MS-DRGs 273-274	2
1.2	FY 2016 – FY 2017	3
1.2.1	MS-DRG 230 to MS-DRG 229	3
1.3	FY 2017 – FY 2018	3
1.3.1	MS-DRGs 984-986 to MS-DRGs 987-989	3
1.3.2	MS-DRGs 216-221 to 266-267	3
1.4	FY 2018 – FY 2019	4
1.4.1	MS-DRGs 393-395 to 686-688	4
1.4.2	MS-DRG 606-607 to 686-688	4
1.4.3	MS-DRG 685 to 698-700.....	4
1.4.4	MS-DRGs 765-766 to 783-788	5
1.4.5	MS-DRGs 767/774/775 to 744-745, 796-798, and 805-807	6
1.4.6	MS-DRGs 777-778/780-782 to 819/833.....	7
1.5	FY 2019 – FY 2020	7
1.5.1	MS-DRGs 207/291/296/870 to 003	7
1.5.2	MS-DRG 014 to 016-017.....	8
1.5.3	MS-DRGs 037-039 to 034-036	8
1.5.4	MS-DRG 176 to 175	8
1.5.5	MS-DRGs 216-218/ 228-229/ 273-274 to 266-267	9
1.5.6	MS-DRGs 216-218 228/229 to 319/320.....	9
1.5.7	MS-DRGs 548-550/ 981-983/ 974-976 to 485-487	10
1.5.8	MS-DRGs 459-460 to 456-458	10
1.5.9	MS-DRGs 456-458 to 471-473/ 551-552	11
1.5.10	MS-DRGs 691-692 to 693-694	11
1.5.11	MS-DRGs 302-303 to 729-730/ 947-948	12
1.5.12	MS-DRGs 769 and 776 to 817-819/ 831-833.....	12
1.5.13	MS-DRGs 485-487 to 559-561	13
1.5.14	MS-DRGs 981-983 to 579-581	13
1.5.15	MS-DRGs 987-989 to 326-328	14
1.5.16	MS-DRGs 981-983 to 715-718/ 749-750	14
1.6	FY 2020 – FY 2021	15
1.6.1	MS-DRG 016 to 018	15
1.6.2	MS-DRGs 037- 039 and 252-254 to 034-036	15
1.6.3	MS-DRGs 129-134 to 140-142	16
1.6.4	MS-DRGs 129-134 to 143-145	17
1.6.5	MS-DRGs 250-251 to 273-274	18
1.6.6	MS-DRGs 469-470 to 521-522	18
1.6.7	MS-DRGs 008 to 019.....	19
1.6.8	MS-DRGs 652 to 650-651	19
1.6.9	MS-DRGs 314-316 to 673-675 and 698-700	19
1.6.10	MS-DRGs 981-983 to 987-989	20
1.6.11	MS-DRGs 163-165 to 166-168	21

2 Supplementary Codes 22

[This page is intentionally left blank.]

1 BPCI ADVANCED MS-DRG MAPPING

This appendix maps MS-DRG changes from year to year as documented in the CMS annual transmittals\IPPS Final Rules. When an MS-DRG changes from year to year, a mapping must be established in order to compare Clinical Episode spending between different time periods. A direct mapping ensures that costs compared between Clinical Episodes across different time periods have the same clinical content. All FY 2015-2021 MS-DRG changes from the transmittals\Final Rules are included. The appendix is divided into five sections to account for MS-DRGs from year-to-year over the span of the model.

1.1 FY 2015 – FY 2016

The FY2016 IPPS Final Rule has the two following changes that require mappings.

1.1.1 MS-DRGs 237-238 to MS-DRGs 268-272¹

CMS deleted MS-DRGs 237 and 238 and reassigned procedures previously assigned to these MS-DRGs to the new MS-DRGs 268-272. MS-DRGs 268-269 capture more complex and invasive procedure codes. MS-DRGs 270-272 capture less complex and less invasive procedure codes. Use the following steps to implement these changes.

- First, flag all inpatient stays with invasive and complex procedure codes.² These inpatient stays all by definition have CC or MCC.
 - For all flagged cases of MS-DRG 237 in FY2015 map all cases:
 - With MCC³ to MS-DRG 268 in FY2016
 - Without MCC to MS-DRG 269 in FY2016
- Next, for all flagged cases of MS-DRG 238;
 - Conduct a CC exclusion check:
 - Check if the primary diagnosis code on the inpatient stay is on the CC exclusion list⁴.

¹ Note that these MS-DRGs do not initiate BPCI Advanced Clinical Episodes.

² To identify invasive and complex procedure codes, refer to Table 1 - Invasive and Complex Codes for MS-DRGs for 268-272.

³ Refer to the FY2012 Final Rules for the ICD-9 MCC list: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/Acute-Inpatient-Files-for-Download>

⁴ Refer to the FY2012 Final Rules for the ICD-9 excluded CC list: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/Acute-Inpatient-Files-for-Download>

- If the code is on the CC exclusion list, check the remaining 24 secondary diagnosis codes to confirm that at least one diagnosis code is not an excluded secondary diagnosis for that primary diagnosis.
 - Map cases that pass the CC exclusion check to MS-DRG 268 in FY2016
 - Map cases that do not pass the CC exclusion check to MS-DRG 269 in FY2016
- For all inpatient stays without invasive and complex procedure codes:
 - For MS-DRG 237 in FY2015 map all cases:
 - With MCC to MS-DRG 270 in FY2016.
 - With CC⁵ to MS-DRG 271 in FY2016.
 - Without CC or MCC in FY2015 to MS-DRG 272 in FY2016.
 - For MS-DRG 238 in FY2015:
 - Conduct a CC exclusion check:
 - Check if the primary diagnosis code on the inpatient stay is on the CC exclusion list.
 - If the code is on the CC exclusion list, check the remaining 24 secondary diagnosis codes to confirm that at least one diagnosis code is not an excluded secondary diagnosis for that primary diagnosis.
 - Map cases that pass the CC exclusion check and have MCC to MS-DRG 270 in FY2016.
 - Map cases that pass the CC exclusion check and have CC to MS-DRG 271 in FY2016.
 - Map cases that do not pass the CC exclusion check to MS-DRG 272 in FY2016.

1.1.2 MS-DRGs 246-251 to MS-DRGs 273-274

CMS removed all procedures performed within the heart chambers using intracardiac techniques from MS-DRGs 246-251⁶. Procedures with MCC were assigned to new MS-DRG 273, and procedures without MCC were assigned to new MS-DRG 274. Map all cases of:

⁵ Refer to the FY2012 Final Rules for the ICD-9 CC list: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/Acute-Inpatient-Files-for-Download>

⁶ To identify intracardiac techniques, refer to Table 2 - Intracardiac Techniques for MS-DRGs 273-274.

- MS-DRGs 246, 248 and 250 in FY2015 with intracardiac procedure codes to MS-DRG 273 in FY2016
- MS-DRGs 247, 249 and 251 in FY2015 with intracardiac procedure codes to MS-DRG 274 in FY2016

1.2 FY 2016 – FY 2017

The FY2017 IPPS Final Rule has the following change that requires a mapping.

1.2.1 MS-DRG 230 to MS-DRG 229

CMS collapsed MS-DRGs 228, 229, and 230 from three severity levels to two by deleting MS-DRG 230 and revising MS-DRG 229 to include both w/o CC and w/o MCC.

- Map all cases of MS-DRG 230 in FY2016 to MS-DRG 229 in FY2017

1.3 FY 2017 – FY 2018

The FY2018 IPPS Final Rule has the two following changes that require mappings.

1.3.1 MS-DRGs 984-986 to MS-DRGs 987-989

CMS determined separate MS-DRGs specifically for the prostatic operating room (OR) procedures were no longer necessary and mapped MS-DRG 984-986 to 987-989. Map all cases of:

- MS-DRG 984 in FY2017 to MS-DRG 987 in FY2018.
- MS-DRG 985 in FY2017 to MS-DRG 988 in FY2018.
- MS-DRG 986 in FY2017 to MS-DRG 989 in FY2018.

1.3.2 MS-DRGs 216-221 to 266-267

CMS reassigned four percutaneous mitral valve replacement procedures from MS-DRGs 216-221 to MS-DRG 266 and 267. Map all cases of:

- MS-DRGs 216 and 219, with procedure codes for mitral valve replacement in FY2017 to MS-DRG 266 in FY2018.⁷
- MS-DRGs 217, 218, 220, and 221 with procedure codes for mitral valve replacement in FY2017 to MS-DRG 267 in FY2018.

⁷ To identify mitral valve replacement codes, refer to Table 3 – Mitral Valve Procedure Codes for MS-DRGs 266-267.

1.4 FY 2018 – FY 2019

The FY2019 IPPS Final Rule has the following changes that require mappings.

1.4.1 MS-DRGs 393-395 to 686-688

CMS reassigned two kidney neoplasm diagnosis codes⁸ from 393-395 to 686-688. Note that unlike 393-395, 686-688 are BPCI Advanced excluded MS-DRGs. Map all cases of:

- MS-DRG 393 with a kidney neoplasm diagnosis code in FY2018 to MS-DRG 686 in FY2019.
- MS-DRG 394 with a kidney neoplasm diagnosis code in FY2018 to MS-DRG 687 in FY2019.
- MS-DRG 395 with a kidney neoplasm diagnosis code in FY2018 to MS-DRG 688 in FY2019.

1.4.2 MS-DRG 606-607 to 686-688

CMS reassigned genitourinary organs neoplasm diagnosis codes⁹ from 606-607 to 686-688. Note that unlike 606-607, 686-688 are BPCI Advanced excluded DRGs. Map all cases of:

- MS-DRG 606 with a genitourinary organs neoplasm diagnosis code in FY2018 to MS-DRG 686 in FY2019.
- MS-DRG 607 with a genitourinary organs neoplasm diagnosis code and a secondary diagnosis code on the CC List¹⁰ in FY2018 to MS-DRG 687 in FY2019.
- MS-DRG 607 with a genitourinary organs neoplasm diagnosis code and no secondary diagnosis code on the CC List in FY2018 to MS-DRG 688 in FY2019.

1.4.3 MS-DRG 685 to 698-700

CMS deleted MS-DRG 685 and reassigned encounter dialysis diagnosis codes¹¹ previously assigned to this MS-DRG to MS-DRGs 698, 699, and 700. Map all cases of:

⁸ To identify kidney neoplasm diagnosis codes, refer to Table 4 – Kidney Neoplasm Diagnosis Codes for MS-DRGs 686-688.

⁹ To identify genitourinary organs neoplasm diagnosis codes, refer to Table 5 – Genitourinary Organs Neoplasm Diagnosis Codes for MS-DRGs 686-688.

¹⁰ Refer to Footnote 5 for IDC-9 CC List. Refer to Table 6J for ICD-10 CC List:

<https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2019-IPPS-Final-Rule-Home-Page-Items/FY2019-IPPS-Final-Rule-Tables.html?DLPage=1&DLEntries=10&DLSort=0&DLSortDir=ascending>.

¹¹ To identify encounter dialysis diagnosis codes, refer to Table 6 – Encounter Dialysis Diagnosis Codes for MS-DRGs 698-700.

- MS-DRG 685 with an encounter dialysis diagnosis code and a secondary diagnosis code on the MCC List¹² in FY2018 to MS-DRG 698 in FY2019.
- MS-DRG 685 with an encounter dialysis diagnosis code and a secondary diagnosis code on the CC List¹³ in FY2018 to MS-DRG 699 in FY2019.
- MS-DRG 685 with no encounter dialysis diagnosis code and no secondary diagnosis code on the MCC List or on the CC List in FY2018 to MS-DRG 700 in FY2019.

1.4.4 MS-DRGs 765-766 to 783-788

CMS deleted MS-DRGs 765-766 and created MS-DRGs 783-788 that are subdivided by a 3-way severity split level that includes “with Sterilization” and “without Sterilization”. Map all cases of:

- MS-DRG 765 with a sterilization procedure code for MS-DRGs 765-766¹⁴ and a secondary diagnosis code on the MCC List¹⁵ in FY2018 to MS-DRG 783 in FY2019.
- MS-DRG 765 with a sterilization procedure code for MS-DRGs 765-766 and a secondary diagnosis code on the CC List¹⁶ in FY2018 to MS-DRG 784 in FY2019.
- MS-DRG 765 with a sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC List or on the CC List in FY2018 to MS-DRG 785 in FY2019.
- MS-DRG 765 with no sterilization procedure code for MS-DRGs 765-766 and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 786 in FY2019.
- MS-DRG 765 with no sterilization procedure code for MS-DRGs 765-766 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 787 in FY2019.
- MS-DRG 765 with no sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC List or the CC List in FY2018 to MS-DRG 788 in FY2019.
- MS-DRG 766 with a sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 785 in FY2019.
- MS-DRG 766 with no sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 788 in FY2019.

¹² Refer to the FY2012 Final Rules for the ICD-9 MCC list: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/Acute-Inpatient-Files-for-Download>

Refer to Table 6I for ICD-10 MCC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2019-IPPS-Final-Rule-Home-Page-Items/FY2019-IPPS-Final-Rule-Tables.html?DLPage=1&DLEntries=10&DLSort=0&DLSortDir=ascending>.

¹³ Refer to Footnote 10.

¹⁴ To identify sterilization procedure codes for MS-DRGs 765-766, refer to Table 7A – Sterilization Procedure Codes for MS-DRGs 783-788.

¹⁵ Refer to Footnote 12 for MCC List.

¹⁶ Refer to Footnote 10 for CC List.

1.4.5 MS-DRGs 767/774/775 to 744-745, 796-798, and 805-807

CMS deleted MS-DRGs 767, 774, and 775 and created MS-DRGs 796-798 and 805-807 that are subdivided by a 3-way severity level split that includes "with Sterilization/D&C" and "without Sterilization/D&C." Additionally, CMS reassigned extraction of endometrium procedure codes from MS-DRG 767 to MS-DRGs 744-745. Map all cases of:

- MS-DRG 767 with an extraction of endometrium procedure code¹⁷ and a secondary diagnosis code on the MCC/CC List¹⁸ in FY2018 to MS-DRG 744 in FY2019.
- MS-DRG 767 with an extraction of endometrium procedure code and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 745 in FY2019.
- MS-DRG 767 with a sterilization procedure code for MS-DRGs 767 and 774¹⁹ and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 796 in FY2019.
- MS-DRG 767 with a sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 797 in FY2019.
- MS-DRG 767 with a sterilization procedure code for MS-DRGs 767 and 774 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 798 in FY2019.
- MS-DRG 767 with no sterilization procedure code for MS-DRGs 767 and 774, no extraction of endometrium procedure code, and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 805 in FY2019.
- MS-DRG 767 with no sterilization procedure code for MS-DRGs 767 and 774, no extraction of endometrium procedure code, and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 806 in FY2019.
- MS-DRG 767 with no sterilization procedure code for MS-DRGs 767 and 774, no extraction of endometrium procedure code, and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 807 in FY2019.
- MS-DRG 774 with a sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 796 in FY2019.
- MS-DRG 774 with a sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 797 in FY2019.
- MS-DRG 774 with a sterilization procedure code for MS-DRGs 767 and 774 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 798 in FY2019.
- MS-DRG 774 with no sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 805 in FY2019.

¹⁷ To identify extraction of endometrium procedure codes, refer to Table 8 – Extraction of Endometrium Procedure Codes for MS-DRGs 744-745.

¹⁸ Refer to Footnote 12 for MCC List. Refer to Footnote 10 for CC List.

¹⁹ To identify sterilization procedure codes to map MS-DRGs 767 and 774, refer to Table 7B – Sterilization Procedure Codes for MS-DRGs 796-798.

- MS-DRG 774 with no sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 806 in FY2019.
- MS-DRG 774 with no sterilization procedure code for MS-DRGs 767 and 774 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 807 in FY2019.
- MS-DRG 775 with a secondary diagnosis code on the MCC list in FY2018 to MS-DRG 805 in FY2019.
- MS-DRG 775 with a secondary diagnosis code on the CC list in FY2018 to MS-DRG 806 in FY2019.
- MS-DRG 775 with no secondary diagnosis code on the MCC/CC list in FY2018 to MS-DRG 807 in FY2019.

1.4.6 MS-DRGs 777-778/780-782 to 819/833

CMS deleted 777, 778, 780, 781, and 782 and reassigned BPCI Advanced Clinical Episodes to the new MS-DRGs 817-819 and 831-833 that are subdivided by a 3-way severity level split that includes "with O.R. procedure" and "without O.R. procedure." BPCI Advanced Clinical Episodes for these MS-DRGs will be mapped to either 819 or 833. Map all cases of:

- MS-DRG 777 in FY2018 to MS-DRG 819 in FY2019.
- MS-DRG 778 in FY2018 to MS-DRG 833 in FY2019.
- MS-DRG 780 in FY2018 to MS-DRG 833 in FY2019.
- MS-DRG 781 in FY2018 to MS-DRG 819 in FY2019.
- MS-DRG 782 in FY2018 to MS-DRG 833 in FY2019.

1.5 FY 2019 – FY 2020

The FY2020 IPPS Final Rule has the following changes that require mappings.

1.5.1 MS-DRGs 207/291/296/870 to 003

CMS reassigned procedure codes for extracorporeal membrane oxygenation (ECMO)²⁰ from 207, 291, 296, and 870 to 003. Map all cases of:

- MS-DRG 207 in FY2019 with an ECMO procedure code in Table 9 to MS-DRG 003 in FY2020.
- MS-DRG 291 in FY2019 with an ECMO procedure code in Table 9 to MS-DRG 003 in FY2020.
- MS-DRG 296 in FY2019 with an ECMO procedure code in Table 9 to MS-DRG 003 in FY2020.

²⁰ To identify extracorporeal membrane oxygenation, refer to Table 9 – List of Extracorporeal membrane oxygenation (ECMO) procedure codes for MS-DRG 003.

- MS-DRG 870 in FY2019 with an ECMO procedure code in Table 9 to MS-DRG 003 in FY2020.

1.5.2 MS-DRG 014 to 016-017

CMS reassigned HCT procedures specifying autologous cordblood stem cell as the donor source²¹ from 014 to 016 and 017. Map all cases of:

- MS-DRG 014 in FY2019 with a procedure code in Table 10 and a secondary diagnosis code on the CC or MCC list in FY2019^{22,23} to MS-DRG 016 in FY2020.
- MS-DRG 014 in FY2019 with a procedure code in Table 10 and no secondary diagnosis code on CC/MCC list in FY2019 to MS-DRG 017 in FY2020.

1.5.3 MS-DRGs 037-039 to 034-036

CMS reassigned procedure codes describing dilation of a carotid artery with an intraluminal device²⁴ from 037-039 to 034-036. Map all cases of:

- MS-DRG 037 in FY2019 with a procedure code in Table 11 to MS-DRG 034 in FY2020.
- MS-DRG 038 in FY2019 with a procedure code in Table 11 to MS-DRG 035 in FY2020.
- MS-DRG 039 in FY2019 with a procedure code in Table 11 to MS-DRG 036 in FY2020.

1.5.4 MS-DRG 176 to 175

CMS reassigned diagnosis codes describing pulmonary embolism with cor pulmonale²⁵ from 176 to 175. Map all cases of:

- MS-DRG 176 in FY2019 with a diagnosis code in Table 12 to MS-DRG 175 in FY2020.

²¹ To identify procedures specifying autologous cordblood stem cell as the donor source, refer to Table 10 – List of HCT procedures specifying autologous cordblood stem cell as the donor source for MS-DRGs 016 and 017.

²² Refer to Table 6I for ICD-10 MCC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2020-IPPS-Final-Rule-Home-Page-Items/FY2020-IPPS-Final-Rule-Tables>

²³ Refer to Table 6J for ICD-10 CC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2020-IPPS-Final-Rule-Home-Page-Items/FY2020-IPPS-Final-Rule-Tables>

²⁴ To identify procedures describing dilation of a carotid artery with an intraluminal device, refer to Table 11 – List of procedure codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036.

²⁵ To identify diagnosis codes describing pulmonary embolism with cor pulmonale, refer to Table 12 – List of diagnosis codes describing pulmonary embolism with cor pulmonale for MS-DRG 175.

1.5.5 MS-DRGs 216-218/ 228-229/ 273-274 to 266-267

CMS reassigned procedure codes describing a transcatheter cardiac valve repair (supplemental)²⁶ from 216-218, 228-229, and 273-274 to 266-267. Map all case of:

- MS-DRG 216 in FY2019 with a procedure code in Table 13 to MS-DRG 266 in FY2020.
- MS-DRG 217 in FY2019 with a procedure code in Table 13 to MS-DRG 267 in FY2020.
- MS-DRG 218 in FY2019 with a procedure code in Table 13 to MS-DRG 267 in FY2020.
- MS-DRG 228 in FY2019 with a procedure code in Table 13 to MS-DRG 266 in FY2020.
- MS-DRG 229 in FY2019 with a procedure code in Table 13 to MS-DRG 267 in FY2020.
- MS-DRG 273 in FY2019 with a procedure code in Table 13 to MS-DRG 266 in FY2020.
- MS-DRG 274 in FY2019 with a procedure code in Table 13 to MS-DRG 267 in FY2020.

1.5.6 MS-DRGs 216-218 228/229 to 319/320

CMS reassigned procedure codes describing non-supplemental transcatheter cardiac valve procedures²⁷ from 216-218 and 228-229 to 319-320. Map all cases of:

- MS-DRG 216 in FY2019 with a procedure code in Table 14 to MS-DRG 319 in FY2020.
- MS-DRG 217 in FY2019 with a procedure code in Table 14 to MS-DRG 320 in FY2020.
- MS-DRG 218 in FY2019 with a procedure code in Table 14 to MS-DRG 320 in FY2020.
- MS-DRG 228 in FY2019 with a procedure code in Table 14 to MS-DRG 319 in FY2020.

²⁶ To identify procedure codes describing a transcatheter cardiac valve repair, refer to Table 13 – List of procedure codes describing a transcatheter cardiac valve repair (supplemental) for MS-DRGs 266 and 267.

²⁷ To identify procedure codes describing non-supplemental transcatheter cardiac valve procedures, refer to Table 14 –List of procedure codes describing non-supplement transcatheter cardiac valve procedures MS-DRGs 319-320.

- MS-DRG 229 in FY2019 with a procedure code in Table 14 to MS-DRG 320 in FY2020.

1.5.7 MS-DRGs 548-550/ 981-983/ 974-976 to 485-487

CMS reassigned diagnosis codes describing infected bursa and other infections of the joints²⁸ from 548-550, 981-983, and 974-976 to 485-487. Map all cases of:

- MS-DRG 548 in FY2019 with a diagnosis code in Table 15 to MS-DRG 485 in FY2020.
- MS-DRG 549 in FY2019 with a diagnosis code in Table 15 to MS-DRG 486 in FY2020.
- MS-DRG 550 in FY2019 with a diagnosis code in Table 15 to MS-DRG 487 in FY2020.
- MS-DRG 981 in FY2019 with a diagnosis code in Table 15 to MS-DRG 485 in FY2020.
- MS-DRG 982 in FY2019 with a diagnosis code in Table 15 to MS-DRG 486 in FY2020.
- MS-DRG 983 in FY2019 with a diagnosis code in Table 15 to MS-DRG 487 in FY2020.
- MS-DRG 974 in FY2019 with a diagnosis code in Table 15 to MS-DRG 485 in FY2020.
- MS-DRG 975 in FY2019 with a diagnosis code in Table 15 to MS-DRG 486 in FY2020.
- MS-DRG 976 in FY2019 with a diagnosis code in Table 15 to MS-DRG 487 in FY2020.

1.5.8 MS-DRGs 459-460 to 456-458

CMS reassigned diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis²⁹ from 459-460 to 456-458. Map all cases of:

- MS-DRG 459 in FY2019 with a procedure code in Table 16 to MS-DRG 456 in FY2020.

²⁸ To identify procedure codes describing infected bursa and other infections of the joints, refer to Table 15 – List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRGs 485-487.

²⁹ To identify diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis, refer to Table 16 – List of diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis for MS-DRGs 456-458.

- MS-DRG 460 in FY2019 with a procedure code in Table 16 and a secondary diagnosis code on the CC list in FY2019³⁰ to MS-DRG 457 in FY2020.
- MS-DRG 460 in FY2019 with a procedure code in Table 16 and without a secondary diagnosis code on the CC list in FY2019 to MS-DRG 458 in FY2020.

1.5.9 MS-DRGs 456-458 to 471-473/ 551-552

CMS reassigned cervical spinal fusion diagnosis codes³¹ from 456-459 to 471-473 and 551-552. Map all cases of:

- MS-DRG 456 in FY2019 with a procedure code in Table 17 and a diagnosis code in Table 18 to MS-DRG 471 in FY2020.
- MS-DRG 457 in FY2019 with a procedure code in Table 17 and a diagnosis code in Table 18 to MS-DRG 472 in FY2020.
- MS-DRG 458 in FY2019 with a procedure code in Table 17 and a diagnosis code in Table 18 to MS-DRG 473 in FY2020.
- MS-DRG 456 in FY2019 without a procedure code in Table 17 to MS-DRG 451 in FY2020.
- MS-DRG 456 in FY2019 without a procedure code in Table 17 to MS-DRG 452 in FY2020.
- MS-DRG 456 in FY2019 without a procedure code in Table 17 to MS-DRG 452 in FY2020.
- MS-DRG 456 in FY2019 with a procedure code in Table 17 and without a diagnosis code in Table 18 back to MS-DRG 456 in FY2020.
- MS-DRG 457 in FY2019 with a procedure code in Table 17 and without a diagnosis code in Table 18 back to MS-DRG 457 in FY2020.
- MS-DRG 458 in FY2019 with a procedure code in Table 17 and without a diagnosis code in Table 18 back to MS-DRG 458 in FY2020.

1.5.10 MS-DRGs 691-692 to 693-694

CMS deleted MS-DRGs 691-692 and reassigned all cases of 691-692 to 693-694. Map all cases of:

³⁰ Refer to Footnote 23.

³¹ To identify cervical spinal fusion diagnosis and procedure codes, refer to Table 17 – List of Cervical Spinal Fusion procedure codes for MS-DRGs 471-473 and 551-552 and Table 18 – List of Cervical Spinal Fusion diagnosis codes for MS-DRGs 471-473 and 551-552.

- MS-DRG 691 in FY2019 with a secondary diagnosis code on the MCC list³² in FY2019 to MS-DRG 693 in FY2020.
- MS-DRG 691 in FY2019 with a secondary diagnosis code on the CC list³³ in FY2019 to MS-DRG 694 in FY2020.
- MS-DRG 692 in FY2019 to MS-DRG 694 in FY2020.

1.5.11 MS-DRGs 302-303 to 729-730/ 947-948

CMS reassigned diagnosis codes describing abnormal radiological findings on the testicle³⁴ from 302-303 to 729-730 and 947-948. Map all cases of:

- MS-DRG 302 in FY2019 with a diagnosis code in Table 19a to MS-DRG 729 in FY2020.
- MS-DRG 303 in FY2019 with a diagnosis code in Table 19a and a secondary diagnosis code on the CC list³⁵ in FY2019 to MS-DRG 729 in FY2020.
- MS-DRG 303 in FY2019 with a diagnosis code in Table 19a to MS-DRG 730 in FY2020.
- MS-DRG 302 in FY2019 with a diagnosis code in Table 19b to MS-DRG 947 in FY2020.
- MS-DRG 303 in FY2019 with a diagnosis code in Table 19b to MS-DRG 948 in FY2020.

1.5.12 MS-DRGs 769 and 776 to 817-819/ 831-833

CMS reassigned diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium³⁶ from 769 and 776 to 817-819 and 831-833. Map all case of:

- MS-DRG 769 in FY2019 with a diagnosis code in Table 20 and a secondary diagnosis code on the MCC list³⁷ in FY2019 to MS-DRG 817 in FY2020.

³² Refer to Footnote 22 for MCC List.

³³ Refer to Footnote 23 for CC List.

³⁴ To identify diagnosis codes describing abnormal radiological findings on the testicle, refer to Table 19a-List of diagnosis codes describing abnormal radiological findings on the testicle for MS-DRGs 729-730 and Table 19b - List of diagnosis codes describing abnormal radiologic findings on the testicle for MS-DRGs 947-948.

³⁵ Refer to Footnote 23 for CC List.

³⁶ To identify diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium, refer to Table 20 - List of diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium for MS-DRGs 817-819 and 831-833.

³⁷ Refer to Footnote 22 for MCC List.

- MS-DRG 769 in FY2019 with a diagnosis code in Table 20 and a secondary diagnosis code on the CC list³⁸ in FY2019 to MS-DRG 818 in FY2020.
- MS-DRG 769 in FY2019 with a diagnosis code in Table 20 and without a secondary diagnosis code on the CC or MCC lists in FY2019 to MS-DRG 819 in FY2020.
- MS-DRG 776 in FY2019 with a diagnosis code in Table 20 and a secondary diagnosis code on the MCC list in FY2019 to MS-DRG 831 in FY2020.
- MS-DRG 776 in FY2019 with a diagnosis code in Table 20 and a secondary diagnosis code on the CC list in FY2019 to MS-DRG 832 in FY2020.
- MS-DRG 776 in FY2019 with a diagnosis code in Table 20 and without a secondary diagnosis code on the CC or MCC lists in FY2019 to MS-DRG 833 in FY2020.

1.5.13 MS-DRGs 485-487 to 559-561

CMS reassigned diagnosis codes describing infected bursa and other infections of the joints³⁹ from 485-487 to 559-561. Map all cases of:

- MS-DRG 485 in FY2019 with a diagnosis code in Table 21 to MS-DRG 559 in FY2020.
- MS-DRG 486 in FY2019 with a diagnosis code in Table 21 to MS-DRG 560 in FY2020.
- MS-DRG 487 in FY2019 with a diagnosis code in Table 21 to MS-DRG 561 in FY2020.

1.5.14 MS-DRGs 981-983 to 579-581

CMS reassigned diagnosis codes describing conditions involving the cervical region⁴⁰ from 981-983 to 579-581. Map all cases of:

- MS-DRG 981 in FY2019 with a diagnosis code in Table 22 to MS-DRG 579 in FY2020.
- MS-DRG 982 in FY2019 with a diagnosis code in Table 22 to MS-DRG 580 in FY2020.
- MS-DRG 983 in FY2019 with a diagnosis code in Table 22 to MS-DRG 581 in FY2020.

³⁸ Refer to Footnote 23 for CC List.

³⁹ To identify diagnosis codes describing infected bursa and other infections of the joints, refer to Table 21 - List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRG 559-561.

⁴⁰ To identify diagnosis codes describing conditions involving the cervical region, refer to Table 22 – Diagnosis codes describing conditions involving the cervical region for MS-DRGs 579-581.

1.5.15 MS-DRGs 987-989 to 326-328

CMS reassigned procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach⁴¹ from 987-989 to 326-328. Map all cases of:

- MS-DRG 987 in FY2019 with a procedure code in Table 23 to MS-DRG 326 in FY2020.
- MS-DRG 988 in FY2019 with a procedure code in Table 23 to MS-DRG 327 in FY2020.
- MS-DRG 989 in FY2019 with a procedure code in Table 23 to MS-DRG 328 in FY2020.

1.5.16 MS-DRGs 981-983 to 715-718/ 749-750

CMS reassigned a procedure code describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach⁴² from 981-983 to 715-718 and 749-750. Map all cases of:

- MS-DRGs 981 and 982 in FY2020 with the procedure code in Table 24 and a diagnosis code in Table 26⁴³ to MS-DRG 715 in FY2020.
- MS-DRGs 983 in FY2020 with the procedure code in Table 24 and a diagnosis code in Table 26 to MS-DRG 716 in FY2020.
- MS-DRGs 981 and 982 in FY2020 with the procedure code in Table 24 and a diagnosis code in Table 25⁴⁴ to MS-DRG 717 in FY2020.
- MS-DRGs 983 in FY2020 with the procedure code in Table 24 and a diagnosis code in Table 25 to MS-DRG 718 in FY2020.
- MS-DRGs 981 and 982 in FY2020 with the procedure code in Table 24 and a diagnosis code in Table 27⁴⁵ to MS-DRG 749 in FY2020.

⁴¹ To identify procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach, refer to Table 23 – List of Procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 326-328.

⁴² To identify procedure code describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach, refer to Table 24 – List of procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 715-718 and 749-750.

⁴³ Table 26 – List of Male Diagnosis Codes with malignancy – is used to remap codes to MS-DRGs 715-718 and 749-750.

⁴⁴ Table 25 – List of Male Diagnosis Codes with no malignancy – is used to remap codes to MS-DRGs 715-718 and 749-750.

⁴⁵ Table 27 – List of Female Diagnosis Codes – is used to remap codes to MS-DRGs 715-718 and 749-750

- MS-DRGs 983 in FY2020 with the procedure code in Table 24 and a diagnosis code in Table 27 to MS-DRG 750 in FY2020.

1.6 FY 2020 – FY 2021

The FY2021 IPPS Final Rule has the following changes that require mappings.

1.6.1 MS-DRG 016 to 018

CMS reassigned procedure codes for CAR T-cell therapy⁴⁶ from 016 to 018. MS-DRG 016 has also been renamed as Autologous Bone Marrow Transplant with CC/MCC. Map all cases of:

- MS-DRG 016 in FY2020 with a CAR T-cell therapy procedure codes in Table 28 to MS-DRG 018 in FY2021.

1.6.2 MS-DRGs 037- 039 and 252-254 to 034-036

CMS reassigned procedure codes describing dilation of a carotid artery with an intraluminal device⁴⁷ from 037-039 and 252-254 to 034-036. Map all cases of:

- MS-DRG 037 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 29a and Table 29b to MS-DRG 034 in FY2021.
- MS-DRG 038 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 29a and Table 29b to MS-DRG 035 in FY2021.
- MS-DRG 039 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 29a and Table 29b to MS-DRG 036 in FY2021.
- MS-DRG 252 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 29c and Table 29d to MS-DRG 034 in FY2021.
- MS-DRG 253 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 29c and Table 29d to MS-DRG 035 in FY2021.
- MS-DRG 254 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 29c and Table 29d to MS-DRG 036 in FY2021.

⁴⁶ To identify CAR T-cell therapy procedure codes, refer to Table 28 - List of procedure codes describing CAR T-cell therapy for MS-DRG 018.

⁴⁷ To identify ICD-9 and ICD-10 procedure codes describing dilation of a carotid artery with an intraluminal device, refer to Table 29a, Table 29b, Table 29c, and Table 29d.

1.6.3 MS-DRGs 129-134 to 140-142

CMS reassigned procedure codes related to head, neck, cranial and facial procedures⁴⁸ from 129-134 to 140-142. MS-DRGs 129 through 134 will be deleted FY2021 onwards. Map all cases of:

- MS-DRG 129 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and a secondary diagnosis code on the MCC List⁴⁹ to MS-DRG 140 in FY2021.
- MS-DRG 129 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and without a secondary diagnosis code on the MCC list to MS-DRG 141 in FY2021.
- MS-DRG 130 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 142 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and a secondary diagnosis code on the MCC List to MS-DRG 140 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and without a secondary diagnosis code on the MCC list to MS-DRG 141 in FY2021.
- MS-DRG 132 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 142 in FY2021.
- MS-DRG 133 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and a secondary diagnosis code on the MCC List to MS-DRG 140 in FY2021.
- MS-DRG 133 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and without a secondary diagnosis code on the MCC list to MS-DRG 141 in FY2021.

⁴⁸ To identify, procedure codes related to head, neck, cranial and facial procedures, refer to Table 30 - List of procedure and diagnosis codes related to head, neck, cranial and facial procedures for MS-DRGs 140-142

⁴⁹ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

- MS-DRG 134 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 30 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 142 in FY2021.

1.6.4 MS-DRGs 129-134 to 143-145

CMS reassigned procedure codes related to ear, nose, mouth and throat O.R. procedures⁵⁰ from 129-134 to 143-145. MS-DRGs 129 through 134 will be deleted FY2021 onwards. Map all cases of:

- MS-DRG 129 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedure in Table 31 and a secondary diagnosis code on the MCC List⁵¹ to MS-DRG 143 in FY2021.
- MS-DRG 129 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 31 and without a secondary diagnosis code on the MCC list to MS-DRG 144 in FY2021.
- MS-DRG 130 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 31 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 145 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedure in Table 31 and a secondary diagnosis code on the MCC List to MS-DRG 143 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 31 and without a secondary diagnosis code on the MCC list to MS-DRG 144 in FY2021.
- MS-DRG 132 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 31 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 145 in FY2021.
- MS-DRG 133 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedure in Table 31 and a secondary diagnosis code on the MCC List to MS-DRG 143 in FY2021.

⁵⁰ To identify procedure codes related to ear, nose, mouth and throat O.R. procedures, refer to Table 31 - List of procedure codes related to ear, nose, mouth and throat O.R. procedures for MS-DRGs 143-145.

⁵¹ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

- MS-DRG 133 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R procedures in Table 31 and without a secondary diagnosis code on the MCC list to MS-DRG 144 in FY2021.
- MS-DRG 134 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R procedures in Table 31 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 145 in FY2021.

1.6.5 MS-DRGs 250-251 to 273-274

CMS reassigned procedure codes related to Left Atrial Appendage Closure (LAAC)⁵² from 250 and 251 to 273 and 274. Map all cases of:

- MS-DRG 250 in FY2020 with procedure codes related to Left Atrial Appendage Closure (LAAC) in Table 32 and a secondary diagnosis code on the MCC List⁵³ to MS-DRG 273 in FY2021.
- MS-DRG 251 in FY2020 with procedure codes related to Left Atrial Appendage Closure (LAAC) in Table 32 and without a secondary diagnosis code on the MCC list to MS-DRG 274 in FY2021.

1.6.6 MS-DRGs 469-470 to 521-522

CMS reassigned diagnosis and procedure codes related to hip fractures and hip replacement procedures⁵⁴ from 469 and 470 to 521 and 522. MS-DRGs 521 and 522 will now be considered trigger codes for Major Joint Replacement of the Lower Extremity (MJRLE) Clinical Episodes. Map all cases of:

- MS-DRG 469 in FY2020 with diagnosis and procedure codes related to hip fractures and hip replacement procedures in Table 33 and a secondary diagnosis code on the MCC List⁵⁵ to MS-DRG 521 in FY2021.
- MS-DRG 470 in FY2020 with diagnosis and procedure codes related to hip fractures and hip replacement procedures in Table 33 and without a secondary diagnosis code on the MCC List to MS-DRG 522 in FY2021.

⁵² To identify procedure codes related to Left Atrial Appendage Closure, refer to Table 32 - List of procedure codes related to Left Atrial Appendage Closure (LAAC) for MS-DRGs 273 and 274.

⁵³ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

⁵⁴ To identify diagnosis and procedure codes related to hip fractures and hip replacement procedures, refer to Table 33 – List of diagnosis and procedure codes related to hip fractures and hip replacement procedures for MS-DRGs 521 and 522.

⁵⁵ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

1.6.7 MS-DRGs 008 to 019

CMS reassigned procedure codes related to the performance of hemodialysis⁵⁶ from 008 to 019. Map all cases of:

- MS-DRG 008 in FY2020 with procedure codes related to the performance of hemodialysis in Table 34 to MS-DRG 019 in FY2021.

1.6.8 MS-DRGs 652 to 650-651

CMS reassigned procedure codes related to the performance of hemodialysis and kidney transplant⁵⁷ from 652 to 650 and 651. Map all cases of:

- MS-DRG 652 in FY2020 with procedure codes related to the performance of hemodialysis in Table 34, procedure codes related to kidney transplant in Table 35, and a secondary diagnosis code on the MCC List⁵⁸ to MS-DRG 650 in FY2021.
- MS-DRG 652 in FY2020 with procedure codes related to the performance of hemodialysis in Table 34, procedure codes related to kidney transplant in Table 35, and without a secondary diagnosis code on the MCC List to MS-DRG 651 in FY2021.

1.6.9 MS-DRGs 314-316 to 673-675 and 698-700

CMS reassigned diagnosis codes describing mechanical complications of vascular dialysis catheters⁵⁹ from 314-316 to 673-675 and 698-700. Map all cases of:

- MS-DRG 314 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 36, non-operating room procedure codes in Table 37, and a secondary diagnosis code on the MCC List⁶⁰ to MS-DRG 673 in FY2021.
- MS-DRG 315 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 36, non-operating room procedure codes in

⁵⁶ To identify procedure codes related to the performance of hemodialysis, refer to Table 34 – List of procedure codes related to the performance of hemodialysis for MS-DRG 019.

⁵⁷ To identify procedure codes related to kidney transplant, refer to Table 35 – List of procedure codes related to kidney transplant for MS-DRGs 650 and 651.

⁵⁸ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ippa-final-rule-home-page/>

⁵⁹ To identify diagnosis codes describing mechanical complications of vascular dialysis catheters, refer to Table 36

⁶⁰ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ippa-final-rule-home-page/>

Table 37, and a secondary diagnosis code on the CC List⁶¹ to MS-DRG 674 in FY2021.

- MS-DRG 316 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 36, non-operating room procedure codes in Table 37, and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 675 in FY2021.
- MS-DRG 314 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 36 and a secondary diagnosis code on the MCC List to MS-DRG 698 in FY2021.
- MS-DRG 315 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 36 and a secondary diagnosis code on the CC List to MS-DRG 699 in FY2021.
- MS-DRG 316 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 36 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 700 in FY2021.

1.6.10 MS-DRGs 981-983 to 987-989

CMS reassigned certain procedure codes⁶² from 981-983 to 987-989. Map all cases of:

- MS-DRG 981 in FY2020 with procedure codes in Table 38 and a secondary diagnosis code on the MCC List⁶³ to MS-DRG 987 in FY2021.
- MS-DRG 982 in FY2020 with procedure codes in Table 40 and a secondary diagnosis code on the CC List⁶⁴ to MS-DRG 988 in FY2021.
- MS-DRG 983 in FY2020 with procedure codes in Table 40 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 989 in FY2021.

⁶¹ Refer to Table 6J for CC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

⁶² To identify the reassigned procedure codes, refer to Table 38 – List of reassigned procedure codes for MS-DRGs 987-989.

⁶³ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

⁶⁴ Refer to Table 6J for CC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

1.6.11 MS-DRGs 163-165 to 166-168

CMS reassigned procedure codes describing excision of mediastinum⁶⁵ from 163-165 to 166-168. Map all cases of:

- MS-DRG 163 in FY2020 with procedure codes describing excision of mediastinum in Table 39 and a secondary diagnosis code on the MCC List⁶⁶ to MS-DRG 166 in FY2021.
- MS-DRG 164 in FY2020 with procedure codes describing excision of mediastinum in Table 39 and a secondary diagnosis code on the CC List⁶⁷ to MS-DRG 167 in FY2021.
- MS-DRG 165 in FY2020 with procedure codes describing excision of mediastinum in Table 39 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 168 in FY2021.

⁶⁵ To identify procedure codes describing excision of mediastinum, refer to Table 39 – List of procedure codes describing excision of mediastinum for MS-DRGs 166-168.

⁶⁶ Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

⁶⁷ Refer to Table 6J for CC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

2 SUPPLEMENTARY CODES

This section contains the codes required to implement the mapping methodology discussed in Section 1. These codes include the ICD-9, ICD-10 and CPT codes.

Table 1 - Invasive and Complex Procedure Codes for MS-DRGs 268-272

ICD 9/10	Code	Description
ICD-9	3741	Implantation of prosthetic cardiac support device around the heart
ICD-9	3749	Other repair of heart and pericardium
ICD-9	3755	Removal of internal biventricular heart replacement system
ICD-9	3764	Removal of external heart assist system(s) or device(s)
ICD-9	3804	Incision of vessel, aorta
ICD-9	3814	Endarterectomy, aorta
ICD-9	3834	Resection of vessel with anastomosis, aorta
ICD-9	3844	Resection of vessel with replacement, aorta, abdominal
ICD-9	3864	Other excision of vessels, aorta, abdominal
ICD-9	3884	Other surgical occlusion of vessels, aorta, abdominal
ICD-9	3924	Aorta-renal bypass
ICD-9	3971	Endovascular implantation of other graft in abdominal aorta
ICD-9	3978	Endovascular implantation of branching or fenestrated graft(s) in aorta

Table 2 –Intracardiac Techniques for MS-DRGs 273-274

ICD 9/ 10	Code	Description
ICD-9	3552	Repair of atrial septal defect with prosthesis, closed technique
ICD-9	3596	Percutaneous balloon valvuloplasty
ICD-9	3597	Percutaneous mitral valve repair with implant
ICD-9	3726	Catheter based invasive electrophysiologic testing
ICD-9	3727	Cardiac mapping
ICD-9	3734	Excision or destruction of other lesion or tissue of heart, endovascular approach
ICD-9	3736	Excision, destruction, or exclusion of left atrial appendage (LAA)
ICD-9	3790	Insertion of left atrial appendage device

Table 3 –Mitral Valve Codes for MS-DRGs 266-267

ICD 9/10	Code	Description
ICD-9	3523	Open and other replacement of mitral valve with tissue graft
ICD-9	3524	Open and other replacement of mitral valve
ICD-10	02RG37Z	Replacement of mitral valve with autologous tissue substitute, percutaneous approach
ICD-10	02RG38Z	Replacement of mitral valve with zooplasmic tissue, percutaneous approach
ICD-10	02RG3JZ	Replacement of mitral valve with synthetic substitute, percutaneous approach
ICD-10	02RG3KZ	Replacement of mitral valve with nonautologous tissue substitute, percutaneous approach

Table 4 – Kidney Neoplasm Diagnosis Codes for MS-DRGs 686-688

ICD 9/10	Code	Description
ICD-9	2143	Lipoma of intra-abdominal organs
ICD-10	D1771	Benign lipomatous neoplasm of kidney

Table 5 – Genitourinary Organs Neoplasm Diagnosis Codes for MS-DRGs 686-688

ICD 9/10	Code	Description
ICD-9	2144	Lipoma of spermatic cord
ICD-9	2148	Lipoma of other specified sites
ICD-10	D1772	Benign lipomatous neoplasm of other genitourinary organ

Table 6 – Encounter Dialysis Diagnosis Codes for MS-DRGs 698-700

ICD 9/10	Code	Description
ICD-9	V560	Encounter for extracorporeal dialysis
ICD-9	V568	Encounter for other dialysis
ICD-9	V561	Fitting and adjustment of extracorporeal dialysis catheter
ICD-9	V562	Fitting and adjustment of peritoneal dialysis catheter
ICD-9	V5631	Encounter for adequacy testing for hemodialysis
ICD-9	V5632	Encounter for adequacy testing for peritoneal dialysis
ICD-10	Z4901	Encounter for fitting and adjustment of extracorporeal dialysis catheter
ICD-10	Z4902	Encounter for fitting and adjustment of peritoneal dialysis catheter
ICD-10	Z4931	Encounter for adequacy testing for hemodialysis
ICD-10	Z4932	Encounter for adequacy testing for peritoneal dialysis

Table 7A – Sterilization Procedure Codes for MS-DRGs 783-788

ICD 9/10	Code	Description
ICD-9	6621	Bilateral endoscopic ligation and crushing of fallopian tubes
ICD-9	6622	Bilateral endoscopic ligation and division of fallopian tubes
ICD-9	6629	Other bilateral endoscopic destruction or occlusion of fallopian tubes
ICD-9	6631	Other bilateral ligation and crushing of fallopian tubes
ICD-9	6632	Other bilateral ligation and division of fallopian tubes
ICD-9	6639	Other bilateral destruction or occlusion of fallopian tubes
ICD-9	664	Total unilateral salpingectomy
ICD-9	6651	Removal of both fallopian tubes at same operative episode
ICD-9	6652	Removal of remaining fallopian tube
ICD-9	6663	Bilateral partial salpingectomy, not otherwise specified
ICD-9	6669	Other partial salpingectomy
ICD-9	6692	Unilateral destruction or occlusion of fallopian tube
ICD-9	6697	Burying of fimbriae in uterine wall
ICD-10	0U570ZZ	Destruction of bilateral fallopian tubes, open approach
ICD-10	0U573ZZ	Destruction of bilateral fallopian tubes, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0U574ZZ	Destruction of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0U577ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0U578ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UB50ZZ	Excision of right fallopian tube, open approach
ICD-10	0UB53ZZ	Excision of right fallopian tube, percutaneous approach
ICD-10	0UB54ZZ	Excision of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UB57ZZ	Excision of right fallopian tube, via natural or artificial opening
ICD-10	0UB58ZZ	Excision of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB60ZZ	Excision of left fallopian tube, open approach
ICD-10	0UB63ZZ	Excision of left fallopian tube, percutaneous approach
ICD-10	0UB64ZZ	Excision of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UB67ZZ	Excision of left fallopian tube, via natural or artificial opening
ICD-10	0UB68ZZ	Excision of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB70ZZ	Excision of bilateral fallopian tubes, open approach
ICD-10	0UB73ZZ	Excision of bilateral fallopian tubes, percutaneous approach
ICD-10	0UB74ZZ	Excision of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UB77ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UB78ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UL50CZ	Occlusion of right fallopian tube with extraluminal device, open approach
ICD-10	0UL50DZ	Occlusion of right fallopian tube with intraluminal device, open approach
ICD-10	0UL50ZZ	Occlusion of right fallopian tube, open approach
ICD-10	0UL53CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL53DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL53ZZ	Occlusion of right fallopian tube, percutaneous approach
ICD-10	0UL54CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL54DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL54ZZ	Occlusion of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UL57DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL57ZZ	Occlusion of right fallopian tube, via natural or artificial opening
ICD-10	0UL58DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL58ZZ	Occlusion of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL60CZ	Occlusion of left fallopian tube with extraluminal device, open approach
ICD-10	0UL60DZ	Occlusion of left fallopian tube with intraluminal device, open approach
ICD-10	0UL60ZZ	Occlusion of left fallopian tube, open approach
ICD-10	0UL63CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL63DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL63ZZ	Occlusion of left fallopian tube, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0UL64CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL64DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL64ZZ	Occlusion of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UL67DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL67ZZ	Occlusion of left fallopian tube, via natural or artificial opening
ICD-10	0UL68DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL68ZZ	Occlusion of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL70CZ	Occlusion of bilateral fallopian tubes with extraluminal device, open approach
ICD-10	0UL70DZ	Occlusion of bilateral fallopian tubes with intraluminal device, open approach
ICD-10	0UL70ZZ	Occlusion of bilateral fallopian tubes, open approach
ICD-10	0UL73CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous approach
ICD-10	0UL73DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous approach
ICD-10	0UL73ZZ	Occlusion of bilateral fallopian tubes, percutaneous approach
ICD-10	0UL74CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL74DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL74ZZ	Occlusion of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UL77DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening
ICD-10	0UL77ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UL78DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL78ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UT50ZZ	Resection of right fallopian tube, open approach
ICD-10	0UT54ZZ	Resection of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UT57ZZ	Resection of right fallopian tube, via natural or artificial opening
ICD-10	0UT58ZZ	Resection of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT5FZZ	Resection of right fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT60ZZ	Resection of left fallopian tube, open approach
ICD-10	0UT64ZZ	Resection of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UT67ZZ	Resection of left fallopian tube, via natural or artificial opening
ICD-10	0UT68ZZ	Resection of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT6FZZ	Resection of left fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT70ZZ	Resection of bilateral fallopian tubes, open approach
ICD-10	0UT74ZZ	Resection of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UT77ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UT78ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0UT7FZZ	Resection of bilateral fallopian tubes, via natural or artificial opening with percutaneous endoscopic assistance

Table 7B – Sterilization Procedure Codes for MS-DRGs 796-798

ICD 9/10	Code	Description
ICD-9	6621	Bilateral endoscopic ligation and crushing of fallopian tubes
ICD-9	6622	Bilateral endoscopic ligation and division of fallopian tubes
ICD-9	6629	Other bilateral endoscopic destruction or occlusion of fallopian tubes
ICD-9	6631	Other bilateral ligation and crushing of fallopian tubes
ICD-9	6632	Other bilateral ligation and division of fallopian tubes
ICD-9	6639	Other bilateral destruction or occlusion of fallopian tubes
ICD-9	664	Total unilateral salpingectomy
ICD-9	6651	Removal of both fallopian tubes at same operative episode
ICD-9	6652	Removal of remaining fallopian tube
ICD-9	6663	Bilateral partial salpingectomy, not otherwise specified
ICD-9	6669	Other partial salpingectomy
ICD-9	6692	Unilateral destruction or occlusion of fallopian tube
ICD-9	6697	Burying of fimbriae in uterine wall
ICD-9	6902	Dilation and curettage following delivery or abortion
ICD-9	6909	Other dilation and curettage
ICD-9	6952	Aspiration curettage following delivery or abortion
ICD-10	0U570ZZ	Destruction of bilateral fallopian tubes, open approach
ICD-10	0U573ZZ	Destruction of bilateral fallopian tubes, percutaneous approach
ICD-10	0U574ZZ	Destruction of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0U577ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0U578ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UB50ZZ	Excision of right fallopian tube, open approach
ICD-10	0UB53ZZ	Excision of right fallopian tube, percutaneous approach
ICD-10	0UB54ZZ	Excision of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UB57ZZ	Excision of right fallopian tube, via natural or artificial opening
ICD-10	0UB58ZZ	Excision of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB60ZZ	Excision of left fallopian tube, open approach
ICD-10	0UB63ZZ	Excision of left fallopian tube, percutaneous approach
ICD-10	0UB64ZZ	Excision of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UB67ZZ	Excision of left fallopian tube, via natural or artificial opening
ICD-10	0UB68ZZ	Excision of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB70ZZ	Excision of bilateral fallopian tubes, open approach
ICD-10	0UB73ZZ	Excision of bilateral fallopian tubes, percutaneous approach
ICD-10	0UB74ZZ	Excision of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UB77ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	0UB78ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UL50CZ	Occlusion of right fallopian tube with extraluminal device, open approach
ICD-10	0UL50DZ	Occlusion of right fallopian tube with intraluminal device, open approach
ICD-10	0UL50ZZ	Occlusion of right fallopian tube, open approach
ICD-10	0UL53CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL53DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL53ZZ	Occlusion of right fallopian tube, percutaneous approach
ICD-10	0UL54CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL54DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL54ZZ	Occlusion of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UL57DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL57ZZ	Occlusion of right fallopian tube, via natural or artificial opening
ICD-10	0UL58DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL58ZZ	Occlusion of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL60CZ	Occlusion of left fallopian tube with extraluminal device, open approach
ICD-10	0UL60DZ	Occlusion of left fallopian tube with intraluminal device, open approach
ICD-10	0UL60ZZ	Occlusion of left fallopian tube, open approach
ICD-10	0UL63CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL63DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL63ZZ	Occlusion of left fallopian tube, percutaneous approach
ICD-10	0UL64CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL64DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL64ZZ	Occlusion of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UL67DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL67ZZ	Occlusion of left fallopian tube, via natural or artificial opening
ICD-10	0UL68DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL68ZZ	Occlusion of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL70CZ	Occlusion of bilateral fallopian tubes with extraluminal device, open approach
ICD-10	0UL70DZ	Occlusion of bilateral fallopian tubes with intraluminal device, open approach
ICD-10	0UL70ZZ	Occlusion of bilateral fallopian tubes, open approach
ICD-10	0UL73CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous approach
ICD-10	0UL73DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous approach
ICD-10	0UL73ZZ	Occlusion of bilateral fallopian tubes, percutaneous approach
ICD-10	0UL74CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0UL74DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL74ZZ	Occlusion of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UL77DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening
ICD-10	0UL77ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UL78DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL78ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UT50ZZ	Resection of right fallopian tube, open approach
ICD-10	0UT54ZZ	Resection of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UT57ZZ	Resection of right fallopian tube, via natural or artificial opening
ICD-10	0UT58ZZ	Resection of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT5FZZ	Resection of right fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT60ZZ	Resection of left fallopian tube, open approach
ICD-10	0UT64ZZ	Resection of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UT67ZZ	Resection of left fallopian tube, via natural or artificial opening
ICD-10	0UT68ZZ	Resection of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT6FZZ	Resection of left fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT70ZZ	Resection of bilateral fallopian tubes, open approach
ICD-10	0UT74ZZ	Resection of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UT77ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UT78ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UT7FZZ	Resection of bilateral fallopian tubes, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	10D17Z9	Manual extraction of products of conception, retained, via natural or artificial opening
ICD-10	10D18Z9	Manual extraction of products of conception, retained, via natural or artificial opening endoscopic
ICD-10	10D07Z3	Extraction of products of conception, low forceps, via natural or artificial opening
ICD-10	10D07Z4	Extraction of products of conception, mid forceps, via natural or artificial opening
ICD-10	10D07Z5	Extraction of products of conception, high forceps, via natural or artificial opening
ICD-10	10D07Z6	Extraction of products of conception, vacuum, via natural or artificial opening
ICD-10	10D07Z7	Extraction of products of conception, internal version, via natural or artificial opening
ICD-10	10D07Z8	Extraction of products of conception, other, via natural or artificial opening
ICD-10	10E0XZZ	Delivery of products of conception, external approach
ICD-10	10D17ZZ	Extraction of products of conception, retained, via natural or artificial opening
ICD-10	10D18ZZ	Extraction of products of conception, retained, via natural or artificial opening endoscopic

Table 8 – Extraction of Endometrium Procedure Codes for MS-DRGs 744-745

ICD 9/10	Code	Description
ICD-9	6909	Other dilation and curettage
ICD-10	0UDB7ZX	Extraction of endometrium, via opening, diagn
ICD-10	0UDB7ZZ	Extraction of endometrium, via natural or artificial opening
ICD-10	0UDB8ZX	Extraction of endometrium, endo, diagn
ICD-10	0UDB8ZZ	Extraction of endometrium, endo

Table 9 – List of Extracorporeal membrane oxygenation (ECMO) procedure codes for MS-DRG 003

ICD 9/10	Code	Description
ICD-9	3965	Extracorporeal membrane oxygenation [ECMO]
ICD-10	5A1522G	Extracorporeal Oxygenation, Membrane, Peripheral Veno-arterial
ICD-10	5A1522H	Extracorporeal Oxygenation, Membrane, Peripheral Veno-venous

Table 10 – List of HCT procedures specifying autologous cordblood stem cell as the donor source for MS-DRGs 016 and 017

ICD 9/10	Code	Description
ICD-9	4106	Cord blood stem cell transplant
ICD-10	30230X0	Transfusion of Autologous Cord Blood Stem Cells into Peripheral Vein, Open Approach
ICD-10	30233X0	Transfusion of Autologous Cord Blood Stem Cells into Peripheral Vein, Percutaneous Approach
ICD-10	30240X0	Transfusion of Autologous Cord Blood Stem Cells into Central Vein, Open Approach
ICD-10	30243X0	Transfusion of Autologous Cord Blood Stem Cells into Central Vein, Percutaneous Approach

Table 11 – List of procedure codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036

ICD 9/10	Code	Description
ICD-10	037H0DZ	Dilation of Right Common Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037J0DZ	Dilation of Left Common Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037K0DZ	Dilation of Right Internal Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037L0DZ	Dilation of Left Internal Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037M0DZ	Dilation of Right External Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037N0DZ	Dilation of Left External Carotid Artery with Intraluminal Device, Open Approach

Table 12 – List of diagnosis codes describing pulmonary embolism with cor pulmonale for MS-DRG 175

ICD 9/10	Code	Description
ICD-9	4150	Acute cor pulmonale
ICD-9	41512	Septic pulmonary embolism
ICD-9	41513	Saddle embolus of pulmonary artery
ICD-9	41519	Other pulmonary embolism and infarction
ICD-10	I2601	Septic pulmonary embolism with acute cor pulmonale
ICD-10	I2602	Saddle embolus of pulmonary artery with acute cor pulmonale
ICD-10	I2609	Other pulmonary embolism with acute cor pulmonale

Table 13 – List of procedure codes describing a transcatheter cardiac valve repair (supplemental) for MS-DRGs 266 and 267

ICD 9/10	FY2019 MS-DRG	Code	Description
ICD-9	228-229	3597	Percutaneous mitral valve repair with implant
ICD-10	216-221	02UF37J	Supplement aortic valve created from truncal valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UF37Z	Supplement aortic valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UF38J	Supplement aortic valve created from truncal valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UF38Z	Supplement aortic valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UF3JJ	Supplement aortic valve created from truncal valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UF3JZ	Supplement aortic valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UF3KJ	Supplement aortic valve created from truncal valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UF3KZ	Supplement aortic valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG37E	Supplement mitral valve created from left atrioventricular valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG37Z	Supplement mitral valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG38E	Supplement mitral valve created from left atrioventricular valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UG38Z	Supplement mitral valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UG3KE	Supplement mitral valve created from left atrioventricular valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG3KZ	Supplement mitral valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG3JE	Supplement mitral valve created from left atrioventricular valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UH37Z	Supplement pulmonary valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UH38Z	Supplement pulmonary valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UH3JZ	Supplement pulmonary valve with synthetic substitute, percutaneous approach.

ICD 9/10	FY2019 MS-DRG	Code	Description
ICD-10	216-221	02UH3KZ	Supplement pulmonary valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UJ37G	Supplement tricuspid valve created from right atrioventricular valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UJ37Z	Supplement tricuspid valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UJ38G	Supplement tricuspid valve created from right atrioventricular valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UJ38Z	Supplement tricuspid valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UJ3JG	Supplement tricuspid valve created from right atrioventricular valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UJ3JZ	Supplement tricuspid valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UJ3KG	Supplement tricuspid valve created from right atrioventricular valve with nonautologous tissue substitute, percutaneous approach
ICD-10	216-221	02UJ3KZ	Supplement tricuspid valve with nonautologous tissue substitute, percutaneous approach
ICD-10	228-229	02UG3JZ	Supplement tricuspid valve created from right atrioventricular valve with nonautologous tissue substitute, percutaneous approach
ICD-10	273-274	02UG3JE	Supplement mitral valve created from left atrioventricular valve with synthetic substitute, percutaneous approach.

Table 14 – List of procedure codes describing non-supplement transcatheter cardiac valve procedures for MS-DRGs 319-320

ICD 9/10	Code	Description
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasmic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasmic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasmic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasmic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplastic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplastic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplastic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplastic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplastic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplastic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach

Table 15 – List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRGs 485-487

ICD 9/10	Code	Description
ICD-9	01520	Tuberculosis of knee, unspecified
ICD-9	01521	Tuberculosis of knee bacteriological or histological examination not done
ICD-9	01522	Tuberculosis of knee bacteriological or histological examination results unknown (at present)
ICD-9	01523	Tuberculosis of knee tubercle bacilli found (in sputum) by microscopy
ICD-9	01524	Tuberculosis of knee tubercle bacilli not found (in sputum) by microscopy but found by bacterial culture
ICD-9	01525	Tuberculosis of knee tubercle bacilli not found by bacteriological examination but tuberculosis confirmed histologically
ICD-9	01526	Tuberculosis of knee tubercle bacilli not found by bacteriological or histological examination but tuberculosis confirmed by other methods (inoculation of animals)
ICD-9	01580	Tuberculosis of other specified joint, unspecified
ICD-9	01581	Tuberculosis of other specified joint bacteriological or histological examination not done
ICD-9	01582	Tuberculosis of other specified joint bacteriological or histological examination results unknown (at present)
ICD-9	01583	Tuberculosis of other specified joint tubercle bacilli found (in sputum) by microscopy
ICD-9	01584	Tuberculosis of other specified joint tubercle bacilli not found (in sputum) by microscopy but found by bacterial culture
ICD-9	01585	Tuberculosis of other specified joint tubercle bacilli not found by bacteriological examination but tuberculosis confirmed histologically
ICD-9	01586	Tuberculosis of other specified joint tubercle bacilli not found by bacteriological or histological examination but tuberculosis confirmed by other methods (inoculation of animals)
ICD-9	09850	Gonococcal arthritis
ICD-9	71106	Pyogenic arthritis involving lower leg
ICD-9	71116	Arthropathy associated with Reiter's disease and nonspecific urethritis, lower leg
ICD-9	71126	Arthropathy in behcet's syndrome involving lower leg
ICD-9	71136	Postdysenteric arthropathy involving lower leg
ICD-9	71146	Arthropathy associated with other bacterial diseases, lower leg
ICD-9	71196	Unspecified infective arthritis involving lower leg
ICD-9	72660	Enthesopathy of knee unspecified
ICD-9	71116	Arthropathy involving lower leg associated with reiter's disease and nonspecific urethritis
ICD-9	71146	Arthropathy involving lower leg associated with other bacterial diseases
ICD-10	A1802	Tuberculosis of other joints
ICD-10	A5442	Gonococcal arthritis

ICD 9/10	Code	Description
ICD-10	M01X61	Direct infection of right knee in infectious and parasitic diseases classified elsewhere
ICD-10	M01X62	Direct infection of left knee in infectious and parasitic diseases classified elsewhere
ICD-10	M01X69	Direct infection of unspecified knee in infectious and parasitic diseases classified elsewhere
ICD-10	M71061	Abscess of bursa, right knee
ICD-10	M71062	Abscess of bursa, left knee
ICD-10	M71069	Abscess of bursa, unspecified knee
ICD-10	M71161	Other infective bursitis, right knee
ICD-10	M71162	Other infective bursitis, left knee
ICD-10	M71169	Other infective bursitis, unspecified knee
ICD-10	M009	Pyogenic arthritis, unspecified

Table 16 – List of diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis for MS-DRGs 456-458

ICD 9/10	Code	Description
ICD-9	73733	Scoliosis due to radiation
ICD-9	73743	Scoliosis associated with other conditions
ICD-10	M4010	Other secondary kyphosis, site unspecified
ICD-10	M4014	Other secondary kyphosis, thoracic region
ICD-10	M4015	Other secondary kyphosis, thoracolumbar region
ICD-10	M4140	Neuromuscular scoliosis, site unspecified
ICD-10	M4144	Neuromuscular scoliosis, thoracic region
ICD-10	M4145	Neuromuscular scoliosis, thoracolumbar region
ICD-10	M4146	Neuromuscular scoliosis, lumbar region
ICD-10	M4147	Neuromuscular scoliosis, lumbosacral region
ICD-10	M4150	Other secondary scoliosis, site unspecified
ICD-10	M4154	Other secondary scoliosis, thoracic region
ICD-10	M4155	Other secondary scoliosis, thoracolumbar region
ICD-10	M4156	Other secondary scoliosis, lumbar region
ICD-10	M4157	Other secondary scoliosis, lumbosacral region

Table 17 – List of Cervical Spinal Fusion procedure codes for MS-DRGs 471-473 and 551-552

ICD 9/10	Code	Description
ICD-10	0RG6070	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG6071	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG607J	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG60A0	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach

ICD 9/10	Code	Description
ICD-10	0RG60AJ	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG60J0	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG60J1	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG60JJ	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG60K0	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG60K1	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG60KJ	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG6370	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG6371	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG637J	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63A0	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63AJ	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63J0	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63J1	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG63JJ	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63K0	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63K1	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG63KJ	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG6470	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG6471	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG647J	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64A0	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64AJ	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64J0	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64J1	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64JJ	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach

ICD 9/10	Code	Description
ICD-10	0RG64K0	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64K1	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64KJ	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG7070	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG7071	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG707J	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG70A0	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG70AJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG70J0	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG70J1	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG70JJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG70K0	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG70K1	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG70KJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG7370	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG7371	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG737J	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73A0	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73AJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73J0	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73J1	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG73JJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73K0	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73K1	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG73KJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG7470	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach

ICD 9/10	Code	Description
ICD-10	0RG747I	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG747J	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74A0	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74AJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74J0	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74J1	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74JJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74K0	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74K1	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74KJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG8070	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG8071	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG807J	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG80A0	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG80AJ	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG80J0	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG80J1	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG80JJ	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG80K0	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG80K1	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG80KJ	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG8370	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG8371	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG837J	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83A0	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83AJ	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0RG83J0	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83J1	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG83JJ	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83K0	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83K1	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG83KJ	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG8470	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG8471	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG847J	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84A0	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84AJ	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84J0	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84J1	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84JJ	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84K0	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84K1	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84KJ	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA070	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA071	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RGA07J	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0A0	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0AJ	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0J0	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0J1	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RGA0JJ	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach

ICD 9/10	Code	Description
ICD-10	0RGA0K0	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0K1	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RGA0KJ	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RGA370	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA371	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RGA37J	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3A0	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3AJ	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3J0	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3J1	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RGA3JJ	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3K0	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3K1	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RGA3KJ	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA470	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA471	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA47J	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4A0	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4AJ	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4J0	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4J1	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4JJ	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4K0	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4K1	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4KJ	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG0070	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach

ICD 9/10	Code	Description
ICD-10	0SG007I	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG007J	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG00A0	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG00AJ	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG00J0	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG00J1	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG00JJ	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG00K0	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG00K1	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG00KJ	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG0370	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG0371	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG037J	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03A0	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03AJ	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03J0	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03J1	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG03JJ	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03K0	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03K1	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG03KJ	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG0470	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG0471	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG047J	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04A0	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04AJ	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach

ICD 9/10	Code	Description
ICD-10	0SG04J0	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04J1	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04JJ	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04K0	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04K1	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04KJ	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG1070	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG1071	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG107J	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG10A0	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG10AJ	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG10J0	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG10J1	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG10JJ	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG10K0	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG10K1	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG10KJ	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG1370	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG1371	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG137J	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13A0	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13AJ	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13J0	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13J1	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG13JJ	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13K0	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0SG13K1	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG13KJ	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG1470	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG1471	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG147J	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14A0	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14AJ	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14J0	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14J1	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14JJ	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14K0	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14K1	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14KJ	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG3070	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG3071	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG307J	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG30A0	Fusion of Lumbosacral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG30AJ	Fusion of Lumbosacral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG30J0	Fusion of Lumbosacral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG30J1	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG30JJ	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG30K0	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG30K1	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG30KJ	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG3370	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0SG337I	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG337J	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33A0	Fusion of Lumbosacral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33AJ	Fusion of Lumbosacral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33J0	Fusion of Lumbosacral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33J1	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG33JJ	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33K0	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33K1	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG33KJ	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG3470	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG3471	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG347J	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34A0	Fusion of Lumbosacral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34AJ	Fusion of Lumbosacral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34J0	Fusion of Lumbosacral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34J1	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34JJ	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34K0	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34K1	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34KJ	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG504Z	Fusion of Sacrococcygeal Joint with Internal Fixation Device, Open Approach
ICD-10	0SG507Z	Fusion of Sacrococcygeal Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG50JZ	Fusion of Sacrococcygeal Joint with Synthetic Substitute, Open Approach
ICD-10	0SG50KZ	Fusion of Sacrococcygeal Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG534Z	Fusion of Sacrococcygeal Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG537Z	Fusion of Sacrococcygeal Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG53JZ	Fusion of Sacrococcygeal Joint with Synthetic Substitute, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0SG53KZ	Fusion of Sacrococcygeal Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG544Z	Fusion of Sacrococcygeal Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG547Z	Fusion of Sacrococcygeal Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG54JZ	Fusion of Sacrococcygeal Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG54KZ	Fusion of Sacrococcygeal Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG604Z	Fusion of Coccygeal Joint with Internal Fixation Device, Open Approach
ICD-10	0SG607Z	Fusion of Coccygeal Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG60JZ	Fusion of Coccygeal Joint with Synthetic Substitute, Open Approach
ICD-10	0SG60KZ	Fusion of Coccygeal Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG634Z	Fusion of Coccygeal Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG637Z	Fusion of Coccygeal Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG63JZ	Fusion of Coccygeal Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG63KZ	Fusion of Coccygeal Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG644Z	Fusion of Coccygeal Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG647Z	Fusion of Coccygeal Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG64JZ	Fusion of Coccygeal Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG64KZ	Fusion of Coccygeal Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG704Z	Fusion of Right Sacroiliac Joint with Internal Fixation Device, Open Approach
ICD-10	0SG707Z	Fusion of Right Sacroiliac Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG70JZ	Fusion of Right Sacroiliac Joint with Synthetic Substitute, Open Approach
ICD-10	0SG70KZ	Fusion of Right Sacroiliac Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG734Z	Fusion of Right Sacroiliac Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG737Z	Fusion of Right Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG73JZ	Fusion of Right Sacroiliac Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG73KZ	Fusion of Right Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG744Z	Fusion of Right Sacroiliac Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG747Z	Fusion of Right Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG74JZ	Fusion of Right Sacroiliac Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG74KZ	Fusion of Right Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG804Z	Fusion of Left Sacroiliac Joint with Internal Fixation Device, Open Approach
ICD-10	0SG807Z	Fusion of Left Sacroiliac Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG80JZ	Fusion of Left Sacroiliac Joint with Synthetic Substitute, Open Approach

ICD 9/10	Code	Description
ICD-10	0SG80KZ	Fusion of Left Sacroiliac Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG834Z	Fusion of Left Sacroiliac Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG837Z	Fusion of Left Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG83JZ	Fusion of Left Sacroiliac Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG83KZ	Fusion of Left Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG844Z	Fusion of Left Sacroiliac Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG847Z	Fusion of Left Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG84JZ	Fusion of Left Sacroiliac Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG84KZ	Fusion of Left Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	XRG6092	Fusion of Thoracic Vertebral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRG60F3	Fusion of Thoracic Vertebral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRG7092	Fusion of 2 to 7 Thoracic Vertebral Joints using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRG70F3	Fusion of 2 to 7 Thoracic Vertebral Joints using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRG8092	Fusion of 8 or more Thoracic Vertebral Joints using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRG80F3	Fusion of 8 or more Thoracic Vertebral Joints using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGA092	Fusion of Thoracolumbar Vertebral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGA0F3	Fusion of Thoracolumbar Vertebral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGB092	Fusion of Lumbar Vertebral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGB0F3	Fusion of Lumbar Vertebral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGC092	Fusion of 2 or more Lumbar Vertebral Joints using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGC0F3	Fusion of 2 or more Lumbar Vertebral Joints using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGD092	Fusion of Lumbosacral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGD0F3	Fusion of Lumbosacral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3

**Table 18 – List of Cervical Spinal Fusion diagnosis codes
for MS-DRGs 471-473 and 551-552**

ICD 9/10	Code	Description
ICD-10	M4003	Postural kyphosis, cervicothoracic region
ICD-10	M4012	Other secondary kyphosis, cervical region
ICD-10	M4013	Other secondary kyphosis, cervicothoracic region
ICD-10	M40202	Unspecified kyphosis, cervical region
ICD-10	M40203	Unspecified kyphosis, cervicothoracic region
ICD-10	M40292	Other kyphosis, cervical region
ICD-10	M40293	Other kyphosis, cervicothoracic region
ICD-10	M4102	Infantile idiopathic scoliosis, cervical region
ICD-10	M4103	Infantile idiopathic scoliosis, cervicothoracic region
ICD-10	M41112	Juvenile idiopathic scoliosis, cervical region
ICD-10	M41113	Juvenile idiopathic scoliosis, cervicothoracic region
ICD-10	M41122	Adolescent idiopathic scoliosis, cervical region
ICD-10	M41123	Adolescent idiopathic scoliosis, cervicothoracic region
ICD-10	M4122	Other idiopathic scoliosis, cervical region
ICD-10	M4123	Other idiopathic scoliosis, cervicothoracic region
ICD-10	M4141	Neuromuscular scoliosis, occipito-atlanto-axial region
ICD-10	M4142	Neuromuscular scoliosis, cervical region
ICD-10	M4143	Neuromuscular scoliosis, cervicothoracic region
ICD-10	M4152	Other secondary scoliosis, cervical region
ICD-10	M4153	Other secondary scoliosis, cervicothoracic region
ICD-10	M4182	Other forms of scoliosis, cervical region
ICD-10	M4183	Other forms of scoliosis, cervicothoracic region
ICD-10	M4201	Juvenile osteochondrosis of spine, occipito-atlanto-axial region
ICD-10	M4202	Juvenile osteochondrosis of spine, cervical region
ICD-10	M4203	Juvenile osteochondrosis of spine, cervicothoracic region
ICD-10	M438X1	Other specified deforming dorsopathies, occipito-atlanto-axial region
ICD-10	M438X2	Other specified deforming dorsopathies, cervical region
ICD-10	M438X3	Other specified deforming dorsopathies, cervicothoracic region
ICD-10	M4621	Osteomyelitis of vertebra, occipito-atlanto-axial region
ICD-10	M4622	Osteomyelitis of vertebra, cervical region
ICD-10	M4623	Osteomyelitis of vertebra, cervicothoracic region
ICD-10	M4851XA	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture
ICD-10	M4852XA	Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture
ICD-10	M4853XA	Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture

Table 19a – List of diagnosis codes describing abnormal radiological findings on the testicle for MS-DRGs 729-730

ICD 9/10	Code	Description
ICD-9	79399	Other nonspecific (abnormal) findings on radiological and other examinations of body structure
ICD-10	R93811	Abnormal radiologic findings on diagnostic imaging of right testicle
ICD-10	R93812	Abnormal radiologic findings on diagnostic imaging of left testicle
ICD-10	R93813	Abnormal radiologic findings on diagnostic imaging of testicles, bilateral
ICD-10	R93819	Abnormal radiologic findings on diagnostic imaging of unspecified testicle

Table 19b – List of diagnosis codes describing abnormal radiologic findings on the testicle for MS-DRGs 947-948

ICD 9/10	Code	Description
ICD-9	79399	Other nonspecific (abnormal) findings on radiological and other examinations of body structure
ICD-10	R9389	Abnormal findings on diagnostic imaging of other specified body structures

Table 20 – List of diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium for MS-DRGs 817-819 and 831-833

ICD 9/10	Code	Description
ICD-9	67480	Other complications of puerperium, unspecified as to episode of care or not applicable
ICD-9	67482	Other complications of puerperium, delivered, with mention of postpartum complication
ICD-9	67484	Other complications of puerperium, postpartum condition or complication
ICD-10	O9989	Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium

Table 21 – List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRGs 559-561

ICD 9/10	Code	Description
ICD-9	99666	Infection and inflammatory reaction due to internal joint prosthesis
ICD-9	99667	Infection and inflammatory reaction due to other internal orthopedic device, implant, and graft
ICD-9	73020	Unspecified osteomyelitis, site unspecified
ICD-9	73021	Unspecified osteomyelitis, shoulder region
ICD-9	73022	Unspecified osteomyelitis, upper arm
ICD-9	73023	Unspecified osteomyelitis, forearm
ICD-9	73024	Unspecified osteomyelitis, hand
ICD-9	73025	Unspecified osteomyelitis, pelvic region and thigh
ICD-9	73026	Unspecified osteomyelitis, lower leg
ICD-9	73027	Unspecified osteomyelitis, ankle and foot
ICD-9	73028	Unspecified osteomyelitis, other specified sites
ICD-9	73029	Unspecified osteomyelitis, multiple sites
ICD-10	T8459XA	Infection and inflammatory reaction due to other internal joint prosthesis, initial encounter

ICD 9/10	Code	Description
ICD-10	T8452XA	Infection and inflammatory reaction due to internal left hip prosthesis, initial encounter
ICD-10	T8460XA	Infection and inflammatory reaction due to internal fixation device of unspecified site, initial encounter
ICD-10	T8469XA	Infection and inflammatory reaction due to internal fixation device of other site, initial encounter
ICD-10	T8463XA	Infection and inflammatory reaction due to internal fixation device of spine, initial encounter
ICD-10	T8451XA	Infection and inflammatory reaction due to internal right hip prosthesis, initial encounter
ICD-10	M869	Osteomyelitis, unspecified
ICD-10	T8450XA	Infection and inflammatory reaction due to unspecified internal joint prosthesis, initial encounter

Table 22 – Diagnosis codes describing conditions involving the excision of skin and bones for MS-DRGs 579-581

ICD 9/10	Code	Description
ICD-9	7760	Local excision of lesion or tissue of bone, unspecified site
ICD-9	7764	Local excision of lesion or tissue of bone, carpals and metacarpals
ICD-9	7794	Total ostectomy, carpals and metacarpals
ICD-10	0QB10ZZ	Excision of Sacrum, Open Approach
ICD-10	0QB20ZZ	Excision of Right Pelvic Bone, Open Approach
ICD-10	0QB30ZZ	Excision of Left Pelvic Bone, Open Approach
ICD-10	0QBS0ZZ	Excision of Coccyx, Open Approach
ICD-10	0PBR0ZZ	Excision of Right Thumb Phalanx, Open Approach
ICD-10	0PBR3ZZ	Excision of Right Thumb Phalanx, Percutaneous Approach
ICD-10	0PBR4ZZ	Excision of Right Thumb Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PBS0ZZ	Excision of Left Thumb Phalanx, Open Approach
ICD-10	0PBS3ZZ	Excision of Left Thumb Phalanx, Percutaneous Approach
ICD-10	0PBS4ZZ	Excision of Left Thumb Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PBT0ZZ	Excision of Right Finger Phalanx, Open Approach
ICD-10	0PBT3ZZ	Excision of Right Finger Phalanx, Percutaneous Approach
ICD-10	0PBT4ZZ	Excision of Right Finger Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PBV0ZZ	Excision of Left Finger Phalanx, Open Approach
ICD-10	0PBV3ZZ	Excision of Left Finger Phalanx, Percutaneous Approach
ICD-10	0PBV4ZZ	Excision of Left Finger Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PTR0ZZ	Resection of Right Thumb Phalanx, Open Approach
ICD-10	0PTS0ZZ	Resection of Left Thumb Phalanx, Open Approach
ICD-10	0PTT0ZZ	Resection of Right Finger Phalanx, Open Approach
ICD-10	0PTV0ZZ	Resection of Left Finger Phalanx, Open Approach
ICD-10	0RTW0ZZ	Resection of Right Finger Phalangeal Joint, Open Approach
ICD-10	0RTX0ZZ	Resection of Left Finger Phalangeal Joint, Open Approach

Table 23 – List of procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 326-328

ICD 9/10	Code	Description
ICD-9	4497	Laparoscopic removal of gastric restrictive device(s)
ICD-9	4496	Laparoscopic revision of gastric restrictive procedure
ICD-10	0DP64CZ	Removal of Extraluminal Device from Stomach, Percutaneous Endoscopic Approach
ICD-10	0DW64CZ	Revision of Extraluminal Device in Stomach, Percutaneous Endoscopic Approach

Table 24 – List of procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 715-718 and 749-750

ICD 9/10	Code	Description
ICD-9	3886	Other surgical occlusion of vessels, abdominal arteries
ICD-10	06LB3DZ	Occlusion of Left Renal Vein with Intraluminal Device, Percutaneous Approach

Table 25 – List of Male Diagnosis Codes with no malignancy for MS-DRGs 715-718 and 749-750

ICD 9/10	Code	Description
ICD-9	05410	Genital herpes, unspecified
ICD-9	05413	Herpetic infection of penis
ICD-9	05419	Other genital herpes
ICD-9	09812	Gonococcal prostatitis (acute)
ICD-9	09813	Gonococcal epididymo-orchitis (acute)
ICD-9	09814	Gonococcal seminal vesiculitis (acute)
ICD-9	09832	Gonococcal prostatitis, chronic
ICD-9	09833	Gonococcal epididymo-orchitis, chronic
ICD-9	09834	Gonococcal seminal vesiculitis, chronic
ICD-9	1122	Candidiasis of other urogenital sites
ICD-9	11289	Other candidiasis of other specified sites
ICD-9	13102	Trichomonal urethritis
ICD-9	13103	Trichomonal prostatitis
ICD-9	13109	Other urogenital trichomoniasis
ICD-9	01650	Tuberculosis of other male genital organs, unspecified
ICD-9	01651	Tuberculosis of other male genital organs, bacteriological or histological examination not done
ICD-9	01652	Tuberculosis of other male genital organs, bacteriological or histological examination unknown (at present)
ICD-9	01653	Tuberculosis of other male genital organs, tubercle bacilli found (in sputum) by microscopy
ICD-9	01654	Tuberculosis of other male genital organs, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
ICD-9	01655	Tuberculosis of other male genital organs, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically

ICD 9/10	Code	Description
ICD-9	01656	Tuberculosis of other male genital organs, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
ICD-9	2144	Lipoma of spermatic cord
ICD-9	2220	Benign neoplasm of testis
ICD-9	2221	Benign neoplasm of penis
ICD-9	2222	Benign neoplasm of prostate
ICD-9	2223	Benign neoplasm of epididymis
ICD-9	2224	Benign neoplasm of scrotum
ICD-9	2228	Benign neoplasm of other specified sites of male genital organs
ICD-9	2229	Benign neoplasm of male genital organ, site unspecified
ICD-9	4564	Scrotal varices
ICD-9	4565	Pelvic varices
ICD-9	59780	Urethritis, unspecified
ICD-9	60010	Nodular prostate without urinary obstruction
ICD-9	60011	Nodular prostate with urinary obstruction
ICD-9	60020	Benign localized hyperplasia of prostate without urinary obstruction and other lower urinary tract symptoms (LUTS)
ICD-9	60021	Benign localized hyperplasia of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)
ICD-9	60090	Hyperplasia of prostate, unspecified, without urinary obstruction and other lower urinary symptoms (LUTS)
ICD-9	60091	Hyperplasia of prostate, unspecified, with urinary obstruction and other lower urinary symptoms (LUTS)
ICD-9	6010	Acute prostatitis
ICD-9	6011	Chronic prostatitis
ICD-9	6012	Abscess of prostate
ICD-9	6013	Prostatoctitis
ICD-9	6018	Other specified inflammatory diseases of prostate
ICD-9	6019	Prostatitis, unspecified
ICD-9	6020	Calculus of prostate
ICD-9	6021	Congestion or hemorrhage of prostate
ICD-9	6022	Atrophy of prostate
ICD-9	6023	Dysplasia of prostate
ICD-9	6028	Other specified disorders of prostate
ICD-9	6029	Unspecified disorder of prostate
ICD-9	6030	Encysted hydrocele
ICD-9	6031	Infected hydrocele
ICD-9	6038	Other specified types of hydrocele
ICD-9	6039	Hydrocele, unspecified
ICD-9	6040	Orchitis, epididymitis, and epididymo-orchitis, with abscess
ICD-9	60490	Orchitis and epididymitis, unspecified
ICD-9	605	Redundant prepuce and phimosis

ICD 9/10	Code	Description
ICD-9	6060	Azoospermia
ICD-9	6061	Oligospermia
ICD-9	6068	Infertility due to extratesticular causes
ICD-9	6069	Male infertility, unspecified
ICD-9	6070	Leukoplakia of penis
ICD-9	6071	Balanoposthitis
ICD-9	6072	Other inflammatory disorders of penis
ICD-9	6073	Priapism
ICD-9	60781	Balanitis xerotica obliterans
ICD-9	60782	Vascular disorders of penis
ICD-9	60783	Edema of penis
ICD-9	60784	Impotence of organic origin
ICD-9	60785	Peyronie's disease
ICD-9	60789	Other specified disorders of penis
ICD-9	6079	Unspecified disorder of penis
ICD-9	6080	Seminal vesiculitis
ICD-9	6081	Spermatocele
ICD-9	60821	Extravaginal torsion of spermatic cord
ICD-9	60822	Intravaginal torsion of spermatic cord
ICD-9	60823	Torsion of appendix testis
ICD-9	60824	Torsion of appendix epididymis
ICD-9	6083	Atrophy of testis
ICD-9	6084	Other inflammatory disorders of male genital organs
ICD-9	60881	Disorders of male genital organs in diseases classified elsewhere
ICD-9	60882	Hemospermia
ICD-9	60883	Vascular disorders of male genital organs
ICD-9	60884	Chylocele of tunica vaginalis
ICD-9	60887	Retrograde ejaculation
ICD-9	60889	Other specified disorders of male genital organs
ICD-9	6089	Unspecified disorder of male genital organs
ICD-9	67620	Engorgement of breasts associated with childbirth, unspecified as to episode of care or not applicable
ICD-9	6981	Pruritus of genital organs
ICD-9	0720	Mumps orchitis
ICD-9	75251	Undescended testis
ICD-9	75252	Retractile testis
ICD-9	75261	Hypospadias
ICD-9	75262	Epispadias
ICD-9	75263	Congenital chordee
ICD-9	75264	Micropenis

ICD 9/10	Code	Description
ICD-9	75265	Hidden penis
ICD-9	75269	Other penile anomalies
ICD-9	75281	Scrotal transposition
ICD-9	75289	Other specified anomalies of genital organs
ICD-9	7529	Unspecified anomaly of genital organs
ICD-9	7587	Klinefelter's syndrome
ICD-9	75881	Other conditions due to sex chromosome anomalies
ICD-9	75889	Other conditions due to chromosome anomalies
ICD-9	7922	Nonspecific abnormal findings in semen
ICD-9	7934	Nonspecific (abnormal) findings on radiological and other examination of gastrointestinal tract
ICD-9	8676	Injury to other specified pelvic organs, without mention of open wound into cavity
ICD-9	8678	Injury to unspecified pelvic organ, without mention of open wound into cavity
ICD-9	8780	Open wound of penis, without mention of complication
ICD-9	8781	Open wound of penis, complicated
ICD-9	8782	Open wound of scrotum and testes, without mention of complication
ICD-9	8783	Open wound of scrotum and testes, complicated
ICD-9	9224	Contusion of genital organs
ICD-9	9260	Crushing injury of external genitalia
ICD-9	9393	Foreign body in penis
ICD-10	A1814	Tuberculosis of prostate
ICD-10	A1815	Tuberculosis of other male genital organs
ICD-10	A5422	Gonococcal prostatitis
ICD-10	A5423	Gonococcal infection of other male genital organs
ICD-10	A5902	Trichomonal prostatitis
ICD-10	A5903	Trichomonal cystitis and urethritis
ICD-10	A5909	Other urogenital trichomoniasis
ICD-10	A6000	Herpesviral infection of urogenital system, unspecified
ICD-10	A6001	Herpesviral infection of penis
ICD-10	A6002	Herpesviral infection of other male genital organs
ICD-10	B260	Mumps orchitis
ICD-10	B3741	Candidal cystitis and urethritis
ICD-10	B3742	Candidal balanitis
ICD-10	D176	Benign lipomatous neoplasm of spermatic cord
ICD-10	D290	Benign neoplasm of penis
ICD-10	D291	Benign neoplasm of prostate
ICD-10	D2920	Benign neoplasm of unspecified testis
ICD-10	D2921	Benign neoplasm of right testis
ICD-10	D2922	Benign neoplasm of left testis
ICD-10	D2930	Benign neoplasm of unspecified epididymis

ICD 9/10	Code	Description
ICD-10	D2931	Benign neoplasm of right epididymis
ICD-10	D2932	Benign neoplasm of left epididymis
ICD-10	D294	Benign neoplasm of scrotum
ICD-10	D298	Benign neoplasm of other specified male genital organs
ICD-10	D299	Benign neoplasm of male genital organ, unspecified
ICD-10	I861	Scrotal varices
ICD-10	I862	Pelvic varices
ICD-10	L291	Pruritus scroti
ICD-10	N341	Nonspecific urethritis
ICD-10	N400	Benign prostatic hyperplasia without lower urinary tract symptoms
ICD-10	N401	Benign prostatic hyperplasia with lower urinary tract symptoms
ICD-10	N402	Nodular prostate without lower urinary tract symptoms
ICD-10	N403	Nodular prostate with lower urinary tract symptoms
ICD-10	N410	Acute prostatitis
ICD-10	N411	Chronic prostatitis
ICD-10	N412	Abscess of prostate
ICD-10	N413	Prostatoctitis
ICD-10	N414	Granulomatous prostatitis
ICD-10	N418	Other inflammatory diseases of prostate
ICD-10	N419	Inflammatory disease of prostate, unspecified
ICD-10	N420	Calculus of prostate
ICD-10	N421	Congestion and hemorrhage of prostate
ICD-10	N4230	Unspecified dysplasia of prostate
ICD-10	N4231	Prostatic intraepithelial neoplasia
ICD-10	N4232	Atypical small acinar proliferation of prostate
ICD-10	N4239	Other dysplasia of prostate
ICD-10	N4281	Prostatodynia syndrome
ICD-10	N4282	Prostatosis syndrome
ICD-10	N4283	Cyst of prostate
ICD-10	N4289	Other specified disorders of prostate
ICD-10	N429	Disorder of prostate, unspecified
ICD-10	N430	Encysted hydrocele
ICD-10	N431	Infected hydrocele
ICD-10	N432	Other hydrocele
ICD-10	N433	Hydrocele, unspecified
ICD-10	N4340	Spermatocele of epididymis, unspecified
ICD-10	N4341	Spermatocele of epididymis, single
ICD-10	N4342	Spermatocele of epididymis, multiple
ICD-10	N4400	Torsion of testis, unspecified
ICD-10	N4401	Extravaginal torsion of spermatic cord

ICD 9/10	Code	Description
ICD-10	N4402	Intravaginal torsion of spermatic cord
ICD-10	N4403	Torsion of appendix testis
ICD-10	N4404	Torsion of appendix epididymis
ICD-10	N441	Cyst of tunica albuginea testis
ICD-10	N442	Benign cyst of testis
ICD-10	N448	Other noninflammatory disorders of the testis
ICD-10	N451	Epididymitis
ICD-10	N452	Orchitis
ICD-10	N453	Epididymo-orchitis
ICD-10	N454	Abscess of epididymis or testis
ICD-10	N4601	Organic azoospermia
ICD-10	N46021	Azoospermia due to drug therapy
ICD-10	N46022	Azoospermia due to infection
ICD-10	N46023	Azoospermia due to obstruction of efferent ducts
ICD-10	N46024	Azoospermia due to radiation
ICD-10	N46025	Azoospermia due to systemic disease
ICD-10	N46029	Azoospermia due to other extratesticular causes
ICD-10	N4611	Organic oligospermia
ICD-10	N46121	Oligospermia due to drug therapy
ICD-10	N46122	Oligospermia due to infection
ICD-10	N46123	Oligospermia due to obstruction of efferent ducts
ICD-10	N46124	Oligospermia due to radiation
ICD-10	N46125	Oligospermia due to systemic disease
ICD-10	N46129	Oligospermia due to other extratesticular causes
ICD-10	N468	Other male infertility
ICD-10	N470	Adherent prepuce, newborn
ICD-10	N471	Phimosis
ICD-10	N472	Paraphimosis
ICD-10	N473	Deficient foreskin
ICD-10	N474	Benign cyst of prepuce
ICD-10	N475	Adhesions of prepuce and glans penis
ICD-10	N476	Balanoposthitis
ICD-10	N477	Other inflammatory diseases of prepuce
ICD-10	N478	Other disorders of prepuce
ICD-10	N480	Leukoplakia of penis
ICD-10	N481	Balanitis
ICD-10	N4821	Abscess of corpus cavernosum and penis
ICD-10	N4822	Cellulitis of corpus cavernosum and penis
ICD-10	N4829	Other inflammatory disorders of penis
ICD-10	N4830	Priapism, unspecified

ICD 9/10	Code	Description
ICD-10	N4831	Priapism due to trauma
ICD-10	N4832	Priapism due to disease classified elsewhere
ICD-10	N4833	Priapism, drug-induced
ICD-10	N4839	Other priapism
ICD-10	N485	Ulcer of penis
ICD-10	N486	Induration penis plastica
ICD-10	N4881	Thrombosis of superficial vein of penis
ICD-10	N4882	Acquired torsion of penis
ICD-10	N4883	Acquired buried penis
ICD-10	N4889	Other specified disorders of penis
ICD-10	N489	Disorder of penis, unspecified
ICD-10	N490	Inflammatory disorders of seminal vesicle
ICD-10	N491	Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens
ICD-10	N492	Inflammatory disorders of scrotum
ICD-10	N493	Fournier gangrene
ICD-10	N498	Inflammatory disorders of other specified male genital organs
ICD-10	N499	Inflammatory disorder of unspecified male genital organ
ICD-10	N500	Atrophy of testis
ICD-10	N501	Vascular disorders of male genital organs
ICD-10	N503	Cyst of epididymis
ICD-10	N50811	Right testicular pain
ICD-10	N50812	Left testicular pain
ICD-10	N50819	Testicular pain, unspecified
ICD-10	N5082	Scrotal pain
ICD-10	N5089	Other specified disorders of the male genital organs
ICD-10	N509	Disorder of male genital organs, unspecified
ICD-10	N51	Disorders of male genital organs in diseases classified elsewhere
ICD-10	N5201	Erectile dysfunction due to arterial insufficiency
ICD-10	N5202	Corporo-venous occlusive erectile dysfunction
ICD-10	N5203	Combined arterial insufficiency and corporo-venous occlusive erectile dysfunction
ICD-10	N521	Erectile dysfunction due to diseases classified elsewhere
ICD-10	N522	Drug-induced erectile dysfunction
ICD-10	N5231	Erectile dysfunction following radical prostatectomy
ICD-10	N5232	Erectile dysfunction following radical cystectomy
ICD-10	N5233	Erectile dysfunction following urethral surgery
ICD-10	N5234	Erectile dysfunction following simple prostatectomy
ICD-10	N5235	Erectile dysfunction following radiation therapy
ICD-10	N5236	Erectile dysfunction following interstitial seed therapy
ICD-10	N5237	Erectile dysfunction following prostate ablative therapy
ICD-10	N5239	Other and unspecified postprocedural erectile dysfunction

ICD 9/10	Code	Description
ICD-10	N528	Other male erectile dysfunction
ICD-10	N529	Male erectile dysfunction, unspecified
ICD-10	N5311	Retarded ejaculation
ICD-10	N5312	Painful ejaculation
ICD-10	N5313	Anejaculatory orgasm
ICD-10	N5314	Retrograde ejaculation
ICD-10	N5319	Other ejaculatory dysfunction
ICD-10	N538	Other male sexual dysfunction
ICD-10	N539	Unspecified male sexual dysfunction
ICD-10	Q5300	Ectopic testis, unspecified
ICD-10	Q5301	Ectopic testis, unilateral
ICD-10	Q5302	Ectopic testes, bilateral
ICD-10	Q5310	Unspecified undescended testicle, unilateral
ICD-10	Q53111	Unilateral intraabdominal testis
ICD-10	Q53112	Unilateral inguinal testis
ICD-10	Q5312	Ectopic perineal testis, unilateral
ICD-10	Q5313	Unilateral high scrotal testis
ICD-10	Q5320	Undescended testicle, unspecified, bilateral
ICD-10	Q53211	Bilateral intraabdominal testes
ICD-10	Q53212	Bilateral inguinal testes
ICD-10	Q5322	Ectopic perineal testis, bilateral
ICD-10	Q5323	Bilateral high scrotal testes
ICD-10	Q539	Undescended testicle, unspecified
ICD-10	Q540	Hypospadias, balanic
ICD-10	Q541	Hypospadias, penile
ICD-10	Q542	Hypospadias, penoscrotal
ICD-10	Q543	Hypospadias, perineal
ICD-10	Q544	Congenital chordee
ICD-10	Q548	Other hypospadias
ICD-10	Q549	Hypospadias, unspecified
ICD-10	Q550	Absence and aplasia of testis
ICD-10	Q551	Hypoplasia of testis and scrotum
ICD-10	Q5520	Unspecified congenital malformations of testis and scrotum
ICD-10	Q5521	Polyorchism
ICD-10	Q5522	Retractile testis
ICD-10	Q5523	Scrotal transposition
ICD-10	Q5529	Other congenital malformations of testis and scrotum
ICD-10	Q553	Atresia of vas deferens
ICD-10	Q554	Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate

ICD 9/10	Code	Description
ICD-10	Q555	Congenital absence and aplasia of penis
ICD-10	Q5561	Curvature of penis (lateral)
ICD-10	Q5562	Hypoplasia of penis
ICD-10	Q5563	Congenital torsion of penis
ICD-10	Q5564	Hidden penis
ICD-10	Q5569	Other congenital malformation of penis
ICD-10	Q557	Congenital vasocutaneous fistula
ICD-10	Q558	Other specified congenital malformations of male genital organs
ICD-10	Q559	Congenital malformation of male genital organ, unspecified
ICD-10	Q640	Epispadias
ICD-10	Q980	Klinefelter syndrome karyotype 47, XXY
ICD-10	Q981	Klinefelter syndrome, male with more than two X chromosomes
ICD-10	Q983	Other male with 46, XX karyotype
ICD-10	Q984	Klinefelter syndrome, unspecified
ICD-10	Q985	Karyotype 47, XYY
ICD-10	Q986	Male with structurally abnormal sex chromosome
ICD-10	Q987	Male with sex chromosome mosaicism
ICD-10	Q988	Other specified sex chromosome abnormalities, male phenotype
ICD-10	Q989	Sex chromosome abnormality, male phenotype, unspecified
ICD-10	Q990	Chimera 46, XX/46, XY
ICD-10	Q998	Other specified chromosome abnormalities
ICD-10	R361	Hemospermia
ICD-10	R860	Abnormal level of enzymes in specimens from male genital organs
ICD-10	R861	Abnormal level of hormones in specimens from male genital organs
ICD-10	R862	Abnormal level of other drugs, medicaments and biological substances in specimens from male genital organs
ICD-10	R863	Abnormal level of substances chiefly nonmedicinal as to source in specimens from male genital organs
ICD-10	R864	Abnormal immunological findings in specimens from male genital organs
ICD-10	R865	Abnormal microbiological findings in specimens from male genital organs
ICD-10	R866	Abnormal cytological findings in specimens from male genital organs
ICD-10	R867	Abnormal histological findings in specimens from male genital organs
ICD-10	R868	Other abnormal findings in specimens from male genital organs
ICD-10	R869	Unspecified abnormal finding in specimens from male genital organs
ICD-10	R93811	Abnormal radiologic findings on diagnostic imaging of right testicle
ICD-10	R93812	Abnormal radiologic findings on diagnostic imaging of left testicle
ICD-10	R93813	Abnormal radiologic findings on diagnostic imaging of testicles, bilateral
ICD-10	R93819	Abnormal radiologic findings on diagnostic imaging of unspecified testicle
ICD-10	S30201A	Contusion of unspecified external genital organ, male, initial encounter
ICD-10	S3021XA	Contusion of penis, initial encounter
ICD-10	S3022XA	Contusion of scrotum and testes, initial encounter

ICD 9/10	Code	Description
ICD-10	S3120XA	Unspecified open wound of penis, initial encounter
ICD-10	S3121XA	Laceration without foreign body of penis, initial encounter
ICD-10	S3122XA	Laceration with foreign body of penis, initial encounter
ICD-10	S3123XA	Puncture wound without foreign body of penis, initial encounter
ICD-10	S3124XA	Puncture wound with foreign body of penis, initial encounter
ICD-10	S3125XA	Open bite of penis, initial encounter
ICD-10	S3130XA	Unspecified open wound of scrotum and testes, initial encounter
ICD-10	S3131XA	Laceration without foreign body of scrotum and testes, initial encounter
ICD-10	S3132XA	Laceration with foreign body of scrotum and testes, initial encounter
ICD-10	S3133XA	Puncture wound without foreign body of scrotum and testes, initial encounter
ICD-10	S3134XA	Puncture wound with foreign body of scrotum and testes, initial encounter
ICD-10	S3135XA	Open bite of scrotum and testes, initial encounter
ICD-10	S31501A	Unspecified open wound of unspecified external genital organs, male, initial encounter
ICD-10	S31501S	Unspecified open wound of unspecified external genital organs, male, sequela
ICD-10	S31511A	Laceration without foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31511S	Laceration without foreign body of unspecified external genital organs, male, sequela
ICD-10	S31521A	Laceration with foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31521S	Laceration with foreign body of unspecified external genital organs, male, sequela
ICD-10	S31531A	Puncture wound without foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31531S	Puncture wound without foreign body of unspecified external genital organs, male, sequela
ICD-10	S31541A	Puncture wound with foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31541S	Puncture wound with foreign body of unspecified external genital organs, male, sequela
ICD-10	S31551A	Open bite of unspecified external genital organs, male, initial encounter
ICD-10	S31551S	Open bite of unspecified external genital organs, male, sequela
ICD-10	S37822A	Contusion of prostate, initial encounter
ICD-10	S37822S	Contusion of prostate, sequela
ICD-10	S37823A	Laceration of prostate, initial encounter
ICD-10	S37823S	Laceration of prostate, sequela
ICD-10	S37828A	Other injury of prostate, initial encounter
ICD-10	S37828S	Other injury of prostate, sequela
ICD-10	S37829A	Unspecified injury of prostate, initial encounter
ICD-10	S37829S	Unspecified injury of prostate, sequela
ICD-10	S3801XA	Crushing injury of penis, initial encounter
ICD-10	S3802XA	Crushing injury of scrotum and testis, initial encounter
ICD-10	S38221A	Complete traumatic amputation of penis, initial encounter
ICD-10	S38222A	Partial traumatic amputation of penis, initial encounter
ICD-10	S38231A	Complete traumatic amputation of scrotum and testis, initial encounter

ICD 9/10	Code	Description
ICD-10	S38232A	Partial traumatic amputation of scrotum and testis, initial encounter
ICD-10	T194XXA	Foreign body in penis, initial encounter

**Table 26 – List of Male Diagnosis Codes with malignancy
for MS-DRGs 715-718 and 749-750**

ICD 9/10	Code	Description
ICD-9	185	Malignant neoplasm of prostate
ICD-9	1860	Malignant neoplasm of undescended testis
ICD-9	1869	Malignant neoplasm of other and unspecified testis
ICD-9	1871	Malignant neoplasm of prepuce
ICD-9	1872	Malignant neoplasm of glans penis
ICD-9	1873	Malignant neoplasm of body of penis
ICD-9	1874	Malignant neoplasm of penis, part unspecified
ICD-9	1875	Malignant neoplasm of epididymis
ICD-9	1876	Malignant neoplasm of spermatic cord
ICD-9	1877	Malignant neoplasm of scrotum
ICD-9	1878	Malignant neoplasm of other specified sites of male genital organs
ICD-9	1879	Malignant neoplasm of male genital organ, site unspecified
ICD-9	2334	Carcinoma in situ of prostate
ICD-9	2335	Carcinoma in situ of penis
ICD-9	2336	Carcinoma in situ of other and unspecified male genital organs
ICD-9	2364	Neoplasm of uncertain behavior of testis
ICD-9	2366	Neoplasm of uncertain behavior of other and unspecified male genital organs
ICD-9	2365	Neoplasm of uncertain behavior of prostate
ICD-10	C600	Malignant neoplasm of prepuce
ICD-10	C601	Malignant neoplasm of glans penis
ICD-10	C602	Malignant neoplasm of body of penis
ICD-10	C608	Malignant neoplasm of overlapping sites of penis
ICD-10	C609	Malignant neoplasm of penis, unspecified
ICD-10	C61	Malignant neoplasm of prostate
ICD-10	C6200	Malignant neoplasm of unspecified undescended testis
ICD-10	C6201	Malignant neoplasm of undescended right testis
ICD-10	C6202	Malignant neoplasm of undescended left testis
ICD-10	C6210	Malignant neoplasm of unspecified descended testis
ICD-10	C6211	Malignant neoplasm of descended right testis
ICD-10	C6212	Malignant neoplasm of descended left testis
ICD-10	C6290	Malignant neoplasm of unspecified testis, unspecified whether descended or undescended
ICD-10	C6291	Malignant neoplasm of right testis, unspecified whether descended or undescended
ICD-10	C6292	Malignant neoplasm of left testis, unspecified whether descended or undescended
ICD-10	C6300	Malignant neoplasm of unspecified epididymis

ICD 9/10	Code	Description
ICD-10	C6301	Malignant neoplasm of right epididymis
ICD-10	C6302	Malignant neoplasm of left epididymis
ICD-10	C6310	Malignant neoplasm of unspecified spermatic cord
ICD-10	C6311	Malignant neoplasm of right spermatic cord
ICD-10	C6312	Malignant neoplasm of left spermatic cord
ICD-10	C632	Malignant neoplasm of scrotum
ICD-10	C637	Malignant neoplasm of other specified male genital organs
ICD-10	C638	Malignant neoplasm of overlapping sites of male genital organs
ICD-10	C639	Malignant neoplasm of male genital organ, unspecified
ICD-10	C763	Malignant neoplasm of pelvis
ICD-10	C7982	Secondary malignant neoplasm of genital organs
ICD-10	D074	Carcinoma in situ of penis
ICD-10	D075	Carcinoma in situ of prostate
ICD-10	D0760	Carcinoma in situ of unspecified male genital organs
ICD-10	D0761	Carcinoma in situ of scrotum
ICD-10	D0769	Carcinoma in situ of other male genital organs
ICD-10	D400	Neoplasm of uncertain behavior of prostate
ICD-10	D4010	Neoplasm of uncertain behavior of unspecified testis
ICD-10	D4011	Neoplasm of uncertain behavior of right testis
ICD-10	D4012	Neoplasm of uncertain behavior of left testis
ICD-10	D408	Neoplasm of uncertain behavior of other specified male genital organs
ICD-10	D409	Neoplasm of uncertain behavior of male genital organ, unspecified

Table 27 – List of Female Diagnosis Codes for MS-DRGs 715-718 and 749-750

ICD 9/10	Code	Description
ICD-9	01670	Tuberculosis of other female genital organs, unspecified
ICD-9	01671	Tuberculosis of other female genital organs, bacteriological or histological examination not done
ICD-9	01672	Tuberculosis of other female genital organs, bacteriological or histological examination unknown (at present)
ICD-9	01673	Tuberculosis of other female genital organs, tubercle bacilli found (in sputum) by microscopy
ICD-9	01674	Tuberculosis of other female genital organs, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
ICD-9	01675	Tuberculosis of other female genital organs, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
ICD-9	01676	Tuberculosis of other female genital organs, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
ICD-9	05411	Herpetic vulvovaginitis
ICD-9	05412	Herpetic ulceration of vulva
ICD-9	05419	Other genital herpes
ICD-9	09813	Gonococcal epididymo-orchitis (acute)

ICD 9/10	Code	Description
ICD-9	09816	Gonococcal endometritis (acute)
ICD-9	09817	Gonococcal salpingitis, specified as acute
ICD-9	09819	Other gonococcal infection (acute) of upper genitourinary tract
ICD-9	09835	Gonococcal cervicitis, chronic
ICD-9	09836	Gonococcal endometritis, chronic
ICD-9	09837	Gonococcal salpingitis (chronic)
ICD-9	09839	Other chronic gonococcal infection of upper genitourinary tract
ICD-9	09953	Other venereal diseases due to chlamydia trachomatis, lower genitourinary sites
ICD-9	1121	Candidiasis of vulva and vagina
ICD-9	13100	Urogenital trichomoniasis, unspecified
ICD-9	13101	Trichomonal vulvovaginitis
ICD-9	1716	Malignant neoplasm of connective and other soft tissue of pelvis
ICD-9	1800	Malignant neoplasm of endocervix
ICD-9	1801	Malignant neoplasm of exocervix
ICD-9	1809	Malignant neoplasm of cervix uteri, unspecified site
ICD-9	181	Malignant neoplasm of placenta
ICD-9	1820	Malignant neoplasm of corpus uteri, except isthmus
ICD-9	1821	Malignant neoplasm of isthmus
ICD-9	1828	Malignant neoplasm of other specified sites of body of uterus
ICD-9	1830	Malignant neoplasm of ovary
ICD-9	1832	Malignant neoplasm of fallopian tube
ICD-9	1833	Malignant neoplasm of broad ligament of uterus
ICD-9	1834	Malignant neoplasm of parametrium
ICD-9	1835	Malignant neoplasm of round ligament of uterus
ICD-9	1838	Malignant neoplasm of other specified sites of uterine adnexa
ICD-9	1839	Malignant neoplasm of uterine adnexa, unspecified site
ICD-9	1840	Malignant neoplasm of vagina
ICD-9	1841	Malignant neoplasm of labia majora
ICD-9	1842	Malignant neoplasm of labia minora
ICD-9	1843	Malignant neoplasm of clitoris
ICD-9	1844	Malignant neoplasm of vulva, unspecified site
ICD-9	1848	Malignant neoplasm of other specified sites of female genital organs
ICD-9	1849	Malignant neoplasm of female genital organ, site unspecified
ICD-9	1986	Secondary malignant neoplasm of ovary
ICD-9	19882	Secondary malignant neoplasm of genital organs
ICD-9	2181	Intramural leiomyoma of uterus
ICD-9	2182	Subserous leiomyoma of uterus
ICD-9	2189	Leiomyoma of uterus, unspecified
ICD-9	2190	Benign neoplasm of cervix uteri
ICD-9	2191	Benign neoplasm of corpus uteri

ICD 9/10	Code	Description
ICD-9	2198	Benign neoplasm of other specified parts of uterus
ICD-9	2199	Benign neoplasm of uterus, part unspecified
ICD-9	220	Benign neoplasm of ovary
ICD-9	2210	Benign neoplasm of fallopian tube and uterine ligaments
ICD-9	2211	Benign neoplasm of vagina
ICD-9	2212	Benign neoplasm of vulva
ICD-9	2218	Benign neoplasm of other specified sites of female genital organs
ICD-9	2219	Benign neoplasm of female genital organ, site unspecified
ICD-9	2331	Carcinoma in situ of cervix uteri
ICD-9	2332	Carcinoma in situ of other and unspecified parts of uterus
ICD-9	23330	Carcinoma in situ, unspecified female genital organ
ICD-9	23331	Carcinoma in situ, vagina
ICD-9	23332	Carcinoma in situ, vulva
ICD-9	23339	Carcinoma in situ, other female genital organ
ICD-9	2360	Neoplasm of uncertain behavior of uterus
ICD-9	2361	Neoplasm of uncertain behavior of placenta
ICD-9	2362	Neoplasm of uncertain behavior of ovary
ICD-9	2363	Neoplasm of uncertain behavior of other and unspecified female genital organs
ICD-9	2560	Hyperestrogenism
ICD-9	2561	Other ovarian hyperfunction
ICD-9	2562	Postablative ovarian failure
ICD-9	25631	Premature menopause
ICD-9	25639	Other ovarian failure
ICD-9	2564	Polycystic ovaries
ICD-9	2568	Other ovarian dysfunction
ICD-9	2569	Unspecified ovarian dysfunction
ICD-9	30011	Conversion disorder
ICD-9	30651	Psychogenic vaginismus
ICD-9	4566	Vulval varices
ICD-9	6140	Acute salpingitis and oophoritis
ICD-9	6141	Chronic salpingitis and oophoritis
ICD-9	6142	Salpingitis and oophoritis not specified as acute, subacute, or chronic
ICD-9	6144	Chronic or unspecified parametritis and pelvic cellulitis
ICD-9	6145	Acute or unspecified pelvic peritonitis, female
ICD-9	6146	Pelvic peritoneal adhesions, female (postoperative) (postinfection)
ICD-9	6147	Other chronic pelvic peritonitis, female
ICD-9	6148	Other specified inflammatory disease of female pelvic organs and tissues
ICD-9	6150	Acute inflammatory diseases of uterus, except cervix
ICD-9	6151	Chronic inflammatory diseases of uterus, except cervix
ICD-9	6159	Unspecified inflammatory disease of uterus

ICD 9/10	Code	Description
ICD-9	6144	Chronic or unspecified parametritis and pelvic cellulitis
ICD-9	6160	Cervicitis and endocervicitis
ICD-9	61610	Vaginitis and vulvovaginitis, unspecified
ICD-9	61611	Vaginitis and vulvovaginitis in diseases classified elsewhere
ICD-9	6162	Cyst of Bartholin's gland
ICD-9	6163	Abscess of Bartholin's gland
ICD-9	6164	Other abscess of vulva
ICD-9	61650	Ulceration of vulva, unspecified
ICD-9	61651	Ulceration of vulva in diseases classified elsewhere
ICD-9	61681	Mucositis (ulcerative) of cervix, vagina, and vulva
ICD-9	61689	Other inflammatory disease of cervix, vagina and vulva
ICD-9	6169	Unspecified inflammatory disease of cervix, vagina, and vulva
ICD-9	6170	Endometriosis of uterus
ICD-9	6171	Endometriosis of ovary
ICD-9	6172	Endometriosis of fallopian tube
ICD-9	6173	Endometriosis of pelvic peritoneum
ICD-9	6174	Endometriosis of rectovaginal septum and vagina
ICD-9	6175	Endometriosis of intestine
ICD-9	6176	Endometriosis in scar of skin
ICD-9	6178	Endometriosis of other specified sites
ICD-9	6179	Endometriosis, site unspecified
ICD-9	61800	Unspecified prolapse of vaginal walls
ICD-9	61801	Cystocele, midline
ICD-9	61802	Cystocele, lateral
ICD-9	61803	Urethrocele
ICD-9	61804	Rectocele
ICD-9	61805	Perineocele
ICD-9	6182	Uterovaginal prolapse, incomplete
ICD-9	6183	Uterovaginal prolapse, complete
ICD-9	6184	Uterovaginal prolapse, unspecified
ICD-9	6185	Prolapse of vaginal vault after hysterectomy
ICD-9	6186	Vaginal enterocele, congenital or acquired
ICD-9	61881	Incompetence or weakening of pubocervical tissue
ICD-9	61882	Incompetence or weakening of rectovaginal tissue
ICD-9	61883	Pelvic muscle wasting
ICD-9	61884	Cervical stump prolapse
ICD-9	61889	Other specified genital prolapse
ICD-9	6189	Unspecified genital prolapse
ICD-9	6190	Urinary-genital tract fistula, female
ICD-9	6192	Genital tract-skin fistula, female

ICD 9/10	Code	Description
ICD-9	6198	Other specified fistulas involving female genital tract
ICD-9	6199	Unspecified fistula involving female genital tract
ICD-9	6200	Follicular cyst of ovary
ICD-9	6201	Corpus luteum cyst or hematoma
ICD-9	6202	Other and unspecified ovarian cyst
ICD-9	6203	Acquired atrophy of ovary and fallopian tube
ICD-9	6204	Prolapse or hernia of ovary and fallopian tube
ICD-9	6205	Torsion of ovary, ovarian pedicle, or fallopian tube
ICD-9	6207	Hematoma of broad ligament
ICD-9	6208	Other noninflammatory disorders of ovary, fallopian tube, and broad ligament
ICD-9	6209	Unspecified noninflammatory disorder of ovary, fallopian tube, and broad ligament
ICD-9	6210	Polyp of corpus uteri
ICD-9	6211	Chronic subinvolution of uterus
ICD-9	6212	Hypertrophy of uterus
ICD-9	62130	Endometrial hyperplasia, unspecified
ICD-9	62134	Benign endometrial hyperplasia
ICD-9	62135	Endometrial intraepithelial neoplasia [EIN]
ICD-9	6214	Hematometra
ICD-9	6215	Intrauterine synechiae
ICD-9	6216	Malposition of uterus
ICD-9	6217	Chronic inversion of uterus
ICD-9	6218	Other specified disorders of uterus, not elsewhere classified
ICD-9	6219	Unspecified disorder of uterus
ICD-9	6220	Erosion and ectropion of cervix
ICD-9	62210	Dysplasia of cervix, unspecified
ICD-9	62211	Mild dysplasia of cervix
ICD-9	62212	Moderate dysplasia of cervix
ICD-9	6222	Leukoplakia of cervix (uteri)
ICD-9	6223	Old laceration of cervix
ICD-9	6224	Stricture and stenosis of cervix
ICD-9	6225	Incompetence of cervix
ICD-9	6226	Hypertrophic elongation of cervix
ICD-9	6227	Mucous polyp of cervix
ICD-9	6228	Other specified noninflammatory disorders of cervix
ICD-9	6229	Unspecified noninflammatory disorder of cervix
ICD-9	6230	Dysplasia of vagina
ICD-9	6231	Leukoplakia of vagina
ICD-9	6232	Stricture or atresia of vagina
ICD-9	6233	Tight hymenal ring
ICD-9	6236	Vaginal hematoma

ICD 9/10	Code	Description
ICD-9	6237	Polyp of vagina
ICD-9	6238	Other specified noninflammatory disorders of vagina
ICD-9	6239	Unspecified noninflammatory disorder of vagina
ICD-9	62401	Vulvar intraepithelial neoplasia I [VIN I]
ICD-9	62402	Vulvar intraepithelial neoplasia II [VIN II]
ICD-9	62409	Other dystrophy of vulva
ICD-9	6241	Atrophy of vulva
ICD-9	6242	Hypertrophy of clitoris
ICD-9	6243	Hypertrophy of labia
ICD-9	6246	Polyp of labia and vulva
ICD-9	6248	Other specified noninflammatory disorders of vulva and perineum
ICD-9	6249	Unspecified noninflammatory disorder of vulva and perineum
ICD-9	6250	Dyspareunia
ICD-9	6251	Vaginismus
ICD-9	6252	Mittelschmerz
ICD-9	6253	Dysmenorrhea
ICD-9	6254	Premenstrual tension syndromes
ICD-9	62570	Vulvodynia, unspecified
ICD-9	62571	Vulvar vestibulitis
ICD-9	62579	Other vulvodynia
ICD-9	6260	Absence of menstruation
ICD-9	6261	Scanty or infrequent menstruation
ICD-9	6262	Excessive or frequent menstruation
ICD-9	6263	Puberty bleeding
ICD-9	6264	Irregular menstrual cycle
ICD-9	6267	Postcoital bleeding
ICD-9	6268	Other disorders of menstruation and other abnormal bleeding from female genital tract
ICD-9	6269	Unspecified disorders of menstruation and other abnormal bleeding from female genital tract
ICD-9	6270	Premenopausal menorrhagia
ICD-9	6271	Postmenopausal bleeding
ICD-9	6272	Symptomatic menopausal or female climacteric states
ICD-9	6273	Postmenopausal atrophic vaginitis
ICD-9	6278	Other specified menopausal and postmenopausal disorders
ICD-9	6279	Unspecified menopausal and postmenopausal disorder
ICD-9	62920	Female genital mutilation status, unspecified
ICD-9	62921	Female genital mutilation Type I status
ICD-9	62922	Female genital mutilation Type II status
ICD-9	62923	Female genital mutilation Type III status
ICD-9	62929	Other female genital mutilation status

ICD 9/10	Code	Description
ICD-9	62931	Erosion of implanted vaginal mesh and other prosthetic materials to surrounding organ or tissue
ICD-9	62932	Exposure of implanted vaginal mesh and other prosthetic materials into vagina
ICD-9	62989	Other specified disorders of female genital organs
ICD-9	6268	Other disorders of menstruation and other abnormal bleeding from female genital tract
ICD-9	6299	Unspecified disorder of female genital organs
ICD-9	67110	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, unspecified as to episode of care or not applicable
ICD-9	67111	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, delivered, with or without mention of antepartum condition
ICD-9	67112	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, delivered, with mention of postpartum complication
ICD-9	67113	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, antepartum condition or complication
ICD-9	67114	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, postpartum condition or complication
ICD-9	6981	Pruritus of genital organs
ICD-9	7520	Anomalies of ovaries
ICD-9	75211	<u>Embryonic cyst of fallopian tubes and broad ligaments</u>
ICD-9	75219	<u>Other anomalies of fallopian tubes and broad ligaments</u>
ICD-9	7522	Doubling of uterus
ICD-9	75231	Agenesis of uterus
ICD-9	75232	Hypoplasia of uterus
ICD-9	75233	Unicornuate uterus
ICD-9	75234	Bicornuate uterus
ICD-9	75236	Arcuate uterus
ICD-9	75239	Other anomalies of uterus
ICD-9	75240	Unspecified anomaly of cervix, vagina, and external female genitalia
ICD-9	75241	Embryonic cyst of cervix, vagina, and external female genitalia
ICD-9	75242	Imperforate hymen
ICD-9	75244	Cervical duplication
ICD-9	75245	Vaginal agenesis
ICD-9	75246	Transverse vaginal septum
ICD-9	75247	Longitudinal vaginal septum
ICD-9	75249	Other anomalies of cervix, vagina, and external female genitalia
ICD-9	79501	Papanicolaou smear of cervix with atypical squamous cells of undetermined significance (ASC-US)
ICD-9	79502	Papanicolaou smear of cervix with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
ICD-9	79503	Papanicolaou smear of cervix with low grade squamous intraepithelial lesion (LGSIL)
ICD-9	79504	Papanicolaou smear of cervix with high grade squamous intraepithelial lesion (HGSIL)
ICD-9	79505	Cervical high risk human papillomavirus (HPV) DNA test positive
ICD-9	79506	Papanicolaou smear of cervix with cytologic evidence of malignancy

ICD 9/10	Code	Description
ICD-9	79507	Satisfactory cervical smear but lacking transformation zone
ICD-9	79508	Unsatisfactory cervical cytology smear
ICD-9	79509	Other abnormal Papanicolaou smear of cervix and cervical HPV
ICD-9	79511	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)
ICD-9	79512	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
ICD-9	79513	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)
ICD-9	79514	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)
ICD-9	79515	Vaginal high risk human papillomavirus (HPV) DNA test positive
ICD-9	79516	Papanicolaou smear of vagina with cytologic evidence of malignancy
ICD-9	79518	Unsatisfactory vaginal cytology smear
ICD-9	79519	Other abnormal Papanicolaou smear of vagina and vaginal HPV
ICD-9	8674	Injury to uterus, without mention of open wound into cavity
ICD-9	8676	Injury to other specified pelvic organs, without mention of open wound into cavity
ICD-9	8677	Injury to other specified pelvic organs, with open wound into cavity
ICD-9	8678	Injury to unspecified pelvic organ, without mention of open wound into cavity
ICD-9	86801	Injury to other intra-abdominal organs without mention of open wound into cavity, adrenal gland
ICD-9	8676	Injury to other specified pelvic organs, without mention of open wound into cavity
ICD-9	8784	Open wound of vulva, without mention of complication
ICD-9	8785	Open wound of vulva, complicated
ICD-9	8786	Open wound of vagina, without mention of complication
ICD-9	8787	Open wound of vagina, complicated
ICD-9	8788	Open wound of other and unspecified parts of genital organs (external), without mention of complication
ICD-9	8789	Open wound of other and unspecified parts of genital organs (external), complicated
ICD-9	9224	Contusion of genital organs
ICD-9	9260	Crushing injury of external genitalia
ICD-9	9391	Foreign body in uterus, any part
ICD-9	9392	Foreign body in vulva and vagina
ICD-9	99632	Mechanical complication due to intrauterine contraceptive device
ICD-9	V4577	Acquired absence of organ, genital organs
ICD-9	V5042	Prophylactic ovary removal
ICD-9	V557	Attention to artificial vagina
ICD-9	V615	Multiparity
ICD-9	V8801	Acquired absence of both cervix and uterus
ICD-9	V8802	Acquired absence of uterus with remaining cervical stump
ICD-9	V8803	Acquired absence of cervix with remaining uterus
ICD-10	A1816	Tuberculosis of cervix
ICD-10	A1818	Tuberculosis of other female genital organs

ICD 9/10	Code	Description
ICD-10	A5402	Gonococcal vulvovaginitis, unspecified
ICD-10	A5403	Gonococcal cervicitis, unspecified
ICD-10	A5424	Gonococcal female pelvic inflammatory disease
ICD-10	A5602	Chlamydial vulvovaginitis
ICD-10	A5901	Trichomonal vulvovaginitis
ICD-10	A5909	Other urogenital trichomoniasis
ICD-10	A6003	Herpesviral cervicitis
ICD-10	A6004	Herpesviral vulvovaginitis
ICD-10	B373	Candidiasis of vulva and vagina
ICD-10	C510	Malignant neoplasm of labium majus
ICD-10	C511	Malignant neoplasm of labium minus
ICD-10	C512	Malignant neoplasm of clitoris
ICD-10	C518	Malignant neoplasm of overlapping sites of vulva
ICD-10	C519	Malignant neoplasm of vulva, unspecified
ICD-10	C52	Malignant neoplasm of vagina
ICD-10	C530	Malignant neoplasm of endocervix
ICD-10	C531	Malignant neoplasm of exocervix
ICD-10	C538	Malignant neoplasm of overlapping sites of cervix uteri
ICD-10	C539	Malignant neoplasm of cervix uteri, unspecified
ICD-10	C540	Malignant neoplasm of isthmus uteri
ICD-10	C541	Malignant neoplasm of endometrium
ICD-10	C542	Malignant neoplasm of myometrium
ICD-10	C543	Malignant neoplasm of fundus uteri
ICD-10	C548	Malignant neoplasm of overlapping sites of corpus uteri
ICD-10	C549	Malignant neoplasm of corpus uteri, unspecified
ICD-10	C55	Malignant neoplasm of uterus, part unspecified
ICD-10	C561	Malignant neoplasm of right ovary
ICD-10	C562	Malignant neoplasm of left ovary
ICD-10	C569	Malignant neoplasm of unspecified ovary
ICD-10	C5700	Malignant neoplasm of unspecified fallopian tube
ICD-10	C5701	Malignant neoplasm of right fallopian tube
ICD-10	C5702	Malignant neoplasm of left fallopian tube
ICD-10	C5710	Malignant neoplasm of unspecified broad ligament
ICD-10	C5711	Malignant neoplasm of right broad ligament
ICD-10	C5712	Malignant neoplasm of left broad ligament
ICD-10	C5720	Malignant neoplasm of unspecified round ligament
ICD-10	C5721	Malignant neoplasm of right round ligament
ICD-10	C5722	Malignant neoplasm of left round ligament
ICD-10	C573	Malignant neoplasm of parametrium
ICD-10	C574	Malignant neoplasm of uterine adnexa, unspecified

ICD 9/10	Code	Description
ICD-10	C577	Malignant neoplasm of other specified female genital organs
ICD-10	C578	Malignant neoplasm of overlapping sites of female genital organs
ICD-10	C579	Malignant neoplasm of female genital organ, unspecified
ICD-10	C58	Malignant neoplasm of placenta
ICD-10	C763	Malignant neoplasm of pelvis
ICD-10	C7960	Secondary malignant neoplasm of unspecified ovary
ICD-10	C7961	Secondary malignant neoplasm of right ovary
ICD-10	C7962	Secondary malignant neoplasm of left ovary
ICD-10	C7982	Secondary malignant neoplasm of genital organs
ICD-10	D060	Carcinoma in situ of endocervix
ICD-10	D061	Carcinoma in situ of exocervix
ICD-10	D067	Carcinoma in situ of other parts of cervix
ICD-10	D069	Carcinoma in situ of cervix, unspecified
ICD-10	D070	Carcinoma in situ of endometrium
ICD-10	D071	Carcinoma in situ of vulva
ICD-10	D072	Carcinoma in situ of vagina
ICD-10	D0730	Carcinoma in situ of unspecified female genital organs
ICD-10	D0739	Carcinoma in situ of other female genital organs
ICD-10	D250	Submucous leiomyoma of uterus
ICD-10	D251	Intramural leiomyoma of uterus
ICD-10	D252	Subserosal leiomyoma of uterus
ICD-10	D259	Leiomyoma of uterus, unspecified
ICD-10	D260	Other benign neoplasm of cervix uteri
ICD-10	D261	Other benign neoplasm of corpus uteri
ICD-10	D267	Other benign neoplasm of other parts of uterus
ICD-10	D269	Other benign neoplasm of uterus, unspecified
ICD-10	D270	Benign neoplasm of right ovary
ICD-10	D271	Benign neoplasm of left ovary
ICD-10	D279	Benign neoplasm of unspecified ovary
ICD-10	D280	Benign neoplasm of vulva
ICD-10	D281	Benign neoplasm of vagina
ICD-10	D282	Benign neoplasm of uterine tubes and ligaments
ICD-10	D287	Benign neoplasm of other specified female genital organs
ICD-10	D289	Benign neoplasm of female genital organ, unspecified
ICD-10	D390	Neoplasm of uncertain behavior of uterus
ICD-10	D3910	Neoplasm of uncertain behavior of unspecified ovary
ICD-10	D3911	Neoplasm of uncertain behavior of right ovary
ICD-10	D3912	Neoplasm of uncertain behavior of left ovary
ICD-10	D392	Neoplasm of uncertain behavior of placenta
ICD-10	D398	Neoplasm of uncertain behavior of other specified female genital organs

ICD 9/10	Code	Description
ICD-10	D399	Neoplasm of uncertain behavior of female genital organ, unspecified
ICD-10	E280	Estrogen excess
ICD-10	E281	Androgen excess
ICD-10	E282	Polycystic ovarian syndrome
ICD-10	E28310	Symptomatic premature menopause
ICD-10	E28319	Asymptomatic premature menopause
ICD-10	E2839	Other primary ovarian failure
ICD-10	E288	Other ovarian dysfunction
ICD-10	E289	Ovarian dysfunction, unspecified
ICD-10	E8940	Asymptomatic postprocedural ovarian failure
ICD-10	E8941	Symptomatic postprocedural ovarian failure
ICD-10	F525	Vaginismus not due to a substance or known physiological condition
ICD-10	I863	Vulval varices
ICD-10	L292	Pruritus vulvae
ICD-10	N7001	Acute salpingitis
ICD-10	N7002	Acute oophoritis
ICD-10	N7003	Acute salpingitis and oophoritis
ICD-10	N7011	Chronic salpingitis
ICD-10	N7012	Chronic oophoritis
ICD-10	N7013	Chronic salpingitis and oophoritis
ICD-10	N7091	Salpingitis, unspecified
ICD-10	N7092	Oophoritis, unspecified
ICD-10	N7093	Salpingitis and oophoritis, unspecified
ICD-10	N710	Acute inflammatory disease of uterus
ICD-10	N711	Chronic inflammatory disease of uterus
ICD-10	N719	Inflammatory disease of uterus, unspecified
ICD-10	N72	Inflammatory disease of cervix uteri
ICD-10	N730	Acute parametritis and pelvic cellulitis
ICD-10	N731	Chronic parametritis and pelvic cellulitis
ICD-10	N732	Unspecified parametritis and pelvic cellulitis
ICD-10	N733	Female acute pelvic peritonitis
ICD-10	N734	Female chronic pelvic peritonitis
ICD-10	N735	Female pelvic peritonitis, unspecified
ICD-10	N736	Female pelvic peritoneal adhesions (postinfective)
ICD-10	N738	Other specified female pelvic inflammatory diseases
ICD-10	N739	Female pelvic inflammatory disease, unspecified
ICD-10	N74	Female pelvic inflammatory disorders in diseases classified elsewhere
ICD-10	N750	Cyst of Bartholin's gland
ICD-10	N751	Abscess of Bartholin's gland
ICD-10	N758	Other diseases of Bartholin's gland

ICD 9/10	Code	Description
ICD-10	N759	Disease of Bartholin's gland, unspecified
ICD-10	N760	Acute vaginitis
ICD-10	N761	Subacute and chronic vaginitis
ICD-10	N762	Acute vulvitis
ICD-10	N763	Subacute and chronic vulvitis
ICD-10	N764	Abscess of vulva
ICD-10	N765	Ulceration of vagina
ICD-10	N766	Ulceration of vulva
ICD-10	N7681	Mucositis (ulcerative) of vagina and vulva
ICD-10	N7689	Other specified inflammation of vagina and vulva
ICD-10	N770	Ulceration of vulva in diseases classified elsewhere
ICD-10	N771	Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere
ICD-10	N800	Endometriosis of uterus
ICD-10	N801	Endometriosis of ovary
ICD-10	N802	Endometriosis of fallopian tube
ICD-10	N803	Endometriosis of pelvic peritoneum
ICD-10	N804	Endometriosis of rectovaginal septum and vagina
ICD-10	N808	Other endometriosis
ICD-10	N809	Endometriosis, unspecified
ICD-10	N810	Urethrocele
ICD-10	N8110	Cystocele, unspecified
ICD-10	N8111	Cystocele, midline
ICD-10	N8112	Cystocele, lateral
ICD-10	N812	Incomplete uterovaginal prolapse
ICD-10	N813	Complete uterovaginal prolapse
ICD-10	N814	Uterovaginal prolapse, unspecified
ICD-10	N815	Vaginal enterocele
ICD-10	N816	Rectocele
ICD-10	N8181	Perineocele
ICD-10	N8182	Incompetence or weakening of pubocervical tissue
ICD-10	N8183	Incompetence or weakening of rectovaginal tissue
ICD-10	N8184	Pelvic muscle wasting
ICD-10	N8185	Cervical stump prolapse
ICD-10	N8189	Other female genital prolapse
ICD-10	N819	Female genital prolapse, unspecified
ICD-10	N820	Vesicovaginal fistula
ICD-10	N821	Other female urinary-genital tract fistulae
ICD-10	N825	Female genital tract-skin fistulae
ICD-10	N828	Other female genital tract fistulae
ICD-10	N829	Female genital tract fistula, unspecified

ICD 9/10	Code	Description
ICD-10	N8300	Follicular cyst of ovary, unspecified side
ICD-10	N8301	Follicular cyst of right ovary
ICD-10	N8302	Follicular cyst of left ovary
ICD-10	N8310	Corpus luteum cyst of ovary, unspecified side
ICD-10	N8311	Corpus luteum cyst of right ovary
ICD-10	N8312	Corpus luteum cyst of left ovary
ICD-10	N83201	Unspecified ovarian cyst, right side
ICD-10	N83202	Unspecified ovarian cyst, left side
ICD-10	N83209	Unspecified ovarian cyst, unspecified side
ICD-10	N83291	Other ovarian cyst, right side
ICD-10	N83292	Other ovarian cyst, left side
ICD-10	N83299	Other ovarian cyst, unspecified side
ICD-10	N83311	Acquired atrophy of right ovary
ICD-10	N83312	Acquired atrophy of left ovary
ICD-10	N83319	Acquired atrophy of ovary, unspecified side
ICD-10	N83321	Acquired atrophy of right fallopian tube
ICD-10	N83322	Acquired atrophy of left fallopian tube
ICD-10	N83329	Acquired atrophy of fallopian tube, unspecified side
ICD-10	N83331	Acquired atrophy of right ovary and fallopian tube
ICD-10	N83332	Acquired atrophy of left ovary and fallopian tube
ICD-10	N83339	Acquired atrophy of ovary and fallopian tube, unspecified side
ICD-10	N8340	Prolapse and hernia of ovary and fallopian tube, unspecified side
ICD-10	N8341	Prolapse and hernia of right ovary and fallopian tube
ICD-10	N8342	Prolapse and hernia of left ovary and fallopian tube
ICD-10	N83511	Torsion of right ovary and ovarian pedicle
ICD-10	N83512	Torsion of left ovary and ovarian pedicle
ICD-10	N83519	Torsion of ovary and ovarian pedicle, unspecified side
ICD-10	N83521	Torsion of right fallopian tube
ICD-10	N83522	Torsion of left fallopian tube
ICD-10	N83529	Torsion of fallopian tube, unspecified side
ICD-10	N8353	Torsion of ovary, ovarian pedicle and fallopian tube
ICD-10	N836	Hematosalpinx
ICD-10	N837	Hematoma of broad ligament
ICD-10	N838	Other noninflammatory disorders of ovary, fallopian tube and broad ligament
ICD-10	N839	Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified
ICD-10	N840	Polyp of corpus uteri
ICD-10	N841	Polyp of cervix uteri
ICD-10	N842	Polyp of vagina
ICD-10	N843	Polyp of vulva
ICD-10	N848	Polyp of other parts of female genital tract

ICD 9/10	Code	Description
ICD-10	N849	Polyp of female genital tract, unspecified
ICD-10	N8500	Endometrial hyperplasia, unspecified
ICD-10	N8501	Benign endometrial hyperplasia
ICD-10	N8502	Endometrial intraepithelial neoplasia [EIN]
ICD-10	N852	Hypertrophy of uterus
ICD-10	N853	Subinvolution of uterus
ICD-10	N854	Malposition of uterus
ICD-10	N855	Inversion of uterus
ICD-10	N856	Intrauterine synechiae
ICD-10	N857	Hematometra
ICD-10	N858	Other specified noninflammatory disorders of uterus
ICD-10	N859	Noninflammatory disorder of uterus, unspecified
ICD-10	N86	Erosion and ectropion of cervix uteri
ICD-10	N870	Mild cervical dysplasia
ICD-10	N871	Moderate cervical dysplasia
ICD-10	N879	Dysplasia of cervix uteri, unspecified
ICD-10	N880	Leukoplakia of cervix uteri
ICD-10	N881	Old laceration of cervix uteri
ICD-10	N882	Stricture and stenosis of cervix uteri
ICD-10	N883	Incompetence of cervix uteri
ICD-10	N884	Hypertrophic elongation of cervix uteri
ICD-10	N888	Other specified noninflammatory disorders of cervix uteri
ICD-10	N889	Noninflammatory disorder of cervix uteri, unspecified
ICD-10	N890	Mild vaginal dysplasia
ICD-10	N891	Moderate vaginal dysplasia
ICD-10	N893	Dysplasia of vagina, unspecified
ICD-10	N894	Leukoplakia of vagina
ICD-10	N895	Stricture and atresia of vagina
ICD-10	N896	Tight hymenal ring
ICD-10	N897	Hematocolpos
ICD-10	N898	Other specified noninflammatory disorders of vagina
ICD-10	N899	Noninflammatory disorder of vagina, unspecified
ICD-10	N900	Mild vulvar dysplasia
ICD-10	N901	Moderate vulvar dysplasia
ICD-10	N903	Dysplasia of vulva, unspecified
ICD-10	N904	Leukoplakia of vulva
ICD-10	N905	Atrophy of vulva
ICD-10	N9060	Unspecified hypertrophy of vulva
ICD-10	N9061	Childhood asymmetric labium majus enlargement
ICD-10	N9069	Other specified hypertrophy of vulva

ICD 9/10	Code	Description
ICD-10	N907	Vulvar cyst
ICD-10	N90810	Female genital mutilation status, unspecified
ICD-10	N90811	Female genital mutilation Type I status
ICD-10	N90812	Female genital mutilation Type II status
ICD-10	N90813	Female genital mutilation Type III status
ICD-10	N90818	Other female genital mutilation status
ICD-10	N9089	Other specified noninflammatory disorders of vulva and perineum
ICD-10	N909	Noninflammatory disorder of vulva and perineum, unspecified
ICD-10	N910	Primary amenorrhea
ICD-10	N911	Secondary amenorrhea
ICD-10	N912	Amenorrhea, unspecified
ICD-10	N913	Primary oligomenorrhea
ICD-10	N914	Secondary oligomenorrhea
ICD-10	N915	Oligomenorrhea, unspecified
ICD-10	N920	Excessive and frequent menstruation with regular cycle
ICD-10	N921	Excessive and frequent menstruation with irregular cycle
ICD-10	N922	Excessive menstruation at puberty
ICD-10	N923	Ovulation bleeding
ICD-10	N924	Excessive bleeding in the premenopausal period
ICD-10	N925	Other specified irregular menstruation
ICD-10	N926	Irregular menstruation, unspecified
ICD-10	N930	Postcoital and contact bleeding
ICD-10	N931	Pre-pubertal vaginal bleeding
ICD-10	N938	Other specified abnormal uterine and vaginal bleeding
ICD-10	N939	Abnormal uterine and vaginal bleeding, unspecified
ICD-10	N940	Mittelschmerz
ICD-10	N9410	Unspecified dyspareunia
ICD-10	N9411	Superficial (introital) dyspareunia
ICD-10	N9412	Deep dyspareunia
ICD-10	N9419	Other specified dyspareunia
ICD-10	N942	Vaginismus
ICD-10	N943	Premenstrual tension syndrome
ICD-10	N944	Primary dysmenorrhea
ICD-10	N945	Secondary dysmenorrhea
ICD-10	N946	Dysmenorrhea, unspecified
ICD-10	N94810	Vulvar vestibulitis
ICD-10	N94818	Other vulvodynia
ICD-10	N94819	Vulvodynia, unspecified
ICD-10	N9489	Other specified conditions associated with female genital organs and menstrual cycle
ICD-10	N949	Unspecified condition associated with female genital organs and menstrual cycle

ICD 9/10	Code	Description
ICD-10	N950	Postmenopausal bleeding
ICD-10	N951	Menopausal and female climacteric states
ICD-10	N952	Postmenopausal atrophic vaginitis
ICD-10	N958	Other specified menopausal and perimenopausal disorders
ICD-10	N959	Unspecified menopausal and perimenopausal disorder
ICD-10	N992	Postprocedural adhesions of vagina
ICD-10	N993	Prolapse of vaginal vault after hysterectomy
ICD-10	N9983	Residual ovary syndrome
ICD-10	N9985	Post endometrial ablation syndrome
ICD-10	Q5001	Congenital absence of ovary, unilateral
ICD-10	Q5002	Congenital absence of ovary, bilateral
ICD-10	Q501	Developmental ovarian cyst
ICD-10	Q502	Congenital torsion of ovary
ICD-10	Q5031	Accessory ovary
ICD-10	Q5032	Ovarian streak
ICD-10	Q5039	Other congenital malformation of ovary
ICD-10	Q504	Embryonic cyst of fallopian tube
ICD-10	Q505	Embryonic cyst of broad ligament
ICD-10	Q506	Other congenital malformations of fallopian tube and broad ligament
ICD-10	Q510	Agenesis and aplasia of uterus
ICD-10	Q5110	Doubling of uterus with doubling of cervix and vagina without obstruction
ICD-10	Q5111	Doubling of uterus with doubling of cervix and vagina with obstruction
ICD-10	Q5120	Other doubling of uterus, unspecified
ICD-10	Q5121	Other complete doubling of uterus
ICD-10	Q5122	Other partial doubling of uterus
ICD-10	Q5128	Other doubling of uterus, other specified
ICD-10	Q513	Bicornate uterus
ICD-10	Q514	Unicornate uterus
ICD-10	Q515	Agenesis and aplasia of cervix
ICD-10	Q516	Embryonic cyst of cervix
ICD-10	Q517	Congenital fistulae between uterus and digestive and urinary tracts
ICD-10	Q51810	Arcuate uterus
ICD-10	Q51811	Hypoplasia of uterus
ICD-10	Q51818	Other congenital malformations of uterus
ICD-10	Q51820	Cervical duplication
ICD-10	Q51821	Hypoplasia of cervix
ICD-10	Q51828	Other congenital malformations of cervix
ICD-10	Q519	Congenital malformation of uterus and cervix, unspecified
ICD-10	Q520	Congenital absence of vagina
ICD-10	Q5210	Doubling of vagina, unspecified

ICD 9/10	Code	Description
ICD-10	Q5211	Transverse vaginal septum
ICD-10	Q52120	Longitudinal vaginal septum, nonobstructing
ICD-10	Q52121	Longitudinal vaginal septum, obstructing, right side
ICD-10	Q52122	Longitudinal vaginal septum, obstructing, left side
ICD-10	Q52123	Longitudinal vaginal septum, microperforate, right side
ICD-10	Q52124	Longitudinal vaginal septum, microperforate, left side
ICD-10	Q52129	Other and unspecified longitudinal vaginal septum
ICD-10	Q522	Congenital rectovaginal fistula
ICD-10	Q523	Imperforate hymen
ICD-10	Q524	Other congenital malformations of vagina
ICD-10	Q525	Fusion of labia
ICD-10	Q526	Congenital malformation of clitoris
ICD-10	Q5270	Unspecified congenital malformations of vulva
ICD-10	Q5271	Congenital absence of vulva
ICD-10	Q5279	Other congenital malformations of vulva
ICD-10	Q528	Other specified congenital malformations of female genitalia
ICD-10	Q529	Congenital malformation of female genitalia, unspecified
ICD-10	R87610	Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)
ICD-10	R87611	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of cervix (ASC-H)
ICD-10	R87612	Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)
ICD-10	R87613	High grade squamous intraepithelial lesion on cytologic smear of cervix (HGSIL)
ICD-10	R87614	Cytologic evidence of malignancy on smear of cervix
ICD-10	R87615	Unsatisfactory cytologic smear of cervix
ICD-10	R87616	Satisfactory cervical smear but lacking transformation zone
ICD-10	R87620	Atypical squamous cells of undetermined significance on cytologic smear of vagina (ASC-US)
ICD-10	R87621	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of vagina (ASC-H)
ICD-10	R87622	Low grade squamous intraepithelial lesion on cytologic smear of vagina (LGSIL)
ICD-10	R87623	High grade squamous intraepithelial lesion on cytologic smear of vagina (HGSIL)
ICD-10	R87624	Cytologic evidence of malignancy on smear of vagina
ICD-10	R87625	Unsatisfactory cytologic smear of vagina
ICD-10	R87628	Other abnormal cytological findings on specimens from vagina
ICD-10	R87810	Cervical high risk human papillomavirus (HPV) DNA test positive
ICD-10	R87811	Vaginal high risk human papillomavirus (HPV) DNA test positive
ICD-10	R87820	Cervical low risk human papillomavirus (HPV) DNA test positive
ICD-10	R87821	Vaginal low risk human papillomavirus (HPV) DNA test positive
ICD-10	S30202A	Contusion of unspecified external genital organ, female, initial encounter
ICD-10	S3023XA	Contusion of vagina and vulva, initial encounter
ICD-10	S3140XA	Unspecified open wound of vagina and vulva, initial encounter

ICD 9/10	Code	Description
ICD-10	S3141XA	Laceration without foreign body of vagina and vulva, initial encounter
ICD-10	S3142XA	Laceration with foreign body of vagina and vulva, initial encounter
ICD-10	S3143XA	Puncture wound without foreign body of vagina and vulva, initial encounter
ICD-10	S3144XA	Puncture wound with foreign body of vagina and vulva, initial encounter
ICD-10	S3145XA	Open bite of vagina and vulva, initial encounter
ICD-10	S31502A	Unspecified open wound of unspecified external genital organs, female, initial encounter
ICD-10	S31502S	Unspecified open wound of unspecified external genital organs, female, sequela
ICD-10	S31512A	Laceration without foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31512S	Laceration without foreign body of unspecified external genital organs, female, sequela
ICD-10	S31522A	Laceration with foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31522S	Laceration with foreign body of unspecified external genital organs, female, sequela
ICD-10	S31532A	Puncture wound without foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31532S	Puncture wound without foreign body of unspecified external genital organs, female, sequela
ICD-10	S31542A	Puncture wound with foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31542S	Puncture wound with foreign body of unspecified external genital organs, female, sequela
ICD-10	S31552A	Open bite of unspecified external genital organs, female, initial encounter
ICD-10	S31552S	Open bite of unspecified external genital organs, female, sequela
ICD-10	S37401A	Unspecified injury of ovary, unilateral, initial encounter
ICD-10	S37401S	Unspecified injury of ovary, unilateral, sequela
ICD-10	S37402A	Unspecified injury of ovary, bilateral, initial encounter
ICD-10	S37402S	Unspecified injury of ovary, bilateral, sequela
ICD-10	S37409A	Unspecified injury of ovary, unspecified, initial encounter
ICD-10	S37409S	Unspecified injury of ovary, unspecified, sequela
ICD-10	S37421A	Contusion of ovary, unilateral, initial encounter
ICD-10	S37421S	Contusion of ovary, unilateral, sequela
ICD-10	S37422A	Contusion of ovary, bilateral, initial encounter
ICD-10	S37422S	Contusion of ovary, bilateral, sequela
ICD-10	S37429A	Contusion of ovary, unspecified, initial encounter
ICD-10	S37429S	Contusion of ovary, unspecified, sequela
ICD-10	S37431A	Laceration of ovary, unilateral, initial encounter
ICD-10	S37431S	Laceration of ovary, unilateral, sequela
ICD-10	S37432A	Laceration of ovary, bilateral, initial encounter
ICD-10	S37432S	Laceration of ovary, bilateral, sequela
ICD-10	S37439A	Laceration of ovary, unspecified, initial encounter
ICD-10	S37439S	Laceration of ovary, unspecified, sequela
ICD-10	S37491A	Other injury of ovary, unilateral, initial encounter

ICD 9/10	Code	Description
ICD-10	S37491S	Other injury of ovary, unilateral, sequela
ICD-10	S37492A	Other injury of ovary, bilateral, initial encounter
ICD-10	S37492S	Other injury of ovary, bilateral, sequela
ICD-10	S37499A	Other injury of ovary, unspecified, initial encounter
ICD-10	S37499S	Other injury of ovary, unspecified, sequela
ICD-10	S37501A	Unspecified injury of fallopian tube, unilateral, initial encounter
ICD-10	S37501S	Unspecified injury of fallopian tube, unilateral, sequela
ICD-10	S37502A	Unspecified injury of fallopian tube, bilateral, initial encounter
ICD-10	S37502S	Unspecified injury of fallopian tube, bilateral, sequela
ICD-10	S37509A	Unspecified injury of fallopian tube, unspecified, initial encounter
ICD-10	S37509S	Unspecified injury of fallopian tube, unspecified, sequela
ICD-10	S37511A	Primary blast injury of fallopian tube, unilateral, initial encounter
ICD-10	S37511S	Primary blast injury of fallopian tube, unilateral, sequela
ICD-10	S37512A	Primary blast injury of fallopian tube, bilateral, initial encounter
ICD-10	S37512S	Primary blast injury of fallopian tube, bilateral, sequela
ICD-10	S37519A	Primary blast injury of fallopian tube, unspecified, initial encounter
ICD-10	S37519S	Primary blast injury of fallopian tube, unspecified, sequela
ICD-10	S37521A	Contusion of fallopian tube, unilateral, initial encounter
ICD-10	S37521S	Contusion of fallopian tube, unilateral, sequela
ICD-10	S37522A	Contusion of fallopian tube, bilateral, initial encounter
ICD-10	S37522S	Contusion of fallopian tube, bilateral, sequela
ICD-10	S37529A	Contusion of fallopian tube, unspecified, initial encounter
ICD-10	S37529S	Contusion of fallopian tube, unspecified, sequela
ICD-10	S37531A	Laceration of fallopian tube, unilateral, initial encounter
ICD-10	S37531S	Laceration of fallopian tube, unilateral, sequela
ICD-10	S37532A	Laceration of fallopian tube, bilateral, initial encounter
ICD-10	S37532S	Laceration of fallopian tube, bilateral, sequela
ICD-10	S37539A	Laceration of fallopian tube, unspecified, initial encounter
ICD-10	S37539S	Laceration of fallopian tube, unspecified, sequela
ICD-10	S37591A	Other injury of fallopian tube, unilateral, initial encounter
ICD-10	S37591S	Other injury of fallopian tube, unilateral, sequela
ICD-10	S37592A	Other injury of fallopian tube, bilateral, initial encounter
ICD-10	S37592S	Other injury of fallopian tube, bilateral, sequela
ICD-10	S37599A	Other injury of fallopian tube, unspecified, initial encounter
ICD-10	S37599S	Other injury of fallopian tube, unspecified, sequela
ICD-10	S3760XA	Unspecified injury of uterus, initial encounter
ICD-10	S3760XS	Unspecified injury of uterus, sequela
ICD-10	S3762XA	Contusion of uterus, initial encounter
ICD-10	S3762XS	Contusion of uterus, sequela
ICD-10	S3763XA	Laceration of uterus, initial encounter

ICD 9/10	Code	Description
ICD-10	S3763XS	Laceration of uterus, sequela
ICD-10	S3769XA	Other injury of uterus, initial encounter
ICD-10	S3769XS	Other injury of uterus, sequela
ICD-10	S37818S	Other injury of adrenal gland, sequela
ICD-10	S37819S	Unspecified injury of adrenal gland, sequela
ICD-10	S38002A	Crushing injury of unspecified external genital organs, female, initial encounter
ICD-10	S3803XA	Crushing injury of vulva, initial encounter
ICD-10	S38211A	Complete traumatic amputation of female external genital organs, initial encounter
ICD-10	S38212A	Partial traumatic amputation of female external genital organs, initial encounter
ICD-10	T192XXA	Foreign body in vulva and vagina, initial encounter
ICD-10	T193XXA	Foreign body in uterus, initial encounter
ICD-10	T8331XA	Breakdown (mechanical) of intrauterine contraceptive device, initial encounter
ICD-10	T8332XA	Displacement of intrauterine contraceptive device, initial encounter
ICD-10	T8339XA	Other mechanical complication of intrauterine contraceptive device, initial encounter
ICD-10	T83711A	Erosion of implanted vaginal mesh to surrounding organ or tissue, initial encounter
ICD-10	T83721A	Exposure of implanted vaginal mesh into vagina, initial encounter
ICD-10	Z4002	Encounter for prophylactic removal of ovary(s)
ICD-10	Z4003	Encounter for prophylactic removal of fallopian tube(s)
ICD-10	Z437	Encounter for attention to artificial vagina
ICD-10	Z641	Problems related to multiparity
ICD-10	Z90710	Acquired absence of both cervix and uterus
ICD-10	Z90711	Acquired absence of uterus with remaining cervical stump
ICD-10	Z90712	Acquired absence of cervix with remaining uterus
ICD-10	Z90721	Acquired absence of ovaries, unilateral
ICD-10	Z90722	Acquired absence of ovaries, bilateral

Table 28 – List of procedure codes describing CAR T-cell therapy for MS-DRG 018.

ICD9/10	Code	Description
ICD-10	XW033C3	Introduction of engineered autologous chimeric antigen receptor t-cell immunotherapy into peripheral vein, percutaneous approach, new technology group 3
ICD-10	XW043C3	Introduction of engineered autologous chimeric antigen receptor t-cell immunotherapy into central vein, percutaneous approach, new technology group 3

Table 29a – List of ICD-10 codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036 (to map MS-DRGs 037-039)

ICD 10	Code	Description
ICD-10	037H04Z	Dilation of right common carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037J04Z	Dilation of left common carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037K04Z	Dilation of right internal carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037L04Z	Dilation of left internal carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037M04Z	Dilation of right external carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037N04Z	Dilation of left external carotid artery with drug-eluting intraluminal device, open approach

Table 29b – List of ICD-9 code combinations describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036 (to map MS-DRGs 037-039)

ICD 9	Code#1	Code #1 Description	Code#2	Code #2 Description	Code#3	Code #3 Description	Code#4	Code #4 Description
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0045	Insertion of one vascular stent

Table 29c – List of ICD-10 codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034 -036 (to map MS-DRGs 252-254)

ICD 10	Code	Description
ICD-10	037H05Z	Dilation of right common carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037H06Z	Dilation of right common carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037H07Z	Dilation of right common carotid artery with four or more drugeluting intraluminal devices, open approach
ICD-10	037H0EZ	Dilation of right common carotid artery with two intraluminal devices, open approach
ICD-10	037H0FZ	Dilation of right common carotid artery with three intraluminal devices, open approach
ICD-10	037H0GZ	Dilation of right common carotid artery with four or more intraluminal devices, open approach
ICD-10	037J05Z	Dilation of left common carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037J06Z	Dilation of left common carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037J07Z	Dilation of left common carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037J0EZ	Dilation of left common carotid artery with two intraluminal devices, open approach
ICD-10	037J0FZ	Dilation of left common carotid artery with three intraluminal devices, open approach
ICD-10	037J0GZ	Dilation of left common carotid artery with four or more intraluminal devices, open approach
ICD-10	037K05Z	Dilation of right internal carotid artery with two drug-eluting intraluminal devices, open approach

ICD 10	Code	Description
ICD-10	037K06Z	Dilation of right internal carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037K07Z	Dilation of right internal carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037K0EZ	Dilation of right internal carotid artery with two intraluminal devices, open approach
ICD-10	037K0FZ	Dilation of right internal carotid artery with three intraluminal devices, open approach
ICD-10	037K0GZ	Dilation of right internal carotid artery with four or more intraluminal devices, open approach
ICD-10	037L05Z	Dilation of left internal carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037L06Z	Dilation of left internal carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037L07Z	Dilation of left internal carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037L0EZ	Dilation of left internal carotid artery with two intraluminal devices, open approach
ICD-10	037L0FZ	Dilation of left internal carotid artery with three intraluminal devices, open approach
ICD-10	037L0GZ	Dilation of left internal carotid artery with four or more intraluminal devices, open approach
ICD-10	037M05Z	Dilation of right external carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037M06Z	Dilation of right external carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037M07Z	Dilation of right external carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037M0EZ	Dilation of right external carotid artery with two intraluminal devices, open approach
ICD-10	037M0FZ	Dilation of right external carotid artery with three intraluminal devices, open approach
ICD-10	037M0GZ	Dilation of right external carotid artery with four or more intraluminal devices, open approach
ICD-10	037N05Z	Dilation of left external carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037N06Z	Dilation of left external carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037N07Z	Dilation of left external carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037N0EZ	Dilation of left external carotid artery with two intraluminal devices, open approach
ICD-10	037N0FZ	Dilation of left external carotid artery with three intraluminal devices, open approach
ICD-10	037N0GZ	Dilation of left external carotid artery with four or more intraluminal devices, open approach

Table 29d – List of ICD-9 code combinations describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036 (to map MS-DRGs 252-254)

ICD 9	Code#1	Code #1 Description	Code#2	Code #2 Description	Code#3	Code #3 Description	Code#4	Code #4 Description
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0046	Insertion of two vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0047	Insertion of three vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0048	Insertion of four or more vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	3990	Insertion of non-drug-eluting peripheral (non-coronary) vessel stent(s)	0046	Insertion of two vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	3990	Insertion of non-drug-eluting peripheral (non-coronary) vessel stent(s)	0047	Insertion of three vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	3990	Insertion of non-drug-eluting peripheral (non-coronary) vessel stent(s)	0048	Insertion of four or more vascular stents

Table 30 – List of procedure and diagnosis codes related to head, neck, cranial and facial procedures for MS-DRGs 140-142

ICD 9/10	Code	Description
ICD-9	3882	Other surgical occlusion of vessels, other vessels of head and neck
ICD-9	4029	Simple excision of other lymphatic structure
ICD-9	4021	Excision of deep cervical lymph node
ICD-9	1682	Repair of rupture of eyeball
ICD-9	1649	Other enucleation of eyeball
ICD-9	2097	Implantation or replacement of cochlear prosthetic device, single channel
ICD-9	2098	Implantation or replacement of cochlear prosthetic device, multiple channel
ICD-9	2095	Implantation of electromagnetic hearing device
ICD-9	315	Local excision or destruction of lesion or tissue of trachea
ICD-9	3174	Revision of tracheostomy
ICD-9	3001	Marsupialization of laryngeal cyst
ICD-9	3009	Other excision or destruction of lesion or tissue of larynx
ICD-9	2731	Local excision or destruction of lesion or tissue of bony palate
ICD-9	2732	Wide excision or destruction of lesion or tissue of bony palate
ICD-9	252	Partial glossectomy
ICD-9	253	Complete glossectomy
ICD-9	254	Radical glossectomy
ICD-9	8663	Full-thickness skin graft to other sites
ICD-9	8669	Other skin graft to other sites
ICD-9	8667	Dermal regenerative graft
ICD-9	8622	Excisional debridement of wound, infection, or burn
ICD-9	8339	Excision of lesion of other soft tissue
ICD-9	8344	Other fasciectomy
ICD-9	8382	Graft of muscle or fascia
ICD-9	8674	Attachment of pedicle or flap graft to other sites
ICD-9	7631	Partial mandibulectomy
ICD-9	244	Excision of dental lesion of jaw
ICD-9	7669	Other facial bone repair
ICD-9	7641	Total mandibulectomy with synchronous reconstruction
ICD-9	0202	Elevation of skull fracture fragments
ICD-9	2172	Open reduction of nasal fracture
ICD-9	7679	Other open reduction of facial fracture
ICD-9	7672	Open reduction of malar and zygomatic fracture
ICD-9	7674	Open reduction of maxillary fracture
ICD-9	7676	Open reduction of mandibular fracture
ICD-9	7677	Open reduction of alveolar fracture
ICD-9	7642	Other total mandibulectomy
ICD-9	762	Local excision or destruction of lesion of facial bone
ICD-9	765	Temporomandibular arthroplasty
ICD-9	7694	Open reduction of temporomandibular dislocation
ICD-9	7645	Other total ostectomy of other facial bone
ICD-9	0124	Other craniotomy
ICD-9	4041	Radical neck dissection, unilateral
ICD-9	4042	Radical neck dissection, bilateral

ICD 9/10	Code	Description
ICD-9	4040	Radical neck dissection, not otherwise specified
ICD-9	3142	Laryngoscopy and other tracheoscopy
ICD-9	9604	Insertion of endotracheal tube
ICD-9	3972	Endovascular (total) embolization or occlusion of head and neck vessels
ICD-9	301	Hemilaryngectomy
ICD-9	4311	Percutaneous [endoscopic] gastrostomy [PEG]
ICD-9	292	Excision of branchial cleft cyst or vestige
ICD-9	7663	Osteoplasty [osteotomy] of body of mandible
ICD-9	0212	Other repair of cerebral meninges
ICD-9	3175	Reconstruction of trachea and construction of artificial larynx
ICD-9	3143	Closed [endoscopic] biopsy of larynx
ICD-9	7789	Other partial ostectomy, other bones
ICD-9	3164	Repair of laryngeal fracture
ICD-9	3173	Closure of other fistula of trachea
ICD-9	3404	Insertion of intercostal catheter for drainage
ICD-9	7644	Total ostectomy of other facial bone with synchronous reconstruction
ICD-9	3161	Suture of laceration of larynx
ICD-9	3163	Revision of laryngostomy
ICD-9	9723	Replacement of tracheostomy tube
ICD-9	3171	Suture of laceration of trachea
ICD-9	7645	Other total ostectomy of other facial bone
ICD-9	0602	Reopening of wound of thyroid field
ICD-9	067	Excision of thyroglossal duct or tract
ICD-9	310	Injection of larynx
ICD-9	313	Other incision of larynx or trachea
ICD-9	3141	Tracheoscopy through artificial stoma
ICD-9	3172	Closure of external fistula of trachea
ICD-9	3174	Revision of tracheostomy
ICD-9	3195	Tracheoesophageal fistulization
ICD-9	3975	Endovascular embolization or occlusion of vessel(s) of head or neck using bare coils
ICD-9	7631	Partial mandibulectomy
ICD-9	7675	Closed reduction of mandibular fracture
ICD-9	7697	Removal of internal fixation device from facial bone
ICD-9	9738	Removal of sutures from head and neck
ICD-9	1619	Malignant neoplasm of larynx, unspecified
ICD-9	1950	Malignant neoplasm of head, face, and neck
ICD-9	4871	Influenza with other respiratory manifestations
ICD-9	52453	Deviation in opening and closing of the mandible
ICD-9	52460	Temporomandibular joint disorders, unspecified
ICD-9	52523	Severe atrophy of the mandible
ICD-10	03LH0CZ	Occlusion of right common carotid artery with extraluminal device, open approach
ICD-10	03LH0ZZ	Occlusion of right common carotid artery, open approach
ICD-10	03LH3CZ	Occlusion of right common carotid artery with extraluminal device, percutaneous approach
ICD-10	03LH3ZZ	Occlusion of right common carotid artery, percutaneous approach

ICD 9/10	Code	Description
ICD-10	03LH4CZ	Occlusion of right common carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LH4ZZ	Occlusion of right common carotid artery, percutaneous endoscopic approach
ICD-10	03LJ0CZ	Occlusion of left common carotid artery with extraluminal device, open approach
ICD-10	03LJ0ZZ	Occlusion of left common carotid artery, open approach
ICD-10	03LJ3CZ	Occlusion of left common carotid artery with extraluminal device, percutaneous approach
ICD-10	03LJ3ZZ	Occlusion of left common carotid artery, percutaneous approach
ICD-10	03LJ4CZ	Occlusion of left common carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LJ4ZZ	Occlusion of left common carotid artery, percutaneous endoscopic approach
ICD-10	03LM0CZ	Occlusion of right external carotid artery with extraluminal device, open approach
ICD-10	03LM0ZZ	Occlusion of right external carotid artery, open approach
ICD-10	03LM3CZ	Occlusion of right external carotid artery with extraluminal device, percutaneous approach
ICD-10	03LM3ZZ	Occlusion of right external carotid artery, percutaneous approach
ICD-10	03LM4CZ	Occlusion of right external carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LM4ZZ	Occlusion of Right External Carotid Artery, Percutaneous Endoscopic Approach
ICD-10	03LN0CZ	Occlusion of Left External Carotid Artery with Extraluminal Device, Open Approach
ICD-10	03LN0ZZ	Occlusion of left external carotid artery, open approach
ICD-10	03LN3CZ	Occlusion of left external carotid artery with extraluminal device, percutaneous approach
ICD-10	03LN3ZZ	Occlusion of left external carotid artery, percutaneous approach
ICD-10	03LN4CZ	Occlusion of left external carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LN4ZZ	Occlusion of Left External Carotid Artery, Percutaneous Endoscopic Approach
ICD-10	03LR0CZ	Occlusion of face artery with extraluminal device, open approach
ICD-10	03LR0ZZ	Occlusion of face artery, open approach
ICD-10	03LR3CZ	Occlusion of face artery with extraluminal device, percutaneous approach
ICD-10	03LR3ZZ	Occlusion of face artery, percutaneous approach
ICD-10	03LR4CZ	Occlusion of face artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LR4ZZ	Occlusion of face artery, percutaneous endoscopic approach
ICD-10	03LS0CZ	Occlusion of right temporal artery with extraluminal device, open approach
ICD-10	03LS0ZZ	Occlusion of right temporal artery, open approach
ICD-10	03LS3CZ	Occlusion of right temporal artery with extraluminal device, percutaneous approach
ICD-10	03LS3ZZ	Occlusion of right temporal artery, percutaneous approach
ICD-10	03LS4CZ	Occlusion of right temporal artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LS4ZZ	Occlusion of right temporal artery, percutaneous endoscopic approach
ICD-10	03LT0CZ	Occlusion of left temporal artery with extraluminal device, open approach
ICD-10	03LT0ZZ	Occlusion of left temporal artery, open approach
ICD-10	03LT3CZ	Occlusion of left temporal artery with extraluminal device, percutaneous approach
ICD-10	03LT3ZZ	Occlusion of left temporal artery, percutaneous approach

ICD 9/10	Code	Description
ICD-10	03LT4CZ	Occlusion of left temporal artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LT4ZZ	Occlusion of left temporal artery, percutaneous endoscopic approach
ICD-10	07T00ZZ	Resection of head lymphatic, open approach
ICD-10	07T04ZZ	Resection of head lymphatic, percutaneous endoscopic approach
ICD-10	07T10ZZ	Resection of right neck lymphatic, open approach
ICD-10	07T14ZZ	Resection of right neck lymphatic, percutaneous endoscopic approach
ICD-10	07T20ZZ	Resection of left neck lymphatic, open approach
ICD-10	07T24ZZ	Resection of left neck lymphatic, percutaneous endoscopic approach
ICD-10	08Q0XZZ	Repair right eye, external approach
ICD-10	08Q1XZZ	Repair left eye, external approach
ICD-10	08T0XZZ	Resection of right eye, external approach
ICD-10	08T1XZZ	Resection of left eye, external approach
ICD-10	09HD05Z	Insertion of single channel cochlear prosthesis into right inner ear, open approach
ICD-10	09HD06Z	Insertion of multiple channel cochlear prosthesis into right inner ear, open approach
ICD-10	09HD0SZ	Insertion of hearing device into right inner ear, open approach
ICD-10	09HD35Z	Insertion of single channel cochlear prosthesis into right inner ear, percutaneous approach
ICD-10	09HD36Z	Insertion of multiple channel cochlear prosthesis into right inner ear, percutaneous approach
ICD-10	09HD45Z	Insertion of single channel cochlear prosthesis into right inner ear, percutaneous endoscopic approach
ICD-10	09HD46Z	Insertion of multiple channel cochlear prosthesis into right inner ear, percutaneous endoscopic approach
ICD-10	09HD4SZ	Insertion of hearing device into right inner ear, percutaneous endoscopic approach
ICD-10	09HE05Z	Insertion of single channel cochlear prosthesis into left inner ear, open approach
ICD-10	09HE06Z	Insertion of multiple channel cochlear prosthesis into left inner ear, open approach
ICD-10	09HE0SZ	Insertion of hearing device into left inner ear, open approach
ICD-10	09HE35Z	Insertion of single channel cochlear prosthesis into left inner ear, percutaneous approach
ICD-10	09HE36Z	Insertion of multiple channel cochlear prosthesis into left inner ear, percutaneous approach
ICD-10	09HE45Z	Insertion of single channel cochlear prosthesis into left inner ear, percutaneous endoscopic approach
ICD-10	09HE46Z	Insertion of multiple channel cochlear prosthesis into left inner ear, percutaneous endoscopic approach
ICD-10	09HE4SZ	Insertion of hearing device into left inner ear, percutaneous endoscopic approach
ICD-10	0B510ZZ	Destruction of trachea, open approach
ICD-10	0B513ZZ	Destruction of trachea, percutaneous approach
ICD-10	0B514ZZ	Destruction of trachea, percutaneous endoscopic approach
ICD-10	0B517ZZ	Destruction of trachea, via natural or artificial opening
ICD-10	0B518ZZ	Destruction of Trachea, Via Natural or Artificial Opening Endoscopic
ICD-10	0BW10FZ	Revision of tracheostomy device in trachea, open approach
ICD-10	0BW14FZ	Revision of tracheostomy device in trachea, percutaneous endoscopic approach
ICD-10	0CBS0ZZ	Excision of larynx, open approach
ICD-10	0CBS4ZZ	Excision of larynx, percutaneous endoscopic approach
ICD-10	0CT20ZZ	Resection of hard palate, open approach

ICD 9/10	Code	Description
ICD-10	0CT2XZZ	Resection of hard palate, external approach
ICD-10	0CT70ZZ	Resection of tongue, open approach
ICD-10	0CT7XZZ	Resection of tongue, external approach
ICD-10	0HR1X73	Replacement of face skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR1X74	Replacement of face skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR4X73	Replacement of neck skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR4XJZ	Replacement of neck skin with synthetic substitute, external approach
ICD-10	0JB60ZZ	Excision of chest subcutaneous tissue and fascia, open approach
ICD-10	0JB70ZZ	Excision of back subcutaneous tissue and fascia, open approach
ICD-10	0JB80ZZ	Excision of abdomen subcutaneous tissue and fascia, open approach
ICD-10	0JR107Z	Replacement of Face Subcutaneous Tissue and Fascia with Autologous Tissue Substitute, Open Approach
ICD-10	0JR10KZ	Replacement of face subcutaneous tissue and fascia with nonautologous tissue substitute, open approach
ICD-10	0JX40ZB	Transfer Right Neck Subcutaneous Tissue and Fascia with Skin and Subcutaneous Tissue, Open Approach
ICD-10	0JX40ZC	Transfer right neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0JX50ZB	Transfer Left Neck Subcutaneous Tissue and Fascia with Skin and Subcutaneous Tissue, Open Approach
ICD-10	0JX50ZC	Transfer left neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0NBT0ZZ	Excision of right mandible, open approach
ICD-10	0NBT4ZZ	Excision of right mandible, percutaneous endoscopic approach
ICD-10	0NBV0ZZ	Excision of left mandible, open approach
ICD-10	0NBV4ZZ	Excision of left mandible, percutaneous endoscopic approach
ICD-10	0NNP0ZZ	Release right orbit, open approach
ICD-10	0NNP3ZZ	Release right orbit, percutaneous approach
ICD-10	0NNP4ZZ	Release right orbit, percutaneous endoscopic approach
ICD-10	0NNQ0ZZ	Release left orbit, open approach
ICD-10	0NNQ3ZZ	Release left orbit, percutaneous approach
ICD-10	0NNQ4ZZ	Release left orbit, percutaneous endoscopic approach
ICD-10	0NRT07Z	Replacement of right mandible with autologous tissue substitute, open approach
ICD-10	0NRT0JZ	Replacement of right mandible with synthetic substitute, open approach
ICD-10	0NRT0KZ	Replacement of right mandible with nonautologous tissue substitute, open approach
ICD-10	0NRT37Z	Replacement of right mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NRT3JZ	Replacement of right mandible with synthetic substitute, percutaneous approach
ICD-10	0NRT3KZ	Replacement of right mandible with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRT47Z	Replacement of right mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRT4JZ	Replacement of right mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRT4KZ	Replacement of right mandible with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NRV07Z	Replacement of left mandible with autologous tissue substitute, open approach
ICD-10	0NRV0JZ	Replacement of left mandible with synthetic substitute, open approach
ICD-10	0NRV0KZ	Replacement of left mandible with nonautologous tissue substitute, open approach
ICD-10	0NRV37Z	Replacement of left mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NRV3JZ	Replacement of left mandible with synthetic substitute, percutaneous approach
ICD-10	0NRV3KZ	Replacement of left mandible with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRV47Z	Replacement of left mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRV4JZ	Replacement of left mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRV4KZ	Replacement of left mandible with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NS104Z	Reposition frontal bone with internal fixation device, open approach
ICD-10	0NS10ZZ	Reposition frontal bone, open approach
ICD-10	0NS134Z	Reposition frontal bone with internal fixation device, percutaneous approach
ICD-10	0NS13ZZ	Reposition frontal bone, percutaneous approach
ICD-10	0NS144Z	Reposition frontal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS14ZZ	Reposition frontal bone, percutaneous endoscopic approach
ICD-10	0NS604Z	Reposition Left Temporal Bone with Internal Fixation Device, Open Approach
ICD-10	0NS60ZZ	Reposition left temporal bone, open approach
ICD-10	0NS634Z	Reposition left temporal bone with internal fixation device, percutaneous approach
ICD-10	0NS63ZZ	Reposition left temporal bone, percutaneous approach
ICD-10	0NS644Z	Reposition left temporal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS64ZZ	Reposition left temporal bone, percutaneous endoscopic approach
ICD-10	0NS704Z	Reposition occipital bone with internal fixation device, open approach
ICD-10	0NS70ZZ	Reposition occipital bone, open approach
ICD-10	0NS734Z	Reposition occipital bone with internal fixation device, percutaneous approach
ICD-10	0NS73ZZ	Reposition occipital bone, percutaneous approach
ICD-10	0NS744Z	Reposition occipital bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS74ZZ	Reposition occipital bone, percutaneous endoscopic approach
ICD-10	0NSB04Z	Reposition nasal bone with internal fixation device, open approach
ICD-10	0NSB0ZZ	Reposition nasal bone, open approach
ICD-10	0NSC04Z	Reposition sphenoid bone with internal fixation device, open approach
ICD-10	0NSC0ZZ	Reposition sphenoid bone, open approach
ICD-10	0NSF04Z	Reposition right ethmoid bone with internal fixation device, open approach
ICD-10	0NSF0ZZ	Reposition right ethmoid bone, open approach
ICD-10	0NSG04Z	Reposition left ethmoid bone with internal fixation device, open approach
ICD-10	0NSG0ZZ	Reposition left ethmoid bone, open approach
ICD-10	0NSH04Z	Reposition right lacrimal bone with internal fixation device, open approach
ICD-10	0NSH0ZZ	Reposition right lacrimal bone, open approach
ICD-10	0NSJ04Z	Reposition left lacrimal bone with internal fixation device, open approach
ICD-10	0NSJ0ZZ	Reposition left lacrimal bone, open approach

ICD 9/10	Code	Description
ICD-10	0NSK04Z	Reposition right palatine bone with internal fixation device, open approach
ICD-10	0NSK0ZZ	Reposition right palatine bone, open approach
ICD-10	0NSL04Z	Reposition left palatine bone with internal fixation device, open approach
ICD-10	0NSL0ZZ	Reposition left palatine bone, open approach
ICD-10	0NSM04Z	Reposition right zygomatic bone with internal fixation device, open approach
ICD-10	0NSN04Z	Reposition left zygomatic bone with internal fixation device, open approach
ICD-10	0NSP04Z	Reposition right orbit with internal fixation device, open approach
ICD-10	0NSP0ZZ	Reposition right orbit, open approach
ICD-10	0NSQ04Z	Reposition left orbit with internal fixation device, open approach
ICD-10	0NSQ0ZZ	Reposition left orbit, open approach
ICD-10	0NSR04Z	Reposition maxilla with internal fixation device, open approach
ICD-10	0NSR0ZZ	Reposition maxilla, open approach
ICD-10	0NST04Z	Reposition right mandible with internal fixation device, open approach
ICD-10	0NSV04Z	Reposition left mandible with internal fixation device, open approach
ICD-10	0NTT0ZZ	Resection of right mandible, open approach
ICD-10	0NTV0ZZ	Resection of left mandible, open approach
ICD-10	0RBD0ZZ	Excision of left temporomandibular joint, open approach
ICD-10	0RBD3ZZ	Excision of left temporomandibular joint, percutaneous approach
ICD-10	0RBD4ZZ	Excision of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RRC07Z	Replacement of right temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RRC0JZ	Replacement of right temporomandibular joint with synthetic substitute, open approach
ICD-10	0RRC0KZ	Replacement of Right Temporomandibular Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0RRD07Z	Replacement of left temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RRD0JZ	Replacement of left temporomandibular joint with synthetic substitute, open approach
ICD-10	0RRD0KZ	Replacement of left temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RSC04Z	Reposition right temporomandibular joint with internal fixation device, open approach
ICD-10	0RSC0ZZ	Reposition right temporomandibular joint, open approach
ICD-10	0RSD04Z	Reposition left temporomandibular joint with internal fixation device, open approach
ICD-10	0RSD0ZZ	Reposition left temporomandibular joint, open approach
ICD-10	0RTC0ZZ	Resection of right temporomandibular joint, open approach
ICD-10	0RTD0ZZ	Resection of left temporomandibular joint, open approach
ICD-10	0W9100Z	Drainage of cranial cavity with drainage device, open approach
ICD-10	0W910ZZ	Drainage of cranial cavity, open approach
ICD-10	0WC10ZZ	Extirpation of matter from cranial cavity, open approach
ICD-10	0WC13ZZ	Extirpation of matter from cranial cavity, percutaneous approach
ICD-10	0WC14ZZ	Extirpation of matter from cranial cavity, percutaneous endoscopic approach
ICD-10	C050	Malignant neoplasm of hard palate
ICD-10	C058	Malignant neoplasm of overlapping sites of palate
ICD-10	C059	Malignant neoplasm of palate, unspecified
ICD-10	C760	Malignant neoplasm of head, face and neck
ICD-10	D0005	Carcinoma in situ of hard palate

ICD 9/10	Code	Description
ICD-10	J386	Stenosis of larynx
ICD-10	K0826	Severe atrophy of the maxilla
ICD-10	M2607	Excessive tuberosity of jaw
ICD-10	M2660	Temporomandibular joint disorder, unspecified
ICD-10	M2661	Adhesions and ankylosis of temporomandibular joint
ICD-10	M2662	Arthralgia of temporomandibular joint
ICD-10	M2689	Other dentofacial anomalies
ICD-10	M270	Developmental disorders of jaws
ICD-10	M272	Inflammatory conditions of jaws
ICD-10	M2740	Unspecified cyst of jaw
ICD-10	Q180	Sinus, fistula and cyst of branchial cleft
ICD-10	Q182	Other branchial cleft malformations
ICD-10	S022XXA	Fracture of nasal bones, initial encounter for closed fracture
ICD-10	S022XXB	Fracture of nasal bones, initial encounter for open fracture
ICD-10	S02401A	Maxillary fracture, unspecified side, initial encounter for closed fracture
ICD-10	S02402A	Zygomatic fracture, unspecified side, initial encounter for closed fracture
ICD-10	S0240CA	Maxillary fracture, right side, initial encounter for closed fracture
ICD-10	S0240DA	Maxillary fracture, left side, initial encounter for closed fracture
ICD-10	S0240FA	Zygomatic fracture, left side, initial encounter for closed fracture
ICD-10	S02411A	LeFort I fracture, initial encounter for closed fracture
ICD-10	S02411B	LeFort I fracture, initial encounter for open fracture
ICD-10	S02412A	LeFort II fracture, initial encounter for closed fracture
ICD-10	S02412B	LeFort II fracture, initial encounter for open fracture
ICD-10	S02413A	LeFort III fracture, initial encounter for closed fracture
ICD-10	S0261XA	Fracture of condylar process of mandible, initial encounter for closed fracture
ICD-10	S0263XB	Fracture of coronoid process of mandible, initial encounter for open fracture
ICD-10	S02642A	Fracture of ramus of left mandible, initial encounter for closed fracture
ICD-10	S0269XA	Fracture of mandible of other specified site, initial encounter for closed fracture

Table 31 – List of procedure and diagnosis codes related to ear, nose, mouth and throat O.R. procedures for MS-DRGs 143-145

ICD 9/10	Code	Description
ICD-9	0040	Procedure on single vessel
ICD-9	0124	Other craniotomy
ICD-9	0125	Other craniectomy
ICD-9	016	Excision of lesion of skull
ICD-9	0202	Elevation of skull fracture fragments
ICD-9	0204	Bone graft to skull
ICD-9	0206	Other cranial osteoplasty
ICD-9	0207	Removal of skull plate
ICD-9	0213	Ligation of meningeal vessel
ICD-9	0401	Excision of acoustic neuroma
ICD-9	0402	Division of trigeminal nerve
ICD-9	0403	Division or crushing of other cranial and peripheral nerves
ICD-9	0405	Gasserian ganglionectomy

ICD 9/10	Code	Description
ICD-9	0406	Other cranial or peripheral ganglionectomy
ICD-9	0407	Other excision or avulsion of cranial and peripheral nerves
ICD-9	0412	Open biopsy of cranial or peripheral nerve or ganglion
ICD-9	043	Suture of cranial and peripheral nerves
ICD-9	0441	Decompression of trigeminal nerve root
ICD-9	0442	Other cranial nerve decompression
ICD-9	045	Cranial or peripheral nerve graft
ICD-9	046	Transposition of cranial and peripheral nerves
ICD-9	0471	Hypoglossal-facial anastomosis
ICD-9	0472	Accessory-facial anastomosis
ICD-9	0473	Accessory-hypoglossal anastomosis
ICD-9	0475	Revision of previous repair of cranial and peripheral nerves
ICD-9	0479	Other neuroplasty
ICD-9	0492	Implantation or replacement of peripheral neurostimulator lead(s)
ICD-9	0493	Removal of peripheral neurostimulator lead(s)
ICD-9	0499	Other operations on cranial and peripheral nerves
ICD-9	0521	Sphenopalatine ganglionectomy
ICD-9	0522	Cervical sympathectomy
ICD-9	0525	Periarterial sympathectomy
ICD-9	0609	Other incision of thyroid field
ICD-9	0741	Incision of adrenal gland
ICD-9	0752	Incision of pineal gland
ICD-9	0772	Incision of pituitary gland
ICD-9	0912	Biopsy of lacrimal sac
ICD-9	0919	Other diagnostic procedures on lacrimal system
ICD-9	0941	Probing of lacrimal punctum
ICD-9	0942	Probing of lacrimal canaliculi
ICD-9	0943	Probing of nasolacrimal duct
ICD-9	0944	Intubation of nasolacrimal duct
ICD-9	0949	Other manipulation of lacrimal passage
ICD-9	0981	Dacryocystorhinostomy [DCR]
ICD-9	0999	Other operations on lacrimal system
ICD-9	1609	Other orbitotomy
ICD-9	1681	Repair of wound of orbit
ICD-9	1692	Excision of lesion of orbit
ICD-9	1698	Other operations on orbit
ICD-9	1831	Radical excision of lesion of external ear
ICD-9	1839	Other excision of external ear
ICD-9	186	Reconstruction of external auditory canal
ICD-9	1871	Construction of auricle of ear
ICD-9	1872	Reattachment of amputated ear
ICD-9	1879	Other plastic repair of external ear

ICD 9/10	Code	Description
ICD-9	189	Other operations on external ear
ICD-9	190	Stapes mobilization
ICD-9	1911	Stapedectomy with incus replacement
ICD-9	1919	Other stapedectomy
ICD-9	1929	Other revision of stapedectomy
ICD-9	193	Other operations on ossicular chain
ICD-9	194	Myringoplasty
ICD-9	196	Revision of tympanoplasty
ICD-9	199	Other repair of middle ear
ICD-9	2001	Myringotomy with insertion of tube
ICD-9	2023	Incision of middle ear
ICD-9	2032	Biopsy of middle and inner ear
ICD-9	2039	Other diagnostic procedures on middle and inner ear
ICD-9	2051	Excision of lesion of middle ear
ICD-9	2059	Other excision of middle ear
ICD-9	2071	Endolymphatic shunt
ICD-9	2079	Other incision, excision, and destruction of inner ear
ICD-9	2093	Repair of oval and round windows
ICD-9	2095	Implantation of electromagnetic hearing device
ICD-9	2096	Implantation or replacement of cochlear prosthetic device, not otherwise specified
ICD-9	2099	Other operations on middle and inner ear
ICD-9	2129	Other diagnostic procedures on nose
ICD-9	2132	Local excision or destruction of other lesion of nose
ICD-9	214	Resection of nose
ICD-9	215	Submucous resection of nasal septum
ICD-9	2161	Turbinectomy by diathermy or cryosurgery
ICD-9	2162	Fracture of the turbinates
ICD-9	2169	Other turbinectomy
ICD-9	2183	Total nasal reconstruction
ICD-9	2185	Augmentation rhinoplasty
ICD-9	2186	Limited rhinoplasty
ICD-9	2187	Other rhinoplasty
ICD-9	2188	Other septoplasty
ICD-9	2189	Other repair and plastic operations on nose
ICD-9	2199	Other operations on nose
ICD-9	244	Excision of dental lesion of jaw
ICD-9	260	Incision of salivary gland or duct
ICD-9	270	Drainage of face and floor of mouth
ICD-9	2731	Local excision or destruction of lesion or tissue of bony palate
ICD-9	2732	Wide excision or destruction of lesion or tissue of bony palate
ICD-9	2762	Correction of cleft palate

ICD 9/10	Code	Description
ICD-9	2764	Insertion of palatal implant
ICD-9	2769	Other plastic repair of palate
ICD-9	2799	Other operations on oral cavity
ICD-9	280	Incision and drainage of tonsil and peritonsillar structures
ICD-9	2811	Biopsy of tonsils and adenoids
ICD-9	282	Tonsillectomy without adenoidectomy
ICD-9	286	Adenoidectomy without tonsillectomy
ICD-9	2891	Removal of foreign body from tonsil and adenoid by incision
ICD-9	2892	Excision of lesion of tonsil and adenoid
ICD-9	2899	Other operations on tonsils and adenoids
ICD-9	290	Pharyngotomy
ICD-9	2931	Cricopharyngeal myotomy
ICD-9	2932	Pharyngeal diverticulectomy
ICD-9	2933	Pharyngectomy (partial)
ICD-9	2939	Other excision or destruction of lesion or tissue of pharynx
ICD-9	294	Plastic operation on pharynx
ICD-9	2954	Lysis of pharyngeal adhesions
ICD-9	2959	Other repair of pharynx
ICD-9	2992	Division of glossopharyngeal nerve
ICD-9	3009	Other excision or destruction of lesion or tissue of larynx
ICD-9	3021	Epiglottidectomy
ICD-9	3022	Vocal cordectomy
ICD-9	3029	Other partial laryngectomy
ICD-9	313	Other incision of larynx or trachea
ICD-9	3145	Open biopsy of larynx or trachea
ICD-9	315	Local excision or destruction of lesion or tissue of trachea
ICD-9	3169	Other repair of larynx
ICD-9	3174	Revision of tracheostomy
ICD-9	3179	Other repair and plastic operations on trachea
ICD-9	3191	Division of laryngeal nerve
ICD-9	3192	Lysis of adhesions of trachea or larynx
ICD-9	3198	Other operations on larynx
ICD-9	3199	Other operations on trachea
ICD-9	3422	Mediastinoscopy
ICD-9	3802	Incision of vessel, other vessels of head and neck
ICD-9	3812	Endarterectomy, other vessels of head and neck
ICD-9	3821	Biopsy of blood vessel
ICD-9	3832	Resection of vessel with anastomosis, other vessels of head and neck
ICD-9	3862	Other excision of vessels, other vessels of head and neck
ICD-9	3882	Other surgical occlusion of vessels, other vessels of head and neck
ICD-9	3979	Other endovascular procedures on other vessels
ICD-9	3989	Other operations on carotid body, carotid sinus and other vascular bodies

ICD 9/10	Code	Description
ICD-9	3998	Control of hemorrhage, not otherwise specified
ICD-9	3999	Other operations on vessels
ICD-9	4011	Biopsy of lymphatic structure
ICD-9	4021	Excision of deep cervical lymph node
ICD-9	4023	Excision of axillary lymph node
ICD-9	4029	Simple excision of other lymphatic structure
ICD-9	403	Regional lymph node excision
ICD-9	4050	Radical excision of lymph nodes, not otherwise specified
ICD-9	4059	Radical excision of other lymph nodes
ICD-9	4209	Other incision of esophagus
ICD-9	4221	Operative esophagoscopy by incision
ICD-9	4225	Open biopsy of esophagus
ICD-9	4232	Local excision of other lesion or tissue of esophagus
ICD-9	4239	Other destruction of lesion or tissue of esophagus
ICD-9	4241	Partial esophagectomy
ICD-9	427	Esophagomyotomy
ICD-9	4282	Suture of laceration of esophagus
ICD-9	4287	Other graft of esophagus
ICD-9	4289	Other repair of esophagus
ICD-9	4401	Truncal vagotomy
ICD-9	4403	Other selective vagotomy
ICD-9	5012	Open biopsy of liver
ICD-9	7179	Other repair of vulva and perineum
ICD-9	7601	Sequestrectomy of facial bone
ICD-9	7609	Other incision of facial bone
ICD-9	7611	Biopsy of facial bone
ICD-9	7619	Other diagnostic procedures on facial bones and joints
ICD-9	762	Local excision or destruction of lesion of facial bone
ICD-9	7631	Partial mandibulectomy
ICD-9	7639	Partial ostectomy of other facial bone
ICD-9	7645	Other total ostectomy of other facial bone
ICD-9	7646	Other reconstruction of other facial bone
ICD-9	765	Temporomandibular arthroplasty
ICD-9	7661	Closed osteoplasty [osteotomy] of mandibular ramus
ICD-9	7662	Open osteoplasty [osteotomy] of mandibular ramus
ICD-9	7664	Other orthognathic surgery on mandible
ICD-9	7665	Segmental osteoplasty [osteotomy] of maxilla
ICD-9	7666	Total osteoplasty [osteotomy] of maxilla
ICD-9	7668	Augmentation genioplasty
ICD-9	7669	Other facial bone repair
ICD-9	7672	Open reduction of malar and zygomatic fracture
ICD-9	7679	Other open reduction of facial fracture

ICD 9/10	Code	Description
ICD-9	7691	Bone graft to facial bone
ICD-9	7692	Insertion of synthetic implant in facial bone
ICD-9	7697	Removal of internal fixation device from facial bone
ICD-9	7699	Other operations on facial bones and joints
ICD-9	7710	Other incision of bone without division, unspecified site
ICD-9	7760	Local excision of lesion or tissue of bone, unspecified site
ICD-9	7819	Application of external fixator device, other bones
ICD-9	7870	Osteoclasia, unspecified site
ICD-9	7890	Insertion of bone growth stimulator, unspecified site
ICD-9	7919	Closed reduction of fracture with internal fixation, other specified bone
ICD-9	7929	Open reduction of fracture without internal fixation, other specified bone
ICD-9	8272	Plastic operation on hand with graft of muscle or fascia
ICD-9	8302	Myotomy
ICD-9	8339	Excision of lesion of other soft tissue
ICD-9	8344	Other fasciectomy
ICD-9	8382	Graft of muscle or fascia
ICD-9	8622	Excisional debridement of wound, infection, or burn
ICD-9	864	Radical excision of skin lesion
ICD-9	8663	Full-thickness skin graft to other sites
ICD-9	8665	Heterograft to skin
ICD-9	8666	Homograft to skin
ICD-9	8667	Dermal regenerative graft
ICD-9	8669	Other skin graft to other sites
ICD-9	8672	Advancement of pedicle graft
ICD-9	8674	Attachment of pedicle or flap graft to other sites
ICD-9	8682	Facial rhytidectomy
ICD-9	8684	Relaxation of scar or web contracture of skin
ICD-9	8687	Fat graft of skin and subcutaneous tissue
ICD-9	8689	Other repair and reconstruction of skin and subcutaneous tissue
ICD-9	8693	Insertion of tissue expander
ICD-9	9227	Implantation or insertion of radioactive elements
ICD-9	9605	Other intubation of respiratory tract
ICD-9	9789	Removal of other therapeutic device
ICD-9	2109	Control of epistaxis by other means
ICD-9	2105	Control of epistaxis by (transantral) ligation of the maxillary artery
ICD-9	2103	Control of epistaxis by cauterization (and packing)
ICD-9	2121	Rhinotomy
ICD-9	2101	Control of epistaxis by anterior nasal packing
ICD-9	2102	Control of epistaxis by posterior (and anterior) packing
ICD-9	2104	Control of epistaxis by ligation of ethmoidal arteries
ICD-9	222	Intranasal antrostomy
ICD-9	2263	Ethmoidectomy

ICD 9/10	Code	Description
ICD-9	283	Tonsillectomy with adenoidectomy
ICD-9	2096	Implantation or replacement of cochlear prosthetic device, not otherwise specified
ICD-9	2219	Other diagnostic procedures on nasal sinuses
ICD-9	1953	Type III tympanoplasty
ICD-9	2098	Implantation or replacement of cochlear prosthetic device, multiple channel
ICD-9	9732	Removal of nasal packing
ICD-9	285	Excision of lingual tonsil
ICD-9	2262	Excision of lesion of maxillary sinus with other approach
ICD-9	2632	Complete sialoadenectomy
ICD-9	2049	Other mastoidectomy
ICD-9	2630	Sialoadenectomy, not otherwise specified
ICD-9	2042	Radical mastoidectomy
ICD-9	2953	Closure of other fistula of pharynx
ICD-9	2131	Local excision or destruction of intranasal lesion
ICD-9	2309	Extraction of other tooth
ICD-9	2319	Other surgical extraction of tooth
ICD-9	2757	Attachment of pedicle or flap graft to lip and mouth
ICD-9	2122	Biopsy of nose
ICD-9	2181	Suture of laceration of nose
ICD-9	2912	Pharyngeal biopsy
ICD-9	2951	Suture of laceration of pharynx
ICD-9	2184	Revision rhinoplasty
ICD-9	251	Excision or destruction of lesion or tissue of tongue
ICD-9	2106	Control of epistaxis by ligation of the external carotid artery
ICD-9	2171	Closed reduction of nasal fracture
ICD-9	2264	Sphenoidectomy
ICD-9	2749	Other excision of mouth
ICD-9	2751	Suture of laceration of lip
ICD-9	2763	Revision of cleft palate repair
ICD-9	2061	Fenestration of inner ear (initial)
ICD-9	2093	Repair of oval and round windows
ICD-9	2100	Control of epistaxis, not otherwise specified
ICD-9	2260	Sinusectomy, not otherwise specified
ICD-9	245	Alveoloplasty
ICD-9	2631	Partial sialoadenectomy
ICD-9	387	Interruption of the vena cava
ICD-9	2182	Closure of nasal fistula
ICD-9	2756	Other skin graft to lip and mouth
ICD-9	4292	Dilation of esophagus
ICD-9	1829	Excision or destruction of other lesion of external ear
ICD-9	2191	Lysis of adhesions of nose

ICD 9/10	Code	Description
ICD-9	2231	Radical maxillary antrotomy
ICD-9	2242	Frontal sinusectomy
ICD-9	2252	Sphenoidotomy
ICD-9	2501	Closed [needle] biopsy of tongue
ICD-9	2743	Other excision of lesion or tissue of lip
ICD-9	2755	Full-thickness skin graft to lip and mouth
ICD-9	2759	Other plastic repair of mouth
ICD-9	287	Control of hemorrhage after tonsillectomy and adenoidectomy
ICD-9	2911	Pharyngoscopy
ICD-9	1952	Type II tympanoplasty
ICD-9	2211	Closed [endoscopic] [needle] biopsy of nasal sinus
ICD-9	2241	Frontal sinusotomy
ICD-9	240	Incision of gum or alveolar bone
ICD-9	9721	Replacement of nasal packing
ICD-9	1811	Otoscopy
ICD-9	1821	Excision of preauricular sinus
ICD-9	1955	Type V tympanoplasty
ICD-9	199	Other repair of middle ear
ICD-9	2062	Revision of fenestration of inner ear
ICD-9	2130	Excision or destruction of lesion of nose, not otherwise specified
ICD-9	2239	Other external maxillary antrotomy
ICD-9	2279	Other repair of nasal sinus
ICD-9	2491	Extension or deepening of buccolabial or lingual sulcus
ICD-9	2502	Open biopsy of tongue
ICD-9	2559	Other repair and plastic operations on tongue
ICD-9	2611	Closed [needle] biopsy of salivary gland or duct
ICD-9	2649	Other repair and plastic operations on salivary gland or duct
ICD-9	2691	Probing of salivary duct
ICD-9	2754	Repair of cleft lip
ICD-9	2792	Incision of mouth, unspecified structure
ICD-9	2819	Other diagnostic procedures on tonsils and adenoids
ICD-9	2991	Dilation of pharynx
ICD-9	2999	Other operations on pharynx
ICD-9	9652	Irrigation of ear
ICD-9	9813	Removal of intraluminal foreign body from pharynx without incision
ICD-9	1812	Biopsy of external ear
ICD-9	184	Suture of laceration of external ear
ICD-9	186	Reconstruction of external auditory canal
ICD-9	1879	Other plastic repair of external ear
ICD-9	2001	Myringotomy with insertion of tube
ICD-9	2009	Other myringotomy
ICD-9	201	Removal of tympanostomy tube

ICD 9/10	Code	Description
ICD-9	2041	Simple mastoidectomy
ICD-9	2051	Excision of lesion of middle ear
ICD-9	2059	Other excision of middle ear
ICD-9	2072	Injection into inner ear
ICD-9	2079	Other incision, excision, and destruction of inner ear
ICD-9	2099	Other operations on middle and inner ear
ICD-9	2107	Control of epistaxis by excision of nasal mucosa and skin grafting of septum and lateral nasal wall
ICD-9	211	Incision of nose
ICD-9	2189	Other repair and plastic operations on nose
ICD-9	2201	Puncture of nasal sinus for aspiration or lavage
ICD-9	2251	Ethmoidotomy
ICD-9	2261	Excision of lesion of maxillary sinus with Caldwell-Luc approach
ICD-9	2271	Closure of nasal sinus fistula
ICD-9	236	Prosthetic dental implant
ICD-9	252	Partial glossectomy
ICD-9	2629	Other excision of salivary gland lesion
ICD-9	2723	Biopsy of lip
ICD-9	2724	Biopsy of mouth, unspecified structure
ICD-9	2752	Suture of laceration of other part of mouth
ICD-9	2764	Insertion of palatal implant
ICD-9	2772	Excision of uvula
ICD-9	2939	Other excision or destruction of lesion or tissue of pharynx
ICD-9	294	Plastic operation on pharynx
ICD-9	8681	Repair for facial weakness
ICD-9	9601	Insertion of nasopharyngeal airway
ICD-9	1421	Malignant neoplasm of submandibular gland
ICD-9	1449	Malignant neoplasm of floor of mouth, part unspecified
ICD-9	1479	Malignant neoplasm of nasopharynx, unspecified site
ICD-9	1481	Malignant neoplasm of pyriform sinus
ICD-9	1600	Malignant neoplasm of nasal cavities
ICD-9	1604	Malignant neoplasm of frontal sinus
ICD-9	32723	Obstructive sleep apnea (adult)(pediatric)
ICD-9	38302	Acute mastoiditis with other complications
ICD-9	38611	Benign paroxysmal positional vertigo
ICD-9	38630	Labyrinthitis, unspecified
ICD-9	38910	Sensorineural hearing loss, unspecified
ICD-9	38918	Sensorineural hearing loss, bilateral
ICD-9	3899	Unspecified hearing loss
ICD-9	4659	Acute upper respiratory infections of unspecified site
ICD-9	5264	Inflammatory conditions of jaw
ICD-9	52689	Other specified diseases of the jaws

ICD 9/10	Code	Description
ICD-9	5272	Sialoadenitis
ICD-9	52801	Mucositis (ulcerative) due to antineoplastic therapy
ICD-9	52802	Mucositis (ulcerative) due to other drugs
ICD-9	5283	Cellulitis and abscess of oral soft tissues
ICD-9	7804	Dizziness and giddiness
ICD-9	7847	Epistaxis
ICD-9	80220	Closed fracture of mandible, unspecified site
ICD-9	80224	Closed fracture of mandible, ramus, unspecified
ICD-9	80228	Closed fracture of mandible, body, other and unspecified
ICD-9	80239	Open fracture of mandible, multiple sites
ICD-9	8024	Closed fracture of malar and maxillary bones
ICD-10	C000	Malignant neoplasm of external upper lip
ICD-10	C001	Malignant neoplasm of external lower lip
ICD-10	C003	Malignant neoplasm of upper lip, inner aspect
ICD-10	C004	Malignant neoplasm of lower lip, inner aspect
ICD-10	C009	Malignant neoplasm of lip, unspecified
ICD-10	C01	Malignant neoplasm of base of tongue
ICD-10	C020	Malignant neoplasm of dorsal surface of tongue
ICD-10	C021	Malignant neoplasm of border of tongue
ICD-10	C022	Malignant neoplasm of ventral surface of tongue
ICD-10	C023	Malignant neoplasm of anterior two-thirds of tongue, part unspecified
ICD-10	C029	Malignant neoplasm of tongue, unspecified
ICD-10	C030	Malignant neoplasm of upper gum
ICD-10	C031	Malignant neoplasm of lower gum
ICD-10	C039	Malignant neoplasm of gum, unspecified
ICD-10	C040	Malignant neoplasm of anterior floor of mouth
ICD-10	C041	Malignant neoplasm of lateral floor of mouth
ICD-10	C048	Malignant neoplasm of overlapping sites of floor of mouth
ICD-10	C049	Malignant neoplasm of floor of mouth, unspecified
ICD-10	C060	Malignant neoplasm of cheek mucosa
ICD-10	C061	Malignant neoplasm of vestibule of mouth
ICD-10	C062	Malignant neoplasm of retromolar area
ICD-10	C0689	Malignant neoplasm of overlapping sites of other parts of mouth
ICD-10	C069	Malignant neoplasm of mouth, unspecified
ICD-10	C07	Malignant neoplasm of parotid gland
ICD-10	C119	Malignant neoplasm of nasopharynx, unspecified
ICD-10	C139	Malignant neoplasm of hypopharynx, unspecified
ICD-10	C140	Malignant neoplasm of pharynx, unspecified
ICD-10	C148	Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx
ICD-10	C300	Malignant neoplasm of nasal cavity
ICD-10	C310	Malignant neoplasm of maxillary sinus
ICD-10	C311	Malignant neoplasm of ethmoidal sinus

ICD 9/10	Code	Description
ICD-10	C320	Malignant neoplasm of glottis
ICD-10	C321	Malignant neoplasm of supraglottis
ICD-10	D0000	Carcinoma in situ of oral cavity, unspecified site
ICD-10	D0003	Carcinoma in situ of gingiva and edentulous alveolar ridge
ICD-10	D0006	Carcinoma in situ of floor of mouth
ICD-10	D1039	Benign neoplasm of other parts of mouth
ICD-10	D110	Benign neoplasm of parotid gland
ICD-10	D140	Benign neoplasm of middle ear, nasal cavity and accessory sinuses
ICD-10	G4730	Sleep apnea, unspecified
ICD-10	G4733	Obstructive sleep apnea (adult) (pediatric)
ICD-10	G4752	REM sleep behavior disorder
ICD-10	H6002	Abscess of left external ear
ICD-10	H6012	Cellulitis of left external ear
ICD-10	H6021	Malignant otitis externa, right ear
ICD-10	H60503	Unspecified acute noninfective otitis externa, bilateral
ICD-10	H66011	Acute suppurative otitis media with spontaneous rupture of ear drum, right ear
ICD-10	H6691	Otitis media, unspecified, right ear
ICD-10	H70002	Acute mastoiditis without complications, left ear
ICD-10	H7090	Unspecified mastoiditis, unspecified ear
ICD-10	H8102	Meniere's disease, left ear
ICD-10	H8110	Benign paroxysmal vertigo, unspecified ear
ICD-10	H8121	Vestibular neuronitis, right ear
ICD-10	H8302	Labyrinthitis, left ear
ICD-10	H903	Sensorineural hearing loss, bilateral
ICD-10	H9042	Sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side
ICD-10	H9103	Ototoxic hearing loss, bilateral
ICD-10	J0100	Acute maxillary sinusitis, unspecified
ICD-10	J0130	Acute sphenoidal sinusitis, unspecified
ICD-10	J0190	Acute sinusitis, unspecified
ICD-10	J069	Acute upper respiratory infection, unspecified
ICD-10	J111	Influenza due to unidentified influenza virus with other respiratory manifestations
ICD-10	J320	Chronic maxillary sinusitis
ICD-10	J321	Chronic frontal sinusitis
ICD-10	J323	Chronic sphenoidal sinusitis
ICD-10	J340	Abscess, furuncle and carbuncle of nose
ICD-10	J341	Cyst and mucocele of nose and nasal sinus
ICD-10	J342	Deviated nasal septum
ICD-10	J36	Peritonsillar abscess
ICD-10	J390	Retropharyngeal and parapharyngeal abscess
ICD-10	J391	Other abscess of pharynx
ICD-10	J392	Other diseases of pharynx

ICD 9/10	Code	Description
ICD-10	K0251	Dental caries on pit and fissure surface limited to enamel
ICD-10	K0263	Dental caries on smooth surface penetrating into pulp
ICD-10	K029	Dental caries, unspecified
ICD-10	K041	Necrosis of pulp
ICD-10	K047	Periapical abscess without sinus
ICD-10	K048	Radicular cyst
ICD-10	K0520	Aggressive periodontitis, unspecified
ICD-10	K05223	Aggressive periodontitis, generalized, severe
ICD-10	K068	Other specified disorders of gingiva and edentulous alveolar ridge
ICD-10	K0820	Unspecified atrophy of edentulous alveolar ridge
ICD-10	K1120	Sialoadenitis, unspecified
ICD-10	K1121	Acute sialoadenitis
ICD-10	K113	Abscess of salivary gland
ICD-10	K115	Sialolithiasis
ICD-10	K120	Recurrent oral aphthae
ICD-10	K122	Cellulitis and abscess of mouth
ICD-10	K1230	Oral mucositis (ulcerative), unspecified
ICD-10	K1231	Oral mucositis (ulcerative) due to antineoplastic therapy
ICD-10	K130	Diseases of lips
ICD-10	K1321	Leukoplakia of oral mucosa, including tongue
ICD-10	K1329	Other disturbances of oral epithelium, including tongue
ICD-10	K135	Oral submucous fibrosis
ICD-10	K136	Irritative hyperplasia of oral mucosa
ICD-10	K1379	Other lesions of oral mucosa
ICD-10	K148	Other diseases of tongue
ICD-10	M2769	Other endosseous dental implant failure
ICD-10	R040	Epistaxis
ICD-10	R041	Hemorrhage from throat
ICD-10	R42	Dizziness and giddiness
ICD-10	S0121XA	Laceration without foreign body of nose, initial encounter
ICD-10	S0125XA	Open bite of nose, initial encounter
ICD-10	S01302A	Unspecified open wound of left ear, initial encounter
ICD-10	S01351A	Open bite of right ear, initial encounter
ICD-10	S01511A	Laceration without foreign body of lip, initial encounter
ICD-10	S01512A	Laceration without foreign body of oral cavity, initial encounter
ICD-10	S025XXA	Fracture of tooth (traumatic), initial encounter for closed fracture
ICD-10	S08812A	Partial traumatic amputation of nose, initial encounter
ICD-10	T17220A	Food in pharynx causing asphyxiation, initial encounter
ICD-10	008F0ZZ	Division of olfactory nerve, open approach
ICD-10	008H3ZZ	Division of oculomotor nerve, percutaneous approach
ICD-10	008H4ZZ	Division of oculomotor nerve, percutaneous endoscopic approach
ICD-10	008J0ZZ	Division of trochlear nerve, open approach

ICD 9/10	Code	Description
ICD-10	008J3ZZ	Division of trochlear nerve, percutaneous approach
ICD-10	008J4ZZ	Division of trochlear nerve, percutaneous endoscopic approach
ICD-10	008K0ZZ	Division of trigeminal nerve, open approach
ICD-10	008K3ZZ	Division of trigeminal nerve, percutaneous approach
ICD-10	008K4ZZ	Division of trigeminal nerve, percutaneous endoscopic approach
ICD-10	008L0ZZ	Division of abducens nerve, open approach
ICD-10	008L3ZZ	Division of abducens nerve, percutaneous approach
ICD-10	008L4ZZ	Division of abducens nerve, percutaneous endoscopic approach
ICD-10	008M0ZZ	Division of facial nerve, open approach
ICD-10	008M3ZZ	Division of facial nerve, percutaneous approach
ICD-10	008M4ZZ	Division of facial nerve, percutaneous endoscopic approach
ICD-10	008N0ZZ	Division of acoustic nerve, open approach
ICD-10	008N3ZZ	Division of acoustic nerve, percutaneous approach
ICD-10	008N4ZZ	Division of acoustic nerve, percutaneous endoscopic approach
ICD-10	008P0ZZ	Division of glossopharyngeal nerve, open approach
ICD-10	008P3ZZ	Division of glossopharyngeal nerve, percutaneous approach
ICD-10	008P4ZZ	Division of glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	008Q0ZZ	Division of vagus nerve, open approach
ICD-10	008Q3ZZ	Division of vagus nerve, percutaneous approach
ICD-10	008Q4ZZ	Division of vagus nerve, percutaneous endoscopic approach
ICD-10	008R0ZZ	Division of accessory nerve, open approach
ICD-10	008R3ZZ	Division of accessory nerve, percutaneous approach
ICD-10	008R4ZZ	Division of accessory nerve, percutaneous endoscopic approach
ICD-10	008S0ZZ	Division of hypoglossal nerve, open approach
ICD-10	008S3ZZ	Division of hypoglossal nerve, percutaneous approach
ICD-10	008S4ZZ	Division of hypoglossal nerve, percutaneous endoscopic approach
ICD-10	009F0ZX	Drainage of olfactory nerve, open approach, diagnostic
ICD-10	009G0ZX	Drainage of optic nerve, open approach, diagnostic
ICD-10	009H0ZX	Drainage of oculomotor nerve, open approach, diagnostic
ICD-10	009J0ZX	Drainage of trochlear nerve, open approach, diagnostic
ICD-10	009K0ZX	Drainage of trigeminal nerve, open approach, diagnostic
ICD-10	009L0ZX	Drainage of abducens nerve, open approach, diagnostic
ICD-10	009M0ZX	Drainage of facial nerve, open approach, diagnostic
ICD-10	009N0ZX	Drainage of acoustic nerve, open approach, diagnostic
ICD-10	009P0ZX	Drainage of glossopharyngeal nerve, open approach, diagnostic
ICD-10	009Q0ZX	Drainage of vagus nerve, open approach, diagnostic
ICD-10	009R0ZX	Drainage of accessory nerve, open approach, diagnostic
ICD-10	009S0ZX	Drainage of hypoglossal nerve, open approach, diagnostic
ICD-10	00BF0ZX	Excision of olfactory nerve, open approach, diagnostic
ICD-10	00BF0ZZ	Excision of olfactory nerve, open approach
ICD-10	00BF3ZZ	Excision of olfactory nerve, percutaneous approach
ICD-10	00BF4ZZ	Excision of olfactory nerve, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00BG0ZX	Excision of optic nerve, open approach, diagnostic
ICD-10	00BG0ZZ	Excision of optic nerve, open approach
ICD-10	00BG3ZZ	Excision of optic nerve, percutaneous approach
ICD-10	00BG4ZZ	Excision of optic nerve, percutaneous endoscopic approach
ICD-10	00BH0ZX	Excision of oculomotor nerve, open approach, diagnostic
ICD-10	00BH0ZZ	Excision of oculomotor nerve, open approach
ICD-10	00BH3ZZ	Excision of oculomotor nerve, percutaneous approach
ICD-10	00BH4ZZ	Excision of oculomotor nerve, percutaneous endoscopic approach
ICD-10	00BJ0ZX	Excision of trochlear nerve, open approach, diagnostic
ICD-10	00BJ0ZZ	Excision of trochlear nerve, open approach
ICD-10	00BJ3ZZ	Excision of trochlear nerve, percutaneous approach
ICD-10	00BJ4ZZ	Excision of trochlear nerve, percutaneous endoscopic approach
ICD-10	00BK0ZX	Excision of trigeminal nerve, open approach, diagnostic
ICD-10	00BK0ZZ	Excision of trigeminal nerve, open approach
ICD-10	00BK3ZZ	Excision of trigeminal nerve, percutaneous approach
ICD-10	00BK4ZZ	Excision of trigeminal nerve, percutaneous endoscopic approach
ICD-10	00BL0ZX	Excision of abducens nerve, open approach, diagnostic
ICD-10	00BL0ZZ	Excision of abducens nerve, open approach
ICD-10	00BL3ZZ	Excision of abducens nerve, percutaneous approach
ICD-10	00BL4ZZ	Excision of abducens nerve, percutaneous endoscopic approach
ICD-10	00BM0ZX	Excision of facial nerve, open approach, diagnostic
ICD-10	00BM0ZZ	Excision of facial nerve, open approach
ICD-10	00BM3ZZ	Excision of facial nerve, percutaneous approach
ICD-10	00BM4ZZ	Excision of facial nerve, percutaneous endoscopic approach
ICD-10	00BN0ZX	Excision of acoustic nerve, open approach, diagnostic
ICD-10	00BN0ZZ	Excision of acoustic nerve, open approach
ICD-10	00BN3ZZ	Excision of acoustic nerve, percutaneous approach
ICD-10	00BN4ZZ	Excision of acoustic nerve, percutaneous endoscopic approach
ICD-10	00BP0ZX	Excision of glossopharyngeal nerve, open approach, diagnostic
ICD-10	00BP0ZZ	Excision of glossopharyngeal nerve, open approach
ICD-10	00BP3ZZ	Excision of glossopharyngeal nerve, percutaneous approach
ICD-10	00BP4ZZ	Excision of glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00BQ0ZX	Excision of vagus nerve, open approach, diagnostic
ICD-10	00BQ0ZZ	Excision of vagus nerve, open approach
ICD-10	00BQ3ZZ	Excision of vagus nerve, percutaneous approach
ICD-10	00BQ4ZZ	Excision of vagus nerve, percutaneous endoscopic approach
ICD-10	00BR0ZX	Excision of accessory nerve, open approach, diagnostic
ICD-10	00BR0ZZ	Excision of accessory nerve, open approach
ICD-10	00BR3ZZ	Excision of accessory nerve, percutaneous approach
ICD-10	00BR4ZZ	Excision of accessory nerve, percutaneous endoscopic approach
ICD-10	00BS0ZX	Excision of hypoglossal nerve, open approach, diagnostic
ICD-10	00BS0ZZ	Excision of hypoglossal nerve, open approach

ICD 9/10	Code	Description
ICD-10	00BS3ZZ	Excision of hypoglossal nerve, percutaneous approach
ICD-10	00BS4ZZ	Excision of hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00DF0ZZ	Extraction of olfactory nerve, open approach
ICD-10	00DF3ZZ	Extraction of olfactory nerve, percutaneous approach
ICD-10	00DF4ZZ	Extraction of olfactory nerve, percutaneous endoscopic approach
ICD-10	00DG0ZZ	Extraction of optic nerve, open approach
ICD-10	00DG3ZZ	Extraction of optic nerve, percutaneous approach
ICD-10	00DG4ZZ	Extraction of optic nerve, percutaneous endoscopic approach
ICD-10	00DH0ZZ	Extraction of oculomotor nerve, open approach
ICD-10	00DH3ZZ	Extraction of oculomotor nerve, percutaneous approach
ICD-10	00DH4ZZ	Extraction of oculomotor nerve, percutaneous endoscopic approach
ICD-10	00DJ0ZZ	Extraction of trochlear nerve, open approach
ICD-10	00DJ3ZZ	Extraction of trochlear nerve, percutaneous approach
ICD-10	00DJ4ZZ	Extraction of trochlear nerve, percutaneous endoscopic approach
ICD-10	00DK0ZZ	Extraction of trigeminal nerve, open approach
ICD-10	00DK3ZZ	Extraction of trigeminal nerve, percutaneous approach
ICD-10	00DK4ZZ	Extraction of trigeminal nerve, percutaneous endoscopic approach
ICD-10	00DL0ZZ	Extraction of abducens nerve, open approach
ICD-10	00DL3ZZ	Extraction of abducens nerve, percutaneous approach
ICD-10	00DL4ZZ	Extraction of abducens nerve, percutaneous endoscopic approach
ICD-10	00DM0ZZ	Extraction of facial nerve, open approach
ICD-10	00DM3ZZ	Extraction of facial nerve, percutaneous approach
ICD-10	00DM4ZZ	Extraction of facial nerve, percutaneous endoscopic approach
ICD-10	00DN0ZZ	Extraction of acoustic nerve, open approach
ICD-10	00DN3ZZ	Extraction of acoustic nerve, percutaneous approach
ICD-10	00DN4ZZ	Extraction of acoustic nerve, percutaneous endoscopic approach
ICD-10	00DP0ZZ	Extraction of glossopharyngeal nerve, open approach
ICD-10	00DP3ZZ	Extraction of glossopharyngeal nerve, percutaneous approach
ICD-10	00DP4ZZ	Extraction of glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00DQ0ZZ	Extraction of vagus nerve, open approach
ICD-10	00DQ3ZZ	Extraction of vagus nerve, percutaneous approach
ICD-10	00DQ4ZZ	Extraction of vagus nerve, percutaneous endoscopic approach
ICD-10	00DR0ZZ	Extraction of accessory nerve, open approach
ICD-10	00DR3ZZ	Extraction of accessory nerve, percutaneous approach
ICD-10	00DR4ZZ	Extraction of accessory nerve, percutaneous endoscopic approach
ICD-10	00DS0ZZ	Extraction of hypoglossal nerve, open approach
ICD-10	00DS3ZZ	Extraction of hypoglossal nerve, percutaneous approach
ICD-10	00DS4ZZ	Extraction of hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00HE0MZ	Insertion of Neurostimulator Lead into Cranial Nerve, Open Approach
ICD-10	00HE3MZ	Insertion of neurostimulator lead into cranial nerve, percutaneous approach
ICD-10	00HE4MZ	Insertion of neurostimulator lead into cranial nerve, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00NF0ZZ	Release olfactory nerve, open approach
ICD-10	00NF3ZZ	Release olfactory nerve, percutaneous approach
ICD-10	00NF4ZZ	Release olfactory nerve, percutaneous endoscopic approach
ICD-10	00NG0ZZ	Release optic nerve, open approach
ICD-10	00NG3ZZ	Release optic nerve, percutaneous approach
ICD-10	00NG4ZZ	Release optic nerve, percutaneous endoscopic approach
ICD-10	00NH0ZZ	Release oculomotor nerve, open approach
ICD-10	00NH3ZZ	Release oculomotor nerve, percutaneous approach
ICD-10	00NH4ZZ	Release oculomotor nerve, percutaneous endoscopic approach
ICD-10	00NJ0ZZ	Release trochlear nerve, open approach
ICD-10	00NJ3ZZ	Release trochlear nerve, percutaneous approach
ICD-10	00NJ4ZZ	Release trochlear nerve, percutaneous endoscopic approach
ICD-10	00NK0ZZ	Release trigeminal nerve, open approach
ICD-10	00NK3ZZ	Release trigeminal nerve, percutaneous approach
ICD-10	00NK4ZZ	Release trigeminal nerve, percutaneous endoscopic approach
ICD-10	00NL0ZZ	Release abducens nerve, open approach
ICD-10	00NL3ZZ	Release abducens nerve, percutaneous approach
ICD-10	00NL4ZZ	Release abducens nerve, percutaneous endoscopic approach
ICD-10	00NM0ZZ	Release facial nerve, open approach
ICD-10	00NM3ZZ	Release facial nerve, percutaneous approach
ICD-10	00NM4ZZ	Release facial nerve, percutaneous endoscopic approach
ICD-10	00NN0ZZ	Release acoustic nerve, open approach
ICD-10	00NN3ZZ	Release acoustic nerve, percutaneous approach
ICD-10	00NN4ZZ	Release acoustic nerve, percutaneous endoscopic approach
ICD-10	00NP0ZZ	Release glossopharyngeal nerve, open approach
ICD-10	00NP3ZZ	Release glossopharyngeal nerve, percutaneous approach
ICD-10	00NP4ZZ	Release glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00NQ0ZZ	Release vagus nerve, open approach
ICD-10	00NQ3ZZ	Release vagus nerve, percutaneous approach
ICD-10	00NQ4ZZ	Release vagus nerve, percutaneous endoscopic approach
ICD-10	00NR0ZZ	Release accessory nerve, open approach
ICD-10	00NR3ZZ	Release accessory nerve, percutaneous approach
ICD-10	00NR4ZZ	Release accessory nerve, percutaneous endoscopic approach
ICD-10	00NS0ZZ	Release hypoglossal nerve, open approach
ICD-10	00NS3ZZ	Release hypoglossal nerve, percutaneous approach
ICD-10	00NS4ZZ	Release hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00PE0MZ	Removal of neurostimulator lead from cranial nerve, open approach
ICD-10	00PE3MZ	Removal of neurostimulator lead from cranial nerve, percutaneous approach
ICD-10	00PE4MZ	Removal of neurostimulator lead from cranial nerve, percutaneous endoscopic approach
ICD-10	00QF0ZZ	Repair olfactory nerve, open approach
ICD-10	00QF3ZZ	Repair olfactory nerve, percutaneous approach

ICD 9/10	Code	Description
ICD-10	00QF4ZZ	Repair olfactory nerve, percutaneous endoscopic approach
ICD-10	00QG0ZZ	Repair optic nerve, open approach
ICD-10	00QG3ZZ	Repair optic nerve, percutaneous approach
ICD-10	00QG4ZZ	Repair optic nerve, percutaneous endoscopic approach
ICD-10	00QH0ZZ	Repair oculomotor nerve, open approach
ICD-10	00QH3ZZ	Repair oculomotor nerve, percutaneous approach
ICD-10	00QH4ZZ	Repair oculomotor nerve, percutaneous endoscopic approach
ICD-10	00QJ0ZZ	Repair trochlear nerve, open approach
ICD-10	00QJ3ZZ	Repair trochlear nerve, percutaneous approach
ICD-10	00QJ4ZZ	Repair trochlear nerve, percutaneous endoscopic approach
ICD-10	00QK0ZZ	Repair trigeminal nerve, open approach
ICD-10	00QK3ZZ	Repair trigeminal nerve, percutaneous approach
ICD-10	00QK4ZZ	Repair trigeminal nerve, percutaneous endoscopic approach
ICD-10	00QL0ZZ	Repair abducens nerve, open approach
ICD-10	00QL3ZZ	Repair abducens nerve, percutaneous approach
ICD-10	00QL4ZZ	Repair abducens nerve, percutaneous endoscopic approach
ICD-10	00QM0ZZ	Repair facial nerve, open approach
ICD-10	00QM3ZZ	Repair facial nerve, percutaneous approach
ICD-10	00QM4ZZ	Repair facial nerve, percutaneous endoscopic approach
ICD-10	00QN0ZZ	Repair acoustic nerve, open approach
ICD-10	00QN3ZZ	Repair acoustic nerve, percutaneous approach
ICD-10	00QN4ZZ	Repair acoustic nerve, percutaneous endoscopic approach
ICD-10	00QP0ZZ	Repair glossopharyngeal nerve, open approach
ICD-10	00QP3ZZ	Repair glossopharyngeal nerve, percutaneous approach
ICD-10	00QP4ZZ	Repair glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00QQ0ZZ	Repair vagus nerve, open approach
ICD-10	00QQ3ZZ	Repair vagus nerve, percutaneous approach
ICD-10	00QQ4ZZ	Repair vagus nerve, percutaneous endoscopic approach
ICD-10	00QR0ZZ	Repair accessory nerve, open approach
ICD-10	00QR3ZZ	Repair accessory nerve, percutaneous approach
ICD-10	00QR4ZZ	Repair accessory nerve, percutaneous endoscopic approach
ICD-10	00QS0ZZ	Repair hypoglossal nerve, open approach
ICD-10	00QS3ZZ	Repair hypoglossal nerve, percutaneous approach
ICD-10	00QS4ZZ	Repair hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00RF07Z	Replacement of olfactory nerve with autologous tissue substitute, open approach
ICD-10	00RF0JZ	Replacement of olfactory nerve with synthetic substitute, open approach
ICD-10	00RF0KZ	Replacement of olfactory nerve with nonautologous tissue substitute, open approach
ICD-10	00RF47Z	Replacement of olfactory nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RF4JZ	Replacement of olfactory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RF4KZ	Replacement of olfactory nerve with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00RG07Z	Replacement of optic nerve with autologous tissue substitute, open approach
ICD-10	00RG0JZ	Replacement of optic nerve with synthetic substitute, open approach
ICD-10	00RG0KZ	Replacement of optic nerve with nonautologous tissue substitute, open approach
ICD-10	00RG47Z	Replacement of optic nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RG4JZ	Replacement of optic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RG4KZ	Replacement of optic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RH07Z	Replacement of oculomotor nerve with autologous tissue substitute, open approach
ICD-10	00RH0JZ	Replacement of oculomotor nerve with synthetic substitute, open approach
ICD-10	00RH0KZ	Replacement of oculomotor nerve with nonautologous tissue substitute, open approach
ICD-10	00RH47Z	Replacement of oculomotor nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RH4JZ	Replacement of oculomotor nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RH4KZ	Replacement of oculomotor nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RJ07Z	Replacement of trochlear nerve with autologous tissue substitute, open approach
ICD-10	00RJ0JZ	Replacement of trochlear nerve with synthetic substitute, open approach
ICD-10	00RJ0KZ	Replacement of trochlear nerve with nonautologous tissue substitute, open approach
ICD-10	00RJ47Z	Replacement of trochlear nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RJ4JZ	Replacement of trochlear nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RJ4KZ	Replacement of trochlear nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RK07Z	Replacement of trigeminal nerve with autologous tissue substitute, open approach
ICD-10	00RK0JZ	Replacement of trigeminal nerve with synthetic substitute, open approach
ICD-10	00RK0KZ	Replacement of trigeminal nerve with nonautologous tissue substitute, open approach
ICD-10	00RK47Z	Replacement of trigeminal nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RK4JZ	Replacement of trigeminal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RK4KZ	Replacement of trigeminal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RL07Z	Replacement of abducens nerve with autologous tissue substitute, open approach
ICD-10	00RL0JZ	Replacement of abducens nerve with synthetic substitute, open approach
ICD-10	00RL0KZ	Replacement of abducens nerve with nonautologous tissue substitute, open approach
ICD-10	00RL47Z	Replacement of abducens nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RL4JZ	Replacement of abducens nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RL4KZ	Replacement of abducens nerve with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00RM07Z	Replacement of facial nerve with autologous tissue substitute, open approach
ICD-10	00RM0JZ	Replacement of facial nerve with synthetic substitute, open approach
ICD-10	00RM0KZ	Replacement of facial nerve with nonautologous tissue substitute, open approach
ICD-10	00RM47Z	Replacement of facial nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RM4JZ	Replacement of facial nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RM4KZ	Replacement of facial nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RN07Z	Replacement of acoustic nerve with autologous tissue substitute, open approach
ICD-10	00RN0JZ	Replacement of acoustic nerve with synthetic substitute, open approach
ICD-10	00RN0KZ	Replacement of acoustic nerve with nonautologous tissue substitute, open approach
ICD-10	00RN47Z	Replacement of acoustic nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RN4JZ	Replacement of acoustic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RN4KZ	Replacement of acoustic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RP07Z	Replacement of glossopharyngeal nerve with autologous tissue substitute, open approach
ICD-10	00RP0JZ	Replacement of glossopharyngeal nerve with synthetic substitute, open approach
ICD-10	00RP0KZ	Replacement of glossopharyngeal nerve with nonautologous tissue substitute, open approach
ICD-10	00RP47Z	Replacement of glossopharyngeal nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RP4JZ	Replacement of glossopharyngeal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RP4KZ	Replacement of glossopharyngeal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RQ07Z	Replacement of vagus nerve with autologous tissue substitute, open approach
ICD-10	00RQ0JZ	Replacement of vagus nerve with synthetic substitute, open approach
ICD-10	00RQ0KZ	Replacement of vagus nerve with nonautologous tissue substitute, open approach
ICD-10	00RQ47Z	Replacement of vagus nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RQ4JZ	Replacement of vagus nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RQ4KZ	Replacement of vagus nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RR07Z	Replacement of accessory nerve with autologous tissue substitute, open approach
ICD-10	00RR0JZ	Replacement of accessory nerve with synthetic substitute, open approach
ICD-10	00RR0KZ	Replacement of accessory nerve with nonautologous tissue substitute, open approach
ICD-10	00RR47Z	Replacement of accessory nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RR4JZ	Replacement of accessory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RR4KZ	Replacement of accessory nerve with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00RS07Z	Replacement of hypoglossal nerve with autologous tissue substitute, open approach
ICD-10	00RS0JZ	Replacement of hypoglossal nerve with synthetic substitute, open approach
ICD-10	00RS0KZ	Replacement of hypoglossal nerve with nonautologous tissue substitute, open approach
ICD-10	00RS47Z	Replacement of hypoglossal nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RS4JZ	Replacement of hypoglossal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RS4KZ	Replacement of hypoglossal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UF0JZ	Supplement olfactory nerve with synthetic substitute, open approach
ICD-10	00UF0KZ	Supplement olfactory nerve with nonautologous tissue substitute, open approach
ICD-10	00UF3JZ	Supplement olfactory nerve with synthetic substitute, percutaneous approach
ICD-10	00UF3KZ	Supplement olfactory nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UF4JZ	Supplement olfactory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UF4KZ	Supplement olfactory nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UG0JZ	Supplement optic nerve with synthetic substitute, open approach
ICD-10	00UG0KZ	Supplement optic nerve with nonautologous tissue substitute, open approach
ICD-10	00UG3JZ	Supplement optic nerve with synthetic substitute, percutaneous approach
ICD-10	00UG3KZ	Supplement optic nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UG4JZ	Supplement optic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UG4KZ	Supplement optic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UH0JZ	Supplement oculomotor nerve with synthetic substitute, open approach
ICD-10	00UH0KZ	Supplement oculomotor nerve with nonautologous tissue substitute, open approach
ICD-10	00UH3JZ	Supplement oculomotor nerve with synthetic substitute, percutaneous approach
ICD-10	00UH3KZ	Supplement oculomotor nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UH4JZ	Supplement oculomotor nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UH4KZ	Supplement oculomotor nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UJ0JZ	Supplement trochlear nerve with synthetic substitute, open approach
ICD-10	00UJ0KZ	Supplement trochlear nerve with nonautologous tissue substitute, open approach
ICD-10	00UJ3JZ	Supplement trochlear nerve with synthetic substitute, percutaneous approach
ICD-10	00UJ3KZ	Supplement trochlear nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UJ4JZ	Supplement trochlear nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UJ4KZ	Supplement trochlear nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UK0JZ	Supplement trigeminal nerve with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	00UK0KZ	Supplement trigeminal nerve with nonautologous tissue substitute, open approach
ICD-10	00UK3JZ	Supplement trigeminal nerve with synthetic substitute, percutaneous approach
ICD-10	00UK3KZ	Supplement trigeminal nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UK4JZ	Supplement trigeminal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UK4KZ	Supplement trigeminal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UL0JZ	Supplement abducens nerve with synthetic substitute, open approach
ICD-10	00UL0KZ	Supplement abducens nerve with nonautologous tissue substitute, open approach
ICD-10	00UL3JZ	Supplement abducens nerve with synthetic substitute, percutaneous approach
ICD-10	00UL3KZ	Supplement abducens nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UL4JZ	Supplement abducens nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UL4KZ	Supplement abducens nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UM0JZ	Supplement facial nerve with synthetic substitute, open approach
ICD-10	00UM0KZ	Supplement facial nerve with nonautologous tissue substitute, open approach
ICD-10	00UM3JZ	Supplement facial nerve with synthetic substitute, percutaneous approach
ICD-10	00UM3KZ	Supplement facial nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UM4JZ	Supplement facial nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UM4KZ	Supplement facial nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UN0JZ	Supplement acoustic nerve with synthetic substitute, open approach
ICD-10	00UN0KZ	Supplement acoustic nerve with nonautologous tissue substitute, open approach
ICD-10	00UN3JZ	Supplement acoustic nerve with synthetic substitute, percutaneous approach
ICD-10	00UN3KZ	Supplement acoustic nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UN4JZ	Supplement acoustic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UN4KZ	Supplement acoustic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UP0JZ	Supplement glossopharyngeal nerve with synthetic substitute, open approach
ICD-10	00UP0KZ	Supplement glossopharyngeal nerve with nonautologous tissue substitute, open approach
ICD-10	00UP3JZ	Supplement glossopharyngeal nerve with synthetic substitute, percutaneous approach
ICD-10	00UP3KZ	Supplement glossopharyngeal nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UP4JZ	Supplement glossopharyngeal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UP4KZ	Supplement glossopharyngeal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UQ0JZ	Supplement vagus nerve with synthetic substitute, open approach
ICD-10	00UQ0KZ	Supplement vagus nerve with nonautologous tissue substitute, open approach
ICD-10	00UQ3JZ	Supplement vagus nerve with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	00UQ3KZ	Supplement vagus nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UQ4JZ	Supplement vagus nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UQ4KZ	Supplement vagus nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UR0JZ	Supplement accessory nerve with synthetic substitute, open approach
ICD-10	00UR0KZ	Supplement accessory nerve with nonautologous tissue substitute, open approach
ICD-10	00UR3JZ	Supplement accessory nerve with synthetic substitute, percutaneous approach
ICD-10	00UR3KZ	Supplement accessory nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UR4JZ	Supplement accessory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UR4KZ	Supplement accessory nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00US0JZ	Supplement hypoglossal nerve with synthetic substitute, open approach
ICD-10	00US0KZ	Supplement hypoglossal nerve with nonautologous tissue substitute, open approach
ICD-10	00US3JZ	Supplement hypoglossal nerve with synthetic substitute, percutaneous approach
ICD-10	00US3KZ	Supplement hypoglossal nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00US4JZ	Supplement hypoglossal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00US4KZ	Supplement hypoglossal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00XR0ZM	Transfer accessory nerve to facial nerve, open approach
ICD-10	00XR0ZS	Transfer accessory nerve to hypoglossal nerve, open approach
ICD-10	00XR4ZM	Transfer accessory nerve to facial nerve, percutaneous endoscopic approach
ICD-10	00XR4ZS	Transfer accessory nerve to hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00XS0ZM	Transfer hypoglossal nerve to facial nerve, open approach
ICD-10	00XS4ZM	Transfer hypoglossal nerve to facial nerve, percutaneous endoscopic approach
ICD-10	015K0ZZ	Destruction of head and neck sympathetic nerve, open approach
ICD-10	015K3ZZ	Destruction of head and neck sympathetic nerve, percutaneous approach
ICD-10	015K4ZZ	Destruction of head and neck sympathetic nerve, percutaneous endoscopic approach
ICD-10	01BK0ZZ	Excision of head and neck sympathetic nerve, open approach
ICD-10	01BK3ZZ	Excision of head and neck sympathetic nerve, percutaneous approach
ICD-10	01BK4ZZ	Excision of head and neck sympathetic nerve, percutaneous endoscopic approach
ICD-10	01DK0ZZ	Extraction of head and neck sympathetic nerve, open approach
ICD-10	01DK3ZZ	Extraction of head and neck sympathetic nerve, percutaneous approach
ICD-10	01DK4ZZ	Extraction of head and neck sympathetic nerve, percutaneous endoscopic approach
ICD-10	01HY0MZ	Insertion of neurostimulator lead into peripheral nerve, open approach
ICD-10	01HY3MZ	Insertion of neurostimulator lead into peripheral nerve, percutaneous approach
ICD-10	01HY4MZ	Insertion of neurostimulator lead into peripheral nerve, percutaneous endoscopic approach
ICD-10	01PY0MZ	Removal of neurostimulator lead from peripheral nerve, open approach

ICD 9/10	Code	Description
ICD-10	01PY3MZ	Removal of neurostimulator lead from peripheral nerve, percutaneous approach
ICD-10	01PY4MZ	Removal of neurostimulator lead from peripheral nerve, percutaneous endoscopic approach
ICD-10	02JA4ZZ	Inspection of heart, percutaneous endoscopic approach
ICD-10	02JY4ZZ	Inspection of great vessel, percutaneous endoscopic approach
ICD-10	039S0ZX	Drainage of right temporal artery, open approach, diagnostic
ICD-10	039S4ZX	Drainage of right temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	039T0ZX	Drainage of left temporal artery, open approach, diagnostic
ICD-10	039T4ZX	Drainage of left temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	03BH0ZZ	Excision of right common carotid artery, open approach
ICD-10	03BH3ZZ	Excision of right common carotid artery, percutaneous approach
ICD-10	03BH4ZZ	Excision of right common carotid artery, percutaneous endoscopic approach
ICD-10	03BJ0ZZ	Excision of left common carotid artery, open approach
ICD-10	03BJ3ZZ	Excision of left common carotid artery, percutaneous approach
ICD-10	03BJ4ZZ	Excision of left common carotid artery, percutaneous endoscopic approach
ICD-10	03BK0ZZ	Excision of right internal carotid artery, open approach
ICD-10	03BK3ZZ	Excision of right internal carotid artery, percutaneous approach
ICD-10	03BK4ZZ	Excision of right internal carotid artery, percutaneous endoscopic approach
ICD-10	03BL0ZZ	Excision of left internal carotid artery, open approach
ICD-10	03BL3ZZ	Excision of left internal carotid artery, percutaneous approach
ICD-10	03BL4ZZ	Excision of left internal carotid artery, percutaneous endoscopic approach
ICD-10	03BM0ZZ	Excision of right external carotid artery, open approach
ICD-10	03BM3ZZ	Excision of right external carotid artery, percutaneous approach
ICD-10	03BM4ZZ	Excision of right external carotid artery, percutaneous endoscopic approach
ICD-10	03BN0ZZ	Excision of left external carotid artery, open approach
ICD-10	03BN3ZZ	Excision of left external carotid artery, percutaneous approach
ICD-10	03BN4ZZ	Excision of left external carotid artery, percutaneous endoscopic approach
ICD-10	03BP0ZZ	Excision of right vertebral artery, open approach
ICD-10	03BP3ZZ	Excision of right vertebral artery, percutaneous approach
ICD-10	03BP4ZZ	Excision of right vertebral artery, percutaneous endoscopic approach
ICD-10	03BQ0ZZ	Excision of left vertebral artery, open approach
ICD-10	03BQ3ZZ	Excision of left vertebral artery, percutaneous approach
ICD-10	03BQ4ZZ	Excision of left vertebral artery, percutaneous endoscopic approach
ICD-10	03BR0ZZ	Excision of face artery, open approach
ICD-10	03BR3ZZ	Excision of face artery, percutaneous approach
ICD-10	03BR4ZZ	Excision of face artery, percutaneous endoscopic approach
ICD-10	03BS0ZX	Excision of right temporal artery, open approach, diagnostic
ICD-10	03BS0ZZ	Excision of right temporal artery, open approach
ICD-10	03BS3ZX	Excision of right temporal artery, percutaneous approach, diagnostic
ICD-10	03BS3ZZ	Excision of right temporal artery, percutaneous approach
ICD-10	03BS4ZX	Excision of right temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	03BS4ZZ	Excision of right temporal artery, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	03BT0ZX	Excision of left temporal artery, open approach, diagnostic
ICD-10	03BT0ZZ	Excision of left temporal artery, open approach
ICD-10	03BT3ZX	Excision of left temporal artery, percutaneous approach, diagnostic
ICD-10	03BT3ZZ	Excision of left temporal artery, percutaneous approach
ICD-10	03BT4ZX	Excision of left temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	03BT4ZZ	Excision of left temporal artery, percutaneous endoscopic approach
ICD-10	03BU0ZZ	Excision of right thyroid artery, open approach
ICD-10	03BU3ZZ	Excision of right thyroid artery, percutaneous approach
ICD-10	03BU4ZZ	Excision of right thyroid artery, percutaneous endoscopic approach
ICD-10	03BV0ZZ	Excision of left thyroid artery, open approach
ICD-10	03BV3ZZ	Excision of left thyroid artery, percutaneous approach
ICD-10	03BV4ZZ	Excision of left thyroid artery, percutaneous endoscopic approach
ICD-10	03CH0ZZ	Extirpation of matter from right common carotid artery, open approach
ICD-10	03CJ0ZZ	Extirpation of matter from left common carotid artery, open approach
ICD-10	03CK0ZZ	Extirpation of matter from right internal carotid artery, open approach
ICD-10	03CL0ZZ	Extirpation of matter from left internal carotid artery, open approach
ICD-10	03CM0ZZ	Extirpation of matter from right external carotid artery, open approach
ICD-10	03CN0ZZ	Extirpation of matter from left external carotid artery, open approach
ICD-10	03CP0ZZ	Extirpation of matter from right vertebral artery, open approach
ICD-10	03CQ0ZZ	Extirpation of matter from left vertebral artery, open approach
ICD-10	03CR0ZZ	Extirpation of matter from face artery, open approach
ICD-10	03CS0ZZ	Extirpation of matter from right temporal artery, open approach
ICD-10	03CT0ZZ	Extirpation of matter from left temporal artery, open approach
ICD-10	03CU0ZZ	Extirpation of matter from right thyroid artery, open approach
ICD-10	03CV0ZZ	Extirpation of matter from left thyroid artery, open approach
ICD-10	03H20DZ	Insertion of intraluminal device into innominate artery, open approach
ICD-10	03H23DZ	Insertion of intraluminal device into innominate artery, percutaneous approach
ICD-10	03H24DZ	Insertion of intraluminal device into innominate artery, percutaneous endoscopic approach
ICD-10	03HJ0DZ	Insertion of intraluminal device into left common carotid artery, open approach
ICD-10	03HJ3DZ	Insertion of intraluminal device into left common carotid artery, percutaneous approach
ICD-10	03HJ4DZ	Insertion of intraluminal device into left common carotid artery, percutaneous endoscopic approach
ICD-10	03HK0DZ	Insertion of intraluminal device into right internal carotid artery, open approach
ICD-10	03HK3DZ	Insertion of intraluminal device into right internal carotid artery, percutaneous approach
ICD-10	03HK4DZ	Insertion of intraluminal device into right internal carotid artery, percutaneous endoscopic approach
ICD-10	03HM0DZ	Insertion of intraluminal device into right external carotid artery, open approach
ICD-10	03HM3DZ	Insertion of intraluminal device into right external carotid artery, percutaneous approach
ICD-10	03HM4DZ	Insertion of intraluminal device into right external carotid artery, percutaneous endoscopic approach
ICD-10	03HN0DZ	Insertion of intraluminal device into left external carotid artery, open approach

ICD 9/10	Code	Description
ICD-10	03HN3DZ	Insertion of intraluminal device into left external carotid artery, percutaneous approach
ICD-10	03HN4DZ	Insertion of intraluminal device into left external carotid artery, percutaneous endoscopic approach
ICD-10	03HP0DZ	Insertion of intraluminal device into right vertebral artery, open approach
ICD-10	03HP3DZ	Insertion of intraluminal device into right vertebral artery, percutaneous approach
ICD-10	03HP4DZ	Insertion of intraluminal device into right vertebral artery, percutaneous endoscopic approach
ICD-10	03HQ0DZ	Insertion of intraluminal device into left vertebral artery, open approach
ICD-10	03HQ3DZ	Insertion of intraluminal device into left vertebral artery, percutaneous approach
ICD-10	03HQ4DZ	Insertion of intraluminal device into left vertebral artery, percutaneous endoscopic approach
ICD-10	03HR0DZ	Insertion of intraluminal device into face artery, open approach
ICD-10	03HR3DZ	Insertion of intraluminal device into face artery, percutaneous approach
ICD-10	03HR4DZ	Insertion of intraluminal device into face artery, percutaneous endoscopic approach
ICD-10	03HS0DZ	Insertion of intraluminal device into right temporal artery, open approach
ICD-10	03HS3DZ	Insertion of intraluminal device into right temporal artery, percutaneous approach
ICD-10	03HS4DZ	Insertion of intraluminal device into right temporal artery, percutaneous endoscopic approach
ICD-10	03HT0DZ	Insertion of intraluminal device into left temporal artery, open approach
ICD-10	03HT3DZ	Insertion of intraluminal device into left temporal artery, percutaneous approach
ICD-10	03HT4DZ	Insertion of intraluminal device into left temporal artery, percutaneous endoscopic approach
ICD-10	03HU0DZ	Insertion of intraluminal device into right thyroid artery, open approach
ICD-10	03HU3DZ	Insertion of intraluminal device into right thyroid artery, percutaneous approach
ICD-10	03HU4DZ	Insertion of intraluminal device into right thyroid artery, percutaneous endoscopic approach
ICD-10	03HV0DZ	Insertion of intraluminal device into left thyroid artery, open approach
ICD-10	03HV3DZ	Insertion of intraluminal device into left thyroid artery, percutaneous approach
ICD-10	03HV4DZ	Insertion of intraluminal device into left thyroid artery, percutaneous endoscopic approach
ICD-10	03HY0DZ	Insertion of intraluminal device into upper artery, open approach
ICD-10	03HY3DZ	Insertion of intraluminal device into upper artery, percutaneous approach
ICD-10	03HY4DZ	Insertion of intraluminal device into upper artery, percutaneous endoscopic approach
ICD-10	03LP0CZ	Occlusion of right vertebral artery with extraluminal device, open approach
ICD-10	03LP0ZZ	Occlusion of right vertebral artery, open approach
ICD-10	03LP3CZ	Occlusion of right vertebral artery with extraluminal device, percutaneous approach
ICD-10	03LP3ZZ	Occlusion of right vertebral artery, percutaneous approach
ICD-10	03LP4CZ	Occlusion of right vertebral artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LP4ZZ	Occlusion of right vertebral artery, percutaneous endoscopic approach
ICD-10	03LQ0CZ	Occlusion of left vertebral artery with extraluminal device, open approach
ICD-10	03LQ0ZZ	Occlusion of left vertebral artery, open approach

ICD 9/10	Code	Description
ICD-10	03LQ3CZ	Occlusion of left vertebral artery with extraluminal device, percutaneous approach
ICD-10	03LQ3ZZ	Occlusion of left vertebral artery, percutaneous approach
ICD-10	03LQ4CZ	Occlusion of left vertebral artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LQ4ZZ	Occlusion of left vertebral artery, percutaneous endoscopic approach
ICD-10	05BM0ZZ	Excision of right internal jugular vein, open approach
ICD-10	05BM4ZZ	Excision of right internal jugular vein, percutaneous endoscopic approach
ICD-10	05BN0ZZ	Excision of left internal jugular vein, open approach
ICD-10	05BN4ZZ	Excision of left internal jugular vein, percutaneous endoscopic approach
ICD-10	05BP0ZZ	Excision of right external jugular vein, open approach
ICD-10	05BP4ZZ	Excision of right external jugular vein, percutaneous endoscopic approach
ICD-10	05BQ0ZZ	Excision of left external jugular vein, open approach
ICD-10	05BQ4ZZ	Excision of left external jugular vein, percutaneous endoscopic approach
ICD-10	05BR0ZZ	Excision of right vertebral vein, open approach
ICD-10	05BR4ZZ	Excision of right vertebral vein, percutaneous endoscopic approach
ICD-10	05BS0ZZ	Excision of left vertebral vein, open approach
ICD-10	05BS4ZZ	Excision of left vertebral vein, percutaneous endoscopic approach
ICD-10	05BT0ZZ	Excision of right face vein, open approach
ICD-10	05BT4ZZ	Excision of right face vein, percutaneous endoscopic approach
ICD-10	05BV0ZZ	Excision of left face vein, open approach
ICD-10	05BV4ZZ	Excision of left face vein, percutaneous endoscopic approach
ICD-10	05CM0ZZ	Extirpation of matter from right internal jugular vein, open approach
ICD-10	05CM3ZZ	Extirpation of matter from right internal jugular vein, percutaneous approach
ICD-10	05CM4ZZ	Extirpation of matter from right internal jugular vein, percutaneous endoscopic approach
ICD-10	05CN0ZZ	Extirpation of matter from left internal jugular vein, open approach
ICD-10	05CN3ZZ	Extirpation of matter from left internal jugular vein, percutaneous approach
ICD-10	05CN4ZZ	Extirpation of matter from left internal jugular vein, percutaneous endoscopic approach
ICD-10	05CP0ZZ	Extirpation of matter from right external jugular vein, open approach
ICD-10	05CP3ZZ	Extirpation of matter from right external jugular vein, percutaneous approach
ICD-10	05CP4ZZ	Extirpation of matter from right external jugular vein, percutaneous endoscopic approach
ICD-10	05CQ0ZZ	Extirpation of matter from left external jugular vein, open approach
ICD-10	05CQ3ZZ	Extirpation of matter from left external jugular vein, percutaneous approach
ICD-10	05CQ4ZZ	Extirpation of matter from left external jugular vein, percutaneous endoscopic approach
ICD-10	05CR0ZZ	Extirpation of matter from right vertebral vein, open approach
ICD-10	05CR3ZZ	Extirpation of matter from right vertebral vein, percutaneous approach
ICD-10	05CR4ZZ	Extirpation of matter from right vertebral vein, percutaneous endoscopic approach
ICD-10	05CS0ZZ	Extirpation of matter from left vertebral vein, open approach
ICD-10	05CS3ZZ	Extirpation of matter from left vertebral vein, percutaneous approach
ICD-10	05CS4ZZ	Extirpation of matter from left vertebral vein, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	05CT0ZZ	Extirpation of matter from right face vein, open approach
ICD-10	05CT3ZZ	Extirpation of matter from right face vein, percutaneous approach
ICD-10	05CT4ZZ	Extirpation of matter from right face vein, percutaneous endoscopic approach
ICD-10	05CV0ZZ	Extirpation of matter from left face vein, open approach
ICD-10	05CV3ZZ	Extirpation of matter from left face vein, percutaneous approach
ICD-10	05CV4ZZ	Extirpation of matter from left face vein, percutaneous endoscopic approach
ICD-10	05H00MZ	Insertion of neurostimulator lead into azygos vein, open approach
ICD-10	05H03MZ	Insertion of neurostimulator lead into azygos vein, percutaneous approach
ICD-10	05H04MZ	Insertion of neurostimulator lead into azygos vein, percutaneous endoscopic approach
ICD-10	05H30MZ	Insertion of neurostimulator lead into right innominate vein, open approach
ICD-10	05H33MZ	Insertion of neurostimulator lead into right innominate vein, percutaneous approach
ICD-10	05H34MZ	Insertion of neurostimulator lead into right innominate vein, percutaneous endoscopic approach
ICD-10	05H40MZ	Insertion of neurostimulator lead into left innominate vein, open approach
ICD-10	05H43MZ	Insertion of neurostimulator lead into left innominate vein, percutaneous approach
ICD-10	05H44MZ	Insertion of neurostimulator lead into left innominate vein, percutaneous endoscopic approach
ICD-10	05HM0DZ	Insertion of intraluminal device into right internal jugular vein, open approach
ICD-10	05HM3DZ	Insertion of intraluminal device into right internal jugular vein, percutaneous approach
ICD-10	05HM4DZ	Insertion of intraluminal device into right internal jugular vein, percutaneous endoscopic approach
ICD-10	05HN0DZ	Insertion of intraluminal device into left internal jugular vein, open approach
ICD-10	05HN3DZ	Insertion of intraluminal device into left internal jugular vein, percutaneous approach
ICD-10	05HN4DZ	Insertion of intraluminal device into left internal jugular vein, percutaneous endoscopic approach
ICD-10	05HP0DZ	Insertion of intraluminal device into right external jugular vein, open approach
ICD-10	05HP3DZ	Insertion of intraluminal device into right external jugular vein, percutaneous approach
ICD-10	05HP4DZ	Insertion of intraluminal device into right external jugular vein, percutaneous endoscopic approach
ICD-10	05HQ0DZ	Insertion of intraluminal device into left external jugular vein, open approach
ICD-10	05HQ3DZ	Insertion of intraluminal device into left external jugular vein, percutaneous approach
ICD-10	05HQ4DZ	Insertion of intraluminal device into left external jugular vein, percutaneous endoscopic approach
ICD-10	05HR0DZ	Insertion of intraluminal device into right vertebral vein, open approach
ICD-10	05HR3DZ	Insertion of intraluminal device into right vertebral vein, percutaneous approach
ICD-10	05HR4DZ	Insertion of intraluminal device into right vertebral vein, percutaneous endoscopic approach
ICD-10	05HS0DZ	Insertion of intraluminal device into left vertebral vein, open approach
ICD-10	05HS3DZ	Insertion of intraluminal device into left vertebral vein, percutaneous approach
ICD-10	05HS4DZ	Insertion of intraluminal device into left vertebral vein, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	05HT0DZ	Insertion of intraluminal device into right face vein, open approach
ICD-10	05HT3DZ	Insertion of intraluminal device into right face vein, percutaneous approach
ICD-10	05HT4DZ	Insertion of intraluminal device into right face vein, percutaneous endoscopic approach
ICD-10	05HV0DZ	Insertion of intraluminal device into left face vein, open approach
ICD-10	05HV3DZ	Insertion of intraluminal device into left face vein, percutaneous approach
ICD-10	05HV4DZ	Insertion of intraluminal device into left face vein, percutaneous endoscopic approach
ICD-10	05HY02Z	Insertion of monitoring device into upper vein, open approach
ICD-10	05HY0DZ	Insertion of intraluminal device into upper vein, open approach
ICD-10	05HY0YZ	Insertion of other device into upper vein, open approach
ICD-10	05HY3DZ	Insertion of intraluminal device into upper vein, percutaneous approach
ICD-10	05HY42Z	Insertion of monitoring device into upper vein, percutaneous endoscopic approach
ICD-10	05HY4DZ	Insertion of intraluminal device into upper vein, percutaneous endoscopic approach
ICD-10	05LM0CZ	Occlusion of right internal jugular vein with extraluminal device, open approach
ICD-10	05LM0DZ	Occlusion of right internal jugular vein with intraluminal device, open approach
ICD-10	05LM0ZZ	Occlusion of right internal jugular vein, open approach
ICD-10	05LM3CZ	Occlusion of right internal jugular vein with extraluminal device, percutaneous approach
ICD-10	05LM3DZ	Occlusion of right internal jugular vein with intraluminal device, percutaneous approach
ICD-10	05LM3ZZ	Occlusion of right internal jugular vein, percutaneous approach
ICD-10	05LM4CZ	Occlusion of right internal jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LM4DZ	Occlusion of right internal jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LM4ZZ	Occlusion of right internal jugular vein, percutaneous endoscopic approach
ICD-10	05LN0CZ	Occlusion of left internal jugular vein with extraluminal device, open approach
ICD-10	05LN0DZ	Occlusion of left internal jugular vein with intraluminal device, open approach
ICD-10	05LN0ZZ	Occlusion of left internal jugular vein, open approach
ICD-10	05LN3CZ	Occlusion of left internal jugular vein with extraluminal device, percutaneous approach
ICD-10	05LN3DZ	Occlusion of left internal jugular vein with intraluminal device, percutaneous approach
ICD-10	05LN3ZZ	Occlusion of left internal jugular vein, percutaneous approach
ICD-10	05LN4CZ	Occlusion of left internal jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LN4DZ	Occlusion of left internal jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LN4ZZ	Occlusion of left internal jugular vein, percutaneous endoscopic approach
ICD-10	05LP0CZ	Occlusion of right external jugular vein with extraluminal device, open approach
ICD-10	05LP0DZ	Occlusion of right external jugular vein with intraluminal device, open approach
ICD-10	05LP0ZZ	Occlusion of right external jugular vein, open approach
ICD-10	05LP3CZ	Occlusion of right external jugular vein with extraluminal device, percutaneous approach

ICD 9/10	Code	Description
ICD-10	05LP3DZ	Occlusion of right external jugular vein with intraluminal device, percutaneous approach
ICD-10	05LP3ZZ	Occlusion of right external jugular vein, percutaneous approach
ICD-10	05LP4CZ	Occlusion of right external jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LP4DZ	Occlusion of right external jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LP4ZZ	Occlusion of right external jugular vein, percutaneous endoscopic approach
ICD-10	05LQ0CZ	Occlusion of left external jugular vein with extraluminal device, open approach
ICD-10	05LQ0DZ	Occlusion of left external jugular vein with intraluminal device, open approach
ICD-10	05LQ0ZZ	Occlusion of left external jugular vein, open approach
ICD-10	05LQ3CZ	Occlusion of left external jugular vein with extraluminal device, percutaneous approach
ICD-10	05LQ3DZ	Occlusion of left external jugular vein with intraluminal device, percutaneous approach
ICD-10	05LQ3ZZ	Occlusion of left external jugular vein, percutaneous approach
ICD-10	05LQ4CZ	Occlusion of left external jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LQ4DZ	Occlusion of left external jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LQ4ZZ	Occlusion of left external jugular vein, percutaneous endoscopic approach
ICD-10	05LR0CZ	Occlusion of right vertebral vein with extraluminal device, open approach
ICD-10	05LR0DZ	Occlusion of right vertebral vein with intraluminal device, open approach
ICD-10	05LR0ZZ	Occlusion of right vertebral vein, open approach
ICD-10	05LR3CZ	Occlusion of right vertebral vein with extraluminal device, percutaneous approach
ICD-10	05LR3DZ	Occlusion of right vertebral vein with intraluminal device, percutaneous approach
ICD-10	05LR3ZZ	Occlusion of right vertebral vein, percutaneous approach
ICD-10	05LR4CZ	Occlusion of right vertebral vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LR4DZ	Occlusion of right vertebral vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LR4ZZ	Occlusion of right vertebral vein, percutaneous endoscopic approach
ICD-10	05LS0CZ	Occlusion of left vertebral vein with extraluminal device, open approach
ICD-10	05LS0DZ	Occlusion of left vertebral vein with intraluminal device, open approach
ICD-10	05LS0ZZ	Occlusion of left vertebral vein, open approach
ICD-10	05LS3CZ	Occlusion of left vertebral vein with extraluminal device, percutaneous approach
ICD-10	05LS3DZ	Occlusion of left vertebral vein with intraluminal device, percutaneous approach
ICD-10	05LS3ZZ	Occlusion of left vertebral vein, percutaneous approach
ICD-10	05LS4CZ	Occlusion of left vertebral vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LS4DZ	Occlusion of left vertebral vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LS4ZZ	Occlusion of left vertebral vein, percutaneous endoscopic approach
ICD-10	05LT0CZ	Occlusion of right face vein with extraluminal device, open approach
ICD-10	05LT0DZ	Occlusion of right face vein with intraluminal device, open approach

ICD 9/10	Code	Description
ICD-10	05LT0ZZ	Occlusion of right face vein, open approach
ICD-10	05LT3CZ	Occlusion of right face vein with extraluminal device, percutaneous approach
ICD-10	05LT3DZ	Occlusion of right face vein with intraluminal device, percutaneous approach
ICD-10	05LT3ZZ	Occlusion of right face vein, percutaneous approach
ICD-10	05LT4CZ	Occlusion of right face vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LT4DZ	Occlusion of right face vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LT4ZZ	Occlusion of right face vein, percutaneous endoscopic approach
ICD-10	05LV0CZ	Occlusion of left face vein with extraluminal device, open approach
ICD-10	05LV0DZ	Occlusion of left face vein with intraluminal device, open approach
ICD-10	05LV0ZZ	Occlusion of left face vein, open approach
ICD-10	05LV3CZ	Occlusion of left face vein with extraluminal device, percutaneous approach
ICD-10	05LV3DZ	Occlusion of left face vein with intraluminal device, percutaneous approach
ICD-10	05LV3ZZ	Occlusion of left face vein, percutaneous approach
ICD-10	05LV4CZ	Occlusion of left face vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LV4DZ	Occlusion of left face vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LV4ZZ	Occlusion of left face vein, percutaneous endoscopic approach
ICD-10	05P00MZ	Removal of neurostimulator lead from azygos vein, open approach
ICD-10	05P03MZ	Removal of neurostimulator lead from azygos vein, percutaneous approach
ICD-10	05P04MZ	Removal of neurostimulator lead from azygos vein, percutaneous endoscopic approach
ICD-10	05P0XMZ	Removal of neurostimulator lead from azygos vein, external approach
ICD-10	05P30MZ	Removal of neurostimulator lead from right innominate vein, open approach
ICD-10	05P33MZ	Removal of neurostimulator lead from right innominate vein, percutaneous approach
ICD-10	05P34MZ	Removal of neurostimulator lead from right innominate vein, percutaneous endoscopic approach
ICD-10	05P3XMZ	Removal of neurostimulator lead from right innominate vein, external approach
ICD-10	05P40MZ	Removal of neurostimulator lead from left innominate vein, open approach
ICD-10	05P43MZ	Removal of neurostimulator lead from left innominate vein, percutaneous approach
ICD-10	05P44MZ	Removal of neurostimulator lead from left innominate vein, percutaneous endoscopic approach
ICD-10	05P4XMZ	Removal of neurostimulator lead from left innominate vein, external approach
ICD-10	069300Z	Drainage of esophageal vein with drainage device, open approach
ICD-10	06930ZZ	Drainage of esophageal vein, open approach
ICD-10	069340Z	Drainage of esophageal vein with drainage device, percutaneous endoscopic approach
ICD-10	06934ZZ	Drainage of esophageal vein, percutaneous endoscopic approach
ICD-10	06C30ZZ	Extirpation of matter from esophageal vein, open approach
ICD-10	06C33ZZ	Extirpation of matter from esophageal vein, percutaneous approach
ICD-10	06C34ZZ	Extirpation of matter from esophageal vein, percutaneous endoscopic approach
ICD-10	06H30DZ	Insertion of intraluminal device into esophageal vein, open approach

ICD 9/10	Code	Description
ICD-10	06H33DZ	Insertion of intraluminal device into esophageal vein, percutaneous approach
ICD-10	06H34DZ	Insertion of intraluminal device into esophageal vein, percutaneous endoscopic approach
ICD-10	06HY0DZ	Insertion of intraluminal device into lower vein, open approach
ICD-10	06HY3DZ	Insertion of intraluminal device into lower vein, percutaneous approach
ICD-10	06HY4DZ	Insertion of intraluminal device into lower vein, percutaneous endoscopic approach
ICD-10	07900ZX	Drainage of head lymphatic, open approach, diagnostic
ICD-10	07903ZX	Drainage of head lymphatic, percutaneous approach, diagnostic
ICD-10	07904ZX	Drainage of head lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07910ZX	Drainage of right neck lymphatic, open approach, diagnostic
ICD-10	07913ZX	Drainage of right neck lymphatic, percutaneous approach, diagnostic
ICD-10	07914ZX	Drainage of right neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07920ZX	Drainage of left neck lymphatic, open approach, diagnostic
ICD-10	07923ZX	Drainage of left neck lymphatic, percutaneous approach, diagnostic
ICD-10	07924ZX	Drainage of left neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B00ZX	Excision of head lymphatic, open approach, diagnostic
ICD-10	07B00ZZ	Excision of head lymphatic, open approach
ICD-10	07B03ZX	Excision of head lymphatic, percutaneous approach, diagnostic
ICD-10	07B04ZX	Excision of head lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B04ZZ	Excision of head lymphatic, percutaneous endoscopic approach
ICD-10	07B10ZX	Excision of right neck lymphatic, open approach, diagnostic
ICD-10	07B10ZZ	Excision of right neck lymphatic, open approach
ICD-10	07B13ZX	Excision of right neck lymphatic, percutaneous approach, diagnostic
ICD-10	07B13ZZ	Excision of right neck lymphatic, percutaneous approach
ICD-10	07B14ZX	Excision of right neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B14ZZ	Excision of right neck lymphatic, percutaneous endoscopic approach
ICD-10	07B20ZX	Excision of left neck lymphatic, open approach, diagnostic
ICD-10	07B20ZZ	Excision of left neck lymphatic, open approach
ICD-10	07B23ZX	Excision of left neck lymphatic, percutaneous approach, diagnostic
ICD-10	07B23ZZ	Excision of left neck lymphatic, percutaneous approach
ICD-10	07B24ZX	Excision of left neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B24ZZ	Excision of left neck lymphatic, percutaneous endoscopic approach
ICD-10	07B50ZZ	Excision of right axillary lymphatic, open approach
ICD-10	07B53ZZ	Excision of right axillary lymphatic, percutaneous approach
ICD-10	07B54ZZ	Excision of right axillary lymphatic, percutaneous endoscopic approach
ICD-10	07B60ZZ	Excision of left axillary lymphatic, open approach
ICD-10	07B63ZZ	Excision of left axillary lymphatic, percutaneous approach
ICD-10	07B64ZZ	Excision of left axillary lymphatic, percutaneous endoscopic approach
ICD-10	07T30ZZ	Resection of right upper extremity lymphatic, open approach
ICD-10	07T34ZZ	Resection of right upper extremity lymphatic, percutaneous endoscopic approach
ICD-10	07T40ZZ	Resection of left upper extremity lymphatic, open approach
ICD-10	07T44ZZ	Resection of left upper extremity lymphatic, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	07T70ZZ	Resection of thorax lymphatic, open approach
ICD-10	07T74ZZ	Resection of thorax lymphatic, percutaneous endoscopic approach
ICD-10	07T80ZZ	Resection of right internal mammary lymphatic, open approach
ICD-10	07T84ZZ	Resection of right internal mammary lymphatic, percutaneous endoscopic approach
ICD-10	07T90ZZ	Resection of left internal mammary lymphatic, open approach
ICD-10	07T94ZZ	Resection of left internal mammary lymphatic, percutaneous endoscopic approach
ICD-10	07TB0ZZ	Resection of mesenteric lymphatic, open approach
ICD-10	07TB4ZZ	Resection of mesenteric lymphatic, percutaneous endoscopic approach
ICD-10	07TF0ZZ	Resection of right lower extremity lymphatic, open approach
ICD-10	07TF4ZZ	Resection of right lower extremity lymphatic, percutaneous endoscopic approach
ICD-10	07TG0ZZ	Resection of left lower extremity lymphatic, open approach
ICD-10	07TG4ZZ	Resection of left lower extremity lymphatic, percutaneous endoscopic approach
ICD-10	081X0J3	Bypass right lacrimal duct to nasal cavity with synthetic substitute, open approach
ICD-10	081X0K3	Bypass right lacrimal duct to nasal cavity with nonautologous tissue substitute, open approach
ICD-10	081X0Z3	Bypass right lacrimal duct to nasal cavity, open approach
ICD-10	081X3J3	Bypass right lacrimal duct to nasal cavity with synthetic substitute, percutaneous approach
ICD-10	081X3K3	Bypass right lacrimal duct to nasal cavity with nonautologous tissue substitute, percutaneous approach
ICD-10	081X3Z3	Bypass right lacrimal duct to nasal cavity, percutaneous approach
ICD-10	081Y0J3	Bypass left lacrimal duct to nasal cavity with synthetic substitute, open approach
ICD-10	081Y0K3	Bypass left lacrimal duct to nasal cavity with nonautologous tissue substitute, open approach
ICD-10	081Y0Z3	Bypass left lacrimal duct to nasal cavity, open approach
ICD-10	081Y3J3	Bypass left lacrimal duct to nasal cavity with synthetic substitute, percutaneous approach
ICD-10	081Y3K3	Bypass left lacrimal duct to nasal cavity with nonautologous tissue substitute, percutaneous approach
ICD-10	081Y3Z3	Bypass left lacrimal duct to nasal cavity, percutaneous approach
ICD-10	087X0DZ	Dilation of right lacrimal duct with intraluminal device, open approach
ICD-10	087X0ZZ	Dilation of right lacrimal duct, open approach
ICD-10	087X3DZ	Dilation of right lacrimal duct with intraluminal device, percutaneous approach
ICD-10	087X3ZZ	Dilation of right lacrimal duct, percutaneous approach
ICD-10	087X7DZ	Dilation of right lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	087X7ZZ	Dilation of right lacrimal duct, via natural or artificial opening
ICD-10	087X8DZ	Dilation of right lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	087X8ZZ	Dilation of right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	087Y0DZ	Dilation of left lacrimal duct with intraluminal device, open approach
ICD-10	087Y0ZZ	Dilation of left lacrimal duct, open approach
ICD-10	087Y3DZ	Dilation of left lacrimal duct with intraluminal device, percutaneous approach
ICD-10	087Y3ZZ	Dilation of left lacrimal duct, percutaneous approach

ICD 9/10	Code	Description
ICD-10	087Y7DZ	Dilation of left lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	087Y7ZZ	Dilation of left lacrimal duct, via natural or artificial opening
ICD-10	087Y8DZ	Dilation of left lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	087Y8ZZ	Dilation of left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	089X0ZX	Drainage of right lacrimal duct, open approach, diagnostic
ICD-10	089X3ZX	Drainage of right lacrimal duct, percutaneous approach, diagnostic
ICD-10	089X7ZX	Drainage of right lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	089X8ZX	Drainage of right lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	089Y0ZX	Drainage of left lacrimal duct, open approach, diagnostic
ICD-10	089Y3ZX	Drainage of left lacrimal duct, percutaneous approach, diagnostic
ICD-10	089Y7ZX	Drainage of left lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	089Y8ZX	Drainage of left lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	08BX0ZX	Excision of right lacrimal duct, open approach, diagnostic
ICD-10	08BX3ZX	Excision of right lacrimal duct, percutaneous approach, diagnostic
ICD-10	08BX7ZX	Excision of right lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	08BX8ZX	Excision of right lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	08BY0ZX	Excision of left lacrimal duct, open approach, diagnostic
ICD-10	08BY3ZX	Excision of left lacrimal duct, percutaneous approach, diagnostic
ICD-10	08BY7ZX	Excision of left lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	08BY8ZX	Excision of left lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	08NX0ZZ	Release right lacrimal duct, open approach
ICD-10	08NX3ZZ	Release right lacrimal duct, percutaneous approach
ICD-10	08NX7ZZ	Release right lacrimal duct, via natural or artificial opening
ICD-10	08NX8ZZ	Release right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08NY0ZZ	Release left lacrimal duct, open approach
ICD-10	08NY3ZZ	Release left lacrimal duct, percutaneous approach
ICD-10	08NY7ZZ	Release left lacrimal duct, via natural or artificial opening
ICD-10	08NY8ZZ	Release left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08SX0ZZ	Reposition right lacrimal duct, open approach
ICD-10	08SX3ZZ	Reposition right lacrimal duct, percutaneous approach
ICD-10	08SX7ZZ	Reposition right lacrimal duct, via natural or artificial opening
ICD-10	08SX8ZZ	Reposition right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08SY0ZZ	Reposition left lacrimal duct, open approach
ICD-10	08SY3ZZ	Reposition left lacrimal duct, percutaneous approach
ICD-10	08SY7ZZ	Reposition left lacrimal duct, via natural or artificial opening
ICD-10	08SY8ZZ	Reposition left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08TX0ZZ	Resection of right lacrimal duct, open approach
ICD-10	08TX3ZZ	Resection of right lacrimal duct, percutaneous approach

ICD 9/10	Code	Description
ICD-10	08TX7ZZ	Resection of right lacrimal duct, via natural or artificial opening
ICD-10	08TX8ZZ	Resection of right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08TY0ZZ	Resection of left lacrimal duct, open approach
ICD-10	08TY3ZZ	Resection of left lacrimal duct, percutaneous approach
ICD-10	08TY7ZZ	Resection of left lacrimal duct, via natural or artificial opening
ICD-10	08TY8ZZ	Resection of left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08VX0CZ	Restriction of right lacrimal duct with extraluminal device, open approach
ICD-10	08VX0DZ	Restriction of right lacrimal duct with intraluminal device, open approach
ICD-10	08VX0ZZ	Restriction of right lacrimal duct, open approach
ICD-10	08VX3CZ	Restriction of right lacrimal duct with extraluminal device, percutaneous approach
ICD-10	08VX3DZ	Restriction of right lacrimal duct with intraluminal device, percutaneous approach
ICD-10	08VX3ZZ	Restriction of right lacrimal duct, percutaneous approach
ICD-10	08VX7DZ	Restriction of right lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	08VX7ZZ	Restriction of right lacrimal duct, via natural or artificial opening
ICD-10	08VX8DZ	Restriction of right lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	08VX8ZZ	Restriction of right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08VY0CZ	Restriction of left lacrimal duct with extraluminal device, open approach
ICD-10	08VY0DZ	Restriction of left lacrimal duct with intraluminal device, open approach
ICD-10	08VY0ZZ	Restriction of left lacrimal duct, open approach
ICD-10	08VY3CZ	Restriction of left lacrimal duct with extraluminal device, percutaneous approach
ICD-10	08VY3DZ	Restriction of left lacrimal duct with intraluminal device, percutaneous approach
ICD-10	08VY3ZZ	Restriction of left lacrimal duct, percutaneous approach
ICD-10	08VY7DZ	Restriction of left lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	08VY7ZZ	Restriction of left lacrimal duct, via natural or artificial opening
ICD-10	08VY8DZ	Restriction of left lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	08VY8ZZ	Restriction of left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	090007Z	Alteration of right external ear with autologous tissue substitute, open approach
ICD-10	09000JZ	Alteration of right external ear with synthetic substitute, open approach
ICD-10	09000KZ	Alteration of right external ear with nonautologous tissue substitute, open approach
ICD-10	09000ZZ	Alteration of right external ear, open approach
ICD-10	090037Z	Alteration of right external ear with autologous tissue substitute, percutaneous approach
ICD-10	09003JZ	Alteration of right external ear with synthetic substitute, percutaneous approach
ICD-10	09003KZ	Alteration of right external ear with nonautologous tissue substitute, percutaneous approach
ICD-10	09003ZZ	Alteration of right external ear, percutaneous approach
ICD-10	090047Z	Alteration of right external ear with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09004JZ	Alteration of right external ear with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09004KZ	Alteration of right external ear with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09004ZZ	Alteration of right external ear, percutaneous endoscopic approach
ICD-10	0900X7Z	Alteration of right external ear with autologous tissue substitute, external approach
ICD-10	0900XJZ	Alteration of right external ear with synthetic substitute, external approach
ICD-10	0900XKZ	Alteration of right external ear with nonautologous tissue substitute, external approach
ICD-10	0900XZZ	Alteration of right external ear, external approach
ICD-10	090107Z	Alteration of left external ear with autologous tissue substitute, open approach
ICD-10	09010JZ	Alteration of left external ear with synthetic substitute, open approach
ICD-10	09010KZ	Alteration of left external ear with nonautologous tissue substitute, open approach
ICD-10	09010ZZ	Alteration of left external ear, open approach
ICD-10	090137Z	Alteration of left external ear with autologous tissue substitute, percutaneous approach
ICD-10	09013JZ	Alteration of left external ear with synthetic substitute, percutaneous approach
ICD-10	09013KZ	Alteration of left external ear with nonautologous tissue substitute, percutaneous approach
ICD-10	09013ZZ	Alteration of left external ear, percutaneous approach
ICD-10	090147Z	Alteration of left external ear with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09014JZ	Alteration of left external ear with synthetic substitute, percutaneous endoscopic approach
ICD-10	09014KZ	Alteration of left external ear with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09014ZZ	Alteration of left external ear, percutaneous endoscopic approach
ICD-10	0901X7Z	Alteration of left external ear with autologous tissue substitute, external approach
ICD-10	0901XJZ	Alteration of left external ear with synthetic substitute, external approach
ICD-10	0901XKZ	Alteration of left external ear with nonautologous tissue substitute, external approach
ICD-10	0901XZZ	Alteration of left external ear, external approach
ICD-10	090207Z	Alteration of bilateral external ear with autologous tissue substitute, open approach
ICD-10	09020JZ	Alteration of bilateral external ear with synthetic substitute, open approach
ICD-10	09020KZ	Alteration of bilateral external ear with nonautologous tissue substitute, open approach
ICD-10	09020ZZ	Alteration of bilateral external ear, open approach
ICD-10	090237Z	Alteration of bilateral external ear with autologous tissue substitute, percutaneous approach
ICD-10	09023JZ	Alteration of bilateral external ear with synthetic substitute, percutaneous approach
ICD-10	09023KZ	Alteration of bilateral external ear with nonautologous tissue substitute, percutaneous approach
ICD-10	09023ZZ	Alteration of bilateral external ear, percutaneous approach
ICD-10	090247Z	Alteration of bilateral external ear with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09024JZ	Alteration of bilateral external ear with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09024KZ	Alteration of bilateral external ear with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09024ZZ	Alteration of bilateral external ear, percutaneous endoscopic approach
ICD-10	0902X7Z	Alteration of bilateral external ear with autologous tissue substitute, external approach
ICD-10	0902XJZ	Alteration of bilateral external ear with synthetic substitute, external approach
ICD-10	0902XKZ	Alteration of bilateral external ear with nonautologous tissue substitute, external approach
ICD-10	0902XZZ	Alteration of bilateral external ear, external approach
ICD-10	090K07Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, open approach
ICD-10	090K0JZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, open approach
ICD-10	090K0KZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, open approach
ICD-10	090K0ZZ	Alteration of nasal mucosa and soft tissue, open approach
ICD-10	090K37Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, percutaneous approach
ICD-10	090K3JZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, percutaneous approach
ICD-10	090K3KZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, percutaneous approach
ICD-10	090K3ZZ	Alteration of nasal mucosa and soft tissue, percutaneous approach
ICD-10	090K47Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	090K4JZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, percutaneous endoscopic approach
ICD-10	090K4KZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	090K4ZZ	Alteration of nasal mucosa and soft tissue, percutaneous endoscopic approach
ICD-10	090KX7Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, external approach
ICD-10	090KXJZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, external approach
ICD-10	090KXKZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, external approach
ICD-10	090KXZZ	Alteration of nasal mucosa and soft tissue, external approach
ICD-10	091D070	Bypass right inner ear to endolymphatic with autologous tissue substitute, open approach
ICD-10	091D0J0	Bypass right inner ear to endolymphatic with synthetic substitute, open approach
ICD-10	091D0K0	Bypass right inner ear to endolymphatic with nonautologous tissue substitute, open approach
ICD-10	091D0Z0	Bypass right inner ear to endolymphatic, open approach
ICD-10	091E070	Bypass left inner ear to endolymphatic with autologous tissue substitute, open approach
ICD-10	091E0J0	Bypass left inner ear to endolymphatic with synthetic substitute, open approach
ICD-10	091E0K0	Bypass left inner ear to endolymphatic with nonautologous tissue substitute, open approach
ICD-10	091E0Z0	Bypass left inner ear to endolymphatic, open approach
ICD-10	09550ZZ	Destruction of right middle ear, open approach

ICD 9/10	Code	Description
ICD-10	09558ZZ	Destruction of right middle ear, via natural or artificial opening endoscopic
ICD-10	09560ZZ	Destruction of left middle ear, open approach
ICD-10	09568ZZ	Destruction of left middle ear, via natural or artificial opening endoscopic
ICD-10	09570ZZ	Destruction of right tympanic membrane, open approach
ICD-10	09573ZZ	Destruction of right tympanic membrane, percutaneous approach
ICD-10	09574ZZ	Destruction of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09577ZZ	Destruction of right tympanic membrane, via natural or artificial opening
ICD-10	09578ZZ	Destruction of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09580ZZ	Destruction of left tympanic membrane, open approach
ICD-10	09583ZZ	Destruction of left tympanic membrane, percutaneous approach
ICD-10	09584ZZ	Destruction of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09587ZZ	Destruction of left tympanic membrane, via natural or artificial opening
ICD-10	09588ZZ	Destruction of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09590ZZ	Destruction of right auditory ossicle, open approach
ICD-10	09598ZZ	Destruction of right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	095A0ZZ	Destruction of left auditory ossicle, open approach
ICD-10	095A8ZZ	Destruction of left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	095D0ZZ	Destruction of right inner ear, open approach
ICD-10	095D8ZZ	Destruction of right inner ear, via natural or artificial opening endoscopic
ICD-10	095E0ZZ	Destruction of left inner ear, open approach
ICD-10	095E8ZZ	Destruction of left inner ear, via natural or artificial opening endoscopic
ICD-10	095L0ZZ	Destruction of nasal turbinate, open approach
ICD-10	095L3ZZ	Destruction of nasal turbinate, percutaneous approach
ICD-10	095L4ZZ	Destruction of nasal turbinate, percutaneous endoscopic approach
ICD-10	095L7ZZ	Destruction of nasal turbinate, via natural or artificial opening
ICD-10	095L8ZZ	Destruction of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	095N0ZZ	Destruction of nasopharynx, open approach
ICD-10	095N3ZZ	Destruction of nasopharynx, percutaneous approach
ICD-10	095N4ZZ	Destruction of nasopharynx, percutaneous endoscopic approach
ICD-10	095N7ZZ	Destruction of nasopharynx, via natural or artificial opening
ICD-10	095N8ZZ	Destruction of nasopharynx, via natural or artificial opening endoscopic
ICD-10	098L0ZZ	Division of nasal turbinate, open approach
ICD-10	098L3ZZ	Division of nasal turbinate, percutaneous approach
ICD-10	098L4ZZ	Division of nasal turbinate, percutaneous endoscopic approach
ICD-10	098L7ZZ	Division of nasal turbinate, via natural or artificial opening
ICD-10	098L8ZZ	Division of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	099500Z	Drainage of right middle ear with drainage device, open approach
ICD-10	09950ZX	Drainage of right middle ear, open approach, diagnostic
ICD-10	099570Z	Drainage of right middle ear with drainage device, via natural or artificial opening
ICD-10	099600Z	Drainage of left middle ear with drainage device, open approach

ICD 9/10	Code	Description
ICD-10	09960ZX	Drainage of left middle ear, open approach, diagnostic
ICD-10	099670Z	Drainage of left middle ear with drainage device, via natural or artificial opening
ICD-10	099700Z	Drainage of right tympanic membrane with drainage device, open approach
ICD-10	09970ZX	Drainage of right tympanic membrane, open approach, diagnostic
ICD-10	099730Z	Drainage of right tympanic membrane with drainage device, percutaneous approach
ICD-10	09973ZX	Drainage of right tympanic membrane, percutaneous approach, diagnostic
ICD-10	099740Z	Drainage of right tympanic membrane with drainage device, percutaneous endoscopic approach
ICD-10	09974ZX	Drainage of right tympanic membrane, percutaneous endoscopic approach, diagnostic
ICD-10	099770Z	Drainage of right tympanic membrane with drainage device, via natural or artificial opening
ICD-10	099780Z	Drainage of right tympanic membrane with drainage device, via natural or artificial opening endoscopic
ICD-10	099800Z	Drainage of left tympanic membrane with drainage device, open approach
ICD-10	09980ZX	Drainage of left tympanic membrane, open approach, diagnostic
ICD-10	099830Z	Drainage of left tympanic membrane with drainage device, percutaneous approach
ICD-10	09983ZX	Drainage of left tympanic membrane, percutaneous approach, diagnostic
ICD-10	099840Z	Drainage of left tympanic membrane with drainage device, percutaneous endoscopic approach
ICD-10	09984ZX	Drainage of left tympanic membrane, percutaneous endoscopic approach, diagnostic
ICD-10	099870Z	Drainage of left tympanic membrane with drainage device, via natural or artificial opening
ICD-10	099880Z	Drainage of left tympanic membrane with drainage device, via natural or artificial opening endoscopic
ICD-10	099900Z	Drainage of right auditory ossicle with drainage device, open approach
ICD-10	09990ZX	Drainage of right auditory ossicle, open approach, diagnostic
ICD-10	09990ZZ	Drainage of right auditory ossicle, open approach
ICD-10	099A00Z	Drainage of left auditory ossicle with drainage device, open approach
ICD-10	099A0ZX	Drainage of left auditory ossicle, open approach, diagnostic
ICD-10	099A0ZZ	Drainage of left auditory ossicle, open approach
ICD-10	099B0ZX	Drainage of right mastoid sinus, open approach, diagnostic
ICD-10	099B3ZX	Drainage of right mastoid sinus, percutaneous approach, diagnostic
ICD-10	099B4ZX	Drainage of right mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	099C0ZX	Drainage of left mastoid sinus, open approach, diagnostic
ICD-10	099C3ZX	Drainage of left mastoid sinus, percutaneous approach, diagnostic
ICD-10	099C4ZX	Drainage of left mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	099D00Z	Drainage of right inner ear with drainage device, open approach
ICD-10	099D0ZX	Drainage of right inner ear, open approach, diagnostic
ICD-10	099D0ZZ	Drainage of right inner ear, open approach
ICD-10	099E00Z	Drainage of left inner ear with drainage device, open approach
ICD-10	099E0ZX	Drainage of left inner ear, open approach, diagnostic
ICD-10	099E0ZZ	Drainage of left inner ear, open approach

ICD 9/10	Code	Description
ICD-10	099F0ZX	Drainage of right eustachian tube, open approach, diagnostic
ICD-10	099F3ZX	Drainage of right eustachian tube, percutaneous approach, diagnostic
ICD-10	099F4ZX	Drainage of right eustachian tube, percutaneous endoscopic approach, diagnostic
ICD-10	099G0ZX	Drainage of left eustachian tube, open approach, diagnostic
ICD-10	099G3ZX	Drainage of left eustachian tube, percutaneous approach, diagnostic
ICD-10	099G4ZX	Drainage of left eustachian tube, percutaneous endoscopic approach, diagnostic
ICD-10	099N00Z	Drainage of nasopharynx with drainage device, open approach
ICD-10	099N0ZZ	Drainage of nasopharynx, open approach
ICD-10	099N40Z	Drainage of nasopharynx with drainage device, percutaneous endoscopic approach
ICD-10	099N4ZZ	Drainage of nasopharynx, percutaneous endoscopic approach
ICD-10	099N70Z	Drainage of nasopharynx with drainage device, via natural or artificial opening
ICD-10	099N7ZZ	Drainage of nasopharynx, via natural or artificial opening
ICD-10	099N80Z	Drainage of nasopharynx with drainage device, via natural or artificial opening endoscopic
ICD-10	099N8ZZ	Drainage of nasopharynx, via natural or artificial opening endoscopic
ICD-10	09B50ZX	Excision of right middle ear, open approach, diagnostic
ICD-10	09B50ZZ	Excision of right middle ear, open approach
ICD-10	09B58ZX	Excision of right middle ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B58ZZ	Excision of right middle ear, via natural or artificial opening endoscopic
ICD-10	09B60ZX	Excision of left middle ear, open approach, diagnostic
ICD-10	09B60ZZ	Excision of left middle ear, open approach
ICD-10	09B68ZX	Excision of left middle ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B68ZZ	Excision of left middle ear, via natural or artificial opening endoscopic
ICD-10	09B70ZX	Excision of right tympanic membrane, open approach, diagnostic
ICD-10	09B70ZZ	Excision of right tympanic membrane, open approach
ICD-10	09B73ZX	Excision of right tympanic membrane, percutaneous approach, diagnostic
ICD-10	09B73ZZ	Excision of right tympanic membrane, percutaneous approach
ICD-10	09B74ZX	Excision of right tympanic membrane, percutaneous endoscopic approach, diagnostic
ICD-10	09B74ZZ	Excision of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09B77ZX	Excision of right tympanic membrane, via natural or artificial opening, diagnostic
ICD-10	09B77ZZ	Excision of right tympanic membrane, via natural or artificial opening
ICD-10	09B78ZX	Excision of right tympanic membrane, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B78ZZ	Excision of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09B80ZX	Excision of left tympanic membrane, open approach, diagnostic
ICD-10	09B80ZZ	Excision of left tympanic membrane, open approach
ICD-10	09B83ZX	Excision of left tympanic membrane, percutaneous approach, diagnostic
ICD-10	09B83ZZ	Excision of left tympanic membrane, percutaneous approach
ICD-10	09B84ZX	Excision of left tympanic membrane, percutaneous endoscopic approach, diagnostic

ICD 9/10	Code	Description
ICD-10	09B84ZZ	Excision of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09B87ZX	Excision of left tympanic membrane, via natural or artificial opening, diagnostic
ICD-10	09B87ZZ	Excision of left tympanic membrane, via natural or artificial opening
ICD-10	09B88ZX	Excision of left tympanic membrane, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B88ZZ	Excision of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09B90ZX	Excision of right auditory ossicle, open approach, diagnostic
ICD-10	09B90ZZ	Excision of right auditory ossicle, open approach
ICD-10	09B98ZX	Excision of right auditory ossicle, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B98ZZ	Excision of right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09BA0ZX	Excision of left auditory ossicle, open approach, diagnostic
ICD-10	09BA0ZZ	Excision of left auditory ossicle, open approach
ICD-10	09BA8ZX	Excision of left auditory ossicle, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BA8ZZ	Excision of left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09BB0ZX	Excision of right mastoid sinus, open approach, diagnostic
ICD-10	09BB3ZX	Excision of right mastoid sinus, percutaneous approach, diagnostic
ICD-10	09BB4ZX	Excision of right mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	09BB8ZX	Excision of right mastoid sinus, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BC0ZX	Excision of left mastoid sinus, open approach, diagnostic
ICD-10	09BC3ZX	Excision of left mastoid sinus, percutaneous approach, diagnostic
ICD-10	09BC4ZX	Excision of left mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	09BC8ZX	Excision of left mastoid sinus, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BD0ZX	Excision of right inner ear, open approach, diagnostic
ICD-10	09BD0ZZ	Excision of right inner ear, open approach
ICD-10	09BD8ZX	Excision of right inner ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BD8ZZ	Excision of right inner ear, via natural or artificial opening endoscopic
ICD-10	09BE0ZX	Excision of left inner ear, open approach, diagnostic
ICD-10	09BE0ZZ	Excision of left inner ear, open approach
ICD-10	09BE8ZX	Excision of left inner ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BE8ZZ	Excision of left inner ear, via natural or artificial opening endoscopic
ICD-10	09BL0ZZ	Excision of nasal turbinate, open approach
ICD-10	09BL3ZZ	Excision of nasal turbinate, percutaneous approach
ICD-10	09BL4ZZ	Excision of nasal turbinate, percutaneous endoscopic approach
ICD-10	09BL7ZZ	Excision of nasal turbinate, via natural or artificial opening
ICD-10	09BL8ZZ	Excision of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09BM0ZZ	Excision of nasal septum, open approach
ICD-10	09BM3ZZ	Excision of nasal septum, percutaneous approach
ICD-10	09BM4ZZ	Excision of nasal septum, percutaneous endoscopic approach
ICD-10	09BM8ZZ	Excision of nasal septum, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09BN0ZZ	Excision of nasopharynx, open approach
ICD-10	09BN3ZZ	Excision of nasopharynx, percutaneous approach
ICD-10	09BN4ZZ	Excision of nasopharynx, percutaneous endoscopic approach
ICD-10	09BN7ZZ	Excision of nasopharynx, via natural or artificial opening
ICD-10	09BN8ZZ	Excision of nasopharynx, via natural or artificial opening endoscopic
ICD-10	09C50ZZ	Extirpation of matter from right middle ear, open approach
ICD-10	09C58ZZ	Extirpation of Matter from Right Middle Ear, Via Natural or Artificial Opening Endoscopic
ICD-10	09C60ZZ	Extirpation of matter from left middle ear, open approach
ICD-10	09C68ZZ	Extirpation of matter from left middle ear, via natural or artificial opening endoscopic
ICD-10	09C90ZZ	Extirpation of matter from right auditory ossicle, open approach
ICD-10	09C98ZZ	Extirpation of matter from right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09CA0ZZ	Extirpation of matter from left auditory ossicle, open approach
ICD-10	09CA8ZZ	Extirpation of matter from left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09CD0ZZ	Extirpation of matter from right inner ear, open approach
ICD-10	09CD8ZZ	Extirpation of matter from right inner ear, via natural or artificial opening endoscopic
ICD-10	09CE0ZZ	Extirpation of matter from left inner ear, open approach
ICD-10	09CE8ZZ	Extirpation of matter from left inner ear, via natural or artificial opening endoscopic
ICD-10	09CN0ZZ	Extirpation of matter from nasopharynx, open approach
ICD-10	09CN3ZZ	Extirpation of matter from nasopharynx, percutaneous approach
ICD-10	09CN4ZZ	Extirpation of matter from nasopharynx, percutaneous endoscopic approach
ICD-10	09CN7ZZ	Extirpation of matter from nasopharynx, via natural or artificial opening
ICD-10	09CN8ZZ	Extirpation of matter from nasopharynx, via natural or artificial opening endoscopic
ICD-10	09D70ZZ	Extraction of right tympanic membrane, open approach
ICD-10	09D73ZZ	Extraction of right tympanic membrane, percutaneous approach
ICD-10	09D74ZZ	Extraction of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09D77ZZ	Extraction of right tympanic membrane, via natural or artificial opening
ICD-10	09D78ZZ	Extraction of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09D80ZZ	Extraction of left tympanic membrane, open approach
ICD-10	09D83ZZ	Extraction of left tympanic membrane, percutaneous approach
ICD-10	09D84ZZ	Extraction of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09D87ZZ	Extraction of left tympanic membrane, via natural or artificial opening
ICD-10	09D88ZZ	Extraction of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09D90ZZ	Extraction of right auditory ossicle, open approach
ICD-10	09DA0ZZ	Extraction of left auditory ossicle, open approach
ICD-10	09DL0ZZ	Extraction of nasal turbinate, open approach
ICD-10	09DL3ZZ	Extraction of nasal turbinate, percutaneous approach
ICD-10	09DL4ZZ	Extraction of nasal turbinate, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09DL7ZZ	Extraction of nasal turbinate, via natural or artificial opening
ICD-10	09DL8ZZ	Extraction of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09DM0ZZ	Extraction of nasal septum, open approach
ICD-10	09DM3ZZ	Extraction of nasal septum, percutaneous approach
ICD-10	09DM4ZZ	Extraction of nasal septum, percutaneous endoscopic approach
ICD-10	09HD04Z	Insertion of bone conduction hearing device into right inner ear, open approach
ICD-10	09HD34Z	Insertion of bone conduction hearing device into right inner ear, percutaneous approach
ICD-10	09HD3SZ	Insertion of hearing device into right inner ear, percutaneous approach
ICD-10	09HD44Z	Insertion of bone conduction hearing device into right inner ear, percutaneous endoscopic approach
ICD-10	09HE04Z	Insertion of Bone Conduction Hearing Device into Left Inner Ear, Open Approach
ICD-10	09HE34Z	Insertion of bone conduction hearing device into left inner ear, percutaneous approach
ICD-10	09HE3SZ	Insertion of hearing device into left inner ear, percutaneous approach
ICD-10	09HE44Z	Insertion of bone conduction hearing device into left inner ear, percutaneous endoscopic approach
ICD-10	09HH0YZ	Insertion of other device into right ear, open approach
ICD-10	09HJ0YZ	Insertion of other device into left ear, open approach
ICD-10	09J70ZZ	Inspection of right tympanic membrane, open approach
ICD-10	09J74ZZ	Inspection of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09J80ZZ	Inspection of left tympanic membrane, open approach
ICD-10	09J84ZZ	Inspection of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09JD0ZZ	Inspection of right inner ear, open approach
ICD-10	09JD4ZZ	Inspection of right inner ear, percutaneous endoscopic approach
ICD-10	09JE0ZZ	Inspection of left inner ear, open approach
ICD-10	09JE4ZZ	Inspection of left inner ear, percutaneous endoscopic approach
ICD-10	09M0XZZ	Reattachment of right external ear, external approach
ICD-10	09M1XZZ	Reattachment of left external ear, external approach
ICD-10	09MKXZZ	Reattachment of nasal mucosa and soft tissue, external approach
ICD-10	09N00ZZ	Release right external ear, open approach
ICD-10	09N03ZZ	Release right external ear, percutaneous approach
ICD-10	09N04ZZ	Release right external ear, percutaneous endoscopic approach
ICD-10	09N10ZZ	Release left external ear, open approach
ICD-10	09N13ZZ	Release left external ear, percutaneous approach
ICD-10	09N14ZZ	Release left external ear, percutaneous endoscopic approach
ICD-10	09N30ZZ	Release right external auditory canal, open approach
ICD-10	09N33ZZ	Release right external auditory canal, percutaneous approach
ICD-10	09N34ZZ	Release right external auditory canal, percutaneous endoscopic approach
ICD-10	09N37ZZ	Release right external auditory canal, via natural or artificial opening
ICD-10	09N38ZZ	Release right external auditory canal, via natural or artificial opening endoscopic
ICD-10	09N40ZZ	Release left external auditory canal, open approach
ICD-10	09N43ZZ	Release left external auditory canal, percutaneous approach

ICD 9/10	Code	Description
ICD-10	09N44ZZ	Release left external auditory canal, percutaneous endoscopic approach
ICD-10	09N47ZZ	Release left external auditory canal, via natural or artificial opening
ICD-10	09N48ZZ	Release left external auditory canal, via natural or artificial opening endoscopic
ICD-10	09N50ZZ	Release right middle ear, open approach
ICD-10	09N58ZZ	Release right middle ear, via natural or artificial opening endoscopic
ICD-10	09N60ZZ	Release left middle ear, open approach
ICD-10	09N68ZZ	Release left middle ear, via natural or artificial opening endoscopic
ICD-10	09N70ZZ	Release right tympanic membrane, open approach
ICD-10	09N73ZZ	Release right tympanic membrane, percutaneous approach
ICD-10	09N74ZZ	Release right tympanic membrane, percutaneous endoscopic approach
ICD-10	09N77ZZ	Release right tympanic membrane, via natural or artificial opening
ICD-10	09N78ZZ	Release right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09N80ZZ	Release left tympanic membrane, open approach
ICD-10	09N83ZZ	Release left tympanic membrane, percutaneous approach
ICD-10	09N84ZZ	Release left tympanic membrane, percutaneous endoscopic approach
ICD-10	09N87ZZ	Release left tympanic membrane, via natural or artificial opening
ICD-10	09N88ZZ	Release left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09N90ZZ	Release right auditory ossicle, open approach
ICD-10	09N98ZZ	Release right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09NA0ZZ	Release left auditory ossicle, open approach
ICD-10	09NA8ZZ	Release left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09NB0ZZ	Release right mastoid sinus, open approach
ICD-10	09NB3ZZ	Release right mastoid sinus, percutaneous approach
ICD-10	09NB4ZZ	Release right mastoid sinus, percutaneous endoscopic approach
ICD-10	09NB8ZZ	Release right mastoid sinus, via natural or artificial opening endoscopic
ICD-10	09NC0ZZ	Release left mastoid sinus, open approach
ICD-10	09NC3ZZ	Release left mastoid sinus, percutaneous approach
ICD-10	09NC4ZZ	Release left mastoid sinus, percutaneous endoscopic approach
ICD-10	09NC8ZZ	Release left mastoid sinus, via natural or artificial opening endoscopic
ICD-10	09ND0ZZ	Release right inner ear, open approach
ICD-10	09ND8ZZ	Release right inner ear, via natural or artificial opening endoscopic
ICD-10	09NE0ZZ	Release left inner ear, open approach
ICD-10	09NE8ZZ	Release left inner ear, via natural or artificial opening endoscopic
ICD-10	09NN0ZZ	Release nasopharynx, open approach
ICD-10	09NN3ZZ	Release nasopharynx, percutaneous approach
ICD-10	09NN4ZZ	Release nasopharynx, percutaneous endoscopic approach
ICD-10	09NN7ZZ	Release nasopharynx, via natural or artificial opening
ICD-10	09NN8ZZ	Release nasopharynx, via natural or artificial opening endoscopic
ICD-10	09PD0SZ	Removal of hearing device from right inner ear, open approach
ICD-10	09PD7SZ	Removal of hearing device from right inner ear, via natural or artificial opening
ICD-10	09PD8SZ	Removal of hearing device from right inner ear, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09PE0SZ	Removal of hearing device from left inner ear, open approach
ICD-10	09PE7SZ	Removal of hearing device from left inner ear, via natural or artificial opening
ICD-10	09PE8SZ	Removal of hearing device from left inner ear, via natural or artificial opening endoscopic
ICD-10	09PH00Z	Removal of drainage device from right ear, open approach
ICD-10	09PH07Z	Removal of autologous tissue substitute from right ear, open approach
ICD-10	09PH0DZ	Removal of intraluminal device from right ear, open approach
ICD-10	09PH0JZ	Removal of synthetic substitute from right ear, open approach
ICD-10	09PH0KZ	Removal of nonautologous tissue substitute from right ear, open approach
ICD-10	09PH0YZ	Removal of other device from right ear, open approach
ICD-10	09PH37Z	Removal of autologous tissue substitute from right ear, percutaneous approach
ICD-10	09PH3DZ	Removal of intraluminal device from right ear, percutaneous approach
ICD-10	09PH47Z	Removal of autologous tissue substitute from right ear, percutaneous endoscopic approach
ICD-10	09PH4DZ	Removal of intraluminal device from right ear, percutaneous endoscopic approach
ICD-10	09PH77Z	Removal of autologous tissue substitute from right ear, via natural or artificial opening
ICD-10	09PH7JZ	Removal of synthetic substitute from right ear, via natural or artificial opening
ICD-10	09PH7KZ	Removal of nonautologous tissue substitute from right ear, via natural or artificial opening
ICD-10	09PH87Z	Removal of autologous tissue substitute from right ear, via natural or artificial opening endoscopic
ICD-10	09PH8JZ	Removal of synthetic substitute from right ear, via natural or artificial opening endoscopic
ICD-10	09PH8KZ	Removal of nonautologous tissue substitute from right ear, via natural or artificial opening endoscopic
ICD-10	09PJ00Z	Removal of drainage device from left ear, open approach
ICD-10	09PJ07Z	Removal of autologous tissue substitute from left ear, open approach
ICD-10	09PJ0DZ	Removal of intraluminal device from left ear, open approach
ICD-10	09PJ0JZ	Removal of synthetic substitute from left ear, open approach
ICD-10	09PJ0KZ	Removal of nonautologous tissue substitute from left ear, open approach
ICD-10	09PJ0YZ	Removal of other device from left ear, open approach
ICD-10	09PJ37Z	Removal of autologous tissue substitute from left ear, percutaneous approach
ICD-10	09PJ3DZ	Removal of intraluminal device from left ear, percutaneous approach
ICD-10	09PJ47Z	Removal of autologous tissue substitute from left ear, percutaneous endoscopic approach
ICD-10	09PJ4DZ	Removal of intraluminal device from left ear, percutaneous endoscopic approach
ICD-10	09PJ77Z	Removal of autologous tissue substitute from left ear, via natural or artificial opening
ICD-10	09PJ7JZ	Removal of synthetic substitute from left ear, via natural or artificial opening
ICD-10	09PJ7KZ	Removal of nonautologous tissue substitute from left ear, via natural or artificial opening
ICD-10	09PJ87Z	Removal of autologous tissue substitute from left ear, via natural or artificial opening endoscopic
ICD-10	09PJ8JZ	Removal of synthetic substitute from left ear, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09PJ8KZ	Removal of nonautologous tissue substitute from left ear, via natural or artificial opening endoscopic
ICD-10	09Q00ZZ	Repair right external ear, open approach
ICD-10	09Q03ZZ	Repair right external ear, percutaneous approach
ICD-10	09Q04ZZ	Repair right external ear, percutaneous endoscopic approach
ICD-10	09Q10ZZ	Repair left external ear, open approach
ICD-10	09Q13ZZ	Repair left external ear, percutaneous approach
ICD-10	09Q14ZZ	Repair left external ear, percutaneous endoscopic approach
ICD-10	09Q20ZZ	Repair bilateral external ear, open approach
ICD-10	09Q23ZZ	Repair bilateral external ear, percutaneous approach
ICD-10	09Q24ZZ	Repair bilateral external ear, percutaneous endoscopic approach
ICD-10	09Q30ZZ	Repair right external auditory canal, open approach
ICD-10	09Q33ZZ	Repair right external auditory canal, percutaneous approach
ICD-10	09Q34ZZ	Repair right external auditory canal, percutaneous endoscopic approach
ICD-10	09Q37ZZ	Repair right external auditory canal, via natural or artificial opening
ICD-10	09Q38ZZ	Repair right external auditory canal, via natural or artificial opening endoscopic
ICD-10	09Q40ZZ	Repair left external auditory canal, open approach
ICD-10	09Q43ZZ	Repair left external auditory canal, percutaneous approach
ICD-10	09Q44ZZ	Repair left external auditory canal, percutaneous endoscopic approach
ICD-10	09Q47ZZ	Repair left external auditory canal, via natural or artificial opening
ICD-10	09Q48ZZ	Repair left external auditory canal, via natural or artificial opening endoscopic
ICD-10	09Q50ZZ	Repair right middle ear, open approach
ICD-10	09Q58ZZ	Repair right middle ear, via natural or artificial opening endoscopic
ICD-10	09Q60ZZ	Repair left middle ear, open approach
ICD-10	09Q68ZZ	Repair left middle ear, via natural or artificial opening endoscopic
ICD-10	09Q70ZZ	Repair right tympanic membrane, open approach
ICD-10	09Q73ZZ	Repair right tympanic membrane, percutaneous approach
ICD-10	09Q74ZZ	Repair right tympanic membrane, percutaneous endoscopic approach
ICD-10	09Q77ZZ	Repair right tympanic membrane, via natural or artificial opening
ICD-10	09Q78ZZ	Repair right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09Q80ZZ	Repair left tympanic membrane, open approach
ICD-10	09Q83ZZ	Repair left tympanic membrane, percutaneous approach
ICD-10	09Q84ZZ	Repair left tympanic membrane, percutaneous endoscopic approach
ICD-10	09Q87ZZ	Repair left tympanic membrane, via natural or artificial opening
ICD-10	09Q88ZZ	Repair left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09Q90ZZ	Repair right auditory ossicle, open approach
ICD-10	09Q98ZZ	Repair right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09QA0ZZ	Repair left auditory ossicle, open approach
ICD-10	09QA8ZZ	Repair left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09QD0ZZ	Repair right inner ear, open approach
ICD-10	09QD8ZZ	Repair right inner ear, via natural or artificial opening endoscopic
ICD-10	09QE0ZZ	Repair left inner ear, open approach

ICD 9/10	Code	Description
ICD-10	09QE8ZZ	Repair left inner ear, via natural or artificial opening endoscopic
ICD-10	09QK0ZZ	Repair nasal mucosa and soft tissue, open approach
ICD-10	09QK3ZZ	Repair nasal mucosa and soft tissue, percutaneous approach
ICD-10	09QK4ZZ	Repair nasal mucosa and soft tissue, percutaneous endoscopic approach
ICD-10	09QK8ZZ	Repair nasal mucosa and soft tissue, via natural or artificial opening endoscopic
ICD-10	09QL0ZZ	Repair nasal turbinate, open approach
ICD-10	09QL3ZZ	Repair nasal turbinate, percutaneous approach
ICD-10	09QL4ZZ	Repair nasal turbinate, percutaneous endoscopic approach
ICD-10	09QL7ZZ	Repair nasal turbinate, via natural or artificial opening
ICD-10	09QL8ZZ	Repair nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09QM0ZZ	Repair nasal septum, open approach
ICD-10	09QM3ZZ	Repair nasal septum, percutaneous approach
ICD-10	09QM4ZZ	Repair nasal septum, percutaneous endoscopic approach
ICD-10	09QM8ZZ	Repair nasal septum, via natural or artificial opening endoscopic
ICD-10	09QN0ZZ	Repair nasopharynx, open approach
ICD-10	09QN3ZZ	Repair nasopharynx, percutaneous approach
ICD-10	09QN4ZZ	Repair nasopharynx, percutaneous endoscopic approach
ICD-10	09QN7ZZ	Repair nasopharynx, via natural or artificial opening
ICD-10	09QN8ZZ	Repair nasopharynx, via natural or artificial opening endoscopic
ICD-10	09R007Z	Replacement of right external ear with autologous tissue substitute, open approach
ICD-10	09R00JZ	Replacement of right external ear with synthetic substitute, open approach
ICD-10	09R00KZ	Replacement of right external ear with nonautologous tissue substitute, open approach
ICD-10	09R0X7Z	Replacement of right external ear with autologous tissue substitute, external approach
ICD-10	09R0XJZ	Replacement of right external ear with synthetic substitute, external approach
ICD-10	09R0XKZ	Replacement of right external ear with nonautologous tissue substitute, external approach
ICD-10	09R107Z	Replacement of left external ear with autologous tissue substitute, open approach
ICD-10	09R10JZ	Replacement of left external ear with synthetic substitute, open approach
ICD-10	09R10KZ	Replacement of left external ear with nonautologous tissue substitute, open approach
ICD-10	09R1X7Z	Replacement of left external ear with autologous tissue substitute, external approach
ICD-10	09R1XJZ	Replacement of left external ear with synthetic substitute, external approach
ICD-10	09R1XKZ	Replacement of left external ear with nonautologous tissue substitute, external approach
ICD-10	09R207Z	Replacement of bilateral external ear with autologous tissue substitute, open approach
ICD-10	09R20JZ	Replacement of bilateral external ear with synthetic substitute, open approach
ICD-10	09R20KZ	Replacement of bilateral external ear with nonautologous tissue substitute, open approach
ICD-10	09R2X7Z	Replacement of bilateral external ear with autologous tissue substitute, external approach
ICD-10	09R2XJZ	Replacement of bilateral external ear with synthetic substitute, external approach

ICD 9/10	Code	Description
ICD-10	09R2XKZ	Replacement of bilateral external ear with nonautologous tissue substitute, external approach
ICD-10	09R507Z	Replacement of right middle ear with autologous tissue substitute, open approach
ICD-10	09R50JZ	Replacement of right middle ear with synthetic substitute, open approach
ICD-10	09R50KZ	Replacement of right middle ear with nonautologous tissue substitute, open approach
ICD-10	09R607Z	Replacement of left middle ear with autologous tissue substitute, open approach
ICD-10	09R60JZ	Replacement of left middle ear with synthetic substitute, open approach
ICD-10	09R60KZ	Replacement of left middle ear with nonautologous tissue substitute, open approach
ICD-10	09R707Z	Replacement of right tympanic membrane with autologous tissue substitute, open approach
ICD-10	09R70JZ	Replacement of right tympanic membrane with synthetic substitute, open approach
ICD-10	09R70KZ	Replacement of right tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09R777Z	Replacement of Right Tympanic Membrane with Autologous Tissue Substitute, Via Natural or Artificial Opening
ICD-10	09R77JZ	Replacement of right tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09R77KZ	Replacement of right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09R787Z	Replacement of right tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R78JZ	Replacement of right tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09R78KZ	Replacement of right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R807Z	Replacement of left tympanic membrane with autologous tissue substitute, open approach
ICD-10	09R80JZ	Replacement of left tympanic membrane with synthetic substitute, open approach
ICD-10	09R80KZ	Replacement of left tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09R877Z	Replacement of left tympanic membrane with autologous tissue substitute, via natural or artificial opening
ICD-10	09R87JZ	Replacement of left tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09R87KZ	Replacement of left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09R887Z	Replacement of left tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R88JZ	Replacement of left tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09R88KZ	Replacement of left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R907Z	Replacement of right auditory ossicle with autologous tissue substitute, open approach
ICD-10	09R90JZ	Replacement of right auditory ossicle with synthetic substitute, open approach
ICD-10	09R90KZ	Replacement of right auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09RA07Z	Replacement of Left Auditory Ossicle with Autologous Tissue Substitute, Open Approach

ICD 9/10	Code	Description
ICD-10	09RA0JZ	Replacement of left auditory ossicle with synthetic substitute, open approach
ICD-10	09RA0KZ	Replacement of left auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09RD07Z	Replacement of right inner ear with autologous tissue substitute, open approach
ICD-10	09RD0JZ	Replacement of right inner ear with synthetic substitute, open approach
ICD-10	09RD0KZ	Replacement of right inner ear with nonautologous tissue substitute, open approach
ICD-10	09RE07Z	Replacement of left inner ear with autologous tissue substitute, open approach
ICD-10	09RE0JZ	Replacement of left inner ear with synthetic substitute, open approach
ICD-10	09RE0KZ	Replacement of left inner ear with nonautologous tissue substitute, open approach
ICD-10	09RK07Z	Replacement of nasal mucosa and soft tissue with autologous tissue substitute, open approach
ICD-10	09RK0JZ	Replacement of nasal mucosa and soft tissue with synthetic substitute, open approach
ICD-10	09RK0KZ	Replacement of nasal mucosa and soft tissue with nonautologous tissue substitute, open approach
ICD-10	09RKX7Z	Replacement of nasal mucosa and soft tissue with autologous tissue substitute, external approach
ICD-10	09RKXJZ	Replacement of nasal mucosa and soft tissue with synthetic substitute, external approach
ICD-10	09RKXKZ	Replacement of nasal mucosa and soft tissue with nonautologous tissue substitute, external approach
ICD-10	09RL07Z	Replacement of nasal turbinate with autologous tissue substitute, open approach
ICD-10	09RL0JZ	Replacement of nasal turbinate with synthetic substitute, open approach
ICD-10	09RL0KZ	Replacement of nasal turbinate with nonautologous tissue substitute, open approach
ICD-10	09RL37Z	Replacement of nasal turbinate with autologous tissue substitute, percutaneous approach
ICD-10	09RL3JZ	Replacement of nasal turbinate with synthetic substitute, percutaneous approach
ICD-10	09RL3KZ	Replacement of nasal turbinate with nonautologous tissue substitute, percutaneous approach
ICD-10	09RL47Z	Replacement of nasal turbinate with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RL4JZ	Replacement of nasal turbinate with synthetic substitute, percutaneous endoscopic approach
ICD-10	09RL4KZ	Replacement of nasal turbinate with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RL77Z	Replacement of nasal turbinate with autologous tissue substitute, via natural or artificial opening
ICD-10	09RL7JZ	Replacement of nasal turbinate with synthetic substitute, via natural or artificial opening
ICD-10	09RL7KZ	Replacement of nasal turbinate with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09RL87Z	Replacement of nasal turbinate with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09RL8JZ	Replacement of nasal turbinate with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09RL8KZ	Replacement of nasal turbinate with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09RM07Z	Replacement of nasal septum with autologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	09RM0JZ	Replacement of nasal septum with synthetic substitute, open approach
ICD-10	09RM0KZ	Replacement of nasal septum with nonautologous tissue substitute, open approach
ICD-10	09RM37Z	Replacement of nasal septum with autologous tissue substitute, percutaneous approach
ICD-10	09RM3JZ	Replacement of nasal septum with synthetic substitute, percutaneous approach
ICD-10	09RM3KZ	Replacement of nasal septum with nonautologous tissue substitute, percutaneous approach
ICD-10	09RM47Z	Replacement of nasal septum with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RM4JZ	Replacement of nasal septum with synthetic substitute, percutaneous endoscopic approach
ICD-10	09RM4KZ	Replacement of nasal septum with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RN07Z	Replacement of nasopharynx with autologous tissue substitute, open approach
ICD-10	09RN0JZ	Replacement of nasopharynx with synthetic substitute, open approach
ICD-10	09RN0KZ	Replacement of nasopharynx with nonautologous tissue substitute, open approach
ICD-10	09RN77Z	Replacement of nasopharynx with autologous tissue substitute, via natural or artificial opening
ICD-10	09RN7JZ	Replacement of nasopharynx with synthetic substitute, via natural or artificial opening
ICD-10	09RN7KZ	Replacement of nasopharynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09RN87Z	Replacement of nasopharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09RN8JZ	Replacement of nasopharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09RN8KZ	Replacement of nasopharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09S00ZZ	Reposition right external ear, open approach
ICD-10	09S04ZZ	Reposition right external ear, percutaneous endoscopic approach
ICD-10	09S0XZZ	Reposition right external ear, external approach
ICD-10	09S10ZZ	Reposition left external ear, open approach
ICD-10	09S14ZZ	Reposition left external ear, percutaneous endoscopic approach
ICD-10	09S1XZZ	Reposition left external ear, external approach
ICD-10	09S20ZZ	Reposition bilateral external ear, open approach
ICD-10	09S24ZZ	Reposition bilateral external ear, percutaneous endoscopic approach
ICD-10	09S2XZZ	Reposition bilateral external ear, external approach
ICD-10	09S70ZZ	Reposition right tympanic membrane, open approach
ICD-10	09S74ZZ	Reposition right tympanic membrane, percutaneous endoscopic approach
ICD-10	09S77ZZ	Reposition right tympanic membrane, via natural or artificial opening
ICD-10	09S78ZZ	Reposition right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09S80ZZ	Reposition left tympanic membrane, open approach
ICD-10	09S84ZZ	Reposition left tympanic membrane, percutaneous endoscopic approach
ICD-10	09S87ZZ	Reposition left tympanic membrane, via natural or artificial opening
ICD-10	09S88ZZ	Reposition left tympanic membrane, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09S90ZZ	Reposition right auditory ossicle, open approach
ICD-10	09S94ZZ	Reposition right auditory ossicle, percutaneous endoscopic approach
ICD-10	09SA0ZZ	Reposition left auditory ossicle, open approach
ICD-10	09SA4ZZ	Reposition left auditory ossicle, percutaneous endoscopic approach
ICD-10	09SK0ZZ	Reposition nasal mucosa and soft tissue, open approach
ICD-10	09SK4ZZ	Reposition nasal mucosa and soft tissue, percutaneous endoscopic approach
ICD-10	09SKXZZ	Reposition nasal mucosa and soft tissue, external approach
ICD-10	09SL0ZZ	Reposition nasal turbinate, open approach
ICD-10	09SL4ZZ	Reposition nasal turbinate, percutaneous endoscopic approach
ICD-10	09SL7ZZ	Reposition nasal turbinate, via natural or artificial opening
ICD-10	09SL8ZZ	Reposition nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09SM0ZZ	Reposition nasal septum, open approach
ICD-10	09SM4ZZ	Reposition nasal septum, percutaneous endoscopic approach
ICD-10	09T00ZZ	Resection of right external ear, open approach
ICD-10	09T04ZZ	Resection of right external ear, percutaneous endoscopic approach
ICD-10	09T0XZZ	Resection of right external ear, external approach
ICD-10	09T10ZZ	Resection of left external ear, open approach
ICD-10	09T14ZZ	Resection of left external ear, percutaneous endoscopic approach
ICD-10	09T1XZZ	Resection of left external ear, external approach
ICD-10	09T50ZZ	Resection of right middle ear, open approach
ICD-10	09T58ZZ	Resection of right middle ear, via natural or artificial opening endoscopic
ICD-10	09T60ZZ	Resection of left middle ear, open approach
ICD-10	09T68ZZ	Resection of left middle ear, via natural or artificial opening endoscopic
ICD-10	09T70ZZ	Resection of right tympanic membrane, open approach
ICD-10	09T74ZZ	Resection of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09T77ZZ	Resection of right tympanic membrane, via natural or artificial opening
ICD-10	09T78ZZ	Resection of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09T80ZZ	Resection of left tympanic membrane, open approach
ICD-10	09T84ZZ	Resection of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09T87ZZ	Resection of left tympanic membrane, via natural or artificial opening
ICD-10	09T88ZZ	Resection of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09T90ZZ	Resection of right auditory ossicle, open approach
ICD-10	09T98ZZ	Resection of right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09TA0ZZ	Resection of left auditory ossicle, open approach
ICD-10	09TA8ZZ	Resection of left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09TD0ZZ	Resection of right inner ear, open approach
ICD-10	09TD8ZZ	Resection of right inner ear, via natural or artificial opening endoscopic
ICD-10	09TE0ZZ	Resection of left inner ear, open approach
ICD-10	09TE8ZZ	Resection of left inner ear, via natural or artificial opening endoscopic
ICD-10	09TK0ZZ	Resection of nasal mucosa and soft tissue, open approach
ICD-10	09TK4ZZ	Resection of nasal mucosa and soft tissue, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09TK8ZZ	Resection of nasal mucosa and soft tissue, via natural or artificial opening endoscopic
ICD-10	09TKXZZ	Resection of nasal mucosa and soft tissue, external approach
ICD-10	09TL0ZZ	Resection of nasal turbinate, open approach
ICD-10	09TL4ZZ	Resection of nasal turbinate, percutaneous endoscopic approach
ICD-10	09TL7ZZ	Resection of nasal turbinate, via natural or artificial opening
ICD-10	09TL8ZZ	Resection of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09TM0ZZ	Resection of nasal septum, open approach
ICD-10	09TM4ZZ	Resection of nasal septum, percutaneous endoscopic approach
ICD-10	09TM8ZZ	Resection of nasal septum, via natural or artificial opening endoscopic
ICD-10	09TN0ZZ	Resection of nasopharynx, open approach
ICD-10	09TN4ZZ	Resection of nasopharynx, percutaneous endoscopic approach
ICD-10	09TN7ZZ	Resection of nasopharynx, via natural or artificial opening
ICD-10	09TN8ZZ	Resection of nasopharynx, via natural or artificial opening endoscopic
ICD-10	09U007Z	Supplement right external ear with autologous tissue substitute, open approach
ICD-10	09U00JZ	Supplement right external ear with synthetic substitute, open approach
ICD-10	09U00KZ	Supplement right external ear with nonautologous tissue substitute, open approach
ICD-10	09U0X7Z	Supplement right external ear with autologous tissue substitute, external approach
ICD-10	09U0XJZ	Supplement right external ear with synthetic substitute, external approach
ICD-10	09U0XKZ	Supplement right external ear with nonautologous tissue substitute, external approach
ICD-10	09U107Z	Supplement left external ear with autologous tissue substitute, open approach
ICD-10	09U10JZ	Supplement left external ear with synthetic substitute, open approach
ICD-10	09U10KZ	Supplement left external ear with nonautologous tissue substitute, open approach
ICD-10	09U1X7Z	Supplement left external ear with autologous tissue substitute, external approach
ICD-10	09U1XJZ	Supplement left external ear with synthetic substitute, external approach
ICD-10	09U1XKZ	Supplement left external ear with nonautologous tissue substitute, external approach
ICD-10	09U207Z	Supplement bilateral external ear with autologous tissue substitute, open approach
ICD-10	09U20JZ	Supplement bilateral external ear with synthetic substitute, open approach
ICD-10	09U20KZ	Supplement bilateral external ear with nonautologous tissue substitute, open approach
ICD-10	09U2X7Z	Supplement bilateral external ear with autologous tissue substitute, external approach
ICD-10	09U2XJZ	Supplement bilateral external ear with synthetic substitute, external approach
ICD-10	09U2XKZ	Supplement bilateral external ear with nonautologous tissue substitute, external approach
ICD-10	09U507Z	Supplement right middle ear with autologous tissue substitute, open approach
ICD-10	09U50JZ	Supplement right middle ear with synthetic substitute, open approach
ICD-10	09U50KZ	Supplement right middle ear with nonautologous tissue substitute, open approach
ICD-10	09U587Z	Supplement right middle ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U58JZ	Supplement right middle ear with synthetic substitute, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09U58KZ	Supplement right middle ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U607Z	Supplement left middle ear with autologous tissue substitute, open approach
ICD-10	09U60JZ	Supplement left middle ear with synthetic substitute, open approach
ICD-10	09U60KZ	Supplement left middle ear with nonautologous tissue substitute, open approach
ICD-10	09U687Z	Supplement left middle ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U68JZ	Supplement left middle ear with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U68KZ	Supplement left middle ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U707Z	Supplement right tympanic membrane with autologous tissue substitute, open approach
ICD-10	09U70JZ	Supplement right tympanic membrane with synthetic substitute, open approach
ICD-10	09U70KZ	Supplement right tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09U777Z	Supplement right tympanic membrane with autologous tissue substitute, via natural or artificial opening
ICD-10	09U77JZ	Supplement right tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09U77KZ	Supplement right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09U787Z	Supplement right tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U78JZ	Supplement right tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U78KZ	Supplement right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U807Z	Supplement left tympanic membrane with autologous tissue substitute, open approach
ICD-10	09U80JZ	Supplement left tympanic membrane with synthetic substitute, open approach
ICD-10	09U80KZ	Supplement left tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09U877Z	Supplement left tympanic membrane with autologous tissue substitute, via natural or artificial opening
ICD-10	09U87JZ	Supplement left tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09U87KZ	Supplement left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09U887Z	Supplement left tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U88JZ	Supplement left tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U88KZ	Supplement left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U907Z	Supplement right auditory ossicle with autologous tissue substitute, open approach
ICD-10	09U90JZ	Supplement right auditory ossicle with synthetic substitute, open approach
ICD-10	09U90KZ	Supplement right auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09U987Z	Supplement right auditory ossicle with autologous tissue substitute, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09U98JZ	Supplement right auditory ossicle with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U98KZ	Supplement right auditory ossicle with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UA07Z	Supplement left auditory ossicle with autologous tissue substitute, open approach
ICD-10	09UA0JZ	Supplement left auditory ossicle with synthetic substitute, open approach
ICD-10	09UA0KZ	Supplement left auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09UA87Z	Supplement left auditory ossicle with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UA8JZ	Supplement left auditory ossicle with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UA8KZ	Supplement left auditory ossicle with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UD07Z	Supplement right inner ear with autologous tissue substitute, open approach
ICD-10	09UD0JZ	Supplement right inner ear with synthetic substitute, open approach
ICD-10	09UD0KZ	Supplement right inner ear with nonautologous tissue substitute, open approach
ICD-10	09UD87Z	Supplement right inner ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UD8JZ	Supplement right inner ear with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UD8KZ	Supplement right inner ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UE07Z	Supplement left inner ear with autologous tissue substitute, open approach
ICD-10	09UE0JZ	Supplement left inner ear with synthetic substitute, open approach
ICD-10	09UE0KZ	Supplement left inner ear with nonautologous tissue substitute, open approach
ICD-10	09UE87Z	Supplement left inner ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UE8JZ	Supplement left inner ear with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UE8KZ	Supplement left inner ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UK07Z	Supplement nasal mucosa and soft tissue with autologous tissue substitute, open approach
ICD-10	09UK0JZ	Supplement nasal mucosa and soft tissue with synthetic substitute, open approach
ICD-10	09UK0KZ	Supplement nasal mucosa and soft tissue with nonautologous tissue substitute, open approach
ICD-10	09UK87Z	Supplement nasal mucosa and soft tissue with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UK8JZ	Supplement nasal mucosa and soft tissue with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UK8KZ	Supplement nasal mucosa and soft tissue with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UKX7Z	Supplement nasal mucosa and soft tissue with autologous tissue substitute, external approach
ICD-10	09UKXJZ	Supplement nasal mucosa and soft tissue with synthetic substitute, external approach
ICD-10	09UKXKZ	Supplement nasal mucosa and soft tissue with nonautologous tissue substitute, external approach
ICD-10	09UL07Z	Supplement nasal turbinate with autologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	09UL0JZ	Supplement nasal turbinate with synthetic substitute, open approach
ICD-10	09UL0KZ	Supplement nasal turbinate with nonautologous tissue substitute, open approach
ICD-10	09UL37Z	Supplement nasal turbinate with autologous tissue substitute, percutaneous approach
ICD-10	09UL3JZ	Supplement nasal turbinate with synthetic substitute, percutaneous approach
ICD-10	09UL3KZ	Supplement nasal turbinate with nonautologous tissue substitute, percutaneous approach
ICD-10	09UL47Z	Supplement nasal turbinate with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UL4JZ	Supplement nasal turbinate with synthetic substitute, percutaneous endoscopic approach
ICD-10	09UL4KZ	Supplement nasal turbinate with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UL77Z	Supplement nasal turbinate with autologous tissue substitute, via natural or artificial opening
ICD-10	09UL7JZ	Supplement nasal turbinate with synthetic substitute, via natural or artificial opening
ICD-10	09UL7KZ	Supplement nasal turbinate with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09UL87Z	Supplement nasal turbinate with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UL8JZ	Supplement nasal turbinate with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UL8KZ	Supplement nasal turbinate with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UM07Z	Supplement nasal septum with autologous tissue substitute, open approach
ICD-10	09UM0JZ	Supplement nasal septum with synthetic substitute, open approach
ICD-10	09UM0KZ	Supplement nasal septum with nonautologous tissue substitute, open approach
ICD-10	09UM37Z	Supplement nasal septum with autologous tissue substitute, percutaneous approach
ICD-10	09UM3JZ	Supplement nasal septum with synthetic substitute, percutaneous approach
ICD-10	09UM3KZ	Supplement nasal septum with nonautologous tissue substitute, percutaneous approach
ICD-10	09UM47Z	Supplement nasal septum with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UM4JZ	Supplement nasal septum with synthetic substitute, percutaneous endoscopic approach
ICD-10	09UM4KZ	Supplement nasal septum with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UM87Z	Supplement nasal septum with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UM8JZ	Supplement nasal septum with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UM8KZ	Supplement nasal septum with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UN07Z	Supplement nasopharynx with autologous tissue substitute, open approach
ICD-10	09UN0JZ	Supplement nasopharynx with synthetic substitute, open approach
ICD-10	09UN0KZ	Supplement nasopharynx with nonautologous tissue substitute, open approach
ICD-10	09UN77Z	Supplement nasopharynx with autologous tissue substitute, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	09UN7JZ	Supplement nasopharynx with synthetic substitute, via natural or artificial opening
ICD-10	09UN7KZ	Supplement nasopharynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09UN87Z	Supplement nasopharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UN8JZ	Supplement nasopharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UN8KZ	Supplement nasopharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09W707Z	Revision of autologous tissue substitute in right tympanic membrane, open approach
ICD-10	09W70JZ	Revision of synthetic substitute in right tympanic membrane, open approach
ICD-10	09W70KZ	Revision of nonautologous tissue substitute in right tympanic membrane, open approach
ICD-10	09W777Z	Revision of autologous tissue substitute in right tympanic membrane, via natural or artificial opening
ICD-10	09W77JZ	Revision of synthetic substitute in right tympanic membrane, via natural or artificial opening
ICD-10	09W77KZ	Revision of nonautologous tissue substitute in right tympanic membrane, via natural or artificial opening
ICD-10	09W787Z	Revision of autologous tissue substitute in right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W78JZ	Revision of synthetic substitute in right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W78KZ	Revision of nonautologous tissue substitute in right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W807Z	Revision of autologous tissue substitute in left tympanic membrane, open approach
ICD-10	09W80JZ	Revision of synthetic substitute in left tympanic membrane, open approach
ICD-10	09W80KZ	Revision of nonautologous tissue substitute in left tympanic membrane, open approach
ICD-10	09W877Z	Revision of autologous tissue substitute in left tympanic membrane, via natural or artificial opening
ICD-10	09W87JZ	Revision of synthetic substitute in left tympanic membrane, via natural or artificial opening
ICD-10	09W87KZ	Revision of nonautologous tissue substitute in left tympanic membrane, via natural or artificial opening
ICD-10	09W887Z	Revision of autologous tissue substitute in left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W88JZ	Revision of synthetic substitute in left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W88KZ	Revision of nonautologous tissue substitute in left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W907Z	Revision of autologous tissue substitute in right auditory ossicle, open approach
ICD-10	09W90JZ	Revision of synthetic substitute in right auditory ossicle, open approach
ICD-10	09W90KZ	Revision of nonautologous tissue substitute in right auditory ossicle, open approach
ICD-10	09W977Z	Revision of autologous tissue substitute in right auditory ossicle, via natural or artificial opening
ICD-10	09W97JZ	Revision of synthetic substitute in right auditory ossicle, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	09W97KZ	Revision of nonautologous tissue substitute in right auditory ossicle, via natural or artificial opening
ICD-10	09W987Z	Revision of autologous tissue substitute in right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09W98JZ	Revision of synthetic substitute in right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09W98KZ	Revision of nonautologous tissue substitute in right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WA07Z	Revision of autologous tissue substitute in left auditory ossicle, open approach
ICD-10	09WA0JZ	Revision of synthetic substitute in left auditory ossicle, open approach
ICD-10	09WA0KZ	Revision of nonautologous tissue substitute in left auditory ossicle, open approach
ICD-10	09WA77Z	Revision of autologous tissue substitute in left auditory ossicle, via natural or artificial opening
ICD-10	09WA7JZ	Revision of synthetic substitute in left auditory ossicle, via natural or artificial opening
ICD-10	09WA7KZ	Revision of nonautologous tissue substitute in left auditory ossicle, via natural or artificial opening
ICD-10	09WA87Z	Revision of autologous tissue substitute in left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WA8JZ	Revision of synthetic substitute in left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WA8KZ	Revision of nonautologous tissue substitute in left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WD0SZ	Revision of hearing device in right inner ear, open approach
ICD-10	09WD7SZ	Revision of hearing device in right inner ear, via natural or artificial opening
ICD-10	09WD8SZ	Revision of hearing device in right inner ear, via natural or artificial opening endoscopic
ICD-10	09WE0SZ	Revision of hearing device in left inner ear, open approach
ICD-10	09WE7SZ	Revision of hearing device in left inner ear, via natural or artificial opening
ICD-10	09WE8SZ	Revision of hearing device in left inner ear, via natural or artificial opening endoscopic
ICD-10	09WH00Z	Revision of drainage device in right ear, open approach
ICD-10	09WH07Z	Revision of autologous tissue substitute in right ear, open approach
ICD-10	09WH0DZ	Revision of intraluminal device in right ear, open approach
ICD-10	09WH0JZ	Revision of synthetic substitute in right ear, open approach
ICD-10	09WH0KZ	Revision of nonautologous tissue substitute in right ear, open approach
ICD-10	09WH0YZ	Revision of other device in right ear, open approach
ICD-10	09WH30Z	Revision of drainage device in right ear, percutaneous approach
ICD-10	09WH37Z	Revision of autologous tissue substitute in right ear, percutaneous approach
ICD-10	09WH3DZ	Revision of intraluminal device in right ear, percutaneous approach
ICD-10	09WH40Z	Revision of drainage device in right ear, percutaneous endoscopic approach
ICD-10	09WH47Z	Revision of autologous tissue substitute in right ear, percutaneous endoscopic approach
ICD-10	09WH4DZ	Revision of intraluminal device in right ear, percutaneous endoscopic approach
ICD-10	09WH70Z	Revision of drainage device in right ear, via natural or artificial opening
ICD-10	09WH77Z	Revision of autologous tissue substitute in right ear, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	09WH7JZ	Revision of synthetic substitute in right ear, via natural or artificial opening
ICD-10	09WH7KZ	Revision of nonautologous tissue substitute in right ear, via natural or artificial opening
ICD-10	09WH80Z	Revision of drainage device in right ear, via natural or artificial opening endoscopic
ICD-10	09WH87Z	Revision of autologous tissue substitute in right ear, via natural or artificial opening endoscopic
ICD-10	09WH8JZ	Revision of synthetic substitute in right ear, via natural or artificial opening endoscopic
ICD-10	09WH8KZ	Revision of nonautologous tissue substitute in right ear, via natural or artificial opening endoscopic
ICD-10	09WJ00Z	Revision of drainage device in left ear, open approach
ICD-10	09WJ07Z	Revision of autologous tissue substitute in left ear, open approach
ICD-10	09WJ0DZ	Revision of intraluminal device in left ear, open approach
ICD-10	09WJ0JZ	Revision of synthetic substitute in left ear, open approach
ICD-10	09WJ0KZ	Revision of nonautologous tissue substitute in left ear, open approach
ICD-10	09WJ0YZ	Revision of other device in left ear, open approach
ICD-10	09WJ30Z	Revision of drainage device in left ear, percutaneous approach
ICD-10	09WJ37Z	Revision of autologous tissue substitute in left ear, percutaneous approach
ICD-10	09WJ3DZ	Revision of intraluminal device in left ear, percutaneous approach
ICD-10	09WJ40Z	Revision of drainage device in left ear, percutaneous endoscopic approach
ICD-10	09WJ47Z	Revision of autologous tissue substitute in left ear, percutaneous endoscopic approach
ICD-10	09WJ4DZ	Revision of intraluminal device in left ear, percutaneous endoscopic approach
ICD-10	09WJ70Z	Revision of drainage device in left ear, via natural or artificial opening
ICD-10	09WJ77Z	Revision of autologous tissue substitute in left ear, via natural or artificial opening
ICD-10	09WJ7JZ	Revision of synthetic substitute in left ear, via natural or artificial opening
ICD-10	09WJ7KZ	Revision of nonautologous tissue substitute in left ear, via natural or artificial opening
ICD-10	09WJ80Z	Revision of drainage device in left ear, via natural or artificial opening endoscopic
ICD-10	09WJ87Z	Revision of autologous tissue substitute in left ear, via natural or artificial opening endoscopic
ICD-10	09WJ8JZ	Revision of synthetic substitute in left ear, via natural or artificial opening endoscopic
ICD-10	09WJ8KZ	Revision of nonautologous tissue substitute in left ear, via natural or artificial opening endoscopic
ICD-10	0B520ZZ	Destruction of carina, open approach
ICD-10	0B523ZZ	Destruction of carina, percutaneous approach
ICD-10	0B524ZZ	Destruction of carina, percutaneous endoscopic approach
ICD-10	0B527ZZ	Destruction of carina, via natural or artificial opening
ICD-10	0B528ZZ	Destruction of carina, via natural or artificial opening endoscopic
ICD-10	0B710DZ	Dilation of trachea with intraluminal device, open approach
ICD-10	0B710ZZ	Dilation of trachea, open approach
ICD-10	0B713DZ	Dilation of trachea with intraluminal device, percutaneous approach
ICD-10	0B713ZZ	Dilation of trachea, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0B714DZ	Dilation of trachea with intraluminal device, percutaneous endoscopic approach
ICD-10	0B714ZZ	Dilation of trachea, percutaneous endoscopic approach
ICD-10	0B717DZ	Dilation of trachea with intraluminal device, via natural or artificial opening
ICD-10	0B717ZZ	Dilation of trachea, via natural or artificial opening
ICD-10	0B718DZ	Dilation of trachea with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0B718ZZ	Dilation of trachea, via natural or artificial opening endoscopic
ICD-10	0B720DZ	Dilation of carina with intraluminal device, open approach
ICD-10	0B720ZZ	Dilation of carina, open approach
ICD-10	0B723DZ	Dilation of carina with intraluminal device, percutaneous approach
ICD-10	0B723ZZ	Dilation of carina, percutaneous approach
ICD-10	0B724DZ	Dilation of carina with intraluminal device, percutaneous endoscopic approach
ICD-10	0B724ZZ	Dilation of carina, percutaneous endoscopic approach
ICD-10	0B727DZ	Dilation of carina with intraluminal device, via natural or artificial opening
ICD-10	0B727ZZ	Dilation of carina, via natural or artificial opening
ICD-10	0B728DZ	Dilation of carina with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0B728ZZ	Dilation of carina, via natural or artificial opening endoscopic
ICD-10	0B910ZX	Drainage of trachea, open approach, diagnostic
ICD-10	0B920ZX	Drainage of carina, open approach, diagnostic
ICD-10	0BB10ZX	Excision of trachea, open approach, diagnostic
ICD-10	0BB10ZZ	Excision of trachea, open approach
ICD-10	0BB13ZZ	Excision of trachea, percutaneous approach
ICD-10	0BB14ZZ	Excision of trachea, percutaneous endoscopic approach
ICD-10	0BB17ZZ	Excision of trachea, via natural or artificial opening
ICD-10	0BB18ZZ	Excision of trachea, via natural or artificial opening endoscopic
ICD-10	0BB20ZX	Excision of carina, open approach, diagnostic
ICD-10	0BB20ZZ	Excision of carina, open approach
ICD-10	0BB23ZZ	Excision of carina, percutaneous approach
ICD-10	0BB24ZZ	Excision of carina, percutaneous endoscopic approach
ICD-10	0BB27ZZ	Excision of carina, via natural or artificial opening
ICD-10	0BB28ZZ	Excision of carina, via natural or artificial opening endoscopic
ICD-10	0BF10ZZ	Fragmentation in trachea, open approach
ICD-10	0BF13ZZ	Fragmentation in trachea, percutaneous approach
ICD-10	0BF14ZZ	Fragmentation in trachea, percutaneous endoscopic approach
ICD-10	0BF17ZZ	Fragmentation in trachea, via natural or artificial opening
ICD-10	0BF18ZZ	Fragmentation in trachea, via natural or artificial opening endoscopic
ICD-10	0BF20ZZ	Fragmentation in carina, open approach
ICD-10	0BF23ZZ	Fragmentation in carina, percutaneous approach
ICD-10	0BF24ZZ	Fragmentation in carina, percutaneous endoscopic approach
ICD-10	0BF27ZZ	Fragmentation in carina, via natural or artificial opening
ICD-10	0BF28ZZ	Fragmentation in carina, via natural or artificial opening endoscopic
ICD-10	0BL10CZ	Occlusion of trachea with extraluminal device, open approach

ICD 9/10	Code	Description
ICD-10	0BL10DZ	Occlusion of trachea with intraluminal device, open approach
ICD-10	0BL10ZZ	Occlusion of trachea, open approach
ICD-10	0BL13CZ	Occlusion of trachea with extraluminal device, percutaneous approach
ICD-10	0BL13DZ	Occlusion of trachea with intraluminal device, percutaneous approach
ICD-10	0BL13ZZ	Occlusion of trachea, percutaneous approach
ICD-10	0BL14CZ	Occlusion of trachea with extraluminal device, percutaneous endoscopic approach
ICD-10	0BL14DZ	Occlusion of trachea with intraluminal device, percutaneous endoscopic approach
ICD-10	0BL14ZZ	Occlusion of trachea, percutaneous endoscopic approach
ICD-10	0BL17DZ	Occlusion of trachea with intraluminal device, via natural or artificial opening
ICD-10	0BL17ZZ	Occlusion of trachea, via natural or artificial opening
ICD-10	0BL18DZ	Occlusion of trachea with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BL18ZZ	Occlusion of trachea, via natural or artificial opening endoscopic
ICD-10	0BL20CZ	Occlusion of carina with extraluminal device, open approach
ICD-10	0BL20DZ	Occlusion of carina with intraluminal device, open approach
ICD-10	0BL20ZZ	Occlusion of carina, open approach
ICD-10	0BL23CZ	Occlusion of carina with extraluminal device, percutaneous approach
ICD-10	0BL23DZ	Occlusion of carina with intraluminal device, percutaneous approach
ICD-10	0BL23ZZ	Occlusion of carina, percutaneous approach
ICD-10	0BL24CZ	Occlusion of carina with extraluminal device, percutaneous endoscopic approach
ICD-10	0BL24DZ	Occlusion of carina with intraluminal device, percutaneous endoscopic approach
ICD-10	0BL24ZZ	Occlusion of carina, percutaneous endoscopic approach
ICD-10	0BL27DZ	Occlusion of carina with intraluminal device, via natural or artificial opening
ICD-10	0BL27ZZ	Occlusion of carina, via natural or artificial opening
ICD-10	0BL28DZ	Occlusion of carina with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BL28ZZ	Occlusion of carina, via natural or artificial opening endoscopic
ICD-10	0BM10ZZ	Reattachment of trachea, open approach
ICD-10	0BM20ZZ	Reattachment of carina, open approach
ICD-10	0BN10ZZ	Release trachea, open approach
ICD-10	0BN13ZZ	Release trachea, percutaneous approach
ICD-10	0BN14ZZ	Release trachea, percutaneous endoscopic approach
ICD-10	0BN17ZZ	Release trachea, via natural or artificial opening
ICD-10	0BN18ZZ	Release trachea, via natural or artificial opening endoscopic
ICD-10	0BN20ZZ	Release carina, open approach
ICD-10	0BN23ZZ	Release carina, percutaneous approach
ICD-10	0BN24ZZ	Release carina, percutaneous endoscopic approach
ICD-10	0BN27ZZ	Release carina, via natural or artificial opening
ICD-10	0BN28ZZ	Release carina, via natural or artificial opening endoscopic
ICD-10	0BQ10ZZ	Repair trachea, open approach
ICD-10	0BQ13ZZ	Repair trachea, percutaneous approach
ICD-10	0BQ14ZZ	Repair trachea, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0BQ17ZZ	Repair trachea, via natural or artificial opening
ICD-10	0BQ18ZZ	Repair trachea, via natural or artificial opening endoscopic
ICD-10	0BQ20ZZ	Repair carina, open approach
ICD-10	0BQ23ZZ	Repair carina, percutaneous approach
ICD-10	0BQ24ZZ	Repair carina, percutaneous endoscopic approach
ICD-10	0BQ27ZZ	Repair carina, via natural or artificial opening
ICD-10	0BQ28ZZ	Repair carina, via natural or artificial opening endoscopic
ICD-10	0BR107Z	Replacement of trachea with autologous tissue substitute, open approach
ICD-10	0BR10JZ	Replacement of trachea with synthetic substitute, open approach
ICD-10	0BR10KZ	Replacement of trachea with nonautologous tissue substitute, open approach
ICD-10	0BR147Z	Replacement of trachea with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BR14JZ	Replacement of trachea with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BR14KZ	Replacement of trachea with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BR207Z	Replacement of carina with autologous tissue substitute, open approach
ICD-10	0BR20JZ	Replacement of carina with synthetic substitute, open approach
ICD-10	0BR20KZ	Replacement of carina with nonautologous tissue substitute, open approach
ICD-10	0BR247Z	Replacement of carina with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BR24JZ	Replacement of carina with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BR24KZ	Replacement of carina with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BS10ZZ	Reposition trachea, open approach
ICD-10	0BS20ZZ	Reposition carina, open approach
ICD-10	0BT10ZZ	Resection of trachea, open approach
ICD-10	0BT14ZZ	Resection of trachea, percutaneous endoscopic approach
ICD-10	0BT20ZZ	Resection of carina, open approach
ICD-10	0BT24ZZ	Resection of carina, percutaneous endoscopic approach
ICD-10	0BU107Z	Supplement trachea with autologous tissue substitute, open approach
ICD-10	0BU10JZ	Supplement trachea with synthetic substitute, open approach
ICD-10	0BU10KZ	Supplement trachea with nonautologous tissue substitute, open approach
ICD-10	0BU147Z	Supplement trachea with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU14JZ	Supplement trachea with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BU14KZ	Supplement trachea with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU187Z	Supplement trachea with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BU18JZ	Supplement trachea with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0BU18KZ	Supplement trachea with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BU207Z	Supplement carina with autologous tissue substitute, open approach
ICD-10	0BU20JZ	Supplement carina with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0BU20KZ	Supplement carina with nonautologous tissue substitute, open approach
ICD-10	0BU247Z	Supplement carina with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU24JZ	Supplement carina with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BU24KZ	Supplement carina with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU287Z	Supplement carina with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BU28JZ	Supplement carina with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0BU28KZ	Supplement carina with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BV10CZ	Restriction of trachea with extraluminal device, open approach
ICD-10	0BV10DZ	Restriction of trachea with intraluminal device, open approach
ICD-10	0BV10ZZ	Restriction of trachea, open approach
ICD-10	0BV13CZ	Restriction of trachea with extraluminal device, percutaneous approach
ICD-10	0BV13DZ	Restriction of trachea with intraluminal device, percutaneous approach
ICD-10	0BV13ZZ	Restriction of trachea, percutaneous approach
ICD-10	0BV14CZ	Restriction of trachea with extraluminal device, percutaneous endoscopic approach
ICD-10	0BV14DZ	Restriction of trachea with intraluminal device, percutaneous endoscopic approach
ICD-10	0BV14ZZ	Restriction of trachea, percutaneous endoscopic approach
ICD-10	0BV17DZ	Restriction of trachea with intraluminal device, via natural or artificial opening
ICD-10	0BV17ZZ	Restriction of trachea, via natural or artificial opening
ICD-10	0BV18DZ	Restriction of trachea with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BV18ZZ	Restriction of trachea, via natural or artificial opening endoscopic
ICD-10	0BV20CZ	Restriction of carina with extraluminal device, open approach
ICD-10	0BV20DZ	Restriction of carina with intraluminal device, open approach
ICD-10	0BV20ZZ	Restriction of carina, open approach
ICD-10	0BV23CZ	Restriction of carina with extraluminal device, percutaneous approach
ICD-10	0BV23DZ	Restriction of carina with intraluminal device, percutaneous approach
ICD-10	0BV23ZZ	Restriction of carina, percutaneous approach
ICD-10	0BV24CZ	Restriction of carina with extraluminal device, percutaneous endoscopic approach
ICD-10	0BV24DZ	Restriction of carina with intraluminal device, percutaneous endoscopic approach
ICD-10	0BV24ZZ	Restriction of carina, percutaneous endoscopic approach
ICD-10	0BV27DZ	Restriction of carina with intraluminal device, via natural or artificial opening
ICD-10	0BV27ZZ	Restriction of carina, via natural or artificial opening
ICD-10	0BV28DZ	Restriction of carina with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BV28ZZ	Restriction of carina, via natural or artificial opening endoscopic
ICD-10	0BW13FZ	Revision of tracheostomy device in trachea, percutaneous approach
ICD-10	0C5M0ZZ	Destruction of pharynx, open approach
ICD-10	0C5M3ZZ	Destruction of pharynx, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0C5M4ZZ	Destruction of pharynx, percutaneous endoscopic approach
ICD-10	0C5M7ZZ	Destruction of pharynx, via natural or artificial opening
ICD-10	0C5M8ZZ	Destruction of pharynx, via natural or artificial opening endoscopic
ICD-10	0C5P0ZZ	Destruction of tonsils, open approach
ICD-10	0C5P3ZZ	Destruction of tonsils, percutaneous approach
ICD-10	0C5PXZZ	Destruction of tonsils, external approach
ICD-10	0C5Q0ZZ	Destruction of adenoids, open approach
ICD-10	0C5Q3ZZ	Destruction of adenoids, percutaneous approach
ICD-10	0C5QXZZ	Destruction of adenoids, external approach
ICD-10	0C5R0ZZ	Destruction of epiglottis, open approach
ICD-10	0C5R3ZZ	Destruction of epiglottis, percutaneous approach
ICD-10	0C5R4ZZ	Destruction of epiglottis, percutaneous endoscopic approach
ICD-10	0C5R7ZZ	Destruction of epiglottis, via natural or artificial opening
ICD-10	0C5R8ZZ	Destruction of epiglottis, via natural or artificial opening endoscopic
ICD-10	0C5S0ZZ	Destruction of larynx, open approach
ICD-10	0C5S3ZZ	Destruction of larynx, percutaneous approach
ICD-10	0C5S4ZZ	Destruction of larynx, percutaneous endoscopic approach
ICD-10	0C5S7ZZ	Destruction of larynx, via natural or artificial opening
ICD-10	0C5S8ZZ	Destruction of larynx, via natural or artificial opening endoscopic
ICD-10	0C5T0ZZ	Destruction of right vocal cord, open approach
ICD-10	0C5T3ZZ	Destruction of right vocal cord, percutaneous approach
ICD-10	0C5T4ZZ	Destruction of right vocal cord, percutaneous endoscopic approach
ICD-10	0C5T7ZZ	Destruction of right vocal cord, via natural or artificial opening
ICD-10	0C5T8ZZ	Destruction of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0C5V0ZZ	Destruction of left vocal cord, open approach
ICD-10	0C5V3ZZ	Destruction of left vocal cord, percutaneous approach
ICD-10	0C5V4ZZ	Destruction of left vocal cord, percutaneous endoscopic approach
ICD-10	0C5V7ZZ	Destruction of left vocal cord, via natural or artificial opening
ICD-10	0C5V8ZZ	Destruction of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0C7S0DZ	Dilation of larynx with intraluminal device, open approach
ICD-10	0C7S0ZZ	Dilation of larynx, open approach
ICD-10	0C7S3DZ	Dilation of larynx with intraluminal device, percutaneous approach
ICD-10	0C7S3ZZ	Dilation of larynx, percutaneous approach
ICD-10	0C7S4DZ	Dilation of larynx with intraluminal device, percutaneous endoscopic approach
ICD-10	0C7S4ZZ	Dilation of larynx, percutaneous endoscopic approach
ICD-10	0C7S7DZ	Dilation of larynx with intraluminal device, via natural or artificial opening
ICD-10	0C7S7ZZ	Dilation of larynx, via natural or artificial opening
ICD-10	0C7S8DZ	Dilation of larynx with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0C7S8ZZ	Dilation of larynx, via natural or artificial opening endoscopic
ICD-10	0C9M00Z	Drainage of pharynx with drainage device, open approach
ICD-10	0C9M0ZZ	Drainage of pharynx, open approach

ICD 9/10	Code	Description
ICD-10	0C9M40Z	Drainage of pharynx with drainage device, percutaneous endoscopic approach
ICD-10	0C9M4ZZ	Drainage of pharynx, percutaneous endoscopic approach
ICD-10	0C9M70Z	Drainage of pharynx with drainage device, via natural or artificial opening
ICD-10	0C9M7ZZ	Drainage of pharynx, via natural or artificial opening
ICD-10	0C9M80Z	Drainage of pharynx with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9M8ZZ	Drainage of pharynx, via natural or artificial opening endoscopic
ICD-10	0C9P00Z	Drainage of tonsils with drainage device, open approach
ICD-10	0C9P0ZX	Drainage of tonsils, open approach, diagnostic
ICD-10	0C9P0ZZ	Drainage of tonsils, open approach
ICD-10	0C9P3ZX	Drainage of tonsils, percutaneous approach, diagnostic
ICD-10	0C9PX0Z	Drainage of tonsils with drainage device, external approach
ICD-10	0C9PXZX	Drainage of tonsils, external approach, diagnostic
ICD-10	0C9PZZ	Drainage of tonsils, external approach
ICD-10	0C9Q00Z	Drainage of adenoids with drainage device, open approach
ICD-10	0C9Q0ZX	Drainage of adenoids, open approach, diagnostic
ICD-10	0C9Q0ZZ	Drainage of adenoids, open approach
ICD-10	0C9Q3ZX	Drainage of adenoids, percutaneous approach, diagnostic
ICD-10	0C9QX0Z	Drainage of adenoids with drainage device, external approach
ICD-10	0C9QXZX	Drainage of adenoids, external approach, diagnostic
ICD-10	0C9QZZ	Drainage of adenoids, external approach
ICD-10	0C9R00Z	Drainage of epiglottis with drainage device, open approach
ICD-10	0C9R0ZX	Drainage of epiglottis, open approach, diagnostic
ICD-10	0C9R0ZZ	Drainage of epiglottis, open approach
ICD-10	0C9R40Z	Drainage of epiglottis with drainage device, percutaneous endoscopic approach
ICD-10	0C9R4ZZ	Drainage of epiglottis, percutaneous endoscopic approach
ICD-10	0C9R70Z	Drainage of epiglottis with drainage device, via natural or artificial opening
ICD-10	0C9R7ZZ	Drainage of epiglottis, via natural or artificial opening
ICD-10	0C9R80Z	Drainage of epiglottis with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9R8ZZ	Drainage of epiglottis, via natural or artificial opening endoscopic
ICD-10	0C9S00Z	Drainage of larynx with drainage device, open approach
ICD-10	0C9S0ZX	Drainage of larynx, open approach, diagnostic
ICD-10	0C9S0ZZ	Drainage of larynx, open approach
ICD-10	0C9S40Z	Drainage of larynx with drainage device, percutaneous endoscopic approach
ICD-10	0C9S4ZZ	Drainage of larynx, percutaneous endoscopic approach
ICD-10	0C9S70Z	Drainage of larynx with drainage device, via natural or artificial opening
ICD-10	0C9S7ZZ	Drainage of larynx, via natural or artificial opening
ICD-10	0C9S80Z	Drainage of larynx with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9S8ZZ	Drainage of larynx, via natural or artificial opening endoscopic
ICD-10	0C9T00Z	Drainage of right vocal cord with drainage device, open approach
ICD-10	0C9T0ZX	Drainage of right vocal cord, open approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0C9T0ZZ	Drainage of right vocal cord, open approach
ICD-10	0C9T40Z	Drainage of right vocal cord with drainage device, percutaneous endoscopic approach
ICD-10	0C9T4ZZ	Drainage of right vocal cord, percutaneous endoscopic approach
ICD-10	0C9T70Z	Drainage of right vocal cord with drainage device, via natural or artificial opening
ICD-10	0C9T7ZZ	Drainage of right vocal cord, via natural or artificial opening
ICD-10	0C9T80Z	Drainage of right vocal cord with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9T8ZZ	Drainage of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0C9V00Z	Drainage of left vocal cord with drainage device, open approach
ICD-10	0C9V0ZX	Drainage of left vocal cord, open approach, diagnostic
ICD-10	0C9V0ZZ	Drainage of left vocal cord, open approach
ICD-10	0C9V40Z	Drainage of left vocal cord with drainage device, percutaneous endoscopic approach
ICD-10	0C9V4ZZ	Drainage of left vocal cord, percutaneous endoscopic approach
ICD-10	0C9V70Z	Drainage of left vocal cord with drainage device, via natural or artificial opening
ICD-10	0C9V7ZZ	Drainage of left vocal cord, via natural or artificial opening
ICD-10	0C9V80Z	Drainage of left vocal cord with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9V8ZZ	Drainage of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CBM0ZZ	Excision of pharynx, open approach
ICD-10	0CBM3ZZ	Excision of pharynx, percutaneous approach
ICD-10	0CBM4ZZ	Excision of pharynx, percutaneous endoscopic approach
ICD-10	0CBM7ZZ	Excision of pharynx, via natural or artificial opening
ICD-10	0CBM8ZZ	Excision of pharynx, via natural or artificial opening endoscopic
ICD-10	0CBP0ZX	Excision of tonsils, open approach, diagnostic
ICD-10	0CBP0ZZ	Excision of tonsils, open approach
ICD-10	0CBP3ZX	Excision of tonsils, percutaneous approach, diagnostic
ICD-10	0CBP3ZZ	Excision of tonsils, percutaneous approach
ICD-10	0CBPXZX	Excision of tonsils, external approach, diagnostic
ICD-10	0CBPXZZ	Excision of tonsils, external approach
ICD-10	0CBQ0ZX	Excision of adenoids, open approach, diagnostic
ICD-10	0CBQ0ZZ	Excision of adenoids, open approach
ICD-10	0CBQ3ZX	Excision of adenoids, percutaneous approach, diagnostic
ICD-10	0CBQ3ZZ	Excision of adenoids, percutaneous approach
ICD-10	0CBQXZX	Excision of adenoids, external approach, diagnostic
ICD-10	0CBQXZZ	Excision of adenoids, external approach
ICD-10	0CBR0ZX	Excision of epiglottis, open approach, diagnostic
ICD-10	0CBR0ZZ	Excision of epiglottis, open approach
ICD-10	0CBR3ZZ	Excision of epiglottis, percutaneous approach
ICD-10	0CBR4ZZ	Excision of epiglottis, percutaneous endoscopic approach
ICD-10	0CBR7ZZ	Excision of epiglottis, via natural or artificial opening
ICD-10	0CBR8ZZ	Excision of epiglottis, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CBS0ZX	Excision of larynx, open approach, diagnostic
ICD-10	0CBS3ZZ	Excision of larynx, percutaneous approach
ICD-10	0CBS7ZZ	Excision of larynx, via natural or artificial opening
ICD-10	0CBS8ZZ	Excision of larynx, via natural or artificial opening endoscopic
ICD-10	0CBT0ZX	Excision of right vocal cord, open approach, diagnostic
ICD-10	0CBT0ZZ	Excision of right vocal cord, open approach
ICD-10	0CBT3ZZ	Excision of right vocal cord, percutaneous approach
ICD-10	0CBT4ZZ	Excision of right vocal cord, percutaneous endoscopic approach
ICD-10	0CBT7ZZ	Excision of right vocal cord, via natural or artificial opening
ICD-10	0CBT8ZZ	Excision of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CBV0ZX	Excision of left vocal cord, open approach, diagnostic
ICD-10	0CBV0ZZ	Excision of left vocal cord, open approach
ICD-10	0CBV3ZZ	Excision of left vocal cord, percutaneous approach
ICD-10	0CBV4ZZ	Excision of left vocal cord, percutaneous endoscopic approach
ICD-10	0CBV7ZZ	Excision of left vocal cord, via natural or artificial opening
ICD-10	0CBV8ZZ	Excision of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CCM0ZZ	Extirpation of matter from pharynx, open approach
ICD-10	0CCM3ZZ	Extirpation of matter from pharynx, percutaneous approach
ICD-10	0CCM4ZZ	Extirpation of matter from pharynx, percutaneous endoscopic approach
ICD-10	0CCP0ZZ	Extirpation of matter from tonsils, open approach
ICD-10	0CCP3ZZ	Extirpation of matter from tonsils, percutaneous approach
ICD-10	0CCQ0ZZ	Extirpation of matter from adenoids, open approach
ICD-10	0CCQ3ZZ	Extirpation of matter from adenoids, percutaneous approach
ICD-10	0CCR0ZZ	Extirpation of matter from epiglottis, open approach
ICD-10	0CCR3ZZ	Extirpation of matter from epiglottis, percutaneous approach
ICD-10	0CCR4ZZ	Extirpation of matter from epiglottis, percutaneous endoscopic approach
ICD-10	0CCR7ZZ	Extirpation of matter from epiglottis, via natural or artificial opening
ICD-10	0CCR8ZZ	Extirpation of matter from epiglottis, via natural or artificial opening endoscopic
ICD-10	0CCS0ZZ	Extirpation of matter from larynx, open approach
ICD-10	0CCS3ZZ	Extirpation of matter from larynx, percutaneous approach
ICD-10	0CCS4ZZ	Extirpation of matter from larynx, percutaneous endoscopic approach
ICD-10	0CCT0ZZ	Extirpation of matter from right vocal cord, open approach
ICD-10	0CCT3ZZ	Extirpation of matter from right vocal cord, percutaneous approach
ICD-10	0CCT4ZZ	Extirpation of matter from right vocal cord, percutaneous endoscopic approach
ICD-10	0CCT7ZZ	Extirpation of matter from right vocal cord, via natural or artificial opening
ICD-10	0CCT8ZZ	Extirpation of matter from right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CCV0ZZ	Extirpation of matter from left vocal cord, open approach
ICD-10	0CCV3ZZ	Extirpation of matter from left vocal cord, percutaneous approach
ICD-10	0CCV4ZZ	Extirpation of matter from left vocal cord, percutaneous endoscopic approach
ICD-10	0CCV7ZZ	Extirpation of matter from left vocal cord, via natural or artificial opening
ICD-10	0CCV8ZZ	Extirpation of matter from left vocal cord, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CDT0ZZ	Extraction of right vocal cord, open approach
ICD-10	0CDT3ZZ	Extraction of right vocal cord, percutaneous approach
ICD-10	0CDT4ZZ	Extraction of right vocal cord, percutaneous endoscopic approach
ICD-10	0CDT7ZZ	Extraction of right vocal cord, via natural or artificial opening
ICD-10	0CDT8ZZ	Extraction of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CDV0ZZ	Extraction of left vocal cord, open approach
ICD-10	0CDV3ZZ	Extraction of left vocal cord, percutaneous approach
ICD-10	0CDV4ZZ	Extraction of left vocal cord, percutaneous endoscopic approach
ICD-10	0CDV7ZZ	Extraction of left vocal cord, via natural or artificial opening
ICD-10	0CDV8ZZ	Extraction of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CH701Z	Insertion of radioactive element into tongue, open approach
ICD-10	0CH731Z	Insertion of radioactive element into tongue, percutaneous approach
ICD-10	0CH7X1Z	Insertion of radioactive element into tongue, external approach
ICD-10	0CHA0YZ	Insertion of other device into salivary gland, open approach
ICD-10	0CNM0ZZ	Release pharynx, open approach
ICD-10	0CNM3ZZ	Release pharynx, percutaneous approach
ICD-10	0CNM4ZZ	Release pharynx, percutaneous endoscopic approach
ICD-10	0CNM7ZZ	Release pharynx, via natural or artificial opening
ICD-10	0CNM8ZZ	Release pharynx, via natural or artificial opening endoscopic
ICD-10	0CNP0ZZ	Release tonsils, open approach
ICD-10	0CNP3ZZ	Release tonsils, percutaneous approach
ICD-10	0CNPXZZ	Release tonsils, external approach
ICD-10	0CNQ0ZZ	Release adenoids, open approach
ICD-10	0CNQ3ZZ	Release adenoids, percutaneous approach
ICD-10	0CNQXZZ	Release adenoids, external approach
ICD-10	0CNR0ZZ	Release epiglottis, open approach
ICD-10	0CNR3ZZ	Release epiglottis, percutaneous approach
ICD-10	0CNR4ZZ	Release epiglottis, percutaneous endoscopic approach
ICD-10	0CNR7ZZ	Release epiglottis, via natural or artificial opening
ICD-10	0CNR8ZZ	Release epiglottis, via natural or artificial opening endoscopic
ICD-10	0CNS0ZZ	Release larynx, open approach
ICD-10	0CNS3ZZ	Release larynx, percutaneous approach
ICD-10	0CNS4ZZ	Release larynx, percutaneous endoscopic approach
ICD-10	0CNS7ZZ	Release larynx, via natural or artificial opening
ICD-10	0CNS8ZZ	Release larynx, via natural or artificial opening endoscopic
ICD-10	0CNT0ZZ	Release right vocal cord, open approach
ICD-10	0CNT3ZZ	Release right vocal cord, percutaneous approach
ICD-10	0CNT4ZZ	Release right vocal cord, percutaneous endoscopic approach
ICD-10	0CNT7ZZ	Release right vocal cord, via natural or artificial opening
ICD-10	0CNT8ZZ	Release right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CNV0ZZ	Release left vocal cord, open approach
ICD-10	0CNV3ZZ	Release left vocal cord, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0CNV4ZZ	Release left vocal cord, percutaneous endoscopic approach
ICD-10	0CNV7ZZ	Release left vocal cord, via natural or artificial opening
ICD-10	0CNV8ZZ	Release left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CPS00Z	Removal of drainage device from larynx, open approach
ICD-10	0CPS07Z	Removal of autologous tissue substitute from larynx, open approach
ICD-10	0CPS0DZ	Removal of intraluminal device from larynx, open approach
ICD-10	0CPS0JZ	Removal of synthetic substitute from larynx, open approach
ICD-10	0CPS0KZ	Removal of nonautologous tissue substitute from larynx, open approach
ICD-10	0CPS0YZ	Removal of other device from larynx, open approach
ICD-10	0CPS30Z	Removal of drainage device from larynx, percutaneous approach
ICD-10	0CPS37Z	Removal of autologous tissue substitute from larynx, percutaneous approach
ICD-10	0CPS3DZ	Removal of intraluminal device from larynx, percutaneous approach
ICD-10	0CPS3JZ	Removal of synthetic substitute from larynx, percutaneous approach
ICD-10	0CPS3KZ	Removal of nonautologous tissue substitute from larynx, percutaneous approach
ICD-10	0CPS77Z	Removal of autologous tissue substitute from larynx, via natural or artificial opening
ICD-10	0CPS7JZ	Removal of synthetic substitute from larynx, via natural or artificial opening
ICD-10	0CPS7KZ	Removal of nonautologous tissue substitute from larynx, via natural or artificial opening
ICD-10	0CPS87Z	Removal of autologous tissue substitute from larynx, via natural or artificial opening endoscopic
ICD-10	0CPS8JZ	Removal of synthetic substitute from larynx, via natural or artificial opening endoscopic
ICD-10	0CPS8KZ	Removal of nonautologous tissue substitute from larynx, via natural or artificial opening endoscopic
ICD-10	0CPY71Z	Removal of radioactive element from mouth and throat, via natural or artificial opening
ICD-10	0CPY77Z	Removal of autologous tissue substitute from mouth and throat, via natural or artificial opening
ICD-10	0CPY7JZ	Removal of synthetic substitute from mouth and throat, via natural or artificial opening
ICD-10	0CPY7KZ	Removal of nonautologous tissue substitute from mouth and throat, via natural or artificial opening
ICD-10	0CPY81Z	Removal of radioactive element from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CPY87Z	Removal of autologous tissue substitute from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CPY8JZ	Removal of synthetic substitute from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CPY8KZ	Removal of nonautologous tissue substitute from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CQ20ZZ	Repair hard palate, open approach
ICD-10	0CQ23ZZ	Repair hard palate, percutaneous approach
ICD-10	0CQ2XZZ	Repair hard palate, external approach
ICD-10	0CQ30ZZ	Repair soft palate, open approach
ICD-10	0CQ33ZZ	Repair soft palate, percutaneous approach
ICD-10	0CQ3XZZ	Repair soft palate, external approach

ICD 9/10	Code	Description
ICD-10	0CQM0ZZ	Repair pharynx, open approach
ICD-10	0CQM3ZZ	Repair pharynx, percutaneous approach
ICD-10	0CQM4ZZ	Repair pharynx, percutaneous endoscopic approach
ICD-10	0CQM7ZZ	Repair pharynx, via natural or artificial opening
ICD-10	0CQM8ZZ	Repair pharynx, via natural or artificial opening endoscopic
ICD-10	0CQP0ZZ	Repair tonsils, open approach
ICD-10	0CQP3ZZ	Repair tonsils, percutaneous approach
ICD-10	0CQPXZZ	Repair tonsils, external approach
ICD-10	0CQQ0ZZ	Repair adenoids, open approach
ICD-10	0CQQ3ZZ	Repair adenoids, percutaneous approach
ICD-10	0CQQXZZ	Repair adenoids, external approach
ICD-10	0CQR0ZZ	Repair epiglottis, open approach
ICD-10	0CQR3ZZ	Repair epiglottis, percutaneous approach
ICD-10	0CQR4ZZ	Repair epiglottis, percutaneous endoscopic approach
ICD-10	0CQR7ZZ	Repair epiglottis, via natural or artificial opening
ICD-10	0CQR8ZZ	Repair epiglottis, via natural or artificial opening endoscopic
ICD-10	0CQS0ZZ	Repair larynx, open approach
ICD-10	0CQS3ZZ	Repair larynx, percutaneous approach
ICD-10	0CQS4ZZ	Repair larynx, percutaneous endoscopic approach
ICD-10	0CQS7ZZ	Repair larynx, via natural or artificial opening
ICD-10	0CQS8ZZ	Repair larynx, via natural or artificial opening endoscopic
ICD-10	0CQT0ZZ	Repair right vocal cord, open approach
ICD-10	0CQT3ZZ	Repair right vocal cord, percutaneous approach
ICD-10	0CQT4ZZ	Repair right vocal cord, percutaneous endoscopic approach
ICD-10	0CQT7ZZ	Repair right vocal cord, via natural or artificial opening
ICD-10	0CQT8ZZ	Repair right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CQV0ZZ	Repair left vocal cord, open approach
ICD-10	0CQV3ZZ	Repair left vocal cord, percutaneous approach
ICD-10	0CQV4ZZ	Repair left vocal cord, percutaneous endoscopic approach
ICD-10	0CQV7ZZ	Repair left vocal cord, via natural or artificial opening
ICD-10	0CQV8ZZ	Repair left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CR207Z	Replacement of hard palate with autologous tissue substitute, open approach
ICD-10	0CR20JZ	Replacement of hard palate with synthetic substitute, open approach
ICD-10	0CR20KZ	Replacement of hard palate with nonautologous tissue substitute, open approach
ICD-10	0CR237Z	Replacement of hard palate with autologous tissue substitute, percutaneous approach
ICD-10	0CR23JZ	Replacement of hard palate with synthetic substitute, percutaneous approach
ICD-10	0CR23KZ	Replacement of hard palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CR2X7Z	Replacement of hard palate with autologous tissue substitute, external approach
ICD-10	0CR2XJZ	Replacement of hard palate with synthetic substitute, external approach
ICD-10	0CR2XKZ	Replacement of hard palate with nonautologous tissue substitute, external approach

ICD 9/10	Code	Description
ICD-10	0CR307Z	Replacement of soft palate with autologous tissue substitute, open approach
ICD-10	0CR30JZ	Replacement of soft palate with synthetic substitute, open approach
ICD-10	0CR30KZ	Replacement of soft palate with nonautologous tissue substitute, open approach
ICD-10	0CR337Z	Replacement of soft palate with autologous tissue substitute, percutaneous approach
ICD-10	0CR33JZ	Replacement of soft palate with synthetic substitute, percutaneous approach
ICD-10	0CR33KZ	Replacement of soft palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CR3X7Z	Replacement of soft palate with autologous tissue substitute, external approach
ICD-10	0CR3XJZ	Replacement of soft palate with synthetic substitute, external approach
ICD-10	0CR3XKZ	Replacement of soft palate with nonautologous tissue substitute, external approach
ICD-10	0CRM07Z	Replacement of pharynx with autologous tissue substitute, open approach
ICD-10	0CRM0JZ	Replacement of pharynx with synthetic substitute, open approach
ICD-10	0CRM0KZ	Replacement of pharynx with nonautologous tissue substitute, open approach
ICD-10	0CRM77Z	Replacement of pharynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRM7JZ	Replacement of pharynx with synthetic substitute, via natural or artificial opening
ICD-10	0CRM7KZ	Replacement of Pharynx with Nonautologous Tissue Substitute, Via Natural or Artificial Opening
ICD-10	0CRM87Z	Replacement of pharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRM8JZ	Replacement of pharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRM8KZ	Replacement of pharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRR07Z	Replacement of epiglottis with autologous tissue substitute, open approach
ICD-10	0CRR0JZ	Replacement of epiglottis with synthetic substitute, open approach
ICD-10	0CRR0KZ	Replacement of epiglottis with nonautologous tissue substitute, open approach
ICD-10	0CRR77Z	Replacement of epiglottis with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRR7JZ	Replacement of epiglottis with synthetic substitute, via natural or artificial opening
ICD-10	0CRR7KZ	Replacement of epiglottis with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRR87Z	Replacement of epiglottis with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRR8JZ	Replacement of epiglottis with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRR8KZ	Replacement of epiglottis with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRS07Z	Replacement of larynx with autologous tissue substitute, open approach
ICD-10	0CRS0JZ	Replacement of larynx with synthetic substitute, open approach
ICD-10	0CRS0KZ	Replacement of larynx with nonautologous tissue substitute, open approach
ICD-10	0CRS77Z	Replacement of larynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRS7JZ	Replacement of larynx with synthetic substitute, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	0CRS7KZ	Replacement of larynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRS87Z	Replacement of larynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRS8JZ	Replacement of larynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRS8KZ	Replacement of larynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRT07Z	Replacement of right vocal cord with autologous tissue substitute, open approach
ICD-10	0CRT0JZ	Replacement of right vocal cord with synthetic substitute, open approach
ICD-10	0CRT0KZ	Replacement of right vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CRT77Z	Replacement of right vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRT7JZ	Replacement of right vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CRT7KZ	Replacement of right vocal cord with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRT87Z	Replacement of right vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRT8JZ	Replacement of right vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRT8KZ	Replacement of right vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRV07Z	Replacement of left vocal cord with autologous tissue substitute, open approach
ICD-10	0CRV0JZ	Replacement of left vocal cord with synthetic substitute, open approach
ICD-10	0CRV0KZ	Replacement of left vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CRV77Z	Replacement of left vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRV7JZ	Replacement of left vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CRV7KZ	Replacement of left vocal cord with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRV87Z	Replacement of left vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRV8JZ	Replacement of left vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRV8KZ	Replacement of left vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CS20ZZ	Reposition hard palate, open approach
ICD-10	0CS2XZZ	Reposition hard palate, external approach
ICD-10	0CS30ZZ	Reposition soft palate, open approach
ICD-10	0CS3XZZ	Reposition soft palate, external approach
ICD-10	0CSR0ZZ	Reposition epiglottis, open approach
ICD-10	0CSR7ZZ	Reposition epiglottis, via natural or artificial opening
ICD-10	0CSR8ZZ	Reposition epiglottis, via natural or artificial opening endoscopic
ICD-10	0CST0ZZ	Reposition right vocal cord, open approach
ICD-10	0CST7ZZ	Reposition right vocal cord, via natural or artificial opening
ICD-10	0CST8ZZ	Reposition right vocal cord, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CSV0ZZ	Reposition left vocal cord, open approach
ICD-10	0CSV7ZZ	Reposition left vocal cord, via natural or artificial opening
ICD-10	0CSV8ZZ	Reposition left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CTM0ZZ	Resection of pharynx, open approach
ICD-10	0CTM4ZZ	Resection of pharynx, percutaneous endoscopic approach
ICD-10	0CTM7ZZ	Resection of pharynx, via natural or artificial opening
ICD-10	0CTM8ZZ	Resection of pharynx, via natural or artificial opening endoscopic
ICD-10	0CTP0ZZ	Resection of tonsils, open approach
ICD-10	0CTPXZZ	Resection of tonsils, external approach
ICD-10	0CTQ0ZZ	Resection of adenoids, open approach
ICD-10	0CTQXZZ	Resection of adenoids, external approach
ICD-10	0CTR0ZZ	Resection of epiglottis, open approach
ICD-10	0CTR4ZZ	Resection of epiglottis, percutaneous endoscopic approach
ICD-10	0CTR7ZZ	Resection of epiglottis, via natural or artificial opening
ICD-10	0CTR8ZZ	Resection of epiglottis, via natural or artificial opening endoscopic
ICD-10	0CTT0ZZ	Resection of right vocal cord, open approach
ICD-10	0CTT4ZZ	Resection of right vocal cord, percutaneous endoscopic approach
ICD-10	0CTT7ZZ	Resection of right vocal cord, via natural or artificial opening
ICD-10	0CTT8ZZ	Resection of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CTV0ZZ	Resection of left vocal cord, open approach
ICD-10	0CTV4ZZ	Resection of left vocal cord, percutaneous endoscopic approach
ICD-10	0CTV7ZZ	Resection of left vocal cord, via natural or artificial opening
ICD-10	0CTV8ZZ	Resection of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CU207Z	Supplement hard palate with autologous tissue substitute, open approach
ICD-10	0CU20KZ	Supplement hard palate with nonautologous tissue substitute, open approach
ICD-10	0CU237Z	Supplement hard palate with autologous tissue substitute, percutaneous approach
ICD-10	0CU23KZ	Supplement hard palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CU2X7Z	Supplement hard palate with autologous tissue substitute, external approach
ICD-10	0CU2XJZ	Supplement hard palate with synthetic substitute, external approach
ICD-10	0CU2XKZ	Supplement hard palate with nonautologous tissue substitute, external approach
ICD-10	0CU307Z	Supplement soft palate with autologous tissue substitute, open approach
ICD-10	0CU30JZ	Supplement soft palate with synthetic substitute, open approach
ICD-10	0CU30KZ	Supplement soft palate with nonautologous tissue substitute, open approach
ICD-10	0CU337Z	Supplement soft palate with autologous tissue substitute, percutaneous approach
ICD-10	0CU33JZ	Supplement soft palate with synthetic substitute, percutaneous approach
ICD-10	0CU33KZ	Supplement soft palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CU3X7Z	Supplement soft palate with autologous tissue substitute, external approach
ICD-10	0CU3XJZ	Supplement soft palate with synthetic substitute, external approach
ICD-10	0CU3XKZ	Supplement soft palate with nonautologous tissue substitute, external approach
ICD-10	0CUM07Z	Supplement pharynx with autologous tissue substitute, open approach
ICD-10	0CUM0JZ	Supplement pharynx with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0CUM0KZ	Supplement pharynx with nonautologous tissue substitute, open approach
ICD-10	0CUM77Z	Supplement pharynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUM7JZ	Supplement pharynx with synthetic substitute, via natural or artificial opening
ICD-10	0CUM7KZ	Supplement pharynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUM87Z	Supplement pharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUM8JZ	Supplement pharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUM8KZ	Supplement pharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUR07Z	Supplement epiglottis with autologous tissue substitute, open approach
ICD-10	0CUR0JZ	Supplement epiglottis with synthetic substitute, open approach
ICD-10	0CUR0KZ	Supplement epiglottis with nonautologous tissue substitute, open approach
ICD-10	0CUR77Z	Supplement epiglottis with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUR7JZ	Supplement epiglottis with synthetic substitute, via natural or artificial opening
ICD-10	0CUR7KZ	Supplement epiglottis with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUR87Z	Supplement epiglottis with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUR8JZ	Supplement epiglottis with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUR8KZ	Supplement epiglottis with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUS07Z	Supplement larynx with autologous tissue substitute, open approach
ICD-10	0CUS0JZ	Supplement larynx with synthetic substitute, open approach
ICD-10	0CUS0KZ	Supplement larynx with nonautologous tissue substitute, open approach
ICD-10	0CUS77Z	Supplement larynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUS7JZ	Supplement larynx with synthetic substitute, via natural or artificial opening
ICD-10	0CUS7KZ	Supplement larynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUS87Z	Supplement larynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUS8JZ	Supplement larynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUS8KZ	Supplement larynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUT07Z	Supplement right vocal cord with autologous tissue substitute, open approach
ICD-10	0CUT0JZ	Supplement right vocal cord with synthetic substitute, open approach
ICD-10	0CUT0KZ	Supplement right vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CUT77Z	Supplement right vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUT7JZ	Supplement right vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CUT7KZ	Supplement right vocal cord with nonautologous tissue substitute, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	0CUT87Z	Supplement right vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUT8JZ	Supplement right vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUT8KZ	Supplement right vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUV07Z	Supplement left vocal cord with autologous tissue substitute, open approach
ICD-10	0CUV0JZ	Supplement left vocal cord with synthetic substitute, open approach
ICD-10	0CUV0KZ	Supplement left vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CUV77Z	Supplement left vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUV7JZ	Supplement left vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CUV7KZ	Supplement left vocal cord with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUV87Z	Supplement left vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUV8JZ	Supplement left vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUV8KZ	Supplement left vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CWS00Z	Revision of drainage device in larynx, open approach
ICD-10	0CWS07Z	Revision of autologous tissue substitute in larynx, open approach
ICD-10	0CWS0DZ	Revision of intraluminal device in larynx, open approach
ICD-10	0CWS0JZ	Revision of synthetic substitute in larynx, open approach
ICD-10	0CWS0KZ	Revision of nonautologous tissue substitute in larynx, open approach
ICD-10	0CWS0YZ	Revision of other device in larynx, open approach
ICD-10	0CWS30Z	Revision of drainage device in larynx, percutaneous approach
ICD-10	0CWS37Z	Revision of autologous tissue substitute in larynx, percutaneous approach
ICD-10	0CWS3DZ	Revision of intraluminal device in larynx, percutaneous approach
ICD-10	0CWS3JZ	Revision of synthetic substitute in larynx, percutaneous approach
ICD-10	0CWS3KZ	Revision of nonautologous tissue substitute in larynx, percutaneous approach
ICD-10	0CWS70Z	Revision of drainage device in larynx, via natural or artificial opening
ICD-10	0CWS77Z	Revision of autologous tissue substitute in larynx, via natural or artificial opening
ICD-10	0CWS7DZ	Revision of intraluminal device in larynx, via natural or artificial opening
ICD-10	0CWS7JZ	Revision of synthetic substitute in larynx, via natural or artificial opening
ICD-10	0CWS7KZ	Revision of nonautologous tissue substitute in larynx, via natural or artificial opening
ICD-10	0CWS80Z	Revision of drainage device in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS87Z	Revision of autologous tissue substitute in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS8DZ	Revision of intraluminal device in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS8JZ	Revision of synthetic substitute in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS8KZ	Revision of nonautologous tissue substitute in larynx, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CWY70Z	Revision of drainage device in mouth and throat, via natural or artificial opening
ICD-10	0CWY71Z	Revision of radioactive element in mouth and throat, via natural or artificial opening
ICD-10	0CWY77Z	Revision of autologous tissue substitute in mouth and throat, via natural or artificial opening
ICD-10	0CWY7DZ	Revision of intraluminal device in mouth and throat, via natural or artificial opening
ICD-10	0CWY7JZ	Revision of synthetic substitute in mouth and throat, via natural or artificial opening
ICD-10	0CWY7KZ	Revision of nonautologous tissue substitute in mouth and throat, via natural or artificial opening
ICD-10	0CWY80Z	Revision of drainage device in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY81Z	Revision of radioactive element in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY87Z	Revision of autologous tissue substitute in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY8DZ	Revision of intraluminal device in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY8JZ	Revision of synthetic substitute in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY8KZ	Revision of nonautologous tissue substitute in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0D840ZZ	Division of esophagogastric junction, open approach
ICD-10	0D843ZZ	Division of esophagogastric junction, percutaneous approach
ICD-10	0D844ZZ	Division of esophagogastric junction, percutaneous endoscopic approach
ICD-10	0D847ZZ	Division of esophagogastric junction, via natural or artificial opening
ICD-10	0D848ZZ	Division of esophagogastric junction, via natural or artificial opening endoscopic
ICD-10	0DB10ZX	Excision of upper esophagus, open approach, diagnostic
ICD-10	0DB10ZZ	Excision of upper esophagus, open approach
ICD-10	0DB13ZZ	Excision of upper esophagus, percutaneous approach
ICD-10	0DB17ZZ	Excision of upper esophagus, via natural or artificial opening
ICD-10	0DJ04ZZ	Inspection of upper intestinal tract, percutaneous endoscopic approach
ICD-10	0DQ50ZZ	Repair esophagus, open approach
ICD-10	0DQ53ZZ	Repair esophagus, percutaneous approach
ICD-10	0DQ54ZZ	Repair esophagus, percutaneous endoscopic approach
ICD-10	0DQ57ZZ	Repair esophagus, via natural or artificial opening
ICD-10	0DQ58ZZ	Repair esophagus, via natural or artificial opening endoscopic
ICD-10	0DU107Z	Supplement upper esophagus with autologous tissue substitute, open approach
ICD-10	0DU10JZ	Supplement upper esophagus with synthetic substitute, open approach
ICD-10	0DU10KZ	Supplement upper esophagus with nonautologous tissue substitute, open approach
ICD-10	0DU147Z	Supplement upper esophagus with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0DU14JZ	Supplement upper esophagus with synthetic substitute, percutaneous endoscopic approach
ICD-10	0DU14KZ	Supplement upper esophagus with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0DU177Z	Supplement upper esophagus with autologous tissue substitute, via natural or artificial opening
ICD-10	0DU17JZ	Supplement upper esophagus with synthetic substitute, via natural or artificial opening
ICD-10	0DU17KZ	Supplement upper esophagus with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0DU187Z	Supplement upper esophagus with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0DU18JZ	Supplement upper esophagus with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0DU18KZ	Supplement upper esophagus with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0F900ZX	Drainage of liver, open approach, diagnostic
ICD-10	0F910ZX	Drainage of right lobe liver, open approach, diagnostic
ICD-10	0F920ZX	Drainage of left lobe liver, open approach, diagnostic
ICD-10	0FB00ZX	Excision of liver, open approach, diagnostic
ICD-10	0FB10ZX	Excision of right lobe liver, open approach, diagnostic
ICD-10	0FB20ZX	Excision of left lobe liver, open approach, diagnostic
ICD-10	0G9G00Z	Drainage of left thyroid gland lobe with drainage device, open approach
ICD-10	0G9G0ZZ	Drainage of left thyroid gland lobe, open approach
ICD-10	0G9H00Z	Drainage of right thyroid gland lobe with drainage device, open approach
ICD-10	0G9H0ZZ	Drainage of right thyroid gland lobe, open approach
ICD-10	0G9K00Z	Drainage of thyroid gland with drainage device, open approach
ICD-10	0G9K0ZZ	Drainage of thyroid gland, open approach
ICD-10	0G9L00Z	Drainage of right superior parathyroid gland with drainage device, open approach
ICD-10	0G9L0ZZ	Drainage of right superior parathyroid gland, open approach
ICD-10	0G9M00Z	Drainage of left superior parathyroid gland with drainage device, open approach
ICD-10	0G9M0ZZ	Drainage of left superior parathyroid gland, open approach
ICD-10	0G9N00Z	Drainage of right inferior parathyroid gland with drainage device, open approach
ICD-10	0G9N0ZZ	Drainage of right inferior parathyroid gland, open approach
ICD-10	0G9P00Z	Drainage of left inferior parathyroid gland with drainage device, open approach
ICD-10	0G9P0ZZ	Drainage of left inferior parathyroid gland, open approach
ICD-10	0G9Q00Z	Drainage of multiple parathyroid glands with drainage device, open approach
ICD-10	0G9Q0ZZ	Drainage of multiple parathyroid glands, open approach
ICD-10	0G9R00Z	Drainage of parathyroid gland with drainage device, open approach
ICD-10	0G9R0ZZ	Drainage of parathyroid gland, open approach
ICD-10	0GCG0ZZ	Extirpation of matter from left thyroid gland lobe, open approach
ICD-10	0GCG3ZZ	Extirpation of matter from left thyroid gland lobe, percutaneous approach
ICD-10	0GCG4ZZ	Extirpation of matter from left thyroid gland lobe, percutaneous endoscopic approach
ICD-10	0GCH0ZZ	Extirpation of matter from right thyroid gland lobe, open approach
ICD-10	0GCH3ZZ	Extirpation of matter from right thyroid gland lobe, percutaneous approach
ICD-10	0GCH4ZZ	Extirpation of matter from right thyroid gland lobe, percutaneous endoscopic approach
ICD-10	0GCK0ZZ	Extirpation of matter from thyroid gland, open approach

ICD 9/10	Code	Description
ICD-10	0GCK3ZZ	Extirpation of matter from thyroid gland, percutaneous approach
ICD-10	0GCK4ZZ	Extirpation of matter from thyroid gland, percutaneous endoscopic approach
ICD-10	0GCL0ZZ	Extirpation of matter from right superior parathyroid gland, open approach
ICD-10	0GCL3ZZ	Extirpation of matter from right superior parathyroid gland, percutaneous approach
ICD-10	0GCL4ZZ	Extirpation of matter from right superior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCM0ZZ	Extirpation of matter from left superior parathyroid gland, open approach
ICD-10	0GCM3ZZ	Extirpation of matter from left superior parathyroid gland, percutaneous approach
ICD-10	0GCM4ZZ	Extirpation of matter from left superior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCN0ZZ	Extirpation of matter from right inferior parathyroid gland, open approach
ICD-10	0GCN3ZZ	Extirpation of matter from right inferior parathyroid gland, percutaneous approach
ICD-10	0GCN4ZZ	Extirpation of matter from right inferior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCP0ZZ	Extirpation of matter from left inferior parathyroid gland, open approach
ICD-10	0GCP3ZZ	Extirpation of matter from left inferior parathyroid gland, percutaneous approach
ICD-10	0GCP4ZZ	Extirpation of matter from left inferior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCQ0ZZ	Extirpation of matter from multiple parathyroid glands, open approach
ICD-10	0GCQ3ZZ	Extirpation of matter from multiple parathyroid glands, percutaneous approach
ICD-10	0GCQ4ZZ	Extirpation of matter from multiple parathyroid glands, percutaneous endoscopic approach
ICD-10	0GCR0ZZ	Extirpation of matter from parathyroid gland, open approach
ICD-10	0GCR3ZZ	Extirpation of matter from parathyroid gland, percutaneous approach
ICD-10	0GCR4ZZ	Extirpation of matter from parathyroid gland, percutaneous endoscopic approach
ICD-10	0GHS02Z	Insertion of monitoring device into endocrine gland, open approach
ICD-10	0GHS03Z	Insertion of infusion device into endocrine gland, open approach
ICD-10	0GHS0YZ	Insertion of other device into endocrine gland, open approach
ICD-10	0GHS32Z	Insertion of monitoring device into endocrine gland, percutaneous approach
ICD-10	0GHS33Z	Insertion of infusion device into endocrine gland, percutaneous approach
ICD-10	0GHS42Z	Insertion of monitoring device into endocrine gland, percutaneous endoscopic approach
ICD-10	0GHS43Z	Insertion of infusion device into endocrine gland, percutaneous endoscopic approach
ICD-10	0GJK0ZZ	Inspection of thyroid gland, open approach
ICD-10	0GJR0ZZ	Inspection of parathyroid gland, open approach
ICD-10	0GJS0ZZ	Inspection of endocrine gland, open approach
ICD-10	0GPK00Z	Removal of drainage device from thyroid gland, open approach
ICD-10	0GPK30Z	Removal of drainage device from thyroid gland, percutaneous approach
ICD-10	0GPK40Z	Removal of drainage device from thyroid gland, percutaneous endoscopic approach
ICD-10	0GPR00Z	Removal of drainage device from parathyroid gland, open approach
ICD-10	0GPR30Z	Removal of drainage device from parathyroid gland, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0GPR40Z	Removal of drainage device from parathyroid gland, percutaneous endoscopic approach
ICD-10	0GWK00Z	Revision of drainage device in thyroid gland, open approach
ICD-10	0GWK30Z	Revision of drainage device in thyroid gland, percutaneous approach
ICD-10	0GWK40Z	Revision of drainage device in thyroid gland, percutaneous endoscopic approach
ICD-10	0GWR00Z	Revision of drainage device in parathyroid gland, open approach
ICD-10	0GWR30Z	Revision of drainage device in parathyroid gland, percutaneous approach
ICD-10	0GWR40Z	Revision of drainage device in parathyroid gland, percutaneous endoscopic approach
ICD-10	0HM1XZZ	Reattachment of face skin, external approach
ICD-10	0HM2XZZ	Reattachment of right ear skin, external approach
ICD-10	0HM3XZZ	Reattachment of left ear skin, external approach
ICD-10	0HM4XZZ	Reattachment of neck skin, external approach
ICD-10	0HM9XZZ	Reattachment of perineum skin, external approach
ICD-10	0HN0XZZ	Release scalp skin, external approach
ICD-10	0HN1XZZ	Release face skin, external approach
ICD-10	0HN2XZZ	Release right ear skin, external approach
ICD-10	0HN3XZZ	Release left ear skin, external approach
ICD-10	0HN4XZZ	Release neck skin, external approach
ICD-10	0HR0X72	Replacement of scalp skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR0X73	Replacement of scalp skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR0X74	Replacement of scalp skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR0XJ3	Replacement of scalp skin with synthetic substitute, full thickness, external approach
ICD-10	0HR0XJ4	Replacement of scalp skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR0XJZ	Replacement of scalp skin with synthetic substitute, external approach
ICD-10	0HR0XK3	Replacement of scalp skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR0XK4	Replacement of scalp skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR1X72	Replacement of face skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR1XJ3	Replacement of face skin with synthetic substitute, full thickness, external approach
ICD-10	0HR1XJ4	Replacement of face skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR1XJZ	Replacement of face skin with synthetic substitute, external approach
ICD-10	0HR1XK3	Replacement of face skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR1XK4	Replacement of face skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR2X72	Replacement of right ear skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR2X73	Replacement of right ear skin with autologous tissue substitute, full thickness, external approach

ICD 9/10	Code	Description
ICD-10	0HR2X74	Replacement of right ear skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR2XJ3	Replacement of right ear skin with synthetic substitute, full thickness, external approach
ICD-10	0HR2XJ4	Replacement of right ear skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR2XJZ	Replacement of right ear skin with synthetic substitute, external approach
ICD-10	0HR2XK3	Replacement of right ear skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR2XK4	Replacement of right ear skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR3X72	Replacement of left ear skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR3X73	Replacement of left ear skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR3X74	Replacement of left ear skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR3XJ3	Replacement of left ear skin with synthetic substitute, full thickness, external approach
ICD-10	0HR3XJ4	Replacement of left ear skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR3XJZ	Replacement of left ear skin with synthetic substitute, external approach
ICD-10	0HR3XK3	Replacement of left ear skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR3XK4	Replacement of left ear skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR4X72	Replacement of neck skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR4X74	Replacement of neck skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR4XJ3	Replacement of neck skin with synthetic substitute, full thickness, external approach
ICD-10	0HR4XJ4	Replacement of neck skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR4XK3	Replacement of neck skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR4XK4	Replacement of neck skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR5XK3	Replacement of chest skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR5XK4	Replacement of chest skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR6XK3	Replacement of back skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR6XK4	Replacement of back skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR7XK3	Replacement of abdomen skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR7XK4	Replacement of abdomen skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR8XK3	Replacement of buttock skin with nonautologous tissue substitute, full thickness, external approach

ICD 9/10	Code	Description
ICD-10	0HR8XK4	Replacement of buttock skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HX0XZZ	Transfer scalp skin, external approach
ICD-10	0HX1XZZ	Transfer face skin, external approach
ICD-10	0HX2XZZ	Transfer right ear skin, external approach
ICD-10	0HX3XZZ	Transfer left ear skin, external approach
ICD-10	0HX4XZZ	Transfer neck skin, external approach
ICD-10	0HX5XZZ	Transfer chest skin, external approach
ICD-10	0HX6XZZ	Transfer back skin, external approach
ICD-10	0HX7XZZ	Transfer abdomen skin, external approach
ICD-10	0HX8XZZ	Transfer buttock skin, external approach
ICD-10	0HXHXZZ	Transfer right upper leg skin, external approach
ICD-10	0HXJXZZ	Transfer left upper leg skin, external approach
ICD-10	0HXKXZZ	Transfer right lower leg skin, external approach
ICD-10	0HXLXZZ	Transfer left lower leg skin, external approach
ICD-10	0J010ZZ	Alteration of face subcutaneous tissue and fascia, open approach
ICD-10	0J013ZZ	Alteration of face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0J810ZZ	Division of face subcutaneous tissue and fascia, open approach
ICD-10	0J813ZZ	Division of face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JB00ZZ	Excision of scalp subcutaneous tissue and fascia, open approach
ICD-10	0JB10ZZ	Excision of face subcutaneous tissue and fascia, open approach
ICD-10	0JB13ZZ	Excision of face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JB40ZZ	Excision of right neck subcutaneous tissue and fascia, open approach
ICD-10	0JB50ZZ	Excision of left neck subcutaneous tissue and fascia, open approach
ICD-10	0JB90ZZ	Excision of buttock subcutaneous tissue and fascia, open approach
ICD-10	0JBB0ZZ	Excision of perineum subcutaneous tissue and fascia, open approach
ICD-10	0JBC0ZZ	Excision of pelvic region subcutaneous tissue and fascia, open approach
ICD-10	0JBD0ZZ	Excision of right upper arm subcutaneous tissue and fascia, open approach
ICD-10	0JBF0ZZ	Excision of left upper arm subcutaneous tissue and fascia, open approach
ICD-10	0JBG0ZZ	Excision of right lower arm subcutaneous tissue and fascia, open approach
ICD-10	0JBH0ZZ	Excision of left lower arm subcutaneous tissue and fascia, open approach
ICD-10	0JBL0ZZ	Excision of right upper leg subcutaneous tissue and fascia, open approach
ICD-10	0JBM0ZZ	Excision of left upper leg subcutaneous tissue and fascia, open approach
ICD-10	0JBN0ZZ	Excision of right lower leg subcutaneous tissue and fascia, open approach
ICD-10	0JBP0ZZ	Excision of left lower leg subcutaneous tissue and fascia, open approach
ICD-10	0JBQ0ZZ	Excision of right foot subcutaneous tissue and fascia, open approach
ICD-10	0JBR0ZZ	Excision of left foot subcutaneous tissue and fascia, open approach
ICD-10	0JH00NZ	Insertion of tissue expander into scalp subcutaneous tissue and fascia, open approach
ICD-10	0JH03NZ	Insertion of tissue expander into scalp subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JH10NZ	Insertion of tissue expander into face subcutaneous tissue and fascia, open approach

ICD 9/10	Code	Description
ICD-10	0JH13NZ	Insertion of tissue expander into face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JH40NZ	Insertion of tissue expander into right neck subcutaneous tissue and fascia, open approach
ICD-10	0JH43NZ	Insertion of tissue expander into right neck subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JH50NZ	Insertion of tissue expander into left neck subcutaneous tissue and fascia, open approach
ICD-10	0JH53NZ	Insertion of tissue expander into left neck subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JR037Z	Replacement of scalp subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR137Z	Replacement of face subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR13KZ	Replacement of face subcutaneous tissue and fascia with nonautologous tissue substitute, percutaneous approach
ICD-10	0JR437Z	Replacement of right neck subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR537Z	Replacement of left neck subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR637Z	Replacement of chest subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR737Z	Replacement of back subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR837Z	Replacement of abdomen subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR937Z	Replacement of buttock subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRB37Z	Replacement of perineum subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRC37Z	Replacement of pelvic region subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRD37Z	Replacement of right upper arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRF37Z	Replacement of left upper arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRG37Z	Replacement of right lower arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRH37Z	Replacement of left lower arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRJ37Z	Replacement of right hand subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRK37Z	Replacement of left hand subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRL37Z	Replacement of right upper leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRM37Z	Replacement of left upper leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRN37Z	Replacement of right lower leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRP37Z	Replacement of left lower leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0JRQ37Z	Replacement of right foot subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRR37Z	Replacement of left foot subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JX00ZB	Transfer scalp subcutaneous tissue and fascia with skin and subcutaneous tissue, open approach
ICD-10	0JX00ZC	Transfer scalp subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0JX03ZB	Transfer scalp subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX03ZC	Transfer scalp subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JX10ZB	Transfer face subcutaneous tissue and fascia with skin and subcutaneous tissue, open approach
ICD-10	0JX10ZC	Transfer face subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0JX13ZB	Transfer face subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX13ZC	Transfer face subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JX43ZB	Transfer right neck subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX43ZC	Transfer right neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JX53ZB	Transfer left neck subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX53ZC	Transfer left neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0K840ZZ	Division of tongue, palate, pharynx muscle, open approach
ICD-10	0K843ZZ	Division of tongue, palate, pharynx muscle, percutaneous approach
ICD-10	0K844ZZ	Division of tongue, palate, pharynx muscle, percutaneous endoscopic approach
ICD-10	0K9000Z	Drainage of head muscle with drainage device, open approach
ICD-10	0K900ZZ	Drainage of head muscle, open approach
ICD-10	0K9040Z	Drainage of head muscle with drainage device, percutaneous endoscopic approach
ICD-10	0K904ZZ	Drainage of head muscle, percutaneous endoscopic approach
ICD-10	0K9100Z	Drainage of Facial Muscle with Drainage Device, Open Approach
ICD-10	0K910ZZ	Drainage of facial muscle, open approach
ICD-10	0K9140Z	Drainage of facial muscle with drainage device, percutaneous endoscopic approach
ICD-10	0K914ZZ	Drainage of facial muscle, percutaneous endoscopic approach
ICD-10	0K9200Z	Drainage of Right Neck Muscle with Drainage Device, Open Approach
ICD-10	0K920ZZ	Drainage of right neck muscle, open approach
ICD-10	0K9240Z	Drainage of right neck muscle with drainage device, percutaneous endoscopic approach
ICD-10	0K924ZZ	Drainage of right neck muscle, percutaneous endoscopic approach
ICD-10	0K9300Z	Drainage of left neck muscle with drainage device, open approach
ICD-10	0K930ZZ	Drainage of left neck muscle, open approach
ICD-10	0K9340Z	Drainage of left neck muscle with drainage device, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0K934ZZ	Drainage of left neck muscle, percutaneous endoscopic approach
ICD-10	0KC00ZZ	Extirpation of matter from head muscle, open approach
ICD-10	0KC03ZZ	Extirpation of matter from head muscle, percutaneous approach
ICD-10	0KC04ZZ	Extirpation of matter from head muscle, percutaneous endoscopic approach
ICD-10	0KC10ZZ	Extirpation of matter from facial muscle, open approach
ICD-10	0KC13ZZ	Extirpation of matter from facial muscle, percutaneous approach
ICD-10	0KC14ZZ	Extirpation of matter from facial muscle, percutaneous endoscopic approach
ICD-10	0KC20ZZ	Extirpation of matter from right neck muscle, open approach
ICD-10	0KC23ZZ	Extirpation of matter from right neck muscle, percutaneous approach
ICD-10	0KC24ZZ	Extirpation of matter from right neck muscle, percutaneous endoscopic approach
ICD-10	0KC30ZZ	Extirpation of matter from left neck muscle, open approach
ICD-10	0KC33ZZ	Extirpation of matter from left neck muscle, percutaneous approach
ICD-10	0KC34ZZ	Extirpation of matter from left neck muscle, percutaneous endoscopic approach
ICD-10	0N500ZZ	Destruction of skull, open approach
ICD-10	0N503ZZ	Destruction of skull, percutaneous approach
ICD-10	0N504ZZ	Destruction of skull, percutaneous endoscopic approach
ICD-10	0N510ZZ	Destruction of frontal bone, open approach
ICD-10	0N513ZZ	Destruction of frontal bone, percutaneous approach
ICD-10	0N514ZZ	Destruction of frontal bone, percutaneous endoscopic approach
ICD-10	0N530ZZ	Destruction of right parietal bone, open approach
ICD-10	0N533ZZ	Destruction of right parietal bone, percutaneous approach
ICD-10	0N534ZZ	Destruction of right parietal bone, percutaneous endoscopic approach
ICD-10	0N540ZZ	Destruction of left parietal bone, open approach
ICD-10	0N543ZZ	Destruction of left parietal bone, percutaneous approach
ICD-10	0N544ZZ	Destruction of left parietal bone, percutaneous endoscopic approach
ICD-10	0N550ZZ	Destruction of right temporal bone, open approach
ICD-10	0N553ZZ	Destruction of right temporal bone, percutaneous approach
ICD-10	0N554ZZ	Destruction of right temporal bone, percutaneous endoscopic approach
ICD-10	0N560ZZ	Destruction of left temporal bone, open approach
ICD-10	0N563ZZ	Destruction of left temporal bone, percutaneous approach
ICD-10	0N564ZZ	Destruction of left temporal bone, percutaneous endoscopic approach
ICD-10	0N570ZZ	Destruction of occipital bone, open approach
ICD-10	0N573ZZ	Destruction of occipital bone, percutaneous approach
ICD-10	0N574ZZ	Destruction of occipital bone, percutaneous endoscopic approach
ICD-10	0N5B0ZZ	Destruction of nasal bone, open approach
ICD-10	0N5B3ZZ	Destruction of nasal bone, percutaneous approach
ICD-10	0N5B4ZZ	Destruction of nasal bone, percutaneous endoscopic approach
ICD-10	0N5C0ZZ	Destruction of sphenoid bone, open approach
ICD-10	0N5C3ZZ	Destruction of sphenoid bone, percutaneous approach
ICD-10	0N5C4ZZ	Destruction of sphenoid bone, percutaneous endoscopic approach
ICD-10	0N5F0ZZ	Destruction of right ethmoid bone, open approach
ICD-10	0N5F3ZZ	Destruction of right ethmoid bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0N5F4ZZ	Destruction of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0N5G0ZZ	Destruction of left ethmoid bone, open approach
ICD-10	0N5G3ZZ	Destruction of left ethmoid bone, percutaneous approach
ICD-10	0N5G4ZZ	Destruction of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0N5H0ZZ	Destruction of right lacrimal bone, open approach
ICD-10	0N5H3ZZ	Destruction of right lacrimal bone, percutaneous approach
ICD-10	0N5H4ZZ	Destruction of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0N5J0ZZ	Destruction of left lacrimal bone, open approach
ICD-10	0N5J3ZZ	Destruction of left lacrimal bone, percutaneous approach
ICD-10	0N5J4ZZ	Destruction of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0N5K0ZZ	Destruction of right palatine bone, open approach
ICD-10	0N5K3ZZ	Destruction of right palatine bone, percutaneous approach
ICD-10	0N5K4ZZ	Destruction of right palatine bone, percutaneous endoscopic approach
ICD-10	0N5L0ZZ	Destruction of left palatine bone, open approach
ICD-10	0N5L3ZZ	Destruction of left palatine bone, percutaneous approach
ICD-10	0N5L4ZZ	Destruction of left palatine bone, percutaneous endoscopic approach
ICD-10	0N5M0ZZ	Destruction of right zygomatic bone, open approach
ICD-10	0N5M3ZZ	Destruction of right zygomatic bone, percutaneous approach
ICD-10	0N5M4ZZ	Destruction of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0N5N0ZZ	Destruction of left zygomatic bone, open approach
ICD-10	0N5N3ZZ	Destruction of left zygomatic bone, percutaneous approach
ICD-10	0N5N4ZZ	Destruction of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0N5P0ZZ	Destruction of right orbit, open approach
ICD-10	0N5P3ZZ	Destruction of right orbit, percutaneous approach
ICD-10	0N5P4ZZ	Destruction of right orbit, percutaneous endoscopic approach
ICD-10	0N5Q0ZZ	Destruction of left orbit, open approach
ICD-10	0N5Q3ZZ	Destruction of left orbit, percutaneous approach
ICD-10	0N5Q4ZZ	Destruction of left orbit, percutaneous endoscopic approach
ICD-10	0N5R0ZZ	Destruction of maxilla, open approach
ICD-10	0N5R3ZZ	Destruction of maxilla, percutaneous approach
ICD-10	0N5R4ZZ	Destruction of maxilla, percutaneous endoscopic approach
ICD-10	0N5T0ZZ	Destruction of right mandible, open approach
ICD-10	0N5T3ZZ	Destruction of right mandible, percutaneous approach
ICD-10	0N5T4ZZ	Destruction of right mandible, percutaneous endoscopic approach
ICD-10	0N5V0ZZ	Destruction of left mandible, open approach
ICD-10	0N5V3ZZ	Destruction of left mandible, percutaneous approach
ICD-10	0N5V4ZZ	Destruction of left mandible, percutaneous endoscopic approach
ICD-10	0N5X0ZZ	Destruction of hyoid bone, open approach
ICD-10	0N5X3ZZ	Destruction of hyoid bone, percutaneous approach
ICD-10	0N5X4ZZ	Destruction of hyoid bone, percutaneous endoscopic approach
ICD-10	0N8C0ZZ	Division of sphenoid bone, open approach
ICD-10	0N8C3ZZ	Division of sphenoid bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0N8C4ZZ	Division of sphenoid bone, percutaneous endoscopic approach
ICD-10	0N8F0ZZ	Division of right ethmoid bone, open approach
ICD-10	0N8F3ZZ	Division of right ethmoid bone, percutaneous approach
ICD-10	0N8F4ZZ	Division of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0N8G0ZZ	Division of left ethmoid bone, open approach
ICD-10	0N8G3ZZ	Division of left ethmoid bone, percutaneous approach
ICD-10	0N8G4ZZ	Division of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0N8H0ZZ	Division of right lacrimal bone, open approach
ICD-10	0N8H3ZZ	Division of right lacrimal bone, percutaneous approach
ICD-10	0N8H4ZZ	Division of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0N8J0ZZ	Division of left lacrimal bone, open approach
ICD-10	0N8J3ZZ	Division of left lacrimal bone, percutaneous approach
ICD-10	0N8J4ZZ	Division of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0N8K0ZZ	Division of right palatine bone, open approach
ICD-10	0N8K3ZZ	Division of right palatine bone, percutaneous approach
ICD-10	0N8K4ZZ	Division of right palatine bone, percutaneous endoscopic approach
ICD-10	0N8L0ZZ	Division of left palatine bone, open approach
ICD-10	0N8L3ZZ	Division of left palatine bone, percutaneous approach
ICD-10	0N8L4ZZ	Division of left palatine bone, percutaneous endoscopic approach
ICD-10	0N8M0ZZ	Division of right zygomatic bone, open approach
ICD-10	0N8M3ZZ	Division of right zygomatic bone, percutaneous approach
ICD-10	0N8M4ZZ	Division of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0N8N0ZZ	Division of left zygomatic bone, open approach
ICD-10	0N8N3ZZ	Division of left zygomatic bone, percutaneous approach
ICD-10	0N8N4ZZ	Division of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0N8P0ZZ	Division of right orbit, open approach
ICD-10	0N8P3ZZ	Division of right orbit, percutaneous approach
ICD-10	0N8P4ZZ	Division of right orbit, percutaneous endoscopic approach
ICD-10	0N8Q0ZZ	Division of left orbit, open approach
ICD-10	0N8Q3ZZ	Division of left orbit, percutaneous approach
ICD-10	0N8Q4ZZ	Division of left orbit, percutaneous endoscopic approach
ICD-10	0N8R0ZZ	Division of maxilla, open approach
ICD-10	0N8R3ZZ	Division of maxilla, percutaneous approach
ICD-10	0N8R4ZZ	Division of maxilla, percutaneous endoscopic approach
ICD-10	0N8T0ZZ	Division of right mandible, open approach
ICD-10	0N8T3ZZ	Division of right mandible, percutaneous approach
ICD-10	0N8T4ZZ	Division of right mandible, percutaneous endoscopic approach
ICD-10	0N8V0ZZ	Division of left mandible, open approach
ICD-10	0N8V3ZZ	Division of left mandible, percutaneous approach
ICD-10	0N8V4ZZ	Division of left mandible, percutaneous endoscopic approach
ICD-10	0N8X0ZZ	Division of hyoid bone, open approach
ICD-10	0N8X3ZZ	Division of hyoid bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0N8X4ZZ	Division of hyoid bone, percutaneous endoscopic approach
ICD-10	0N9C00Z	Drainage of sphenoid bone with drainage device, open approach
ICD-10	0N9C0ZX	Drainage of sphenoid bone, open approach, diagnostic
ICD-10	0N9C0ZZ	Drainage of sphenoid bone, open approach
ICD-10	0N9C3ZX	Drainage of sphenoid bone, percutaneous approach, diagnostic
ICD-10	0N9C40Z	Drainage of sphenoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9C4ZX	Drainage of sphenoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9C4ZZ	Drainage of sphenoid bone, percutaneous endoscopic approach
ICD-10	0N9F00Z	Drainage of right ethmoid bone with drainage device, open approach
ICD-10	0N9F0ZX	Drainage of right ethmoid bone, open approach, diagnostic
ICD-10	0N9F0ZZ	Drainage of right ethmoid bone, open approach
ICD-10	0N9F3ZX	Drainage of right ethmoid bone, percutaneous approach, diagnostic
ICD-10	0N9F40Z	Drainage of right ethmoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9F4ZX	Drainage of right ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9F4ZZ	Drainage of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0N9G00Z	Drainage of left ethmoid bone with drainage device, open approach
ICD-10	0N9G0ZX	Drainage of left ethmoid bone, open approach, diagnostic
ICD-10	0N9G0ZZ	Drainage of left ethmoid bone, open approach
ICD-10	0N9G3ZX	Drainage of left ethmoid bone, percutaneous approach, diagnostic
ICD-10	0N9G40Z	Drainage of left ethmoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9G4ZX	Drainage of left ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9G4ZZ	Drainage of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0N9H00Z	Drainage of right lacrimal bone with drainage device, open approach
ICD-10	0N9H0ZX	Drainage of right lacrimal bone, open approach, diagnostic
ICD-10	0N9H0ZZ	Drainage of right lacrimal bone, open approach
ICD-10	0N9H3ZX	Drainage of right lacrimal bone, percutaneous approach, diagnostic
ICD-10	0N9H40Z	Drainage of right lacrimal bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9H4ZX	Drainage of right lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9H4ZZ	Drainage of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0N9J00Z	Drainage of left lacrimal bone with drainage device, open approach
ICD-10	0N9J0ZX	Drainage of left lacrimal bone, open approach, diagnostic
ICD-10	0N9J0ZZ	Drainage of left lacrimal bone, open approach
ICD-10	0N9J3ZX	Drainage of left lacrimal bone, percutaneous approach, diagnostic
ICD-10	0N9J40Z	Drainage of left lacrimal bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9J4ZX	Drainage of left lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9J4ZZ	Drainage of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0N9K00Z	Drainage of right palatine bone with drainage device, open approach
ICD-10	0N9K0ZX	Drainage of right palatine bone, open approach, diagnostic
ICD-10	0N9K0ZZ	Drainage of right palatine bone, open approach

ICD 9/10	Code	Description
ICD-10	0N9K3ZX	Drainage of right palatine bone, percutaneous approach, diagnostic
ICD-10	0N9K40Z	Drainage of right palatine bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9K4ZX	Drainage of right palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9K4ZZ	Drainage of right palatine bone, percutaneous endoscopic approach
ICD-10	0N9L00Z	Drainage of left palatine bone with drainage device, open approach
ICD-10	0N9L0ZX	Drainage of left palatine bone, open approach, diagnostic
ICD-10	0N9L0ZZ	Drainage of left palatine bone, open approach
ICD-10	0N9L3ZX	Drainage of left palatine bone, percutaneous approach, diagnostic
ICD-10	0N9L40Z	Drainage of left palatine bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9L4ZX	Drainage of left palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9L4ZZ	Drainage of left palatine bone, percutaneous endoscopic approach
ICD-10	0N9M00Z	Drainage of right zygomatic bone with drainage device, open approach
ICD-10	0N9M0ZX	Drainage of right zygomatic bone, open approach, diagnostic
ICD-10	0N9M0ZZ	Drainage of right zygomatic bone, open approach
ICD-10	0N9M3ZX	Drainage of right zygomatic bone, percutaneous approach, diagnostic
ICD-10	0N9M40Z	Drainage of right zygomatic bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9M4ZX	Drainage of right zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9M4ZZ	Drainage of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0N9N00Z	Drainage of left zygomatic bone with drainage device, open approach
ICD-10	0N9N0ZX	Drainage of left zygomatic bone, open approach, diagnostic
ICD-10	0N9N0ZZ	Drainage of left zygomatic bone, open approach
ICD-10	0N9N3ZX	Drainage of left zygomatic bone, percutaneous approach, diagnostic
ICD-10	0N9N40Z	Drainage of left zygomatic bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9N4ZX	Drainage of left zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9N4ZZ	Drainage of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0N9P00Z	Drainage of right orbit with drainage device, open approach
ICD-10	0N9P0ZZ	Drainage of right orbit, open approach
ICD-10	0N9P40Z	Drainage of right orbit with drainage device, percutaneous endoscopic approach
ICD-10	0N9P4ZZ	Drainage of right orbit, percutaneous endoscopic approach
ICD-10	0N9Q00Z	Drainage of left orbit with drainage device, open approach
ICD-10	0N9Q0ZZ	Drainage of left orbit, open approach
ICD-10	0N9Q40Z	Drainage of left orbit with drainage device, percutaneous endoscopic approach
ICD-10	0N9Q4ZZ	Drainage of left orbit, percutaneous endoscopic approach
ICD-10	0N9R0ZX	Drainage of maxilla, open approach, diagnostic
ICD-10	0N9R3ZX	Drainage of maxilla, percutaneous approach, diagnostic
ICD-10	0N9R4ZX	Drainage of maxilla, percutaneous endoscopic approach, diagnostic
ICD-10	0N9T0ZX	Drainage of right mandible, open approach, diagnostic
ICD-10	0N9T3ZX	Drainage of right mandible, percutaneous approach, diagnostic
ICD-10	0N9T4ZX	Drainage of right mandible, percutaneous endoscopic approach, diagnostic
ICD-10	0N9V0ZX	Drainage of left mandible, open approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0N9V3ZX	Drainage of left mandible, percutaneous approach, diagnostic
ICD-10	0N9V4ZX	Drainage of left mandible, percutaneous endoscopic approach, diagnostic
ICD-10	0N9X00Z	Drainage of hyoid bone with drainage device, open approach
ICD-10	0N9X0ZX	Drainage of hyoid bone, open approach, diagnostic
ICD-10	0N9X0ZZ	Drainage of hyoid bone, open approach
ICD-10	0N9X3ZX	Drainage of hyoid bone, percutaneous approach, diagnostic
ICD-10	0N9X40Z	Drainage of hyoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9X4ZX	Drainage of hyoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9X4ZZ	Drainage of hyoid bone, percutaneous endoscopic approach
ICD-10	0NB00ZZ	Excision of skull, open approach
ICD-10	0NB03ZZ	Excision of skull, percutaneous approach
ICD-10	0NB04ZZ	Excision of skull, percutaneous endoscopic approach
ICD-10	0NB10ZZ	Excision of frontal bone, open approach
ICD-10	0NB13ZZ	Excision of frontal bone, percutaneous approach
ICD-10	0NB14ZZ	Excision of frontal bone, percutaneous endoscopic approach
ICD-10	0NB30ZZ	Excision of right parietal bone, open approach
ICD-10	0NB33ZZ	Excision of right parietal bone, percutaneous approach
ICD-10	0NB34ZZ	Excision of right parietal bone, percutaneous endoscopic approach
ICD-10	0NB40ZZ	Excision of left parietal bone, open approach
ICD-10	0NB43ZZ	Excision of left parietal bone, percutaneous approach
ICD-10	0NB44ZZ	Excision of left parietal bone, percutaneous endoscopic approach
ICD-10	0NB50ZZ	Excision of right temporal bone, open approach
ICD-10	0NB53ZZ	Excision of right temporal bone, percutaneous approach
ICD-10	0NB54ZZ	Excision of right temporal bone, percutaneous endoscopic approach
ICD-10	0NB60ZZ	Excision of left temporal bone, open approach
ICD-10	0NB63ZZ	Excision of left temporal bone, percutaneous approach
ICD-10	0NB64ZZ	Excision of left temporal bone, percutaneous endoscopic approach
ICD-10	0NB70ZZ	Excision of occipital bone, open approach
ICD-10	0NB73ZZ	Excision of occipital bone, percutaneous approach
ICD-10	0NB74ZZ	Excision of occipital bone, percutaneous endoscopic approach
ICD-10	0NBB0ZZ	Excision of nasal bone, open approach
ICD-10	0NBB3ZZ	Excision of nasal bone, percutaneous approach
ICD-10	0NBB4ZZ	Excision of nasal bone, percutaneous endoscopic approach
ICD-10	0NBC0ZX	Excision of sphenoid bone, open approach, diagnostic
ICD-10	0NBC0ZZ	Excision of sphenoid bone, open approach
ICD-10	0NBC3ZX	Excision of sphenoid bone, percutaneous approach, diagnostic
ICD-10	0NBC3ZZ	Excision of sphenoid bone, percutaneous approach
ICD-10	0NBC4ZX	Excision of sphenoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBC4ZZ	Excision of sphenoid bone, percutaneous endoscopic approach
ICD-10	0NBF0ZX	Excision of right ethmoid bone, open approach, diagnostic
ICD-10	0NBF0ZZ	Excision of right ethmoid bone, open approach
ICD-10	0NBF3ZX	Excision of right ethmoid bone, percutaneous approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0NBF3ZZ	Excision of right ethmoid bone, percutaneous approach
ICD-10	0NBF4ZX	Excision of right ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBF4ZZ	Excision of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NBG0ZX	Excision of left ethmoid bone, open approach, diagnostic
ICD-10	0NBG0ZZ	Excision of left ethmoid bone, open approach
ICD-10	0NBG3ZX	Excision of left ethmoid bone, percutaneous approach, diagnostic
ICD-10	0NBG3ZZ	Excision of left ethmoid bone, percutaneous approach
ICD-10	0NBG4ZX	Excision of left ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBG4ZZ	Excision of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NBH0ZX	Excision of right lacrimal bone, open approach, diagnostic
ICD-10	0NBH0ZZ	Excision of right lacrimal bone, open approach
ICD-10	0NBH3ZX	Excision of right lacrimal bone, percutaneous approach, diagnostic
ICD-10	0NBH3ZZ	Excision of right lacrimal bone, percutaneous approach
ICD-10	0NBH4ZX	Excision of right lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBH4ZZ	Excision of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NBJ0ZX	Excision of left lacrimal bone, open approach, diagnostic
ICD-10	0NBJ0ZZ	Excision of left lacrimal bone, open approach
ICD-10	0NBJ3ZX	Excision of left lacrimal bone, percutaneous approach, diagnostic
ICD-10	0NBJ3ZZ	Excision of left lacrimal bone, percutaneous approach
ICD-10	0NBJ4ZX	Excision of left lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBJ4ZZ	Excision of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NBK0ZX	Excision of right palatine bone, open approach, diagnostic
ICD-10	0NBK0ZZ	Excision of right palatine bone, open approach
ICD-10	0NBK3ZX	Excision of right palatine bone, percutaneous approach, diagnostic
ICD-10	0NBK3ZZ	Excision of right palatine bone, percutaneous approach
ICD-10	0NBK4ZX	Excision of right palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBK4ZZ	Excision of right palatine bone, percutaneous endoscopic approach
ICD-10	0NBL0ZX	Excision of left palatine bone, open approach, diagnostic
ICD-10	0NBL0ZZ	Excision of left palatine bone, open approach
ICD-10	0NBL3ZX	Excision of left palatine bone, percutaneous approach, diagnostic
ICD-10	0NBL3ZZ	Excision of left palatine bone, percutaneous approach
ICD-10	0NBL4ZX	Excision of left palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBL4ZZ	Excision of left palatine bone, percutaneous endoscopic approach
ICD-10	0NBM0ZX	Excision of right zygomatic bone, open approach, diagnostic
ICD-10	0NBM0ZZ	Excision of right zygomatic bone, open approach
ICD-10	0NBM3ZX	Excision of right zygomatic bone, percutaneous approach, diagnostic
ICD-10	0NBM3ZZ	Excision of right zygomatic bone, percutaneous approach
ICD-10	0NBM4ZX	Excision of right zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBM4ZZ	Excision of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NBN0ZX	Excision of left zygomatic bone, open approach, diagnostic
ICD-10	0NBN0ZZ	Excision of left zygomatic bone, open approach
ICD-10	0NBN3ZX	Excision of left zygomatic bone, percutaneous approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0NBN3ZZ	Excision of left zygomatic bone, percutaneous approach
ICD-10	0NBN4ZX	Excision of left zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBN4ZZ	Excision of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NBP0ZZ	Excision of right orbit, open approach
ICD-10	0NBP3ZZ	Excision of right orbit, percutaneous approach
ICD-10	0NBP4ZZ	Excision of right orbit, percutaneous endoscopic approach
ICD-10	0NBQ0ZZ	Excision of left orbit, open approach
ICD-10	0NBQ3ZZ	Excision of left orbit, percutaneous approach
ICD-10	0NBQ4ZZ	Excision of left orbit, percutaneous endoscopic approach
ICD-10	0NBR0ZZ	Excision of maxilla, open approach
ICD-10	0NBR3ZZ	Excision of maxilla, percutaneous approach
ICD-10	0NBR4ZZ	Excision of maxilla, percutaneous endoscopic approach
ICD-10	0NBT3ZZ	Excision of right mandible, percutaneous approach
ICD-10	0NBV3ZZ	Excision of left mandible, percutaneous approach
ICD-10	0NBX0ZX	Excision of hyoid bone, open approach, diagnostic
ICD-10	0NBX0ZZ	Excision of hyoid bone, open approach
ICD-10	0NBX3ZX	Excision of hyoid bone, percutaneous approach, diagnostic
ICD-10	0NBX3ZZ	Excision of hyoid bone, percutaneous approach
ICD-10	0NBX4ZX	Excision of hyoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBX4ZZ	Excision of hyoid bone, percutaneous endoscopic approach
ICD-10	0NC10ZZ	Extirpation of matter from frontal bone, open approach
ICD-10	0NC13ZZ	Extirpation of matter from frontal bone, percutaneous approach
ICD-10	0NC14ZZ	Extirpation of matter from frontal bone, percutaneous endoscopic approach
ICD-10	0NC30ZZ	Extirpation of matter from right parietal bone, open approach
ICD-10	0NC33ZZ	Extirpation of matter from right parietal bone, percutaneous approach
ICD-10	0NC34ZZ	Extirpation of matter from right parietal bone, percutaneous endoscopic approach
ICD-10	0NC40ZZ	Extirpation of matter from left parietal bone, open approach
ICD-10	0NC43ZZ	Extirpation of matter from left parietal bone, percutaneous approach
ICD-10	0NC44ZZ	Extirpation of matter from left parietal bone, percutaneous endoscopic approach
ICD-10	0NC50ZZ	Extirpation of matter from right temporal bone, open approach
ICD-10	0NC53ZZ	Extirpation of matter from right temporal bone, percutaneous approach
ICD-10	0NC54ZZ	Extirpation of matter from right temporal bone, percutaneous endoscopic approach
ICD-10	0NC60ZZ	Extirpation of matter from left temporal bone, open approach
ICD-10	0NC63ZZ	Extirpation of matter from left temporal bone, percutaneous approach
ICD-10	0NC64ZZ	Extirpation of matter from left temporal bone, percutaneous endoscopic approach
ICD-10	0NC70ZZ	Extirpation of matter from occipital bone, open approach
ICD-10	0NC73ZZ	Extirpation of matter from occipital bone, percutaneous approach
ICD-10	0NC74ZZ	Extirpation of matter from occipital bone, percutaneous endoscopic approach
ICD-10	0NCC0ZZ	Extirpation of matter from sphenoid bone, open approach
ICD-10	0NCC3ZZ	Extirpation of matter from sphenoid bone, percutaneous approach
ICD-10	0NCC4ZZ	Extirpation of matter from sphenoid bone, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NCF0ZZ	Extirpation of matter from right ethmoid bone, open approach
ICD-10	0NCF3ZZ	Extirpation of matter from right ethmoid bone, percutaneous approach
ICD-10	0NCF4ZZ	Extirpation of matter from right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NCG0ZZ	Extirpation of matter from left ethmoid bone, open approach
ICD-10	0NCG3ZZ	Extirpation of matter from left ethmoid bone, percutaneous approach
ICD-10	0NCG4ZZ	Extirpation of matter from left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NCH0ZZ	Extirpation of matter from right lacrimal bone, open approach
ICD-10	0NCH3ZZ	Extirpation of matter from right lacrimal bone, percutaneous approach
ICD-10	0NCH4ZZ	Extirpation of matter from right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NCJ0ZZ	Extirpation of matter from left lacrimal bone, open approach
ICD-10	0NCJ3ZZ	Extirpation of matter from left lacrimal bone, percutaneous approach
ICD-10	0NCJ4ZZ	Extirpation of matter from left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NCK0ZZ	Extirpation of matter from right palatine bone, open approach
ICD-10	0NCK3ZZ	Extirpation of matter from right palatine bone, percutaneous approach
ICD-10	0NCK4ZZ	Extirpation of matter from right palatine bone, percutaneous endoscopic approach
ICD-10	0NCL0ZZ	Extirpation of matter from left palatine bone, open approach
ICD-10	0NCL3ZZ	Extirpation of matter from left palatine bone, percutaneous approach
ICD-10	0NCL4ZZ	Extirpation of matter from left palatine bone, percutaneous endoscopic approach
ICD-10	0NCM0ZZ	Extirpation of matter from right zygomatic bone, open approach
ICD-10	0NCM3ZZ	Extirpation of matter from right zygomatic bone, percutaneous approach
ICD-10	0NCM4ZZ	Extirpation of matter from right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NCN0ZZ	Extirpation of matter from left zygomatic bone, open approach
ICD-10	0NCN3ZZ	Extirpation of matter from left zygomatic bone, percutaneous approach
ICD-10	0NCN4ZZ	Extirpation of matter from left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NCP0ZZ	Extirpation of matter from right orbit, open approach
ICD-10	0NCP3ZZ	Extirpation of matter from right orbit, percutaneous approach
ICD-10	0NCP4ZZ	Extirpation of matter from right orbit, percutaneous endoscopic approach
ICD-10	0NCQ0ZZ	Extirpation of matter from left orbit, open approach
ICD-10	0NCQ3ZZ	Extirpation of matter from left orbit, percutaneous approach
ICD-10	0NCQ4ZZ	Extirpation of matter from left orbit, percutaneous endoscopic approach
ICD-10	0NCX0ZZ	Extirpation of matter from hyoid bone, open approach
ICD-10	0NCX3ZZ	Extirpation of matter from hyoid bone, percutaneous approach
ICD-10	0NCX4ZZ	Extirpation of matter from hyoid bone, percutaneous endoscopic approach
ICD-10	0NHI04Z	Insertion of internal fixation device into frontal bone, open approach
ICD-10	0NHI34Z	Insertion of internal fixation device into frontal bone, percutaneous approach
ICD-10	0NHI44Z	Insertion of internal fixation device into frontal bone, percutaneous endoscopic approach
ICD-10	0NH304Z	Insertion of internal fixation device into right parietal bone, open approach
ICD-10	0NH334Z	Insertion of internal fixation device into right parietal bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NH344Z	Insertion of internal fixation device into right parietal bone, percutaneous endoscopic approach
ICD-10	0NH404Z	Insertion of internal fixation device into left parietal bone, open approach
ICD-10	0NH434Z	Insertion of internal fixation device into left parietal bone, percutaneous approach
ICD-10	0NH444Z	Insertion of internal fixation device into left parietal bone, percutaneous endoscopic approach
ICD-10	0NH504Z	Insertion of internal fixation device into right temporal bone, open approach
ICD-10	0NH50SZ	Insertion of hearing device into right temporal bone, open approach
ICD-10	0NH534Z	Insertion of internal fixation device into right temporal bone, percutaneous approach
ICD-10	0NH53SZ	Insertion of hearing device into right temporal bone, percutaneous approach
ICD-10	0NH544Z	Insertion of internal fixation device into right temporal bone, percutaneous endoscopic approach
ICD-10	0NH54SZ	Insertion of hearing device into right temporal bone, percutaneous endoscopic approach
ICD-10	0NH604Z	Insertion of internal fixation device into left temporal bone, open approach
ICD-10	0NH60SZ	Insertion of hearing device into left temporal bone, open approach
ICD-10	0NH634Z	Insertion of internal fixation device into left temporal bone, percutaneous approach
ICD-10	0NH63SZ	Insertion of hearing device into left temporal bone, percutaneous approach
ICD-10	0NH644Z	Insertion of internal fixation device into left temporal bone, percutaneous endoscopic approach
ICD-10	0NH64SZ	Insertion of hearing device into left temporal bone, percutaneous endoscopic approach
ICD-10	0NH704Z	Insertion of internal fixation device into occipital bone, open approach
ICD-10	0NH734Z	Insertion of internal fixation device into occipital bone, percutaneous approach
ICD-10	0NH744Z	Insertion of internal fixation device into occipital bone, percutaneous endoscopic approach
ICD-10	0NHC04Z	Insertion of internal fixation device into sphenoid bone, open approach
ICD-10	0NHC34Z	Insertion of internal fixation device into sphenoid bone, percutaneous approach
ICD-10	0NHC44Z	Insertion of internal fixation device into sphenoid bone, percutaneous endoscopic approach
ICD-10	0NHF04Z	Insertion of internal fixation device into right ethmoid bone, open approach
ICD-10	0NHF34Z	Insertion of internal fixation device into right ethmoid bone, percutaneous approach
ICD-10	0NHF44Z	Insertion of internal fixation device into right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NHG04Z	Insertion of internal fixation device into left ethmoid bone, open approach
ICD-10	0NHG34Z	Insertion of internal fixation device into left ethmoid bone, percutaneous approach
ICD-10	0NHG44Z	Insertion of internal fixation device into left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NHH04Z	Insertion of internal fixation device into right lacrimal bone, open approach
ICD-10	0NHH34Z	Insertion of internal fixation device into right lacrimal bone, percutaneous approach
ICD-10	0NHH44Z	Insertion of internal fixation device into right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NHJ04Z	Insertion of internal fixation device into left lacrimal bone, open approach

ICD 9/10	Code	Description
ICD-10	0NHJ34Z	Insertion of internal fixation device into left lacrimal bone, percutaneous approach
ICD-10	0NHJ44Z	Insertion of internal fixation device into left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NHK04Z	Insertion of internal fixation device into right palatine bone, open approach
ICD-10	0NHK34Z	Insertion of internal fixation device into right palatine bone, percutaneous approach
ICD-10	0NHK44Z	Insertion of internal fixation device into right palatine bone, percutaneous endoscopic approach
ICD-10	0NHL04Z	Insertion of internal fixation device into left palatine bone, open approach
ICD-10	0NHL34Z	Insertion of internal fixation device into left palatine bone, percutaneous approach
ICD-10	0NHL44Z	Insertion of internal fixation device into left palatine bone, percutaneous endoscopic approach
ICD-10	0NHM04Z	Insertion of internal fixation device into right zygomatic bone, open approach
ICD-10	0NHM34Z	Insertion of internal fixation device into right zygomatic bone, percutaneous approach
ICD-10	0NHM44Z	Insertion of internal fixation device into right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NHN04Z	Insertion of internal fixation device into left zygomatic bone, open approach
ICD-10	0NHN34Z	Insertion of internal fixation device into left zygomatic bone, percutaneous approach
ICD-10	0NHN44Z	Insertion of internal fixation device into left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NHP04Z	Insertion of internal fixation device into right orbit, open approach
ICD-10	0NHP34Z	Insertion of internal fixation device into right orbit, percutaneous approach
ICD-10	0NHP44Z	Insertion of internal fixation device into right orbit, percutaneous endoscopic approach
ICD-10	0NHQ04Z	Insertion of internal fixation device into left orbit, open approach
ICD-10	0NHQ34Z	Insertion of internal fixation device into left orbit, percutaneous approach
ICD-10	0NHQ44Z	Insertion of internal fixation device into left orbit, percutaneous endoscopic approach
ICD-10	0NHR04Z	Insertion of internal fixation device into maxilla, open approach
ICD-10	0NHR05Z	Insertion of external fixation device into maxilla, open approach
ICD-10	0NHR34Z	Insertion of internal fixation device into maxilla, percutaneous approach
ICD-10	0NHR35Z	Insertion of external fixation device into maxilla, percutaneous approach
ICD-10	0NHR44Z	Insertion of internal fixation device into maxilla, percutaneous endoscopic approach
ICD-10	0NHR45Z	Insertion of external fixation device into maxilla, percutaneous endoscopic approach
ICD-10	0NHT04Z	Insertion of internal fixation device into right mandible, open approach
ICD-10	0NHT05Z	Insertion of external fixation device into right mandible, open approach
ICD-10	0NHT34Z	Insertion of internal fixation device into right mandible, percutaneous approach
ICD-10	0NHT35Z	Insertion of external fixation device into right mandible, percutaneous approach
ICD-10	0NHT44Z	Insertion of internal fixation device into right mandible, percutaneous endoscopic approach
ICD-10	0NHT45Z	Insertion of external fixation device into right mandible, percutaneous endoscopic approach
ICD-10	0NHV04Z	Insertion of internal fixation device into left mandible, open approach

ICD 9/10	Code	Description
ICD-10	0NHV05Z	Insertion of external fixation device into left mandible, open approach
ICD-10	0NHV34Z	Insertion of internal fixation device into left mandible, percutaneous approach
ICD-10	0NHV35Z	Insertion of external fixation device into left mandible, percutaneous approach
ICD-10	0NHV44Z	Insertion of internal fixation device into left mandible, percutaneous endoscopic approach
ICD-10	0NHV45Z	Insertion of external fixation device into left mandible, percutaneous endoscopic approach
ICD-10	0NHW0MZ	Insertion of bone growth stimulator into facial bone, open approach
ICD-10	0NHW3MZ	Insertion of bone growth stimulator into facial bone, percutaneous approach
ICD-10	0NHW4MZ	Insertion of bone growth stimulator into facial bone, percutaneous endoscopic approach
ICD-10	0NHX04Z	Insertion of internal fixation device into hyoid bone, open approach
ICD-10	0NHX34Z	Insertion of internal fixation device into hyoid bone, percutaneous approach
ICD-10	0NHX44Z	Insertion of internal fixation device into hyoid bone, percutaneous endoscopic approach
ICD-10	0NJB0ZZ	Inspection of nasal bone, open approach
ICD-10	0NJB4ZZ	Inspection of nasal bone, percutaneous endoscopic approach
ICD-10	0NJW0ZZ	Inspection of facial bone, open approach
ICD-10	0NJW4ZZ	Inspection of facial bone, percutaneous endoscopic approach
ICD-10	0NN10ZZ	Release frontal bone, open approach
ICD-10	0NN13ZZ	Release frontal bone, percutaneous approach
ICD-10	0NN14ZZ	Release frontal bone, percutaneous endoscopic approach
ICD-10	0NN30ZZ	Release right parietal bone, open approach
ICD-10	0NN33ZZ	Release right parietal bone, percutaneous approach
ICD-10	0NN34ZZ	Release right parietal bone, percutaneous endoscopic approach
ICD-10	0NN40ZZ	Release left parietal bone, open approach
ICD-10	0NN43ZZ	Release left parietal bone, percutaneous approach
ICD-10	0NN44ZZ	Release left parietal bone, percutaneous endoscopic approach
ICD-10	0NN50ZZ	Release right temporal bone, open approach
ICD-10	0NN53ZZ	Release right temporal bone, percutaneous approach
ICD-10	0NN54ZZ	Release right temporal bone, percutaneous endoscopic approach
ICD-10	0NN60ZZ	Release left temporal bone, open approach
ICD-10	0NN63ZZ	Release left temporal bone, percutaneous approach
ICD-10	0NN64ZZ	Release left temporal bone, percutaneous endoscopic approach
ICD-10	0NN70ZZ	Release occipital bone, open approach
ICD-10	0NN73ZZ	Release occipital bone, percutaneous approach
ICD-10	0NN74ZZ	Release occipital bone, percutaneous endoscopic approach
ICD-10	0NNC0ZZ	Release sphenoid bone, open approach
ICD-10	0NNC3ZZ	Release sphenoid bone, percutaneous approach
ICD-10	0NNC4ZZ	Release sphenoid bone, percutaneous endoscopic approach
ICD-10	0NNF0ZZ	Release right ethmoid bone, open approach
ICD-10	0NNF3ZZ	Release right ethmoid bone, percutaneous approach
ICD-10	0NNF4ZZ	Release right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NNG0ZZ	Release left ethmoid bone, open approach

ICD 9/10	Code	Description
ICD-10	0NNG3ZZ	Release left ethmoid bone, percutaneous approach
ICD-10	0NNG4ZZ	Release left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NNH0ZZ	Release right lacrimal bone, open approach
ICD-10	0NNH3ZZ	Release right lacrimal bone, percutaneous approach
ICD-10	0NNH4ZZ	Release right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NNJ0ZZ	Release left lacrimal bone, open approach
ICD-10	0NNJ3ZZ	Release left lacrimal bone, percutaneous approach
ICD-10	0NNJ4ZZ	Release left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NNK0ZZ	Release right palatine bone, open approach
ICD-10	0NNK3ZZ	Release right palatine bone, percutaneous approach
ICD-10	0NNK4ZZ	Release right palatine bone, percutaneous endoscopic approach
ICD-10	0NNL0ZZ	Release left palatine bone, open approach
ICD-10	0NNL3ZZ	Release left palatine bone, percutaneous approach
ICD-10	0NNL4ZZ	Release left palatine bone, percutaneous endoscopic approach
ICD-10	0NNM0ZZ	Release right zygomatic bone, open approach
ICD-10	0NNM3ZZ	Release right zygomatic bone, percutaneous approach
ICD-10	0NNM4ZZ	Release right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NNN0ZZ	Release left zygomatic bone, open approach
ICD-10	0NNN3ZZ	Release left zygomatic bone, percutaneous approach
ICD-10	0NNN4ZZ	Release left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NNR0ZZ	Release maxilla, open approach
ICD-10	0NNR3ZZ	Release maxilla, percutaneous approach
ICD-10	0NNR4ZZ	Release maxilla, percutaneous endoscopic approach
ICD-10	0NNT0ZZ	Release right mandible, open approach
ICD-10	0NNT3ZZ	Release right mandible, percutaneous approach
ICD-10	0NNT4ZZ	Release right mandible, percutaneous endoscopic approach
ICD-10	0NNV0ZZ	Release left mandible, open approach
ICD-10	0NNV3ZZ	Release left mandible, percutaneous approach
ICD-10	0NNV4ZZ	Release left mandible, percutaneous endoscopic approach
ICD-10	0NP00JZ	Removal of synthetic substitute from skull, open approach
ICD-10	0NP03JZ	Removal of synthetic substitute from skull, percutaneous approach
ICD-10	0NP04JZ	Removal of synthetic substitute from skull, percutaneous endoscopic approach
ICD-10	0NPW00Z	Removal of drainage device from facial bone, open approach
ICD-10	0NPW04Z	Removal of internal fixation device from facial bone, open approach
ICD-10	0NPW07Z	Removal of autologous tissue substitute from facial bone, open approach
ICD-10	0NPW0KZ	Removal of nonautologous tissue substitute from facial bone, open approach
ICD-10	0NPW0MZ	Removal of bone growth stimulator from facial bone, open approach
ICD-10	0NPW30Z	Removal of drainage device from facial bone, percutaneous approach
ICD-10	0NPW34Z	Removal of internal fixation device from facial bone, percutaneous approach
ICD-10	0NPW37Z	Removal of autologous tissue substitute from facial bone, percutaneous approach
ICD-10	0NPW3KZ	Removal of nonautologous tissue substitute from facial bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NPW3MZ	Removal of bone growth stimulator from facial bone, percutaneous approach
ICD-10	0NPW40Z	Removal of drainage device from facial bone, percutaneous endoscopic approach
ICD-10	0NPW44Z	Removal of internal fixation device from facial bone, percutaneous endoscopic approach
ICD-10	0NPW47Z	Removal of autologous tissue substitute from facial bone, percutaneous endoscopic approach
ICD-10	0NPW4KZ	Removal of nonautologous tissue substitute from facial bone, percutaneous endoscopic approach
ICD-10	0NPW4MZ	Removal of bone growth stimulator from facial bone, percutaneous endoscopic approach
ICD-10	0NPWX4Z	Removal of internal fixation device from facial bone, external approach
ICD-10	0NQ00ZZ	Repair skull, open approach
ICD-10	0NQ03ZZ	Repair skull, percutaneous approach
ICD-10	0NQ04ZZ	Repair skull, percutaneous endoscopic approach
ICD-10	0NQ10ZZ	Repair frontal bone, open approach
ICD-10	0NQ13ZZ	Repair frontal bone, percutaneous approach
ICD-10	0NQ14ZZ	Repair frontal bone, percutaneous endoscopic approach
ICD-10	0NQ30ZZ	Repair right parietal bone, open approach
ICD-10	0NQ33ZZ	Repair right parietal bone, percutaneous approach
ICD-10	0NQ34ZZ	Repair right parietal bone, percutaneous endoscopic approach
ICD-10	0NQ40ZZ	Repair left parietal bone, open approach
ICD-10	0NQ43ZZ	Repair left parietal bone, percutaneous approach
ICD-10	0NQ44ZZ	Repair left parietal bone, percutaneous endoscopic approach
ICD-10	0NQ50ZZ	Repair right temporal bone, open approach
ICD-10	0NQ53ZZ	Repair right temporal bone, percutaneous approach
ICD-10	0NQ54ZZ	Repair right temporal bone, percutaneous endoscopic approach
ICD-10	0NQ60ZZ	Repair left temporal bone, open approach
ICD-10	0NQ63ZZ	Repair left temporal bone, percutaneous approach
ICD-10	0NQ64ZZ	Repair left temporal bone, percutaneous endoscopic approach
ICD-10	0NQ70ZZ	Repair occipital bone, open approach
ICD-10	0NQ73ZZ	Repair occipital bone, percutaneous approach
ICD-10	0NQ74ZZ	Repair occipital bone, percutaneous endoscopic approach
ICD-10	0NQB0ZZ	Repair nasal bone, open approach
ICD-10	0NQB3ZZ	Repair nasal bone, percutaneous approach
ICD-10	0NQB4ZZ	Repair nasal bone, percutaneous endoscopic approach
ICD-10	0NQC0ZZ	Repair sphenoid bone, open approach
ICD-10	0NQC3ZZ	Repair sphenoid bone, percutaneous approach
ICD-10	0NQC4ZZ	Repair sphenoid bone, percutaneous endoscopic approach
ICD-10	0NQF0ZZ	Repair right ethmoid bone, open approach
ICD-10	0NQF3ZZ	Repair right ethmoid bone, percutaneous approach
ICD-10	0NQF4ZZ	Repair right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NQG0ZZ	Repair left ethmoid bone, open approach
ICD-10	0NQG3ZZ	Repair left ethmoid bone, percutaneous approach
ICD-10	0NQG4ZZ	Repair left ethmoid bone, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NQH0ZZ	Repair right lacrimal bone, open approach
ICD-10	0NQH3ZZ	Repair right lacrimal bone, percutaneous approach
ICD-10	0NQH4ZZ	Repair right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NQJ0ZZ	Repair left lacrimal bone, open approach
ICD-10	0NQJ3ZZ	Repair left lacrimal bone, percutaneous approach
ICD-10	0NQJ4ZZ	Repair left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NQK0ZZ	Repair right palatine bone, open approach
ICD-10	0NQK3ZZ	Repair right palatine bone, percutaneous approach
ICD-10	0NQK4ZZ	Repair right palatine bone, percutaneous endoscopic approach
ICD-10	0NQL0ZZ	Repair left palatine bone, open approach
ICD-10	0NQL3ZZ	Repair left palatine bone, percutaneous approach
ICD-10	0NQL4ZZ	Repair left palatine bone, percutaneous endoscopic approach
ICD-10	0NQM0ZZ	Repair right zygomatic bone, open approach
ICD-10	0NQM3ZZ	Repair right zygomatic bone, percutaneous approach
ICD-10	0NQM4ZZ	Repair right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NQN0ZZ	Repair left zygomatic bone, open approach
ICD-10	0NQN3ZZ	Repair left zygomatic bone, percutaneous approach
ICD-10	0NQN4ZZ	Repair left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NQP0ZZ	Repair right orbit, open approach
ICD-10	0NQP3ZZ	Repair right orbit, percutaneous approach
ICD-10	0NQP4ZZ	Repair right orbit, percutaneous endoscopic approach
ICD-10	0NQQ0ZZ	Repair left orbit, open approach
ICD-10	0NQQ3ZZ	Repair left orbit, percutaneous approach
ICD-10	0NQQ4ZZ	Repair left orbit, percutaneous endoscopic approach
ICD-10	0NQR0ZZ	Repair maxilla, open approach
ICD-10	0NQR3ZZ	Repair maxilla, percutaneous approach
ICD-10	0NQR4ZZ	Repair maxilla, percutaneous endoscopic approach
ICD-10	0NQT0ZZ	Repair right mandible, open approach
ICD-10	0NQT3ZZ	Repair right mandible, percutaneous approach
ICD-10	0NQT4ZZ	Repair right mandible, percutaneous endoscopic approach
ICD-10	0NQV0ZZ	Repair left mandible, open approach
ICD-10	0NQV3ZZ	Repair left mandible, percutaneous approach
ICD-10	0NQV4ZZ	Repair left mandible, percutaneous endoscopic approach
ICD-10	0NQX0ZZ	Repair hyoid bone, open approach
ICD-10	0NQX3ZZ	Repair hyoid bone, percutaneous approach
ICD-10	0NQX4ZZ	Repair hyoid bone, percutaneous endoscopic approach
ICD-10	0NR007Z	Replacement of skull with autologous tissue substitute, open approach
ICD-10	0NR00JZ	Replacement of skull with synthetic substitute, open approach
ICD-10	0NR00KZ	Replacement of skull with nonautologous tissue substitute, open approach
ICD-10	0NR037Z	Replacement of skull with autologous tissue substitute, percutaneous approach
ICD-10	0NR03JZ	Replacement of skull with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NR03KZ	Replacement of skull with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR047Z	Replacement of skull with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR04JZ	Replacement of skull with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR04KZ	Replacement of skull with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR107Z	Replacement of frontal bone with autologous tissue substitute, open approach
ICD-10	0NR10JZ	Replacement of frontal bone with synthetic substitute, open approach
ICD-10	0NR10KZ	Replacement of frontal bone with nonautologous tissue substitute, open approach
ICD-10	0NR137Z	Replacement of frontal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR13JZ	Replacement of frontal bone with synthetic substitute, percutaneous approach
ICD-10	0NR13KZ	Replacement of frontal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR147Z	Replacement of frontal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR14JZ	Replacement of frontal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR14KZ	Replacement of frontal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR307Z	Replacement of right parietal bone with autologous tissue substitute, open approach
ICD-10	0NR30JZ	Replacement of right parietal bone with synthetic substitute, open approach
ICD-10	0NR30KZ	Replacement of right parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NR337Z	Replacement of right parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR33JZ	Replacement of right parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NR33KZ	Replacement of right parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR347Z	Replacement of right parietal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR34JZ	Replacement of right parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR34KZ	Replacement of right parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR407Z	Replacement of left parietal bone with autologous tissue substitute, open approach
ICD-10	0NR40JZ	Replacement of left parietal bone with synthetic substitute, open approach
ICD-10	0NR40KZ	Replacement of left parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NR437Z	Replacement of left parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR43JZ	Replacement of left parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NR43KZ	Replacement of left parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR447Z	Replacement of left parietal bone with autologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NR44JZ	Replacement of left parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR44KZ	Replacement of left parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR507Z	Replacement of right temporal bone with autologous tissue substitute, open approach
ICD-10	0NR50JZ	Replacement of right temporal bone with synthetic substitute, open approach
ICD-10	0NR50KZ	Replacement of right temporal bone with nonautologous tissue substitute, open approach
ICD-10	0NR537Z	Replacement of right temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR53JZ	Replacement of right temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NR53KZ	Replacement of right temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR547Z	Replacement of right temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR54JZ	Replacement of right temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR54KZ	Replacement of right temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR607Z	Replacement of left temporal bone with autologous tissue substitute, open approach
ICD-10	0NR60JZ	Replacement of left temporal bone with synthetic substitute, open approach
ICD-10	0NR60KZ	Replacement of left temporal bone with nonautologous tissue substitute, open approach
ICD-10	0NR637Z	Replacement of left temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR63JZ	Replacement of left temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NR63KZ	Replacement of left temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR647Z	Replacement of left temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR64JZ	Replacement of left temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR64KZ	Replacement of left temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR707Z	Replacement of occipital bone with autologous tissue substitute, open approach
ICD-10	0NR70JZ	Replacement of occipital bone with synthetic substitute, open approach
ICD-10	0NR70KZ	Replacement of occipital bone with nonautologous tissue substitute, open approach
ICD-10	0NR737Z	Replacement of occipital bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR73JZ	Replacement of occipital bone with synthetic substitute, percutaneous approach
ICD-10	0NR73KZ	Replacement of occipital bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR747Z	Replacement of occipital bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR74JZ	Replacement of occipital bone with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NR74KZ	Replacement of occipital bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRB07Z	Replacement of nasal bone with autologous tissue substitute, open approach
ICD-10	0NRB0JZ	Replacement of nasal bone with synthetic substitute, open approach
ICD-10	0NRB0KZ	Replacement of nasal bone with nonautologous tissue substitute, open approach
ICD-10	0NRB37Z	Replacement of nasal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRB3JZ	Replacement of nasal bone with synthetic substitute, percutaneous approach
ICD-10	0NRB3KZ	Replacement of nasal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRB47Z	Replacement of nasal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRB4JZ	Replacement of nasal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRB4KZ	Replacement of nasal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRC07Z	Replacement of sphenoid bone with autologous tissue substitute, open approach
ICD-10	0NRC0JZ	Replacement of sphenoid bone with synthetic substitute, open approach
ICD-10	0NRC0KZ	Replacement of sphenoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRC37Z	Replacement of sphenoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRC3JZ	Replacement of sphenoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRC3KZ	Replacement of sphenoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRC47Z	Replacement of sphenoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRC4JZ	Replacement of sphenoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRC4KZ	Replacement of sphenoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRF07Z	Replacement of right ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NRF0JZ	Replacement of right ethmoid bone with synthetic substitute, open approach
ICD-10	0NRF0KZ	Replacement of right ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRF37Z	Replacement of right ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRF3JZ	Replacement of right ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRF3KZ	Replacement of right ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRF47Z	Replacement of right ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRF4JZ	Replacement of right ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRF4KZ	Replacement of right ethmoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRG07Z	Replacement of left ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NRG0JZ	Replacement of left ethmoid bone with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NRG0KZ	Replacement of left ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRG37Z	Replacement of left ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRG3JZ	Replacement of left ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRG3KZ	Replacement of left ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRG47Z	Replacement of left ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRG4JZ	Replacement of left ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRG4KZ	Replacement of left ethmoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRH07Z	Replacement of right lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NRH0JZ	Replacement of right lacrimal bone with synthetic substitute, open approach
ICD-10	0NRH0KZ	Replacement of right lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NRH37Z	Replacement of right lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRH3JZ	Replacement of right lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NRH3KZ	Replacement of right lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRH47Z	Replacement of right lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRH4JZ	Replacement of right lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRH4KZ	Replacement of right lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRJ07Z	Replacement of left lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NRJ0JZ	Replacement of left lacrimal bone with synthetic substitute, open approach
ICD-10	0NRJ0KZ	Replacement of left lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NRJ37Z	Replacement of left lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRJ3JZ	Replacement of left lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NRJ3KZ	Replacement of left lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRJ47Z	Replacement of left lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRJ4JZ	Replacement of left lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRJ4KZ	Replacement of left lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRK07Z	Replacement of right palatine bone with autologous tissue substitute, open approach
ICD-10	0NRK0JZ	Replacement of right palatine bone with synthetic substitute, open approach
ICD-10	0NRK0KZ	Replacement of right palatine bone with nonautologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NRK37Z	Replacement of right palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRK3JZ	Replacement of right palatine bone with synthetic substitute, percutaneous approach
ICD-10	0NRK3KZ	Replacement of right palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRK47Z	Replacement of right palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRK4JZ	Replacement of right palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRK4KZ	Replacement of right palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRL07Z	Replacement of left palatine bone with autologous tissue substitute, open approach
ICD-10	0NRL0JZ	Replacement of left palatine bone with synthetic substitute, open approach
ICD-10	0NRL0KZ	Replacement of left palatine bone with nonautologous tissue substitute, open approach
ICD-10	0NRL37Z	Replacement of left palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRL3JZ	Replacement of left palatine bone with synthetic substitute, percutaneous approach
ICD-10	0NRL3KZ	Replacement of left palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRL47Z	Replacement of left palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRL4JZ	Replacement of left palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRL4KZ	Replacement of left palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRM07Z	Replacement of right zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NRM0JZ	Replacement of right zygomatic bone with synthetic substitute, open approach
ICD-10	0NRM0KZ	Replacement of right zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NRM37Z	Replacement of right zygomatic bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRM3JZ	Replacement of right zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NRM3KZ	Replacement of right zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRM47Z	Replacement of right zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRM4JZ	Replacement of right zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRM4KZ	Replacement of right zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRN07Z	Replacement of left zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NRN0JZ	Replacement of left zygomatic bone with synthetic substitute, open approach
ICD-10	0NRN0KZ	Replacement of left zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NRN37Z	Replacement of left zygomatic bone with autologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NRN3JZ	Replacement of left zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NRN3KZ	Replacement of left zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRN47Z	Replacement of left zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRN4JZ	Replacement of left zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRN4KZ	Replacement of left zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRP07Z	Replacement of right orbit with autologous tissue substitute, open approach
ICD-10	0NRP0JZ	Replacement of right orbit with synthetic substitute, open approach
ICD-10	0NRP0KZ	Replacement of right orbit with nonautologous tissue substitute, open approach
ICD-10	0NRP37Z	Replacement of right orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NRP3JZ	Replacement of right orbit with synthetic substitute, percutaneous approach
ICD-10	0NRP3KZ	Replacement of right orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRP47Z	Replacement of right orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRP4JZ	Replacement of right orbit with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRP4KZ	Replacement of right orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRQ07Z	Replacement of left orbit with autologous tissue substitute, open approach
ICD-10	0NRQ0JZ	Replacement of left orbit with synthetic substitute, open approach
ICD-10	0NRQ0KZ	Replacement of left orbit with nonautologous tissue substitute, open approach
ICD-10	0NRQ37Z	Replacement of left orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NRQ3JZ	Replacement of left orbit with synthetic substitute, percutaneous approach
ICD-10	0NRQ3KZ	Replacement of left orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRQ47Z	Replacement of left orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRQ4JZ	Replacement of left orbit with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRQ4KZ	Replacement of left orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRR07Z	Replacement of maxilla with autologous tissue substitute, open approach
ICD-10	0NRR0JZ	Replacement of maxilla with synthetic substitute, open approach
ICD-10	0NRR0KZ	Replacement of maxilla with nonautologous tissue substitute, open approach
ICD-10	0NRR37Z	Replacement of maxilla with autologous tissue substitute, percutaneous approach
ICD-10	0NRR3JZ	Replacement of maxilla with synthetic substitute, percutaneous approach
ICD-10	0NRR3KZ	Replacement of maxilla with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRR47Z	Replacement of maxilla with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRR4JZ	Replacement of maxilla with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NRR4KZ	Replacement of maxilla with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRX07Z	Replacement of hyoid bone with autologous tissue substitute, open approach
ICD-10	0NRX0JZ	Replacement of hyoid bone with synthetic substitute, open approach
ICD-10	0NRX0KZ	Replacement of hyoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRX37Z	Replacement of hyoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRX3JZ	Replacement of hyoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRX3KZ	Replacement of hyoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRX47Z	Replacement of hyoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRX4JZ	Replacement of hyoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRX4KZ	Replacement of hyoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NS004Z	Reposition skull with internal fixation device, open approach
ICD-10	0NS005Z	Reposition skull with external fixation device, open approach
ICD-10	0NS00ZZ	Reposition skull, open approach
ICD-10	0NS034Z	Reposition skull with internal fixation device, percutaneous approach
ICD-10	0NS035Z	Reposition skull with external fixation device, percutaneous approach
ICD-10	0NS03ZZ	Reposition skull, percutaneous approach
ICD-10	0NS044Z	Reposition skull with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS045Z	Reposition skull with external fixation device, percutaneous endoscopic approach
ICD-10	0NS04ZZ	Reposition skull, percutaneous endoscopic approach
ICD-10	0NS304Z	Reposition right parietal bone with internal fixation device, open approach
ICD-10	0NS30ZZ	Reposition right parietal bone, open approach
ICD-10	0NS334Z	Reposition right parietal bone with internal fixation device, percutaneous approach
ICD-10	0NS33ZZ	Reposition right parietal bone, percutaneous approach
ICD-10	0NS344Z	Reposition right parietal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS34ZZ	Reposition right parietal bone, percutaneous endoscopic approach
ICD-10	0NS404Z	Reposition left parietal bone with internal fixation device, open approach
ICD-10	0NS40ZZ	Reposition left parietal bone, open approach
ICD-10	0NS434Z	Reposition left parietal bone with internal fixation device, percutaneous approach
ICD-10	0NS43ZZ	Reposition left parietal bone, percutaneous approach
ICD-10	0NS444Z	Reposition left parietal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS44ZZ	Reposition left parietal bone, percutaneous endoscopic approach
ICD-10	0NS504Z	Reposition right temporal bone with internal fixation device, open approach
ICD-10	0NS50ZZ	Reposition right temporal bone, open approach
ICD-10	0NS534Z	Reposition right temporal bone with internal fixation device, percutaneous approach
ICD-10	0NS53ZZ	Reposition right temporal bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NS544Z	Reposition right temporal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS54ZZ	Reposition right temporal bone, percutaneous endoscopic approach
ICD-10	0NSM0ZZ	Reposition right zygomatic bone, open approach
ICD-10	0NSN0ZZ	Reposition left zygomatic bone, open approach
ICD-10	0NSR05Z	Reposition maxilla with external fixation device, open approach
ICD-10	0NST05Z	Reposition right mandible with external fixation device, open approach
ICD-10	0NST0ZZ	Reposition right mandible, open approach
ICD-10	0NSV05Z	Reposition left mandible with external fixation device, open approach
ICD-10	0NSV0ZZ	Reposition left mandible, open approach
ICD-10	0NSX04Z	Reposition Hyoid Bone with Internal Fixation Device, Open Approach
ICD-10	0NSX0ZZ	Reposition hyoid bone, open approach
ICD-10	0NT10ZZ	Resection of frontal bone, open approach
ICD-10	0NT30ZZ	Resection of right parietal bone, open approach
ICD-10	0NT40ZZ	Resection of left parietal bone, open approach
ICD-10	0NT50ZZ	Resection of right temporal bone, open approach
ICD-10	0NT60ZZ	Resection of left temporal bone, open approach
ICD-10	0NT70ZZ	Resection of occipital bone, open approach
ICD-10	0NTB0ZZ	Resection of nasal bone, open approach
ICD-10	0NTC0ZZ	Resection of sphenoid bone, open approach
ICD-10	0NTF0ZZ	Resection of right ethmoid bone, open approach
ICD-10	0NTG0ZZ	Resection of left ethmoid bone, open approach
ICD-10	0NTH0ZZ	Resection of right lacrimal bone, open approach
ICD-10	0NTJ0ZZ	Resection of left lacrimal bone, open approach
ICD-10	0NTK0ZZ	Resection of right palatine bone, open approach
ICD-10	0NTL0ZZ	Resection of left palatine bone, open approach
ICD-10	0NTM0ZZ	Resection of right zygomatic bone, open approach
ICD-10	0NTN0ZZ	Resection of left zygomatic bone, open approach
ICD-10	0NTP0ZZ	Resection of right orbit, open approach
ICD-10	0NTQ0ZZ	Resection of left orbit, open approach
ICD-10	0NTR0ZZ	Resection of maxilla, open approach
ICD-10	0NTX0ZZ	Resection of hyoid bone, open approach
ICD-10	0NU007Z	Supplement skull with autologous tissue substitute, open approach
ICD-10	0NU00JZ	Supplement skull with synthetic substitute, open approach
ICD-10	0NU00KZ	Supplement skull with nonautologous tissue substitute, open approach
ICD-10	0NU037Z	Supplement skull with autologous tissue substitute, percutaneous approach
ICD-10	0NU03JZ	Supplement skull with synthetic substitute, percutaneous approach
ICD-10	0NU03KZ	Supplement skull with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU047Z	Supplement skull with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU04JZ	Supplement skull with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU04KZ	Supplement skull with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NU107Z	Supplement frontal bone with autologous tissue substitute, open approach
ICD-10	0NU10JZ	Supplement frontal bone with synthetic substitute, open approach
ICD-10	0NU10KZ	Supplement frontal bone with nonautologous tissue substitute, open approach
ICD-10	0NU137Z	Supplement frontal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU13JZ	Supplement frontal bone with synthetic substitute, percutaneous approach
ICD-10	0NU13KZ	Supplement frontal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU147Z	Supplement frontal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU14JZ	Supplement frontal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU14KZ	Supplement frontal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU307Z	Supplement right parietal bone with autologous tissue substitute, open approach
ICD-10	0NU30JZ	Supplement right parietal bone with synthetic substitute, open approach
ICD-10	0NU30KZ	Supplement right parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NU337Z	Supplement right parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU33JZ	Supplement right parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NU33KZ	Supplement right parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU347Z	Supplement right parietal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU34JZ	Supplement right parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU34KZ	Supplement right parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU407Z	Supplement left parietal bone with autologous tissue substitute, open approach
ICD-10	0NU40JZ	Supplement left parietal bone with synthetic substitute, open approach
ICD-10	0NU40KZ	Supplement left parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NU437Z	Supplement left parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU43JZ	Supplement left parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NU43KZ	Supplement left parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU447Z	Supplement left parietal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU44JZ	Supplement left parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU44KZ	Supplement left parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU507Z	Supplement right temporal bone with autologous tissue substitute, open approach
ICD-10	0NU50JZ	Supplement right temporal bone with synthetic substitute, open approach
ICD-10	0NU50KZ	Supplement right temporal bone with nonautologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NU537Z	Supplement right temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU53JZ	Supplement right temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NU53KZ	Supplement right temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU547Z	Supplement right temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU54JZ	Supplement right temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU54KZ	Supplement right temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU607Z	Supplement left temporal bone with autologous tissue substitute, open approach
ICD-10	0NU60JZ	Supplement left temporal bone with synthetic substitute, open approach
ICD-10	0NU60KZ	Supplement left temporal bone with nonautologous tissue substitute, open approach
ICD-10	0NU637Z	Supplement left temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU63JZ	Supplement left temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NU63KZ	Supplement left temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU647Z	Supplement left temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU64JZ	Supplement left temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU64KZ	Supplement left temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU707Z	Supplement occipital bone with autologous tissue substitute, open approach
ICD-10	0NU70JZ	Supplement occipital bone with synthetic substitute, open approach
ICD-10	0NU70KZ	Supplement occipital bone with nonautologous tissue substitute, open approach
ICD-10	0NU737Z	Supplement occipital bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU73JZ	Supplement occipital bone with synthetic substitute, percutaneous approach
ICD-10	0NU73KZ	Supplement occipital bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU747Z	Supplement occipital bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU74JZ	Supplement occipital bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU74KZ	Supplement occipital bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUB07Z	Supplement nasal bone with autologous tissue substitute, open approach
ICD-10	0NUB0JZ	Supplement nasal bone with synthetic substitute, open approach
ICD-10	0NUB0KZ	Supplement nasal bone with nonautologous tissue substitute, open approach
ICD-10	0NUB37Z	Supplement nasal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUB3JZ	Supplement nasal bone with synthetic substitute, percutaneous approach
ICD-10	0NUB3KZ	Supplement nasal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUB47Z	Supplement nasal bone with autologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NUB4JZ	Supplement nasal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUB4KZ	Supplement nasal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUC07Z	Supplement sphenoid bone with autologous tissue substitute, open approach
ICD-10	0NUC0JZ	Supplement sphenoid bone with synthetic substitute, open approach
ICD-10	0NUC0KZ	Supplement sphenoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUC37Z	Supplement sphenoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUC3JZ	Supplement sphenoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUC3KZ	Supplement sphenoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUC47Z	Supplement sphenoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUC4JZ	Supplement sphenoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUC4KZ	Supplement sphenoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUF07Z	Supplement right ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NUF0JZ	Supplement right ethmoid bone with synthetic substitute, open approach
ICD-10	0NUF0KZ	Supplement right ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUF37Z	Supplement right ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUF3JZ	Supplement right ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUF3KZ	Supplement right ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUF47Z	Supplement right ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUF4JZ	Supplement right ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUF4KZ	Supplement Right Ethmoid Bone with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0NUG07Z	Supplement left ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NUG0JZ	Supplement left ethmoid bone with synthetic substitute, open approach
ICD-10	0NUG0KZ	Supplement left ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUG37Z	Supplement left ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUG3JZ	Supplement left ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUG3KZ	Supplement left ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUG47Z	Supplement left ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUG4JZ	Supplement left ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUG4KZ	Supplement left ethmoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUH07Z	Supplement right lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NUH0JZ	Supplement right lacrimal bone with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NUH0KZ	Supplement right lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NUH37Z	Supplement right lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUH3JZ	Supplement right lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NUH3KZ	Supplement right lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUH47Z	Supplement right lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUH4JZ	Supplement right lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUH4KZ	Supplement right lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUJ07Z	Supplement left lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NUJ0JZ	Supplement left lacrimal bone with synthetic substitute, open approach
ICD-10	0NUJ0KZ	Supplement left lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NUJ37Z	Supplement left lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUJ3JZ	Supplement left lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NUJ3KZ	Supplement left lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUJ47Z	Supplement left lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUJ4JZ	Supplement left lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUJ4KZ	Supplement left lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUK07Z	Supplement right palatine bone with autologous tissue substitute, open approach
ICD-10	0NUK0JZ	Supplement right palatine bone with synthetic substitute, open approach
ICD-10	0NUK0KZ	Supplement right palatine bone with nonautologous tissue substitute, open approach
ICD-10	0NUK37Z	Supplement right palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUK3JZ	Supplement right palatine bone with synthetic substitute, percutaneous approach
ICD-10	0NUK3KZ	Supplement right palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUK47Z	Supplement right palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUK4JZ	Supplement right palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUK4KZ	Supplement right palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUL07Z	Supplement left palatine bone with autologous tissue substitute, open approach
ICD-10	0NUL0JZ	Supplement left palatine bone with synthetic substitute, open approach
ICD-10	0NUL0KZ	Supplement left palatine bone with nonautologous tissue substitute, open approach
ICD-10	0NUL37Z	Supplement left palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUL3JZ	Supplement left palatine bone with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NUL3KZ	Supplement left palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUL47Z	Supplement left palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUL4JZ	Supplement left palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUL4KZ	Supplement left palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUM07Z	Supplement right zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NUM0JZ	Supplement right zygomatic bone with synthetic substitute, open approach
ICD-10	0NUM0KZ	Supplement right zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NUM37Z	Supplement right zygomatic bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUM3JZ	Supplement right zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NUM3KZ	Supplement right zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUM47Z	Supplement right zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUM4JZ	Supplement right zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUM4KZ	Supplement right zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUN07Z	Supplement left zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NUN0JZ	Supplement left zygomatic bone with synthetic substitute, open approach
ICD-10	0NUN0KZ	Supplement left zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NUN37Z	Supplement left zygomatic bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUN3JZ	Supplement left zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NUN3KZ	Supplement left zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUN47Z	Supplement left zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUN4JZ	Supplement left zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUN4KZ	Supplement left zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUP07Z	Supplement right orbit with autologous tissue substitute, open approach
ICD-10	0NUP0JZ	Supplement right orbit with synthetic substitute, open approach
ICD-10	0NUP0KZ	Supplement right orbit with nonautologous tissue substitute, open approach
ICD-10	0NUP37Z	Supplement right orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NUP3JZ	Supplement right orbit with synthetic substitute, percutaneous approach
ICD-10	0NUP3KZ	Supplement right orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUP47Z	Supplement right orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUP4JZ	Supplement right orbit with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NUP4KZ	Supplement right orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUQ07Z	Supplement left orbit with autologous tissue substitute, open approach
ICD-10	0NUQ0JZ	Supplement left orbit with synthetic substitute, open approach
ICD-10	0NUQ0KZ	Supplement left orbit with nonautologous tissue substitute, open approach
ICD-10	0NUQ37Z	Supplement left orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NUQ3JZ	Supplement left orbit with synthetic substitute, percutaneous approach
ICD-10	0NUQ3KZ	Supplement left orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUQ47Z	Supplement left orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUQ4JZ	Supplement left orbit with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUQ4KZ	Supplement left orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUR07Z	Supplement maxilla with autologous tissue substitute, open approach
ICD-10	0NUR0JZ	Supplement maxilla with synthetic substitute, open approach
ICD-10	0NUR0KZ	Supplement maxilla with nonautologous tissue substitute, open approach
ICD-10	0NUR37Z	Supplement maxilla with autologous tissue substitute, percutaneous approach
ICD-10	0NUR3JZ	Supplement maxilla with synthetic substitute, percutaneous approach
ICD-10	0NUR3KZ	Supplement maxilla with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUR47Z	Supplement maxilla with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUR4JZ	Supplement maxilla with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUR4KZ	Supplement maxilla with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUT07Z	Supplement right mandible with autologous tissue substitute, open approach
ICD-10	0NUT0JZ	Supplement right mandible with synthetic substitute, open approach
ICD-10	0NUT0KZ	Supplement right mandible with nonautologous tissue substitute, open approach
ICD-10	0NUT37Z	Supplement right mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NUT3JZ	Supplement right mandible with synthetic substitute, percutaneous approach
ICD-10	0NUT3KZ	Supplement right mandible with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUT47Z	Supplement right mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUT4JZ	Supplement right mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUT4KZ	Supplement right mandible with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUV07Z	Supplement left mandible with autologous tissue substitute, open approach
ICD-10	0NUV0JZ	Supplement left mandible with synthetic substitute, open approach
ICD-10	0NUV0KZ	Supplement left mandible with nonautologous tissue substitute, open approach
ICD-10	0NUV37Z	Supplement left mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NUV3JZ	Supplement left mandible with synthetic substitute, percutaneous approach
ICD-10	0NUV3KZ	Supplement left mandible with nonautologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NUV47Z	Supplement left mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUV4JZ	Supplement left mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUV4KZ	Supplement left mandible with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUX07Z	Supplement hyoid bone with autologous tissue substitute, open approach
ICD-10	0NUX0JZ	Supplement hyoid bone with synthetic substitute, open approach
ICD-10	0NUX0KZ	Supplement hyoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUX37Z	Supplement hyoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUX3JZ	Supplement hyoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUX3KZ	Supplement hyoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUX47Z	Supplement hyoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUX4JZ	Supplement hyoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUX4KZ	Supplement hyoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NWW00Z	Revision of drainage device in facial bone, open approach
ICD-10	0NWW04Z	Revision of internal fixation device in facial bone, open approach
ICD-10	0NWW07Z	Revision of autologous tissue substitute in facial bone, open approach
ICD-10	0NWW0JZ	Revision of synthetic substitute in facial bone, open approach
ICD-10	0NWW0KZ	Revision of nonautologous tissue substitute in facial bone, open approach
ICD-10	0NWW0MZ	Revision of bone growth stimulator in facial bone, open approach
ICD-10	0NWW30Z	Revision of drainage device in facial bone, percutaneous approach
ICD-10	0NWW34Z	Revision of internal fixation device in facial bone, percutaneous approach
ICD-10	0NWW37Z	Revision of autologous tissue substitute in facial bone, percutaneous approach
ICD-10	0NWW3JZ	Revision of synthetic substitute in facial bone, percutaneous approach
ICD-10	0NWW3KZ	Revision of nonautologous tissue substitute in facial bone, percutaneous approach
ICD-10	0NWW3MZ	Revision of bone growth stimulator in facial bone, percutaneous approach
ICD-10	0NWW40Z	Revision of drainage device in facial bone, percutaneous endoscopic approach
ICD-10	0NWW44Z	Revision of internal fixation device in facial bone, percutaneous endoscopic approach
ICD-10	0NWW47Z	Revision of autologous tissue substitute in facial bone, percutaneous endoscopic approach
ICD-10	0NWW4JZ	Revision of synthetic substitute in facial bone, percutaneous endoscopic approach
ICD-10	0NWW4KZ	Revision of nonautologous tissue substitute in facial bone, percutaneous endoscopic approach
ICD-10	0NWW4MZ	Revision of bone growth stimulator in facial bone, percutaneous endoscopic approach
ICD-10	0P530ZZ	Destruction of cervical vertebra, open approach
ICD-10	0P533ZZ	Destruction of cervical vertebra, percutaneous approach
ICD-10	0P534ZZ	Destruction of cervical vertebra, percutaneous endoscopic approach
ICD-10	0P930ZX	Drainage of cervical vertebra, open approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0P933ZX	Drainage of cervical vertebra, percutaneous approach, diagnostic
ICD-10	0P934ZX	Drainage of cervical vertebra, percutaneous endoscopic approach, diagnostic
ICD-10	0PB30ZX	Excision of cervical vertebra, open approach, diagnostic
ICD-10	0PB30ZZ	Excision of cervical vertebra, open approach
ICD-10	0PB33ZX	Excision of cervical vertebra, percutaneous approach, diagnostic
ICD-10	0PB33ZZ	Excision of cervical vertebra, percutaneous approach
ICD-10	0PB34ZX	Excision of cervical vertebra, percutaneous endoscopic approach, diagnostic
ICD-10	0PB34ZZ	Excision of cervical vertebra, percutaneous endoscopic approach
ICD-10	0PB40ZZ	Excision of thoracic vertebra, open approach
ICD-10	0PB43ZZ	Excision of thoracic vertebra, percutaneous approach
ICD-10	0PB44ZZ	Excision of thoracic vertebra, percutaneous endoscopic approach
ICD-10	0PSB04Z	Reposition left clavicle with internal fixation device, open approach
ICD-10	0PSB0ZZ	Reposition left clavicle, open approach
ICD-10	0QB00ZZ	Excision of lumbar vertebra, open approach
ICD-10	0QB03ZZ	Excision of lumbar vertebra, percutaneous approach
ICD-10	0QB04ZZ	Excision of lumbar vertebra, percutaneous endoscopic approach
ICD-10	0R5C0ZZ	Destruction of right temporomandibular joint, open approach
ICD-10	0R5C3ZZ	Destruction of right temporomandibular joint, percutaneous approach
ICD-10	0R5C4ZZ	Destruction of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0R5D0ZZ	Destruction of left temporomandibular joint, open approach
ICD-10	0R5D3ZZ	Destruction of left temporomandibular joint, percutaneous approach
ICD-10	0R5D4ZZ	Destruction of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0R9C00Z	Drainage of right temporomandibular joint with drainage device, open approach
ICD-10	0R9C0ZX	Drainage of right temporomandibular joint, open approach, diagnostic
ICD-10	0R9C0ZZ	Drainage of right temporomandibular joint, open approach
ICD-10	0R9C3ZX	Drainage of right temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0R9C40Z	Drainage of right temporomandibular joint with drainage device, percutaneous endoscopic approach
ICD-10	0R9C4ZX	Drainage of right temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0R9C4ZZ	Drainage of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0R9D00Z	Drainage of left temporomandibular joint with drainage device, open approach
ICD-10	0R9D0ZX	Drainage of left temporomandibular joint, open approach, diagnostic
ICD-10	0R9D0ZZ	Drainage of left temporomandibular joint, open approach
ICD-10	0R9D3ZX	Drainage of left temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0R9D40Z	Drainage of left temporomandibular joint with drainage device, percutaneous endoscopic approach
ICD-10	0R9D4ZX	Drainage of left temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0R9D4ZZ	Drainage of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RBC0ZX	Excision of right temporomandibular joint, open approach, diagnostic
ICD-10	0RBC0ZZ	Excision of right temporomandibular joint, open approach
ICD-10	0RBC3ZX	Excision of right temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0RBC3ZZ	Excision of right temporomandibular joint, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0RBC4ZX	Excision of right temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0RBC4ZZ	Excision of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RBD0ZX	Excision of left temporomandibular joint, open approach, diagnostic
ICD-10	0RBD3ZX	Excision of left temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0RBD4ZX	Excision of left temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0RCC0ZZ	Extirpation of matter from right temporomandibular joint, open approach
ICD-10	0RCC3ZZ	Extirpation of matter from right temporomandibular joint, percutaneous approach
ICD-10	0RCC4ZZ	Extirpation of matter from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RCD0ZZ	Extirpation of matter from left temporomandibular joint, open approach
ICD-10	0RCD3ZZ	Extirpation of matter from left temporomandibular joint, percutaneous approach
ICD-10	0RCD4ZZ	Extirpation of matter from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RGC04Z	Fusion of right temporomandibular joint with internal fixation device, open approach
ICD-10	0RGC07Z	Fusion of right temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RGC0JZ	Fusion of right temporomandibular joint with synthetic substitute, open approach
ICD-10	0RGC0KZ	Fusion of right temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RGC34Z	Fusion of right temporomandibular joint with internal fixation device, percutaneous approach
ICD-10	0RGC37Z	Fusion of right temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RGC3JZ	Fusion of right temporomandibular joint with synthetic substitute, percutaneous approach
ICD-10	0RGC3KZ	Fusion of right temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RGC44Z	Fusion of right temporomandibular joint with internal fixation device, percutaneous endoscopic approach
ICD-10	0RGC47Z	Fusion of right temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RGC4JZ	Fusion of right temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RGC4KZ	Fusion of right temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RGD04Z	Fusion of left temporomandibular joint with internal fixation device, open approach
ICD-10	0RGD07Z	Fusion of left temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RGD0JZ	Fusion of left temporomandibular joint with synthetic substitute, open approach
ICD-10	0RGD0KZ	Fusion of left temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RGD34Z	Fusion of left temporomandibular joint with internal fixation device, percutaneous approach
ICD-10	0RGD37Z	Fusion of left temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RGD3JZ	Fusion of left temporomandibular joint with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0RGD3KZ	Fusion of left temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RGD44Z	Fusion of left temporomandibular joint with internal fixation device, percutaneous endoscopic approach
ICD-10	0RGD47Z	Fusion of left temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RGD4JZ	Fusion of left temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RGD4KZ	Fusion of left temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RHC03Z	Insertion of infusion device into right temporomandibular joint, open approach
ICD-10	0RHC04Z	Insertion of internal fixation device into right temporomandibular joint, open approach
ICD-10	0RHC34Z	Insertion of Internal Fixation Device into Right Temporomandibular Joint, Percutaneous Approach
ICD-10	0RHC43Z	Insertion of infusion device into right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RHC44Z	Insertion of internal fixation device into right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RHD03Z	Insertion of infusion device into left temporomandibular joint, open approach
ICD-10	0RHD04Z	Insertion of internal fixation device into left temporomandibular joint, open approach
ICD-10	0RHD34Z	Insertion of internal fixation device into left temporomandibular joint, percutaneous approach
ICD-10	0RHD43Z	Insertion of infusion device into left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RHD44Z	Insertion of internal fixation device into left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RJC0ZZ	Inspection of right temporomandibular joint, open approach
ICD-10	0RJC4ZZ	Inspection of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RJD0ZZ	Inspection of left temporomandibular joint, open approach
ICD-10	0RJD4ZZ	Inspection of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RNC0ZZ	Release right temporomandibular joint, open approach
ICD-10	0RNC3ZZ	Release right temporomandibular joint, percutaneous approach
ICD-10	0RNC4ZZ	Release Right Temporomandibular Joint, Percutaneous Endoscopic Approach
ICD-10	0RND0ZZ	Release left temporomandibular joint, open approach
ICD-10	0RND3ZZ	Release left temporomandibular joint, percutaneous approach
ICD-10	0RND4ZZ	Release Left Temporomandibular Joint, Percutaneous Endoscopic Approach
ICD-10	0RPC00Z	Removal of drainage device from right temporomandibular joint, open approach
ICD-10	0RPC03Z	Removal of infusion device from right temporomandibular joint, open approach
ICD-10	0RPC04Z	Removal of Internal Fixation Device from Right Temporomandibular Joint, Open Approach
ICD-10	0RPC07Z	Removal of autologous tissue substitute from right temporomandibular joint, open approach
ICD-10	0RPC0JZ	Removal of synthetic substitute from right temporomandibular joint, open approach
ICD-10	0RPC0KZ	Removal of nonautologous tissue substitute from right temporomandibular joint, open approach
ICD-10	0RPC34Z	Removal of internal fixation device from right temporomandibular joint, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0RPC37Z	Removal of autologous tissue substitute from right temporomandibular joint, percutaneous approach
ICD-10	0RPC3JZ	Removal of synthetic substitute from right temporomandibular joint, percutaneous approach
ICD-10	0RPC3KZ	Removal of nonautologous tissue substitute from right temporomandibular joint, percutaneous approach
ICD-10	0RPC40Z	Removal of drainage device from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC43Z	Removal of infusion device from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC44Z	Removal of internal fixation device from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC47Z	Removal of autologous tissue substitute from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC4JZ	Removal of synthetic substitute from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC4KZ	Removal of nonautologous tissue substitute from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPCX4Z	Removal of internal fixation device from right temporomandibular joint, external approach
ICD-10	0RPD00Z	Removal of drainage device from left temporomandibular joint, open approach
ICD-10	0RPD03Z	Removal of infusion device from left temporomandibular joint, open approach
ICD-10	0RPD04Z	Removal of internal fixation device from left temporomandibular joint, open approach
ICD-10	0RPD07Z	Removal of autologous tissue substitute from left temporomandibular joint, open approach
ICD-10	0RPD0JZ	Removal of synthetic substitute from left temporomandibular joint, open approach
ICD-10	0RPD0KZ	Removal of nonautologous tissue substitute from left temporomandibular joint, open approach
ICD-10	0RPD34Z	Removal of internal fixation device from left temporomandibular joint, percutaneous approach
ICD-10	0RPD37Z	Removal of autologous tissue substitute from left temporomandibular joint, percutaneous approach
ICD-10	0RPD3JZ	Removal of synthetic substitute from left temporomandibular joint, percutaneous approach
ICD-10	0RPD3KZ	Removal of nonautologous tissue substitute from left temporomandibular joint, percutaneous approach
ICD-10	0RPD40Z	Removal of drainage device from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD43Z	Removal of infusion device from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD44Z	Removal of internal fixation device from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD47Z	Removal of autologous tissue substitute from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD4JZ	Removal of synthetic substitute from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD4KZ	Removal of nonautologous tissue substitute from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPDX4Z	Removal of internal fixation device from left temporomandibular joint, external approach
ICD-10	0RQC0ZZ	Repair right temporomandibular joint, open approach

ICD 9/10	Code	Description
ICD-10	0RQC3ZZ	Repair right temporomandibular joint, percutaneous approach
ICD-10	0RQC4ZZ	Repair right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RQD0ZZ	Repair left temporomandibular joint, open approach
ICD-10	0RQD3ZZ	Repair left temporomandibular joint, percutaneous approach
ICD-10	0RQD4ZZ	Repair left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RUC07Z	Supplement right temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RUC0JZ	Supplement right temporomandibular joint with synthetic substitute, open approach
ICD-10	0RUC0KZ	Supplement right temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RUC37Z	Supplement right temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RUC3JZ	Supplement right temporomandibular joint with synthetic substitute, percutaneous approach
ICD-10	0RUC3KZ	Supplement right temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RUC47Z	Supplement right temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RUC4JZ	Supplement right temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RUC4KZ	Supplement right temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RUD07Z	Supplement left temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RUD0JZ	Supplement left temporomandibular joint with synthetic substitute, open approach
ICD-10	0RUD0KZ	Supplement left temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RUD37Z	Supplement left temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RUD3JZ	Supplement left temporomandibular joint with synthetic substitute, percutaneous approach
ICD-10	0RUD3KZ	Supplement left temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RUD47Z	Supplement left temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RUD4JZ	Supplement left temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RUD4KZ	Supplement left temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RWC00Z	Revision of drainage device in right temporomandibular joint, open approach
ICD-10	0RWC03Z	Revision of infusion device in right temporomandibular joint, open approach
ICD-10	0RWC04Z	Revision of internal fixation device in right temporomandibular joint, open approach
ICD-10	0RWC07Z	Revision of autologous tissue substitute in right temporomandibular joint, open approach
ICD-10	0RWC08Z	Revision of spacer in right temporomandibular joint, open approach
ICD-10	0RWC0JZ	Revision of synthetic substitute in right temporomandibular joint, open approach
ICD-10	0RWC0KZ	Revision of nonautologous tissue substitute in right temporomandibular joint, open approach

ICD 9/10	Code	Description
ICD-10	0RWC30Z	Revision of drainage device in right temporomandibular joint, percutaneous approach
ICD-10	0RWC33Z	Revision of infusion device in right temporomandibular joint, percutaneous approach
ICD-10	0RWC34Z	Revision of internal fixation device in right temporomandibular joint, percutaneous approach
ICD-10	0RWC37Z	Revision of autologous tissue substitute in right temporomandibular joint, percutaneous approach
ICD-10	0RWC38Z	Revision of spacer in right temporomandibular joint, percutaneous approach
ICD-10	0RWC3JZ	Revision of synthetic substitute in right temporomandibular joint, percutaneous approach
ICD-10	0RWC3KZ	Revision of nonautologous tissue substitute in right temporomandibular joint, percutaneous approach
ICD-10	0RWC40Z	Revision of drainage device in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC43Z	Revision of infusion device in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC44Z	Revision of internal fixation device in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC47Z	Revision of autologous tissue substitute in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC48Z	Revision of spacer in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC4JZ	Revision of synthetic substitute in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC4KZ	Revision of nonautologous tissue substitute in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD00Z	Revision of drainage device in left temporomandibular joint, open approach
ICD-10	0RWD03Z	Revision of infusion device in left temporomandibular joint, open approach
ICD-10	0RWD04Z	Revision of internal fixation device in left temporomandibular joint, open approach
ICD-10	0RWD07Z	Revision of autologous tissue substitute in left temporomandibular joint, open approach
ICD-10	0RWD08Z	Revision of spacer in left temporomandibular joint, open approach
ICD-10	0RWD0JZ	Revision of synthetic substitute in left temporomandibular joint, open approach
ICD-10	0RWD0KZ	Revision of nonautologous tissue substitute in left temporomandibular joint, open approach
ICD-10	0RWD30Z	Revision of drainage device in left temporomandibular joint, percutaneous approach
ICD-10	0RWD33Z	Revision of infusion device in left temporomandibular joint, percutaneous approach
ICD-10	0RWD34Z	Revision of internal fixation device in left temporomandibular joint, percutaneous approach
ICD-10	0RWD37Z	Revision of autologous tissue substitute in left temporomandibular joint, percutaneous approach
ICD-10	0RWD38Z	Revision of spacer in left temporomandibular joint, percutaneous approach
ICD-10	0RWD3JZ	Revision of synthetic substitute in left temporomandibular joint, percutaneous approach
ICD-10	0RWD3KZ	Revision of nonautologous tissue substitute in left temporomandibular joint, percutaneous approach
ICD-10	0RWD40Z	Revision of drainage device in left temporomandibular joint, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0RWD43Z	Revision of infusion device in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD44Z	Revision of internal fixation device in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD47Z	Revision of autologous tissue substitute in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD48Z	Revision of spacer in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD4JZ	Revision of synthetic substitute in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD4KZ	Revision of nonautologous tissue substitute in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0W0207Z	Alteration of face with autologous tissue substitute, open approach
ICD-10	0W020JZ	Alteration of face with synthetic substitute, open approach
ICD-10	0W020KZ	Alteration of face with nonautologous tissue substitute, open approach
ICD-10	0W020ZZ	Alteration of face, open approach
ICD-10	0W0237Z	Alteration of face with autologous tissue substitute, percutaneous approach
ICD-10	0W023JZ	Alteration of face with synthetic substitute, percutaneous approach
ICD-10	0W023KZ	Alteration of face with nonautologous tissue substitute, percutaneous approach
ICD-10	0W023ZZ	Alteration of face, percutaneous approach
ICD-10	0W0247Z	Alteration of face with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W024JZ	Alteration of face with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W024KZ	Alteration of face with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W024ZZ	Alteration of face, percutaneous endoscopic approach
ICD-10	0W0407Z	Alteration of upper jaw with autologous tissue substitute, open approach
ICD-10	0W040JZ	Alteration of upper jaw with synthetic substitute, open approach
ICD-10	0W040KZ	Alteration of upper jaw with nonautologous tissue substitute, open approach
ICD-10	0W040ZZ	Alteration of upper jaw, open approach
ICD-10	0W0437Z	Alteration of upper jaw with autologous tissue substitute, percutaneous approach
ICD-10	0W043JZ	Alteration of upper jaw with synthetic substitute, percutaneous approach
ICD-10	0W043KZ	Alteration of upper jaw with nonautologous tissue substitute, percutaneous approach
ICD-10	0W043ZZ	Alteration of upper jaw, percutaneous approach
ICD-10	0W0447Z	Alteration of upper jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W044JZ	Alteration of upper jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W044KZ	Alteration of upper jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W044ZZ	Alteration of upper jaw, percutaneous endoscopic approach
ICD-10	0W0507Z	Alteration of lower jaw with autologous tissue substitute, open approach
ICD-10	0W050JZ	Alteration of lower jaw with synthetic substitute, open approach
ICD-10	0W050KZ	Alteration of lower jaw with nonautologous tissue substitute, open approach
ICD-10	0W050ZZ	Alteration of lower jaw, open approach
ICD-10	0W0537Z	Alteration of lower jaw with autologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0W053JZ	Alteration of lower jaw with synthetic substitute, percutaneous approach
ICD-10	0W053KZ	Alteration of lower jaw with nonautologous tissue substitute, percutaneous approach
ICD-10	0W053ZZ	Alteration of lower jaw, percutaneous approach
ICD-10	0W0547Z	Alteration of lower jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W054JZ	Alteration of lower jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W054KZ	Alteration of lower jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W054ZZ	Alteration of lower jaw, percutaneous endoscopic approach
ICD-10	0W0607Z	Alteration of neck with autologous tissue substitute, open approach
ICD-10	0W060JZ	Alteration of neck with synthetic substitute, open approach
ICD-10	0W060KZ	Alteration of neck with nonautologous tissue substitute, open approach
ICD-10	0W060ZZ	Alteration of neck, open approach
ICD-10	0W0637Z	Alteration of neck with autologous tissue substitute, percutaneous approach
ICD-10	0W063JZ	Alteration of neck with synthetic substitute, percutaneous approach
ICD-10	0W063KZ	Alteration of neck with nonautologous tissue substitute, percutaneous approach
ICD-10	0W063ZZ	Alteration of neck, percutaneous approach
ICD-10	0W0647Z	Alteration of neck with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W064JZ	Alteration of neck with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W064KZ	Alteration of neck with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W064ZZ	Alteration of neck, percutaneous endoscopic approach
ICD-10	0W300ZZ	Control bleeding in head, open approach
ICD-10	0W303ZZ	Control bleeding in head, percutaneous approach
ICD-10	0W304ZZ	Control bleeding in head, percutaneous endoscopic approach
ICD-10	0W310ZZ	Control bleeding in cranial cavity, open approach
ICD-10	0W313ZZ	Control bleeding in cranial cavity, percutaneous approach
ICD-10	0W314ZZ	Control bleeding in cranial cavity, percutaneous endoscopic approach
ICD-10	0W320ZZ	Control bleeding in face, open approach
ICD-10	0W323ZZ	Control bleeding in face, percutaneous approach
ICD-10	0W324ZZ	Control bleeding in face, percutaneous endoscopic approach
ICD-10	0W330ZZ	Control bleeding in oral cavity and throat, open approach
ICD-10	0W333ZZ	Control bleeding in oral cavity and throat, percutaneous approach
ICD-10	0W334ZZ	Control bleeding in oral cavity and throat, percutaneous endoscopic approach
ICD-10	0W340ZZ	Control bleeding in upper jaw, open approach
ICD-10	0W343ZZ	Control bleeding in upper jaw, percutaneous approach
ICD-10	0W344ZZ	Control bleeding in upper jaw, percutaneous endoscopic approach
ICD-10	0W350ZZ	Control bleeding in lower jaw, open approach
ICD-10	0W353ZZ	Control bleeding in lower jaw, percutaneous approach
ICD-10	0W354ZZ	Control bleeding in lower jaw, percutaneous endoscopic approach
ICD-10	0W360ZZ	Control bleeding in neck, open approach

ICD 9/10	Code	Description
ICD-10	0W363ZZ	Control bleeding in neck, percutaneous approach
ICD-10	0W364ZZ	Control bleeding in neck, percutaneous endoscopic approach
ICD-10	0W9600Z	Drainage of neck with drainage device, open approach
ICD-10	0W960ZZ	Drainage of neck, open approach
ICD-10	0W9640Z	Drainage of neck with drainage device, percutaneous endoscopic approach
ICD-10	0W964ZZ	Drainage of neck, percutaneous endoscopic approach
ICD-10	0WB00ZZ	Excision of head, open approach
ICD-10	0WB03ZZ	Excision of head, percutaneous approach
ICD-10	0WB04ZZ	Excision of head, percutaneous endoscopic approach
ICD-10	0WB0XZZ	Excision of head, external approach
ICD-10	0WB20ZZ	Excision of face, open approach
ICD-10	0WB23ZZ	Excision of face, percutaneous approach
ICD-10	0WB24ZZ	Excision of face, percutaneous endoscopic approach
ICD-10	0WB2XZZ	Excision of face, external approach
ICD-10	0WB40ZZ	Excision of upper jaw, open approach
ICD-10	0WB43ZZ	Excision of upper jaw, percutaneous approach
ICD-10	0WB44ZZ	Excision of upper jaw, percutaneous endoscopic approach
ICD-10	0WB4XZZ	Excision of upper jaw, external approach
ICD-10	0WB50ZZ	Excision of lower jaw, open approach
ICD-10	0WB53ZZ	Excision of lower jaw, percutaneous approach
ICD-10	0WB54ZZ	Excision of lower jaw, percutaneous endoscopic approach
ICD-10	0WB5XZZ	Excision of lower jaw, external approach
ICD-10	0WB60ZZ	Excision of neck, open approach
ICD-10	0WB63ZZ	Excision of neck, percutaneous approach
ICD-10	0WB64ZZ	Excision of neck, percutaneous endoscopic approach
ICD-10	0WB6XZ2	Excision of neck, stoma, external approach
ICD-10	0WB6XZZ	Excision of neck, external approach
ICD-10	0WH301Z	Insertion of radioactive element into oral cavity and throat, open approach
ICD-10	0WH331Z	Insertion of radioactive element into oral cavity and throat, percutaneous approach
ICD-10	0WH341Z	Insertion of radioactive element into oral cavity and throat, percutaneous endoscopic approach
ICD-10	0WH401Z	Insertion of radioactive element into upper jaw, open approach
ICD-10	0WH431Z	Insertion of radioactive element into upper jaw, percutaneous approach
ICD-10	0WH441Z	Insertion of radioactive element into upper jaw, percutaneous endoscopic approach
ICD-10	0WH501Z	Insertion of radioactive element into lower jaw, open approach
ICD-10	0WH531Z	Insertion of radioactive element into lower jaw, percutaneous approach
ICD-10	0WH541Z	Insertion of radioactive element into lower jaw, percutaneous endoscopic approach
ICD-10	0WH601Z	Insertion of radioactive element into neck, open approach
ICD-10	0WH631Z	Insertion of radioactive element into neck, percutaneous approach
ICD-10	0WH641Z	Insertion of radioactive element into neck, percutaneous endoscopic approach
ICD-10	0WJ60ZZ	Inspection of neck, open approach

ICD 9/10	Code	Description
ICD-10	0WJC4ZZ	Inspection of mediastinum, percutaneous endoscopic approach
ICD-10	0WJD4ZZ	Inspection of pericardial cavity, percutaneous endoscopic approach
ICD-10	0WM20ZZ	Reattachment of face, open approach
ICD-10	0WM40ZZ	Reattachment of upper jaw, open approach
ICD-10	0WM50ZZ	Reattachment of lower jaw, open approach
ICD-10	0WM60ZZ	Reattachment of neck, open approach
ICD-10	0WQ20ZZ	Repair face, open approach
ICD-10	0WQ23ZZ	Repair face, percutaneous approach
ICD-10	0WQ24ZZ	Repair face, percutaneous endoscopic approach
ICD-10	0WQ2XZZ	Repair face, external approach
ICD-10	0WQ30ZZ	Repair oral cavity and throat, open approach
ICD-10	0WQ33ZZ	Repair oral cavity and throat, percutaneous approach
ICD-10	0WQ34ZZ	Repair oral cavity and throat, percutaneous endoscopic approach
ICD-10	0WQ3XZZ	Repair oral cavity and throat, external approach
ICD-10	0WQ40ZZ	Repair upper jaw, open approach
ICD-10	0WQ43ZZ	Repair upper jaw, percutaneous approach
ICD-10	0WQ44ZZ	Repair upper jaw, percutaneous endoscopic approach
ICD-10	0WQ4XZZ	Repair upper jaw, external approach
ICD-10	0WQ50ZZ	Repair lower jaw, open approach
ICD-10	0WQ53ZZ	Repair lower jaw, percutaneous approach
ICD-10	0WQ54ZZ	Repair lower jaw, percutaneous endoscopic approach
ICD-10	0WQ5XZZ	Repair lower jaw, external approach
ICD-10	0WQ60ZZ	Repair neck, open approach
ICD-10	0WQ63ZZ	Repair neck, percutaneous approach
ICD-10	0WQ64ZZ	Repair neck, percutaneous endoscopic approach
ICD-10	0WQ6XZ2	Repair neck, stoma, external approach
ICD-10	0WQ6XZZ	Repair neck, external approach
ICD-10	0WU20JZ	Supplement face with synthetic substitute, open approach
ICD-10	0WU20KZ	Supplement face with nonautologous tissue substitute, open approach
ICD-10	0WU24JZ	Supplement face with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU24KZ	Supplement face with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU407Z	Supplement upper jaw with autologous tissue substitute, open approach
ICD-10	0WU40JZ	Supplement upper jaw with synthetic substitute, open approach
ICD-10	0WU40KZ	Supplement upper jaw with nonautologous tissue substitute, open approach
ICD-10	0WU447Z	Supplement upper jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU44JZ	Supplement upper jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU44KZ	Supplement upper jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU507Z	Supplement lower jaw with autologous tissue substitute, open approach
ICD-10	0WU50JZ	Supplement lower jaw with synthetic substitute, open approach
ICD-10	0WU50KZ	Supplement lower jaw with nonautologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0WU547Z	Supplement lower jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU54JZ	Supplement lower jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU54KZ	Supplement lower jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU60JZ	Supplement neck with synthetic substitute, open approach
ICD-10	0WU60KZ	Supplement neck with nonautologous tissue substitute, open approach
ICD-10	0WU64JZ	Supplement neck with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU64KZ	Supplement neck with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WY20Z0	Transplantation of face, allogeneic, open approach
ICD-10	0WY20Z1	Transplantation of face, syngeneic, open approach
ICD-10	XHRPXL2	Replacement of skin using porcine liver derived skin substitute, external approach, new technology group 2
ICD-10	008F3ZZ	Division of olfactory nerve, percutaneous approach
ICD-10	008F4ZZ	Division of olfactory nerve, percutaneous endoscopic approach
ICD-10	008G0ZZ	Division of optic nerve, open approach
ICD-10	008G3ZZ	Division of optic nerve, percutaneous approach
ICD-10	008G4ZZ	Division of optic nerve, percutaneous endoscopic approach
ICD-10	008H0ZZ	Division of oculomotor nerve, open approach

Table 32 – List of procedure codes related to Left Atrial Appendage Closure (LAAC) for MS-DRGs 273 and 274

ICD9/ICD10	Code	Description
ICD-9	3736	Excision, destruction, or exclusion of left atrial appendage (LAA)
ICD-10	02L70CK	Occlusion of left atrial appendage with extraluminal device, open approach
ICD-10	02L70DK	Occlusion of left atrial appendage with intraluminal device, open approach
ICD-10	02L70ZK	Occlusion of left atrial appendage, open approach

Table 33 – List of diagnosis and procedure codes related to hip fractures and hip replacement procedures for MS-DRGs 521 and 522

ICD 9/10	Code	Description
ICD-9	8151	Total hip replacement
ICD-9	8152	Partial hip replacement
ICD-9	0087	Resurfacing hip, partial, acetabulum
ICD-9	73314	Pathologic fracture of neck of femur
ICD-9	73396	Stress fracture of femoral neck
ICD-9	73315	Pathologic fracture of other specified part of femur
ICD-9	8080	Closed fracture of acetabulum
ICD-9	8081	Open fracture of acetabulum
ICD-9	8208	Closed fracture of unspecified part of neck of femur
ICD-9	8209	Open fracture of unspecified part of neck of femur
ICD-9	82000	Closed fracture of intracapsular section of neck of femur, unspecified
ICD-9	82010	Open fracture of intracapsular section of neck of femur, unspecified

ICD 9/10	Code	Description
ICD-9	82001	Closed fracture of epiphysis (separation) (upper) of neck of femur
ICD-9	82011	Open fracture of epiphysis (separation) (upper) of neck of femur
ICD-9	82012	Open fracture of midcervical section of neck of femur
ICD-9	82003	Closed fracture of base of neck of femur
ICD-9	82013	Open fracture of base of neck of femur
ICD-9	82009	Other closed transcervical fracture of neck of femur
ICD-9	82019	Other open transcervical fracture of neck of femur
ICD-9	82020	Closed fracture of trochanteric section of neck of femur
ICD-9	82030	Open fracture of trochanteric section of neck of femur, unspecified
ICD-9	82031	Open fracture of intertrochanteric section of neck of femur
ICD-9	82022	Closed fracture of subtrochanteric section of neck of femur
ICD-9	82032	Open fracture of subtrochanteric section of neck of femur
ICD-10	0SR9019	Replacement of right hip joint with metal synthetic substitute, cemented, open approach
ICD-10	0SR901A	Replacement of right hip joint with metal synthetic substitute, uncemented, open approach
ICD-10	0SR901Z	Replacement of right hip joint with metal synthetic substitute, open approach
ICD-10	0SR9029	Replacement of right hip joint with metal on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SR902A	Replacement of right hip joint with metal on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SR902Z	Replacement of right hip joint with metal on polyethylene synthetic substitute, open approach
ICD-10	0SR9039	Replacement of right hip joint with ceramic synthetic substitute, cemented, open approach
ICD-10	0SR903A	Replacement of right hip joint with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SR903Z	Replacement of right hip joint with ceramic synthetic substitute, open approach
ICD-10	0SR9049	Replacement of right hip joint with ceramic on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SR904A	Replacement of right hip joint with ceramic on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SR904Z	Replacement of right hip joint with ceramic on polyethylene synthetic substitute, open approach
ICD-10	0SR9069	Replacement of right hip joint with oxidized zirconium on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SR906A	Replacement of right hip joint with oxidized zirconium on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SR906Z	Replacement of right hip joint with oxidized zirconium on polyethylene synthetic substitute, open approach
ICD-10	0SR907Z	Replacement of right hip joint with autologous tissue substitute, open approach
ICD-10	0SR90J9	Replacement of right hip joint with synthetic substitute, cemented, open approach
ICD-10	0SR90JA	Replacement of right hip joint with synthetic substitute, uncemented, open approach
ICD-10	0SR90JZ	Replacement of right hip joint with synthetic substitute, open approach
ICD-10	0SR90KZ	Replacement of right hip joint with nonautologous tissue substitute, open approach
ICD-10	0SRA009	Replacement of right hip joint, acetabular surface with polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRA00A	Replacement of right hip joint, acetabular surface with polyethylene synthetic substitute, uncemented, open approach

ICD 9/10	Code	Description
ICD-10	0SRA00Z	Replacement of right hip joint, acetabular surface with polyethylene synthetic substitute, open approach
ICD-10	0SRA019	Replacement of right hip joint, acetabular surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRA01A	Replacement of right hip joint, acetabular surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRA01Z	Replacement of right hip joint, acetabular surface with metal synthetic substitute, open approach
ICD-10	0SRA039	Replacement of right hip joint, acetabular surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRA03A	Replacement of right hip joint, acetabular surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRA03Z	Replacement of right hip joint, acetabular surface with ceramic synthetic substitute, open approach
ICD-10	0SRA07Z	Replacement of right hip joint, acetabular surface with autologous tissue substitute, open approach
ICD-10	0SRA0J9	Replacement of right hip joint, acetabular surface with synthetic substitute, cemented, open approach
ICD-10	0SRA0JA	Replacement of right hip joint, acetabular surface with synthetic substitute, uncemented, open approach
ICD-10	0SRA0JZ	Replacement of right hip joint, acetabular surface with synthetic substitute, open approach
ICD-10	0SRA0KZ	Replacement of right hip joint, acetabular surface with nonautologous tissue substitute, open approach
ICD-10	0SRB019	Replacement of left hip joint with metal synthetic substitute, cemented, open approach
ICD-10	0SRB01A	Replacement of left hip joint with metal synthetic substitute, uncemented, open approach
ICD-10	0SRB01Z	Replacement of left hip joint with metal synthetic substitute, open approach
ICD-10	0SRB029	Replacement of left hip joint with metal on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRB02A	Replacement of left hip joint with metal on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRB02Z	Replacement of left hip joint with metal on polyethylene synthetic substitute, open approach
ICD-10	0SRB039	Replacement of left hip joint with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRB03A	Replacement of left hip joint with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRB03Z	Replacement of left hip joint with ceramic synthetic substitute, open approach
ICD-10	0SRB049	Replacement of left hip joint with ceramic on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRB04A	Replacement of left hip joint with ceramic on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRB04Z	Replacement of left hip joint with ceramic on polyethylene synthetic substitute, open approach
ICD-10	0SRB069	Replacement of left hip joint with oxidized zirconium on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRB06A	Replacement of left hip joint with oxidized zirconium on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRB06Z	Replacement of left hip joint with oxidized zirconium on polyethylene synthetic substitute, open approach
ICD-10	0SRB07Z	Replacement of left hip joint with autologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0SRB0J9	Replacement of left hip joint with synthetic substitute, cemented, open approach
ICD-10	0SRB0JA	Replacement of left hip joint with synthetic substitute, uncemented, open approach
ICD-10	0SRB0JZ	Replacement of left hip joint with synthetic substitute, open approach
ICD-10	0SRB0KZ	Replacement of left hip joint with nonautologous tissue substitute, open approach
ICD-10	0SRE009	Replacement of left hip joint, acetabular surface with polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRE00A	Replacement of left hip joint, acetabular surface with polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRE00Z	Replacement of left hip joint, acetabular surface with polyethylene synthetic substitute, open approach
ICD-10	0SRE019	Replacement of left hip joint, acetabular surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRE01A	Replacement of left hip joint, acetabular surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRE01Z	Replacement of left hip joint, acetabular surface with metal synthetic substitute, open approach
ICD-10	0SRE039	Replacement of left hip joint, acetabular surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRE03A	Replacement of left hip joint, acetabular surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRE03Z	Replacement of left hip joint, acetabular surface with ceramic synthetic substitute, open approach
ICD-10	0SRE07Z	Replacement of left hip joint, acetabular surface with autologous tissue substitute, open approach
ICD-10	0SRE0J9	Replacement of left hip joint, acetabular surface with synthetic substitute, cemented, open approach
ICD-10	0SRE0JA	Replacement of left hip joint, acetabular surface with synthetic substitute, uncemented, open approach
ICD-10	0SRE0JZ	Replacement of left hip joint, acetabular surface with synthetic substitute, open approach
ICD-10	0SRE0KZ	Replacement of left hip joint, acetabular surface with nonautologous tissue substitute, open approach
ICD-10	0SRR019	Replacement of right hip joint, femoral surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRR01A	Replacement of right hip joint, femoral surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRR01Z	Replacement of right hip joint, femoral surface with metal synthetic substitute, open approach
ICD-10	0SRR039	Replacement of right hip joint, femoral surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRR03A	Replacement of right hip joint, femoral surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRR03Z	Replacement of right hip joint, femoral surface with ceramic synthetic substitute, open approach
ICD-10	0SRR07Z	Replacement of right hip joint, femoral surface with autologous tissue substitute, open approach
ICD-10	0SRR0J9	Replacement of right hip joint, femoral surface with synthetic substitute, cemented, open approach
ICD-10	0SRR0JA	Replacement of right hip joint, femoral surface with synthetic substitute, uncemented, open approach
ICD-10	0SRR0JZ	Replacement of right hip joint, femoral surface with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0SRR0KZ	Replacement of right hip joint, femoral surface with nonautologous tissue substitute, open approach
ICD-10	0SRS019	Replacement of left hip joint, femoral surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRS01A	Replacement of left hip joint, femoral surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRS01Z	Replacement of left hip joint, femoral surface with metal synthetic substitute, open approach
ICD-10	0SRS039	Replacement of left hip joint, femoral surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRS03A	Replacement of left hip joint, femoral surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRS03Z	Replacement of left hip joint, femoral surface with ceramic synthetic substitute, open approach
ICD-10	0SRS07Z	Replacement of left hip joint, femoral surface with autologous tissue substitute, open approach
ICD-10	0SRS0J9	Replacement of left hip joint, femoral surface with synthetic substitute, cemented, open approach
ICD-10	0SRS0JA	Replacement of left hip joint, femoral surface with synthetic substitute, uncemented, open approach
ICD-10	0SRS0JZ	Replacement of left hip joint, femoral surface with synthetic substitute, open approach
ICD-10	0SRS0KZ	Replacement of left hip joint, femoral surface with nonautologous tissue substitute, open approach
ICD-10	0SU90BZ	Supplement right hip joint with resurfacing device, open approach
ICD-10	0SUA0BZ	Supplement right hip joint, acetabular surface with resurfacing device, open approach
ICD-10	0SUB0BZ	Supplement left hip joint with resurfacing device, open approach
ICD-10	0SUE0BZ	Supplement left hip joint, acetabular surface with resurfacing device, open approach
ICD-10	0SUR0BZ	Supplement right hip joint, femoral surface with resurfacing device, open approach
ICD-10	0SUS0BZ	Supplement left hip joint, femoral surface with resurfacing device, open approach
ICD-10	M80051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture
ICD-10	M80051G	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
ICD-10	M80051K	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M80051P	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M80052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture
ICD-10	M80052G	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
ICD-10	M80052K	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M80052P	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M80059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
ICD-10	M80059G	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	M80059K	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M80059P	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M80851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture
ICD-10	M80851G	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
ICD-10	M80851K	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M80851P	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M80852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture
ICD-10	M80852G	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
ICD-10	M80852K	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M80852P	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M80859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
ICD-10	M80859G	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	M80859K	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M80859P	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84351A	Stress fracture, right femur, initial encounter for fracture
ICD-10	M84351K	Stress fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84351P	Stress fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M84352A	Stress fracture, left femur, initial encounter for fracture
ICD-10	M84352K	Stress fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84352P	Stress fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M84353A	Stress fracture, unspecified femur, initial encounter for fracture
ICD-10	M84353K	Stress fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84353P	Stress fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84359A	Stress fracture, hip, unspecified, initial encounter for fracture
ICD-10	M84359K	Stress fracture, hip, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84359P	Stress fracture, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84451A	Pathological fracture, right femur, initial encounter for fracture
ICD-10	M84451K	Pathological fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84451P	Pathological fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M84452A	Pathological fracture, left femur, initial encounter for fracture
ICD-10	M84452K	Pathological fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84452P	Pathological fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M84453A	Pathological fracture, unspecified femur, initial encounter for fracture

ICD 9/10	Code	Description
ICD-10	M84453K	Pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84453P	Pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84459A	Pathological fracture, hip, unspecified, initial encounter for fracture
ICD-10	M84459K	Pathological fracture, hip, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84459P	Pathological fracture, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84551A	Pathological fracture in neoplastic disease, right femur, initial encounter for fracture
ICD-10	M84551K	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84551P	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with malunion
ICD-10	M84552A	Pathological fracture in neoplastic disease, left femur, initial encounter for fracture
ICD-10	M84552K	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84552P	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with malunion
ICD-10	M84553A	Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture
ICD-10	M84553K	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84553P	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84559A	Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture
ICD-10	M84559K	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84559P	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84651A	Pathological fracture in other disease, right femur, initial encounter for fracture
ICD-10	M84651K	Pathological fracture in other disease, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84651P	Pathological fracture in other disease, right femur, subsequent encounter for fracture with malunion
ICD-10	M84652A	Pathological fracture in other disease, left femur, initial encounter for fracture
ICD-10	M84652K	Pathological fracture in other disease, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84652P	Pathological fracture in other disease, left femur, subsequent encounter for fracture with malunion
ICD-10	M84653A	Pathological fracture in other disease, unspecified femur, initial encounter for fracture
ICD-10	M84653K	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84653P	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84659A	Pathological fracture in other disease, hip, unspecified, initial encounter for fracture
ICD-10	M84659K	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	M84659P	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84750A	Atypical femoral fracture, unspecified, initial encounter for fracture
ICD-10	M84750G	Atypical femoral fracture, unspecified, subsequent encounter for fracture with delayed healing
ICD-10	M84750K	Atypical femoral fracture, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84750P	Atypical femoral fracture, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84751A	Incomplete atypical femoral fracture, right leg, initial encounter for fracture
ICD-10	M84751G	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
ICD-10	M84751K	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
ICD-10	M84751P	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
ICD-10	M84752A	Incomplete atypical femoral fracture, left leg, initial encounter for fracture
ICD-10	M84752G	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
ICD-10	M84752K	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
ICD-10	M84752P	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10	M84753A	Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture
ICD-10	M84753G	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
ICD-10	M84753K	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
ICD-10	M84753P	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
ICD-10	M84754A	Complete transverse atypical femoral fracture, right leg, initial encounter for fracture
ICD-10	M84754G	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
ICD-10	M84754K	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
ICD-10	M84754P	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
ICD-10	M84755A	Complete transverse atypical femoral fracture, left leg, initial encounter for fracture
ICD-10	M84755G	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
ICD-10	M84755K	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
ICD-10	M84755P	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10	M84756A	Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture
ICD-10	M84756G	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
ICD-10	M84756K	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	M84756P	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
ICD-10	M84757A	Complete oblique atypical femoral fracture, right leg, initial encounter for fracture
ICD-10	M84757G	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
ICD-10	M84757K	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
ICD-10	M84757P	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
ICD-10	M84758A	Complete oblique atypical femoral fracture, left leg, initial encounter for fracture
ICD-10	M84758G	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
ICD-10	M84758K	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
ICD-10	M84758P	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10	M84759A	Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture
ICD-10	M84759G	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
ICD-10	M84759K	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
ICD-10	M84759P	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
ICD-10	S32401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32401B	Unspecified fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32401G	Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32401K	Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32402B	Unspecified fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32402G	Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32402K	Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32409G	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32409K	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32411G	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32411K	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S32412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture
ICD-10	S32412G	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32412K	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32413G	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32413K	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32414G	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32414K	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture
ICD-10	S32415G	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32415K	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32416G	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32416K	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32421G	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32421K	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture

ICD 9/10	Code	Description
ICD-10	S32422G	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32422K	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32423G	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32423K	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32424G	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32424K	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture
ICD-10	S32425G	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32425K	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32426G	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32426K	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture
ICD-10	S32431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture
ICD-10	S32431G	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32431K	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture
ICD-10	S32432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture
ICD-10	S32432G	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32432K	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S32433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32433G	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32433K	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture
ICD-10	S32434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture
ICD-10	S32434G	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32434K	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture
ICD-10	S32435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture
ICD-10	S32435G	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32435K	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32436G	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32436K	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture
ICD-10	S32441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture
ICD-10	S32441G	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32441K	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture
ICD-10	S32442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture
ICD-10	S32442G	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32442K	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture

ICD 9/10	Code	Description
ICD-10	S32443G	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32443K	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture
ICD-10	S32444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture
ICD-10	S32444G	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32444K	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture
ICD-10	S32445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture
ICD-10	S32445G	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32445K	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32446G	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32446K	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32451G	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32451K	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32452G	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32452K	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32453G	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32453K	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S32454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32454G	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32454K	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32455G	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32455K	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32456G	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32456K	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32461G	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32461K	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32462G	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32462K	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32463G	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32463K	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32464G	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	S32464K	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32465G	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32465K	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32466G	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32466K	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture
ICD-10	S32471G	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32471K	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture
ICD-10	S32472G	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32472K	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32473G	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32473K	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture
ICD-10	S32474G	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32474K	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S32475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture
ICD-10	S32475G	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32475K	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32476G	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32476K	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32481G	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32481K	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32482G	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32482K	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32483G	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32483K	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32484G	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32484K	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32485G	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32485K	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture

ICD 9/10	Code	Description
ICD-10	S32486G	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32486K	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32491A	Other specified fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32491B	Other specified fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32491G	Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32491K	Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32492A	Other specified fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32492B	Other specified fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32492G	Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32492K	Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32499G	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32499K	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S72001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture
ICD-10	S72001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72001G	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72001H	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72001J	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72001K	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72001M	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72001N	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72001P	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72001Q	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72001R	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture
ICD-10	S72002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II

ICD 9/10	Code	Description
ICD-10	S72002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72002G	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72002H	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72002J	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72002K	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72002M	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72002N	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72002P	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72002Q	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72002R	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72009G	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72009H	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72009J	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72009K	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72009M	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72009N	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72009P	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72009Q	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72009R	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture
ICD-10	S72011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72011G	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	S72011H	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72011J	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72011K	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72011M	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72011N	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72011P	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72011Q	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72011R	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture
ICD-10	S72012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72012G	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72012H	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72012J	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72012K	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72012M	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72012N	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72012P	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72012Q	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72012R	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72019G	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72019H	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72019J	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD 9/10	Code	Description
ICD-10	S72019K	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72019M	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72019N	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72019P	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72019Q	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72019R	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
ICD-10	S72021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II
ICD-10	S72021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72021G	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72021H	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72021J	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72021K	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72021M	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72021N	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72021P	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72021Q	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72021R	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
ICD-10	S72022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
ICD-10	S72022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72022G	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72022H	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72022J	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72022K	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72022M	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion

ICD 9/10	Code	Description
ICD-10	S72022N	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72022P	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72022Q	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72022R	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
ICD-10	S72023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72023G	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72023H	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72023J	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72023K	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72023M	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72023N	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72023P	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72023Q	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72023R	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
ICD-10	S72024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II
ICD-10	S72024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72024G	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72024H	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72024J	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72024K	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72024M	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72024N	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72024P	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion

ICD 9/10	Code	Description
ICD-10	S72024Q	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72024R	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
ICD-10	S72025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
ICD-10	S72025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72025G	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72025H	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72025J	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72025K	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72025M	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72025N	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72025P	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72025Q	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72025R	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
ICD-10	S72026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72026G	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72026H	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72026J	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72026K	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72026M	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72026N	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72026P	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72026Q	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72026R	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

ICD 9/10	Code	Description
ICD-10	S72031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture
ICD-10	S72031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72031G	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72031H	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72031J	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72031K	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72031M	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72031N	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72031P	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72031Q	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72031R	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture
ICD-10	S72032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72032G	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72032H	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72032J	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72032K	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72032M	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72032N	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72032P	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72032Q	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72032R	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

ICD 9/10	Code	Description
ICD-10	S72033G	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72033H	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72033J	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72033K	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72033M	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72033N	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72033P	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72033Q	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72033R	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture
ICD-10	S72034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72034G	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72034H	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72034J	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72034K	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72034M	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72034N	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72034P	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72034Q	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72034R	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture
ICD-10	S72035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72035G	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72035H	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing

ICD 9/10	Code	Description
ICD-10	S72035J	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72035K	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72035M	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72035N	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72035P	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72035Q	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72035R	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72036G	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72036H	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72036J	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72036K	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72036M	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72036N	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72036P	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72036Q	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72036R	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture
ICD-10	S72041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72041G	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72041H	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72041J	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72041K	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S72041M	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72041N	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72041P	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72041Q	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72041R	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture
ICD-10	S72042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
ICD-10	S72042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72042G	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72042H	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72042J	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72042K	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72042M	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72042N	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72042P	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72042Q	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72042R	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72043G	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72043H	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72043J	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72043K	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72043M	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72043N	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S72043P	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72043Q	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72043R	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture
ICD-10	S72044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72044G	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72044H	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72044J	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72044K	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72044M	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72044N	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72044P	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72044Q	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72044R	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture
ICD-10	S72045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
ICD-10	S72045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72045G	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72045H	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72045J	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72045K	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72045M	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72045N	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72045P	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72045Q	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72045R	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72046G	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72046H	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72046J	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72046K	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72046M	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72046N	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72046P	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72046Q	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72046R	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72051A	Unspecified fracture of head of right femur, initial encounter for closed fracture
ICD-10	S72051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II
ICD-10	S72051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72051G	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72051H	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72051J	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72051K	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72051M	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72051N	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72051P	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72051Q	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72051R	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72052A	Unspecified fracture of head of left femur, initial encounter for closed fracture
ICD-10	S72052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II

ICD 9/10	Code	Description
ICD-10	S72052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72052G	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72052H	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72052J	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72052K	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72052M	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72052N	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72052P	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72052Q	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72052R	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture
ICD-10	S72059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72059G	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72059H	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72059J	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72059K	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72059M	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72059N	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72059P	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72059Q	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72059R	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture
ICD-10	S72061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II
ICD-10	S72061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72061G	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	S72061H	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72061J	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72061K	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72061M	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72061N	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72061P	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72061Q	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72061R	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture
ICD-10	S72062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II
ICD-10	S72062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72062G	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72062H	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72062J	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72062K	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72062M	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72062N	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72062P	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72062Q	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72062R	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture
ICD-10	S72063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72063G	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72063H	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72063J	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD 9/10	Code	Description
ICD-10	S72063K	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72063M	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72063N	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72063P	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72063Q	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72063R	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture
ICD-10	S72064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II
ICD-10	S72064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72064G	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72064H	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72064J	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72064K	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72064M	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72064N	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72064P	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72064Q	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72064R	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture
ICD-10	S72065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II
ICD-10	S72065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72065G	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72065H	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72065J	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72065K	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72065M	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion

ICD 9/10	Code	Description
ICD-10	S72065N	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72065P	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72065Q	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72065R	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture
ICD-10	S72066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72066G	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72066H	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72066J	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72066K	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72066M	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72066N	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72066P	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72066Q	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72066R	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72091A	Other fracture of head and neck of right femur, initial encounter for closed fracture
ICD-10	S72091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72091G	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72091H	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72091J	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72091K	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72091M	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72091N	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72091P	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72091Q	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72091R	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72092A	Other fracture of head and neck of left femur, initial encounter for closed fracture
ICD-10	S72092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II
ICD-10	S72092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72092G	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72092H	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72092J	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72092K	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72092M	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72092N	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72092P	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72092Q	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72092R	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72099G	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72099H	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72099J	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72099K	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72099M	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72099N	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72099P	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72099Q	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72099R	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S72101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II

ICD 9/10	Code	Description
ICD-10	S72101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72101G	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72101H	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72101J	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72101K	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72101M	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72101N	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72101P	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72101Q	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72101R	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S72102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72102G	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72102H	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72102J	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72102K	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72102M	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72102N	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72102P	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72102Q	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72102R	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72109G	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72109H	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing

ICD 9/10	Code	Description
ICD-10	S72109J	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72109K	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72109M	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72109N	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72109P	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72109Q	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72109R	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture
ICD-10	S72111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72111G	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72111H	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72111J	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72111K	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72111M	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72111N	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72111P	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72111Q	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72111R	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture
ICD-10	S72112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72112G	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72112H	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72112J	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72112K	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S72112M	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72112N	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72112P	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72112Q	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72112R	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture
ICD-10	S72113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72113G	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72113H	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72113J	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72113K	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72113M	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72113N	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72113P	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72113Q	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72113R	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture
ICD-10	S72114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72114G	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72114H	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72114J	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72114K	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72114M	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72114N	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S72114P	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72114Q	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72114R	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture
ICD-10	S72115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72115G	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72115H	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72115J	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72115K	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72115M	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72115N	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72115P	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72115Q	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72115R	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture
ICD-10	S72116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72116G	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72116H	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72116J	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72116K	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72116M	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72116N	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72116P	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72116Q	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72116R	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture
ICD-10	S72121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72121G	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72121H	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72121J	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72121K	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72121M	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72121N	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72121P	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72121Q	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72121R	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture
ICD-10	S72122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72122G	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72122H	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72122J	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72122K	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72122M	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72122N	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72122P	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72122Q	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72122R	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S72123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72123G	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72123H	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72123J	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72123K	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72123M	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72123N	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72123P	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72123Q	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72123R	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture
ICD-10	S72124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72124G	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72124H	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72124J	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72124K	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72124M	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72124N	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72124P	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72124Q	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72124R	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture
ICD-10	S72125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

ICD 9/10	Code	Description
ICD-10	S72125G	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72125H	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72125J	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72125K	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72125M	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72125N	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72125P	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72125Q	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72125R	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture
ICD-10	S72126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72126G	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72126H	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72126J	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72126K	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72126M	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72126N	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72126P	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72126Q	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72126R	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture
ICD-10	S72131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72131G	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72131H	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72131J	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD 9/10	Code	Description
ICD-10	S72131K	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72131M	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72131N	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72131P	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72131Q	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72131R	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture
ICD-10	S72132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72132G	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72132H	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72132J	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72132K	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72132M	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72132N	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72132P	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72132Q	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72132R	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72133G	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72133H	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72133J	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72133K	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72133M	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72133N	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S72133P	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72133Q	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72133R	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture
ICD-10	S72134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72134G	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72134H	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72134J	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72134K	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72134M	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72134N	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72134P	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72134Q	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72134R	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture
ICD-10	S72135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72135G	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72135H	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72135J	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72135K	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72135M	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72135N	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72135P	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72135Q	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72135R	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72136G	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72136H	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72136J	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72136K	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72136M	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72136N	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72136P	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72136Q	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72136R	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S72141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72141G	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72141H	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72141J	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72141K	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72141M	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72141N	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72141P	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72141Q	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72141R	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S72142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72142G	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72142H	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72142J	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72142K	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72142M	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72142N	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72142P	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72142Q	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72142R	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72143G	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72143H	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72143J	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72143K	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72143M	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72143N	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72143P	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72143Q	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72143R	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S72144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

ICD 9/10	Code	Description
ICD-10	S72144G	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72144H	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72144J	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72144K	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72144M	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72144N	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72144P	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72144Q	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72144R	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S72145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72145G	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72145H	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72145J	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72145K	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72145M	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72145N	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72145P	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72145Q	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72145R	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72146G	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72146H	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing

ICD 9/10	Code	Description
ICD-10	S72146J	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72146K	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72146M	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72146N	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72146P	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72146Q	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72146R	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7221XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S7221XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S7221XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7221XG	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7221XH	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7221XJ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7221XK	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7221XM	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7221XN	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7221XP	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S7221XQ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7221XR	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7222XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S7222XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S7222XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7222XG	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7222XH	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7222XJ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7222XK	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S7222XM	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7222XN	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7222XP	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S7222XQ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7222XR	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7223XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S7223XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S7223XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7223XG	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7223XH	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7223XJ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7223XK	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7223XM	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7223XN	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7223XP	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S7223XQ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7223XR	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7224XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S7224XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S7224XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7224XG	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7224XH	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7224XJ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7224XK	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7224XM	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7224XN	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S7224XP	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S7224XQ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7224XR	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7225XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S7225XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S7225XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7225XG	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7225XH	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7225XJ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7225XK	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7225XM	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7225XN	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7225XP	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S7225XQ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7225XR	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7226XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S7226XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S7226XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7226XG	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7226XH	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7226XJ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7226XK	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7226XM	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7226XN	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7226XP	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S7226XQ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S7226XR	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S79001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture
ICD-10	S79001G	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
ICD-10	S79001K	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
ICD-10	S79001P	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
ICD-10	S79002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture
ICD-10	S79002G	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
ICD-10	S79002K	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
ICD-10	S79002P	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
ICD-10	S79009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
ICD-10	S79009G	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	S79009K	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	S79009P	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion
ICD-10	S79011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture
ICD-10	S79011G	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
ICD-10	S79011K	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
ICD-10	S79011P	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
ICD-10	S79012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture
ICD-10	S79012G	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
ICD-10	S79012K	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
ICD-10	S79012P	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
ICD-10	S79019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
ICD-10	S79019G	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	S79019K	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	S79019P	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion
ICD-10	S79091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S79091G	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
ICD-10	S79091K	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
ICD-10	S79091P	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
ICD-10	S79092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture
ICD-10	S79092G	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
ICD-10	S79092K	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
ICD-10	S79092P	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
ICD-10	S79099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
ICD-10	S79099G	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	S79099K	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	S79099P	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion

Table 34 – List of procedure codes related to the performance of hemodialysis for MS-DRG 019

ICD 9/10	Code	Description
ICD-9	39.95	Hemodialysis
ICD-10	5A1D70Z	Performance of urinary filtration, intermittent, less than 6 hours per day
ICD-10	5A1D80Z	Performance of urinary filtration, prolonged intermittent, 6-18 hours per day
ICD-10	5A1D90Z	Performance of urinary filtration, continuous, greater than 18 hours per day

Table 35 – List of procedure codes related to kidney transplant for MS-DRGs 650 and 651

ICD 9/10	Code	Description
ICD-9	5569	Other kidney transplantation
ICD-10	0TY00Z0	Transplantation of Right Kidney, Allogeneic, Open Approach
ICD-10	0TY00Z1	Transplantation of Right Kidney, Syngeneic, Open Approach
ICD-10	0TY00Z2	Transplantation of Right Kidney, Zooplasic, Open Approach
ICD-10	0TY10Z0	Transplantation of Left Kidney, Allogeneic, Open Approach
ICD-10	0TY10Z1	Transplantation of Left Kidney, Syngeneic, Open Approach
ICD-10	0TY10Z2	Transplantation of Left Kidney, Zooplasic, Open Approach

Table 36 – List of diagnosis codes describing mechanical complications of vascular dialysis catheters for MS-DRGs 673-675 and 698-700

ICD 9/10	Code	Description
ICD-9	9961	Mechanical complication of other vascular device, implant, and graft
ICD-9	99673	Other complications due to renal dialysis device, implant, and graft
ICD-10	T8241XA	Breakdown (mechanical) of vascular dialysis catheter, initial encounter
ICD-10	T8242XA	Displacement of vascular dialysis catheter, initial encounter
ICD-10	T8243XA	Leakage of vascular dialysis catheter, initial encounter
ICD-10	T8249XA	Other complication of vascular dialysis catheter, initial encounter

Table 37 – List of non-operating room procedure codes related for MS-DRGs 673-675

ICD 9/10	Code	Description
ICD-10	0JH60XZ	Insertion of Tunneled Vascular Access Device into Chest Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JH63WZ	Insertion of Totally Implantable Vascular Access Device into Chest Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JH63XZ	Insertion of Tunneled Vascular Access Device into Chest Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JH80XZ	Insertion of Tunneled Vascular Access Device into Abdomen Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JH83WZ	Insertion of Totally Implantable Vascular Access Device into Abdomen Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JH83XZ	Insertion of Tunneled Vascular Access Device into Abdomen Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHD0XZ	Insertion of Tunneled Vascular Access Device into Right Upper Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHD3WZ	Insertion of Totally Implantable Vascular Access Device into Right Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHD3XZ	Insertion of Tunneled Vascular Access Device into Right Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHF0XZ	Insertion of Tunneled Vascular Access Device into Left Upper Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHF3WZ	Insertion of Totally Implantable Vascular Access Device into Left Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHF3XZ	Insertion of Tunneled Vascular Access Device into Left Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHG0XZ	Insertion of Tunneled Vascular Access Device into Right Lower Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHG3WZ	Insertion of Totally Implantable Vascular Access Device into Right Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHG3XZ	Insertion of Tunneled Vascular Access Device into Right Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHH0XZ	Insertion of Tunneled Vascular Access Device into Left Lower Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHH3WZ	Insertion of Totally Implantable Vascular Access Device into Left Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHH3XZ	Insertion of Tunneled Vascular Access Device into Left Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHL0XZ	Insertion of Tunneled Vascular Access Device into Right Upper Leg Subcutaneous Tissue and Fascia, Open Approach

ICD 9/10	Code	Description
ICD-10	0JHL3WZ	Insertion of Totally Implantable Vascular Access Device into Right Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHL3XZ	Insertion of Tunneled Vascular Access Device into Right Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHM0XZ	Insertion of Tunneled Vascular Access Device into Left Upper Leg Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHM3WZ	Insertion of Totally Implantable Vascular Access Device into Left Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHM3XZ	Insertion of Tunneled Vascular Access Device into Left Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHN0XZ	Insertion of Tunneled Vascular Access Device into Right Lower Leg Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHN3WZ	Insertion of Totally Implantable Vascular Access Device into Right Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHN3XZ	Insertion of Tunneled Vascular Access Device into Right Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHP0XZ	Insertion of Tunneled Vascular Access Device into Left Lower Leg Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHP3WZ	Insertion of Totally Implantable Vascular Access Device into Left Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHP3XZ	Insertion of Tunneled Vascular Access Device into Left Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach

Table 38 – List of reassigned procedure codes for MS-DRGs 987-989

ICD 9/10	Code	Description
ICD-9	5419	Other laparotomy
ICD-9	3409	Other incision of pleura
ICD-10	0W3G3ZZ	Control bleeding in peritoneal cavity, percutaneous approach
ICD-10	0W3G4ZZ	Control bleeding in peritoneal cavity, percutaneous endoscopic approach
ICD-10	0WBC0ZX	Excision of mediastinum, open approach, diagnostic

Table 39 – List of procedure codes describing excision of mediastinum for MS-DRGs 166-168

ICD 9/10	Code	Description
ICD-9	343	Excision or destruction of lesion or tissue of mediastinum
ICD-10	0WBC0ZZ	Excision of Mediastinum, Open Approach
ICD-10	0WBC3ZZ	Excision of Mediastinum, Percutaneous Approach
ICD-10	0WBC4ZZ	Excision of Mediastinum, Percutaneous Endoscopic Approach