



# **Clinical Episode Construction Specifications Appendix A - MS-DRG Mapping Specifications Model Year 4**

**Center for Medicare & Medicaid Services (CMS)  
Center for Medicare & Medicaid Innovation (Innovation  
Center)**

**February 2021**

## TABLE OF CONTENTS

<b>1</b>	<b>BPCI Advanced MS-DRG Mapping</b>	<b>1</b>
1.1	FY 2016 – FY 2017	1
1.1.1	MS-DRG 230 to MS-DRG 229	1
1.2	FY 2017 – FY 2018	1
1.2.1	MS-DRGs 984-986 to MS-DRGs 987-989	1
1.2.2	MS-DRGs 216-221 to 266-267	1
1.3	FY 2018 – FY 2019	2
1.3.1	MS-DRGs 393-395 to 686-688	2
1.3.2	MS-DRG 606-607 to 686-688	2
1.3.3	MS-DRG 685 to 698-700	2
1.3.4	MS-DRGs 765-766 to 783-788	3
1.3.5	MS-DRGs 767/774/775 to 744-745, 796-798, and 805-807	4
1.3.6	MS-DRGs 777-778/780-782 to 819/833	5
1.4	FY 2019 – FY 2020	5
1.4.1	MS-DRGs 207/291/296/870 to 003	5
1.4.2	MS-DRG 014 to 016-017	6
1.4.3	MS-DRGs 037-039 to 034-036	6
1.4.4	MS-DRG 176 to 175	6
1.4.5	MS-DRGs 216-218/ 228-229/ 273-274 to 266-267	7
1.4.6	MS-DRGs 216-218 228/229 to 319/320	7
1.4.7	MS-DRGs 548-550/ 981-983/ 974-976 to 485-487	8
1.4.8	MS-DRGs 459-460 to 456-458	8
1.4.9	MS-DRGs 456-458 to 471-473/ 551-552	9
1.4.10	MS-DRGs 691-692 to 693-694	9
1.4.11	MS-DRGs 302-303 to 729-730/ 947-948	10
1.4.12	MS-DRGs 769 and 776 to 817-819/ 831-833	10
1.4.13	MS-DRGs 485-487 to 559-561	11
1.4.14	MS-DRGs 981-983 to 579-581	11
1.4.15	MS-DRGs 987-989 to 326-328	12
1.4.16	MS-DRGs 981-983 to 715-718/ 749-750	12
1.5	FY 2020 – FY 2021	13
1.5.1	MS-DRG 016 to 018	13
1.5.2	MS-DRGs 037- 039 and 252-254 to 034-036	13
1.5.3	MS-DRGs 129-134 to 140-142	14
1.5.4	MS-DRGs 129-134 to 143-145	15
1.5.5	MS-DRGs 250-251 to 273-274	16
1.5.6	MS-DRGs 469-470 to 521-522	16
1.5.7	MS-DRGs 008 to 019	17
1.5.8	MS-DRGs 652 to 650-651	17
1.5.9	MS-DRGs 314-316 to 673-675 and 698-700	17
1.5.10	MS-DRGs 981-983 to 987-989	18
1.5.11	MS-DRGs 163-165 to 166-168	19
<b>2</b>	<b>Supplementary Codes</b>	<b>20</b>

[This page is intentionally left blank.]

# 1 BPCI ADVANCED MS-DRG MAPPING

---

This appendix maps MS-DRG changes from year to year as documented in the CMS annual transmittals\IPPS Final Rules. When an MS-DRG changes from year to year, a mapping must be established in order to compare Clinical Episode spending between different time periods. A direct mapping ensures that costs compared between Clinical Episodes across different time periods have the same clinical content. All FY 2016-2021 MS-DRG changes from the transmittals\Final Rules are included. The appendix is divided into five sections to account for MS-DRGs from year-to-year over the span of the model.

## 1.1 FY 2016 – FY 2017

The FY2017 IPPS Final Rule has the following change that requires a mapping.

### 1.1.1 MS-DRG 230 to MS-DRG 229

CMS collapsed MS-DRGs 228, 229, and 230 from three severity levels to two by deleting MS-DRG 230 and revising MS-DRG 229 to include both w/o CC and w/o MCC.

- Map all cases of MS-DRG 230 in FY2016 to MS-DRG 229 in FY2017

## 1.2 FY 2017 – FY 2018

The FY2018 IPPS Final Rule has the two following changes that require mappings.

### 1.2.1 MS-DRGs 984-986 to MS-DRGs 987-989

CMS determined separate MS-DRGs specifically for the prostatic operating room (OR) procedures were no longer necessary and mapped MS-DRG 984-986 to 987-989. Map all cases of:

- MS-DRG 984 in FY2017 to MS-DRG 987 in FY2018.
- MS-DRG 985 in FY2017 to MS-DRG 988 in FY2018.
- MS-DRG 986 in FY2017 to MS-DRG 989 in FY2018.

### 1.2.2 MS-DRGs 216-221 to 266-267

CMS reassigned four percutaneous mitral valve replacement procedures from MS-DRGs 216-221 to MS-DRG 266 and 267. Map all cases of:

- MS-DRGs 216 and 219, with procedure codes for mitral valve replacement in FY2017 to MS-DRG 266 in FY2018.<sup>1</sup>

---

<sup>1</sup> To identify mitral valve replacement codes, refer to Table 1 – Mitral Valve Procedure Codes for MS-DRGs 266-267.

- MS-DRGs 217, 218, 220, and 221 with procedure codes for mitral valve replacement in FY2017 to MS-DRG 267 in FY2018.

### **1.3 FY 2018 – FY 2019**

The FY2019 IPPS Final Rule has the following changes that require mappings.

#### **1.3.1 MS-DRGs 393-395 to 686-688**

CMS reassigned two kidney neoplasm diagnosis codes<sup>2</sup> from 393-395 to 686-688. Note that unlike 393-395, 686-688 are BPCI Advanced excluded MS-DRGs. Map all cases of:

- MS-DRG 393 with a kidney neoplasm diagnosis code in FY2018 to MS-DRG 686 in FY2019.
- MS-DRG 394 with a kidney neoplasm diagnosis code in FY2018 to MS-DRG 687 in FY2019.
- MS-DRG 395 with a kidney neoplasm diagnosis code in FY2018 to MS-DRG 688 in FY2019.

#### **1.3.2 MS-DRG 606-607 to 686-688**

CMS reassigned genitourinary organs neoplasm diagnosis codes<sup>3</sup> from 606-607 to 686-688. Note that unlike 606-607, 686-688 are BPCI Advanced excluded DRGs. Map all cases of:

- MS-DRG 606 with a genitourinary organs neoplasm diagnosis code in FY2018 to MS-DRG 686 in FY2019.
- MS-DRG 607 with a genitourinary organs neoplasm diagnosis code and a secondary diagnosis code on the CC List<sup>4</sup> in FY2018 to MS-DRG 687 in FY2019.
- MS-DRG 607 with a genitourinary organs neoplasm diagnosis code and no secondary diagnosis code on the CC List in FY2018 to MS-DRG 688 in FY2019.

#### **1.3.3 MS-DRG 685 to 698-700**

CMS deleted MS-DRG 685 and reassigned encounter dialysis diagnosis codes<sup>5</sup> previously assigned to this MS-DRG to MS-DRGs 698, 699, and 700. Map all cases of:

---

<sup>2</sup> To identify kidney neoplasm diagnosis codes, refer to Table 2 – Kidney Neoplasm Diagnosis Codes for MS-DRGs 686-688.

<sup>3</sup> To identify genitourinary organs neoplasm diagnosis codes, refer to Table 3 – Genitourinary Organs Neoplasm Diagnosis Codes for MS-DRGs 686-688.

<sup>4</sup> Refer to Table 6J for ICD-10 CC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2019-IPPS-Final-Rule-Home-Page-Items/FY2019-IPPS-Final-Rule-Tables.html?DLPage=1&DLEntries=10&DLSort=0&DLSortDir=ascending>.

<sup>5</sup> To identify encounter dialysis diagnosis codes, refer to Table 4 – Encounter Dialysis Diagnosis Codes for MS-DRGs 698-700.

- MS-DRG 685 with an encounter dialysis diagnosis code and a secondary diagnosis code on the MCC List<sup>6</sup> in FY2018 to MS-DRG 698 in FY2019.
- MS-DRG 685 with an encounter dialysis diagnosis code and a secondary diagnosis code on the CC List<sup>7</sup> in FY2018 to MS-DRG 699 in FY2019.
- MS-DRG 685 with no encounter dialysis diagnosis code and no secondary diagnosis code on the MCC List or on the CC List in FY2018 to MS-DRG 700 in FY2019.

### **1.3.4 MS-DRGs 765-766 to 783-788**

CMS deleted MS-DRGs 765-766 and created MS-DRGs 783-788 that are subdivided by a 3-way severity split level that includes “with Sterilization” and “without Sterilization”. Map all cases of:

- MS-DRG 765 with a sterilization procedure code for MS-DRGs 765-766<sup>8</sup> and a secondary diagnosis code on the MCC List<sup>9</sup> in FY2018 to MS-DRG 783 in FY2019.
- MS-DRG 765 with a sterilization procedure code for MS-DRGs 765-766 and a secondary diagnosis code on the CC List<sup>10</sup> in FY2018 to MS-DRG 784 in FY2019.
- MS-DRG 765 with a sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC List or on the CC List in FY2018 to MS-DRG 785 in FY2019.
- MS-DRG 765 with no sterilization procedure code for MS-DRGs 765-766 and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 786 in FY2019.
- MS-DRG 765 with no sterilization procedure code for MS-DRGs 765-766 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 787 in FY2019.
- MS-DRG 765 with no sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC List or the CC List in FY2018 to MS-DRG 788 in FY2019.
- MS-DRG 766 with a sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 785 in FY2019.
- MS-DRG 766 with no sterilization procedure code for MS-DRGs 765-766 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 788 in FY2019.

---

<sup>6</sup> Refer to Table 6I for ICD-10 MCC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2019-IPPS-Final-Rule-Home-Page-Items/FY2019-IPPS-Final-Rule-Tables.html?DLPage=1&DLEntries=10&DLSort=0&DLSortDir=ascending>.

<sup>7</sup> Refer to Table 6J for ICD-10 CC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2019-IPPS-Final-Rule-Home-Page-Items/FY2019-IPPS-Final-Rule-Tables.html?DLPage=1&DLEntries=10&DLSort=0&DLSortDir=ascending>.

<sup>8</sup> To identify sterilization procedure codes for MS-DRGs 765-766, refer to Table 5A – Sterilization Procedure Codes for MS-DRGs 783-788.

<sup>9</sup> Refer to Footnote 6 for MCC List.

<sup>10</sup> Refer to Footnote 4 for CC List.

### **1.3.5 MS-DRGs 767/774/775 to 744-745, 796-798, and 805-807**

CMS deleted MS-DRGs 767, 774, and 775 and created MS-DRGs 796-798 and 805-807 that are subdivided by a 3-way severity level split that includes "with Sterilization/D&C" and "without Sterilization/D&C." Additionally, CMS reassigned extraction of endometrium procedure codes from MS-DRG 767 to MS-DRGs 744-745. Map all cases of:

- MS-DRG 767 with an extraction of endometrium procedure code<sup>11</sup> and a secondary diagnosis code on the MCC/CC List<sup>12</sup> in FY2018 to MS-DRG 744 in FY2019.
- MS-DRG 767 with an extraction of endometrium procedure code and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 745 in FY2019.
- MS-DRG 767 with a sterilization procedure code for MS-DRGs 767 and 774<sup>13</sup> and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 796 in FY2019.
- MS-DRG 767 with a sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 797 in FY2019.
- MS-DRG 767 with a sterilization procedure code for MS-DRGs 767 and 774 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 798 in FY2019.
- MS-DRG 767 with no sterilization procedure code for MS-DRGs 767 and 774, no extraction of endometrium procedure code, and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 805 in FY2019.
- MS-DRG 767 with no sterilization procedure code for MS-DRGs 767 and 774, no extraction of endometrium procedure code, and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 806 in FY2019.
- MS-DRG 767 with no sterilization procedure code for MS-DRGs 767 and 774, no extraction of endometrium procedure code, and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 807 in FY2019.
- MS-DRG 774 with a sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 796 in FY2019.
- MS-DRG 774 with a sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 797 in FY2019.
- MS-DRG 774 with a sterilization procedure code for MS-DRGs 767 and 774 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 798 in FY2019.
- MS-DRG 774 with no sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the MCC List in FY2018 to MS-DRG 805 in FY2019.

---

<sup>11</sup> To identify extraction of endometrium procedure codes, refer to Table 6 – Extraction of Endometrium Procedure Codes for MS-DRGs 744-745.

<sup>12</sup> Refer to Footnote 6 for MCC List. Refer to Footnote 4 for CC List.

<sup>13</sup> To identify sterilization procedure codes to map MS-DRGs 767 and 774, refer to Table 5B – Sterilization Procedure Codes for MS-DRGs 796-798.

- MS-DRG 774 with no sterilization procedure code for MS-DRGs 767 and 774 and a secondary diagnosis code on the CC List in FY2018 to MS-DRG 806 in FY2019.
- MS-DRG 774 with no sterilization procedure code for MS-DRGs 767 and 774 and no secondary diagnosis code on the MCC/CC List in FY2018 to MS-DRG 807 in FY2019.
- MS-DRG 775 with a secondary diagnosis code on the MCC list in FY2018 to MS-DRG 805 in FY2019.
- MS-DRG 775 with a secondary diagnosis code on the CC list in FY2018 to MS-DRG 806 in FY2019.
- MS-DRG 775 with no secondary diagnosis code on the MCC/CC list in FY2018 to MS-DRG 807 in FY2019.

### **1.3.6 MS-DRGs 777-778/780-782 to 819/833**

CMS deleted 777, 778, 780, 781, and 782 and reassigned BPCI Advanced Clinical Episodes to the new MS-DRGs 817-819 and 831-833 that are subdivided by a 3-way severity level split that includes "with O.R. procedure" and "without O.R. procedure." BPCI Advanced Clinical Episodes for these MS-DRGs will be mapped to either 819 or 833. Map all cases of:

- MS-DRG 777 in FY2018 to MS-DRG 819 in FY2019.
- MS-DRG 778 in FY2018 to MS-DRG 833 in FY2019.
- MS-DRG 780 in FY2018 to MS-DRG 833 in FY2019.
- MS-DRG 781 in FY2018 to MS-DRG 819 in FY2019.
- MS-DRG 782 in FY2018 to MS-DRG 833 in FY2019.

## **1.4 FY 2019 – FY 2020**

The FY2020 IPPS Final Rule has the following changes that require mappings.

### **1.4.1 MS-DRGs 207/291/296/870 to 003**

CMS reassigned procedure codes for extracorporeal membrane oxygenation (ECMO)<sup>14</sup> from 207, 291, 296, and 870 to 003. Map all cases of:

- MS-DRG 207 in FY2019 with an ECMO procedure code in Table 7 to MS-DRG 003 in FY2020.
- MS-DRG 291 in FY2019 with an ECMO procedure code in Table 7 to MS-DRG 003 in FY2020.
- MS-DRG 296 in FY2019 with an ECMO procedure code in Table 7 to MS-DRG 003 in FY2020.

---

<sup>14</sup> To identify extracorporeal membrane oxygenation, refer to Table 7 – List of Extracorporeal membrane oxygenation (ECMO) procedure codes for MS-DRG 003.



- MS-DRG 870 in FY2019 with an ECMO procedure code in Table 7 to MS-DRG 003 in FY2020.

#### **1.4.2 MS-DRG 014 to 016-017**

CMS reassigned HCT procedures specifying autologous cordblood stem cell as the donor source<sup>15</sup> from 014 to 016 and 017. Map all cases of:

- MS-DRG 014 in FY2019 with a procedure code in Table 8 and a secondary diagnosis code on the CC or MCC list in FY2019<sup>16,17</sup> to MS-DRG 016 in FY2020.
- MS-DRG 014 in FY2019 with a procedure code in Table 8 and no secondary diagnosis code on CC/MCC list in FY2019 to MS-DRG 017 in FY2020.

#### **1.4.3 MS-DRGs 037-039 to 034-036**

CMS reassigned procedure codes describing dilation of a carotid artery with an intraluminal device<sup>18</sup> from 037-039 to 034-036. Map all cases of:

- MS-DRG 037 in FY2019 with a procedure code in Table 9 to MS-DRG 034 in FY2020.
- MS-DRG 038 in FY2019 with a procedure code in Table 9 to MS-DRG 035 in FY2020.
- MS-DRG 039 in FY2019 with a procedure code in Table 9 to MS-DRG 036 in FY2020.

#### **1.4.4 MS-DRG 176 to 175**

CMS reassigned diagnosis codes describing pulmonary embolism with cor pulmonale<sup>19</sup> from 176 to 175. Map all cases of:

- MS-DRG 176 in FY2019 with a diagnosis code in Table 10 to MS-DRG 175 in FY2020.

---

<sup>15</sup> To identify procedures specifying autologous cordblood stem cell as the donor source, refer to Table 8 – List of HCT procedures specifying autologous cordblood stem cell as the donor source for MS-DRGs 016 and 017.

<sup>16</sup> Refer to Table 6I for ICD-10 MCC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2020-IPPS-Final-Rule-Home-Page-Items/FY2020-IPPS-Final-Rule-Tables>

<sup>17</sup> Refer to Table 6J for ICD-10 CC List: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/FY2020-IPPS-Final-Rule-Home-Page-Items/FY2020-IPPS-Final-Rule-Tables>

<sup>18</sup> To identify procedures describing dilation of a carotid artery with an intraluminal device, refer to Table 9 – List of procedure codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036.

<sup>19</sup> To identify diagnosis codes describing pulmonary embolism with cor pulmonale, refer to Table 10 – List of diagnosis codes describing pulmonary embolism with cor pulmonale for MS-DRG 175.

#### **1.4.5 MS-DRGs 216-218/ 228-229/ 273-274 to 266-267**

CMS reassigned procedure codes describing a transcatheter cardiac valve repair (supplemental)<sup>20</sup> from 216-218, 228-229, and 273-274 to 266-267. Map all case of:

- MS-DRG 216 in FY2019 with a procedure code in Table 11 to MS-DRG 266 in FY2020.
- MS-DRG 217 in FY2019 with a procedure code in Table 11 to MS-DRG 267 in FY2020.
- MS-DRG 218 in FY2019 with a procedure code in Table 11 to MS-DRG 267 in FY2020.
- MS-DRG 228 in FY2019 with a procedure code in Table 11 to MS-DRG 266 in FY2020.
- MS-DRG 229 in FY2019 with a procedure code in Table 11 to MS-DRG 267 in FY2020.
- MS-DRG 273 in FY2019 with a procedure code in Table 11 to MS-DRG 266 in FY2020.
- MS-DRG 274 in FY2019 with a procedure code in Table 11 to MS-DRG 267 in FY2020.

#### **1.4.6 MS-DRGs 216-218 and 228/229 to 319/320**

CMS reassigned procedure codes describing non-supplemental transcatheter cardiac valve procedures<sup>21</sup> from 216-218 and 228-229 to 319-320. Map all cases of:

- MS-DRG 216 in FY2019 with a procedure code in Table 12 to MS-DRG 319 in FY2020.
- MS-DRG 217 in FY2019 with a procedure code in Table 12 to MS-DRG 320 in FY2020.
- MS-DRG 218 in FY2019 with a procedure code in Table 12 to MS-DRG 320 in FY2020.
- MS-DRG 228 in FY2019 with a procedure code in Table 12 to MS-DRG 319 in FY2020.

---

<sup>20</sup> To identify procedure codes describing a transcatheter cardiac valve repair, refer to Table 11 – List of procedure codes describing a transcatheter cardiac valve repair (supplemental) for MS-DRGs 266 and 267.

<sup>21</sup> To identify procedure codes describing non-supplemental transcatheter cardiac valve procedures, refer to Table 12 –List of procedure codes describing non-supplement transcatheter cardiac valve procedures MS-DRGs 319-320.

- MS-DRG 229 in FY2019 with a procedure code in Table 12 to MS-DRG 320 in FY2020.

#### **1.4.7 MS-DRGs 548-550/ 981-983/ 974-976 to 485-487**

CMS reassigned diagnosis codes describing infected bursa and other infections of the joints<sup>22</sup> from 548-550, 981-983, and 974-976 to 485-487. Map all cases of:

- MS-DRG 548 in FY2019 with a diagnosis code in Table 13 to MS-DRG 485 in FY2020.
- MS-DRG 549 in FY2019 with a diagnosis code in Table 13 to MS-DRG 486 in FY2020.
- MS-DRG 550 in FY2019 with a diagnosis code in Table 13 to MS-DRG 487 in FY2020.
- MS-DRG 981 in FY2019 with a diagnosis code in Table 13 to MS-DRG 485 in FY2020.
- MS-DRG 982 in FY2019 with a diagnosis code in Table 13 to MS-DRG 486 in FY2020.
- MS-DRG 983 in FY2019 with a diagnosis code in Table 13 to MS-DRG 487 in FY2020.
- MS-DRG 974 in FY2019 with a diagnosis code in Table 13 to MS-DRG 485 in FY2020.
- MS-DRG 975 in FY2019 with a diagnosis code in Table 13 to MS-DRG 486 in FY2020.
- MS-DRG 976 in FY2019 with a diagnosis code in Table 13 to MS-DRG 487 in FY2020.

#### **1.4.8 MS-DRGs 459-460 to 456-458**

CMS reassigned diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis<sup>23</sup> from 459-460 to 456-458. Map all cases of:

- MS-DRG 459 in FY2019 with a procedure code in Table 14 to MS-DRG 456 in FY2020.

---

<sup>22</sup> To identify procedure codes describing infected bursa and other infections of the joints, refer to Table 13 – List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRGs 485-487.

<sup>23</sup> To identify diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis, refer to Table 14 – List of diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis for MS-DRGs 456-458.

- MS-DRG 460 in FY2019 with a procedure code in Table 14 and a secondary diagnosis code on the CC list in FY2019<sup>24</sup> to MS-DRG 457 in FY2020.
- MS-DRG 460 in FY2019 with a procedure code in Table 14 and without a secondary diagnosis code on the CC list in FY2019 to MS-DRG 458 in FY2020.

#### **1.4.9 MS-DRGs 456-458 to 471-473/ 551-552**

CMS reassigned cervical spinal fusion diagnosis codes<sup>25</sup> from 456-458 to 471-473 and 551-552. Map all cases of:

- MS-DRG 456 in FY2019 with a procedure code in Table 15 and a diagnosis code in Table 16 to MS-DRG 471 in FY2020.
- MS-DRG 457 in FY2019 with a procedure code in Table 15 and a diagnosis code in Table 16 to MS-DRG 472 in FY2020.
- MS-DRG 458 in FY2019 with a procedure code in Table 15 and a diagnosis code in Table 16 to MS-DRG 473 in FY2020.
- MS-DRG 456 in FY2019 without a procedure code in Table 15 to MS-DRG 451 in FY2020.
- MS-DRG 456 in FY2019 without a procedure code in Table 15 to MS-DRG 452 in FY2020.
- MS-DRG 456 in FY2019 without a procedure code in Table 15 to MS-DRG 452 in FY2020.
- MS-DRG 456 in FY2019 with a procedure code in Table 15 and without a diagnosis code in Table 16 back to MS-DRG 456 in FY2020.
- MS-DRG 457 in FY2019 with a procedure code in Table 15 and without a diagnosis code in Table 16 back to MS-DRG 457 in FY2020.
- MS-DRG 458 in FY2019 with a procedure code in Table 15 and without a diagnosis code in Table 16 back to MS-DRG 458 in FY2020.

#### **1.4.10 MS-DRGs 691-692 to 693-694**

CMS deleted MS-DRGs 691-692 and reassigned all cases of 691-692 to 693-694. Map all cases of:

---

<sup>24</sup> Refer to Footnote 17.

<sup>25</sup> To identify cervical spinal fusion diagnosis and procedure codes, refer to Table 15 – List of Cervical Spinal Fusion procedure codes for MS-DRGs 471-473 and 551-552 and Table 16 – List of Cervical Spinal Fusion diagnosis codes for MS-DRGs 471-473 and 551-552.

- MS-DRG 691 in FY2019 with a secondary diagnosis code on the MCC list<sup>26</sup> in FY2019 to MS-DRG 693 in FY2020.
- MS-DRG 691 in FY2019 with a secondary diagnosis code on the CC list<sup>27</sup> in FY2019 to MS-DRG 694 in FY2020.
- MS-DRG 692 in FY2019 to MS-DRG 694 in FY2020.

#### **1.4.11 MS-DRGs 302-303 to 729-730/ 947-948**

CMS reassigned diagnosis codes describing abnormal radiological findings on the testicle<sup>28</sup> from 302-303 to 729-730 and 947-948. Map all cases of:

- MS-DRG 302 in FY2019 with a diagnosis code in Table 17a to MS-DRG 729 in FY2020.
- MS-DRG 303 in FY2019 with a diagnosis code in Table 17a and a secondary diagnosis code on the CC list<sup>29</sup> in FY2019 to MS-DRG 729 in FY2020.
- MS-DRG 303 in FY2019 with a diagnosis code in Table 17a to MS-DRG 730 in FY2020.
- MS-DRG 302 in FY2019 with a diagnosis code in Table 17b to MS-DRG 947 in FY2020.
- MS-DRG 303 in FY2019 with a diagnosis code in Table 17b to MS-DRG 948 in FY2020.

#### **1.4.12 MS-DRGs 769 and 776 to 817-819/ 831-833**

CMS reassigned diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium<sup>30</sup> from 769 and 776 to 817-819 and 831-833. Map all case of:

- MS-DRG 769 in FY2019 with a diagnosis code in Table 18 and a secondary diagnosis code on the MCC list<sup>31</sup> in FY2019 to MS-DRG 817 in FY2020.

---

<sup>26</sup> Refer to Footnote 16 for MCC List.

<sup>27</sup> Refer to Footnote 17 for CC List.

<sup>28</sup> To identify diagnosis codes describing abnormal radiological findings on the testicle, refer to Table 17a-List of diagnosis codes describing abnormal radiological findings on the testicle for MS-DRGs 729-730 and Table 17b - List of diagnosis codes describing abnormal radiologic findings on the testicle for MS-DRGs 947-948.

<sup>29</sup> Refer to Footnote 17 for CC List.

<sup>30</sup> To identify diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium, refer to Table 18 - List of diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium for MS-DRGs 817-819 and 831-833.

<sup>31</sup> Refer to Footnote 16 for MCC List.

- MS-DRG 769 in FY2019 with a diagnosis code in Table 18 and a secondary diagnosis code on the CC list<sup>32</sup> in FY2019 to MS-DRG 818 in FY2020.
- MS-DRG 769 in FY2019 with a diagnosis code in Table 18 and without a secondary diagnosis code on the CC or MCC lists in FY2019 to MS-DRG 819 in FY2020.
- MS-DRG 776 in FY2019 with a diagnosis code in Table 18 and a secondary diagnosis code on the MCC list in FY2019 to MS-DRG 831 in FY2020.
- MS-DRG 776 in FY2019 with a diagnosis code in Table 18 and a secondary diagnosis code on the CC list in FY2019 to MS-DRG 832 in FY2020.
- MS-DRG 776 in FY2019 with a diagnosis code in Table 18 and without a secondary diagnosis code on the CC or MCC lists in FY2019 to MS-DRG 833 in FY2020.

#### **1.4.13 MS-DRGs 485-487 to 559-561**

CMS reassigned diagnosis codes describing infected bursa and other infections of the joints<sup>33</sup> from 485-487 to 559-561. Map all cases of:

- MS-DRG 485 in FY2019 with a diagnosis code in Table 19 to MS-DRG 559 in FY2020.
- MS-DRG 486 in FY2019 with a diagnosis code in Table 19 to MS-DRG 560 in FY2020.
- MS-DRG 487 in FY2019 with a diagnosis code in Table 19 to MS-DRG 561 in FY2020.

#### **1.4.14 MS-DRGs 981-983 to 579-581**

CMS reassigned diagnosis codes describing conditions involving the cervical region<sup>34</sup> from 981-983 to 579-581. Map all cases of:

- MS-DRG 981 in FY2019 with a diagnosis code in Table 20 to MS-DRG 579 in FY2020.
- MS-DRG 982 in FY2019 with a diagnosis code in Table 20 to MS-DRG 580 in FY2020.
- MS-DRG 983 in FY2019 with a diagnosis code in Table 20 to MS-DRG 581 in FY2020.

---

<sup>32</sup> Refer to Footnote 17 for CC List.

<sup>33</sup> To identify diagnosis codes describing infected bursa and other infections of the joints, refer to Table 19 - List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRG 559-561.

<sup>34</sup> To identify diagnosis codes describing conditions involving the cervical region, refer to Table 20 – Diagnosis codes describing conditions involving the cervical region for MS-DRGs 579-581.

#### **1.4.15 MS-DRGs 987-989 to 326-328**

CMS reassigned procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach<sup>35</sup> from 987-989 to 326-328. Map all cases of:

- MS-DRG 987 in FY2019 with a procedure code in Table 21 to MS-DRG 326 in FY2020.
- MS-DRG 988 in FY2019 with a procedure code in Table 21 to MS-DRG 327 in FY2020.
- MS-DRG 989 in FY2019 with a procedure code in Table 21 to MS-DRG 328 in FY2020.

#### **1.4.16 MS-DRGs 981-983 to 715-718/ 749-750**

CMS reassigned a procedure code describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach<sup>36</sup> from 981-983 to 715-718 and 749-750. Map all cases of:

- MS-DRGs 981 and 982 in FY2020 with the procedure code in Table 22 and a diagnosis code in Table 24<sup>37</sup> to MS-DRG 715 in FY2020.
- MS-DRGs 983 in FY2020 with the procedure code in Table 22 and a diagnosis code in Table 24 to MS-DRG 716 in FY2020.
- MS-DRGs 981 and 982 in FY2020 with the procedure code in Table 22 and a diagnosis code in Table 23<sup>38</sup> to MS-DRG 717 in FY2020.
- MS-DRGs 983 in FY2020 with the procedure code in Table 22 and a diagnosis code in Table 23 to MS-DRG 718 in FY2020.
- MS-DRGs 981 and 982 in FY2020 with the procedure code in Table 22 and a diagnosis code in Table 25<sup>39</sup> to MS-DRG 749 in FY2020.

---

<sup>35</sup> To identify procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach, refer to Table 21 – List of Procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 326-328.

<sup>36</sup> To identify procedure code describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach, refer to Table 22 – List of procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 715-718 and 749-750.

<sup>37</sup> Table 24 – List of Male Diagnosis Codes with malignancy – is used to remap codes to MS-DRGs 715-718 and 749-750.

<sup>38</sup> Table 23 – List of Male Diagnosis Codes with no malignancy – is used to remap codes to MS-DRGs 715-718 and 749-750.

<sup>39</sup> Table 25 – List of Female Diagnosis Codes – is used to remap codes to MS-DRGs 715-718 and 749-750

- MS-DRGs 983 in FY2020 with the procedure code in Table 22 and a diagnosis code in Table 25 to MS-DRG 750 in FY2020.

## **1.5 FY 2020 – FY 2021**

The FY2021 IPPS Final Rule has the following changes that require mappings.

### **1.5.1 MS-DRG 016 to 018**

CMS reassigned procedure codes for CAR T-cell therapy<sup>40</sup> from 016 to 018. MS-DRG 016 has also been renamed as Autologous Bone Marrow Transplant with CC/MCC. Map all cases of:

- MS-DRG 016 in FY2020 with a CAR T-cell therapy procedure codes in Table 26 to MS-DRG 018 in FY2021.

### **1.5.2 MS-DRGs 037-039 and 252-254 to 034-036**

CMS reassigned procedure codes describing dilation of a carotid artery with an intraluminal device<sup>41</sup> from 037-039 and 252-254 to 034-036. Map all cases of:

- MS-DRG 037 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 27a and Table 27b to MS-DRG 034 in FY2021.
- MS-DRG 038 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 27a and Table 27b to MS-DRG 035 in FY2021.
- MS-DRG 039 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 27a and Table 27b to MS-DRG 036 in FY2021.
- MS-DRG 252 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 27c and Table 27d to MS-DRG 034 in FY2021.
- MS-DRG 253 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 27c and Table 27d to MS-DRG 035 in FY2021.
- MS-DRG 254 in FY2020 with procedure codes describing dilation of a carotid artery with an intraluminal device in Table 27c and Table 27d to MS-DRG 036 in FY2021.

---

<sup>40</sup> To identify CAR T-cell therapy procedure codes, refer to Table 26 - List of procedure codes describing CAR T-cell therapy for MS-DRG 018.

<sup>41</sup> To identify ICD-9 and ICD-10 procedure codes describing dilation of a carotid artery with an intraluminal device, refer to Table 27a, Table 27b, Table 27c, and Table 27d.



### **1.5.3 MS-DRGs 129-134 to 140-142**

CMS reassigned procedure codes related to head, neck, cranial and facial procedures<sup>42</sup> from 129-134 to 140-142. MS-DRGs 129 through 134 will be deleted FY2021 onwards. Map all cases of:

- MS-DRG 129 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and a secondary diagnosis code on the MCC List<sup>43</sup> to MS-DRG 140 in FY2021.
- MS-DRG 129 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and without a secondary diagnosis code on the MCC list to MS-DRG 141 in FY2021.
- MS-DRG 130 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 142 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and a secondary diagnosis code on the MCC List to MS-DRG 140 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and without a secondary diagnosis code on the MCC list to MS-DRG 141 in FY2021.
- MS-DRG 132 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 142 in FY2021.
- MS-DRG 133 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and a secondary diagnosis code on the MCC List to MS-DRG 140 in FY2021.
- MS-DRG 133 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and without a secondary diagnosis code on the MCC list to MS-DRG 141 in FY2021.

---

<sup>42</sup> To identify, procedure codes related to head, neck, cranial and facial procedures, refer to Table 28 - List of procedure and diagnosis codes related to head, neck, cranial and facial procedures for MS-DRGs 140-142

<sup>43</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

- MS-DRG 134 in FY2020 with procedure codes describing head, neck, cranial and facial procedures in Table 28 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 142 in FY2021.

#### **1.5.4 MS-DRGs 129-134 to 143-145**

CMS reassigned procedure codes related to ear, nose, mouth and throat O.R. procedures<sup>44</sup> from 129-134 to 143-145. MS-DRGs 129 through 134 will be deleted FY2021 onwards. Map all cases of:

- MS-DRG 129 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedure in Table 29 and a secondary diagnosis code on the MCC List<sup>45</sup> to MS-DRG 143 in FY2021.
- MS-DRG 129 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 29 and without a secondary diagnosis code on the MCC list to MS-DRG 144 in FY2021.
- MS-DRG 130 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 29 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 145 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedure in Table 29 and a secondary diagnosis code on the MCC List to MS-DRG 143 in FY2021.
- MS-DRG 131 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 29 and without a secondary diagnosis code on the MCC list to MS-DRG 144 in FY2021.
- MS-DRG 132 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedures in Table 29 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 145 in FY2021.
- MS-DRG 133 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R. procedure in Table 29 and a secondary diagnosis code on the MCC List to MS-DRG 143 in FY2021.

---

<sup>44</sup> To identify procedure codes related to ear, nose, mouth and throat O.R. procedures, refer to Table 29 - List of procedure codes related to ear, nose, mouth and throat O.R. procedures for MS-DRGs 143-145.

<sup>45</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

- MS-DRG 133 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R procedures in Table 29 and without a secondary diagnosis code on the MCC list to MS-DRG 144 in FY2021.
- MS-DRG 134 in FY2020 with procedure codes describing ear, nose, mouth and throat O.R procedures in Table 29 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 145 in FY2021.

### **1.5.5 MS-DRGs 250-251 to 273-274**

CMS reassigned procedure codes related to Left Atrial Appendage Closure (LAAC)<sup>46</sup> from 250 and 251 to 273 and 274. Map all cases of:

- MS-DRG 250 in FY2020 with procedure codes related to Left Atrial Appendage Closure (LAAC) in Table 30 and a secondary diagnosis code on the MCC List<sup>47</sup> to MS-DRG 273 in FY2021.
- MS-DRG 251 in FY2020 with procedure codes related to Left Atrial Appendage Closure (LAAC) in Table 30 and without a secondary diagnosis code on the MCC list to MS-DRG 274 in FY2021.

### **1.5.6 MS-DRGs 469-470 to 521-522**

CMS reassigned diagnosis and procedure codes related to hip fractures and hip replacement procedures<sup>48</sup> from 469 and 470 to 521 and 522. MS-DRGs 521 and 522 will now be considered trigger codes for Major Joint Replacement of the Lower Extremity (MJRLE) Clinical Episodes. Map all cases of:

- MS-DRG 469 in FY2020 with diagnosis and procedure codes related to hip fractures and hip replacement procedures in Table 31 and a secondary diagnosis code on the MCC List<sup>49</sup> to MS-DRG 521 in FY2021.
- MS-DRG 470 in FY2020 with diagnosis and procedure codes related to hip fractures and hip replacement procedures in Table 31 and without a secondary diagnosis code on the MCC List to MS-DRG 522 in FY2021.

---

<sup>46</sup> To identify procedure codes related to Left Atrial Appendage Closure, refer to Table 30 - List of procedure codes related to Left Atrial Appendage Closure (LAAC) for MS-DRGs 273 and 274.

<sup>47</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

<sup>48</sup> To identify diagnosis and procedure codes related to hip fractures and hip replacement procedures, refer to Table 31 – List of diagnosis and procedure codes related to hip fractures and hip replacement procedures for MS-DRGs 521 and 522.

<sup>49</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

### **1.5.7 MS-DRGs 008 to 019**

CMS reassigned procedure codes related to the performance of hemodialysis<sup>50</sup> from 008 to 019. Map all cases of:

- MS-DRG 008 in FY2020 with procedure codes related to the performance of hemodialysis in Table 32 to MS-DRG 019 in FY2021.

### **1.5.8 MS-DRGs 652 to 650-651**

CMS reassigned procedure codes related to the performance of hemodialysis and kidney transplant<sup>51</sup> from 652 to 650 and 651. Map all cases of:

- MS-DRG 652 in FY2020 with procedure codes related to the performance of hemodialysis in Table 32, procedure codes related to kidney transplant in Table 33, and a secondary diagnosis code on the MCC List<sup>52</sup> to MS-DRG 650 in FY2021.
- MS-DRG 652 in FY2020 with procedure codes related to the performance of hemodialysis in Table 32, procedure codes related to kidney transplant in Table 33, and without a secondary diagnosis code on the MCC List to MS-DRG 651 in FY2021.

### **1.5.9 MS-DRGs 314-316 to 673-675 and 698-700**

CMS reassigned diagnosis codes describing mechanical complications of vascular dialysis catheters<sup>53</sup> from 314-316 to 673-675 and 698-700. Map all cases of:

- MS-DRG 314 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 34, non-operating room procedure codes in Table 35, and a secondary diagnosis code on the MCC List<sup>54</sup> to MS-DRG 673 in FY2021.
- MS-DRG 315 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 34, non-operating room procedure codes in

---

<sup>50</sup> To identify procedure codes related to the performance of hemodialysis, refer to Table 32 – List of procedure codes related to the performance of hemodialysis for MS-DRG 019.

<sup>51</sup> To identify procedure codes related to kidney transplant, refer to Table 33 – List of procedure codes related to kidney transplant for MS-DRGs 650 and 651.

<sup>52</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

<sup>53</sup> To identify diagnosis codes describing mechanical complications of vascular dialysis catheters, refer to Table 34 – List of diagnosis codes describing mechanical complications of vascular catheters for MS-DRGs 673-675 and 698-700.

<sup>54</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

Table 35, and a secondary diagnosis code on the CC List<sup>55</sup> to MS-DRG 674 in FY2021.

- MS-DRG 316 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 34, non-operating room procedure codes in Table 35, and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 675 in FY2021.
- MS-DRG 314 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 34, without non-operating room procedure codes in Table 35, and a secondary diagnosis code on the MCC List to MS-DRG 698 in FY2021.
- MS-DRG 315 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 34, without non-operating room procedure codes in Table 35, and a secondary diagnosis code on the CC List to MS-DRG 699 in FY2021.
- MS-DRG 316 in FY2020 with diagnosis codes describing mechanical complications of vascular dialysis catheters in Table 34, without non-operating room procedure codes in Table 35, and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 700 in FY2021.

### **1.5.10 MS-DRGs 981-983 to 987-989**

CMS reassigned certain procedure codes<sup>56</sup> from 981-983 to 987-989. Map all cases of:

- MS-DRG 981 in FY2020 with procedure codes in Table 36 and a secondary diagnosis code on the MCC List<sup>57</sup> to MS-DRG 987 in FY2021.
- MS-DRG 982 in FY2020 with procedure codes in Table 38 and a secondary diagnosis code on the CC List<sup>58</sup> to MS-DRG 988 in FY2021.
- MS-DRG 983 in FY2020 with procedure codes in Table 38 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 989 in FY2021.

---

<sup>55</sup> Refer to Table 6J for CC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

<sup>56</sup> To identify the reassigned procedure codes, refer to Table 36 – List of reassigned procedure codes for MS-DRGs 987-989.

<sup>57</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

<sup>58</sup> Refer to Table 6J for CC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-pps-final-rule-home-page/>

### **1.5.11 MS-DRGs 163-165 to 166-168**

CMS reassigned procedure codes describing excision of mediastinum<sup>59</sup> from 163-165 to 166-168. Map all cases of:

- MS-DRG 163 in FY2020 with procedure codes describing excision of mediastinum in Table 37 and a secondary diagnosis code on the MCC List<sup>60</sup> to MS-DRG 166 in FY2021.
- MS-DRG 164 in FY2020 with procedure codes describing excision of mediastinum in Table 37 and a secondary diagnosis code on the CC List<sup>61</sup> to MS-DRG 167 in FY2021.
- MS-DRG 165 in FY2020 with procedure codes describing excision of mediastinum in Table 37 and without a secondary diagnosis code on the CC or MCC lists to MS-DRG 168 in FY2021.

---

<sup>59</sup> To identify procedure codes describing excision of mediastinum, refer to Table 37 – List of procedure codes describing excision of mediastinum for MS-DRGs 166-168.

<sup>60</sup> Refer to Table 6I for MCC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

<sup>61</sup> Refer to Table 6J for CC List. <https://www.cms.gov/medicare/acute-inpatient-pps/fy-2021-ipp-final-rule-home-page/>

## 2 SUPPLEMENTARY CODES

This section contains the codes required to implement the mapping methodology discussed in Section 1. These codes include the ICD-9, ICD-10 and CPT codes.

**Table 1 –Mitral Valve Codes for MS-DRGs 266-267**

ICD 9/10	Code	Description
ICD-9	3523	Open and other replacement of mitral valve with tissue graft
ICD-9	3524	Open and other replacement of mitral valve
ICD-10	02RG37Z	Replacement of mitral valve with autologous tissue substitute, percutaneous approach
ICD-10	02RG38Z	Replacement of mitral valve with zooplastic tissue, percutaneous approach
ICD-10	02RG3JZ	Replacement of mitral valve with synthetic substitute, percutaneous approach
ICD-10	02RG3KZ	Replacement of mitral valve with nonautologous tissue substitute, percutaneous approach

**Table 2 – Kidney Neoplasm Diagnosis Codes for MS-DRGs 686-688**

ICD 9/10	Code	Description
ICD-9	2143	Lipoma of intra-abdominal organs
ICD-10	D1771	Benign lipomatous neoplasm of kidney

**Table 3 – Genitourinary Organs Neoplasm Diagnosis Codes for MS-DRGs 686-688**

ICD 9/10	Code	Description
ICD-9	2144	Lipoma of spermatic cord
ICD-9	2148	Lipoma of other specified sites
ICD-10	D1772	Benign lipomatous neoplasm of other genitourinary organ

**Table 4 – Encounter Dialysis Diagnosis Codes for MS-DRGs 698-700**

ICD 9/10	Code	Description
ICD-9	V560	Encounter for extracorporeal dialysis
ICD-9	V568	Encounter for other dialysis
ICD-9	V561	Fitting and adjustment of extracorporeal dialysis catheter
ICD-9	V562	Fitting and adjustment of peritoneal dialysis catheter
ICD-9	V5631	Encounter for adequacy testing for hemodialysis
ICD-9	V5632	Encounter for adequacy testing for peritoneal dialysis
ICD-10	Z4901	Encounter for fitting and adjustment of extracorporeal dialysis catheter
ICD-10	Z4902	Encounter for fitting and adjustment of peritoneal dialysis catheter
ICD-10	Z4931	Encounter for adequacy testing for hemodialysis
ICD-10	Z4932	Encounter for adequacy testing for peritoneal dialysis

**Table 5A – Sterilization Procedure Codes for MS-DRGs 783-788**

ICD 9/10	Code	Description
ICD-9	6621	Bilateral endoscopic ligation and crushing of fallopian tubes
ICD-9	6622	Bilateral endoscopic ligation and division of fallopian tubes
ICD-9	6629	Other bilateral endoscopic destruction or occlusion of fallopian tubes
ICD-9	6631	Other bilateral ligation and crushing of fallopian tubes
ICD-9	6632	Other bilateral ligation and division of fallopian tubes
ICD-9	6639	Other bilateral destruction or occlusion of fallopian tubes
ICD-9	664	Total unilateral salpingectomy
ICD-9	6651	Removal of both fallopian tubes at same operative episode
ICD-9	6652	Removal of remaining fallopian tube
ICD-9	6663	Bilateral partial salpingectomy, not otherwise specified
ICD-9	6669	Other partial salpingectomy
ICD-9	6692	Unilateral destruction or occlusion of fallopian tube
ICD-9	6697	Burying of fimbriae in uterine wall
ICD-10	0U570ZZ	Destruction of bilateral fallopian tubes, open approach
ICD-10	0U573ZZ	Destruction of bilateral fallopian tubes, percutaneous approach
ICD-10	0U574ZZ	Destruction of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0U577ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0U578ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UB50ZZ	Excision of right fallopian tube, open approach
ICD-10	0UB53ZZ	Excision of right fallopian tube, percutaneous approach
ICD-10	0UB54ZZ	Excision of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UB57ZZ	Excision of right fallopian tube, via natural or artificial opening
ICD-10	0UB58ZZ	Excision of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB60ZZ	Excision of left fallopian tube, open approach
ICD-10	0UB63ZZ	Excision of left fallopian tube, percutaneous approach
ICD-10	0UB64ZZ	Excision of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UB67ZZ	Excision of left fallopian tube, via natural or artificial opening
ICD-10	0UB68ZZ	Excision of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB70ZZ	Excision of bilateral fallopian tubes, open approach
ICD-10	0UB73ZZ	Excision of bilateral fallopian tubes, percutaneous approach
ICD-10	0UB74ZZ	Excision of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UB77ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UB78ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UL50CZ	Occlusion of right fallopian tube with extraluminal device, open approach
ICD-10	0UL50DZ	Occlusion of right fallopian tube with intraluminal device, open approach
ICD-10	0UL50ZZ	Occlusion of right fallopian tube, open approach
ICD-10	0UL53CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL53DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL53ZZ	Occlusion of right fallopian tube, percutaneous approach



ICD 9/10	Code	Description
ICD-10	0UL54CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL54DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL54ZZ	Occlusion of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UL57DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL57ZZ	Occlusion of right fallopian tube, via natural or artificial opening
ICD-10	0UL58DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL58ZZ	Occlusion of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL60CZ	Occlusion of left fallopian tube with extraluminal device, open approach
ICD-10	0UL60DZ	Occlusion of left fallopian tube with intraluminal device, open approach
ICD-10	0UL60ZZ	Occlusion of left fallopian tube, open approach
ICD-10	0UL63CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL63DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL63ZZ	Occlusion of left fallopian tube, percutaneous approach
ICD-10	0UL64CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL64DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL64ZZ	Occlusion of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UL67DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL67ZZ	Occlusion of left fallopian tube, via natural or artificial opening
ICD-10	0UL68DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL68ZZ	Occlusion of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL70CZ	Occlusion of bilateral fallopian tubes with extraluminal device, open approach
ICD-10	0UL70DZ	Occlusion of bilateral fallopian tubes with intraluminal device, open approach
ICD-10	0UL70ZZ	Occlusion of bilateral fallopian tubes, open approach
ICD-10	0UL73CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous approach
ICD-10	0UL73DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous approach
ICD-10	0UL73ZZ	Occlusion of bilateral fallopian tubes, percutaneous approach
ICD-10	0UL74CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL74DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL74ZZ	Occlusion of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UL77DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening
ICD-10	0UL77ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UL78DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL78ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0UT50ZZ	Resection of right fallopian tube, open approach
ICD-10	0UT54ZZ	Resection of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UT57ZZ	Resection of right fallopian tube, via natural or artificial opening
ICD-10	0UT58ZZ	Resection of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT5FZZ	Resection of right fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT60ZZ	Resection of left fallopian tube, open approach
ICD-10	0UT64ZZ	Resection of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UT67ZZ	Resection of left fallopian tube, via natural or artificial opening
ICD-10	0UT68ZZ	Resection of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT6FZZ	Resection of left fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT70ZZ	Resection of bilateral fallopian tubes, open approach
ICD-10	0UT74ZZ	Resection of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UT77ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UT78ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UT7FZZ	Resection of bilateral fallopian tubes, via natural or artificial opening with percutaneous endoscopic assistance

**Table 5B – Sterilization Procedure Codes for MS-DRGs 796-798**

ICD 9/10	Code	Description
ICD-9	6621	Bilateral endoscopic ligation and crushing of fallopian tubes
ICD-9	6622	Bilateral endoscopic ligation and division of fallopian tubes
ICD-9	6629	Other bilateral endoscopic destruction or occlusion of fallopian tubes
ICD-9	6631	Other bilateral ligation and crushing of fallopian tubes
ICD-9	6632	Other bilateral ligation and division of fallopian tubes
ICD-9	6639	Other bilateral destruction or occlusion of fallopian tubes
ICD-9	664	Total unilateral salpingectomy
ICD-9	6651	Removal of both fallopian tubes at same operative episode
ICD-9	6652	Removal of remaining fallopian tube
ICD-9	6663	Bilateral partial salpingectomy, not otherwise specified
ICD-9	6669	Other partial salpingectomy
ICD-9	6692	Unilateral destruction or occlusion of fallopian tube
ICD-9	6697	Burying of fimbriae in uterine wall
ICD-9	6902	Dilation and curettage following delivery or abortion
ICD-9	6909	Other dilation and curettage
ICD-9	6952	Aspiration curettage following delivery or abortion
ICD-10	0U570ZZ	Destruction of bilateral fallopian tubes, open approach
ICD-10	0U573ZZ	Destruction of bilateral fallopian tubes, percutaneous approach
ICD-10	0U574ZZ	Destruction of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0U577ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	0U578ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UB50ZZ	Excision of right fallopian tube, open approach
ICD-10	0UB53ZZ	Excision of right fallopian tube, percutaneous approach
ICD-10	0UB54ZZ	Excision of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UB57ZZ	Excision of right fallopian tube, via natural or artificial opening
ICD-10	0UB58ZZ	Excision of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB60ZZ	Excision of left fallopian tube, open approach
ICD-10	0UB63ZZ	Excision of left fallopian tube, percutaneous approach
ICD-10	0UB64ZZ	Excision of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UB67ZZ	Excision of left fallopian tube, via natural or artificial opening
ICD-10	0UB68ZZ	Excision of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UB70ZZ	Excision of bilateral fallopian tubes, open approach
ICD-10	0UB73ZZ	Excision of bilateral fallopian tubes, percutaneous approach
ICD-10	0UB74ZZ	Excision of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UB77ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UB78ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UL50CZ	Occlusion of right fallopian tube with extraluminal device, open approach
ICD-10	0UL50DZ	Occlusion of right fallopian tube with intraluminal device, open approach
ICD-10	0UL50ZZ	Occlusion of right fallopian tube, open approach
ICD-10	0UL53CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL53DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL53ZZ	Occlusion of right fallopian tube, percutaneous approach
ICD-10	0UL54CZ	Occlusion of right fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL54DZ	Occlusion of right fallopian tube with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL54ZZ	Occlusion of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UL57DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL57ZZ	Occlusion of right fallopian tube, via natural or artificial opening
ICD-10	0UL58DZ	Occlusion of right fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL58ZZ	Occlusion of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL60CZ	Occlusion of left fallopian tube with extraluminal device, open approach
ICD-10	0UL60DZ	Occlusion of left fallopian tube with intraluminal device, open approach
ICD-10	0UL60ZZ	Occlusion of left fallopian tube, open approach
ICD-10	0UL63CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous approach
ICD-10	0UL63DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous approach
ICD-10	0UL63ZZ	Occlusion of left fallopian tube, percutaneous approach
ICD-10	0UL64CZ	Occlusion of left fallopian tube with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL64DZ	Occlusion of left fallopian tube with intraluminal device, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0UL64ZZ	Occlusion of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UL67DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening
ICD-10	0UL67ZZ	Occlusion of left fallopian tube, via natural or artificial opening
ICD-10	0UL68DZ	Occlusion of left fallopian tube with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL68ZZ	Occlusion of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UL70CZ	Occlusion of bilateral fallopian tubes with extraluminal device, open approach
ICD-10	0UL70DZ	Occlusion of bilateral fallopian tubes with intraluminal device, open approach
ICD-10	0UL70ZZ	Occlusion of bilateral fallopian tubes, open approach
ICD-10	0UL73CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous approach
ICD-10	0UL73DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous approach
ICD-10	0UL73ZZ	Occlusion of bilateral fallopian tubes, percutaneous approach
ICD-10	0UL74CZ	Occlusion of bilateral fallopian tubes with extraluminal device, percutaneous endoscopic approach
ICD-10	0UL74DZ	Occlusion of bilateral fallopian tubes with intraluminal device, percutaneous endoscopic approach
ICD-10	0UL74ZZ	Occlusion of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UL77DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening
ICD-10	0UL77ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UL78DZ	Occlusion of bilateral fallopian tubes with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0UL78ZZ	Occlusion of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UT50ZZ	Resection of right fallopian tube, open approach
ICD-10	0UT54ZZ	Resection of right fallopian tube, percutaneous endoscopic approach
ICD-10	0UT57ZZ	Resection of right fallopian tube, via natural or artificial opening
ICD-10	0UT58ZZ	Resection of right fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT5FZZ	Resection of right fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT60ZZ	Resection of left fallopian tube, open approach
ICD-10	0UT64ZZ	Resection of left fallopian tube, percutaneous endoscopic approach
ICD-10	0UT67ZZ	Resection of left fallopian tube, via natural or artificial opening
ICD-10	0UT68ZZ	Resection of left fallopian tube, via natural or artificial opening endoscopic
ICD-10	0UT6FZZ	Resection of left fallopian tube, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	0UT70ZZ	Resection of bilateral fallopian tubes, open approach
ICD-10	0UT74ZZ	Resection of bilateral fallopian tubes, percutaneous endoscopic approach
ICD-10	0UT77ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening
ICD-10	0UT78ZZ	Resection of bilateral fallopian tubes, via natural or artificial opening endoscopic
ICD-10	0UT7FZZ	Resection of bilateral fallopian tubes, via natural or artificial opening with percutaneous endoscopic assistance
ICD-10	10D17Z9	Manual extraction of products of conception, retained, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	10D18Z9	Manual extraction of products of conception, retained, via natural or artificial opening endoscopic
ICD-10	10D07Z3	Extraction of products of conception, low forceps, via natural or artificial opening
ICD-10	10D07Z4	Extraction of products of conception, mid forceps, via natural or artificial opening
ICD-10	10D07Z5	Extraction of products of conception, high forceps, via natural or artificial opening
ICD-10	10D07Z6	Extraction of products of conception, vacuum, via natural or artificial opening
ICD-10	10D07Z7	Extraction of products of conception, internal version, via natural or artificial opening
ICD-10	10D07Z8	Extraction of products of conception, other, via natural or artificial opening
ICD-10	10E0XZZ	Delivery of products of conception, external approach
ICD-10	10D17ZZ	Extraction of products of conception, retained, via natural or artificial opening
ICD-10	10D18ZZ	Extraction of products of conception, retained, via natural or artificial opening endoscopic

**Table 6 – Extraction of Endometrium Procedure Codes for MS-DRGs 744-745**

ICD 9/10	Code	Description
ICD-9	6909	Other dilation and curettage
ICD-10	0UDB7ZX	Extraction of endometrium, via opening, diagn
ICD-10	0UDB7ZZ	Extraction of endometrium, via natural or artificial opening
ICD-10	0UDB8ZX	Extraction of endometrium, endo, diagn
ICD-10	0UDB8ZZ	Extraction of endometrium, endo

**Table 7 – List of Extracorporeal membrane oxygenation (ECMO) procedure codes for MS-DRG 003**

ICD 9/10	Code	Description
ICD-9	3965	Extracorporeal membrane oxygenation [ECMO]
ICD-10	5A1522G	Extracorporeal Oxygenation, Membrane, Peripheral Venous-arterial
ICD-10	5A1522H	Extracorporeal Oxygenation, Membrane, Peripheral Venous-venous

**Table 8 – List of HCT procedures specifying autologous cordblood stem cell as the donor source for MS-DRGs 016 and 017**

ICD 9/10	Code	Description
ICD-9	4106	Cord blood stem cell transplant
ICD-10	30230X0	Transfusion of Autologous Cord Blood Stem Cells into Peripheral Vein, Open Approach
ICD-10	30233X0	Transfusion of Autologous Cord Blood Stem Cells into Peripheral Vein, Percutaneous Approach
ICD-10	30240X0	Transfusion of Autologous Cord Blood Stem Cells into Central Vein, Open Approach
ICD-10	30243X0	Transfusion of Autologous Cord Blood Stem Cells into Central Vein, Percutaneous Approach

**Table 9 – List of procedure codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036**

ICD 9/10	Code	Description
ICD-10	037H0DZ	Dilation of Right Common Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037J0DZ	Dilation of Left Common Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037K0DZ	Dilation of Right Internal Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037L0DZ	Dilation of Left Internal Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037M0DZ	Dilation of Right External Carotid Artery with Intraluminal Device, Open Approach
ICD-10	037N0DZ	Dilation of Left External Carotid Artery with Intraluminal Device, Open Approach

**Table 10 – List of diagnosis codes describing pulmonary embolism with cor pulmonale for MS-DRG 175**

ICD 9/10	Code	Description
ICD-9	4150	Acute cor pulmonale
ICD-9	41512	Septic pulmonary embolism
ICD-9	41513	Saddle embolus of pulmonary artery
ICD-9	41519	Other pulmonary embolism and infarction
ICD-10	I2601	Septic pulmonary embolism with acute cor pulmonale
ICD-10	I2602	Saddle embolus of pulmonary artery with acute cor pulmonale
ICD-10	I2609	Other pulmonary embolism with acute cor pulmonale

**Table 11 – List of procedure codes describing a transcatheter cardiac valve repair (supplemental) for MS-DRGs 266 and 267**

ICD 9/10	FY2019 MS-DRG	Code	Description
ICD-9	228-229	3597	Percutaneous mitral valve repair with implant
ICD-10	216-221	02UF37J	Supplement aortic valve created from truncal valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UF37Z	Supplement aortic valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UF38J	Supplement aortic valve created from truncal valve with zooplasic tissue, percutaneous approach.
ICD-10	216-221	02UF38Z	Supplement aortic valve with zooplasic tissue, percutaneous approach.
ICD-10	216-221	02UF3JJ	Supplement aortic valve created from truncal valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UF3JZ	Supplement aortic valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UF3KJ	Supplement aortic valve created from truncal valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UF3KZ	Supplement aortic valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG37E	Supplement mitral valve created from left atrioventricular valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG37Z	Supplement mitral valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG38E	Supplement mitral valve created from left atrioventricular valve with zooplasic tissue, percutaneous approach.
ICD-10	216-221	02UG38Z	Supplement mitral valve with zooplasic tissue, percutaneous approach.



ICD 9/10	FY2019 MS-DRG	Code	Description
ICD-10	216-221	02UG3KE	Supplement mitral valve created from left atrioventricular valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG3KZ	Supplement mitral valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UG3JE	Supplement mitral valve created from left atrioventricular valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UH37Z	Supplement pulmonary valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UH38Z	Supplement pulmonary valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UH3JZ	Supplement pulmonary valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UH3KZ	Supplement pulmonary valve with nonautologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UJ37G	Supplement tricuspid valve created from right atrioventricular valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UJ37Z	Supplement tricuspid valve with autologous tissue substitute, percutaneous approach.
ICD-10	216-221	02UJ38G	Supplement tricuspid valve created from right atrioventricular valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UJ38Z	Supplement tricuspid valve with zooplastic tissue, percutaneous approach.
ICD-10	216-221	02UJ3JG	Supplement tricuspid valve created from right atrioventricular valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UJ3JZ	Supplement tricuspid valve with synthetic substitute, percutaneous approach.
ICD-10	216-221	02UJ3KG	Supplement tricuspid valve created from right atrioventricular valve with nonautologous tissue substitute, percutaneous approach
ICD-10	216-221	02UJ3KZ	Supplement tricuspid valve with nonautologous tissue substitute, percutaneous approach
ICD-10	228-229	02UG3JZ	Supplement tricuspid valve created from right atrioventricular valve with nonautologous tissue substitute, percutaneous approach
ICD-10	273-274	02UG3JE	Supplement mitral valve created from left atrioventricular valve with synthetic substitute, percutaneous approach.

**Table 12 – List of procedure codes describing non-supplement transcatheter cardiac valve procedures for MS-DRGs 319-320**

ICD 9/10	Code	Description
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach



ICD 9/10	Code	Description
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplastic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplastic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplastic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplastic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	025F3ZZ	Destruction of Aortic Valve, Percutaneous Approach
ICD-10	025G3ZZ	Destruction of Mitral Valve, Percutaneous Approach
ICD-10	025H3ZZ	Destruction of Pulmonary Valve, Percutaneous Approach
ICD-10	025J3ZZ	Destruction of Tricuspid Valve, Percutaneous Approach
ICD-10	027F34Z	Dilation of Aortic Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027F3DZ	Dilation of Aortic Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027F3ZZ	Dilation of Aortic Valve, Percutaneous Approach
ICD-10	027G34Z	Dilation of Mitral Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027G3DZ	Dilation of Mitral Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027G3ZZ	Dilation of Mitral Valve, Percutaneous Approach
ICD-10	027H34Z	Dilation of Pulmonary Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027H3DZ	Dilation of Pulmonary Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027H3ZZ	Dilation of Pulmonary Valve, Percutaneous Approach
ICD-10	027J34Z	Dilation of Tricuspid Valve with Drug-eluting Intraluminal Device, Percutaneous Approach
ICD-10	027J3DZ	Dilation of Tricuspid Valve with Intraluminal Device, Percutaneous Approach
ICD-10	027J3ZZ	Dilation of Tricuspid Valve, Percutaneous Approach
ICD-10	02BF3ZZ	Excision of Aortic Valve, Percutaneous Approach
ICD-10	02BG3ZZ	Excision of Mitral Valve, Percutaneous Approach
ICD-10	02BH3ZZ	Excision of Pulmonary Valve, Percutaneous Approach
ICD-10	02BJ3ZZ	Excision of Tricuspid Valve, Percutaneous Approach
ICD-10	02QF3ZJ	Repair Aortic Valve created from Truncal Valve, Percutaneous Approach
ICD-10	02QF3ZZ	Repair Aortic Valve, Percutaneous Approach
ICD-10	02QG3ZE	Repair Mitral Valve created from Left Atrioventricular Valve, Percutaneous Approach
ICD-10	02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
ICD-10	02QH3ZZ	Repair Pulmonary Valve, Percutaneous Approach
ICD-10	02QJ3ZG	Repair Tricuspid Valve created from Right Atrioventricular Valve, Percutaneous Approach
ICD-10	02QJ3ZZ	Repair Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02VG3ZZ	Restriction of Mitral Valve, Percutaneous Approach
ICD-10	02WF38Z	Revision of Zooplasic Tissue in Aortic Valve, Percutaneous Approach
ICD-10	02WF3JZ	Revision of Synthetic Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WF3KZ	Revision of Nonautologous Tissue Substitute in Aortic Valve, Percutaneous Approach
ICD-10	02WG37Z	Revision of Autologous Tissue Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG38Z	Revision of Zooplasic Tissue in Mitral Valve, Percutaneous Approach
ICD-10	02WG3JZ	Revision of Synthetic Substitute in Mitral Valve, Percutaneous Approach
ICD-10	02WG3KZ	Revision of Nonautologous Tissue Substitute in Mitral Valve, Percutaneous Approach



ICD 9/10	Code	Description
ICD-10	02WH37Z	Revision of Autologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH38Z	Revision of Zooplasic Tissue in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3JZ	Revision of Synthetic Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WH3KZ	Revision of Nonautologous Tissue Substitute in Pulmonary Valve, Percutaneous Approach
ICD-10	02WJ37Z	Revision of Autologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ38Z	Revision of Zooplasic Tissue in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3JZ	Revision of Synthetic Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02WJ3KZ	Revision of Nonautologous Tissue Substitute in Tricuspid Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach
ICD-10	02TH3ZZ	Resection of Pulmonary Valve, Percutaneous Approach

**Table 13 – List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRGs 485-487**

ICD 9/10	Code	Description
ICD-9	01520	Tuberculosis of knee, unspecified
ICD-9	01521	Tuberculosis of knee bacteriological or histological examination not done
ICD-9	01522	Tuberculosis of knee bacteriological or histological examination results unknown (at present)
ICD-9	01523	Tuberculosis of knee tubercle bacilli found (in sputum) by microscopy
ICD-9	01524	Tuberculosis of knee tubercle bacilli not found (in sputum) by microscopy but found by bacterial culture
ICD-9	01525	Tuberculosis of knee tubercle bacilli not found by bacteriological examination but tuberculosis confirmed histologically
ICD-9	01526	Tuberculosis of knee tubercle bacilli not found by bacteriological or histological examination but tuberculosis confirmed by other methods (inoculation of animals)
ICD-9	01580	Tuberculosis of other specified joint, unspecified
ICD-9	01581	Tuberculosis of other specified joint bacteriological or histological examination not done
ICD-9	01582	Tuberculosis of other specified joint bacteriological or histological examination results unknown (at present)
ICD-9	01583	Tuberculosis of other specified joint tubercle bacilli found (in sputum) by microscopy
ICD-9	01584	Tuberculosis of other specified joint tubercle bacilli not found (in sputum) by microscopy but found by bacterial culture
ICD-9	01585	Tuberculosis of other specified joint tubercle bacilli not found by bacteriological examination but tuberculosis confirmed histologically
ICD-9	01586	Tuberculosis of other specified joint tubercle bacilli not found by bacteriological or histological examination but tuberculosis confirmed by other methods (inoculation of animals)
ICD-9	09850	Gonococcal arthritis
ICD-9	71106	Pyogenic arthritis involving lower leg
ICD-9	71116	Arthropathy associated with Reiter's disease and nonspecific urethritis, lower leg
ICD-9	71126	Arthropathy in behcet's syndrome involving lower leg
ICD-9	71136	Postdysenteric arthropathy involving lower leg

ICD 9/10	Code	Description
ICD-9	71146	Arthropathy associated with other bacterial diseases, lower leg
ICD-9	71196	Unspecified infective arthritis involving lower leg
ICD-9	72660	Enthesopathy of knee unspecified
ICD-9	71116	Arthropathy involving lower leg associated with reiter's disease and nonspecific urethritis
ICD-9	71146	Arthropathy involving lower leg associated with other bacterial diseases
ICD-10	A1802	Tuberculosis of other joints
ICD-10	A5442	Gonococcal arthritis
ICD-10	M01X61	Direct infection of right knee in infectious and parasitic diseases classified elsewhere
ICD-10	M01X62	Direct infection of left knee in infectious and parasitic diseases classified elsewhere
ICD-10	M01X69	Direct infection of unspecified knee in infectious and parasitic diseases classified elsewhere
ICD-10	M71061	Abscess of bursa, right knee
ICD-10	M71062	Abscess of bursa, left knee
ICD-10	M71069	Abscess of bursa, unspecified knee
ICD-10	M71161	Other infective bursitis, right knee
ICD-10	M71162	Other infective bursitis, left knee
ICD-10	M71169	Other infective bursitis, unspecified knee
ICD-10	M009	Pyogenic arthritis, unspecified

**Table 14 – List of diagnosis codes describing scoliosis, secondary scoliosis, and secondary kyphosis for MS-DRGs 456-458**

ICD 9/10	Code	Description
ICD-9	73733	Scoliosis due to radiation
ICD-9	73743	Scoliosis associated with other conditions
ICD-10	M4010	Other secondary kyphosis, site unspecified
ICD-10	M4014	Other secondary kyphosis, thoracic region
ICD-10	M4015	Other secondary kyphosis, thoracolumbar region
ICD-10	M4140	Neuromuscular scoliosis, site unspecified
ICD-10	M4144	Neuromuscular scoliosis, thoracic region
ICD-10	M4145	Neuromuscular scoliosis, thoracolumbar region
ICD-10	M4146	Neuromuscular scoliosis, lumbar region
ICD-10	M4147	Neuromuscular scoliosis, lumbosacral region
ICD-10	M4150	Other secondary scoliosis, site unspecified
ICD-10	M4154	Other secondary scoliosis, thoracic region
ICD-10	M4155	Other secondary scoliosis, thoracolumbar region
ICD-10	M4156	Other secondary scoliosis, lumbar region
ICD-10	M4157	Other secondary scoliosis, lumbosacral region



**Table 15 – List of Cervical Spinal Fusion procedure codes  
for MS-DRGs 471-473 and 551-552**

ICD 9/10	Code	Description
ICD-10	0RG6070	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG6071	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG607J	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG60A0	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG60AJ	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG60J0	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG60J1	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG60JJ	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG60K0	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG60K1	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG60KJ	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG6370	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG6371	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG637J	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63A0	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63AJ	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63J0	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63J1	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG63JJ	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63K0	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG63K1	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG63KJ	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG6470	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG6471	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG647J	Fusion of Thoracic Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach

ICD 9/10	Code	Description
ICD-10	0RG64A0	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64AJ	Fusion of Thoracic Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64J0	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64J1	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64JJ	Fusion of Thoracic Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64K0	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64K1	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG64KJ	Fusion of Thoracic Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG7070	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG7071	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG707J	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG70A0	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG70AJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG70J0	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG70J1	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG70JJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG70K0	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG70K1	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG70KJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG7370	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG7371	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG737J	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73A0	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73AJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73J0	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73J1	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0RG73JJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73K0	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG73K1	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG73KJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG7470	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG7471	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG747J	Fusion of 2 to 7 Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74A0	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74AJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74J0	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74J1	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74JJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74K0	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74K1	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG74KJ	Fusion of 2 to 7 Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG8070	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG8071	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG807J	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG80A0	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG80AJ	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG80J0	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG80J1	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG80JJ	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RG80K0	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RG80K1	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RG80KJ	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach

ICD 9/10	Code	Description
ICD-10	0RG8370	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG8371	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG837J	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83A0	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83AJ	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83J0	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83J1	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG83JJ	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83K0	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG83K1	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RG83KJ	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RG8470	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG8471	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG847J	Fusion of 8 or more Thoracic Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84A0	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84AJ	Fusion of 8 or more Thoracic Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84J0	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84J1	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84JJ	Fusion of 8 or more Thoracic Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84K0	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84K1	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RG84KJ	Fusion of 8 or more Thoracic Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA070	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA071	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RGA07J	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach

ICD 9/10	Code	Description
ICD-10	0RGA0A0	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0AJ	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0J0	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0J1	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RGA0JJ	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0K0	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0RGA0K1	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0RGA0KJ	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0RGA370	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA371	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RGA37J	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3A0	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3AJ	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3J0	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3J1	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RGA3JJ	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3K0	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA3K1	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0RGA3KJ	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0RGA470	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA471	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA47J	Fusion of Thoracolumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4A0	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4AJ	Fusion of Thoracolumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4J0	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4J1	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach



ICD 9/10	Code	Description
ICD-10	0RGA4JJ	Fusion of Thoracolumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4K0	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4K1	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0RGA4KJ	Fusion of Thoracolumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG0070	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG0071	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG007J	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG00A0	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG00AJ	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG00J0	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG00J1	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG00JJ	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG00K0	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG00K1	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG00KJ	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG0370	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG0371	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG037J	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03A0	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03AJ	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03J0	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03J1	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG03JJ	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03K0	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG03K1	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG03KJ	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0SG0470	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG0471	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG047J	Fusion of Lumbar Vertebral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04A0	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04AJ	Fusion of Lumbar Vertebral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04J0	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04J1	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04JJ	Fusion of Lumbar Vertebral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04K0	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04K1	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG04KJ	Fusion of Lumbar Vertebral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG1070	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG1071	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG107J	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG10A0	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG10AJ	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG10J0	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG10J1	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG10JJ	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG10K0	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG10K1	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG10KJ	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG1370	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG1371	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG137J	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13A0	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0SG13AJ	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13J0	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13J1	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG13JJ	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13K0	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG13K1	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG13KJ	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG1470	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG1471	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG147J	Fusion of 2 or more Lumbar Vertebral Joints with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14A0	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14AJ	Fusion of 2 or more Lumbar Vertebral Joints with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14J0	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14J1	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14JJ	Fusion of 2 or more Lumbar Vertebral Joints with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14K0	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14K1	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG14KJ	Fusion of 2 or more Lumbar Vertebral Joints with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG3070	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG3071	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG307J	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG30A0	Fusion of Lumbosacral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG30AJ	Fusion of Lumbosacral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG30J0	Fusion of Lumbosacral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG30J1	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Open Approach



ICD 9/10	Code	Description
ICD-10	0SG30JJ	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG30K0	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Open Approach
ICD-10	0SG30K1	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Open Approach
ICD-10	0SG30KJ	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Open Approach
ICD-10	0SG3370	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG3371	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG337J	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33A0	Fusion of Lumbosacral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33AJ	Fusion of Lumbosacral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33J0	Fusion of Lumbosacral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33J1	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG33JJ	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33K0	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG33K1	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Approach
ICD-10	0SG33KJ	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Approach
ICD-10	0SG3470	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG3471	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG347J	Fusion of Lumbosacral Joint with Autologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34A0	Fusion of Lumbosacral Joint with Interbody Fusion Device, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34AJ	Fusion of Lumbosacral Joint with Interbody Fusion Device, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34J0	Fusion of Lumbosacral Joint with Synthetic Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34J1	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34JJ	Fusion of Lumbosacral Joint with Synthetic Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34K0	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Anterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34K1	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Posterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG34KJ	Fusion of Lumbosacral Joint with Nonautologous Tissue Substitute, Posterior Approach, Anterior Column, Percutaneous Endoscopic Approach
ICD-10	0SG504Z	Fusion of Sacrococcygeal Joint with Internal Fixation Device, Open Approach

ICD 9/10	Code	Description
ICD-10	0SG507Z	Fusion of Sacrococcygeal Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG50JZ	Fusion of Sacrococcygeal Joint with Synthetic Substitute, Open Approach
ICD-10	0SG50KZ	Fusion of Sacrococcygeal Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG534Z	Fusion of Sacrococcygeal Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG537Z	Fusion of Sacrococcygeal Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG53JZ	Fusion of Sacrococcygeal Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG53KZ	Fusion of Sacrococcygeal Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG544Z	Fusion of Sacrococcygeal Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG547Z	Fusion of Sacrococcygeal Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG54JZ	Fusion of Sacrococcygeal Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG54KZ	Fusion of Sacrococcygeal Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG604Z	Fusion of Coccygeal Joint with Internal Fixation Device, Open Approach
ICD-10	0SG607Z	Fusion of Coccygeal Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG60JZ	Fusion of Coccygeal Joint with Synthetic Substitute, Open Approach
ICD-10	0SG60KZ	Fusion of Coccygeal Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG634Z	Fusion of Coccygeal Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG637Z	Fusion of Coccygeal Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG63JZ	Fusion of Coccygeal Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG63KZ	Fusion of Coccygeal Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG644Z	Fusion of Coccygeal Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG647Z	Fusion of Coccygeal Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG64JZ	Fusion of Coccygeal Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG64KZ	Fusion of Coccygeal Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG704Z	Fusion of Right Sacroiliac Joint with Internal Fixation Device, Open Approach
ICD-10	0SG707Z	Fusion of Right Sacroiliac Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG70JZ	Fusion of Right Sacroiliac Joint with Synthetic Substitute, Open Approach
ICD-10	0SG70KZ	Fusion of Right Sacroiliac Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG734Z	Fusion of Right Sacroiliac Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG737Z	Fusion of Right Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG73JZ	Fusion of Right Sacroiliac Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG73KZ	Fusion of Right Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Approach

ICD 9/10	Code	Description
ICD-10	0SG744Z	Fusion of Right Sacroiliac Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG747Z	Fusion of Right Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG74JZ	Fusion of Right Sacroiliac Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG74KZ	Fusion of Right Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG804Z	Fusion of Left Sacroiliac Joint with Internal Fixation Device, Open Approach
ICD-10	0SG807Z	Fusion of Left Sacroiliac Joint with Autologous Tissue Substitute, Open Approach
ICD-10	0SG80JZ	Fusion of Left Sacroiliac Joint with Synthetic Substitute, Open Approach
ICD-10	0SG80KZ	Fusion of Left Sacroiliac Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0SG834Z	Fusion of Left Sacroiliac Joint with Internal Fixation Device, Percutaneous Approach
ICD-10	0SG837Z	Fusion of Left Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG83JZ	Fusion of Left Sacroiliac Joint with Synthetic Substitute, Percutaneous Approach
ICD-10	0SG83KZ	Fusion of Left Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Approach
ICD-10	0SG844Z	Fusion of Left Sacroiliac Joint with Internal Fixation Device, Percutaneous Endoscopic Approach
ICD-10	0SG847Z	Fusion of Left Sacroiliac Joint with Autologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG84JZ	Fusion of Left Sacroiliac Joint with Synthetic Substitute, Percutaneous Endoscopic Approach
ICD-10	0SG84KZ	Fusion of Left Sacroiliac Joint with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	XRG6092	Fusion of Thoracic Vertebral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRG60F3	Fusion of Thoracic Vertebral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRG7092	Fusion of 2 to 7 Thoracic Vertebral Joints using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRG70F3	Fusion of 2 to 7 Thoracic Vertebral Joints using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRG8092	Fusion of 8 or more Thoracic Vertebral Joints using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRG80F3	Fusion of 8 or more Thoracic Vertebral Joints using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGA092	Fusion of Thoracolumbar Vertebral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGA0F3	Fusion of Thoracolumbar Vertebral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGB092	Fusion of Lumbar Vertebral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGB0F3	Fusion of Lumbar Vertebral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3
ICD-10	XRGC092	Fusion of 2 or more Lumbar Vertebral Joints using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGC0F3	Fusion of 2 or more Lumbar Vertebral Joints using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3

ICD 9/10	Code	Description
ICD-10	XRGD092	Fusion of Lumbosacral Joint using Nanotextured Surface Interbody Fusion Device, Open Approach, New Technology Group 2
ICD-10	XRGD0F3	Fusion of Lumbosacral Joint using Radiolucent Porous Interbody Fusion Device, Open Approach, New Technology Group 3

**Table 16 – List of Cervical Spinal Fusion diagnosis codes for MS-DRGs 471-473 and 551-552**

ICD 9/10	Code	Description
ICD-10	M4003	Postural kyphosis, cervicothoracic region
ICD-10	M4012	Other secondary kyphosis, cervical region
ICD-10	M4013	Other secondary kyphosis, cervicothoracic region
ICD-10	M40202	Unspecified kyphosis, cervical region
ICD-10	M40203	Unspecified kyphosis, cervicothoracic region
ICD-10	M40292	Other kyphosis, cervical region
ICD-10	M40293	Other kyphosis, cervicothoracic region
ICD-10	M4102	Infantile idiopathic scoliosis, cervical region
ICD-10	M4103	Infantile idiopathic scoliosis, cervicothoracic region
ICD-10	M41112	Juvenile idiopathic scoliosis, cervical region
ICD-10	M41113	Juvenile idiopathic scoliosis, cervicothoracic region
ICD-10	M41122	Adolescent idiopathic scoliosis, cervical region
ICD-10	M41123	Adolescent idiopathic scoliosis, cervicothoracic region
ICD-10	M4122	Other idiopathic scoliosis, cervical region
ICD-10	M4123	Other idiopathic scoliosis, cervicothoracic region
ICD-10	M4141	Neuromuscular scoliosis, occipito-atlanto-axial region
ICD-10	M4142	Neuromuscular scoliosis, cervical region
ICD-10	M4143	Neuromuscular scoliosis, cervicothoracic region
ICD-10	M4152	Other secondary scoliosis, cervical region
ICD-10	M4153	Other secondary scoliosis, cervicothoracic region
ICD-10	M4182	Other forms of scoliosis, cervical region
ICD-10	M4183	Other forms of scoliosis, cervicothoracic region
ICD-10	M4201	Juvenile osteochondrosis of spine, occipito-atlanto-axial region
ICD-10	M4202	Juvenile osteochondrosis of spine, cervical region
ICD-10	M4203	Juvenile osteochondrosis of spine, cervicothoracic region
ICD-10	M438X1	Other specified deforming dorsopathies, occipito-atlanto-axial region
ICD-10	M438X2	Other specified deforming dorsopathies, cervical region
ICD-10	M438X3	Other specified deforming dorsopathies, cervicothoracic region
ICD-10	M4621	Osteomyelitis of vertebra, occipito-atlanto-axial region
ICD-10	M4622	Osteomyelitis of vertebra, cervical region
ICD-10	M4623	Osteomyelitis of vertebra, cervicothoracic region
ICD-10	M4851XA	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture
ICD-10	M4852XA	Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture
ICD-10	M4853XA	Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture

**Table 17a – List of diagnosis codes describing abnormal radiological findings on the testicle for MS-DRGs 729-730**

ICD 9/10	Code	Description
ICD-9	79399	Other nonspecific (abnormal) findings on radiological and other examinations of body structure
ICD-10	R93811	Abnormal radiologic findings on diagnostic imaging of right testicle
ICD-10	R93812	Abnormal radiologic findings on diagnostic imaging of left testicle
ICD-10	R93813	Abnormal radiologic findings on diagnostic imaging of testicles, bilateral
ICD-10	R93819	Abnormal radiologic findings on diagnostic imaging of unspecified testicle

**Table 17b – List of diagnosis codes describing abnormal radiologic findings on the testicle for MS-DRGs 947-948**

ICD 9/10	Code	Description
ICD-9	79399	Other nonspecific (abnormal) findings on radiological and other examinations of body structure
ICD-10	R9389	Abnormal findings on diagnostic imaging of other specified body structures

**Table 18 – List of diagnosis codes describing conditions complicating pregnancy, childbirth and the puerperium for MS-DRGs 817-819 and 831-833**

ICD 9/10	Code	Description
ICD-9	67480	Other complications of puerperium, unspecified as to episode of care or not applicable
ICD-9	67482	Other complications of puerperium, delivered, with mention of postpartum complication
ICD-9	67484	Other complications of puerperium, postpartum condition or complication
ICD-10	O9989	Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium

**Table 19 – List of diagnosis codes describing infected bursa and other infections of the joints for MS-DRGs 559-561**

ICD 9/10	Code	Description
ICD-9	99666	Infection and inflammatory reaction due to internal joint prosthesis
ICD-9	99667	Infection and inflammatory reaction due to other internal orthopedic device, implant, and graft
ICD-9	73020	Unspecified osteomyelitis, site unspecified
ICD-9	73021	Unspecified osteomyelitis, shoulder region
ICD-9	73022	Unspecified osteomyelitis, upper arm
ICD-9	73023	Unspecified osteomyelitis, forearm
ICD-9	73024	Unspecified osteomyelitis, hand
ICD-9	73025	Unspecified osteomyelitis, pelvic region and thigh
ICD-9	73026	Unspecified osteomyelitis, lower leg
ICD-9	73027	Unspecified osteomyelitis, ankle and foot
ICD-9	73028	Unspecified osteomyelitis, other specified sites
ICD-9	73029	Unspecified osteomyelitis, multiple sites
ICD-10	T8459XA	Infection and inflammatory reaction due to other internal joint prosthesis, initial encounter

ICD 9/10	Code	Description
ICD-10	T8452XA	Infection and inflammatory reaction due to internal left hip prosthesis, initial encounter
ICD-10	T8460XA	Infection and inflammatory reaction due to internal fixation device of unspecified site, initial encounter
ICD-10	T8469XA	Infection and inflammatory reaction due to internal fixation device of other site, initial encounter
ICD-10	T8463XA	Infection and inflammatory reaction due to internal fixation device of spine, initial encounter
ICD-10	T8451XA	Infection and inflammatory reaction due to internal right hip prosthesis, initial encounter
ICD-10	M869	Osteomyelitis, unspecified
ICD-10	T8450XA	Infection and inflammatory reaction due to unspecified internal joint prosthesis, initial encounter

**Table 20 – Diagnosis codes describing conditions involving the excision of skin and bones for MS-DRGs 579-581**

ICD 9/10	Code	Description
ICD-9	7760	Local excision of lesion or tissue of bone, unspecified site
ICD-9	7764	Local excision of lesion or tissue of bone, carpals and metacarpals
ICD-9	7794	Total ostectomy, carpals and metacarpals
ICD-10	0QB10ZZ	Excision of Sacrum, Open Approach
ICD-10	0QB20ZZ	Excision of Right Pelvic Bone, Open Approach
ICD-10	0QB30ZZ	Excision of Left Pelvic Bone, Open Approach
ICD-10	0QBS0ZZ	Excision of Coccyx, Open Approach
ICD-10	0PBR0ZZ	Excision of Right Thumb Phalanx, Open Approach
ICD-10	0PBR3ZZ	Excision of Right Thumb Phalanx, Percutaneous Approach
ICD-10	0PBR4ZZ	Excision of Right Thumb Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PBS0ZZ	Excision of Left Thumb Phalanx, Open Approach
ICD-10	0PBS3ZZ	Excision of Left Thumb Phalanx, Percutaneous Approach
ICD-10	0PBS4ZZ	Excision of Left Thumb Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PBT0ZZ	Excision of Right Finger Phalanx, Open Approach
ICD-10	0PBT3ZZ	Excision of Right Finger Phalanx, Percutaneous Approach
ICD-10	0PBT4ZZ	Excision of Right Finger Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PBV0ZZ	Excision of Left Finger Phalanx, Open Approach
ICD-10	0PBV3ZZ	Excision of Left Finger Phalanx, Percutaneous Approach
ICD-10	0PBV4ZZ	Excision of Left Finger Phalanx, Percutaneous Endoscopic Approach
ICD-10	0PTR0ZZ	Resection of Right Thumb Phalanx, Open Approach
ICD-10	0PTS0ZZ	Resection of Left Thumb Phalanx, Open Approach
ICD-10	0PTT0ZZ	Resection of Right Finger Phalanx, Open Approach
ICD-10	0PTV0ZZ	Resection of Left Finger Phalanx, Open Approach
ICD-10	0RTW0ZZ	Resection of Right Finger Phalangeal Joint, Open Approach
ICD-10	0RTX0ZZ	Resection of Left Finger Phalangeal Joint, Open Approach



**Table 21 – List of procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 326-328**

ICD 9/10	Code	Description
ICD-9	4497	Laparoscopic removal of gastric restrictive device(s)
ICD-9	4496	Laparoscopic revision of gastric restrictive procedure
ICD-10	0DP64CZ	Removal of Extraluminal Device from Stomach, Percutaneous Endoscopic Approach
ICD-10	0DW64CZ	Revision of Extraluminal Device in Stomach, Percutaneous Endoscopic Approach

**Table 22 – List of procedure codes describing revision or removal of extraluminal device in stomach, percutaneous endoscopic approach for MS-DRGs 715-718 and 749-750**

ICD 9/10	Code	Description
ICD-9	3886	Other surgical occlusion of vessels, abdominal arteries
ICD-10	06LB3DZ	Occlusion of Left Renal Vein with Intraluminal Device, Percutaneous Approach

**Table 23 – List of Male Diagnosis Codes with no malignancy for MS-DRGs 715-718 and 749-750**

ICD 9/10	Code	Description
ICD-9	05410	Genital herpes, unspecified
ICD-9	05413	Herpetic infection of penis
ICD-9	05419	Other genital herpes
ICD-9	09812	Gonococcal prostatitis (acute)
ICD-9	09813	Gonococcal epididymo-orchitis (acute)
ICD-9	09814	Gonococcal seminal vesiculitis (acute)
ICD-9	09832	Gonococcal prostatitis, chronic
ICD-9	09833	Gonococcal epididymo-orchitis, chronic
ICD-9	09834	Gonococcal seminal vesiculitis, chronic
ICD-9	1122	Candidiasis of other urogenital sites
ICD-9	11289	Other candidiasis of other specified sites
ICD-9	13102	Trichomonal urethritis
ICD-9	13103	Trichomonal prostatitis
ICD-9	13109	Other urogenital trichomoniasis
ICD-9	01650	Tuberculosis of other male genital organs, unspecified
ICD-9	01651	Tuberculosis of other male genital organs, bacteriological or histological examination not done
ICD-9	01652	Tuberculosis of other male genital organs, bacteriological or histological examination unknown (at present)
ICD-9	01653	Tuberculosis of other male genital organs, tubercle bacilli found (in sputum) by microscopy
ICD-9	01654	Tuberculosis of other male genital organs, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
ICD-9	01655	Tuberculosis of other male genital organs, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically

ICD 9/10	Code	Description
ICD-9	01656	Tuberculosis of other male genital organs, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
ICD-9	2144	Lipoma of spermatic cord
ICD-9	2220	Benign neoplasm of testis
ICD-9	2221	Benign neoplasm of penis
ICD-9	2222	Benign neoplasm of prostate
ICD-9	2223	Benign neoplasm of epididymis
ICD-9	2224	Benign neoplasm of scrotum
ICD-9	2228	Benign neoplasm of other specified sites of male genital organs
ICD-9	2229	Benign neoplasm of male genital organ, site unspecified
ICD-9	4564	Scrotal varices
ICD-9	4565	Pelvic varices
ICD-9	59780	Urethritis, unspecified
ICD-9	60010	Nodular prostate without urinary obstruction
ICD-9	60011	Nodular prostate with urinary obstruction
ICD-9	60020	Benign localized hyperplasia of prostate without urinary obstruction and other lower urinary tract symptoms (LUTS)
ICD-9	60021	Benign localized hyperplasia of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)
ICD-9	60090	Hyperplasia of prostate, unspecified, without urinary obstruction and other lower urinary symptoms (LUTS)
ICD-9	60091	Hyperplasia of prostate, unspecified, with urinary obstruction and other lower urinary symptoms (LUTS)
ICD-9	6010	Acute prostatitis
ICD-9	6011	Chronic prostatitis
ICD-9	6012	Abscess of prostate
ICD-9	6013	Prostatocystitis
ICD-9	6018	Other specified inflammatory diseases of prostate
ICD-9	6019	Prostatitis, unspecified
ICD-9	6020	Calculus of prostate
ICD-9	6021	Congestion or hemorrhage of prostate
ICD-9	6022	Atrophy of prostate
ICD-9	6023	Dysplasia of prostate
ICD-9	6028	Other specified disorders of prostate
ICD-9	6029	Unspecified disorder of prostate
ICD-9	6030	Encysted hydrocele
ICD-9	6031	Infected hydrocele
ICD-9	6038	Other specified types of hydrocele
ICD-9	6039	Hydrocele, unspecified
ICD-9	6040	Orchitis, epididymitis, and epididymo-orchitis, with abscess
ICD-9	60490	Orchitis and epididymitis, unspecified
ICD-9	605	Redundant prepuce and phimosis



ICD 9/10	Code	Description
ICD-9	6060	Azoospermia
ICD-9	6061	Oligospermia
ICD-9	6068	Infertility due to extratesticular causes
ICD-9	6069	Male infertility, unspecified
ICD-9	6070	Leukoplakia of penis
ICD-9	6071	Balanoposthitis
ICD-9	6072	Other inflammatory disorders of penis
ICD-9	6073	Priapism
ICD-9	60781	Balanitis xerotica obliterans
ICD-9	60782	Vascular disorders of penis
ICD-9	60783	Edema of penis
ICD-9	60784	Impotence of organic origin
ICD-9	60785	Peyronie's disease
ICD-9	60789	Other specified disorders of penis
ICD-9	6079	Unspecified disorder of penis
ICD-9	6080	Seminal vesiculitis
ICD-9	6081	Spermatocele
ICD-9	60821	Extravaginal torsion of spermatic cord
ICD-9	60822	Intravaginal torsion of spermatic cord
ICD-9	60823	Torsion of appendix testis
ICD-9	60824	Torsion of appendix epididymis
ICD-9	6083	Atrophy of testis
ICD-9	6084	Other inflammatory disorders of male genital organs
ICD-9	60881	Disorders of male genital organs in diseases classified elsewhere
ICD-9	60882	Hemospermia
ICD-9	60883	Vascular disorders of male genital organs
ICD-9	60884	Chylocele of tunica vaginalis
ICD-9	60887	Retrograde ejaculation
ICD-9	60889	Other specified disorders of male genital organs
ICD-9	6089	Unspecified disorder of male genital organs
ICD-9	67620	Engorgement of breasts associated with childbirth, unspecified as to episode of care or not applicable
ICD-9	6981	Pruritus of genital organs
ICD-9	0720	Mumps orchitis
ICD-9	75251	Undescended testis
ICD-9	75252	Retractile testis
ICD-9	75261	Hypospadias
ICD-9	75262	Epispadias
ICD-9	75263	Congenital chordee
ICD-9	75264	Micropenis

ICD 9/10	Code	Description
ICD-9	75265	Hidden penis
ICD-9	75269	Other penile anomalies
ICD-9	75281	Scrotal transposition
ICD-9	75289	Other specified anomalies of genital organs
ICD-9	7529	Unspecified anomaly of genital organs
ICD-9	7587	Klinefelter's syndrome
ICD-9	75881	Other conditions due to sex chromosome anomalies
ICD-9	75889	Other conditions due to chromosome anomalies
ICD-9	7922	Nonspecific abnormal findings in semen
ICD-9	7934	Nonspecific (abnormal) findings on radiological and other examination of gastrointestinal tract
ICD-9	8676	Injury to other specified pelvic organs, without mention of open wound into cavity
ICD-9	8678	Injury to unspecified pelvic organ, without mention of open wound into cavity
ICD-9	8780	Open wound of penis, without mention of complication
ICD-9	8781	Open wound of penis, complicated
ICD-9	8782	Open wound of scrotum and testes, without mention of complication
ICD-9	8783	Open wound of scrotum and testes, complicated
ICD-9	9224	Contusion of genital organs
ICD-9	9260	Crushing injury of external genitalia
ICD-9	9393	Foreign body in penis
ICD-10	A1814	Tuberculosis of prostate
ICD-10	A1815	Tuberculosis of other male genital organs
ICD-10	A5422	Gonococcal prostatitis
ICD-10	A5423	Gonococcal infection of other male genital organs
ICD-10	A5902	Trichomonal prostatitis
ICD-10	A5903	Trichomonal cystitis and urethritis
ICD-10	A5909	Other urogenital trichomoniasis
ICD-10	A6000	Herpesviral infection of urogenital system, unspecified
ICD-10	A6001	Herpesviral infection of penis
ICD-10	A6002	Herpesviral infection of other male genital organs
ICD-10	B260	Mumps orchitis
ICD-10	B3741	Candidal cystitis and urethritis
ICD-10	B3742	Candidal balanitis
ICD-10	D176	Benign lipomatous neoplasm of spermatic cord
ICD-10	D290	Benign neoplasm of penis
ICD-10	D291	Benign neoplasm of prostate
ICD-10	D2920	Benign neoplasm of unspecified testis
ICD-10	D2921	Benign neoplasm of right testis
ICD-10	D2922	Benign neoplasm of left testis
ICD-10	D2930	Benign neoplasm of unspecified epididymis

ICD 9/10	Code	Description
ICD-10	D2931	Benign neoplasm of right epididymis
ICD-10	D2932	Benign neoplasm of left epididymis
ICD-10	D294	Benign neoplasm of scrotum
ICD-10	D298	Benign neoplasm of other specified male genital organs
ICD-10	D299	Benign neoplasm of male genital organ, unspecified
ICD-10	I861	Scrotal varices
ICD-10	I862	Pelvic varices
ICD-10	L291	Pruritus scroti
ICD-10	N341	Nonspecific urethritis
ICD-10	N400	Benign prostatic hyperplasia without lower urinary tract symptoms
ICD-10	N401	Benign prostatic hyperplasia with lower urinary tract symptoms
ICD-10	N402	Nodular prostate without lower urinary tract symptoms
ICD-10	N403	Nodular prostate with lower urinary tract symptoms
ICD-10	N410	Acute prostatitis
ICD-10	N411	Chronic prostatitis
ICD-10	N412	Abscess of prostate
ICD-10	N413	Prostatocystitis
ICD-10	N414	Granulomatous prostatitis
ICD-10	N418	Other inflammatory diseases of prostate
ICD-10	N419	Inflammatory disease of prostate, unspecified
ICD-10	N420	Calculus of prostate
ICD-10	N421	Congestion and hemorrhage of prostate
ICD-10	N4230	Unspecified dysplasia of prostate
ICD-10	N4231	Prostatic intraepithelial neoplasia
ICD-10	N4232	Atypical small acinar proliferation of prostate
ICD-10	N4239	Other dysplasia of prostate
ICD-10	N4281	Prostatodynia syndrome
ICD-10	N4282	Prostatosis syndrome
ICD-10	N4283	Cyst of prostate
ICD-10	N4289	Other specified disorders of prostate
ICD-10	N429	Disorder of prostate, unspecified
ICD-10	N430	Encysted hydrocele
ICD-10	N431	Infected hydrocele
ICD-10	N432	Other hydrocele
ICD-10	N433	Hydrocele, unspecified
ICD-10	N4340	Spermatocele of epididymis, unspecified
ICD-10	N4341	Spermatocele of epididymis, single
ICD-10	N4342	Spermatocele of epididymis, multiple
ICD-10	N4400	Torsion of testis, unspecified
ICD-10	N4401	Extravaginal torsion of spermatic cord

ICD 9/10	Code	Description
ICD-10	N4402	Intravaginal torsion of spermatic cord
ICD-10	N4403	Torsion of appendix testis
ICD-10	N4404	Torsion of appendix epididymis
ICD-10	N441	Cyst of tunica albuginea testis
ICD-10	N442	Benign cyst of testis
ICD-10	N448	Other noninflammatory disorders of the testis
ICD-10	N451	Epididymitis
ICD-10	N452	Orchitis
ICD-10	N453	Epididymo-orchitis
ICD-10	N454	Abscess of epididymis or testis
ICD-10	N4601	Organic azoospermia
ICD-10	N46021	Azoospermia due to drug therapy
ICD-10	N46022	Azoospermia due to infection
ICD-10	N46023	Azoospermia due to obstruction of efferent ducts
ICD-10	N46024	Azoospermia due to radiation
ICD-10	N46025	Azoospermia due to systemic disease
ICD-10	N46029	Azoospermia due to other extratesticular causes
ICD-10	N4611	Organic oligospermia
ICD-10	N46121	Oligospermia due to drug therapy
ICD-10	N46122	Oligospermia due to infection
ICD-10	N46123	Oligospermia due to obstruction of efferent ducts
ICD-10	N46124	Oligospermia due to radiation
ICD-10	N46125	Oligospermia due to systemic disease
ICD-10	N46129	Oligospermia due to other extratesticular causes
ICD-10	N468	Other male infertility
ICD-10	N470	Adherent prepuce, newborn
ICD-10	N471	Phimosis
ICD-10	N472	Paraphimosis
ICD-10	N473	Deficient foreskin
ICD-10	N474	Benign cyst of prepuce
ICD-10	N475	Adhesions of prepuce and glans penis
ICD-10	N476	Balanoposthitis
ICD-10	N477	Other inflammatory diseases of prepuce
ICD-10	N478	Other disorders of prepuce
ICD-10	N480	Leukoplakia of penis
ICD-10	N481	Balanitis
ICD-10	N4821	Abscess of corpus cavernosum and penis
ICD-10	N4822	Cellulitis of corpus cavernosum and penis
ICD-10	N4829	Other inflammatory disorders of penis
ICD-10	N4830	Priapism, unspecified

ICD 9/10	Code	Description
ICD-10	N4831	Priapism due to trauma
ICD-10	N4832	Priapism due to disease classified elsewhere
ICD-10	N4833	Priapism, drug-induced
ICD-10	N4839	Other priapism
ICD-10	N485	Ulcer of penis
ICD-10	N486	Induration penis plastica
ICD-10	N4881	Thrombosis of superficial vein of penis
ICD-10	N4882	Acquired torsion of penis
ICD-10	N4883	Acquired buried penis
ICD-10	N4889	Other specified disorders of penis
ICD-10	N489	Disorder of penis, unspecified
ICD-10	N490	Inflammatory disorders of seminal vesicle
ICD-10	N491	Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens
ICD-10	N492	Inflammatory disorders of scrotum
ICD-10	N493	Fournier gangrene
ICD-10	N498	Inflammatory disorders of other specified male genital organs
ICD-10	N499	Inflammatory disorder of unspecified male genital organ
ICD-10	N500	Atrophy of testis
ICD-10	N501	Vascular disorders of male genital organs
ICD-10	N503	Cyst of epididymis
ICD-10	N50811	Right testicular pain
ICD-10	N50812	Left testicular pain
ICD-10	N50819	Testicular pain, unspecified
ICD-10	N5082	Scrotal pain
ICD-10	N5089	Other specified disorders of the male genital organs
ICD-10	N509	Disorder of male genital organs, unspecified
ICD-10	N51	Disorders of male genital organs in diseases classified elsewhere
ICD-10	N5201	Erectile dysfunction due to arterial insufficiency
ICD-10	N5202	Corporo-venous occlusive erectile dysfunction
ICD-10	N5203	Combined arterial insufficiency and corporo-venous occlusive erectile dysfunction
ICD-10	N521	Erectile dysfunction due to diseases classified elsewhere
ICD-10	N522	Drug-induced erectile dysfunction
ICD-10	N5231	Erectile dysfunction following radical prostatectomy
ICD-10	N5232	Erectile dysfunction following radical cystectomy
ICD-10	N5233	Erectile dysfunction following urethral surgery
ICD-10	N5234	Erectile dysfunction following simple prostatectomy
ICD-10	N5235	Erectile dysfunction following radiation therapy
ICD-10	N5236	Erectile dysfunction following interstitial seed therapy
ICD-10	N5237	Erectile dysfunction following prostate ablative therapy
ICD-10	N5239	Other and unspecified postprocedural erectile dysfunction

ICD 9/10	Code	Description
ICD-10	N528	Other male erectile dysfunction
ICD-10	N529	Male erectile dysfunction, unspecified
ICD-10	N5311	Retarded ejaculation
ICD-10	N5312	Painful ejaculation
ICD-10	N5313	Anejaculatory orgasm
ICD-10	N5314	Retrograde ejaculation
ICD-10	N5319	Other ejaculatory dysfunction
ICD-10	N538	Other male sexual dysfunction
ICD-10	N539	Unspecified male sexual dysfunction
ICD-10	Q5300	Ectopic testis, unspecified
ICD-10	Q5301	Ectopic testis, unilateral
ICD-10	Q5302	Ectopic testes, bilateral
ICD-10	Q5310	Unspecified undescended testicle, unilateral
ICD-10	Q53111	Unilateral intraabdominal testis
ICD-10	Q53112	Unilateral inguinal testis
ICD-10	Q5312	Ectopic perineal testis, unilateral
ICD-10	Q5313	Unilateral high scrotal testis
ICD-10	Q5320	Undescended testicle, unspecified, bilateral
ICD-10	Q53211	Bilateral intraabdominal testes
ICD-10	Q53212	Bilateral inguinal testes
ICD-10	Q5322	Ectopic perineal testis, bilateral
ICD-10	Q5323	Bilateral high scrotal testes
ICD-10	Q539	Undescended testicle, unspecified
ICD-10	Q540	Hypospadias, balanic
ICD-10	Q541	Hypospadias, penile
ICD-10	Q542	Hypospadias, penoscrotal
ICD-10	Q543	Hypospadias, perineal
ICD-10	Q544	Congenital chordee
ICD-10	Q548	Other hypospadias
ICD-10	Q549	Hypospadias, unspecified
ICD-10	Q550	Absence and aplasia of testis
ICD-10	Q551	Hypoplasia of testis and scrotum
ICD-10	Q5520	Unspecified congenital malformations of testis and scrotum
ICD-10	Q5521	Polyorchism
ICD-10	Q5522	Retractile testis
ICD-10	Q5523	Scrotal transposition
ICD-10	Q5529	Other congenital malformations of testis and scrotum
ICD-10	Q553	Atresia of vas deferens
ICD-10	Q554	Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate

ICD 9/10	Code	Description
ICD-10	Q555	Congenital absence and aplasia of penis
ICD-10	Q5561	Curvature of penis (lateral)
ICD-10	Q5562	Hypoplasia of penis
ICD-10	Q5563	Congenital torsion of penis
ICD-10	Q5564	Hidden penis
ICD-10	Q5569	Other congenital malformation of penis
ICD-10	Q557	Congenital vasocutaneous fistula
ICD-10	Q558	Other specified congenital malformations of male genital organs
ICD-10	Q559	Congenital malformation of male genital organ, unspecified
ICD-10	Q640	Epispadias
ICD-10	Q980	Klinefelter syndrome karyotype 47, XXY
ICD-10	Q981	Klinefelter syndrome, male with more than two X chromosomes
ICD-10	Q983	Other male with 46, XX karyotype
ICD-10	Q984	Klinefelter syndrome, unspecified
ICD-10	Q985	Karyotype 47, XYY
ICD-10	Q986	Male with structurally abnormal sex chromosome
ICD-10	Q987	Male with sex chromosome mosaicism
ICD-10	Q988	Other specified sex chromosome abnormalities, male phenotype
ICD-10	Q989	Sex chromosome abnormality, male phenotype, unspecified
ICD-10	Q990	Chimera 46, XX/46, XY
ICD-10	Q998	Other specified chromosome abnormalities
ICD-10	R361	Hemospermia
ICD-10	R860	Abnormal level of enzymes in specimens from male genital organs
ICD-10	R861	Abnormal level of hormones in specimens from male genital organs
ICD-10	R862	Abnormal level of other drugs, medicaments and biological substances in specimens from male genital organs
ICD-10	R863	Abnormal level of substances chiefly nonmedicinal as to source in specimens from male genital organs
ICD-10	R864	Abnormal immunological findings in specimens from male genital organs
ICD-10	R865	Abnormal microbiological findings in specimens from male genital organs
ICD-10	R866	Abnormal cytological findings in specimens from male genital organs
ICD-10	R867	Abnormal histological findings in specimens from male genital organs
ICD-10	R868	Other abnormal findings in specimens from male genital organs
ICD-10	R869	Unspecified abnormal finding in specimens from male genital organs
ICD-10	R93811	Abnormal radiologic findings on diagnostic imaging of right testicle
ICD-10	R93812	Abnormal radiologic findings on diagnostic imaging of left testicle
ICD-10	R93813	Abnormal radiologic findings on diagnostic imaging of testicles, bilateral
ICD-10	R93819	Abnormal radiologic findings on diagnostic imaging of unspecified testicle
ICD-10	S30201A	Contusion of unspecified external genital organ, male, initial encounter
ICD-10	S3021XA	Contusion of penis, initial encounter
ICD-10	S3022XA	Contusion of scrotum and testes, initial encounter

ICD 9/10	Code	Description
ICD-10	S3120XA	Unspecified open wound of penis, initial encounter
ICD-10	S3121XA	Laceration without foreign body of penis, initial encounter
ICD-10	S3122XA	Laceration with foreign body of penis, initial encounter
ICD-10	S3123XA	Puncture wound without foreign body of penis, initial encounter
ICD-10	S3124XA	Puncture wound with foreign body of penis, initial encounter
ICD-10	S3125XA	Open bite of penis, initial encounter
ICD-10	S3130XA	Unspecified open wound of scrotum and testes, initial encounter
ICD-10	S3131XA	Laceration without foreign body of scrotum and testes, initial encounter
ICD-10	S3132XA	Laceration with foreign body of scrotum and testes, initial encounter
ICD-10	S3133XA	Puncture wound without foreign body of scrotum and testes, initial encounter
ICD-10	S3134XA	Puncture wound with foreign body of scrotum and testes, initial encounter
ICD-10	S3135XA	Open bite of scrotum and testes, initial encounter
ICD-10	S31501A	Unspecified open wound of unspecified external genital organs, male, initial encounter
ICD-10	S31501S	Unspecified open wound of unspecified external genital organs, male, sequela
ICD-10	S31511A	Laceration without foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31511S	Laceration without foreign body of unspecified external genital organs, male, sequela
ICD-10	S31521A	Laceration with foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31521S	Laceration with foreign body of unspecified external genital organs, male, sequela
ICD-10	S31531A	Puncture wound without foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31531S	Puncture wound without foreign body of unspecified external genital organs, male, sequela
ICD-10	S31541A	Puncture wound with foreign body of unspecified external genital organs, male, initial encounter
ICD-10	S31541S	Puncture wound with foreign body of unspecified external genital organs, male, sequela
ICD-10	S31551A	Open bite of unspecified external genital organs, male, initial encounter
ICD-10	S31551S	Open bite of unspecified external genital organs, male, sequela
ICD-10	S37822A	Contusion of prostate, initial encounter
ICD-10	S37822S	Contusion of prostate, sequela
ICD-10	S37823A	Laceration of prostate, initial encounter
ICD-10	S37823S	Laceration of prostate, sequela
ICD-10	S37828A	Other injury of prostate, initial encounter
ICD-10	S37828S	Other injury of prostate, sequela
ICD-10	S37829A	Unspecified injury of prostate, initial encounter
ICD-10	S37829S	Unspecified injury of prostate, sequela
ICD-10	S3801XA	Crushing injury of penis, initial encounter
ICD-10	S3802XA	Crushing injury of scrotum and testis, initial encounter
ICD-10	S38221A	Complete traumatic amputation of penis, initial encounter
ICD-10	S38222A	Partial traumatic amputation of penis, initial encounter
ICD-10	S38231A	Complete traumatic amputation of scrotum and testis, initial encounter



ICD 9/10	Code	Description
ICD-10	S38232A	Partial traumatic amputation of scrotum and testis, initial encounter
ICD-10	T194XXA	Foreign body in penis, initial encounter

**Table 24 – List of Male Diagnosis Codes with malignancy for MS-DRGs 715-718 and 749-750**

ICD 9/10	Code	Description
ICD-9	185	Malignant neoplasm of prostate
ICD-9	1860	Malignant neoplasm of undescended testis
ICD-9	1869	Malignant neoplasm of other and unspecified testis
ICD-9	1871	Malignant neoplasm of prepuce
ICD-9	1872	Malignant neoplasm of glans penis
ICD-9	1873	Malignant neoplasm of body of penis
ICD-9	1874	Malignant neoplasm of penis, part unspecified
ICD-9	1875	Malignant neoplasm of epididymis
ICD-9	1876	Malignant neoplasm of spermatic cord
ICD-9	1877	Malignant neoplasm of scrotum
ICD-9	1878	Malignant neoplasm of other specified sites of male genital organs
ICD-9	1879	Malignant neoplasm of male genital organ, site unspecified
ICD-9	2334	Carcinoma in situ of prostate
ICD-9	2335	Carcinoma in situ of penis
ICD-9	2336	Carcinoma in situ of other and unspecified male genital organs
ICD-9	2364	Neoplasm of uncertain behavior of testis
ICD-9	2366	Neoplasm of uncertain behavior of other and unspecified male genital organs
ICD-9	2365	Neoplasm of uncertain behavior of prostate
ICD-10	C600	Malignant neoplasm of prepuce
ICD-10	C601	Malignant neoplasm of glans penis
ICD-10	C602	Malignant neoplasm of body of penis
ICD-10	C608	Malignant neoplasm of overlapping sites of penis
ICD-10	C609	Malignant neoplasm of penis, unspecified
ICD-10	C61	Malignant neoplasm of prostate
ICD-10	C6200	Malignant neoplasm of unspecified undescended testis
ICD-10	C6201	Malignant neoplasm of undescended right testis
ICD-10	C6202	Malignant neoplasm of undescended left testis
ICD-10	C6210	Malignant neoplasm of unspecified descended testis
ICD-10	C6211	Malignant neoplasm of descended right testis
ICD-10	C6212	Malignant neoplasm of descended left testis
ICD-10	C6290	Malignant neoplasm of unspecified testis, unspecified whether descended or undescended
ICD-10	C6291	Malignant neoplasm of right testis, unspecified whether descended or undescended
ICD-10	C6292	Malignant neoplasm of left testis, unspecified whether descended or undescended
ICD-10	C6300	Malignant neoplasm of unspecified epididymis

ICD 9/10	Code	Description
ICD-10	C6301	Malignant neoplasm of right epididymis
ICD-10	C6302	Malignant neoplasm of left epididymis
ICD-10	C6310	Malignant neoplasm of unspecified spermatic cord
ICD-10	C6311	Malignant neoplasm of right spermatic cord
ICD-10	C6312	Malignant neoplasm of left spermatic cord
ICD-10	C632	Malignant neoplasm of scrotum
ICD-10	C637	Malignant neoplasm of other specified male genital organs
ICD-10	C638	Malignant neoplasm of overlapping sites of male genital organs
ICD-10	C639	Malignant neoplasm of male genital organ, unspecified
ICD-10	C763	Malignant neoplasm of pelvis
ICD-10	C7982	Secondary malignant neoplasm of genital organs
ICD-10	D074	Carcinoma in situ of penis
ICD-10	D075	Carcinoma in situ of prostate
ICD-10	D0760	Carcinoma in situ of unspecified male genital organs
ICD-10	D0761	Carcinoma in situ of scrotum
ICD-10	D0769	Carcinoma in situ of other male genital organs
ICD-10	D400	Neoplasm of uncertain behavior of prostate
ICD-10	D4010	Neoplasm of uncertain behavior of unspecified testis
ICD-10	D4011	Neoplasm of uncertain behavior of right testis
ICD-10	D4012	Neoplasm of uncertain behavior of left testis
ICD-10	D408	Neoplasm of uncertain behavior of other specified male genital organs
ICD-10	D409	Neoplasm of uncertain behavior of male genital organ, unspecified

**Table 25 – List of Female Diagnosis Codes for MS-DRGs 715-718 and 749-750**

ICD 9/10	Code	Description
ICD-9	01670	Tuberculosis of other female genital organs, unspecified
ICD-9	01671	Tuberculosis of other female genital organs, bacteriological or histological examination not done
ICD-9	01672	Tuberculosis of other female genital organs, bacteriological or histological examination unknown (at present)
ICD-9	01673	Tuberculosis of other female genital organs, tubercle bacilli found (in sputum) by microscopy
ICD-9	01674	Tuberculosis of other female genital organs, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
ICD-9	01675	Tuberculosis of other female genital organs, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
ICD-9	01676	Tuberculosis of other female genital organs, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
ICD-9	05411	Herpetic vulvovaginitis
ICD-9	05412	Herpetic ulceration of vulva
ICD-9	05419	Other genital herpes
ICD-9	09813	Gonococcal epididymo-orchitis (acute)

ICD 9/10	Code	Description
ICD-9	09816	Gonococcal endometritis (acute)
ICD-9	09817	Gonococcal salpingitis, specified as acute
ICD-9	09819	Other gonococcal infection (acute) of upper genitourinary tract
ICD-9	09835	Gonococcal cervicitis, chronic
ICD-9	09836	Gonococcal endometritis, chronic
ICD-9	09837	Gonococcal salpingitis (chronic)
ICD-9	09839	Other chronic gonococcal infection of upper genitourinary tract
ICD-9	09953	Other venereal diseases due to chlamydia trachomatis, lower genitourinary sites
ICD-9	1121	Candidiasis of vulva and vagina
ICD-9	13100	Urogenital trichomoniasis, unspecified
ICD-9	13101	Trichomonal vulvovaginitis
ICD-9	1716	Malignant neoplasm of connective and other soft tissue of pelvis
ICD-9	1800	Malignant neoplasm of endocervix
ICD-9	1801	Malignant neoplasm of exocervix
ICD-9	1809	Malignant neoplasm of cervix uteri, unspecified site
ICD-9	181	Malignant neoplasm of placenta
ICD-9	1820	Malignant neoplasm of corpus uteri, except isthmus
ICD-9	1821	Malignant neoplasm of isthmus
ICD-9	1828	Malignant neoplasm of other specified sites of body of uterus
ICD-9	1830	Malignant neoplasm of ovary
ICD-9	1832	Malignant neoplasm of fallopian tube
ICD-9	1833	Malignant neoplasm of broad ligament of uterus
ICD-9	1834	Malignant neoplasm of parametrium
ICD-9	1835	Malignant neoplasm of round ligament of uterus
ICD-9	1838	Malignant neoplasm of other specified sites of uterine adnexa
ICD-9	1839	Malignant neoplasm of uterine adnexa, unspecified site
ICD-9	1840	Malignant neoplasm of vagina
ICD-9	1841	Malignant neoplasm of labia majora
ICD-9	1842	Malignant neoplasm of labia minora
ICD-9	1843	Malignant neoplasm of clitoris
ICD-9	1844	Malignant neoplasm of vulva, unspecified site
ICD-9	1848	Malignant neoplasm of other specified sites of female genital organs
ICD-9	1849	Malignant neoplasm of female genital organ, site unspecified
ICD-9	1986	Secondary malignant neoplasm of ovary
ICD-9	19882	Secondary malignant neoplasm of genital organs
ICD-9	2181	Intramural leiomyoma of uterus
ICD-9	2182	Subserous leiomyoma of uterus
ICD-9	2189	Leiomyoma of uterus, unspecified
ICD-9	2190	Benign neoplasm of cervix uteri
ICD-9	2191	Benign neoplasm of corpus uteri

ICD 9/10	Code	Description
ICD-9	2198	Benign neoplasm of other specified parts of uterus
ICD-9	2199	Benign neoplasm of uterus, part unspecified
ICD-9	220	Benign neoplasm of ovary
ICD-9	2210	Benign neoplasm of fallopian tube and uterine ligaments
ICD-9	2211	Benign neoplasm of vagina
ICD-9	2212	Benign neoplasm of vulva
ICD-9	2218	Benign neoplasm of other specified sites of female genital organs
ICD-9	2219	Benign neoplasm of female genital organ, site unspecified
ICD-9	2331	Carcinoma in situ of cervix uteri
ICD-9	2332	Carcinoma in situ of other and unspecified parts of uterus
ICD-9	23330	Carcinoma in situ, unspecified female genital organ
ICD-9	23331	Carcinoma in situ, vagina
ICD-9	23332	Carcinoma in situ, vulva
ICD-9	23339	Carcinoma in situ, other female genital organ
ICD-9	2360	Neoplasm of uncertain behavior of uterus
ICD-9	2361	Neoplasm of uncertain behavior of placenta
ICD-9	2362	Neoplasm of uncertain behavior of ovary
ICD-9	2363	Neoplasm of uncertain behavior of other and unspecified female genital organs
ICD-9	2560	Hyperestrogenism
ICD-9	2561	Other ovarian hyperfunction
ICD-9	2562	Postablative ovarian failure
ICD-9	25631	Premature menopause
ICD-9	25639	Other ovarian failure
ICD-9	2564	Polycystic ovaries
ICD-9	2568	Other ovarian dysfunction
ICD-9	2569	Unspecified ovarian dysfunction
ICD-9	30011	Conversion disorder
ICD-9	30651	Psychogenic vaginismus
ICD-9	4566	Vulval varices
ICD-9	6140	Acute salpingitis and oophoritis
ICD-9	6141	Chronic salpingitis and oophoritis
ICD-9	6142	Salpingitis and oophoritis not specified as acute, subacute, or chronic
ICD-9	6144	Chronic or unspecified parametritis and pelvic cellulitis
ICD-9	6145	Acute or unspecified pelvic peritonitis, female
ICD-9	6146	Pelvic peritoneal adhesions, female (postoperative) (postinfection)
ICD-9	6147	Other chronic pelvic peritonitis, female
ICD-9	6148	Other specified inflammatory disease of female pelvic organs and tissues
ICD-9	6150	Acute inflammatory diseases of uterus, except cervix
ICD-9	6151	Chronic inflammatory diseases of uterus, except cervix
ICD-9	6159	Unspecified inflammatory disease of uterus

ICD 9/10	Code	Description
ICD-9	6144	Chronic or unspecified parametritis and pelvic cellulitis
ICD-9	6160	Cervicitis and endocervicitis
ICD-9	61610	Vaginitis and vulvovaginitis, unspecified
ICD-9	61611	Vaginitis and vulvovaginitis in diseases classified elsewhere
ICD-9	6162	Cyst of Bartholin's gland
ICD-9	6163	Abscess of Bartholin's gland
ICD-9	6164	Other abscess of vulva
ICD-9	61650	Ulceration of vulva, unspecified
ICD-9	61651	Ulceration of vulva in diseases classified elsewhere
ICD-9	61681	Mucositis (ulcerative) of cervix, vagina, and vulva
ICD-9	61689	Other inflammatory disease of cervix, vagina and vulva
ICD-9	6169	Unspecified inflammatory disease of cervix, vagina, and vulva
ICD-9	6170	Endometriosis of uterus
ICD-9	6171	Endometriosis of ovary
ICD-9	6172	Endometriosis of fallopian tube
ICD-9	6173	Endometriosis of pelvic peritoneum
ICD-9	6174	Endometriosis of rectovaginal septum and vagina
ICD-9	6175	Endometriosis of intestine
ICD-9	6176	Endometriosis in scar of skin
ICD-9	6178	Endometriosis of other specified sites
ICD-9	6179	Endometriosis, site unspecified
ICD-9	61800	Unspecified prolapse of vaginal walls
ICD-9	61801	Cystocele, midline
ICD-9	61802	Cystocele, lateral
ICD-9	61803	Urethrocele
ICD-9	61804	Rectocele
ICD-9	61805	Perineocele
ICD-9	6182	Uterovaginal prolapse, incomplete
ICD-9	6183	Uterovaginal prolapse, complete
ICD-9	6184	Uterovaginal prolapse, unspecified
ICD-9	6185	Prolapse of vaginal vault after hysterectomy
ICD-9	6186	Vaginal enterocele, congenital or acquired
ICD-9	61881	Incompetence or weakening of pubocervical tissue
ICD-9	61882	Incompetence or weakening of rectovaginal tissue
ICD-9	61883	Pelvic muscle wasting
ICD-9	61884	Cervical stump prolapse
ICD-9	61889	Other specified genital prolapse
ICD-9	6189	Unspecified genital prolapse
ICD-9	6190	Urinary-genital tract fistula, female
ICD-9	6192	Genital tract-skin fistula, female

ICD 9/10	Code	Description
ICD-9	6198	Other specified fistulas involving female genital tract
ICD-9	6199	Unspecified fistula involving female genital tract
ICD-9	6200	Follicular cyst of ovary
ICD-9	6201	Corpus luteum cyst or hematoma
ICD-9	6202	Other and unspecified ovarian cyst
ICD-9	6203	Acquired atrophy of ovary and fallopian tube
ICD-9	6204	Prolapse or hernia of ovary and fallopian tube
ICD-9	6205	Torsion of ovary, ovarian pedicle, or fallopian tube
ICD-9	6207	Hematoma of broad ligament
ICD-9	6208	Other noninflammatory disorders of ovary, fallopian tube, and broad ligament
ICD-9	6209	Unspecified noninflammatory disorder of ovary, fallopian tube, and broad ligament
ICD-9	6210	Polyp of corpus uteri
ICD-9	6211	Chronic subinvolution of uterus
ICD-9	6212	Hypertrophy of uterus
ICD-9	62130	Endometrial hyperplasia, unspecified
ICD-9	62134	Benign endometrial hyperplasia
ICD-9	62135	Endometrial intraepithelial neoplasia [EIN]
ICD-9	6214	Hematometra
ICD-9	6215	Intrauterine synechiae
ICD-9	6216	Malposition of uterus
ICD-9	6217	Chronic inversion of uterus
ICD-9	6218	Other specified disorders of uterus, not elsewhere classified
ICD-9	6219	Unspecified disorder of uterus
ICD-9	6220	Erosion and ectropion of cervix
ICD-9	62210	Dysplasia of cervix, unspecified
ICD-9	62211	Mild dysplasia of cervix
ICD-9	62212	Moderate dysplasia of cervix
ICD-9	6222	Leukoplakia of cervix (uteri)
ICD-9	6223	Old laceration of cervix
ICD-9	6224	Stricture and stenosis of cervix
ICD-9	6225	Incompetence of cervix
ICD-9	6226	Hypertrophic elongation of cervix
ICD-9	6227	Mucous polyp of cervix
ICD-9	6228	Other specified noninflammatory disorders of cervix
ICD-9	6229	Unspecified noninflammatory disorder of cervix
ICD-9	6230	Dysplasia of vagina
ICD-9	6231	Leukoplakia of vagina
ICD-9	6232	Stricture or atresia of vagina
ICD-9	6233	Tight hymenal ring
ICD-9	6236	Vaginal hematoma

ICD 9/10	Code	Description
ICD-9	6237	Polyp of vagina
ICD-9	6238	Other specified noninflammatory disorders of vagina
ICD-9	6239	Unspecified noninflammatory disorder of vagina
ICD-9	62401	Vulvar intraepithelial neoplasia I [VIN I]
ICD-9	62402	Vulvar intraepithelial neoplasia II [VIN II]
ICD-9	62409	Other dystrophy of vulva
ICD-9	6241	Atrophy of vulva
ICD-9	6242	Hypertrophy of clitoris
ICD-9	6243	Hypertrophy of labia
ICD-9	6246	Polyp of labia and vulva
ICD-9	6248	Other specified noninflammatory disorders of vulva and perineum
ICD-9	6249	Unspecified noninflammatory disorder of vulva and perineum
ICD-9	6250	Dyspareunia
ICD-9	6251	Vaginismus
ICD-9	6252	Mittelschmerz
ICD-9	6253	Dysmenorrhea
ICD-9	6254	Premenstrual tension syndromes
ICD-9	62570	Vulvodynia, unspecified
ICD-9	62571	Vulvar vestibulitis
ICD-9	62579	Other vulvodynia
ICD-9	6260	Absence of menstruation
ICD-9	6261	Scanty or infrequent menstruation
ICD-9	6262	Excessive or frequent menstruation
ICD-9	6263	Puberty bleeding
ICD-9	6264	Irregular menstrual cycle
ICD-9	6267	Postcoital bleeding
ICD-9	6268	Other disorders of menstruation and other abnormal bleeding from female genital tract
ICD-9	6269	Unspecified disorders of menstruation and other abnormal bleeding from female genital tract
ICD-9	6270	Premenopausal menorrhagia
ICD-9	6271	Postmenopausal bleeding
ICD-9	6272	Symptomatic menopausal or female climacteric states
ICD-9	6273	Postmenopausal atrophic vaginitis
ICD-9	6278	Other specified menopausal and postmenopausal disorders
ICD-9	6279	Unspecified menopausal and postmenopausal disorder
ICD-9	62920	Female genital mutilation status, unspecified
ICD-9	62921	Female genital mutilation Type I status
ICD-9	62922	Female genital mutilation Type II status
ICD-9	62923	Female genital mutilation Type III status
ICD-9	62929	Other female genital mutilation status

ICD 9/10	Code	Description
ICD-9	62931	Erosion of implanted vaginal mesh and other prosthetic materials to surrounding organ or tissue
ICD-9	62932	Exposure of implanted vaginal mesh and other prosthetic materials into vagina
ICD-9	62989	Other specified disorders of female genital organs
ICD-9	6268	Other disorders of menstruation and other abnormal bleeding from female genital tract
ICD-9	6299	Unspecified disorder of female genital organs
ICD-9	67110	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, unspecified as to episode of care or not applicable
ICD-9	67111	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, delivered, with or without mention of antepartum condition
ICD-9	67112	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, delivered, with mention of postpartum complication
ICD-9	67113	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, antepartum condition or complication
ICD-9	67114	Varicose veins of vulva and perineum complicating pregnancy and the puerperium, postpartum condition or complication
ICD-9	6981	Pruritus of genital organs
ICD-9	7520	Anomalies of ovaries
ICD-9	75211	<u>Embryonic cyst of fallopian tubes and broad ligaments</u>
ICD-9	75219	<u>Other anomalies of fallopian tubes and broad ligaments</u>
ICD-9	7522	Doubling of uterus
ICD-9	75231	Agenesis of uterus
ICD-9	75232	Hypoplasia of uterus
ICD-9	75233	Unicornuate uterus
ICD-9	75234	Bicornuate uterus
ICD-9	75236	Arcuate uterus
ICD-9	75239	Other anomalies of uterus
ICD-9	75240	Unspecified anomaly of cervix, vagina, and external female genitalia
ICD-9	75241	Embryonic cyst of cervix, vagina, and external female genitalia
ICD-9	75242	Imperforate hymen
ICD-9	75244	Cervical duplication
ICD-9	75245	Vaginal agenesis
ICD-9	75246	Transverse vaginal septum
ICD-9	75247	Longitudinal vaginal septum
ICD-9	75249	Other anomalies of cervix, vagina, and external female genitalia
ICD-9	79501	Papanicolaou smear of cervix with atypical squamous cells of undetermined significance (ASC-US)
ICD-9	79502	Papanicolaou smear of cervix with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
ICD-9	79503	Papanicolaou smear of cervix with low grade squamous intraepithelial lesion (LGSIL)
ICD-9	79504	Papanicolaou smear of cervix with high grade squamous intraepithelial lesion (HGSIL)
ICD-9	79505	Cervical high risk human papillomavirus (HPV) DNA test positive
ICD-9	79506	Papanicolaou smear of cervix with cytologic evidence of malignancy



ICD 9/10	Code	Description
ICD-9	79507	Satisfactory cervical smear but lacking transformation zone
ICD-9	79508	Unsatisfactory cervical cytology smear
ICD-9	79509	Other abnormal Papanicolaou smear of cervix and cervical HPV
ICD-9	79511	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)
ICD-9	79512	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
ICD-9	79513	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)
ICD-9	79514	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)
ICD-9	79515	Vaginal high risk human papillomavirus (HPV) DNA test positive
ICD-9	79516	Papanicolaou smear of vagina with cytologic evidence of malignancy
ICD-9	79518	Unsatisfactory vaginal cytology smear
ICD-9	79519	Other abnormal Papanicolaou smear of vagina and vaginal HPV
ICD-9	8674	Injury to uterus, without mention of open wound into cavity
ICD-9	8676	Injury to other specified pelvic organs, without mention of open wound into cavity
ICD-9	8677	Injury to other specified pelvic organs, with open wound into cavity
ICD-9	8678	Injury to unspecified pelvic organ, without mention of open wound into cavity
ICD-9	86801	Injury to other intra-abdominal organs without mention of open wound into cavity, adrenal gland
ICD-9	8676	Injury to other specified pelvic organs, without mention of open wound into cavity
ICD-9	8784	Open wound of vulva, without mention of complication
ICD-9	8785	Open wound of vulva, complicated
ICD-9	8786	Open wound of vagina, without mention of complication
ICD-9	8787	Open wound of vagina, complicated
ICD-9	8788	Open wound of other and unspecified parts of genital organs (external), without mention of complication
ICD-9	8789	Open wound of other and unspecified parts of genital organs (external), complicated
ICD-9	9224	Contusion of genital organs
ICD-9	9260	Crushing injury of external genitalia
ICD-9	9391	Foreign body in uterus, any part
ICD-9	9392	Foreign body in vulva and vagina
ICD-9	99632	Mechanical complication due to intrauterine contraceptive device
ICD-9	V4577	Acquired absence of organ, genital organs
ICD-9	V5042	Prophylactic ovary removal
ICD-9	V557	Attention to artificial vagina
ICD-9	V615	Multiparity
ICD-9	V8801	Acquired absence of both cervix and uterus
ICD-9	V8802	Acquired absence of uterus with remaining cervical stump
ICD-9	V8803	Acquired absence of cervix with remaining uterus
ICD-10	A1816	Tuberculosis of cervix
ICD-10	A1818	Tuberculosis of other female genital organs

ICD 9/10	Code	Description
ICD-10	A5402	Gonococcal vulvovaginitis, unspecified
ICD-10	A5403	Gonococcal cervicitis, unspecified
ICD-10	A5424	Gonococcal female pelvic inflammatory disease
ICD-10	A5602	Chlamydial vulvovaginitis
ICD-10	A5901	Trichomonal vulvovaginitis
ICD-10	A5909	Other urogenital trichomoniasis
ICD-10	A6003	Herpesviral cervicitis
ICD-10	A6004	Herpesviral vulvovaginitis
ICD-10	B373	Candidiasis of vulva and vagina
ICD-10	C510	Malignant neoplasm of labium majus
ICD-10	C511	Malignant neoplasm of labium minus
ICD-10	C512	Malignant neoplasm of clitoris
ICD-10	C518	Malignant neoplasm of overlapping sites of vulva
ICD-10	C519	Malignant neoplasm of vulva, unspecified
ICD-10	C52	Malignant neoplasm of vagina
ICD-10	C530	Malignant neoplasm of endocervix
ICD-10	C531	Malignant neoplasm of exocervix
ICD-10	C538	Malignant neoplasm of overlapping sites of cervix uteri
ICD-10	C539	Malignant neoplasm of cervix uteri, unspecified
ICD-10	C540	Malignant neoplasm of isthmus uteri
ICD-10	C541	Malignant neoplasm of endometrium
ICD-10	C542	Malignant neoplasm of myometrium
ICD-10	C543	Malignant neoplasm of fundus uteri
ICD-10	C548	Malignant neoplasm of overlapping sites of corpus uteri
ICD-10	C549	Malignant neoplasm of corpus uteri, unspecified
ICD-10	C55	Malignant neoplasm of uterus, part unspecified
ICD-10	C561	Malignant neoplasm of right ovary
ICD-10	C562	Malignant neoplasm of left ovary
ICD-10	C569	Malignant neoplasm of unspecified ovary
ICD-10	C5700	Malignant neoplasm of unspecified fallopian tube
ICD-10	C5701	Malignant neoplasm of right fallopian tube
ICD-10	C5702	Malignant neoplasm of left fallopian tube
ICD-10	C5710	Malignant neoplasm of unspecified broad ligament
ICD-10	C5711	Malignant neoplasm of right broad ligament
ICD-10	C5712	Malignant neoplasm of left broad ligament
ICD-10	C5720	Malignant neoplasm of unspecified round ligament
ICD-10	C5721	Malignant neoplasm of right round ligament
ICD-10	C5722	Malignant neoplasm of left round ligament
ICD-10	C573	Malignant neoplasm of parametrium
ICD-10	C574	Malignant neoplasm of uterine adnexa, unspecified

ICD 9/10	Code	Description
ICD-10	C577	Malignant neoplasm of other specified female genital organs
ICD-10	C578	Malignant neoplasm of overlapping sites of female genital organs
ICD-10	C579	Malignant neoplasm of female genital organ, unspecified
ICD-10	C58	Malignant neoplasm of placenta
ICD-10	C763	Malignant neoplasm of pelvis
ICD-10	C7960	Secondary malignant neoplasm of unspecified ovary
ICD-10	C7961	Secondary malignant neoplasm of right ovary
ICD-10	C7962	Secondary malignant neoplasm of left ovary
ICD-10	C7982	Secondary malignant neoplasm of genital organs
ICD-10	D060	Carcinoma in situ of endocervix
ICD-10	D061	Carcinoma in situ of exocervix
ICD-10	D067	Carcinoma in situ of other parts of cervix
ICD-10	D069	Carcinoma in situ of cervix, unspecified
ICD-10	D070	Carcinoma in situ of endometrium
ICD-10	D071	Carcinoma in situ of vulva
ICD-10	D072	Carcinoma in situ of vagina
ICD-10	D0730	Carcinoma in situ of unspecified female genital organs
ICD-10	D0739	Carcinoma in situ of other female genital organs
ICD-10	D250	Submucous leiomyoma of uterus
ICD-10	D251	Intramural leiomyoma of uterus
ICD-10	D252	Subserosal leiomyoma of uterus
ICD-10	D259	Leiomyoma of uterus, unspecified
ICD-10	D260	Other benign neoplasm of cervix uteri
ICD-10	D261	Other benign neoplasm of corpus uteri
ICD-10	D267	Other benign neoplasm of other parts of uterus
ICD-10	D269	Other benign neoplasm of uterus, unspecified
ICD-10	D270	Benign neoplasm of right ovary
ICD-10	D271	Benign neoplasm of left ovary
ICD-10	D279	Benign neoplasm of unspecified ovary
ICD-10	D280	Benign neoplasm of vulva
ICD-10	D281	Benign neoplasm of vagina
ICD-10	D282	Benign neoplasm of uterine tubes and ligaments
ICD-10	D287	Benign neoplasm of other specified female genital organs
ICD-10	D289	Benign neoplasm of female genital organ, unspecified
ICD-10	D390	Neoplasm of uncertain behavior of uterus
ICD-10	D3910	Neoplasm of uncertain behavior of unspecified ovary
ICD-10	D3911	Neoplasm of uncertain behavior of right ovary
ICD-10	D3912	Neoplasm of uncertain behavior of left ovary
ICD-10	D392	Neoplasm of uncertain behavior of placenta
ICD-10	D398	Neoplasm of uncertain behavior of other specified female genital organs

ICD 9/10	Code	Description
ICD-10	D399	Neoplasm of uncertain behavior of female genital organ, unspecified
ICD-10	E280	Estrogen excess
ICD-10	E281	Androgen excess
ICD-10	E282	Polycystic ovarian syndrome
ICD-10	E28310	Symptomatic premature menopause
ICD-10	E28319	Asymptomatic premature menopause
ICD-10	E2839	Other primary ovarian failure
ICD-10	E288	Other ovarian dysfunction
ICD-10	E289	Ovarian dysfunction, unspecified
ICD-10	E8940	Asymptomatic postprocedural ovarian failure
ICD-10	E8941	Symptomatic postprocedural ovarian failure
ICD-10	F525	Vaginismus not due to a substance or known physiological condition
ICD-10	I863	Vulval varices
ICD-10	L292	Pruritus vulvae
ICD-10	N7001	Acute salpingitis
ICD-10	N7002	Acute oophoritis
ICD-10	N7003	Acute salpingitis and oophoritis
ICD-10	N7011	Chronic salpingitis
ICD-10	N7012	Chronic oophoritis
ICD-10	N7013	Chronic salpingitis and oophoritis
ICD-10	N7091	Salpingitis, unspecified
ICD-10	N7092	Oophoritis, unspecified
ICD-10	N7093	Salpingitis and oophoritis, unspecified
ICD-10	N710	Acute inflammatory disease of uterus
ICD-10	N711	Chronic inflammatory disease of uterus
ICD-10	N719	Inflammatory disease of uterus, unspecified
ICD-10	N72	Inflammatory disease of cervix uteri
ICD-10	N730	Acute parametritis and pelvic cellulitis
ICD-10	N731	Chronic parametritis and pelvic cellulitis
ICD-10	N732	Unspecified parametritis and pelvic cellulitis
ICD-10	N733	Female acute pelvic peritonitis
ICD-10	N734	Female chronic pelvic peritonitis
ICD-10	N735	Female pelvic peritonitis, unspecified
ICD-10	N736	Female pelvic peritoneal adhesions (postinfective)
ICD-10	N738	Other specified female pelvic inflammatory diseases
ICD-10	N739	Female pelvic inflammatory disease, unspecified
ICD-10	N74	Female pelvic inflammatory disorders in diseases classified elsewhere
ICD-10	N750	Cyst of Bartholin's gland
ICD-10	N751	Abscess of Bartholin's gland
ICD-10	N758	Other diseases of Bartholin's gland

ICD 9/10	Code	Description
ICD-10	N759	Disease of Bartholin's gland, unspecified
ICD-10	N760	Acute vaginitis
ICD-10	N761	Subacute and chronic vaginitis
ICD-10	N762	Acute vulvitis
ICD-10	N763	Subacute and chronic vulvitis
ICD-10	N764	Abscess of vulva
ICD-10	N765	Ulceration of vagina
ICD-10	N766	Ulceration of vulva
ICD-10	N7681	Mucositis (ulcerative) of vagina and vulva
ICD-10	N7689	Other specified inflammation of vagina and vulva
ICD-10	N770	Ulceration of vulva in diseases classified elsewhere
ICD-10	N771	Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere
ICD-10	N800	Endometriosis of uterus
ICD-10	N801	Endometriosis of ovary
ICD-10	N802	Endometriosis of fallopian tube
ICD-10	N803	Endometriosis of pelvic peritoneum
ICD-10	N804	Endometriosis of rectovaginal septum and vagina
ICD-10	N808	Other endometriosis
ICD-10	N809	Endometriosis, unspecified
ICD-10	N810	Urethrocele
ICD-10	N8110	Cystocele, unspecified
ICD-10	N8111	Cystocele, midline
ICD-10	N8112	Cystocele, lateral
ICD-10	N812	Incomplete uterovaginal prolapse
ICD-10	N813	Complete uterovaginal prolapse
ICD-10	N814	Uterovaginal prolapse, unspecified
ICD-10	N815	Vaginal enterocele
ICD-10	N816	Rectocele
ICD-10	N8181	Perineocele
ICD-10	N8182	Incompetence or weakening of pubocervical tissue
ICD-10	N8183	Incompetence or weakening of rectovaginal tissue
ICD-10	N8184	Pelvic muscle wasting
ICD-10	N8185	Cervical stump prolapse
ICD-10	N8189	Other female genital prolapse
ICD-10	N819	Female genital prolapse, unspecified
ICD-10	N820	Vesicovaginal fistula
ICD-10	N821	Other female urinary-genital tract fistulae
ICD-10	N825	Female genital tract-skin fistulae
ICD-10	N828	Other female genital tract fistulae
ICD-10	N829	Female genital tract fistula, unspecified

ICD 9/10	Code	Description
ICD-10	N8300	Follicular cyst of ovary, unspecified side
ICD-10	N8301	Follicular cyst of right ovary
ICD-10	N8302	Follicular cyst of left ovary
ICD-10	N8310	Corpus luteum cyst of ovary, unspecified side
ICD-10	N8311	Corpus luteum cyst of right ovary
ICD-10	N8312	Corpus luteum cyst of left ovary
ICD-10	N83201	Unspecified ovarian cyst, right side
ICD-10	N83202	Unspecified ovarian cyst, left side
ICD-10	N83209	Unspecified ovarian cyst, unspecified side
ICD-10	N83291	Other ovarian cyst, right side
ICD-10	N83292	Other ovarian cyst, left side
ICD-10	N83299	Other ovarian cyst, unspecified side
ICD-10	N83311	Acquired atrophy of right ovary
ICD-10	N83312	Acquired atrophy of left ovary
ICD-10	N83319	Acquired atrophy of ovary, unspecified side
ICD-10	N83321	Acquired atrophy of right fallopian tube
ICD-10	N83322	Acquired atrophy of left fallopian tube
ICD-10	N83329	Acquired atrophy of fallopian tube, unspecified side
ICD-10	N83331	Acquired atrophy of right ovary and fallopian tube
ICD-10	N83332	Acquired atrophy of left ovary and fallopian tube
ICD-10	N83339	Acquired atrophy of ovary and fallopian tube, unspecified side
ICD-10	N8340	Prolapse and hernia of ovary and fallopian tube, unspecified side
ICD-10	N8341	Prolapse and hernia of right ovary and fallopian tube
ICD-10	N8342	Prolapse and hernia of left ovary and fallopian tube
ICD-10	N83511	Torsion of right ovary and ovarian pedicle
ICD-10	N83512	Torsion of left ovary and ovarian pedicle
ICD-10	N83519	Torsion of ovary and ovarian pedicle, unspecified side
ICD-10	N83521	Torsion of right fallopian tube
ICD-10	N83522	Torsion of left fallopian tube
ICD-10	N83529	Torsion of fallopian tube, unspecified side
ICD-10	N8353	Torsion of ovary, ovarian pedicle and fallopian tube
ICD-10	N836	Hematosalpinx
ICD-10	N837	Hematoma of broad ligament
ICD-10	N838	Other noninflammatory disorders of ovary, fallopian tube and broad ligament
ICD-10	N839	Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified
ICD-10	N840	Polyp of corpus uteri
ICD-10	N841	Polyp of cervix uteri
ICD-10	N842	Polyp of vagina
ICD-10	N843	Polyp of vulva
ICD-10	N848	Polyp of other parts of female genital tract

ICD 9/10	Code	Description
ICD-10	N849	Polyp of female genital tract, unspecified
ICD-10	N8500	Endometrial hyperplasia, unspecified
ICD-10	N8501	Benign endometrial hyperplasia
ICD-10	N8502	Endometrial intraepithelial neoplasia [EIN]
ICD-10	N852	Hypertrophy of uterus
ICD-10	N853	Subinvolution of uterus
ICD-10	N854	Malposition of uterus
ICD-10	N855	Inversion of uterus
ICD-10	N856	Intrauterine synechiae
ICD-10	N857	Hematometra
ICD-10	N858	Other specified noninflammatory disorders of uterus
ICD-10	N859	Noninflammatory disorder of uterus, unspecified
ICD-10	N86	Erosion and ectropion of cervix uteri
ICD-10	N870	Mild cervical dysplasia
ICD-10	N871	Moderate cervical dysplasia
ICD-10	N879	Dysplasia of cervix uteri, unspecified
ICD-10	N880	Leukoplakia of cervix uteri
ICD-10	N881	Old laceration of cervix uteri
ICD-10	N882	Stricture and stenosis of cervix uteri
ICD-10	N883	Incompetence of cervix uteri
ICD-10	N884	Hypertrophic elongation of cervix uteri
ICD-10	N888	Other specified noninflammatory disorders of cervix uteri
ICD-10	N889	Noninflammatory disorder of cervix uteri, unspecified
ICD-10	N890	Mild vaginal dysplasia
ICD-10	N891	Moderate vaginal dysplasia
ICD-10	N893	Dysplasia of vagina, unspecified
ICD-10	N894	Leukoplakia of vagina
ICD-10	N895	Stricture and atresia of vagina
ICD-10	N896	Tight hymenal ring
ICD-10	N897	Hematocolpos
ICD-10	N898	Other specified noninflammatory disorders of vagina
ICD-10	N899	Noninflammatory disorder of vagina, unspecified
ICD-10	N900	Mild vulvar dysplasia
ICD-10	N901	Moderate vulvar dysplasia
ICD-10	N903	Dysplasia of vulva, unspecified
ICD-10	N904	Leukoplakia of vulva
ICD-10	N905	Atrophy of vulva
ICD-10	N9060	Unspecified hypertrophy of vulva
ICD-10	N9061	Childhood asymmetric labium majus enlargement
ICD-10	N9069	Other specified hypertrophy of vulva

ICD 9/10	Code	Description
ICD-10	N907	Vulvar cyst
ICD-10	N90810	Female genital mutilation status, unspecified
ICD-10	N90811	Female genital mutilation Type I status
ICD-10	N90812	Female genital mutilation Type II status
ICD-10	N90813	Female genital mutilation Type III status
ICD-10	N90818	Other female genital mutilation status
ICD-10	N9089	Other specified noninflammatory disorders of vulva and perineum
ICD-10	N909	Noninflammatory disorder of vulva and perineum, unspecified
ICD-10	N910	Primary amenorrhea
ICD-10	N911	Secondary amenorrhea
ICD-10	N912	Amenorrhea, unspecified
ICD-10	N913	Primary oligomenorrhea
ICD-10	N914	Secondary oligomenorrhea
ICD-10	N915	Oligomenorrhea, unspecified
ICD-10	N920	Excessive and frequent menstruation with regular cycle
ICD-10	N921	Excessive and frequent menstruation with irregular cycle
ICD-10	N922	Excessive menstruation at puberty
ICD-10	N923	Ovulation bleeding
ICD-10	N924	Excessive bleeding in the premenopausal period
ICD-10	N925	Other specified irregular menstruation
ICD-10	N926	Irregular menstruation, unspecified
ICD-10	N930	Postcoital and contact bleeding
ICD-10	N931	Pre-pubertal vaginal bleeding
ICD-10	N938	Other specified abnormal uterine and vaginal bleeding
ICD-10	N939	Abnormal uterine and vaginal bleeding, unspecified
ICD-10	N940	Mittelschmerz
ICD-10	N9410	Unspecified dyspareunia
ICD-10	N9411	Superficial (introital) dyspareunia
ICD-10	N9412	Deep dyspareunia
ICD-10	N9419	Other specified dyspareunia
ICD-10	N942	Vaginismus
ICD-10	N943	Premenstrual tension syndrome
ICD-10	N944	Primary dysmenorrhea
ICD-10	N945	Secondary dysmenorrhea
ICD-10	N946	Dysmenorrhea, unspecified
ICD-10	N94810	Vulvar vestibulitis
ICD-10	N94818	Other vulvodynia
ICD-10	N94819	Vulvodynia, unspecified
ICD-10	N9489	Other specified conditions associated with female genital organs and menstrual cycle
ICD-10	N949	Unspecified condition associated with female genital organs and menstrual cycle



ICD 9/10	Code	Description
ICD-10	N950	Postmenopausal bleeding
ICD-10	N951	Menopausal and female climacteric states
ICD-10	N952	Postmenopausal atrophic vaginitis
ICD-10	N958	Other specified menopausal and perimenopausal disorders
ICD-10	N959	Unspecified menopausal and perimenopausal disorder
ICD-10	N992	Postprocedural adhesions of vagina
ICD-10	N993	Prolapse of vaginal vault after hysterectomy
ICD-10	N9983	Residual ovary syndrome
ICD-10	N9985	Post endometrial ablation syndrome
ICD-10	Q5001	Congenital absence of ovary, unilateral
ICD-10	Q5002	Congenital absence of ovary, bilateral
ICD-10	Q501	Developmental ovarian cyst
ICD-10	Q502	Congenital torsion of ovary
ICD-10	Q5031	Accessory ovary
ICD-10	Q5032	Ovarian streak
ICD-10	Q5039	Other congenital malformation of ovary
ICD-10	Q504	Embryonic cyst of fallopian tube
ICD-10	Q505	Embryonic cyst of broad ligament
ICD-10	Q506	Other congenital malformations of fallopian tube and broad ligament
ICD-10	Q510	Agenesis and aplasia of uterus
ICD-10	Q5110	Doubling of uterus with doubling of cervix and vagina without obstruction
ICD-10	Q5111	Doubling of uterus with doubling of cervix and vagina with obstruction
ICD-10	Q5120	Other doubling of uterus, unspecified
ICD-10	Q5121	Other complete doubling of uterus
ICD-10	Q5122	Other partial doubling of uterus
ICD-10	Q5128	Other doubling of uterus, other specified
ICD-10	Q513	Bicornate uterus
ICD-10	Q514	Unicornate uterus
ICD-10	Q515	Agenesis and aplasia of cervix
ICD-10	Q516	Embryonic cyst of cervix
ICD-10	Q517	Congenital fistulae between uterus and digestive and urinary tracts
ICD-10	Q51810	Arcuate uterus
ICD-10	Q51811	Hypoplasia of uterus
ICD-10	Q51818	Other congenital malformations of uterus
ICD-10	Q51820	Cervical duplication
ICD-10	Q51821	Hypoplasia of cervix
ICD-10	Q51828	Other congenital malformations of cervix
ICD-10	Q519	Congenital malformation of uterus and cervix, unspecified
ICD-10	Q520	Congenital absence of vagina
ICD-10	Q5210	Doubling of vagina, unspecified

ICD 9/10	Code	Description
ICD-10	Q5211	Transverse vaginal septum
ICD-10	Q52120	Longitudinal vaginal septum, nonobstructing
ICD-10	Q52121	Longitudinal vaginal septum, obstructing, right side
ICD-10	Q52122	Longitudinal vaginal septum, obstructing, left side
ICD-10	Q52123	Longitudinal vaginal septum, microperforate, right side
ICD-10	Q52124	Longitudinal vaginal septum, microperforate, left side
ICD-10	Q52129	Other and unspecified longitudinal vaginal septum
ICD-10	Q522	Congenital rectovaginal fistula
ICD-10	Q523	Imperforate hymen
ICD-10	Q524	Other congenital malformations of vagina
ICD-10	Q525	Fusion of labia
ICD-10	Q526	Congenital malformation of clitoris
ICD-10	Q5270	Unspecified congenital malformations of vulva
ICD-10	Q5271	Congenital absence of vulva
ICD-10	Q5279	Other congenital malformations of vulva
ICD-10	Q528	Other specified congenital malformations of female genitalia
ICD-10	Q529	Congenital malformation of female genitalia, unspecified
ICD-10	R87610	Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)
ICD-10	R87611	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of cervix (ASC-H)
ICD-10	R87612	Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)
ICD-10	R87613	High grade squamous intraepithelial lesion on cytologic smear of cervix (HGSIL)
ICD-10	R87614	Cytologic evidence of malignancy on smear of cervix
ICD-10	R87615	Unsatisfactory cytologic smear of cervix
ICD-10	R87616	Satisfactory cervical smear but lacking transformation zone
ICD-10	R87620	Atypical squamous cells of undetermined significance on cytologic smear of vagina (ASC-US)
ICD-10	R87621	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of vagina (ASC-H)
ICD-10	R87622	Low grade squamous intraepithelial lesion on cytologic smear of vagina (LGSIL)
ICD-10	R87623	High grade squamous intraepithelial lesion on cytologic smear of vagina (HGSIL)
ICD-10	R87624	Cytologic evidence of malignancy on smear of vagina
ICD-10	R87625	Unsatisfactory cytologic smear of vagina
ICD-10	R87628	Other abnormal cytological findings on specimens from vagina
ICD-10	R87810	Cervical high risk human papillomavirus (HPV) DNA test positive
ICD-10	R87811	Vaginal high risk human papillomavirus (HPV) DNA test positive
ICD-10	R87820	Cervical low risk human papillomavirus (HPV) DNA test positive
ICD-10	R87821	Vaginal low risk human papillomavirus (HPV) DNA test positive
ICD-10	S30202A	Contusion of unspecified external genital organ, female, initial encounter
ICD-10	S3023XA	Contusion of vagina and vulva, initial encounter
ICD-10	S3140XA	Unspecified open wound of vagina and vulva, initial encounter

ICD 9/10	Code	Description
ICD-10	S3141XA	Laceration without foreign body of vagina and vulva, initial encounter
ICD-10	S3142XA	Laceration with foreign body of vagina and vulva, initial encounter
ICD-10	S3143XA	Puncture wound without foreign body of vagina and vulva, initial encounter
ICD-10	S3144XA	Puncture wound with foreign body of vagina and vulva, initial encounter
ICD-10	S3145XA	Open bite of vagina and vulva, initial encounter
ICD-10	S31502A	Unspecified open wound of unspecified external genital organs, female, initial encounter
ICD-10	S31502S	Unspecified open wound of unspecified external genital organs, female, sequela
ICD-10	S31512A	Laceration without foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31512S	Laceration without foreign body of unspecified external genital organs, female, sequela
ICD-10	S31522A	Laceration with foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31522S	Laceration with foreign body of unspecified external genital organs, female, sequela
ICD-10	S31532A	Puncture wound without foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31532S	Puncture wound without foreign body of unspecified external genital organs, female, sequela
ICD-10	S31542A	Puncture wound with foreign body of unspecified external genital organs, female, initial encounter
ICD-10	S31542S	Puncture wound with foreign body of unspecified external genital organs, female, sequela
ICD-10	S31552A	Open bite of unspecified external genital organs, female, initial encounter
ICD-10	S31552S	Open bite of unspecified external genital organs, female, sequela
ICD-10	S37401A	Unspecified injury of ovary, unilateral, initial encounter
ICD-10	S37401S	Unspecified injury of ovary, unilateral, sequela
ICD-10	S37402A	Unspecified injury of ovary, bilateral, initial encounter
ICD-10	S37402S	Unspecified injury of ovary, bilateral, sequela
ICD-10	S37409A	Unspecified injury of ovary, unspecified, initial encounter
ICD-10	S37409S	Unspecified injury of ovary, unspecified, sequela
ICD-10	S37421A	Contusion of ovary, unilateral, initial encounter
ICD-10	S37421S	Contusion of ovary, unilateral, sequela
ICD-10	S37422A	Contusion of ovary, bilateral, initial encounter
ICD-10	S37422S	Contusion of ovary, bilateral, sequela
ICD-10	S37429A	Contusion of ovary, unspecified, initial encounter
ICD-10	S37429S	Contusion of ovary, unspecified, sequela
ICD-10	S37431A	Laceration of ovary, unilateral, initial encounter
ICD-10	S37431S	Laceration of ovary, unilateral, sequela
ICD-10	S37432A	Laceration of ovary, bilateral, initial encounter
ICD-10	S37432S	Laceration of ovary, bilateral, sequela
ICD-10	S37439A	Laceration of ovary, unspecified, initial encounter
ICD-10	S37439S	Laceration of ovary, unspecified, sequela
ICD-10	S37491A	Other injury of ovary, unilateral, initial encounter

ICD 9/10	Code	Description
ICD-10	S37491S	Other injury of ovary, unilateral, sequela
ICD-10	S37492A	Other injury of ovary, bilateral, initial encounter
ICD-10	S37492S	Other injury of ovary, bilateral, sequela
ICD-10	S37499A	Other injury of ovary, unspecified, initial encounter
ICD-10	S37499S	Other injury of ovary, unspecified, sequela
ICD-10	S37501A	Unspecified injury of fallopian tube, unilateral, initial encounter
ICD-10	S37501S	Unspecified injury of fallopian tube, unilateral, sequela
ICD-10	S37502A	Unspecified injury of fallopian tube, bilateral, initial encounter
ICD-10	S37502S	Unspecified injury of fallopian tube, bilateral, sequela
ICD-10	S37509A	Unspecified injury of fallopian tube, unspecified, initial encounter
ICD-10	S37509S	Unspecified injury of fallopian tube, unspecified, sequela
ICD-10	S37511A	Primary blast injury of fallopian tube, unilateral, initial encounter
ICD-10	S37511S	Primary blast injury of fallopian tube, unilateral, sequela
ICD-10	S37512A	Primary blast injury of fallopian tube, bilateral, initial encounter
ICD-10	S37512S	Primary blast injury of fallopian tube, bilateral, sequela
ICD-10	S37519A	Primary blast injury of fallopian tube, unspecified, initial encounter
ICD-10	S37519S	Primary blast injury of fallopian tube, unspecified, sequela
ICD-10	S37521A	Contusion of fallopian tube, unilateral, initial encounter
ICD-10	S37521S	Contusion of fallopian tube, unilateral, sequela
ICD-10	S37522A	Contusion of fallopian tube, bilateral, initial encounter
ICD-10	S37522S	Contusion of fallopian tube, bilateral, sequela
ICD-10	S37529A	Contusion of fallopian tube, unspecified, initial encounter
ICD-10	S37529S	Contusion of fallopian tube, unspecified, sequela
ICD-10	S37531A	Laceration of fallopian tube, unilateral, initial encounter
ICD-10	S37531S	Laceration of fallopian tube, unilateral, sequela
ICD-10	S37532A	Laceration of fallopian tube, bilateral, initial encounter
ICD-10	S37532S	Laceration of fallopian tube, bilateral, sequela
ICD-10	S37539A	Laceration of fallopian tube, unspecified, initial encounter
ICD-10	S37539S	Laceration of fallopian tube, unspecified, sequela
ICD-10	S37591A	Other injury of fallopian tube, unilateral, initial encounter
ICD-10	S37591S	Other injury of fallopian tube, unilateral, sequela
ICD-10	S37592A	Other injury of fallopian tube, bilateral, initial encounter
ICD-10	S37592S	Other injury of fallopian tube, bilateral, sequela
ICD-10	S37599A	Other injury of fallopian tube, unspecified, initial encounter
ICD-10	S37599S	Other injury of fallopian tube, unspecified, sequela
ICD-10	S3760XA	Unspecified injury of uterus, initial encounter
ICD-10	S3760XS	Unspecified injury of uterus, sequela
ICD-10	S3762XA	Contusion of uterus, initial encounter
ICD-10	S3762XS	Contusion of uterus, sequela
ICD-10	S3763XA	Laceration of uterus, initial encounter

ICD 9/10	Code	Description
ICD-10	S3763XS	Laceration of uterus, sequela
ICD-10	S3769XA	Other injury of uterus, initial encounter
ICD-10	S3769XS	Other injury of uterus, sequela
ICD-10	S37818S	Other injury of adrenal gland, sequela
ICD-10	S37819S	Unspecified injury of adrenal gland, sequela
ICD-10	S38002A	Crushing injury of unspecified external genital organs, female, initial encounter
ICD-10	S3803XA	Crushing injury of vulva, initial encounter
ICD-10	S38211A	Complete traumatic amputation of female external genital organs, initial encounter
ICD-10	S38212A	Partial traumatic amputation of female external genital organs, initial encounter
ICD-10	T192XXA	Foreign body in vulva and vagina, initial encounter
ICD-10	T193XXA	Foreign body in uterus, initial encounter
ICD-10	T8331XA	Breakdown (mechanical) of intrauterine contraceptive device, initial encounter
ICD-10	T8332XA	Displacement of intrauterine contraceptive device, initial encounter
ICD-10	T8339XA	Other mechanical complication of intrauterine contraceptive device, initial encounter
ICD-10	T83711A	Erosion of implanted vaginal mesh to surrounding organ or tissue, initial encounter
ICD-10	T83721A	Exposure of implanted vaginal mesh into vagina, initial encounter
ICD-10	Z4002	Encounter for prophylactic removal of ovary(s)
ICD-10	Z4003	Encounter for prophylactic removal of fallopian tube(s)
ICD-10	Z437	Encounter for attention to artificial vagina
ICD-10	Z641	Problems related to multiparity
ICD-10	Z90710	Acquired absence of both cervix and uterus
ICD-10	Z90711	Acquired absence of uterus with remaining cervical stump
ICD-10	Z90712	Acquired absence of cervix with remaining uterus
ICD-10	Z90721	Acquired absence of ovaries, unilateral
ICD-10	Z90722	Acquired absence of ovaries, bilateral

**Table 26 – List of procedure codes describing CAR T-cell therapy for MS-DRG 018.**

ICD9/10	Code	Description
ICD-10	XW033C3	Introduction of engineered autologous chimeric antigen receptor t-cell immunotherapy into peripheral vein, percutaneous approach, new technology group 3
ICD-10	XW043C3	Introduction of engineered autologous chimeric antigen receptor t-cell immunotherapy into central vein, percutaneous approach, new technology group 3

**Table 27a – List of ICD-10 codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036 (to map MS-DRGs 037-039)**

ICD 10	Code	Description
ICD-10	037H04Z	Dilation of right common carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037J04Z	Dilation of left common carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037K04Z	Dilation of right internal carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037L04Z	Dilation of left internal carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037M04Z	Dilation of right external carotid artery with drug-eluting intraluminal device, open approach
ICD-10	037N04Z	Dilation of left external carotid artery with drug-eluting intraluminal device, open approach

**Table 27b – List of ICD-9 code combinations describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036 (to map MS-DRGs 037-039)**

ICD 9	Code#1	Code #1 Description	Code#2	Code #2 Description	Code#3	Code #3 Description	Code#4	Code #4 Description
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0045	Insertion of one vascular stent

**Table 27c – List of ICD-10 codes describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034 -036 (to map MS-DRGs 252-254)**

ICD 10	Code	Description
ICD-10	037H05Z	Dilation of right common carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037H06Z	Dilation of right common carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037H07Z	Dilation of right common carotid artery with four or more drugeluting intraluminal devices, open approach
ICD-10	037H0EZ	Dilation of right common carotid artery with two intraluminal devices, open approach
ICD-10	037H0FZ	Dilation of right common carotid artery with three intraluminal devices, open approach
ICD-10	037H0GZ	Dilation of right common carotid artery with four or more intraluminal devices, open approach
ICD-10	037J05Z	Dilation of left common carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037J06Z	Dilation of left common carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037J07Z	Dilation of left common carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037J0EZ	Dilation of left common carotid artery with two intraluminal devices, open approach
ICD-10	037J0FZ	Dilation of left common carotid artery with three intraluminal devices, open approach
ICD-10	037J0GZ	Dilation of left common carotid artery with four or more intraluminal devices, open approach
ICD-10	037K05Z	Dilation of right internal carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037K06Z	Dilation of right internal carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037K07Z	Dilation of right internal carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037K0EZ	Dilation of right internal carotid artery with two intraluminal devices, open approach
ICD-10	037K0FZ	Dilation of right internal carotid artery with three intraluminal devices, open approach
ICD-10	037K0GZ	Dilation of right internal carotid artery with four or more intraluminal devices, open approach
ICD-10	037L05Z	Dilation of left internal carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037L06Z	Dilation of left internal carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037L07Z	Dilation of left internal carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037L0EZ	Dilation of left internal carotid artery with two intraluminal devices, open approach
ICD-10	037L0FZ	Dilation of left internal carotid artery with three intraluminal devices, open approach
ICD-10	037L0GZ	Dilation of left internal carotid artery with four or more intraluminal devices, open approach
ICD-10	037M05Z	Dilation of right external carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037M06Z	Dilation of right external carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037M07Z	Dilation of right external carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037M0EZ	Dilation of right external carotid artery with two intraluminal devices, open approach
ICD-10	037M0FZ	Dilation of right external carotid artery with three intraluminal devices, open approach
ICD-10	037M0GZ	Dilation of right external carotid artery with four or more intraluminal devices, open approach

ICD 10	Code	Description
ICD-10	037N05Z	Dilation of left external carotid artery with two drug-eluting intraluminal devices, open approach
ICD-10	037N06Z	Dilation of left external carotid artery with three drug-eluting intraluminal devices, open approach
ICD-10	037N07Z	Dilation of left external carotid artery with four or more drug-eluting intraluminal devices, open approach
ICD-10	037N0EZ	Dilation of left external carotid artery with two intraluminal devices, open approach
ICD-10	037N0FZ	Dilation of left external carotid artery with three intraluminal devices, open approach
ICD-10	037N0GZ	Dilation of left external carotid artery with four or more intraluminal devices, open approach

**Table 27d – List of ICD-9 code combinations describing dilation of a carotid artery with an intraluminal device for MS-DRGs 034-036 (to map MS-DRGs 252-254)**

ICD 9	Code#1	Code #1 Description	Code#2	Code #2 Description	Code#3	Code #3 Description	Code#4	Code #4 Description
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0046	Insertion of two vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0047	Insertion of three vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	0055	Insertion of drug-eluting stent(s) of other peripheral vessel(s)	0048	Insertion of four or more vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	3990	Insertion of non-drug-eluting peripheral (non-coronary) vessel stent(s)	0046	Insertion of two vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	3990	Insertion of non-drug-eluting peripheral (non-coronary) vessel stent(s)	0047	Insertion of three vascular stents
ICD-9	3950	Angioplasty of other non-coronary vessel(s)	0040	Procedure on single vessel	3990	Insertion of non-drug-eluting peripheral (non-coronary) vessel stent(s)	0048	Insertion of four or more vascular stents



**Table 28 – List of procedure and diagnosis codes related to head, neck, cranial and facial procedures for MS-DRGs 140-142**

ICD 9/10	Code	Description
ICD-9	3882	Other surgical occlusion of vessels, other vessels of head and neck
ICD-9	4029	Simple excision of other lymphatic structure
ICD-9	4021	Excision of deep cervical lymph node
ICD-9	1682	Repair of rupture of eyeball
ICD-9	1649	Other enucleation of eyeball
ICD-9	2097	Implantation or replacement of cochlear prosthetic device, single channel
ICD-9	2098	Implantation or replacement of cochlear prosthetic device, multiple channel
ICD-9	2095	Implantation of electromagnetic hearing device
ICD-9	315	Local excision or destruction of lesion or tissue of trachea
ICD-9	3174	Revision of tracheostomy
ICD-9	3001	Marsupialization of laryngeal cyst
ICD-9	3009	Other excision or destruction of lesion or tissue of larynx
ICD-9	2731	Local excision or destruction of lesion or tissue of bony palate
ICD-9	2732	Wide excision or destruction of lesion or tissue of bony palate
ICD-9	252	Partial glossectomy
ICD-9	253	Complete glossectomy
ICD-9	254	Radical glossectomy
ICD-9	8663	Full-thickness skin graft to other sites
ICD-9	8669	Other skin graft to other sites
ICD-9	8667	Dermal regenerative graft
ICD-9	8622	Excisional debridement of wound, infection, or burn
ICD-9	8339	Excision of lesion of other soft tissue
ICD-9	8344	Other fasciectomy
ICD-9	8382	Graft of muscle or fascia
ICD-9	8674	Attachment of pedicle or flap graft to other sites
ICD-9	7631	Partial mandibulectomy
ICD-9	244	Excision of dental lesion of jaw
ICD-9	7669	Other facial bone repair
ICD-9	7641	Total mandibulectomy with synchronous reconstruction
ICD-9	0202	Elevation of skull fracture fragments
ICD-9	2172	Open reduction of nasal fracture
ICD-9	7679	Other open reduction of facial fracture
ICD-9	7672	Open reduction of malar and zygomatic fracture
ICD-9	7674	Open reduction of maxillary fracture
ICD-9	7676	Open reduction of mandibular fracture
ICD-9	7677	Open reduction of alveolar fracture
ICD-9	7642	Other total mandibulectomy
ICD-9	762	Local excision or destruction of lesion of facial bone
ICD-9	765	Temporomandibular arthroplasty
ICD-9	7694	Open reduction of temporomandibular dislocation
ICD-9	7645	Other total ostectomy of other facial bone
ICD-9	0124	Other craniotomy
ICD-9	4041	Radical neck dissection, unilateral
ICD-9	4042	Radical neck dissection, bilateral

ICD 9/10	Code	Description
ICD-9	4040	Radical neck dissection, not otherwise specified
ICD-9	3142	Laryngoscopy and other tracheoscopy
ICD-9	9604	Insertion of endotracheal tube
ICD-9	3972	Endovascular (total) embolization or occlusion of head and neck vessels
ICD-9	301	Hemilaryngectomy
ICD-9	4311	Percutaneous [endoscopic] gastrostomy [PEG]
ICD-9	292	Excision of branchial cleft cyst or vestige
ICD-9	7663	Osteoplasty [osteotomy] of body of mandible
ICD-9	0212	Other repair of cerebral meninges
ICD-9	3175	Reconstruction of trachea and construction of artificial larynx
ICD-9	3143	Closed [endoscopic] biopsy of larynx
ICD-9	7789	Other partial ostectomy, other bones
ICD-9	3164	Repair of laryngeal fracture
ICD-9	3173	Closure of other fistula of trachea
ICD-9	3404	Insertion of intercostal catheter for drainage
ICD-9	7644	Total ostectomy of other facial bone with synchronous reconstruction
ICD-9	3161	Suture of laceration of larynx
ICD-9	3163	Revision of laryngostomy
ICD-9	9723	Replacement of tracheostomy tube
ICD-9	3171	Suture of laceration of trachea
ICD-9	7645	Other total ostectomy of other facial bone
ICD-9	0602	Reopening of wound of thyroid field
ICD-9	067	Excision of thyroglossal duct or tract
ICD-9	310	Injection of larynx
ICD-9	313	Other incision of larynx or trachea
ICD-9	3141	Tracheoscopy through artificial stoma
ICD-9	3172	Closure of external fistula of trachea
ICD-9	3174	Revision of tracheostomy
ICD-9	3195	Tracheoesophageal fistulization
ICD-9	3975	Endovascular embolization or occlusion of vessel(s) of head or neck using bare coils
ICD-9	7631	Partial mandibulectomy
ICD-9	7675	Closed reduction of mandibular fracture
ICD-9	7697	Removal of internal fixation device from facial bone
ICD-9	9738	Removal of sutures from head and neck
ICD-9	1619	Malignant neoplasm of larynx, unspecified
ICD-9	1950	Malignant neoplasm of head, face, and neck
ICD-9	4871	Influenza with other respiratory manifestations
ICD-9	52453	Deviation in opening and closing of the mandible
ICD-9	52460	Temporomandibular joint disorders, unspecified
ICD-9	52523	Severe atrophy of the mandible
ICD-10	03LH0CZ	Occlusion of right common carotid artery with extraluminal device, open approach
ICD-10	03LH0ZZ	Occlusion of right common carotid artery, open approach
ICD-10	03LH3CZ	Occlusion of right common carotid artery with extraluminal device, percutaneous approach
ICD-10	03LH3ZZ	Occlusion of right common carotid artery, percutaneous approach

ICD 9/10	Code	Description
ICD-10	03LH4CZ	Occlusion of right common carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LH4ZZ	Occlusion of right common carotid artery, percutaneous endoscopic approach
ICD-10	03LJ0CZ	Occlusion of left common carotid artery with extraluminal device, open approach
ICD-10	03LJ0ZZ	Occlusion of left common carotid artery, open approach
ICD-10	03LJ3CZ	Occlusion of left common carotid artery with extraluminal device, percutaneous approach
ICD-10	03LJ3ZZ	Occlusion of left common carotid artery, percutaneous approach
ICD-10	03LJ4CZ	Occlusion of left common carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LJ4ZZ	Occlusion of left common carotid artery, percutaneous endoscopic approach
ICD-10	03LM0CZ	Occlusion of right external carotid artery with extraluminal device, open approach
ICD-10	03LM0ZZ	Occlusion of right external carotid artery, open approach
ICD-10	03LM3CZ	Occlusion of right external carotid artery with extraluminal device, percutaneous approach
ICD-10	03LM3ZZ	Occlusion of right external carotid artery, percutaneous approach
ICD-10	03LM4CZ	Occlusion of right external carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LM4ZZ	Occlusion of Right External Carotid Artery, Percutaneous Endoscopic Approach
ICD-10	03LN0CZ	Occlusion of Left External Carotid Artery with Extraluminal Device, Open Approach
ICD-10	03LN0ZZ	Occlusion of left external carotid artery, open approach
ICD-10	03LN3CZ	Occlusion of left external carotid artery with extraluminal device, percutaneous approach
ICD-10	03LN3ZZ	Occlusion of left external carotid artery, percutaneous approach
ICD-10	03LN4CZ	Occlusion of left external carotid artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LN4ZZ	Occlusion of Left External Carotid Artery, Percutaneous Endoscopic Approach
ICD-10	03LR0CZ	Occlusion of face artery with extraluminal device, open approach
ICD-10	03LR0ZZ	Occlusion of face artery, open approach
ICD-10	03LR3CZ	Occlusion of face artery with extraluminal device, percutaneous approach
ICD-10	03LR3ZZ	Occlusion of face artery, percutaneous approach
ICD-10	03LR4CZ	Occlusion of face artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LR4ZZ	Occlusion of face artery, percutaneous endoscopic approach
ICD-10	03LS0CZ	Occlusion of right temporal artery with extraluminal device, open approach
ICD-10	03LS0ZZ	Occlusion of right temporal artery, open approach
ICD-10	03LS3CZ	Occlusion of right temporal artery with extraluminal device, percutaneous approach
ICD-10	03LS3ZZ	Occlusion of right temporal artery, percutaneous approach
ICD-10	03LS4CZ	Occlusion of right temporal artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LS4ZZ	Occlusion of right temporal artery, percutaneous endoscopic approach
ICD-10	03LT0CZ	Occlusion of left temporal artery with extraluminal device, open approach
ICD-10	03LT0ZZ	Occlusion of left temporal artery, open approach
ICD-10	03LT3CZ	Occlusion of left temporal artery with extraluminal device, percutaneous approach
ICD-10	03LT3ZZ	Occlusion of left temporal artery, percutaneous approach

ICD 9/10	Code	Description
ICD-10	03LT4CZ	Occlusion of left temporal artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LT4ZZ	Occlusion of left temporal artery, percutaneous endoscopic approach
ICD-10	07T00ZZ	Resection of head lymphatic, open approach
ICD-10	07T04ZZ	Resection of head lymphatic, percutaneous endoscopic approach
ICD-10	07T10ZZ	Resection of right neck lymphatic, open approach
ICD-10	07T14ZZ	Resection of right neck lymphatic, percutaneous endoscopic approach
ICD-10	07T20ZZ	Resection of left neck lymphatic, open approach
ICD-10	07T24ZZ	Resection of left neck lymphatic, percutaneous endoscopic approach
ICD-10	08Q0XZZ	Repair right eye, external approach
ICD-10	08Q1XZZ	Repair left eye, external approach
ICD-10	08T0XZZ	Resection of right eye, external approach
ICD-10	08T1XZZ	Resection of left eye, external approach
ICD-10	09HD05Z	Insertion of single channel cochlear prosthesis into right inner ear, open approach
ICD-10	09HD06Z	Insertion of multiple channel cochlear prosthesis into right inner ear, open approach
ICD-10	09HD0SZ	Insertion of hearing device into right inner ear, open approach
ICD-10	09HD35Z	Insertion of single channel cochlear prosthesis into right inner ear, percutaneous approach
ICD-10	09HD36Z	Insertion of multiple channel cochlear prosthesis into right inner ear, percutaneous approach
ICD-10	09HD45Z	Insertion of single channel cochlear prosthesis into right inner ear, percutaneous endoscopic approach
ICD-10	09HD46Z	Insertion of multiple channel cochlear prosthesis into right inner ear, percutaneous endoscopic approach
ICD-10	09HD4SZ	Insertion of hearing device into right inner ear, percutaneous endoscopic approach
ICD-10	09HE05Z	Insertion of single channel cochlear prosthesis into left inner ear, open approach
ICD-10	09HE06Z	Insertion of multiple channel cochlear prosthesis into left inner ear, open approach
ICD-10	09HE0SZ	Insertion of hearing device into left inner ear, open approach
ICD-10	09HE35Z	Insertion of single channel cochlear prosthesis into left inner ear, percutaneous approach
ICD-10	09HE36Z	Insertion of multiple channel cochlear prosthesis into left inner ear, percutaneous approach
ICD-10	09HE45Z	Insertion of single channel cochlear prosthesis into left inner ear, percutaneous endoscopic approach
ICD-10	09HE46Z	Insertion of multiple channel cochlear prosthesis into left inner ear, percutaneous endoscopic approach
ICD-10	09HE4SZ	Insertion of hearing device into left inner ear, percutaneous endoscopic approach
ICD-10	0B510ZZ	Destruction of trachea, open approach
ICD-10	0B513ZZ	Destruction of trachea, percutaneous approach
ICD-10	0B514ZZ	Destruction of trachea, percutaneous endoscopic approach
ICD-10	0B517ZZ	Destruction of trachea, via natural or artificial opening
ICD-10	0B518ZZ	Destruction of Trachea, Via Natural or Artificial Opening Endoscopic
ICD-10	0BW10FZ	Revision of tracheostomy device in trachea, open approach
ICD-10	0BW14FZ	Revision of tracheostomy device in trachea, percutaneous endoscopic approach
ICD-10	0CBS0ZZ	Excision of larynx, open approach
ICD-10	0CBS4ZZ	Excision of larynx, percutaneous endoscopic approach
ICD-10	0CT20ZZ	Resection of hard palate, open approach

ICD 9/10	Code	Description
ICD-10	0CT2XZZ	Resection of hard palate, external approach
ICD-10	0CT70ZZ	Resection of tongue, open approach
ICD-10	0CT7XZZ	Resection of tongue, external approach
ICD-10	0HR1X73	Replacement of face skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR1X74	Replacement of face skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR4X73	Replacement of neck skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR4XJZ	Replacement of neck skin with synthetic substitute, external approach
ICD-10	0JB60ZZ	Excision of chest subcutaneous tissue and fascia, open approach
ICD-10	0JB70ZZ	Excision of back subcutaneous tissue and fascia, open approach
ICD-10	0JB80ZZ	Excision of abdomen subcutaneous tissue and fascia, open approach
ICD-10	0JR107Z	Replacement of Face Subcutaneous Tissue and Fascia with Autologous Tissue Substitute, Open Approach
ICD-10	0JR10KZ	Replacement of face subcutaneous tissue and fascia with nonautologous tissue substitute, open approach
ICD-10	0JX40ZB	Transfer Right Neck Subcutaneous Tissue and Fascia with Skin and Subcutaneous Tissue, Open Approach
ICD-10	0JX40ZC	Transfer right neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0JX50ZB	Transfer Left Neck Subcutaneous Tissue and Fascia with Skin and Subcutaneous Tissue, Open Approach
ICD-10	0JX50ZC	Transfer left neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0NBT0ZZ	Excision of right mandible, open approach
ICD-10	0NBT4ZZ	Excision of right mandible, percutaneous endoscopic approach
ICD-10	0NBV0ZZ	Excision of left mandible, open approach
ICD-10	0NBV4ZZ	Excision of left mandible, percutaneous endoscopic approach
ICD-10	0NNP0ZZ	Release right orbit, open approach
ICD-10	0NNP3ZZ	Release right orbit, percutaneous approach
ICD-10	0NNP4ZZ	Release right orbit, percutaneous endoscopic approach
ICD-10	0NNQ0ZZ	Release left orbit, open approach
ICD-10	0NNQ3ZZ	Release left orbit, percutaneous approach
ICD-10	0NNQ4ZZ	Release left orbit, percutaneous endoscopic approach
ICD-10	0NRT07Z	Replacement of right mandible with autologous tissue substitute, open approach
ICD-10	0NRT0JZ	Replacement of right mandible with synthetic substitute, open approach
ICD-10	0NRT0KZ	Replacement of right mandible with nonautologous tissue substitute, open approach
ICD-10	0NRT37Z	Replacement of right mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NRT3JZ	Replacement of right mandible with synthetic substitute, percutaneous approach
ICD-10	0NRT3KZ	Replacement of right mandible with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRT47Z	Replacement of right mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRT4JZ	Replacement of right mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRT4KZ	Replacement of right mandible with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NRV07Z	Replacement of left mandible with autologous tissue substitute, open approach
ICD-10	0NRV0JZ	Replacement of left mandible with synthetic substitute, open approach
ICD-10	0NRV0KZ	Replacement of left mandible with nonautologous tissue substitute, open approach
ICD-10	0NRV37Z	Replacement of left mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NRV3JZ	Replacement of left mandible with synthetic substitute, percutaneous approach
ICD-10	0NRV3KZ	Replacement of left mandible with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRV47Z	Replacement of left mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRV4JZ	Replacement of left mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRV4KZ	Replacement of left mandible with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NS104Z	Reposition frontal bone with internal fixation device, open approach
ICD-10	0NS10ZZ	Reposition frontal bone, open approach
ICD-10	0NS134Z	Reposition frontal bone with internal fixation device, percutaneous approach
ICD-10	0NS13ZZ	Reposition frontal bone, percutaneous approach
ICD-10	0NS144Z	Reposition frontal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS14ZZ	Reposition frontal bone, percutaneous endoscopic approach
ICD-10	0NS604Z	Reposition Left Temporal Bone with Internal Fixation Device, Open Approach
ICD-10	0NS60ZZ	Reposition left temporal bone, open approach
ICD-10	0NS634Z	Reposition left temporal bone with internal fixation device, percutaneous approach
ICD-10	0NS63ZZ	Reposition left temporal bone, percutaneous approach
ICD-10	0NS644Z	Reposition left temporal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS64ZZ	Reposition left temporal bone, percutaneous endoscopic approach
ICD-10	0NS704Z	Reposition occipital bone with internal fixation device, open approach
ICD-10	0NS70ZZ	Reposition occipital bone, open approach
ICD-10	0NS734Z	Reposition occipital bone with internal fixation device, percutaneous approach
ICD-10	0NS73ZZ	Reposition occipital bone, percutaneous approach
ICD-10	0NS744Z	Reposition occipital bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS74ZZ	Reposition occipital bone, percutaneous endoscopic approach
ICD-10	0NSB04Z	Reposition nasal bone with internal fixation device, open approach
ICD-10	0NSB0ZZ	Reposition nasal bone, open approach
ICD-10	0NSC04Z	Reposition sphenoid bone with internal fixation device, open approach
ICD-10	0NSC0ZZ	Reposition sphenoid bone, open approach
ICD-10	0NSF04Z	Reposition right ethmoid bone with internal fixation device, open approach
ICD-10	0NSF0ZZ	Reposition right ethmoid bone, open approach
ICD-10	0NSG04Z	Reposition left ethmoid bone with internal fixation device, open approach
ICD-10	0NSG0ZZ	Reposition left ethmoid bone, open approach
ICD-10	0NSH04Z	Reposition right lacrimal bone with internal fixation device, open approach
ICD-10	0NSH0ZZ	Reposition right lacrimal bone, open approach
ICD-10	0NSJ04Z	Reposition left lacrimal bone with internal fixation device, open approach
ICD-10	0NSJ0ZZ	Reposition left lacrimal bone, open approach



ICD 9/10	Code	Description
ICD-10	0NSK04Z	Reposition right palatine bone with internal fixation device, open approach
ICD-10	0NSK0ZZ	Reposition right palatine bone, open approach
ICD-10	0NSL04Z	Reposition left palatine bone with internal fixation device, open approach
ICD-10	0NSL0ZZ	Reposition left palatine bone, open approach
ICD-10	0NSM04Z	Reposition right zygomatic bone with internal fixation device, open approach
ICD-10	0NSN04Z	Reposition left zygomatic bone with internal fixation device, open approach
ICD-10	0NSP04Z	Reposition right orbit with internal fixation device, open approach
ICD-10	0NSP0ZZ	Reposition right orbit, open approach
ICD-10	0NSQ04Z	Reposition left orbit with internal fixation device, open approach
ICD-10	0NSQ0ZZ	Reposition left orbit, open approach
ICD-10	0NSR04Z	Reposition maxilla with internal fixation device, open approach
ICD-10	0NSR0ZZ	Reposition maxilla, open approach
ICD-10	0NST04Z	Reposition right mandible with internal fixation device, open approach
ICD-10	0NSV04Z	Reposition left mandible with internal fixation device, open approach
ICD-10	0NTT0ZZ	Resection of right mandible, open approach
ICD-10	0NTV0ZZ	Resection of left mandible, open approach
ICD-10	0RBD0ZZ	Excision of left temporomandibular joint, open approach
ICD-10	0RBD3ZZ	Excision of left temporomandibular joint, percutaneous approach
ICD-10	0RBD4ZZ	Excision of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RRC07Z	Replacement of right temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RRC0JZ	Replacement of right temporomandibular joint with synthetic substitute, open approach
ICD-10	0RRC0KZ	Replacement of Right Temporomandibular Joint with Nonautologous Tissue Substitute, Open Approach
ICD-10	0RRD07Z	Replacement of left temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RRD0JZ	Replacement of left temporomandibular joint with synthetic substitute, open approach
ICD-10	0RRD0KZ	Replacement of left temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RSC04Z	Reposition right temporomandibular joint with internal fixation device, open approach
ICD-10	0RSC0ZZ	Reposition right temporomandibular joint, open approach
ICD-10	0RSD04Z	Reposition left temporomandibular joint with internal fixation device, open approach
ICD-10	0RSD0ZZ	Reposition left temporomandibular joint, open approach
ICD-10	0RTC0ZZ	Resection of right temporomandibular joint, open approach
ICD-10	0RTD0ZZ	Resection of left temporomandibular joint, open approach
ICD-10	0W9100Z	Drainage of cranial cavity with drainage device, open approach
ICD-10	0W910ZZ	Drainage of cranial cavity, open approach
ICD-10	0WC10ZZ	Extirpation of matter from cranial cavity, open approach
ICD-10	0WC13ZZ	Extirpation of matter from cranial cavity, percutaneous approach
ICD-10	0WC14ZZ	Extirpation of matter from cranial cavity, percutaneous endoscopic approach
ICD-10	C050	Malignant neoplasm of hard palate
ICD-10	C058	Malignant neoplasm of overlapping sites of palate
ICD-10	C059	Malignant neoplasm of palate, unspecified
ICD-10	C760	Malignant neoplasm of head, face and neck
ICD-10	D0005	Carcinoma in situ of hard palate

ICD 9/10	Code	Description
ICD-10	J386	Stenosis of larynx
ICD-10	K0826	Severe atrophy of the maxilla
ICD-10	M2607	Excessive tuberosity of jaw
ICD-10	M2660	Temporomandibular joint disorder, unspecified
ICD-10	M2661	Adhesions and ankylosis of temporomandibular joint
ICD-10	M2662	Arthralgia of temporomandibular joint
ICD-10	M2689	Other dentofacial anomalies
ICD-10	M270	Developmental disorders of jaws
ICD-10	M272	Inflammatory conditions of jaws
ICD-10	M2740	Unspecified cyst of jaw
ICD-10	Q180	Sinus, fistula and cyst of branchial cleft
ICD-10	Q182	Other branchial cleft malformations
ICD-10	S022XXA	Fracture of nasal bones, initial encounter for closed fracture
ICD-10	S022XXB	Fracture of nasal bones, initial encounter for open fracture
ICD-10	S02401A	Maxillary fracture, unspecified side, initial encounter for closed fracture
ICD-10	S02402A	Zygomatic fracture, unspecified side, initial encounter for closed fracture
ICD-10	S0240CA	Maxillary fracture, right side, initial encounter for closed fracture
ICD-10	S0240DA	Maxillary fracture, left side, initial encounter for closed fracture
ICD-10	S0240FA	Zygomatic fracture, left side, initial encounter for closed fracture
ICD-10	S02411A	LeFort I fracture, initial encounter for closed fracture
ICD-10	S02411B	LeFort I fracture, initial encounter for open fracture
ICD-10	S02412A	LeFort II fracture, initial encounter for closed fracture
ICD-10	S02412B	LeFort II fracture, initial encounter for open fracture
ICD-10	S02413A	LeFort III fracture, initial encounter for closed fracture
ICD-10	S0261XA	Fracture of condylar process of mandible, initial encounter for closed fracture
ICD-10	S0263XB	Fracture of coronoid process of mandible, initial encounter for open fracture
ICD-10	S02642A	Fracture of ramus of left mandible, initial encounter for closed fracture
ICD-10	S0269XA	Fracture of mandible of other specified site, initial encounter for closed fracture

**Table 29 – List of procedure and diagnosis codes related to ear, nose, mouth and throat O.R. procedures for MS-DRGs 143-145**

ICD 9/10	Code	Description
ICD-9	0040	Procedure on single vessel
ICD-9	0124	Other craniotomy
ICD-9	0125	Other craniectomy
ICD-9	016	Excision of lesion of skull
ICD-9	0202	Elevation of skull fracture fragments
ICD-9	0204	Bone graft to skull
ICD-9	0206	Other cranial osteoplasty
ICD-9	0207	Removal of skull plate
ICD-9	0213	Ligation of meningeal vessel
ICD-9	0401	Excision of acoustic neuroma
ICD-9	0402	Division of trigeminal nerve
ICD-9	0403	Division or crushing of other cranial and peripheral nerves
ICD-9	0405	Gasserian ganglionectomy



ICD 9/10	Code	Description
ICD-9	0406	Other cranial or peripheral ganglionectomy
ICD-9	0407	Other excision or avulsion of cranial and peripheral nerves
ICD-9	0412	Open biopsy of cranial or peripheral nerve or ganglion
ICD-9	043	Suture of cranial and peripheral nerves
ICD-9	0441	Decompression of trigeminal nerve root
ICD-9	0442	Other cranial nerve decompression
ICD-9	045	Cranial or peripheral nerve graft
ICD-9	046	Transposition of cranial and peripheral nerves
ICD-9	0471	Hypoglossal-facial anastomosis
ICD-9	0472	Accessory-facial anastomosis
ICD-9	0473	Accessory-hypoglossal anastomosis
ICD-9	0475	Revision of previous repair of cranial and peripheral nerves
ICD-9	0479	Other neuroplasty
ICD-9	0492	Implantation or replacement of peripheral neurostimulator lead(s)
ICD-9	0493	Removal of peripheral neurostimulator lead(s)
ICD-9	0499	Other operations on cranial and peripheral nerves
ICD-9	0521	Sphenopalatine ganglionectomy
ICD-9	0522	Cervical sympathectomy
ICD-9	0525	Periarterial sympathectomy
ICD-9	0609	Other incision of thyroid field
ICD-9	0741	Incision of adrenal gland
ICD-9	0752	Incision of pineal gland
ICD-9	0772	Incision of pituitary gland
ICD-9	0912	Biopsy of lacrimal sac
ICD-9	0919	Other diagnostic procedures on lacrimal system
ICD-9	0941	Probing of lacrimal punctum
ICD-9	0942	Probing of lacrimal canaliculi
ICD-9	0943	Probing of nasolacrimal duct
ICD-9	0944	Intubation of nasolacrimal duct
ICD-9	0949	Other manipulation of lacrimal passage
ICD-9	0981	Dacryocystorhinostomy [DCR]
ICD-9	0999	Other operations on lacrimal system
ICD-9	1609	Other orbitotomy
ICD-9	1681	Repair of wound of orbit
ICD-9	1692	Excision of lesion of orbit
ICD-9	1698	Other operations on orbit
ICD-9	1831	Radical excision of lesion of external ear
ICD-9	1839	Other excision of external ear
ICD-9	186	Reconstruction of external auditory canal
ICD-9	1871	Construction of auricle of ear
ICD-9	1872	Reattachment of amputated ear
ICD-9	1879	Other plastic repair of external ear

ICD 9/10	Code	Description
ICD-9	189	Other operations on external ear
ICD-9	190	Stapes mobilization
ICD-9	1911	Stapedectomy with incus replacement
ICD-9	1919	Other stapedectomy
ICD-9	1929	Other revision of stapedectomy
ICD-9	193	Other operations on ossicular chain
ICD-9	194	Myringoplasty
ICD-9	196	Revision of tympanoplasty
ICD-9	199	Other repair of middle ear
ICD-9	2001	Myringotomy with insertion of tube
ICD-9	2023	Incision of middle ear
ICD-9	2032	Biopsy of middle and inner ear
ICD-9	2039	Other diagnostic procedures on middle and inner ear
ICD-9	2051	Excision of lesion of middle ear
ICD-9	2059	Other excision of middle ear
ICD-9	2071	Endolymphatic shunt
ICD-9	2079	Other incision, excision, and destruction of inner ear
ICD-9	2093	Repair of oval and round windows
ICD-9	2095	Implantation of electromagnetic hearing device
ICD-9	2096	Implantation or replacement of cochlear prosthetic device, not otherwise specified
ICD-9	2099	Other operations on middle and inner ear
ICD-9	2129	Other diagnostic procedures on nose
ICD-9	2132	Local excision or destruction of other lesion of nose
ICD-9	214	Resection of nose
ICD-9	215	Submucous resection of nasal septum
ICD-9	2161	Turbinectomy by diathermy or cryosurgery
ICD-9	2162	Fracture of the turbinates
ICD-9	2169	Other turbinectomy
ICD-9	2183	Total nasal reconstruction
ICD-9	2185	Augmentation rhinoplasty
ICD-9	2186	Limited rhinoplasty
ICD-9	2187	Other rhinoplasty
ICD-9	2188	Other septoplasty
ICD-9	2189	Other repair and plastic operations on nose
ICD-9	2199	Other operations on nose
ICD-9	244	Excision of dental lesion of jaw
ICD-9	260	Incision of salivary gland or duct
ICD-9	270	Drainage of face and floor of mouth
ICD-9	2731	Local excision or destruction of lesion or tissue of bony palate
ICD-9	2732	Wide excision or destruction of lesion or tissue of bony palate
ICD-9	2762	Correction of cleft palate

ICD 9/10	Code	Description
ICD-9	2764	Insertion of palatal implant
ICD-9	2769	Other plastic repair of palate
ICD-9	2799	Other operations on oral cavity
ICD-9	280	Incision and drainage of tonsil and peritonsillar structures
ICD-9	2811	Biopsy of tonsils and adenoids
ICD-9	282	Tonsillectomy without adenoidectomy
ICD-9	286	Adenoidectomy without tonsillectomy
ICD-9	2891	Removal of foreign body from tonsil and adenoid by incision
ICD-9	2892	Excision of lesion of tonsil and adenoid
ICD-9	2899	Other operations on tonsils and adenoids
ICD-9	290	Pharyngotomy
ICD-9	2931	Cricopharyngeal myotomy
ICD-9	2932	Pharyngeal diverticulectomy
ICD-9	2933	Pharyngectomy (partial)
ICD-9	2939	Other excision or destruction of lesion or tissue of pharynx
ICD-9	294	Plastic operation on pharynx
ICD-9	2954	Lysis of pharyngeal adhesions
ICD-9	2959	Other repair of pharynx
ICD-9	2992	Division of glossopharyngeal nerve
ICD-9	3009	Other excision or destruction of lesion or tissue of larynx
ICD-9	3021	Epiglottidectomy
ICD-9	3022	Vocal cordectomy
ICD-9	3029	Other partial laryngectomy
ICD-9	313	Other incision of larynx or trachea
ICD-9	3145	Open biopsy of larynx or trachea
ICD-9	315	Local excision or destruction of lesion or tissue of trachea
ICD-9	3169	Other repair of larynx
ICD-9	3174	Revision of tracheostomy
ICD-9	3179	Other repair and plastic operations on trachea
ICD-9	3191	Division of laryngeal nerve
ICD-9	3192	Lysis of adhesions of trachea or larynx
ICD-9	3198	Other operations on larynx
ICD-9	3199	Other operations on trachea
ICD-9	3422	Mediastinoscopy
ICD-9	3802	Incision of vessel, other vessels of head and neck
ICD-9	3812	Endarterectomy, other vessels of head and neck
ICD-9	3821	Biopsy of blood vessel
ICD-9	3832	Resection of vessel with anastomosis, other vessels of head and neck
ICD-9	3862	Other excision of vessels, other vessels of head and neck
ICD-9	3882	Other surgical occlusion of vessels, other vessels of head and neck
ICD-9	3979	Other endovascular procedures on other vessels
ICD-9	3989	Other operations on carotid body, carotid sinus and other vascular bodies

ICD 9/10	Code	Description
ICD-9	3998	Control of hemorrhage, not otherwise specified
ICD-9	3999	Other operations on vessels
ICD-9	4011	Biopsy of lymphatic structure
ICD-9	4021	Excision of deep cervical lymph node
ICD-9	4023	Excision of axillary lymph node
ICD-9	4029	Simple excision of other lymphatic structure
ICD-9	403	Regional lymph node excision
ICD-9	4050	Radical excision of lymph nodes, not otherwise specified
ICD-9	4059	Radical excision of other lymph nodes
ICD-9	4209	Other incision of esophagus
ICD-9	4221	Operative esophagoscopy by incision
ICD-9	4225	Open biopsy of esophagus
ICD-9	4232	Local excision of other lesion or tissue of esophagus
ICD-9	4239	Other destruction of lesion or tissue of esophagus
ICD-9	4241	Partial esophagectomy
ICD-9	427	Esophagomyotomy
ICD-9	4282	Suture of laceration of esophagus
ICD-9	4287	Other graft of esophagus
ICD-9	4289	Other repair of esophagus
ICD-9	4401	Truncal vagotomy
ICD-9	4403	Other selective vagotomy
ICD-9	5012	Open biopsy of liver
ICD-9	7179	Other repair of vulva and perineum
ICD-9	7601	Sequestrectomy of facial bone
ICD-9	7609	Other incision of facial bone
ICD-9	7611	Biopsy of facial bone
ICD-9	7619	Other diagnostic procedures on facial bones and joints
ICD-9	762	Local excision or destruction of lesion of facial bone
ICD-9	7631	Partial mandibulectomy
ICD-9	7639	Partial ostectomy of other facial bone
ICD-9	7645	Other total ostectomy of other facial bone
ICD-9	7646	Other reconstruction of other facial bone
ICD-9	765	Temporomandibular arthroplasty
ICD-9	7661	Closed osteoplasty [osteotomy] of mandibular ramus
ICD-9	7662	Open osteoplasty [osteotomy] of mandibular ramus
ICD-9	7664	Other orthognathic surgery on mandible
ICD-9	7665	Segmental osteoplasty [osteotomy] of maxilla
ICD-9	7666	Total osteoplasty [osteotomy] of maxilla
ICD-9	7668	Augmentation genioplasty
ICD-9	7669	Other facial bone repair
ICD-9	7672	Open reduction of malar and zygomatic fracture
ICD-9	7679	Other open reduction of facial fracture

ICD 9/10	Code	Description
ICD-9	7691	Bone graft to facial bone
ICD-9	7692	Insertion of synthetic implant in facial bone
ICD-9	7697	Removal of internal fixation device from facial bone
ICD-9	7699	Other operations on facial bones and joints
ICD-9	7710	Other incision of bone without division, unspecified site
ICD-9	7760	Local excision of lesion or tissue of bone, unspecified site
ICD-9	7819	Application of external fixator device, other bones
ICD-9	7870	Osteoclasia, unspecified site
ICD-9	7890	Insertion of bone growth stimulator, unspecified site
ICD-9	7919	Closed reduction of fracture with internal fixation, other specified bone
ICD-9	7929	Open reduction of fracture without internal fixation, other specified bone
ICD-9	8272	Plastic operation on hand with graft of muscle or fascia
ICD-9	8302	Myotomy
ICD-9	8339	Excision of lesion of other soft tissue
ICD-9	8344	Other fasciectomy
ICD-9	8382	Graft of muscle or fascia
ICD-9	8622	Excisional debridement of wound, infection, or burn
ICD-9	864	Radical excision of skin lesion
ICD-9	8663	Full-thickness skin graft to other sites
ICD-9	8665	Heterograft to skin
ICD-9	8666	Homograft to skin
ICD-9	8667	Dermal regenerative graft
ICD-9	8669	Other skin graft to other sites
ICD-9	8672	Advancement of pedicle graft
ICD-9	8674	Attachment of pedicle or flap graft to other sites
ICD-9	8682	Facial rhytidectomy
ICD-9	8684	Relaxation of scar or web contracture of skin
ICD-9	8687	Fat graft of skin and subcutaneous tissue
ICD-9	8689	Other repair and reconstruction of skin and subcutaneous tissue
ICD-9	8693	Insertion of tissue expander
ICD-9	9227	Implantation or insertion of radioactive elements
ICD-9	9605	Other intubation of respiratory tract
ICD-9	9789	Removal of other therapeutic device
ICD-9	2109	Control of epistaxis by other means
ICD-9	2105	Control of epistaxis by (transantral) ligation of the maxillary artery
ICD-9	2103	Control of epistaxis by cauterization (and packing)
ICD-9	2121	Rhinoscopy
ICD-9	2101	Control of epistaxis by anterior nasal packing
ICD-9	2102	Control of epistaxis by posterior (and anterior) packing
ICD-9	2104	Control of epistaxis by ligation of ethmoidal arteries
ICD-9	222	Intranasal antrotomy
ICD-9	2263	Ethmoidectomy

ICD 9/10	Code	Description
ICD-9	283	Tonsillectomy with adenoidectomy
ICD-9	2096	Implantation or replacement of cochlear prosthetic device, not otherwise specified
ICD-9	2219	Other diagnostic procedures on nasal sinuses
ICD-9	1953	Type III tympanoplasty
ICD-9	2098	Implantation or replacement of cochlear prosthetic device, multiple channel
ICD-9	9732	Removal of nasal packing
ICD-9	285	Excision of lingual tonsil
ICD-9	2262	Excision of lesion of maxillary sinus with other approach
ICD-9	2632	Complete sialoadenectomy
ICD-9	2049	Other mastoidectomy
ICD-9	2630	Sialoadenectomy, not otherwise specified
ICD-9	2042	Radical mastoidectomy
ICD-9	2953	Closure of other fistula of pharynx
ICD-9	2131	Local excision or destruction of intranasal lesion
ICD-9	2309	Extraction of other tooth
ICD-9	2319	Other surgical extraction of tooth
ICD-9	2757	Attachment of pedicle or flap graft to lip and mouth
ICD-9	2122	Biopsy of nose
ICD-9	2181	Suture of laceration of nose
ICD-9	2912	Pharyngeal biopsy
ICD-9	2951	Suture of laceration of pharynx
ICD-9	2184	Revision rhinoplasty
ICD-9	251	Excision or destruction of lesion or tissue of tongue
ICD-9	2106	Control of epistaxis by ligation of the external carotid artery
ICD-9	2171	Closed reduction of nasal fracture
ICD-9	2264	Sphenoidectomy
ICD-9	2749	Other excision of mouth
ICD-9	2751	Suture of laceration of lip
ICD-9	2763	Revision of cleft palate repair
ICD-9	2061	Fenestration of inner ear (initial)
ICD-9	2093	Repair of oval and round windows
ICD-9	2100	Control of epistaxis, not otherwise specified
ICD-9	2260	Sinusectomy, not otherwise specified
ICD-9	245	Alveoloplasty
ICD-9	2631	Partial sialoadenectomy
ICD-9	387	Interruption of the vena cava
ICD-9	2182	Closure of nasal fistula
ICD-9	2756	Other skin graft to lip and mouth
ICD-9	4292	Dilation of esophagus
ICD-9	1829	Excision or destruction of other lesion of external ear
ICD-9	2191	Lysis of adhesions of nose

ICD 9/10	Code	Description
ICD-9	2231	Radical maxillary antrotomy
ICD-9	2242	Frontal sinusectomy
ICD-9	2252	Sphenoidotomy
ICD-9	2501	Closed [needle] biopsy of tongue
ICD-9	2743	Other excision of lesion or tissue of lip
ICD-9	2755	Full-thickness skin graft to lip and mouth
ICD-9	2759	Other plastic repair of mouth
ICD-9	287	Control of hemorrhage after tonsillectomy and adenoidectomy
ICD-9	2911	Pharyngoscopy
ICD-9	1952	Type II tympanoplasty
ICD-9	2211	Closed [endoscopic] [needle] biopsy of nasal sinus
ICD-9	2241	Frontal sinusotomy
ICD-9	240	Incision of gum or alveolar bone
ICD-9	9721	Replacement of nasal packing
ICD-9	1811	Otoscopy
ICD-9	1821	Excision of preauricular sinus
ICD-9	1955	Type V tympanoplasty
ICD-9	199	Other repair of middle ear
ICD-9	2062	Revision of fenestration of inner ear
ICD-9	2130	Excision or destruction of lesion of nose, not otherwise specified
ICD-9	2239	Other external maxillary antrotomy
ICD-9	2279	Other repair of nasal sinus
ICD-9	2491	Extension or deepening of buccolabial or lingual sulcus
ICD-9	2502	Open biopsy of tongue
ICD-9	2559	Other repair and plastic operations on tongue
ICD-9	2611	Closed [needle] biopsy of salivary gland or duct
ICD-9	2649	Other repair and plastic operations on salivary gland or duct
ICD-9	2691	Probing of salivary duct
ICD-9	2754	Repair of cleft lip
ICD-9	2792	Incision of mouth, unspecified structure
ICD-9	2819	Other diagnostic procedures on tonsils and adenoids
ICD-9	2991	Dilation of pharynx
ICD-9	2999	Other operations on pharynx
ICD-9	9652	Irrigation of ear
ICD-9	9813	Removal of intraluminal foreign body from pharynx without incision
ICD-9	1812	Biopsy of external ear
ICD-9	184	Suture of laceration of external ear
ICD-9	186	Reconstruction of external auditory canal
ICD-9	1879	Other plastic repair of external ear
ICD-9	2001	Myringotomy with insertion of tube
ICD-9	2009	Other myringotomy
ICD-9	201	Removal of tympanostomy tube

ICD 9/10	Code	Description
ICD-9	2041	Simple mastoidectomy
ICD-9	2051	Excision of lesion of middle ear
ICD-9	2059	Other excision of middle ear
ICD-9	2072	Injection into inner ear
ICD-9	2079	Other incision, excision, and destruction of inner ear
ICD-9	2099	Other operations on middle and inner ear
ICD-9	2107	Control of epistaxis by excision of nasal mucosa and skin grafting of septum and lateral nasal wall
ICD-9	211	Incision of nose
ICD-9	2189	Other repair and plastic operations on nose
ICD-9	2201	Puncture of nasal sinus for aspiration or lavage
ICD-9	2251	Ethmoidotomy
ICD-9	2261	Excision of lesion of maxillary sinus with Caldwell-Luc approach
ICD-9	2271	Closure of nasal sinus fistula
ICD-9	236	Prosthetic dental implant
ICD-9	252	Partial glossectomy
ICD-9	2629	Other excision of salivary gland lesion
ICD-9	2723	Biopsy of lip
ICD-9	2724	Biopsy of mouth, unspecified structure
ICD-9	2752	Suture of laceration of other part of mouth
ICD-9	2764	Insertion of palatal implant
ICD-9	2772	Excision of uvula
ICD-9	2939	Other excision or destruction of lesion or tissue of pharynx
ICD-9	294	Plastic operation on pharynx
ICD-9	8681	Repair for facial weakness
ICD-9	9601	Insertion of nasopharyngeal airway
ICD-9	1421	Malignant neoplasm of submandibular gland
ICD-9	1449	Malignant neoplasm of floor of mouth, part unspecified
ICD-9	1479	Malignant neoplasm of nasopharynx, unspecified site
ICD-9	1481	Malignant neoplasm of pyriform sinus
ICD-9	1600	Malignant neoplasm of nasal cavities
ICD-9	1604	Malignant neoplasm of frontal sinus
ICD-9	32723	Obstructive sleep apnea (adult)(pediatric)
ICD-9	38302	Acute mastoiditis with other complications
ICD-9	38611	Benign paroxysmal positional vertigo
ICD-9	38630	Labyrinthitis, unspecified
ICD-9	38910	Sensorineural hearing loss, unspecified
ICD-9	38918	Sensorineural hearing loss, bilateral
ICD-9	3899	Unspecified hearing loss
ICD-9	4659	Acute upper respiratory infections of unspecified site
ICD-9	5264	Inflammatory conditions of jaw
ICD-9	52689	Other specified diseases of the jaws



ICD 9/10	Code	Description
ICD-9	5272	Sialoadenitis
ICD-9	52801	Mucositis (ulcerative) due to antineoplastic therapy
ICD-9	52802	Mucositis (ulcerative) due to other drugs
ICD-9	5283	Cellulitis and abscess of oral soft tissues
ICD-9	7804	Dizziness and giddiness
ICD-9	7847	Epistaxis
ICD-9	80220	Closed fracture of mandible, unspecified site
ICD-9	80224	Closed fracture of mandible, ramus, unspecified
ICD-9	80228	Closed fracture of mandible, body, other and unspecified
ICD-9	80239	Open fracture of mandible, multiple sites
ICD-9	8024	Closed fracture of malar and maxillary bones
ICD-10	C000	Malignant neoplasm of external upper lip
ICD-10	C001	Malignant neoplasm of external lower lip
ICD-10	C003	Malignant neoplasm of upper lip, inner aspect
ICD-10	C004	Malignant neoplasm of lower lip, inner aspect
ICD-10	C009	Malignant neoplasm of lip, unspecified
ICD-10	C01	Malignant neoplasm of base of tongue
ICD-10	C020	Malignant neoplasm of dorsal surface of tongue
ICD-10	C021	Malignant neoplasm of border of tongue
ICD-10	C022	Malignant neoplasm of ventral surface of tongue
ICD-10	C023	Malignant neoplasm of anterior two-thirds of tongue, part unspecified
ICD-10	C029	Malignant neoplasm of tongue, unspecified
ICD-10	C030	Malignant neoplasm of upper gum
ICD-10	C031	Malignant neoplasm of lower gum
ICD-10	C039	Malignant neoplasm of gum, unspecified
ICD-10	C040	Malignant neoplasm of anterior floor of mouth
ICD-10	C041	Malignant neoplasm of lateral floor of mouth
ICD-10	C048	Malignant neoplasm of overlapping sites of floor of mouth
ICD-10	C049	Malignant neoplasm of floor of mouth, unspecified
ICD-10	C060	Malignant neoplasm of cheek mucosa
ICD-10	C061	Malignant neoplasm of vestibule of mouth
ICD-10	C062	Malignant neoplasm of retromolar area
ICD-10	C0689	Malignant neoplasm of overlapping sites of other parts of mouth
ICD-10	C069	Malignant neoplasm of mouth, unspecified
ICD-10	C07	Malignant neoplasm of parotid gland
ICD-10	C119	Malignant neoplasm of nasopharynx, unspecified
ICD-10	C139	Malignant neoplasm of hypopharynx, unspecified
ICD-10	C140	Malignant neoplasm of pharynx, unspecified
ICD-10	C148	Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx
ICD-10	C300	Malignant neoplasm of nasal cavity
ICD-10	C310	Malignant neoplasm of maxillary sinus
ICD-10	C311	Malignant neoplasm of ethmoidal sinus

ICD 9/10	Code	Description
ICD-10	C320	Malignant neoplasm of glottis
ICD-10	C321	Malignant neoplasm of supraglottis
ICD-10	D0000	Carcinoma in situ of oral cavity, unspecified site
ICD-10	D0003	Carcinoma in situ of gingiva and edentulous alveolar ridge
ICD-10	D0006	Carcinoma in situ of floor of mouth
ICD-10	D1039	Benign neoplasm of other parts of mouth
ICD-10	D110	Benign neoplasm of parotid gland
ICD-10	D140	Benign neoplasm of middle ear, nasal cavity and accessory sinuses
ICD-10	G4730	Sleep apnea, unspecified
ICD-10	G4733	Obstructive sleep apnea (adult) (pediatric)
ICD-10	G4752	REM sleep behavior disorder
ICD-10	H6002	Abscess of left external ear
ICD-10	H6012	Cellulitis of left external ear
ICD-10	H6021	Malignant otitis externa, right ear
ICD-10	H60503	Unspecified acute noninfective otitis externa, bilateral
ICD-10	H66011	Acute suppurative otitis media with spontaneous rupture of ear drum, right ear
ICD-10	H6691	Otitis media, unspecified, right ear
ICD-10	H70002	Acute mastoiditis without complications, left ear
ICD-10	H7090	Unspecified mastoiditis, unspecified ear
ICD-10	H8102	Meniere's disease, left ear
ICD-10	H8110	Benign paroxysmal vertigo, unspecified ear
ICD-10	H8121	Vestibular neuronitis, right ear
ICD-10	H8302	Labyrinthitis, left ear
ICD-10	H903	Sensorineural hearing loss, bilateral
ICD-10	H9042	Sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side
ICD-10	H9103	Ototoxic hearing loss, bilateral
ICD-10	J0100	Acute maxillary sinusitis, unspecified
ICD-10	J0130	Acute sphenoidal sinusitis, unspecified
ICD-10	J0190	Acute sinusitis, unspecified
ICD-10	J069	Acute upper respiratory infection, unspecified
ICD-10	J111	Influenza due to unidentified influenza virus with other respiratory manifestations
ICD-10	J320	Chronic maxillary sinusitis
ICD-10	J321	Chronic frontal sinusitis
ICD-10	J323	Chronic sphenoidal sinusitis
ICD-10	J340	Abscess, furuncle and carbuncle of nose
ICD-10	J341	Cyst and mucocele of nose and nasal sinus
ICD-10	J342	Deviated nasal septum
ICD-10	J36	Peritonsillar abscess
ICD-10	J390	Retropharyngeal and parapharyngeal abscess
ICD-10	J391	Other abscess of pharynx
ICD-10	J392	Other diseases of pharynx

ICD 9/10	Code	Description
ICD-10	K0251	Dental caries on pit and fissure surface limited to enamel
ICD-10	K0263	Dental caries on smooth surface penetrating into pulp
ICD-10	K029	Dental caries, unspecified
ICD-10	K041	Necrosis of pulp
ICD-10	K047	Periapical abscess without sinus
ICD-10	K048	Radicular cyst
ICD-10	K0520	Aggressive periodontitis, unspecified
ICD-10	K05223	Aggressive periodontitis, generalized, severe
ICD-10	K068	Other specified disorders of gingiva and edentulous alveolar ridge
ICD-10	K0820	Unspecified atrophy of edentulous alveolar ridge
ICD-10	K1120	Sialoadenitis, unspecified
ICD-10	K1121	Acute sialoadenitis
ICD-10	K113	Abscess of salivary gland
ICD-10	K115	Sialolithiasis
ICD-10	K120	Recurrent oral aphthae
ICD-10	K122	Cellulitis and abscess of mouth
ICD-10	K1230	Oral mucositis (ulcerative), unspecified
ICD-10	K1231	Oral mucositis (ulcerative) due to antineoplastic therapy
ICD-10	K130	Diseases of lips
ICD-10	K1321	Leukoplakia of oral mucosa, including tongue
ICD-10	K1329	Other disturbances of oral epithelium, including tongue
ICD-10	K135	Oral submucous fibrosis
ICD-10	K136	Irritative hyperplasia of oral mucosa
ICD-10	K1379	Other lesions of oral mucosa
ICD-10	K148	Other diseases of tongue
ICD-10	M2769	Other endosseous dental implant failure
ICD-10	R040	Epistaxis
ICD-10	R041	Hemorrhage from throat
ICD-10	R42	Dizziness and giddiness
ICD-10	S0121XA	Laceration without foreign body of nose, initial encounter
ICD-10	S0125XA	Open bite of nose, initial encounter
ICD-10	S01302A	Unspecified open wound of left ear, initial encounter
ICD-10	S01351A	Open bite of right ear, initial encounter
ICD-10	S01511A	Laceration without foreign body of lip, initial encounter
ICD-10	S01512A	Laceration without foreign body of oral cavity, initial encounter
ICD-10	S025XXA	Fracture of tooth (traumatic), initial encounter for closed fracture
ICD-10	S08812A	Partial traumatic amputation of nose, initial encounter
ICD-10	T17220A	Food in pharynx causing asphyxiation, initial encounter
ICD-10	008F0ZZ	Division of olfactory nerve, open approach
ICD-10	008H3ZZ	Division of oculomotor nerve, percutaneous approach
ICD-10	008H4ZZ	Division of oculomotor nerve, percutaneous endoscopic approach
ICD-10	008J0ZZ	Division of trochlear nerve, open approach

ICD 9/10	Code	Description
ICD-10	008J3ZZ	Division of trochlear nerve, percutaneous approach
ICD-10	008J4ZZ	Division of trochlear nerve, percutaneous endoscopic approach
ICD-10	008K0ZZ	Division of trigeminal nerve, open approach
ICD-10	008K3ZZ	Division of trigeminal nerve, percutaneous approach
ICD-10	008K4ZZ	Division of trigeminal nerve, percutaneous endoscopic approach
ICD-10	008L0ZZ	Division of abducens nerve, open approach
ICD-10	008L3ZZ	Division of abducens nerve, percutaneous approach
ICD-10	008L4ZZ	Division of abducens nerve, percutaneous endoscopic approach
ICD-10	008M0ZZ	Division of facial nerve, open approach
ICD-10	008M3ZZ	Division of facial nerve, percutaneous approach
ICD-10	008M4ZZ	Division of facial nerve, percutaneous endoscopic approach
ICD-10	008N0ZZ	Division of acoustic nerve, open approach
ICD-10	008N3ZZ	Division of acoustic nerve, percutaneous approach
ICD-10	008N4ZZ	Division of acoustic nerve, percutaneous endoscopic approach
ICD-10	008P0ZZ	Division of glossopharyngeal nerve, open approach
ICD-10	008P3ZZ	Division of glossopharyngeal nerve, percutaneous approach
ICD-10	008P4ZZ	Division of glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	008Q0ZZ	Division of vagus nerve, open approach
ICD-10	008Q3ZZ	Division of vagus nerve, percutaneous approach
ICD-10	008Q4ZZ	Division of vagus nerve, percutaneous endoscopic approach
ICD-10	008R0ZZ	Division of accessory nerve, open approach
ICD-10	008R3ZZ	Division of accessory nerve, percutaneous approach
ICD-10	008R4ZZ	Division of accessory nerve, percutaneous endoscopic approach
ICD-10	008S0ZZ	Division of hypoglossal nerve, open approach
ICD-10	008S3ZZ	Division of hypoglossal nerve, percutaneous approach
ICD-10	008S4ZZ	Division of hypoglossal nerve, percutaneous endoscopic approach
ICD-10	009F0ZX	Drainage of olfactory nerve, open approach, diagnostic
ICD-10	009G0ZX	Drainage of optic nerve, open approach, diagnostic
ICD-10	009H0ZX	Drainage of oculomotor nerve, open approach, diagnostic
ICD-10	009J0ZX	Drainage of trochlear nerve, open approach, diagnostic
ICD-10	009K0ZX	Drainage of trigeminal nerve, open approach, diagnostic
ICD-10	009L0ZX	Drainage of abducens nerve, open approach, diagnostic
ICD-10	009M0ZX	Drainage of facial nerve, open approach, diagnostic
ICD-10	009N0ZX	Drainage of acoustic nerve, open approach, diagnostic
ICD-10	009P0ZX	Drainage of glossopharyngeal nerve, open approach, diagnostic
ICD-10	009Q0ZX	Drainage of vagus nerve, open approach, diagnostic
ICD-10	009R0ZX	Drainage of accessory nerve, open approach, diagnostic
ICD-10	009S0ZX	Drainage of hypoglossal nerve, open approach, diagnostic
ICD-10	00BF0ZX	Excision of olfactory nerve, open approach, diagnostic
ICD-10	00BF0ZZ	Excision of olfactory nerve, open approach
ICD-10	00BF3ZZ	Excision of olfactory nerve, percutaneous approach
ICD-10	00BF4ZZ	Excision of olfactory nerve, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00BG0ZX	Excision of optic nerve, open approach, diagnostic
ICD-10	00BG0ZZ	Excision of optic nerve, open approach
ICD-10	00BG3ZZ	Excision of optic nerve, percutaneous approach
ICD-10	00BG4ZZ	Excision of optic nerve, percutaneous endoscopic approach
ICD-10	00BH0ZX	Excision of oculomotor nerve, open approach, diagnostic
ICD-10	00BH0ZZ	Excision of oculomotor nerve, open approach
ICD-10	00BH3ZZ	Excision of oculomotor nerve, percutaneous approach
ICD-10	00BH4ZZ	Excision of oculomotor nerve, percutaneous endoscopic approach
ICD-10	00BJ0ZX	Excision of trochlear nerve, open approach, diagnostic
ICD-10	00BJ0ZZ	Excision of trochlear nerve, open approach
ICD-10	00BJ3ZZ	Excision of trochlear nerve, percutaneous approach
ICD-10	00BJ4ZZ	Excision of trochlear nerve, percutaneous endoscopic approach
ICD-10	00BK0ZX	Excision of trigeminal nerve, open approach, diagnostic
ICD-10	00BK0ZZ	Excision of trigeminal nerve, open approach
ICD-10	00BK3ZZ	Excision of trigeminal nerve, percutaneous approach
ICD-10	00BK4ZZ	Excision of trigeminal nerve, percutaneous endoscopic approach
ICD-10	00BL0ZX	Excision of abducens nerve, open approach, diagnostic
ICD-10	00BL0ZZ	Excision of abducens nerve, open approach
ICD-10	00BL3ZZ	Excision of abducens nerve, percutaneous approach
ICD-10	00BL4ZZ	Excision of abducens nerve, percutaneous endoscopic approach
ICD-10	00BM0ZX	Excision of facial nerve, open approach, diagnostic
ICD-10	00BM0ZZ	Excision of facial nerve, open approach
ICD-10	00BM3ZZ	Excision of facial nerve, percutaneous approach
ICD-10	00BM4ZZ	Excision of facial nerve, percutaneous endoscopic approach
ICD-10	00BN0ZX	Excision of acoustic nerve, open approach, diagnostic
ICD-10	00BN0ZZ	Excision of acoustic nerve, open approach
ICD-10	00BN3ZZ	Excision of acoustic nerve, percutaneous approach
ICD-10	00BN4ZZ	Excision of acoustic nerve, percutaneous endoscopic approach
ICD-10	00BP0ZX	Excision of glossopharyngeal nerve, open approach, diagnostic
ICD-10	00BP0ZZ	Excision of glossopharyngeal nerve, open approach
ICD-10	00BP3ZZ	Excision of glossopharyngeal nerve, percutaneous approach
ICD-10	00BP4ZZ	Excision of glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00BQ0ZX	Excision of vagus nerve, open approach, diagnostic
ICD-10	00BQ0ZZ	Excision of vagus nerve, open approach
ICD-10	00BQ3ZZ	Excision of vagus nerve, percutaneous approach
ICD-10	00BQ4ZZ	Excision of vagus nerve, percutaneous endoscopic approach
ICD-10	00BR0ZX	Excision of accessory nerve, open approach, diagnostic
ICD-10	00BR0ZZ	Excision of accessory nerve, open approach
ICD-10	00BR3ZZ	Excision of accessory nerve, percutaneous approach
ICD-10	00BR4ZZ	Excision of accessory nerve, percutaneous endoscopic approach
ICD-10	00BS0ZX	Excision of hypoglossal nerve, open approach, diagnostic
ICD-10	00BS0ZZ	Excision of hypoglossal nerve, open approach

ICD 9/10	Code	Description
ICD-10	00BS3ZZ	Excision of hypoglossal nerve, percutaneous approach
ICD-10	00BS4ZZ	Excision of hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00DF0ZZ	Extraction of olfactory nerve, open approach
ICD-10	00DF3ZZ	Extraction of olfactory nerve, percutaneous approach
ICD-10	00DF4ZZ	Extraction of olfactory nerve, percutaneous endoscopic approach
ICD-10	00DG0ZZ	Extraction of optic nerve, open approach
ICD-10	00DG3ZZ	Extraction of optic nerve, percutaneous approach
ICD-10	00DG4ZZ	Extraction of optic nerve, percutaneous endoscopic approach
ICD-10	00DH0ZZ	Extraction of oculomotor nerve, open approach
ICD-10	00DH3ZZ	Extraction of oculomotor nerve, percutaneous approach
ICD-10	00DH4ZZ	Extraction of oculomotor nerve, percutaneous endoscopic approach
ICD-10	00DJ0ZZ	Extraction of trochlear nerve, open approach
ICD-10	00DJ3ZZ	Extraction of trochlear nerve, percutaneous approach
ICD-10	00DJ4ZZ	Extraction of trochlear nerve, percutaneous endoscopic approach
ICD-10	00DK0ZZ	Extraction of trigeminal nerve, open approach
ICD-10	00DK3ZZ	Extraction of trigeminal nerve, percutaneous approach
ICD-10	00DK4ZZ	Extraction of trigeminal nerve, percutaneous endoscopic approach
ICD-10	00DL0ZZ	Extraction of abducens nerve, open approach
ICD-10	00DL3ZZ	Extraction of abducens nerve, percutaneous approach
ICD-10	00DL4ZZ	Extraction of abducens nerve, percutaneous endoscopic approach
ICD-10	00DM0ZZ	Extraction of facial nerve, open approach
ICD-10	00DM3ZZ	Extraction of facial nerve, percutaneous approach
ICD-10	00DM4ZZ	Extraction of facial nerve, percutaneous endoscopic approach
ICD-10	00DN0ZZ	Extraction of acoustic nerve, open approach
ICD-10	00DN3ZZ	Extraction of acoustic nerve, percutaneous approach
ICD-10	00DN4ZZ	Extraction of acoustic nerve, percutaneous endoscopic approach
ICD-10	00DP0ZZ	Extraction of glossopharyngeal nerve, open approach
ICD-10	00DP3ZZ	Extraction of glossopharyngeal nerve, percutaneous approach
ICD-10	00DP4ZZ	Extraction of glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00DQ0ZZ	Extraction of vagus nerve, open approach
ICD-10	00DQ3ZZ	Extraction of vagus nerve, percutaneous approach
ICD-10	00DQ4ZZ	Extraction of vagus nerve, percutaneous endoscopic approach
ICD-10	00DR0ZZ	Extraction of accessory nerve, open approach
ICD-10	00DR3ZZ	Extraction of accessory nerve, percutaneous approach
ICD-10	00DR4ZZ	Extraction of accessory nerve, percutaneous endoscopic approach
ICD-10	00DS0ZZ	Extraction of hypoglossal nerve, open approach
ICD-10	00DS3ZZ	Extraction of hypoglossal nerve, percutaneous approach
ICD-10	00DS4ZZ	Extraction of hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00HE0MZ	Insertion of Neurostimulator Lead into Cranial Nerve, Open Approach
ICD-10	00HE3MZ	Insertion of neurostimulator lead into cranial nerve, percutaneous approach
ICD-10	00HE4MZ	Insertion of neurostimulator lead into cranial nerve, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00NF0ZZ	Release olfactory nerve, open approach
ICD-10	00NF3ZZ	Release olfactory nerve, percutaneous approach
ICD-10	00NF4ZZ	Release olfactory nerve, percutaneous endoscopic approach
ICD-10	00NG0ZZ	Release optic nerve, open approach
ICD-10	00NG3ZZ	Release optic nerve, percutaneous approach
ICD-10	00NG4ZZ	Release optic nerve, percutaneous endoscopic approach
ICD-10	00NH0ZZ	Release oculomotor nerve, open approach
ICD-10	00NH3ZZ	Release oculomotor nerve, percutaneous approach
ICD-10	00NH4ZZ	Release oculomotor nerve, percutaneous endoscopic approach
ICD-10	00NJ0ZZ	Release trochlear nerve, open approach
ICD-10	00NJ3ZZ	Release trochlear nerve, percutaneous approach
ICD-10	00NJ4ZZ	Release trochlear nerve, percutaneous endoscopic approach
ICD-10	00NK0ZZ	Release trigeminal nerve, open approach
ICD-10	00NK3ZZ	Release trigeminal nerve, percutaneous approach
ICD-10	00NK4ZZ	Release trigeminal nerve, percutaneous endoscopic approach
ICD-10	00NL0ZZ	Release abducens nerve, open approach
ICD-10	00NL3ZZ	Release abducens nerve, percutaneous approach
ICD-10	00NL4ZZ	Release abducens nerve, percutaneous endoscopic approach
ICD-10	00NM0ZZ	Release facial nerve, open approach
ICD-10	00NM3ZZ	Release facial nerve, percutaneous approach
ICD-10	00NM4ZZ	Release facial nerve, percutaneous endoscopic approach
ICD-10	00NN0ZZ	Release acoustic nerve, open approach
ICD-10	00NN3ZZ	Release acoustic nerve, percutaneous approach
ICD-10	00NN4ZZ	Release acoustic nerve, percutaneous endoscopic approach
ICD-10	00NP0ZZ	Release glossopharyngeal nerve, open approach
ICD-10	00NP3ZZ	Release glossopharyngeal nerve, percutaneous approach
ICD-10	00NP4ZZ	Release glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00NQ0ZZ	Release vagus nerve, open approach
ICD-10	00NQ3ZZ	Release vagus nerve, percutaneous approach
ICD-10	00NQ4ZZ	Release vagus nerve, percutaneous endoscopic approach
ICD-10	00NR0ZZ	Release accessory nerve, open approach
ICD-10	00NR3ZZ	Release accessory nerve, percutaneous approach
ICD-10	00NR4ZZ	Release accessory nerve, percutaneous endoscopic approach
ICD-10	00NS0ZZ	Release hypoglossal nerve, open approach
ICD-10	00NS3ZZ	Release hypoglossal nerve, percutaneous approach
ICD-10	00NS4ZZ	Release hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00PE0MZ	Removal of neurostimulator lead from cranial nerve, open approach
ICD-10	00PE3MZ	Removal of neurostimulator lead from cranial nerve, percutaneous approach
ICD-10	00PE4MZ	Removal of neurostimulator lead from cranial nerve, percutaneous endoscopic approach
ICD-10	00QF0ZZ	Repair olfactory nerve, open approach
ICD-10	00QF3ZZ	Repair olfactory nerve, percutaneous approach



ICD 9/10	Code	Description
ICD-10	00QF4ZZ	Repair olfactory nerve, percutaneous endoscopic approach
ICD-10	00QG0ZZ	Repair optic nerve, open approach
ICD-10	00QG3ZZ	Repair optic nerve, percutaneous approach
ICD-10	00QG4ZZ	Repair optic nerve, percutaneous endoscopic approach
ICD-10	00QH0ZZ	Repair oculomotor nerve, open approach
ICD-10	00QH3ZZ	Repair oculomotor nerve, percutaneous approach
ICD-10	00QH4ZZ	Repair oculomotor nerve, percutaneous endoscopic approach
ICD-10	00QJ0ZZ	Repair trochlear nerve, open approach
ICD-10	00QJ3ZZ	Repair trochlear nerve, percutaneous approach
ICD-10	00QJ4ZZ	Repair trochlear nerve, percutaneous endoscopic approach
ICD-10	00QK0ZZ	Repair trigeminal nerve, open approach
ICD-10	00QK3ZZ	Repair trigeminal nerve, percutaneous approach
ICD-10	00QK4ZZ	Repair trigeminal nerve, percutaneous endoscopic approach
ICD-10	00QL0ZZ	Repair abducens nerve, open approach
ICD-10	00QL3ZZ	Repair abducens nerve, percutaneous approach
ICD-10	00QL4ZZ	Repair abducens nerve, percutaneous endoscopic approach
ICD-10	00QM0ZZ	Repair facial nerve, open approach
ICD-10	00QM3ZZ	Repair facial nerve, percutaneous approach
ICD-10	00QM4ZZ	Repair facial nerve, percutaneous endoscopic approach
ICD-10	00QN0ZZ	Repair acoustic nerve, open approach
ICD-10	00QN3ZZ	Repair acoustic nerve, percutaneous approach
ICD-10	00QN4ZZ	Repair acoustic nerve, percutaneous endoscopic approach
ICD-10	00QP0ZZ	Repair glossopharyngeal nerve, open approach
ICD-10	00QP3ZZ	Repair glossopharyngeal nerve, percutaneous approach
ICD-10	00QP4ZZ	Repair glossopharyngeal nerve, percutaneous endoscopic approach
ICD-10	00QQ0ZZ	Repair vagus nerve, open approach
ICD-10	00QQ3ZZ	Repair vagus nerve, percutaneous approach
ICD-10	00QQ4ZZ	Repair vagus nerve, percutaneous endoscopic approach
ICD-10	00QR0ZZ	Repair accessory nerve, open approach
ICD-10	00QR3ZZ	Repair accessory nerve, percutaneous approach
ICD-10	00QR4ZZ	Repair accessory nerve, percutaneous endoscopic approach
ICD-10	00QS0ZZ	Repair hypoglossal nerve, open approach
ICD-10	00QS3ZZ	Repair hypoglossal nerve, percutaneous approach
ICD-10	00QS4ZZ	Repair hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00RF07Z	Replacement of olfactory nerve with autologous tissue substitute, open approach
ICD-10	00RF0JZ	Replacement of olfactory nerve with synthetic substitute, open approach
ICD-10	00RF0KZ	Replacement of olfactory nerve with nonautologous tissue substitute, open approach
ICD-10	00RF47Z	Replacement of olfactory nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RF4JZ	Replacement of olfactory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RF4KZ	Replacement of olfactory nerve with nonautologous tissue substitute, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	00RG07Z	Replacement of optic nerve with autologous tissue substitute, open approach
ICD-10	00RG0JZ	Replacement of optic nerve with synthetic substitute, open approach
ICD-10	00RG0KZ	Replacement of optic nerve with nonautologous tissue substitute, open approach
ICD-10	00RG47Z	Replacement of optic nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RG4JZ	Replacement of optic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RG4KZ	Replacement of optic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RH07Z	Replacement of oculomotor nerve with autologous tissue substitute, open approach
ICD-10	00RH0JZ	Replacement of oculomotor nerve with synthetic substitute, open approach
ICD-10	00RH0KZ	Replacement of oculomotor nerve with nonautologous tissue substitute, open approach
ICD-10	00RH47Z	Replacement of oculomotor nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RH4JZ	Replacement of oculomotor nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RH4KZ	Replacement of oculomotor nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RJ07Z	Replacement of trochlear nerve with autologous tissue substitute, open approach
ICD-10	00RJ0JZ	Replacement of trochlear nerve with synthetic substitute, open approach
ICD-10	00RJ0KZ	Replacement of trochlear nerve with nonautologous tissue substitute, open approach
ICD-10	00RJ47Z	Replacement of trochlear nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RJ4JZ	Replacement of trochlear nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RJ4KZ	Replacement of trochlear nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RK07Z	Replacement of trigeminal nerve with autologous tissue substitute, open approach
ICD-10	00RK0JZ	Replacement of trigeminal nerve with synthetic substitute, open approach
ICD-10	00RK0KZ	Replacement of trigeminal nerve with nonautologous tissue substitute, open approach
ICD-10	00RK47Z	Replacement of trigeminal nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RK4JZ	Replacement of trigeminal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RK4KZ	Replacement of trigeminal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RL07Z	Replacement of abducens nerve with autologous tissue substitute, open approach
ICD-10	00RL0JZ	Replacement of abducens nerve with synthetic substitute, open approach
ICD-10	00RL0KZ	Replacement of abducens nerve with nonautologous tissue substitute, open approach
ICD-10	00RL47Z	Replacement of abducens nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RL4JZ	Replacement of abducens nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RL4KZ	Replacement of abducens nerve with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00RM07Z	Replacement of facial nerve with autologous tissue substitute, open approach
ICD-10	00RM0JZ	Replacement of facial nerve with synthetic substitute, open approach
ICD-10	00RM0KZ	Replacement of facial nerve with nonautologous tissue substitute, open approach
ICD-10	00RM47Z	Replacement of facial nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RM4JZ	Replacement of facial nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RM4KZ	Replacement of facial nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RN07Z	Replacement of acoustic nerve with autologous tissue substitute, open approach
ICD-10	00RN0JZ	Replacement of acoustic nerve with synthetic substitute, open approach
ICD-10	00RN0KZ	Replacement of acoustic nerve with nonautologous tissue substitute, open approach
ICD-10	00RN47Z	Replacement of acoustic nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RN4JZ	Replacement of acoustic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RN4KZ	Replacement of acoustic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RP07Z	Replacement of glossopharyngeal nerve with autologous tissue substitute, open approach
ICD-10	00RP0JZ	Replacement of glossopharyngeal nerve with synthetic substitute, open approach
ICD-10	00RP0KZ	Replacement of glossopharyngeal nerve with nonautologous tissue substitute, open approach
ICD-10	00RP47Z	Replacement of glossopharyngeal nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RP4JZ	Replacement of glossopharyngeal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RP4KZ	Replacement of glossopharyngeal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RQ07Z	Replacement of vagus nerve with autologous tissue substitute, open approach
ICD-10	00RQ0JZ	Replacement of vagus nerve with synthetic substitute, open approach
ICD-10	00RQ0KZ	Replacement of vagus nerve with nonautologous tissue substitute, open approach
ICD-10	00RQ47Z	Replacement of vagus nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RQ4JZ	Replacement of vagus nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RQ4KZ	Replacement of vagus nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RR07Z	Replacement of accessory nerve with autologous tissue substitute, open approach
ICD-10	00RR0JZ	Replacement of accessory nerve with synthetic substitute, open approach
ICD-10	00RR0KZ	Replacement of accessory nerve with nonautologous tissue substitute, open approach
ICD-10	00RR47Z	Replacement of accessory nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RR4JZ	Replacement of accessory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RR4KZ	Replacement of accessory nerve with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	00RS07Z	Replacement of hypoglossal nerve with autologous tissue substitute, open approach
ICD-10	00RS0JZ	Replacement of hypoglossal nerve with synthetic substitute, open approach
ICD-10	00RS0KZ	Replacement of hypoglossal nerve with nonautologous tissue substitute, open approach
ICD-10	00RS47Z	Replacement of hypoglossal nerve with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	00RS4JZ	Replacement of hypoglossal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00RS4KZ	Replacement of hypoglossal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UF0JZ	Supplement olfactory nerve with synthetic substitute, open approach
ICD-10	00UF0KZ	Supplement olfactory nerve with nonautologous tissue substitute, open approach
ICD-10	00UF3JZ	Supplement olfactory nerve with synthetic substitute, percutaneous approach
ICD-10	00UF3KZ	Supplement olfactory nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UF4JZ	Supplement olfactory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UF4KZ	Supplement olfactory nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UG0JZ	Supplement optic nerve with synthetic substitute, open approach
ICD-10	00UG0KZ	Supplement optic nerve with nonautologous tissue substitute, open approach
ICD-10	00UG3JZ	Supplement optic nerve with synthetic substitute, percutaneous approach
ICD-10	00UG3KZ	Supplement optic nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UG4JZ	Supplement optic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UG4KZ	Supplement optic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UH0JZ	Supplement oculomotor nerve with synthetic substitute, open approach
ICD-10	00UH0KZ	Supplement oculomotor nerve with nonautologous tissue substitute, open approach
ICD-10	00UH3JZ	Supplement oculomotor nerve with synthetic substitute, percutaneous approach
ICD-10	00UH3KZ	Supplement oculomotor nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UH4JZ	Supplement oculomotor nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UH4KZ	Supplement oculomotor nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UJ0JZ	Supplement trochlear nerve with synthetic substitute, open approach
ICD-10	00UJ0KZ	Supplement trochlear nerve with nonautologous tissue substitute, open approach
ICD-10	00UJ3JZ	Supplement trochlear nerve with synthetic substitute, percutaneous approach
ICD-10	00UJ3KZ	Supplement trochlear nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UJ4JZ	Supplement trochlear nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UJ4KZ	Supplement trochlear nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UK0JZ	Supplement trigeminal nerve with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	00UK0KZ	Supplement trigeminal nerve with nonautologous tissue substitute, open approach
ICD-10	00UK3JZ	Supplement trigeminal nerve with synthetic substitute, percutaneous approach
ICD-10	00UK3KZ	Supplement trigeminal nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UK4JZ	Supplement trigeminal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UK4KZ	Supplement trigeminal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UL0JZ	Supplement abducens nerve with synthetic substitute, open approach
ICD-10	00UL0KZ	Supplement abducens nerve with nonautologous tissue substitute, open approach
ICD-10	00UL3JZ	Supplement abducens nerve with synthetic substitute, percutaneous approach
ICD-10	00UL3KZ	Supplement abducens nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UL4JZ	Supplement abducens nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UL4KZ	Supplement abducens nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UM0JZ	Supplement facial nerve with synthetic substitute, open approach
ICD-10	00UM0KZ	Supplement facial nerve with nonautologous tissue substitute, open approach
ICD-10	00UM3JZ	Supplement facial nerve with synthetic substitute, percutaneous approach
ICD-10	00UM3KZ	Supplement facial nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UM4JZ	Supplement facial nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UM4KZ	Supplement facial nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UN0JZ	Supplement acoustic nerve with synthetic substitute, open approach
ICD-10	00UN0KZ	Supplement acoustic nerve with nonautologous tissue substitute, open approach
ICD-10	00UN3JZ	Supplement acoustic nerve with synthetic substitute, percutaneous approach
ICD-10	00UN3KZ	Supplement acoustic nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UN4JZ	Supplement acoustic nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UN4KZ	Supplement acoustic nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UP0JZ	Supplement glossopharyngeal nerve with synthetic substitute, open approach
ICD-10	00UP0KZ	Supplement glossopharyngeal nerve with nonautologous tissue substitute, open approach
ICD-10	00UP3JZ	Supplement glossopharyngeal nerve with synthetic substitute, percutaneous approach
ICD-10	00UP3KZ	Supplement glossopharyngeal nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UP4JZ	Supplement glossopharyngeal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UP4KZ	Supplement glossopharyngeal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UQ0JZ	Supplement vagus nerve with synthetic substitute, open approach
ICD-10	00UQ0KZ	Supplement vagus nerve with nonautologous tissue substitute, open approach
ICD-10	00UQ3JZ	Supplement vagus nerve with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	00UQ3KZ	Supplement vagus nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UQ4JZ	Supplement vagus nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UQ4KZ	Supplement vagus nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00UR0JZ	Supplement accessory nerve with synthetic substitute, open approach
ICD-10	00UR0KZ	Supplement accessory nerve with nonautologous tissue substitute, open approach
ICD-10	00UR3JZ	Supplement accessory nerve with synthetic substitute, percutaneous approach
ICD-10	00UR3KZ	Supplement accessory nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00UR4JZ	Supplement accessory nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00UR4KZ	Supplement accessory nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00US0JZ	Supplement hypoglossal nerve with synthetic substitute, open approach
ICD-10	00US0KZ	Supplement hypoglossal nerve with nonautologous tissue substitute, open approach
ICD-10	00US3JZ	Supplement hypoglossal nerve with synthetic substitute, percutaneous approach
ICD-10	00US3KZ	Supplement hypoglossal nerve with nonautologous tissue substitute, percutaneous approach
ICD-10	00US4JZ	Supplement hypoglossal nerve with synthetic substitute, percutaneous endoscopic approach
ICD-10	00US4KZ	Supplement hypoglossal nerve with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	00XR0ZM	Transfer accessory nerve to facial nerve, open approach
ICD-10	00XR0ZS	Transfer accessory nerve to hypoglossal nerve, open approach
ICD-10	00XR4ZM	Transfer accessory nerve to facial nerve, percutaneous endoscopic approach
ICD-10	00XR4ZS	Transfer accessory nerve to hypoglossal nerve, percutaneous endoscopic approach
ICD-10	00XS0ZM	Transfer hypoglossal nerve to facial nerve, open approach
ICD-10	00XS4ZM	Transfer hypoglossal nerve to facial nerve, percutaneous endoscopic approach
ICD-10	015K0ZZ	Destruction of head and neck sympathetic nerve, open approach
ICD-10	015K3ZZ	Destruction of head and neck sympathetic nerve, percutaneous approach
ICD-10	015K4ZZ	Destruction of head and neck sympathetic nerve, percutaneous endoscopic approach
ICD-10	01BK0ZZ	Excision of head and neck sympathetic nerve, open approach
ICD-10	01BK3ZZ	Excision of head and neck sympathetic nerve, percutaneous approach
ICD-10	01BK4ZZ	Excision of head and neck sympathetic nerve, percutaneous endoscopic approach
ICD-10	01DK0ZZ	Extraction of head and neck sympathetic nerve, open approach
ICD-10	01DK3ZZ	Extraction of head and neck sympathetic nerve, percutaneous approach
ICD-10	01DK4ZZ	Extraction of head and neck sympathetic nerve, percutaneous endoscopic approach
ICD-10	01HY0MZ	Insertion of neurostimulator lead into peripheral nerve, open approach
ICD-10	01HY3MZ	Insertion of neurostimulator lead into peripheral nerve, percutaneous approach
ICD-10	01HY4MZ	Insertion of neurostimulator lead into peripheral nerve, percutaneous endoscopic approach
ICD-10	01PY0MZ	Removal of neurostimulator lead from peripheral nerve, open approach

ICD 9/10	Code	Description
ICD-10	01PY3MZ	Removal of neurostimulator lead from peripheral nerve, percutaneous approach
ICD-10	01PY4MZ	Removal of neurostimulator lead from peripheral nerve, percutaneous endoscopic approach
ICD-10	02JA4ZZ	Inspection of heart, percutaneous endoscopic approach
ICD-10	02JY4ZZ	Inspection of great vessel, percutaneous endoscopic approach
ICD-10	039S0ZX	Drainage of right temporal artery, open approach, diagnostic
ICD-10	039S4ZX	Drainage of right temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	039T0ZX	Drainage of left temporal artery, open approach, diagnostic
ICD-10	039T4ZX	Drainage of left temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	03BH0ZZ	Excision of right common carotid artery, open approach
ICD-10	03BH3ZZ	Excision of right common carotid artery, percutaneous approach
ICD-10	03BH4ZZ	Excision of right common carotid artery, percutaneous endoscopic approach
ICD-10	03BJ0ZZ	Excision of left common carotid artery, open approach
ICD-10	03BJ3ZZ	Excision of left common carotid artery, percutaneous approach
ICD-10	03BJ4ZZ	Excision of left common carotid artery, percutaneous endoscopic approach
ICD-10	03BK0ZZ	Excision of right internal carotid artery, open approach
ICD-10	03BK3ZZ	Excision of right internal carotid artery, percutaneous approach
ICD-10	03BK4ZZ	Excision of right internal carotid artery, percutaneous endoscopic approach
ICD-10	03BL0ZZ	Excision of left internal carotid artery, open approach
ICD-10	03BL3ZZ	Excision of left internal carotid artery, percutaneous approach
ICD-10	03BL4ZZ	Excision of left internal carotid artery, percutaneous endoscopic approach
ICD-10	03BM0ZZ	Excision of right external carotid artery, open approach
ICD-10	03BM3ZZ	Excision of right external carotid artery, percutaneous approach
ICD-10	03BM4ZZ	Excision of right external carotid artery, percutaneous endoscopic approach
ICD-10	03BN0ZZ	Excision of left external carotid artery, open approach
ICD-10	03BN3ZZ	Excision of left external carotid artery, percutaneous approach
ICD-10	03BN4ZZ	Excision of left external carotid artery, percutaneous endoscopic approach
ICD-10	03BP0ZZ	Excision of right vertebral artery, open approach
ICD-10	03BP3ZZ	Excision of right vertebral artery, percutaneous approach
ICD-10	03BP4ZZ	Excision of right vertebral artery, percutaneous endoscopic approach
ICD-10	03BQ0ZZ	Excision of left vertebral artery, open approach
ICD-10	03BQ3ZZ	Excision of left vertebral artery, percutaneous approach
ICD-10	03BQ4ZZ	Excision of left vertebral artery, percutaneous endoscopic approach
ICD-10	03BR0ZZ	Excision of face artery, open approach
ICD-10	03BR3ZZ	Excision of face artery, percutaneous approach
ICD-10	03BR4ZZ	Excision of face artery, percutaneous endoscopic approach
ICD-10	03BS0ZX	Excision of right temporal artery, open approach, diagnostic
ICD-10	03BS0ZZ	Excision of right temporal artery, open approach
ICD-10	03BS3ZX	Excision of right temporal artery, percutaneous approach, diagnostic
ICD-10	03BS3ZZ	Excision of right temporal artery, percutaneous approach
ICD-10	03BS4ZX	Excision of right temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	03BS4ZZ	Excision of right temporal artery, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	03BT0ZX	Excision of left temporal artery, open approach, diagnostic
ICD-10	03BT0ZZ	Excision of left temporal artery, open approach
ICD-10	03BT3ZX	Excision of left temporal artery, percutaneous approach, diagnostic
ICD-10	03BT3ZZ	Excision of left temporal artery, percutaneous approach
ICD-10	03BT4ZX	Excision of left temporal artery, percutaneous endoscopic approach, diagnostic
ICD-10	03BT4ZZ	Excision of left temporal artery, percutaneous endoscopic approach
ICD-10	03BU0ZZ	Excision of right thyroid artery, open approach
ICD-10	03BU3ZZ	Excision of right thyroid artery, percutaneous approach
ICD-10	03BU4ZZ	Excision of right thyroid artery, percutaneous endoscopic approach
ICD-10	03BV0ZZ	Excision of left thyroid artery, open approach
ICD-10	03BV3ZZ	Excision of left thyroid artery, percutaneous approach
ICD-10	03BV4ZZ	Excision of left thyroid artery, percutaneous endoscopic approach
ICD-10	03CH0ZZ	Extirpation of matter from right common carotid artery, open approach
ICD-10	03CJ0ZZ	Extirpation of matter from left common carotid artery, open approach
ICD-10	03CK0ZZ	Extirpation of matter from right internal carotid artery, open approach
ICD-10	03CL0ZZ	Extirpation of matter from left internal carotid artery, open approach
ICD-10	03CM0ZZ	Extirpation of matter from right external carotid artery, open approach
ICD-10	03CN0ZZ	Extirpation of matter from left external carotid artery, open approach
ICD-10	03CP0ZZ	Extirpation of matter from right vertebral artery, open approach
ICD-10	03CQ0ZZ	Extirpation of matter from left vertebral artery, open approach
ICD-10	03CR0ZZ	Extirpation of matter from face artery, open approach
ICD-10	03CS0ZZ	Extirpation of matter from right temporal artery, open approach
ICD-10	03CT0ZZ	Extirpation of matter from left temporal artery, open approach
ICD-10	03CU0ZZ	Extirpation of matter from right thyroid artery, open approach
ICD-10	03CV0ZZ	Extirpation of matter from left thyroid artery, open approach
ICD-10	03H20DZ	Insertion of intraluminal device into innominate artery, open approach
ICD-10	03H23DZ	Insertion of intraluminal device into innominate artery, percutaneous approach
ICD-10	03H24DZ	Insertion of intraluminal device into innominate artery, percutaneous endoscopic approach
ICD-10	03HJ0DZ	Insertion of intraluminal device into left common carotid artery, open approach
ICD-10	03HJ3DZ	Insertion of intraluminal device into left common carotid artery, percutaneous approach
ICD-10	03HJ4DZ	Insertion of intraluminal device into left common carotid artery, percutaneous endoscopic approach
ICD-10	03HK0DZ	Insertion of intraluminal device into right internal carotid artery, open approach
ICD-10	03HK3DZ	Insertion of intraluminal device into right internal carotid artery, percutaneous approach
ICD-10	03HK4DZ	Insertion of intraluminal device into right internal carotid artery, percutaneous endoscopic approach
ICD-10	03HM0DZ	Insertion of intraluminal device into right external carotid artery, open approach
ICD-10	03HM3DZ	Insertion of intraluminal device into right external carotid artery, percutaneous approach
ICD-10	03HM4DZ	Insertion of intraluminal device into right external carotid artery, percutaneous endoscopic approach
ICD-10	03HN0DZ	Insertion of intraluminal device into left external carotid artery, open approach

ICD 9/10	Code	Description
ICD-10	03HN3DZ	Insertion of intraluminal device into left external carotid artery, percutaneous approach
ICD-10	03HN4DZ	Insertion of intraluminal device into left external carotid artery, percutaneous endoscopic approach
ICD-10	03HP0DZ	Insertion of intraluminal device into right vertebral artery, open approach
ICD-10	03HP3DZ	Insertion of intraluminal device into right vertebral artery, percutaneous approach
ICD-10	03HP4DZ	Insertion of intraluminal device into right vertebral artery, percutaneous endoscopic approach
ICD-10	03HQ0DZ	Insertion of intraluminal device into left vertebral artery, open approach
ICD-10	03HQ3DZ	Insertion of intraluminal device into left vertebral artery, percutaneous approach
ICD-10	03HQ4DZ	Insertion of intraluminal device into left vertebral artery, percutaneous endoscopic approach
ICD-10	03HR0DZ	Insertion of intraluminal device into face artery, open approach
ICD-10	03HR3DZ	Insertion of intraluminal device into face artery, percutaneous approach
ICD-10	03HR4DZ	Insertion of intraluminal device into face artery, percutaneous endoscopic approach
ICD-10	03HS0DZ	Insertion of intraluminal device into right temporal artery, open approach
ICD-10	03HS3DZ	Insertion of intraluminal device into right temporal artery, percutaneous approach
ICD-10	03HS4DZ	Insertion of intraluminal device into right temporal artery, percutaneous endoscopic approach
ICD-10	03HT0DZ	Insertion of intraluminal device into left temporal artery, open approach
ICD-10	03HT3DZ	Insertion of intraluminal device into left temporal artery, percutaneous approach
ICD-10	03HT4DZ	Insertion of intraluminal device into left temporal artery, percutaneous endoscopic approach
ICD-10	03HU0DZ	Insertion of intraluminal device into right thyroid artery, open approach
ICD-10	03HU3DZ	Insertion of intraluminal device into right thyroid artery, percutaneous approach
ICD-10	03HU4DZ	Insertion of intraluminal device into right thyroid artery, percutaneous endoscopic approach
ICD-10	03HV0DZ	Insertion of intraluminal device into left thyroid artery, open approach
ICD-10	03HV3DZ	Insertion of intraluminal device into left thyroid artery, percutaneous approach
ICD-10	03HV4DZ	Insertion of intraluminal device into left thyroid artery, percutaneous endoscopic approach
ICD-10	03HY0DZ	Insertion of intraluminal device into upper artery, open approach
ICD-10	03HY3DZ	Insertion of intraluminal device into upper artery, percutaneous approach
ICD-10	03HY4DZ	Insertion of intraluminal device into upper artery, percutaneous endoscopic approach
ICD-10	03LP0CZ	Occlusion of right vertebral artery with extraluminal device, open approach
ICD-10	03LP0ZZ	Occlusion of right vertebral artery, open approach
ICD-10	03LP3CZ	Occlusion of right vertebral artery with extraluminal device, percutaneous approach
ICD-10	03LP3ZZ	Occlusion of right vertebral artery, percutaneous approach
ICD-10	03LP4CZ	Occlusion of right vertebral artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LP4ZZ	Occlusion of right vertebral artery, percutaneous endoscopic approach
ICD-10	03LQ0CZ	Occlusion of left vertebral artery with extraluminal device, open approach
ICD-10	03LQ0ZZ	Occlusion of left vertebral artery, open approach



ICD 9/10	Code	Description
ICD-10	03LQ3CZ	Occlusion of left vertebral artery with extraluminal device, percutaneous approach
ICD-10	03LQ3ZZ	Occlusion of left vertebral artery, percutaneous approach
ICD-10	03LQ4CZ	Occlusion of left vertebral artery with extraluminal device, percutaneous endoscopic approach
ICD-10	03LQ4ZZ	Occlusion of left vertebral artery, percutaneous endoscopic approach
ICD-10	05BM0ZZ	Excision of right internal jugular vein, open approach
ICD-10	05BM4ZZ	Excision of right internal jugular vein, percutaneous endoscopic approach
ICD-10	05BN0ZZ	Excision of left internal jugular vein, open approach
ICD-10	05BN4ZZ	Excision of left internal jugular vein, percutaneous endoscopic approach
ICD-10	05BP0ZZ	Excision of right external jugular vein, open approach
ICD-10	05BP4ZZ	Excision of right external jugular vein, percutaneous endoscopic approach
ICD-10	05BQ0ZZ	Excision of left external jugular vein, open approach
ICD-10	05BQ4ZZ	Excision of left external jugular vein, percutaneous endoscopic approach
ICD-10	05BR0ZZ	Excision of right vertebral vein, open approach
ICD-10	05BR4ZZ	Excision of right vertebral vein, percutaneous endoscopic approach
ICD-10	05BS0ZZ	Excision of left vertebral vein, open approach
ICD-10	05BS4ZZ	Excision of left vertebral vein, percutaneous endoscopic approach
ICD-10	05BT0ZZ	Excision of right face vein, open approach
ICD-10	05BT4ZZ	Excision of right face vein, percutaneous endoscopic approach
ICD-10	05BV0ZZ	Excision of left face vein, open approach
ICD-10	05BV4ZZ	Excision of left face vein, percutaneous endoscopic approach
ICD-10	05CM0ZZ	Extirpation of matter from right internal jugular vein, open approach
ICD-10	05CM3ZZ	Extirpation of matter from right internal jugular vein, percutaneous approach
ICD-10	05CM4ZZ	Extirpation of matter from right internal jugular vein, percutaneous endoscopic approach
ICD-10	05CN0ZZ	Extirpation of matter from left internal jugular vein, open approach
ICD-10	05CN3ZZ	Extirpation of matter from left internal jugular vein, percutaneous approach
ICD-10	05CN4ZZ	Extirpation of matter from left internal jugular vein, percutaneous endoscopic approach
ICD-10	05CP0ZZ	Extirpation of matter from right external jugular vein, open approach
ICD-10	05CP3ZZ	Extirpation of matter from right external jugular vein, percutaneous approach
ICD-10	05CP4ZZ	Extirpation of matter from right external jugular vein, percutaneous endoscopic approach
ICD-10	05CQ0ZZ	Extirpation of matter from left external jugular vein, open approach
ICD-10	05CQ3ZZ	Extirpation of matter from left external jugular vein, percutaneous approach
ICD-10	05CQ4ZZ	Extirpation of matter from left external jugular vein, percutaneous endoscopic approach
ICD-10	05CR0ZZ	Extirpation of matter from right vertebral vein, open approach
ICD-10	05CR3ZZ	Extirpation of matter from right vertebral vein, percutaneous approach
ICD-10	05CR4ZZ	Extirpation of matter from right vertebral vein, percutaneous endoscopic approach
ICD-10	05CS0ZZ	Extirpation of matter from left vertebral vein, open approach
ICD-10	05CS3ZZ	Extirpation of matter from left vertebral vein, percutaneous approach
ICD-10	05CS4ZZ	Extirpation of matter from left vertebral vein, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	05CT0ZZ	Extirpation of matter from right face vein, open approach
ICD-10	05CT3ZZ	Extirpation of matter from right face vein, percutaneous approach
ICD-10	05CT4ZZ	Extirpation of matter from right face vein, percutaneous endoscopic approach
ICD-10	05CV0ZZ	Extirpation of matter from left face vein, open approach
ICD-10	05CV3ZZ	Extirpation of matter from left face vein, percutaneous approach
ICD-10	05CV4ZZ	Extirpation of matter from left face vein, percutaneous endoscopic approach
ICD-10	05H00MZ	Insertion of neurostimulator lead into azygos vein, open approach
ICD-10	05H03MZ	Insertion of neurostimulator lead into azygos vein, percutaneous approach
ICD-10	05H04MZ	Insertion of neurostimulator lead into azygos vein, percutaneous endoscopic approach
ICD-10	05H30MZ	Insertion of neurostimulator lead into right innominate vein, open approach
ICD-10	05H33MZ	Insertion of neurostimulator lead into right innominate vein, percutaneous approach
ICD-10	05H34MZ	Insertion of neurostimulator lead into right innominate vein, percutaneous endoscopic approach
ICD-10	05H40MZ	Insertion of neurostimulator lead into left innominate vein, open approach
ICD-10	05H43MZ	Insertion of neurostimulator lead into left innominate vein, percutaneous approach
ICD-10	05H44MZ	Insertion of neurostimulator lead into left innominate vein, percutaneous endoscopic approach
ICD-10	05HM0DZ	Insertion of intraluminal device into right internal jugular vein, open approach
ICD-10	05HM3DZ	Insertion of intraluminal device into right internal jugular vein, percutaneous approach
ICD-10	05HM4DZ	Insertion of intraluminal device into right internal jugular vein, percutaneous endoscopic approach
ICD-10	05HN0DZ	Insertion of intraluminal device into left internal jugular vein, open approach
ICD-10	05HN3DZ	Insertion of intraluminal device into left internal jugular vein, percutaneous approach
ICD-10	05HN4DZ	Insertion of intraluminal device into left internal jugular vein, percutaneous endoscopic approach
ICD-10	05HP0DZ	Insertion of intraluminal device into right external jugular vein, open approach
ICD-10	05HP3DZ	Insertion of intraluminal device into right external jugular vein, percutaneous approach
ICD-10	05HP4DZ	Insertion of intraluminal device into right external jugular vein, percutaneous endoscopic approach
ICD-10	05HQ0DZ	Insertion of intraluminal device into left external jugular vein, open approach
ICD-10	05HQ3DZ	Insertion of intraluminal device into left external jugular vein, percutaneous approach
ICD-10	05HQ4DZ	Insertion of intraluminal device into left external jugular vein, percutaneous endoscopic approach
ICD-10	05HR0DZ	Insertion of intraluminal device into right vertebral vein, open approach
ICD-10	05HR3DZ	Insertion of intraluminal device into right vertebral vein, percutaneous approach
ICD-10	05HR4DZ	Insertion of intraluminal device into right vertebral vein, percutaneous endoscopic approach
ICD-10	05HS0DZ	Insertion of intraluminal device into left vertebral vein, open approach
ICD-10	05HS3DZ	Insertion of intraluminal device into left vertebral vein, percutaneous approach
ICD-10	05HS4DZ	Insertion of intraluminal device into left vertebral vein, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	05HT0DZ	Insertion of intraluminal device into right face vein, open approach
ICD-10	05HT3DZ	Insertion of intraluminal device into right face vein, percutaneous approach
ICD-10	05HT4DZ	Insertion of intraluminal device into right face vein, percutaneous endoscopic approach
ICD-10	05HV0DZ	Insertion of intraluminal device into left face vein, open approach
ICD-10	05HV3DZ	Insertion of intraluminal device into left face vein, percutaneous approach
ICD-10	05HV4DZ	Insertion of intraluminal device into left face vein, percutaneous endoscopic approach
ICD-10	05HY02Z	Insertion of monitoring device into upper vein, open approach
ICD-10	05HY0DZ	Insertion of intraluminal device into upper vein, open approach
ICD-10	05HY0YZ	Insertion of other device into upper vein, open approach
ICD-10	05HY3DZ	Insertion of intraluminal device into upper vein, percutaneous approach
ICD-10	05HY42Z	Insertion of monitoring device into upper vein, percutaneous endoscopic approach
ICD-10	05HY4DZ	Insertion of intraluminal device into upper vein, percutaneous endoscopic approach
ICD-10	05LM0CZ	Occlusion of right internal jugular vein with extraluminal device, open approach
ICD-10	05LM0DZ	Occlusion of right internal jugular vein with intraluminal device, open approach
ICD-10	05LM0ZZ	Occlusion of right internal jugular vein, open approach
ICD-10	05LM3CZ	Occlusion of right internal jugular vein with extraluminal device, percutaneous approach
ICD-10	05LM3DZ	Occlusion of right internal jugular vein with intraluminal device, percutaneous approach
ICD-10	05LM3ZZ	Occlusion of right internal jugular vein, percutaneous approach
ICD-10	05LM4CZ	Occlusion of right internal jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LM4DZ	Occlusion of right internal jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LM4ZZ	Occlusion of right internal jugular vein, percutaneous endoscopic approach
ICD-10	05LN0CZ	Occlusion of left internal jugular vein with extraluminal device, open approach
ICD-10	05LN0DZ	Occlusion of left internal jugular vein with intraluminal device, open approach
ICD-10	05LN0ZZ	Occlusion of left internal jugular vein, open approach
ICD-10	05LN3CZ	Occlusion of left internal jugular vein with extraluminal device, percutaneous approach
ICD-10	05LN3DZ	Occlusion of left internal jugular vein with intraluminal device, percutaneous approach
ICD-10	05LN3ZZ	Occlusion of left internal jugular vein, percutaneous approach
ICD-10	05LN4CZ	Occlusion of left internal jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LN4DZ	Occlusion of left internal jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LN4ZZ	Occlusion of left internal jugular vein, percutaneous endoscopic approach
ICD-10	05LP0CZ	Occlusion of right external jugular vein with extraluminal device, open approach
ICD-10	05LP0DZ	Occlusion of right external jugular vein with intraluminal device, open approach
ICD-10	05LP0ZZ	Occlusion of right external jugular vein, open approach
ICD-10	05LP3CZ	Occlusion of right external jugular vein with extraluminal device, percutaneous approach

ICD 9/10	Code	Description
ICD-10	05LP3DZ	Occlusion of right external jugular vein with intraluminal device, percutaneous approach
ICD-10	05LP3ZZ	Occlusion of right external jugular vein, percutaneous approach
ICD-10	05LP4CZ	Occlusion of right external jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LP4DZ	Occlusion of right external jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LP4ZZ	Occlusion of right external jugular vein, percutaneous endoscopic approach
ICD-10	05LQ0CZ	Occlusion of left external jugular vein with extraluminal device, open approach
ICD-10	05LQ0DZ	Occlusion of left external jugular vein with intraluminal device, open approach
ICD-10	05LQ0ZZ	Occlusion of left external jugular vein, open approach
ICD-10	05LQ3CZ	Occlusion of left external jugular vein with extraluminal device, percutaneous approach
ICD-10	05LQ3DZ	Occlusion of left external jugular vein with intraluminal device, percutaneous approach
ICD-10	05LQ3ZZ	Occlusion of left external jugular vein, percutaneous approach
ICD-10	05LQ4CZ	Occlusion of left external jugular vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LQ4DZ	Occlusion of left external jugular vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LQ4ZZ	Occlusion of left external jugular vein, percutaneous endoscopic approach
ICD-10	05LR0CZ	Occlusion of right vertebral vein with extraluminal device, open approach
ICD-10	05LR0DZ	Occlusion of right vertebral vein with intraluminal device, open approach
ICD-10	05LR0ZZ	Occlusion of right vertebral vein, open approach
ICD-10	05LR3CZ	Occlusion of right vertebral vein with extraluminal device, percutaneous approach
ICD-10	05LR3DZ	Occlusion of right vertebral vein with intraluminal device, percutaneous approach
ICD-10	05LR3ZZ	Occlusion of right vertebral vein, percutaneous approach
ICD-10	05LR4CZ	Occlusion of right vertebral vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LR4DZ	Occlusion of right vertebral vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LR4ZZ	Occlusion of right vertebral vein, percutaneous endoscopic approach
ICD-10	05LS0CZ	Occlusion of left vertebral vein with extraluminal device, open approach
ICD-10	05LS0DZ	Occlusion of left vertebral vein with intraluminal device, open approach
ICD-10	05LS0ZZ	Occlusion of left vertebral vein, open approach
ICD-10	05LS3CZ	Occlusion of left vertebral vein with extraluminal device, percutaneous approach
ICD-10	05LS3DZ	Occlusion of left vertebral vein with intraluminal device, percutaneous approach
ICD-10	05LS3ZZ	Occlusion of left vertebral vein, percutaneous approach
ICD-10	05LS4CZ	Occlusion of left vertebral vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LS4DZ	Occlusion of left vertebral vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LS4ZZ	Occlusion of left vertebral vein, percutaneous endoscopic approach
ICD-10	05LT0CZ	Occlusion of right face vein with extraluminal device, open approach
ICD-10	05LT0DZ	Occlusion of right face vein with intraluminal device, open approach

ICD 9/10	Code	Description
ICD-10	05LT0ZZ	Occlusion of right face vein, open approach
ICD-10	05LT3CZ	Occlusion of right face vein with extraluminal device, percutaneous approach
ICD-10	05LT3DZ	Occlusion of right face vein with intraluminal device, percutaneous approach
ICD-10	05LT3ZZ	Occlusion of right face vein, percutaneous approach
ICD-10	05LT4CZ	Occlusion of right face vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LT4DZ	Occlusion of right face vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LT4ZZ	Occlusion of right face vein, percutaneous endoscopic approach
ICD-10	05LV0CZ	Occlusion of left face vein with extraluminal device, open approach
ICD-10	05LV0DZ	Occlusion of left face vein with intraluminal device, open approach
ICD-10	05LV0ZZ	Occlusion of left face vein, open approach
ICD-10	05LV3CZ	Occlusion of left face vein with extraluminal device, percutaneous approach
ICD-10	05LV3DZ	Occlusion of left face vein with intraluminal device, percutaneous approach
ICD-10	05LV3ZZ	Occlusion of left face vein, percutaneous approach
ICD-10	05LV4CZ	Occlusion of left face vein with extraluminal device, percutaneous endoscopic approach
ICD-10	05LV4DZ	Occlusion of left face vein with intraluminal device, percutaneous endoscopic approach
ICD-10	05LV4ZZ	Occlusion of left face vein, percutaneous endoscopic approach
ICD-10	05P00MZ	Removal of neurostimulator lead from azygos vein, open approach
ICD-10	05P03MZ	Removal of neurostimulator lead from azygos vein, percutaneous approach
ICD-10	05P04MZ	Removal of neurostimulator lead from azygos vein, percutaneous endoscopic approach
ICD-10	05P0XMZ	Removal of neurostimulator lead from azygos vein, external approach
ICD-10	05P30MZ	Removal of neurostimulator lead from right innominate vein, open approach
ICD-10	05P33MZ	Removal of neurostimulator lead from right innominate vein, percutaneous approach
ICD-10	05P34MZ	Removal of neurostimulator lead from right innominate vein, percutaneous endoscopic approach
ICD-10	05P3XMZ	Removal of neurostimulator lead from right innominate vein, external approach
ICD-10	05P40MZ	Removal of neurostimulator lead from left innominate vein, open approach
ICD-10	05P43MZ	Removal of neurostimulator lead from left innominate vein, percutaneous approach
ICD-10	05P44MZ	Removal of neurostimulator lead from left innominate vein, percutaneous endoscopic approach
ICD-10	05P4XMZ	Removal of neurostimulator lead from left innominate vein, external approach
ICD-10	069300Z	Drainage of esophageal vein with drainage device, open approach
ICD-10	06930ZZ	Drainage of esophageal vein, open approach
ICD-10	069340Z	Drainage of esophageal vein with drainage device, percutaneous endoscopic approach
ICD-10	06934ZZ	Drainage of esophageal vein, percutaneous endoscopic approach
ICD-10	06C30ZZ	Extirpation of matter from esophageal vein, open approach
ICD-10	06C33ZZ	Extirpation of matter from esophageal vein, percutaneous approach
ICD-10	06C34ZZ	Extirpation of matter from esophageal vein, percutaneous endoscopic approach
ICD-10	06H30DZ	Insertion of intraluminal device into esophageal vein, open approach

ICD 9/10	Code	Description
ICD-10	06H33DZ	Insertion of intraluminal device into esophageal vein, percutaneous approach
ICD-10	06H34DZ	Insertion of intraluminal device into esophageal vein, percutaneous endoscopic approach
ICD-10	06HY0DZ	Insertion of intraluminal device into lower vein, open approach
ICD-10	06HY3DZ	Insertion of intraluminal device into lower vein, percutaneous approach
ICD-10	06HY4DZ	Insertion of intraluminal device into lower vein, percutaneous endoscopic approach
ICD-10	07900ZX	Drainage of head lymphatic, open approach, diagnostic
ICD-10	07903ZX	Drainage of head lymphatic, percutaneous approach, diagnostic
ICD-10	07904ZX	Drainage of head lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07910ZX	Drainage of right neck lymphatic, open approach, diagnostic
ICD-10	07913ZX	Drainage of right neck lymphatic, percutaneous approach, diagnostic
ICD-10	07914ZX	Drainage of right neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07920ZX	Drainage of left neck lymphatic, open approach, diagnostic
ICD-10	07923ZX	Drainage of left neck lymphatic, percutaneous approach, diagnostic
ICD-10	07924ZX	Drainage of left neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B00ZX	Excision of head lymphatic, open approach, diagnostic
ICD-10	07B00ZZ	Excision of head lymphatic, open approach
ICD-10	07B03ZX	Excision of head lymphatic, percutaneous approach, diagnostic
ICD-10	07B04ZX	Excision of head lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B04ZZ	Excision of head lymphatic, percutaneous endoscopic approach
ICD-10	07B10ZX	Excision of right neck lymphatic, open approach, diagnostic
ICD-10	07B10ZZ	Excision of right neck lymphatic, open approach
ICD-10	07B13ZX	Excision of right neck lymphatic, percutaneous approach, diagnostic
ICD-10	07B13ZZ	Excision of right neck lymphatic, percutaneous approach
ICD-10	07B14ZX	Excision of right neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B14ZZ	Excision of right neck lymphatic, percutaneous endoscopic approach
ICD-10	07B20ZX	Excision of left neck lymphatic, open approach, diagnostic
ICD-10	07B20ZZ	Excision of left neck lymphatic, open approach
ICD-10	07B23ZX	Excision of left neck lymphatic, percutaneous approach, diagnostic
ICD-10	07B23ZZ	Excision of left neck lymphatic, percutaneous approach
ICD-10	07B24ZX	Excision of left neck lymphatic, percutaneous endoscopic approach, diagnostic
ICD-10	07B24ZZ	Excision of left neck lymphatic, percutaneous endoscopic approach
ICD-10	07B50ZZ	Excision of right axillary lymphatic, open approach
ICD-10	07B53ZZ	Excision of right axillary lymphatic, percutaneous approach
ICD-10	07B54ZZ	Excision of right axillary lymphatic, percutaneous endoscopic approach
ICD-10	07B60ZZ	Excision of left axillary lymphatic, open approach
ICD-10	07B63ZZ	Excision of left axillary lymphatic, percutaneous approach
ICD-10	07B64ZZ	Excision of left axillary lymphatic, percutaneous endoscopic approach
ICD-10	07T30ZZ	Resection of right upper extremity lymphatic, open approach
ICD-10	07T34ZZ	Resection of right upper extremity lymphatic, percutaneous endoscopic approach
ICD-10	07T40ZZ	Resection of left upper extremity lymphatic, open approach
ICD-10	07T44ZZ	Resection of left upper extremity lymphatic, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	07T70ZZ	Resection of thorax lymphatic, open approach
ICD-10	07T74ZZ	Resection of thorax lymphatic, percutaneous endoscopic approach
ICD-10	07T80ZZ	Resection of right internal mammary lymphatic, open approach
ICD-10	07T84ZZ	Resection of right internal mammary lymphatic, percutaneous endoscopic approach
ICD-10	07T90ZZ	Resection of left internal mammary lymphatic, open approach
ICD-10	07T94ZZ	Resection of left internal mammary lymphatic, percutaneous endoscopic approach
ICD-10	07TB0ZZ	Resection of mesenteric lymphatic, open approach
ICD-10	07TB4ZZ	Resection of mesenteric lymphatic, percutaneous endoscopic approach
ICD-10	07TF0ZZ	Resection of right lower extremity lymphatic, open approach
ICD-10	07TF4ZZ	Resection of right lower extremity lymphatic, percutaneous endoscopic approach
ICD-10	07TG0ZZ	Resection of left lower extremity lymphatic, open approach
ICD-10	07TG4ZZ	Resection of left lower extremity lymphatic, percutaneous endoscopic approach
ICD-10	081X0J3	Bypass right lacrimal duct to nasal cavity with synthetic substitute, open approach
ICD-10	081X0K3	Bypass right lacrimal duct to nasal cavity with nonautologous tissue substitute, open approach
ICD-10	081X0Z3	Bypass right lacrimal duct to nasal cavity, open approach
ICD-10	081X3J3	Bypass right lacrimal duct to nasal cavity with synthetic substitute, percutaneous approach
ICD-10	081X3K3	Bypass right lacrimal duct to nasal cavity with nonautologous tissue substitute, percutaneous approach
ICD-10	081X3Z3	Bypass right lacrimal duct to nasal cavity, percutaneous approach
ICD-10	081Y0J3	Bypass left lacrimal duct to nasal cavity with synthetic substitute, open approach
ICD-10	081Y0K3	Bypass left lacrimal duct to nasal cavity with nonautologous tissue substitute, open approach
ICD-10	081Y0Z3	Bypass left lacrimal duct to nasal cavity, open approach
ICD-10	081Y3J3	Bypass left lacrimal duct to nasal cavity with synthetic substitute, percutaneous approach
ICD-10	081Y3K3	Bypass left lacrimal duct to nasal cavity with nonautologous tissue substitute, percutaneous approach
ICD-10	081Y3Z3	Bypass left lacrimal duct to nasal cavity, percutaneous approach
ICD-10	087X0DZ	Dilation of right lacrimal duct with intraluminal device, open approach
ICD-10	087X0ZZ	Dilation of right lacrimal duct, open approach
ICD-10	087X3DZ	Dilation of right lacrimal duct with intraluminal device, percutaneous approach
ICD-10	087X3ZZ	Dilation of right lacrimal duct, percutaneous approach
ICD-10	087X7DZ	Dilation of right lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	087X7ZZ	Dilation of right lacrimal duct, via natural or artificial opening
ICD-10	087X8DZ	Dilation of right lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	087X8ZZ	Dilation of right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	087Y0DZ	Dilation of left lacrimal duct with intraluminal device, open approach
ICD-10	087Y0ZZ	Dilation of left lacrimal duct, open approach
ICD-10	087Y3DZ	Dilation of left lacrimal duct with intraluminal device, percutaneous approach
ICD-10	087Y3ZZ	Dilation of left lacrimal duct, percutaneous approach



ICD 9/10	Code	Description
ICD-10	087Y7DZ	Dilation of left lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	087Y7ZZ	Dilation of left lacrimal duct, via natural or artificial opening
ICD-10	087Y8DZ	Dilation of left lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	087Y8ZZ	Dilation of left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	089X0ZX	Drainage of right lacrimal duct, open approach, diagnostic
ICD-10	089X3ZX	Drainage of right lacrimal duct, percutaneous approach, diagnostic
ICD-10	089X7ZX	Drainage of right lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	089X8ZX	Drainage of right lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	089Y0ZX	Drainage of left lacrimal duct, open approach, diagnostic
ICD-10	089Y3ZX	Drainage of left lacrimal duct, percutaneous approach, diagnostic
ICD-10	089Y7ZX	Drainage of left lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	089Y8ZX	Drainage of left lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	08BX0ZX	Excision of right lacrimal duct, open approach, diagnostic
ICD-10	08BX3ZX	Excision of right lacrimal duct, percutaneous approach, diagnostic
ICD-10	08BX7ZX	Excision of right lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	08BX8ZX	Excision of right lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	08BY0ZX	Excision of left lacrimal duct, open approach, diagnostic
ICD-10	08BY3ZX	Excision of left lacrimal duct, percutaneous approach, diagnostic
ICD-10	08BY7ZX	Excision of left lacrimal duct, via natural or artificial opening, diagnostic
ICD-10	08BY8ZX	Excision of left lacrimal duct, via natural or artificial opening endoscopic, diagnostic
ICD-10	08NX0ZZ	Release right lacrimal duct, open approach
ICD-10	08NX3ZZ	Release right lacrimal duct, percutaneous approach
ICD-10	08NX7ZZ	Release right lacrimal duct, via natural or artificial opening
ICD-10	08NX8ZZ	Release right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08NY0ZZ	Release left lacrimal duct, open approach
ICD-10	08NY3ZZ	Release left lacrimal duct, percutaneous approach
ICD-10	08NY7ZZ	Release left lacrimal duct, via natural or artificial opening
ICD-10	08NY8ZZ	Release left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08SX0ZZ	Reposition right lacrimal duct, open approach
ICD-10	08SX3ZZ	Reposition right lacrimal duct, percutaneous approach
ICD-10	08SX7ZZ	Reposition right lacrimal duct, via natural or artificial opening
ICD-10	08SX8ZZ	Reposition right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08SY0ZZ	Reposition left lacrimal duct, open approach
ICD-10	08SY3ZZ	Reposition left lacrimal duct, percutaneous approach
ICD-10	08SY7ZZ	Reposition left lacrimal duct, via natural or artificial opening
ICD-10	08SY8ZZ	Reposition left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08TX0ZZ	Resection of right lacrimal duct, open approach
ICD-10	08TX3ZZ	Resection of right lacrimal duct, percutaneous approach

ICD 9/10	Code	Description
ICD-10	08TX7ZZ	Resection of right lacrimal duct, via natural or artificial opening
ICD-10	08TX8ZZ	Resection of right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08TY0ZZ	Resection of left lacrimal duct, open approach
ICD-10	08TY3ZZ	Resection of left lacrimal duct, percutaneous approach
ICD-10	08TY7ZZ	Resection of left lacrimal duct, via natural or artificial opening
ICD-10	08TY8ZZ	Resection of left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08VX0CZ	Restriction of right lacrimal duct with extraluminal device, open approach
ICD-10	08VX0DZ	Restriction of right lacrimal duct with intraluminal device, open approach
ICD-10	08VX0ZZ	Restriction of right lacrimal duct, open approach
ICD-10	08VX3CZ	Restriction of right lacrimal duct with extraluminal device, percutaneous approach
ICD-10	08VX3DZ	Restriction of right lacrimal duct with intraluminal device, percutaneous approach
ICD-10	08VX3ZZ	Restriction of right lacrimal duct, percutaneous approach
ICD-10	08VX7DZ	Restriction of right lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	08VX7ZZ	Restriction of right lacrimal duct, via natural or artificial opening
ICD-10	08VX8DZ	Restriction of right lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	08VX8ZZ	Restriction of right lacrimal duct, via natural or artificial opening endoscopic
ICD-10	08VY0CZ	Restriction of left lacrimal duct with extraluminal device, open approach
ICD-10	08VY0DZ	Restriction of left lacrimal duct with intraluminal device, open approach
ICD-10	08VY0ZZ	Restriction of left lacrimal duct, open approach
ICD-10	08VY3CZ	Restriction of left lacrimal duct with extraluminal device, percutaneous approach
ICD-10	08VY3DZ	Restriction of left lacrimal duct with intraluminal device, percutaneous approach
ICD-10	08VY3ZZ	Restriction of left lacrimal duct, percutaneous approach
ICD-10	08VY7DZ	Restriction of left lacrimal duct with intraluminal device, via natural or artificial opening
ICD-10	08VY7ZZ	Restriction of left lacrimal duct, via natural or artificial opening
ICD-10	08VY8DZ	Restriction of left lacrimal duct with intraluminal device, via natural or artificial opening endoscopic
ICD-10	08VY8ZZ	Restriction of left lacrimal duct, via natural or artificial opening endoscopic
ICD-10	090007Z	Alteration of right external ear with autologous tissue substitute, open approach
ICD-10	09000JZ	Alteration of right external ear with synthetic substitute, open approach
ICD-10	09000KZ	Alteration of right external ear with nonautologous tissue substitute, open approach
ICD-10	09000ZZ	Alteration of right external ear, open approach
ICD-10	090037Z	Alteration of right external ear with autologous tissue substitute, percutaneous approach
ICD-10	09003JZ	Alteration of right external ear with synthetic substitute, percutaneous approach
ICD-10	09003KZ	Alteration of right external ear with nonautologous tissue substitute, percutaneous approach
ICD-10	09003ZZ	Alteration of right external ear, percutaneous approach
ICD-10	090047Z	Alteration of right external ear with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09004JZ	Alteration of right external ear with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09004KZ	Alteration of right external ear with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09004ZZ	Alteration of right external ear, percutaneous endoscopic approach
ICD-10	0900X7Z	Alteration of right external ear with autologous tissue substitute, external approach
ICD-10	0900XJZ	Alteration of right external ear with synthetic substitute, external approach
ICD-10	0900XKZ	Alteration of right external ear with nonautologous tissue substitute, external approach
ICD-10	0900XZZ	Alteration of right external ear, external approach
ICD-10	090107Z	Alteration of left external ear with autologous tissue substitute, open approach
ICD-10	09010JZ	Alteration of left external ear with synthetic substitute, open approach
ICD-10	09010KZ	Alteration of left external ear with nonautologous tissue substitute, open approach
ICD-10	09010ZZ	Alteration of left external ear, open approach
ICD-10	090137Z	Alteration of left external ear with autologous tissue substitute, percutaneous approach
ICD-10	09013JZ	Alteration of left external ear with synthetic substitute, percutaneous approach
ICD-10	09013KZ	Alteration of left external ear with nonautologous tissue substitute, percutaneous approach
ICD-10	09013ZZ	Alteration of left external ear, percutaneous approach
ICD-10	090147Z	Alteration of left external ear with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09014JZ	Alteration of left external ear with synthetic substitute, percutaneous endoscopic approach
ICD-10	09014KZ	Alteration of left external ear with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09014ZZ	Alteration of left external ear, percutaneous endoscopic approach
ICD-10	0901X7Z	Alteration of left external ear with autologous tissue substitute, external approach
ICD-10	0901XJZ	Alteration of left external ear with synthetic substitute, external approach
ICD-10	0901XKZ	Alteration of left external ear with nonautologous tissue substitute, external approach
ICD-10	0901XZZ	Alteration of left external ear, external approach
ICD-10	090207Z	Alteration of bilateral external ear with autologous tissue substitute, open approach
ICD-10	09020JZ	Alteration of bilateral external ear with synthetic substitute, open approach
ICD-10	09020KZ	Alteration of bilateral external ear with nonautologous tissue substitute, open approach
ICD-10	09020ZZ	Alteration of bilateral external ear, open approach
ICD-10	090237Z	Alteration of bilateral external ear with autologous tissue substitute, percutaneous approach
ICD-10	09023JZ	Alteration of bilateral external ear with synthetic substitute, percutaneous approach
ICD-10	09023KZ	Alteration of bilateral external ear with nonautologous tissue substitute, percutaneous approach
ICD-10	09023ZZ	Alteration of bilateral external ear, percutaneous approach
ICD-10	090247Z	Alteration of bilateral external ear with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09024JZ	Alteration of bilateral external ear with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09024KZ	Alteration of bilateral external ear with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09024ZZ	Alteration of bilateral external ear, percutaneous endoscopic approach
ICD-10	0902X7Z	Alteration of bilateral external ear with autologous tissue substitute, external approach
ICD-10	0902XJZ	Alteration of bilateral external ear with synthetic substitute, external approach
ICD-10	0902XKZ	Alteration of bilateral external ear with nonautologous tissue substitute, external approach
ICD-10	0902XZZ	Alteration of bilateral external ear, external approach
ICD-10	090K07Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, open approach
ICD-10	090K0JZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, open approach
ICD-10	090K0KZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, open approach
ICD-10	090K0ZZ	Alteration of nasal mucosa and soft tissue, open approach
ICD-10	090K37Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, percutaneous approach
ICD-10	090K3JZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, percutaneous approach
ICD-10	090K3KZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, percutaneous approach
ICD-10	090K3ZZ	Alteration of nasal mucosa and soft tissue, percutaneous approach
ICD-10	090K47Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	090K4JZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, percutaneous endoscopic approach
ICD-10	090K4KZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	090K4ZZ	Alteration of nasal mucosa and soft tissue, percutaneous endoscopic approach
ICD-10	090KX7Z	Alteration of nasal mucosa and soft tissue with autologous tissue substitute, external approach
ICD-10	090KXJZ	Alteration of nasal mucosa and soft tissue with synthetic substitute, external approach
ICD-10	090KXKZ	Alteration of nasal mucosa and soft tissue with nonautologous tissue substitute, external approach
ICD-10	090KXZZ	Alteration of nasal mucosa and soft tissue, external approach
ICD-10	091D070	Bypass right inner ear to endolymphatic with autologous tissue substitute, open approach
ICD-10	091D0J0	Bypass right inner ear to endolymphatic with synthetic substitute, open approach
ICD-10	091D0K0	Bypass right inner ear to endolymphatic with nonautologous tissue substitute, open approach
ICD-10	091D0Z0	Bypass right inner ear to endolymphatic, open approach
ICD-10	091E070	Bypass left inner ear to endolymphatic with autologous tissue substitute, open approach
ICD-10	091E0J0	Bypass left inner ear to endolymphatic with synthetic substitute, open approach
ICD-10	091E0K0	Bypass left inner ear to endolymphatic with nonautologous tissue substitute, open approach
ICD-10	091E0Z0	Bypass left inner ear to endolymphatic, open approach
ICD-10	09550ZZ	Destruction of right middle ear, open approach

ICD 9/10	Code	Description
ICD-10	09558ZZ	Destruction of right middle ear, via natural or artificial opening endoscopic
ICD-10	09560ZZ	Destruction of left middle ear, open approach
ICD-10	09568ZZ	Destruction of left middle ear, via natural or artificial opening endoscopic
ICD-10	09570ZZ	Destruction of right tympanic membrane, open approach
ICD-10	09573ZZ	Destruction of right tympanic membrane, percutaneous approach
ICD-10	09574ZZ	Destruction of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09577ZZ	Destruction of right tympanic membrane, via natural or artificial opening
ICD-10	09578ZZ	Destruction of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09580ZZ	Destruction of left tympanic membrane, open approach
ICD-10	09583ZZ	Destruction of left tympanic membrane, percutaneous approach
ICD-10	09584ZZ	Destruction of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09587ZZ	Destruction of left tympanic membrane, via natural or artificial opening
ICD-10	09588ZZ	Destruction of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09590ZZ	Destruction of right auditory ossicle, open approach
ICD-10	09598ZZ	Destruction of right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	095A0ZZ	Destruction of left auditory ossicle, open approach
ICD-10	095A8ZZ	Destruction of left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	095D0ZZ	Destruction of right inner ear, open approach
ICD-10	095D8ZZ	Destruction of right inner ear, via natural or artificial opening endoscopic
ICD-10	095E0ZZ	Destruction of left inner ear, open approach
ICD-10	095E8ZZ	Destruction of left inner ear, via natural or artificial opening endoscopic
ICD-10	095L0ZZ	Destruction of nasal turbinate, open approach
ICD-10	095L3ZZ	Destruction of nasal turbinate, percutaneous approach
ICD-10	095L4ZZ	Destruction of nasal turbinate, percutaneous endoscopic approach
ICD-10	095L7ZZ	Destruction of nasal turbinate, via natural or artificial opening
ICD-10	095L8ZZ	Destruction of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	095N0ZZ	Destruction of nasopharynx, open approach
ICD-10	095N3ZZ	Destruction of nasopharynx, percutaneous approach
ICD-10	095N4ZZ	Destruction of nasopharynx, percutaneous endoscopic approach
ICD-10	095N7ZZ	Destruction of nasopharynx, via natural or artificial opening
ICD-10	095N8ZZ	Destruction of nasopharynx, via natural or artificial opening endoscopic
ICD-10	098L0ZZ	Division of nasal turbinate, open approach
ICD-10	098L3ZZ	Division of nasal turbinate, percutaneous approach
ICD-10	098L4ZZ	Division of nasal turbinate, percutaneous endoscopic approach
ICD-10	098L7ZZ	Division of nasal turbinate, via natural or artificial opening
ICD-10	098L8ZZ	Division of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	099500Z	Drainage of right middle ear with drainage device, open approach
ICD-10	09950ZX	Drainage of right middle ear, open approach, diagnostic
ICD-10	099570Z	Drainage of right middle ear with drainage device, via natural or artificial opening
ICD-10	099600Z	Drainage of left middle ear with drainage device, open approach

ICD 9/10	Code	Description
ICD-10	09960ZX	Drainage of left middle ear, open approach, diagnostic
ICD-10	099670Z	Drainage of left middle ear with drainage device, via natural or artificial opening
ICD-10	099700Z	Drainage of right tympanic membrane with drainage device, open approach
ICD-10	09970ZX	Drainage of right tympanic membrane, open approach, diagnostic
ICD-10	099730Z	Drainage of right tympanic membrane with drainage device, percutaneous approach
ICD-10	09973ZX	Drainage of right tympanic membrane, percutaneous approach, diagnostic
ICD-10	099740Z	Drainage of right tympanic membrane with drainage device, percutaneous endoscopic approach
ICD-10	09974ZX	Drainage of right tympanic membrane, percutaneous endoscopic approach, diagnostic
ICD-10	099770Z	Drainage of right tympanic membrane with drainage device, via natural or artificial opening
ICD-10	099780Z	Drainage of right tympanic membrane with drainage device, via natural or artificial opening endoscopic
ICD-10	099800Z	Drainage of left tympanic membrane with drainage device, open approach
ICD-10	09980ZX	Drainage of left tympanic membrane, open approach, diagnostic
ICD-10	099830Z	Drainage of left tympanic membrane with drainage device, percutaneous approach
ICD-10	09983ZX	Drainage of left tympanic membrane, percutaneous approach, diagnostic
ICD-10	099840Z	Drainage of left tympanic membrane with drainage device, percutaneous endoscopic approach
ICD-10	09984ZX	Drainage of left tympanic membrane, percutaneous endoscopic approach, diagnostic
ICD-10	099870Z	Drainage of left tympanic membrane with drainage device, via natural or artificial opening
ICD-10	099880Z	Drainage of left tympanic membrane with drainage device, via natural or artificial opening endoscopic
ICD-10	099900Z	Drainage of right auditory ossicle with drainage device, open approach
ICD-10	09990ZX	Drainage of right auditory ossicle, open approach, diagnostic
ICD-10	09990ZZ	Drainage of right auditory ossicle, open approach
ICD-10	099A00Z	Drainage of left auditory ossicle with drainage device, open approach
ICD-10	099A0ZX	Drainage of left auditory ossicle, open approach, diagnostic
ICD-10	099A0ZZ	Drainage of left auditory ossicle, open approach
ICD-10	099B0ZX	Drainage of right mastoid sinus, open approach, diagnostic
ICD-10	099B3ZX	Drainage of right mastoid sinus, percutaneous approach, diagnostic
ICD-10	099B4ZX	Drainage of right mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	099C0ZX	Drainage of left mastoid sinus, open approach, diagnostic
ICD-10	099C3ZX	Drainage of left mastoid sinus, percutaneous approach, diagnostic
ICD-10	099C4ZX	Drainage of left mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	099D00Z	Drainage of right inner ear with drainage device, open approach
ICD-10	099D0ZX	Drainage of right inner ear, open approach, diagnostic
ICD-10	099D0ZZ	Drainage of right inner ear, open approach
ICD-10	099E00Z	Drainage of left inner ear with drainage device, open approach
ICD-10	099E0ZX	Drainage of left inner ear, open approach, diagnostic
ICD-10	099E0ZZ	Drainage of left inner ear, open approach



ICD 9/10	Code	Description
ICD-10	099F0ZX	Drainage of right eustachian tube, open approach, diagnostic
ICD-10	099F3ZX	Drainage of right eustachian tube, percutaneous approach, diagnostic
ICD-10	099F4ZX	Drainage of right eustachian tube, percutaneous endoscopic approach, diagnostic
ICD-10	099G0ZX	Drainage of left eustachian tube, open approach, diagnostic
ICD-10	099G3ZX	Drainage of left eustachian tube, percutaneous approach, diagnostic
ICD-10	099G4ZX	Drainage of left eustachian tube, percutaneous endoscopic approach, diagnostic
ICD-10	099N00Z	Drainage of nasopharynx with drainage device, open approach
ICD-10	099N0ZZ	Drainage of nasopharynx, open approach
ICD-10	099N40Z	Drainage of nasopharynx with drainage device, percutaneous endoscopic approach
ICD-10	099N4ZZ	Drainage of nasopharynx, percutaneous endoscopic approach
ICD-10	099N70Z	Drainage of nasopharynx with drainage device, via natural or artificial opening
ICD-10	099N7ZZ	Drainage of nasopharynx, via natural or artificial opening
ICD-10	099N80Z	Drainage of nasopharynx with drainage device, via natural or artificial opening endoscopic
ICD-10	099N8ZZ	Drainage of nasopharynx, via natural or artificial opening endoscopic
ICD-10	09B50ZX	Excision of right middle ear, open approach, diagnostic
ICD-10	09B50ZZ	Excision of right middle ear, open approach
ICD-10	09B58ZX	Excision of right middle ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B58ZZ	Excision of right middle ear, via natural or artificial opening endoscopic
ICD-10	09B60ZX	Excision of left middle ear, open approach, diagnostic
ICD-10	09B60ZZ	Excision of left middle ear, open approach
ICD-10	09B68ZX	Excision of left middle ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B68ZZ	Excision of left middle ear, via natural or artificial opening endoscopic
ICD-10	09B70ZX	Excision of right tympanic membrane, open approach, diagnostic
ICD-10	09B70ZZ	Excision of right tympanic membrane, open approach
ICD-10	09B73ZX	Excision of right tympanic membrane, percutaneous approach, diagnostic
ICD-10	09B73ZZ	Excision of right tympanic membrane, percutaneous approach
ICD-10	09B74ZX	Excision of right tympanic membrane, percutaneous endoscopic approach, diagnostic
ICD-10	09B74ZZ	Excision of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09B77ZX	Excision of right tympanic membrane, via natural or artificial opening, diagnostic
ICD-10	09B77ZZ	Excision of right tympanic membrane, via natural or artificial opening
ICD-10	09B78ZX	Excision of right tympanic membrane, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B78ZZ	Excision of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09B80ZX	Excision of left tympanic membrane, open approach, diagnostic
ICD-10	09B80ZZ	Excision of left tympanic membrane, open approach
ICD-10	09B83ZX	Excision of left tympanic membrane, percutaneous approach, diagnostic
ICD-10	09B83ZZ	Excision of left tympanic membrane, percutaneous approach
ICD-10	09B84ZX	Excision of left tympanic membrane, percutaneous endoscopic approach, diagnostic

ICD 9/10	Code	Description
ICD-10	09B84ZZ	Excision of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09B87ZX	Excision of left tympanic membrane, via natural or artificial opening, diagnostic
ICD-10	09B87ZZ	Excision of left tympanic membrane, via natural or artificial opening
ICD-10	09B88ZX	Excision of left tympanic membrane, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B88ZZ	Excision of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09B90ZX	Excision of right auditory ossicle, open approach, diagnostic
ICD-10	09B90ZZ	Excision of right auditory ossicle, open approach
ICD-10	09B98ZX	Excision of right auditory ossicle, via natural or artificial opening endoscopic, diagnostic
ICD-10	09B98ZZ	Excision of right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09BA0ZX	Excision of left auditory ossicle, open approach, diagnostic
ICD-10	09BA0ZZ	Excision of left auditory ossicle, open approach
ICD-10	09BA8ZX	Excision of left auditory ossicle, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BA8ZZ	Excision of left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09BB0ZX	Excision of right mastoid sinus, open approach, diagnostic
ICD-10	09BB3ZX	Excision of right mastoid sinus, percutaneous approach, diagnostic
ICD-10	09BB4ZX	Excision of right mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	09BB8ZX	Excision of right mastoid sinus, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BC0ZX	Excision of left mastoid sinus, open approach, diagnostic
ICD-10	09BC3ZX	Excision of left mastoid sinus, percutaneous approach, diagnostic
ICD-10	09BC4ZX	Excision of left mastoid sinus, percutaneous endoscopic approach, diagnostic
ICD-10	09BC8ZX	Excision of left mastoid sinus, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BD0ZX	Excision of right inner ear, open approach, diagnostic
ICD-10	09BD0ZZ	Excision of right inner ear, open approach
ICD-10	09BD8ZX	Excision of right inner ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BD8ZZ	Excision of right inner ear, via natural or artificial opening endoscopic
ICD-10	09BE0ZX	Excision of left inner ear, open approach, diagnostic
ICD-10	09BE0ZZ	Excision of left inner ear, open approach
ICD-10	09BE8ZX	Excision of left inner ear, via natural or artificial opening endoscopic, diagnostic
ICD-10	09BE8ZZ	Excision of left inner ear, via natural or artificial opening endoscopic
ICD-10	09BL0ZZ	Excision of nasal turbinate, open approach
ICD-10	09BL3ZZ	Excision of nasal turbinate, percutaneous approach
ICD-10	09BL4ZZ	Excision of nasal turbinate, percutaneous endoscopic approach
ICD-10	09BL7ZZ	Excision of nasal turbinate, via natural or artificial opening
ICD-10	09BL8ZZ	Excision of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09BM0ZZ	Excision of nasal septum, open approach
ICD-10	09BM3ZZ	Excision of nasal septum, percutaneous approach
ICD-10	09BM4ZZ	Excision of nasal septum, percutaneous endoscopic approach
ICD-10	09BM8ZZ	Excision of nasal septum, via natural or artificial opening endoscopic



ICD 9/10	Code	Description
ICD-10	09BN0ZZ	Excision of nasopharynx, open approach
ICD-10	09BN3ZZ	Excision of nasopharynx, percutaneous approach
ICD-10	09BN4ZZ	Excision of nasopharynx, percutaneous endoscopic approach
ICD-10	09BN7ZZ	Excision of nasopharynx, via natural or artificial opening
ICD-10	09BN8ZZ	Excision of nasopharynx, via natural or artificial opening endoscopic
ICD-10	09C50ZZ	Extirpation of matter from right middle ear, open approach
ICD-10	09C58ZZ	Extirpation of Matter from Right Middle Ear, Via Natural or Artificial Opening Endoscopic
ICD-10	09C60ZZ	Extirpation of matter from left middle ear, open approach
ICD-10	09C68ZZ	Extirpation of matter from left middle ear, via natural or artificial opening endoscopic
ICD-10	09C90ZZ	Extirpation of matter from right auditory ossicle, open approach
ICD-10	09C98ZZ	Extirpation of matter from right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09CA0ZZ	Extirpation of matter from left auditory ossicle, open approach
ICD-10	09CA8ZZ	Extirpation of matter from left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09CD0ZZ	Extirpation of matter from right inner ear, open approach
ICD-10	09CD8ZZ	Extirpation of matter from right inner ear, via natural or artificial opening endoscopic
ICD-10	09CE0ZZ	Extirpation of matter from left inner ear, open approach
ICD-10	09CE8ZZ	Extirpation of matter from left inner ear, via natural or artificial opening endoscopic
ICD-10	09CN0ZZ	Extirpation of matter from nasopharynx, open approach
ICD-10	09CN3ZZ	Extirpation of matter from nasopharynx, percutaneous approach
ICD-10	09CN4ZZ	Extirpation of matter from nasopharynx, percutaneous endoscopic approach
ICD-10	09CN7ZZ	Extirpation of matter from nasopharynx, via natural or artificial opening
ICD-10	09CN8ZZ	Extirpation of matter from nasopharynx, via natural or artificial opening endoscopic
ICD-10	09D70ZZ	Extraction of right tympanic membrane, open approach
ICD-10	09D73ZZ	Extraction of right tympanic membrane, percutaneous approach
ICD-10	09D74ZZ	Extraction of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09D77ZZ	Extraction of right tympanic membrane, via natural or artificial opening
ICD-10	09D78ZZ	Extraction of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09D80ZZ	Extraction of left tympanic membrane, open approach
ICD-10	09D83ZZ	Extraction of left tympanic membrane, percutaneous approach
ICD-10	09D84ZZ	Extraction of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09D87ZZ	Extraction of left tympanic membrane, via natural or artificial opening
ICD-10	09D88ZZ	Extraction of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09D90ZZ	Extraction of right auditory ossicle, open approach
ICD-10	09DA0ZZ	Extraction of left auditory ossicle, open approach
ICD-10	09DL0ZZ	Extraction of nasal turbinate, open approach
ICD-10	09DL3ZZ	Extraction of nasal turbinate, percutaneous approach
ICD-10	09DL4ZZ	Extraction of nasal turbinate, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09DL7ZZ	Extraction of nasal turbinate, via natural or artificial opening
ICD-10	09DL8ZZ	Extraction of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09DM0ZZ	Extraction of nasal septum, open approach
ICD-10	09DM3ZZ	Extraction of nasal septum, percutaneous approach
ICD-10	09DM4ZZ	Extraction of nasal septum, percutaneous endoscopic approach
ICD-10	09HD04Z	Insertion of bone conduction hearing device into right inner ear, open approach
ICD-10	09HD34Z	Insertion of bone conduction hearing device into right inner ear, percutaneous approach
ICD-10	09HD3SZ	Insertion of hearing device into right inner ear, percutaneous approach
ICD-10	09HD44Z	Insertion of bone conduction hearing device into right inner ear, percutaneous endoscopic approach
ICD-10	09HE04Z	Insertion of Bone Conduction Hearing Device into Left Inner Ear, Open Approach
ICD-10	09HE34Z	Insertion of bone conduction hearing device into left inner ear, percutaneous approach
ICD-10	09HE3SZ	Insertion of hearing device into left inner ear, percutaneous approach
ICD-10	09HE44Z	Insertion of bone conduction hearing device into left inner ear, percutaneous endoscopic approach
ICD-10	09HH0YZ	Insertion of other device into right ear, open approach
ICD-10	09HJ0YZ	Insertion of other device into left ear, open approach
ICD-10	09J70ZZ	Inspection of right tympanic membrane, open approach
ICD-10	09J74ZZ	Inspection of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09J80ZZ	Inspection of left tympanic membrane, open approach
ICD-10	09J84ZZ	Inspection of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09JD0ZZ	Inspection of right inner ear, open approach
ICD-10	09JD4ZZ	Inspection of right inner ear, percutaneous endoscopic approach
ICD-10	09JE0ZZ	Inspection of left inner ear, open approach
ICD-10	09JE4ZZ	Inspection of left inner ear, percutaneous endoscopic approach
ICD-10	09M0XZZ	Reattachment of right external ear, external approach
ICD-10	09M1XZZ	Reattachment of left external ear, external approach
ICD-10	09MKXZZ	Reattachment of nasal mucosa and soft tissue, external approach
ICD-10	09N00ZZ	Release right external ear, open approach
ICD-10	09N03ZZ	Release right external ear, percutaneous approach
ICD-10	09N04ZZ	Release right external ear, percutaneous endoscopic approach
ICD-10	09N10ZZ	Release left external ear, open approach
ICD-10	09N13ZZ	Release left external ear, percutaneous approach
ICD-10	09N14ZZ	Release left external ear, percutaneous endoscopic approach
ICD-10	09N30ZZ	Release right external auditory canal, open approach
ICD-10	09N33ZZ	Release right external auditory canal, percutaneous approach
ICD-10	09N34ZZ	Release right external auditory canal, percutaneous endoscopic approach
ICD-10	09N37ZZ	Release right external auditory canal, via natural or artificial opening
ICD-10	09N38ZZ	Release right external auditory canal, via natural or artificial opening endoscopic
ICD-10	09N40ZZ	Release left external auditory canal, open approach
ICD-10	09N43ZZ	Release left external auditory canal, percutaneous approach

ICD 9/10	Code	Description
ICD-10	09N44ZZ	Release left external auditory canal, percutaneous endoscopic approach
ICD-10	09N47ZZ	Release left external auditory canal, via natural or artificial opening
ICD-10	09N48ZZ	Release left external auditory canal, via natural or artificial opening endoscopic
ICD-10	09N50ZZ	Release right middle ear, open approach
ICD-10	09N58ZZ	Release right middle ear, via natural or artificial opening endoscopic
ICD-10	09N60ZZ	Release left middle ear, open approach
ICD-10	09N68ZZ	Release left middle ear, via natural or artificial opening endoscopic
ICD-10	09N70ZZ	Release right tympanic membrane, open approach
ICD-10	09N73ZZ	Release right tympanic membrane, percutaneous approach
ICD-10	09N74ZZ	Release right tympanic membrane, percutaneous endoscopic approach
ICD-10	09N77ZZ	Release right tympanic membrane, via natural or artificial opening
ICD-10	09N78ZZ	Release right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09N80ZZ	Release left tympanic membrane, open approach
ICD-10	09N83ZZ	Release left tympanic membrane, percutaneous approach
ICD-10	09N84ZZ	Release left tympanic membrane, percutaneous endoscopic approach
ICD-10	09N87ZZ	Release left tympanic membrane, via natural or artificial opening
ICD-10	09N88ZZ	Release left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09N90ZZ	Release right auditory ossicle, open approach
ICD-10	09N98ZZ	Release right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09NA0ZZ	Release left auditory ossicle, open approach
ICD-10	09NA8ZZ	Release left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09NB0ZZ	Release right mastoid sinus, open approach
ICD-10	09NB3ZZ	Release right mastoid sinus, percutaneous approach
ICD-10	09NB4ZZ	Release right mastoid sinus, percutaneous endoscopic approach
ICD-10	09NB8ZZ	Release right mastoid sinus, via natural or artificial opening endoscopic
ICD-10	09NC0ZZ	Release left mastoid sinus, open approach
ICD-10	09NC3ZZ	Release left mastoid sinus, percutaneous approach
ICD-10	09NC4ZZ	Release left mastoid sinus, percutaneous endoscopic approach
ICD-10	09NC8ZZ	Release left mastoid sinus, via natural or artificial opening endoscopic
ICD-10	09ND0ZZ	Release right inner ear, open approach
ICD-10	09ND8ZZ	Release right inner ear, via natural or artificial opening endoscopic
ICD-10	09NE0ZZ	Release left inner ear, open approach
ICD-10	09NE8ZZ	Release left inner ear, via natural or artificial opening endoscopic
ICD-10	09NN0ZZ	Release nasopharynx, open approach
ICD-10	09NN3ZZ	Release nasopharynx, percutaneous approach
ICD-10	09NN4ZZ	Release nasopharynx, percutaneous endoscopic approach
ICD-10	09NN7ZZ	Release nasopharynx, via natural or artificial opening
ICD-10	09NN8ZZ	Release nasopharynx, via natural or artificial opening endoscopic
ICD-10	09PD0SZ	Removal of hearing device from right inner ear, open approach
ICD-10	09PD7SZ	Removal of hearing device from right inner ear, via natural or artificial opening
ICD-10	09PD8SZ	Removal of hearing device from right inner ear, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09PE0SZ	Removal of hearing device from left inner ear, open approach
ICD-10	09PE7SZ	Removal of hearing device from left inner ear, via natural or artificial opening
ICD-10	09PE8SZ	Removal of hearing device from left inner ear, via natural or artificial opening endoscopic
ICD-10	09PH00Z	Removal of drainage device from right ear, open approach
ICD-10	09PH07Z	Removal of autologous tissue substitute from right ear, open approach
ICD-10	09PH0DZ	Removal of intraluminal device from right ear, open approach
ICD-10	09PH0JZ	Removal of synthetic substitute from right ear, open approach
ICD-10	09PH0KZ	Removal of nonautologous tissue substitute from right ear, open approach
ICD-10	09PH0YZ	Removal of other device from right ear, open approach
ICD-10	09PH37Z	Removal of autologous tissue substitute from right ear, percutaneous approach
ICD-10	09PH3DZ	Removal of intraluminal device from right ear, percutaneous approach
ICD-10	09PH47Z	Removal of autologous tissue substitute from right ear, percutaneous endoscopic approach
ICD-10	09PH4DZ	Removal of intraluminal device from right ear, percutaneous endoscopic approach
ICD-10	09PH77Z	Removal of autologous tissue substitute from right ear, via natural or artificial opening
ICD-10	09PH7JZ	Removal of synthetic substitute from right ear, via natural or artificial opening
ICD-10	09PH7KZ	Removal of nonautologous tissue substitute from right ear, via natural or artificial opening
ICD-10	09PH87Z	Removal of autologous tissue substitute from right ear, via natural or artificial opening endoscopic
ICD-10	09PH8JZ	Removal of synthetic substitute from right ear, via natural or artificial opening endoscopic
ICD-10	09PH8KZ	Removal of nonautologous tissue substitute from right ear, via natural or artificial opening endoscopic
ICD-10	09PJ00Z	Removal of drainage device from left ear, open approach
ICD-10	09PJ07Z	Removal of autologous tissue substitute from left ear, open approach
ICD-10	09PJ0DZ	Removal of intraluminal device from left ear, open approach
ICD-10	09PJ0JZ	Removal of synthetic substitute from left ear, open approach
ICD-10	09PJ0KZ	Removal of nonautologous tissue substitute from left ear, open approach
ICD-10	09PJ0YZ	Removal of other device from left ear, open approach
ICD-10	09PJ37Z	Removal of autologous tissue substitute from left ear, percutaneous approach
ICD-10	09PJ3DZ	Removal of intraluminal device from left ear, percutaneous approach
ICD-10	09PJ47Z	Removal of autologous tissue substitute from left ear, percutaneous endoscopic approach
ICD-10	09PJ4DZ	Removal of intraluminal device from left ear, percutaneous endoscopic approach
ICD-10	09PJ77Z	Removal of autologous tissue substitute from left ear, via natural or artificial opening
ICD-10	09PJ7JZ	Removal of synthetic substitute from left ear, via natural or artificial opening
ICD-10	09PJ7KZ	Removal of nonautologous tissue substitute from left ear, via natural or artificial opening
ICD-10	09PJ87Z	Removal of autologous tissue substitute from left ear, via natural or artificial opening endoscopic
ICD-10	09PJ8JZ	Removal of synthetic substitute from left ear, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09PJ8KZ	Removal of nonautologous tissue substitute from left ear, via natural or artificial opening endoscopic
ICD-10	09Q00ZZ	Repair right external ear, open approach
ICD-10	09Q03ZZ	Repair right external ear, percutaneous approach
ICD-10	09Q04ZZ	Repair right external ear, percutaneous endoscopic approach
ICD-10	09Q10ZZ	Repair left external ear, open approach
ICD-10	09Q13ZZ	Repair left external ear, percutaneous approach
ICD-10	09Q14ZZ	Repair left external ear, percutaneous endoscopic approach
ICD-10	09Q20ZZ	Repair bilateral external ear, open approach
ICD-10	09Q23ZZ	Repair bilateral external ear, percutaneous approach
ICD-10	09Q24ZZ	Repair bilateral external ear, percutaneous endoscopic approach
ICD-10	09Q30ZZ	Repair right external auditory canal, open approach
ICD-10	09Q33ZZ	Repair right external auditory canal, percutaneous approach
ICD-10	09Q34ZZ	Repair right external auditory canal, percutaneous endoscopic approach
ICD-10	09Q37ZZ	Repair right external auditory canal, via natural or artificial opening
ICD-10	09Q38ZZ	Repair right external auditory canal, via natural or artificial opening endoscopic
ICD-10	09Q40ZZ	Repair left external auditory canal, open approach
ICD-10	09Q43ZZ	Repair left external auditory canal, percutaneous approach
ICD-10	09Q44ZZ	Repair left external auditory canal, percutaneous endoscopic approach
ICD-10	09Q47ZZ	Repair left external auditory canal, via natural or artificial opening
ICD-10	09Q48ZZ	Repair left external auditory canal, via natural or artificial opening endoscopic
ICD-10	09Q50ZZ	Repair right middle ear, open approach
ICD-10	09Q58ZZ	Repair right middle ear, via natural or artificial opening endoscopic
ICD-10	09Q60ZZ	Repair left middle ear, open approach
ICD-10	09Q68ZZ	Repair left middle ear, via natural or artificial opening endoscopic
ICD-10	09Q70ZZ	Repair right tympanic membrane, open approach
ICD-10	09Q73ZZ	Repair right tympanic membrane, percutaneous approach
ICD-10	09Q74ZZ	Repair right tympanic membrane, percutaneous endoscopic approach
ICD-10	09Q77ZZ	Repair right tympanic membrane, via natural or artificial opening
ICD-10	09Q78ZZ	Repair right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09Q80ZZ	Repair left tympanic membrane, open approach
ICD-10	09Q83ZZ	Repair left tympanic membrane, percutaneous approach
ICD-10	09Q84ZZ	Repair left tympanic membrane, percutaneous endoscopic approach
ICD-10	09Q87ZZ	Repair left tympanic membrane, via natural or artificial opening
ICD-10	09Q88ZZ	Repair left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09Q90ZZ	Repair right auditory ossicle, open approach
ICD-10	09Q98ZZ	Repair right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09QA0ZZ	Repair left auditory ossicle, open approach
ICD-10	09QA8ZZ	Repair left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09QD0ZZ	Repair right inner ear, open approach
ICD-10	09QD8ZZ	Repair right inner ear, via natural or artificial opening endoscopic
ICD-10	09QE0ZZ	Repair left inner ear, open approach

ICD 9/10	Code	Description
ICD-10	09QE8ZZ	Repair left inner ear, via natural or artificial opening endoscopic
ICD-10	09QK0ZZ	Repair nasal mucosa and soft tissue, open approach
ICD-10	09QK3ZZ	Repair nasal mucosa and soft tissue, percutaneous approach
ICD-10	09QK4ZZ	Repair nasal mucosa and soft tissue, percutaneous endoscopic approach
ICD-10	09QK8ZZ	Repair nasal mucosa and soft tissue, via natural or artificial opening endoscopic
ICD-10	09QL0ZZ	Repair nasal turbinate, open approach
ICD-10	09QL3ZZ	Repair nasal turbinate, percutaneous approach
ICD-10	09QL4ZZ	Repair nasal turbinate, percutaneous endoscopic approach
ICD-10	09QL7ZZ	Repair nasal turbinate, via natural or artificial opening
ICD-10	09QL8ZZ	Repair nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09QM0ZZ	Repair nasal septum, open approach
ICD-10	09QM3ZZ	Repair nasal septum, percutaneous approach
ICD-10	09QM4ZZ	Repair nasal septum, percutaneous endoscopic approach
ICD-10	09QM8ZZ	Repair nasal septum, via natural or artificial opening endoscopic
ICD-10	09QN0ZZ	Repair nasopharynx, open approach
ICD-10	09QN3ZZ	Repair nasopharynx, percutaneous approach
ICD-10	09QN4ZZ	Repair nasopharynx, percutaneous endoscopic approach
ICD-10	09QN7ZZ	Repair nasopharynx, via natural or artificial opening
ICD-10	09QN8ZZ	Repair nasopharynx, via natural or artificial opening endoscopic
ICD-10	09R007Z	Replacement of right external ear with autologous tissue substitute, open approach
ICD-10	09R00JZ	Replacement of right external ear with synthetic substitute, open approach
ICD-10	09R00KZ	Replacement of right external ear with nonautologous tissue substitute, open approach
ICD-10	09R0X7Z	Replacement of right external ear with autologous tissue substitute, external approach
ICD-10	09R0XJZ	Replacement of right external ear with synthetic substitute, external approach
ICD-10	09R0XKZ	Replacement of right external ear with nonautologous tissue substitute, external approach
ICD-10	09R107Z	Replacement of left external ear with autologous tissue substitute, open approach
ICD-10	09R10JZ	Replacement of left external ear with synthetic substitute, open approach
ICD-10	09R10KZ	Replacement of left external ear with nonautologous tissue substitute, open approach
ICD-10	09R1X7Z	Replacement of left external ear with autologous tissue substitute, external approach
ICD-10	09R1XJZ	Replacement of left external ear with synthetic substitute, external approach
ICD-10	09R1XKZ	Replacement of left external ear with nonautologous tissue substitute, external approach
ICD-10	09R207Z	Replacement of bilateral external ear with autologous tissue substitute, open approach
ICD-10	09R20JZ	Replacement of bilateral external ear with synthetic substitute, open approach
ICD-10	09R20KZ	Replacement of bilateral external ear with nonautologous tissue substitute, open approach
ICD-10	09R2X7Z	Replacement of bilateral external ear with autologous tissue substitute, external approach
ICD-10	09R2XJZ	Replacement of bilateral external ear with synthetic substitute, external approach



ICD 9/10	Code	Description
ICD-10	09R2XKZ	Replacement of bilateral external ear with nonautologous tissue substitute, external approach
ICD-10	09R507Z	Replacement of right middle ear with autologous tissue substitute, open approach
ICD-10	09R50JZ	Replacement of right middle ear with synthetic substitute, open approach
ICD-10	09R50KZ	Replacement of right middle ear with nonautologous tissue substitute, open approach
ICD-10	09R607Z	Replacement of left middle ear with autologous tissue substitute, open approach
ICD-10	09R60JZ	Replacement of left middle ear with synthetic substitute, open approach
ICD-10	09R60KZ	Replacement of left middle ear with nonautologous tissue substitute, open approach
ICD-10	09R707Z	Replacement of right tympanic membrane with autologous tissue substitute, open approach
ICD-10	09R70JZ	Replacement of right tympanic membrane with synthetic substitute, open approach
ICD-10	09R70KZ	Replacement of right tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09R777Z	Replacement of Right Tympanic Membrane with Autologous Tissue Substitute, Via Natural or Artificial Opening
ICD-10	09R77JZ	Replacement of right tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09R77KZ	Replacement of right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09R787Z	Replacement of right tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R78JZ	Replacement of right tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09R78KZ	Replacement of right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R807Z	Replacement of left tympanic membrane with autologous tissue substitute, open approach
ICD-10	09R80JZ	Replacement of left tympanic membrane with synthetic substitute, open approach
ICD-10	09R80KZ	Replacement of left tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09R877Z	Replacement of left tympanic membrane with autologous tissue substitute, via natural or artificial opening
ICD-10	09R87JZ	Replacement of left tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09R87KZ	Replacement of left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09R887Z	Replacement of left tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R88JZ	Replacement of left tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09R88KZ	Replacement of left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09R907Z	Replacement of right auditory ossicle with autologous tissue substitute, open approach
ICD-10	09R90JZ	Replacement of right auditory ossicle with synthetic substitute, open approach
ICD-10	09R90KZ	Replacement of right auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09RA07Z	Replacement of Left Auditory Ossicle with Autologous Tissue Substitute, Open Approach



ICD 9/10	Code	Description
ICD-10	09RA0JZ	Replacement of left auditory ossicle with synthetic substitute, open approach
ICD-10	09RA0KZ	Replacement of left auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09RD07Z	Replacement of right inner ear with autologous tissue substitute, open approach
ICD-10	09RD0JZ	Replacement of right inner ear with synthetic substitute, open approach
ICD-10	09RD0KZ	Replacement of right inner ear with nonautologous tissue substitute, open approach
ICD-10	09RE07Z	Replacement of left inner ear with autologous tissue substitute, open approach
ICD-10	09RE0JZ	Replacement of left inner ear with synthetic substitute, open approach
ICD-10	09RE0KZ	Replacement of left inner ear with nonautologous tissue substitute, open approach
ICD-10	09RK07Z	Replacement of nasal mucosa and soft tissue with autologous tissue substitute, open approach
ICD-10	09RK0JZ	Replacement of nasal mucosa and soft tissue with synthetic substitute, open approach
ICD-10	09RK0KZ	Replacement of nasal mucosa and soft tissue with nonautologous tissue substitute, open approach
ICD-10	09RKX7Z	Replacement of nasal mucosa and soft tissue with autologous tissue substitute, external approach
ICD-10	09RKXJZ	Replacement of nasal mucosa and soft tissue with synthetic substitute, external approach
ICD-10	09RKXKZ	Replacement of nasal mucosa and soft tissue with nonautologous tissue substitute, external approach
ICD-10	09RL07Z	Replacement of nasal turbinate with autologous tissue substitute, open approach
ICD-10	09RL0JZ	Replacement of nasal turbinate with synthetic substitute, open approach
ICD-10	09RL0KZ	Replacement of nasal turbinate with nonautologous tissue substitute, open approach
ICD-10	09RL37Z	Replacement of nasal turbinate with autologous tissue substitute, percutaneous approach
ICD-10	09RL3JZ	Replacement of nasal turbinate with synthetic substitute, percutaneous approach
ICD-10	09RL3KZ	Replacement of nasal turbinate with nonautologous tissue substitute, percutaneous approach
ICD-10	09RL47Z	Replacement of nasal turbinate with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RL4JZ	Replacement of nasal turbinate with synthetic substitute, percutaneous endoscopic approach
ICD-10	09RL4KZ	Replacement of nasal turbinate with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RL77Z	Replacement of nasal turbinate with autologous tissue substitute, via natural or artificial opening
ICD-10	09RL7JZ	Replacement of nasal turbinate with synthetic substitute, via natural or artificial opening
ICD-10	09RL7KZ	Replacement of nasal turbinate with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09RL87Z	Replacement of nasal turbinate with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09RL8JZ	Replacement of nasal turbinate with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09RL8KZ	Replacement of nasal turbinate with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09RM07Z	Replacement of nasal septum with autologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	09RM0JZ	Replacement of nasal septum with synthetic substitute, open approach
ICD-10	09RM0KZ	Replacement of nasal septum with nonautologous tissue substitute, open approach
ICD-10	09RM37Z	Replacement of nasal septum with autologous tissue substitute, percutaneous approach
ICD-10	09RM3JZ	Replacement of nasal septum with synthetic substitute, percutaneous approach
ICD-10	09RM3KZ	Replacement of nasal septum with nonautologous tissue substitute, percutaneous approach
ICD-10	09RM47Z	Replacement of nasal septum with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RM4JZ	Replacement of nasal septum with synthetic substitute, percutaneous endoscopic approach
ICD-10	09RM4KZ	Replacement of nasal septum with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09RN07Z	Replacement of nasopharynx with autologous tissue substitute, open approach
ICD-10	09RN0JZ	Replacement of nasopharynx with synthetic substitute, open approach
ICD-10	09RN0KZ	Replacement of nasopharynx with nonautologous tissue substitute, open approach
ICD-10	09RN77Z	Replacement of nasopharynx with autologous tissue substitute, via natural or artificial opening
ICD-10	09RN7JZ	Replacement of nasopharynx with synthetic substitute, via natural or artificial opening
ICD-10	09RN7KZ	Replacement of nasopharynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09RN87Z	Replacement of nasopharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09RN8JZ	Replacement of nasopharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09RN8KZ	Replacement of nasopharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09S00ZZ	Reposition right external ear, open approach
ICD-10	09S04ZZ	Reposition right external ear, percutaneous endoscopic approach
ICD-10	09S0XZZ	Reposition right external ear, external approach
ICD-10	09S10ZZ	Reposition left external ear, open approach
ICD-10	09S14ZZ	Reposition left external ear, percutaneous endoscopic approach
ICD-10	09S1XZZ	Reposition left external ear, external approach
ICD-10	09S20ZZ	Reposition bilateral external ear, open approach
ICD-10	09S24ZZ	Reposition bilateral external ear, percutaneous endoscopic approach
ICD-10	09S2XZZ	Reposition bilateral external ear, external approach
ICD-10	09S70ZZ	Reposition right tympanic membrane, open approach
ICD-10	09S74ZZ	Reposition right tympanic membrane, percutaneous endoscopic approach
ICD-10	09S77ZZ	Reposition right tympanic membrane, via natural or artificial opening
ICD-10	09S78ZZ	Reposition right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09S80ZZ	Reposition left tympanic membrane, open approach
ICD-10	09S84ZZ	Reposition left tympanic membrane, percutaneous endoscopic approach
ICD-10	09S87ZZ	Reposition left tympanic membrane, via natural or artificial opening
ICD-10	09S88ZZ	Reposition left tympanic membrane, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09S90ZZ	Reposition right auditory ossicle, open approach
ICD-10	09S94ZZ	Reposition right auditory ossicle, percutaneous endoscopic approach
ICD-10	09SA0ZZ	Reposition left auditory ossicle, open approach
ICD-10	09SA4ZZ	Reposition left auditory ossicle, percutaneous endoscopic approach
ICD-10	09SK0ZZ	Reposition nasal mucosa and soft tissue, open approach
ICD-10	09SK4ZZ	Reposition nasal mucosa and soft tissue, percutaneous endoscopic approach
ICD-10	09SKXZZ	Reposition nasal mucosa and soft tissue, external approach
ICD-10	09SL0ZZ	Reposition nasal turbinate, open approach
ICD-10	09SL4ZZ	Reposition nasal turbinate, percutaneous endoscopic approach
ICD-10	09SL7ZZ	Reposition nasal turbinate, via natural or artificial opening
ICD-10	09SL8ZZ	Reposition nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09SM0ZZ	Reposition nasal septum, open approach
ICD-10	09SM4ZZ	Reposition nasal septum, percutaneous endoscopic approach
ICD-10	09T00ZZ	Resection of right external ear, open approach
ICD-10	09T04ZZ	Resection of right external ear, percutaneous endoscopic approach
ICD-10	09T0XZZ	Resection of right external ear, external approach
ICD-10	09T10ZZ	Resection of left external ear, open approach
ICD-10	09T14ZZ	Resection of left external ear, percutaneous endoscopic approach
ICD-10	09T1XZZ	Resection of left external ear, external approach
ICD-10	09T50ZZ	Resection of right middle ear, open approach
ICD-10	09T58ZZ	Resection of right middle ear, via natural or artificial opening endoscopic
ICD-10	09T60ZZ	Resection of left middle ear, open approach
ICD-10	09T68ZZ	Resection of left middle ear, via natural or artificial opening endoscopic
ICD-10	09T70ZZ	Resection of right tympanic membrane, open approach
ICD-10	09T74ZZ	Resection of right tympanic membrane, percutaneous endoscopic approach
ICD-10	09T77ZZ	Resection of right tympanic membrane, via natural or artificial opening
ICD-10	09T78ZZ	Resection of right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09T80ZZ	Resection of left tympanic membrane, open approach
ICD-10	09T84ZZ	Resection of left tympanic membrane, percutaneous endoscopic approach
ICD-10	09T87ZZ	Resection of left tympanic membrane, via natural or artificial opening
ICD-10	09T88ZZ	Resection of left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09T90ZZ	Resection of right auditory ossicle, open approach
ICD-10	09T98ZZ	Resection of right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09TA0ZZ	Resection of left auditory ossicle, open approach
ICD-10	09TA8ZZ	Resection of left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09TD0ZZ	Resection of right inner ear, open approach
ICD-10	09TD8ZZ	Resection of right inner ear, via natural or artificial opening endoscopic
ICD-10	09TE0ZZ	Resection of left inner ear, open approach
ICD-10	09TE8ZZ	Resection of left inner ear, via natural or artificial opening endoscopic
ICD-10	09TK0ZZ	Resection of nasal mucosa and soft tissue, open approach
ICD-10	09TK4ZZ	Resection of nasal mucosa and soft tissue, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	09TK8ZZ	Resection of nasal mucosa and soft tissue, via natural or artificial opening endoscopic
ICD-10	09TKXZZ	Resection of nasal mucosa and soft tissue, external approach
ICD-10	09TL0ZZ	Resection of nasal turbinate, open approach
ICD-10	09TL4ZZ	Resection of nasal turbinate, percutaneous endoscopic approach
ICD-10	09TL7ZZ	Resection of nasal turbinate, via natural or artificial opening
ICD-10	09TL8ZZ	Resection of nasal turbinate, via natural or artificial opening endoscopic
ICD-10	09TM0ZZ	Resection of nasal septum, open approach
ICD-10	09TM4ZZ	Resection of nasal septum, percutaneous endoscopic approach
ICD-10	09TM8ZZ	Resection of nasal septum, via natural or artificial opening endoscopic
ICD-10	09TN0ZZ	Resection of nasopharynx, open approach
ICD-10	09TN4ZZ	Resection of nasopharynx, percutaneous endoscopic approach
ICD-10	09TN7ZZ	Resection of nasopharynx, via natural or artificial opening
ICD-10	09TN8ZZ	Resection of nasopharynx, via natural or artificial opening endoscopic
ICD-10	09U007Z	Supplement right external ear with autologous tissue substitute, open approach
ICD-10	09U00JZ	Supplement right external ear with synthetic substitute, open approach
ICD-10	09U00KZ	Supplement right external ear with nonautologous tissue substitute, open approach
ICD-10	09U0X7Z	Supplement right external ear with autologous tissue substitute, external approach
ICD-10	09U0XJZ	Supplement right external ear with synthetic substitute, external approach
ICD-10	09U0XKZ	Supplement right external ear with nonautologous tissue substitute, external approach
ICD-10	09U107Z	Supplement left external ear with autologous tissue substitute, open approach
ICD-10	09U10JZ	Supplement left external ear with synthetic substitute, open approach
ICD-10	09U10KZ	Supplement left external ear with nonautologous tissue substitute, open approach
ICD-10	09U1X7Z	Supplement left external ear with autologous tissue substitute, external approach
ICD-10	09U1XJZ	Supplement left external ear with synthetic substitute, external approach
ICD-10	09U1XKZ	Supplement left external ear with nonautologous tissue substitute, external approach
ICD-10	09U207Z	Supplement bilateral external ear with autologous tissue substitute, open approach
ICD-10	09U20JZ	Supplement bilateral external ear with synthetic substitute, open approach
ICD-10	09U20KZ	Supplement bilateral external ear with nonautologous tissue substitute, open approach
ICD-10	09U2X7Z	Supplement bilateral external ear with autologous tissue substitute, external approach
ICD-10	09U2XJZ	Supplement bilateral external ear with synthetic substitute, external approach
ICD-10	09U2XKZ	Supplement bilateral external ear with nonautologous tissue substitute, external approach
ICD-10	09U507Z	Supplement right middle ear with autologous tissue substitute, open approach
ICD-10	09U50JZ	Supplement right middle ear with synthetic substitute, open approach
ICD-10	09U50KZ	Supplement right middle ear with nonautologous tissue substitute, open approach
ICD-10	09U587Z	Supplement right middle ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U58JZ	Supplement right middle ear with synthetic substitute, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09U58KZ	Supplement right middle ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U607Z	Supplement left middle ear with autologous tissue substitute, open approach
ICD-10	09U60JZ	Supplement left middle ear with synthetic substitute, open approach
ICD-10	09U60KZ	Supplement left middle ear with nonautologous tissue substitute, open approach
ICD-10	09U687Z	Supplement left middle ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U68JZ	Supplement left middle ear with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U68KZ	Supplement left middle ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U707Z	Supplement right tympanic membrane with autologous tissue substitute, open approach
ICD-10	09U70JZ	Supplement right tympanic membrane with synthetic substitute, open approach
ICD-10	09U70KZ	Supplement right tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09U777Z	Supplement right tympanic membrane with autologous tissue substitute, via natural or artificial opening
ICD-10	09U77JZ	Supplement right tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09U77KZ	Supplement right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09U787Z	Supplement right tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U78JZ	Supplement right tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U78KZ	Supplement right tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U807Z	Supplement left tympanic membrane with autologous tissue substitute, open approach
ICD-10	09U80JZ	Supplement left tympanic membrane with synthetic substitute, open approach
ICD-10	09U80KZ	Supplement left tympanic membrane with nonautologous tissue substitute, open approach
ICD-10	09U877Z	Supplement left tympanic membrane with autologous tissue substitute, via natural or artificial opening
ICD-10	09U87JZ	Supplement left tympanic membrane with synthetic substitute, via natural or artificial opening
ICD-10	09U87KZ	Supplement left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09U887Z	Supplement left tympanic membrane with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U88JZ	Supplement left tympanic membrane with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U88KZ	Supplement left tympanic membrane with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09U907Z	Supplement right auditory ossicle with autologous tissue substitute, open approach
ICD-10	09U90JZ	Supplement right auditory ossicle with synthetic substitute, open approach
ICD-10	09U90KZ	Supplement right auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09U987Z	Supplement right auditory ossicle with autologous tissue substitute, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	09U98JZ	Supplement right auditory ossicle with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09U98KZ	Supplement right auditory ossicle with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UA07Z	Supplement left auditory ossicle with autologous tissue substitute, open approach
ICD-10	09UA0JZ	Supplement left auditory ossicle with synthetic substitute, open approach
ICD-10	09UA0KZ	Supplement left auditory ossicle with nonautologous tissue substitute, open approach
ICD-10	09UA87Z	Supplement left auditory ossicle with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UA8JZ	Supplement left auditory ossicle with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UA8KZ	Supplement left auditory ossicle with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UD07Z	Supplement right inner ear with autologous tissue substitute, open approach
ICD-10	09UD0JZ	Supplement right inner ear with synthetic substitute, open approach
ICD-10	09UD0KZ	Supplement right inner ear with nonautologous tissue substitute, open approach
ICD-10	09UD87Z	Supplement right inner ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UD8JZ	Supplement right inner ear with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UD8KZ	Supplement right inner ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UE07Z	Supplement left inner ear with autologous tissue substitute, open approach
ICD-10	09UE0JZ	Supplement left inner ear with synthetic substitute, open approach
ICD-10	09UE0KZ	Supplement left inner ear with nonautologous tissue substitute, open approach
ICD-10	09UE87Z	Supplement left inner ear with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UE8JZ	Supplement left inner ear with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UE8KZ	Supplement left inner ear with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UK07Z	Supplement nasal mucosa and soft tissue with autologous tissue substitute, open approach
ICD-10	09UK0JZ	Supplement nasal mucosa and soft tissue with synthetic substitute, open approach
ICD-10	09UK0KZ	Supplement nasal mucosa and soft tissue with nonautologous tissue substitute, open approach
ICD-10	09UK87Z	Supplement nasal mucosa and soft tissue with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UK8JZ	Supplement nasal mucosa and soft tissue with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UK8KZ	Supplement nasal mucosa and soft tissue with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UKX7Z	Supplement nasal mucosa and soft tissue with autologous tissue substitute, external approach
ICD-10	09UKXJZ	Supplement nasal mucosa and soft tissue with synthetic substitute, external approach
ICD-10	09UKXKZ	Supplement nasal mucosa and soft tissue with nonautologous tissue substitute, external approach
ICD-10	09UL07Z	Supplement nasal turbinate with autologous tissue substitute, open approach



ICD 9/10	Code	Description
ICD-10	09UL0JZ	Supplement nasal turbinate with synthetic substitute, open approach
ICD-10	09UL0KZ	Supplement nasal turbinate with nonautologous tissue substitute, open approach
ICD-10	09UL37Z	Supplement nasal turbinate with autologous tissue substitute, percutaneous approach
ICD-10	09UL3JZ	Supplement nasal turbinate with synthetic substitute, percutaneous approach
ICD-10	09UL3KZ	Supplement nasal turbinate with nonautologous tissue substitute, percutaneous approach
ICD-10	09UL47Z	Supplement nasal turbinate with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UL4JZ	Supplement nasal turbinate with synthetic substitute, percutaneous endoscopic approach
ICD-10	09UL4KZ	Supplement nasal turbinate with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UL77Z	Supplement nasal turbinate with autologous tissue substitute, via natural or artificial opening
ICD-10	09UL7JZ	Supplement nasal turbinate with synthetic substitute, via natural or artificial opening
ICD-10	09UL7KZ	Supplement nasal turbinate with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09UL87Z	Supplement nasal turbinate with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UL8JZ	Supplement nasal turbinate with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UL8KZ	Supplement nasal turbinate with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UM07Z	Supplement nasal septum with autologous tissue substitute, open approach
ICD-10	09UM0JZ	Supplement nasal septum with synthetic substitute, open approach
ICD-10	09UM0KZ	Supplement nasal septum with nonautologous tissue substitute, open approach
ICD-10	09UM37Z	Supplement nasal septum with autologous tissue substitute, percutaneous approach
ICD-10	09UM3JZ	Supplement nasal septum with synthetic substitute, percutaneous approach
ICD-10	09UM3KZ	Supplement nasal septum with nonautologous tissue substitute, percutaneous approach
ICD-10	09UM47Z	Supplement nasal septum with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UM4JZ	Supplement nasal septum with synthetic substitute, percutaneous endoscopic approach
ICD-10	09UM4KZ	Supplement nasal septum with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	09UM87Z	Supplement nasal septum with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UM8JZ	Supplement nasal septum with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UM8KZ	Supplement nasal septum with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UN07Z	Supplement nasopharynx with autologous tissue substitute, open approach
ICD-10	09UN0JZ	Supplement nasopharynx with synthetic substitute, open approach
ICD-10	09UN0KZ	Supplement nasopharynx with nonautologous tissue substitute, open approach
ICD-10	09UN77Z	Supplement nasopharynx with autologous tissue substitute, via natural or artificial opening



ICD 9/10	Code	Description
ICD-10	09UN7JZ	Supplement nasopharynx with synthetic substitute, via natural or artificial opening
ICD-10	09UN7KZ	Supplement nasopharynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	09UN87Z	Supplement nasopharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09UN8JZ	Supplement nasopharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	09UN8KZ	Supplement nasopharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	09W707Z	Revision of autologous tissue substitute in right tympanic membrane, open approach
ICD-10	09W70JZ	Revision of synthetic substitute in right tympanic membrane, open approach
ICD-10	09W70KZ	Revision of nonautologous tissue substitute in right tympanic membrane, open approach
ICD-10	09W777Z	Revision of autologous tissue substitute in right tympanic membrane, via natural or artificial opening
ICD-10	09W77JZ	Revision of synthetic substitute in right tympanic membrane, via natural or artificial opening
ICD-10	09W77KZ	Revision of nonautologous tissue substitute in right tympanic membrane, via natural or artificial opening
ICD-10	09W787Z	Revision of autologous tissue substitute in right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W78JZ	Revision of synthetic substitute in right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W78KZ	Revision of nonautologous tissue substitute in right tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W807Z	Revision of autologous tissue substitute in left tympanic membrane, open approach
ICD-10	09W80JZ	Revision of synthetic substitute in left tympanic membrane, open approach
ICD-10	09W80KZ	Revision of nonautologous tissue substitute in left tympanic membrane, open approach
ICD-10	09W877Z	Revision of autologous tissue substitute in left tympanic membrane, via natural or artificial opening
ICD-10	09W87JZ	Revision of synthetic substitute in left tympanic membrane, via natural or artificial opening
ICD-10	09W87KZ	Revision of nonautologous tissue substitute in left tympanic membrane, via natural or artificial opening
ICD-10	09W887Z	Revision of autologous tissue substitute in left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W88JZ	Revision of synthetic substitute in left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W88KZ	Revision of nonautologous tissue substitute in left tympanic membrane, via natural or artificial opening endoscopic
ICD-10	09W907Z	Revision of autologous tissue substitute in right auditory ossicle, open approach
ICD-10	09W90JZ	Revision of synthetic substitute in right auditory ossicle, open approach
ICD-10	09W90KZ	Revision of nonautologous tissue substitute in right auditory ossicle, open approach
ICD-10	09W977Z	Revision of autologous tissue substitute in right auditory ossicle, via natural or artificial opening
ICD-10	09W97JZ	Revision of synthetic substitute in right auditory ossicle, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	09W97KZ	Revision of nonautologous tissue substitute in right auditory ossicle, via natural or artificial opening
ICD-10	09W987Z	Revision of autologous tissue substitute in right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09W98JZ	Revision of synthetic substitute in right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09W98KZ	Revision of nonautologous tissue substitute in right auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WA07Z	Revision of autologous tissue substitute in left auditory ossicle, open approach
ICD-10	09WA0JZ	Revision of synthetic substitute in left auditory ossicle, open approach
ICD-10	09WA0KZ	Revision of nonautologous tissue substitute in left auditory ossicle, open approach
ICD-10	09WA77Z	Revision of autologous tissue substitute in left auditory ossicle, via natural or artificial opening
ICD-10	09WA7JZ	Revision of synthetic substitute in left auditory ossicle, via natural or artificial opening
ICD-10	09WA7KZ	Revision of nonautologous tissue substitute in left auditory ossicle, via natural or artificial opening
ICD-10	09WA87Z	Revision of autologous tissue substitute in left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WA8JZ	Revision of synthetic substitute in left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WA8KZ	Revision of nonautologous tissue substitute in left auditory ossicle, via natural or artificial opening endoscopic
ICD-10	09WD0SZ	Revision of hearing device in right inner ear, open approach
ICD-10	09WD7SZ	Revision of hearing device in right inner ear, via natural or artificial opening
ICD-10	09WD8SZ	Revision of hearing device in right inner ear, via natural or artificial opening endoscopic
ICD-10	09WE0SZ	Revision of hearing device in left inner ear, open approach
ICD-10	09WE7SZ	Revision of hearing device in left inner ear, via natural or artificial opening
ICD-10	09WE8SZ	Revision of hearing device in left inner ear, via natural or artificial opening endoscopic
ICD-10	09WH00Z	Revision of drainage device in right ear, open approach
ICD-10	09WH07Z	Revision of autologous tissue substitute in right ear, open approach
ICD-10	09WH0DZ	Revision of intraluminal device in right ear, open approach
ICD-10	09WH0JZ	Revision of synthetic substitute in right ear, open approach
ICD-10	09WH0KZ	Revision of nonautologous tissue substitute in right ear, open approach
ICD-10	09WH0YZ	Revision of other device in right ear, open approach
ICD-10	09WH30Z	Revision of drainage device in right ear, percutaneous approach
ICD-10	09WH37Z	Revision of autologous tissue substitute in right ear, percutaneous approach
ICD-10	09WH3DZ	Revision of intraluminal device in right ear, percutaneous approach
ICD-10	09WH40Z	Revision of drainage device in right ear, percutaneous endoscopic approach
ICD-10	09WH47Z	Revision of autologous tissue substitute in right ear, percutaneous endoscopic approach
ICD-10	09WH4DZ	Revision of intraluminal device in right ear, percutaneous endoscopic approach
ICD-10	09WH70Z	Revision of drainage device in right ear, via natural or artificial opening
ICD-10	09WH77Z	Revision of autologous tissue substitute in right ear, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	09WH7JZ	Revision of synthetic substitute in right ear, via natural or artificial opening
ICD-10	09WH7KZ	Revision of nonautologous tissue substitute in right ear, via natural or artificial opening
ICD-10	09WH80Z	Revision of drainage device in right ear, via natural or artificial opening endoscopic
ICD-10	09WH87Z	Revision of autologous tissue substitute in right ear, via natural or artificial opening endoscopic
ICD-10	09WH8JZ	Revision of synthetic substitute in right ear, via natural or artificial opening endoscopic
ICD-10	09WH8KZ	Revision of nonautologous tissue substitute in right ear, via natural or artificial opening endoscopic
ICD-10	09WJ00Z	Revision of drainage device in left ear, open approach
ICD-10	09WJ07Z	Revision of autologous tissue substitute in left ear, open approach
ICD-10	09WJ0DZ	Revision of intraluminal device in left ear, open approach
ICD-10	09WJ0JZ	Revision of synthetic substitute in left ear, open approach
ICD-10	09WJ0KZ	Revision of nonautologous tissue substitute in left ear, open approach
ICD-10	09WJ0YZ	Revision of other device in left ear, open approach
ICD-10	09WJ30Z	Revision of drainage device in left ear, percutaneous approach
ICD-10	09WJ37Z	Revision of autologous tissue substitute in left ear, percutaneous approach
ICD-10	09WJ3DZ	Revision of intraluminal device in left ear, percutaneous approach
ICD-10	09WJ40Z	Revision of drainage device in left ear, percutaneous endoscopic approach
ICD-10	09WJ47Z	Revision of autologous tissue substitute in left ear, percutaneous endoscopic approach
ICD-10	09WJ4DZ	Revision of intraluminal device in left ear, percutaneous endoscopic approach
ICD-10	09WJ70Z	Revision of drainage device in left ear, via natural or artificial opening
ICD-10	09WJ77Z	Revision of autologous tissue substitute in left ear, via natural or artificial opening
ICD-10	09WJ7JZ	Revision of synthetic substitute in left ear, via natural or artificial opening
ICD-10	09WJ7KZ	Revision of nonautologous tissue substitute in left ear, via natural or artificial opening
ICD-10	09WJ80Z	Revision of drainage device in left ear, via natural or artificial opening endoscopic
ICD-10	09WJ87Z	Revision of autologous tissue substitute in left ear, via natural or artificial opening endoscopic
ICD-10	09WJ8JZ	Revision of synthetic substitute in left ear, via natural or artificial opening endoscopic
ICD-10	09WJ8KZ	Revision of nonautologous tissue substitute in left ear, via natural or artificial opening endoscopic
ICD-10	0B520ZZ	Destruction of carina, open approach
ICD-10	0B523ZZ	Destruction of carina, percutaneous approach
ICD-10	0B524ZZ	Destruction of carina, percutaneous endoscopic approach
ICD-10	0B527ZZ	Destruction of carina, via natural or artificial opening
ICD-10	0B528ZZ	Destruction of carina, via natural or artificial opening endoscopic
ICD-10	0B710DZ	Dilation of trachea with intraluminal device, open approach
ICD-10	0B710ZZ	Dilation of trachea, open approach
ICD-10	0B713DZ	Dilation of trachea with intraluminal device, percutaneous approach
ICD-10	0B713ZZ	Dilation of trachea, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0B714DZ	Dilation of trachea with intraluminal device, percutaneous endoscopic approach
ICD-10	0B714ZZ	Dilation of trachea, percutaneous endoscopic approach
ICD-10	0B717DZ	Dilation of trachea with intraluminal device, via natural or artificial opening
ICD-10	0B717ZZ	Dilation of trachea, via natural or artificial opening
ICD-10	0B718DZ	Dilation of trachea with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0B718ZZ	Dilation of trachea, via natural or artificial opening endoscopic
ICD-10	0B720DZ	Dilation of carina with intraluminal device, open approach
ICD-10	0B720ZZ	Dilation of carina, open approach
ICD-10	0B723DZ	Dilation of carina with intraluminal device, percutaneous approach
ICD-10	0B723ZZ	Dilation of carina, percutaneous approach
ICD-10	0B724DZ	Dilation of carina with intraluminal device, percutaneous endoscopic approach
ICD-10	0B724ZZ	Dilation of carina, percutaneous endoscopic approach
ICD-10	0B727DZ	Dilation of carina with intraluminal device, via natural or artificial opening
ICD-10	0B727ZZ	Dilation of carina, via natural or artificial opening
ICD-10	0B728DZ	Dilation of carina with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0B728ZZ	Dilation of carina, via natural or artificial opening endoscopic
ICD-10	0B910ZX	Drainage of trachea, open approach, diagnostic
ICD-10	0B920ZX	Drainage of carina, open approach, diagnostic
ICD-10	0BB10ZX	Excision of trachea, open approach, diagnostic
ICD-10	0BB10ZZ	Excision of trachea, open approach
ICD-10	0BB13ZZ	Excision of trachea, percutaneous approach
ICD-10	0BB14ZZ	Excision of trachea, percutaneous endoscopic approach
ICD-10	0BB17ZZ	Excision of trachea, via natural or artificial opening
ICD-10	0BB18ZZ	Excision of trachea, via natural or artificial opening endoscopic
ICD-10	0BB20ZX	Excision of carina, open approach, diagnostic
ICD-10	0BB20ZZ	Excision of carina, open approach
ICD-10	0BB23ZZ	Excision of carina, percutaneous approach
ICD-10	0BB24ZZ	Excision of carina, percutaneous endoscopic approach
ICD-10	0BB27ZZ	Excision of carina, via natural or artificial opening
ICD-10	0BB28ZZ	Excision of carina, via natural or artificial opening endoscopic
ICD-10	0BF10ZZ	Fragmentation in trachea, open approach
ICD-10	0BF13ZZ	Fragmentation in trachea, percutaneous approach
ICD-10	0BF14ZZ	Fragmentation in trachea, percutaneous endoscopic approach
ICD-10	0BF17ZZ	Fragmentation in trachea, via natural or artificial opening
ICD-10	0BF18ZZ	Fragmentation in trachea, via natural or artificial opening endoscopic
ICD-10	0BF20ZZ	Fragmentation in carina, open approach
ICD-10	0BF23ZZ	Fragmentation in carina, percutaneous approach
ICD-10	0BF24ZZ	Fragmentation in carina, percutaneous endoscopic approach
ICD-10	0BF27ZZ	Fragmentation in carina, via natural or artificial opening
ICD-10	0BF28ZZ	Fragmentation in carina, via natural or artificial opening endoscopic
ICD-10	0BL10CZ	Occlusion of trachea with extraluminal device, open approach

ICD 9/10	Code	Description
ICD-10	0BL10DZ	Occlusion of trachea with intraluminal device, open approach
ICD-10	0BL10ZZ	Occlusion of trachea, open approach
ICD-10	0BL13CZ	Occlusion of trachea with extraluminal device, percutaneous approach
ICD-10	0BL13DZ	Occlusion of trachea with intraluminal device, percutaneous approach
ICD-10	0BL13ZZ	Occlusion of trachea, percutaneous approach
ICD-10	0BL14CZ	Occlusion of trachea with extraluminal device, percutaneous endoscopic approach
ICD-10	0BL14DZ	Occlusion of trachea with intraluminal device, percutaneous endoscopic approach
ICD-10	0BL14ZZ	Occlusion of trachea, percutaneous endoscopic approach
ICD-10	0BL17DZ	Occlusion of trachea with intraluminal device, via natural or artificial opening
ICD-10	0BL17ZZ	Occlusion of trachea, via natural or artificial opening
ICD-10	0BL18DZ	Occlusion of trachea with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BL18ZZ	Occlusion of trachea, via natural or artificial opening endoscopic
ICD-10	0BL20CZ	Occlusion of carina with extraluminal device, open approach
ICD-10	0BL20DZ	Occlusion of carina with intraluminal device, open approach
ICD-10	0BL20ZZ	Occlusion of carina, open approach
ICD-10	0BL23CZ	Occlusion of carina with extraluminal device, percutaneous approach
ICD-10	0BL23DZ	Occlusion of carina with intraluminal device, percutaneous approach
ICD-10	0BL23ZZ	Occlusion of carina, percutaneous approach
ICD-10	0BL24CZ	Occlusion of carina with extraluminal device, percutaneous endoscopic approach
ICD-10	0BL24DZ	Occlusion of carina with intraluminal device, percutaneous endoscopic approach
ICD-10	0BL24ZZ	Occlusion of carina, percutaneous endoscopic approach
ICD-10	0BL27DZ	Occlusion of carina with intraluminal device, via natural or artificial opening
ICD-10	0BL27ZZ	Occlusion of carina, via natural or artificial opening
ICD-10	0BL28DZ	Occlusion of carina with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BL28ZZ	Occlusion of carina, via natural or artificial opening endoscopic
ICD-10	0BM10ZZ	Reattachment of trachea, open approach
ICD-10	0BM20ZZ	Reattachment of carina, open approach
ICD-10	0BN10ZZ	Release trachea, open approach
ICD-10	0BN13ZZ	Release trachea, percutaneous approach
ICD-10	0BN14ZZ	Release trachea, percutaneous endoscopic approach
ICD-10	0BN17ZZ	Release trachea, via natural or artificial opening
ICD-10	0BN18ZZ	Release trachea, via natural or artificial opening endoscopic
ICD-10	0BN20ZZ	Release carina, open approach
ICD-10	0BN23ZZ	Release carina, percutaneous approach
ICD-10	0BN24ZZ	Release carina, percutaneous endoscopic approach
ICD-10	0BN27ZZ	Release carina, via natural or artificial opening
ICD-10	0BN28ZZ	Release carina, via natural or artificial opening endoscopic
ICD-10	0BQ10ZZ	Repair trachea, open approach
ICD-10	0BQ13ZZ	Repair trachea, percutaneous approach
ICD-10	0BQ14ZZ	Repair trachea, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0BQ17ZZ	Repair trachea, via natural or artificial opening
ICD-10	0BQ18ZZ	Repair trachea, via natural or artificial opening endoscopic
ICD-10	0BQ20ZZ	Repair carina, open approach
ICD-10	0BQ23ZZ	Repair carina, percutaneous approach
ICD-10	0BQ24ZZ	Repair carina, percutaneous endoscopic approach
ICD-10	0BQ27ZZ	Repair carina, via natural or artificial opening
ICD-10	0BQ28ZZ	Repair carina, via natural or artificial opening endoscopic
ICD-10	0BR107Z	Replacement of trachea with autologous tissue substitute, open approach
ICD-10	0BR10JZ	Replacement of trachea with synthetic substitute, open approach
ICD-10	0BR10KZ	Replacement of trachea with nonautologous tissue substitute, open approach
ICD-10	0BR147Z	Replacement of trachea with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BR14JZ	Replacement of trachea with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BR14KZ	Replacement of trachea with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BR207Z	Replacement of carina with autologous tissue substitute, open approach
ICD-10	0BR20JZ	Replacement of carina with synthetic substitute, open approach
ICD-10	0BR20KZ	Replacement of carina with nonautologous tissue substitute, open approach
ICD-10	0BR247Z	Replacement of carina with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BR24JZ	Replacement of carina with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BR24KZ	Replacement of carina with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BS10ZZ	Reposition trachea, open approach
ICD-10	0BS20ZZ	Reposition carina, open approach
ICD-10	0BT10ZZ	Resection of trachea, open approach
ICD-10	0BT14ZZ	Resection of trachea, percutaneous endoscopic approach
ICD-10	0BT20ZZ	Resection of carina, open approach
ICD-10	0BT24ZZ	Resection of carina, percutaneous endoscopic approach
ICD-10	0BU107Z	Supplement trachea with autologous tissue substitute, open approach
ICD-10	0BU10JZ	Supplement trachea with synthetic substitute, open approach
ICD-10	0BU10KZ	Supplement trachea with nonautologous tissue substitute, open approach
ICD-10	0BU147Z	Supplement trachea with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU14JZ	Supplement trachea with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BU14KZ	Supplement trachea with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU187Z	Supplement trachea with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BU18JZ	Supplement trachea with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0BU18KZ	Supplement trachea with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BU207Z	Supplement carina with autologous tissue substitute, open approach
ICD-10	0BU20JZ	Supplement carina with synthetic substitute, open approach



ICD 9/10	Code	Description
ICD-10	0BU20KZ	Supplement carina with nonautologous tissue substitute, open approach
ICD-10	0BU247Z	Supplement carina with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU24JZ	Supplement carina with synthetic substitute, percutaneous endoscopic approach
ICD-10	0BU24KZ	Supplement carina with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0BU287Z	Supplement carina with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BU28JZ	Supplement carina with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0BU28KZ	Supplement carina with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0BV10CZ	Restriction of trachea with extraluminal device, open approach
ICD-10	0BV10DZ	Restriction of trachea with intraluminal device, open approach
ICD-10	0BV10ZZ	Restriction of trachea, open approach
ICD-10	0BV13CZ	Restriction of trachea with extraluminal device, percutaneous approach
ICD-10	0BV13DZ	Restriction of trachea with intraluminal device, percutaneous approach
ICD-10	0BV13ZZ	Restriction of trachea, percutaneous approach
ICD-10	0BV14CZ	Restriction of trachea with extraluminal device, percutaneous endoscopic approach
ICD-10	0BV14DZ	Restriction of trachea with intraluminal device, percutaneous endoscopic approach
ICD-10	0BV14ZZ	Restriction of trachea, percutaneous endoscopic approach
ICD-10	0BV17DZ	Restriction of trachea with intraluminal device, via natural or artificial opening
ICD-10	0BV17ZZ	Restriction of trachea, via natural or artificial opening
ICD-10	0BV18DZ	Restriction of trachea with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BV18ZZ	Restriction of trachea, via natural or artificial opening endoscopic
ICD-10	0BV20CZ	Restriction of carina with extraluminal device, open approach
ICD-10	0BV20DZ	Restriction of carina with intraluminal device, open approach
ICD-10	0BV20ZZ	Restriction of carina, open approach
ICD-10	0BV23CZ	Restriction of carina with extraluminal device, percutaneous approach
ICD-10	0BV23DZ	Restriction of carina with intraluminal device, percutaneous approach
ICD-10	0BV23ZZ	Restriction of carina, percutaneous approach
ICD-10	0BV24CZ	Restriction of carina with extraluminal device, percutaneous endoscopic approach
ICD-10	0BV24DZ	Restriction of carina with intraluminal device, percutaneous endoscopic approach
ICD-10	0BV24ZZ	Restriction of carina, percutaneous endoscopic approach
ICD-10	0BV27DZ	Restriction of carina with intraluminal device, via natural or artificial opening
ICD-10	0BV27ZZ	Restriction of carina, via natural or artificial opening
ICD-10	0BV28DZ	Restriction of carina with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0BV28ZZ	Restriction of carina, via natural or artificial opening endoscopic
ICD-10	0BW13FZ	Revision of tracheostomy device in trachea, percutaneous approach
ICD-10	0C5M0ZZ	Destruction of pharynx, open approach
ICD-10	0C5M3ZZ	Destruction of pharynx, percutaneous approach



ICD 9/10	Code	Description
ICD-10	0C5M4ZZ	Destruction of pharynx, percutaneous endoscopic approach
ICD-10	0C5M7ZZ	Destruction of pharynx, via natural or artificial opening
ICD-10	0C5M8ZZ	Destruction of pharynx, via natural or artificial opening endoscopic
ICD-10	0C5P0ZZ	Destruction of tonsils, open approach
ICD-10	0C5P3ZZ	Destruction of tonsils, percutaneous approach
ICD-10	0C5PXZZ	Destruction of tonsils, external approach
ICD-10	0C5Q0ZZ	Destruction of adenoids, open approach
ICD-10	0C5Q3ZZ	Destruction of adenoids, percutaneous approach
ICD-10	0C5QXZZ	Destruction of adenoids, external approach
ICD-10	0C5R0ZZ	Destruction of epiglottis, open approach
ICD-10	0C5R3ZZ	Destruction of epiglottis, percutaneous approach
ICD-10	0C5R4ZZ	Destruction of epiglottis, percutaneous endoscopic approach
ICD-10	0C5R7ZZ	Destruction of epiglottis, via natural or artificial opening
ICD-10	0C5R8ZZ	Destruction of epiglottis, via natural or artificial opening endoscopic
ICD-10	0C5S0ZZ	Destruction of larynx, open approach
ICD-10	0C5S3ZZ	Destruction of larynx, percutaneous approach
ICD-10	0C5S4ZZ	Destruction of larynx, percutaneous endoscopic approach
ICD-10	0C5S7ZZ	Destruction of larynx, via natural or artificial opening
ICD-10	0C5S8ZZ	Destruction of larynx, via natural or artificial opening endoscopic
ICD-10	0C5T0ZZ	Destruction of right vocal cord, open approach
ICD-10	0C5T3ZZ	Destruction of right vocal cord, percutaneous approach
ICD-10	0C5T4ZZ	Destruction of right vocal cord, percutaneous endoscopic approach
ICD-10	0C5T7ZZ	Destruction of right vocal cord, via natural or artificial opening
ICD-10	0C5T8ZZ	Destruction of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0C5V0ZZ	Destruction of left vocal cord, open approach
ICD-10	0C5V3ZZ	Destruction of left vocal cord, percutaneous approach
ICD-10	0C5V4ZZ	Destruction of left vocal cord, percutaneous endoscopic approach
ICD-10	0C5V7ZZ	Destruction of left vocal cord, via natural or artificial opening
ICD-10	0C5V8ZZ	Destruction of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0C7S0DZ	Dilation of larynx with intraluminal device, open approach
ICD-10	0C7S0ZZ	Dilation of larynx, open approach
ICD-10	0C7S3DZ	Dilation of larynx with intraluminal device, percutaneous approach
ICD-10	0C7S3ZZ	Dilation of larynx, percutaneous approach
ICD-10	0C7S4DZ	Dilation of larynx with intraluminal device, percutaneous endoscopic approach
ICD-10	0C7S4ZZ	Dilation of larynx, percutaneous endoscopic approach
ICD-10	0C7S7DZ	Dilation of larynx with intraluminal device, via natural or artificial opening
ICD-10	0C7S7ZZ	Dilation of larynx, via natural or artificial opening
ICD-10	0C7S8DZ	Dilation of larynx with intraluminal device, via natural or artificial opening endoscopic
ICD-10	0C7S8ZZ	Dilation of larynx, via natural or artificial opening endoscopic
ICD-10	0C9M00Z	Drainage of pharynx with drainage device, open approach
ICD-10	0C9M0ZZ	Drainage of pharynx, open approach

ICD 9/10	Code	Description
ICD-10	0C9M40Z	Drainage of pharynx with drainage device, percutaneous endoscopic approach
ICD-10	0C9M4ZZ	Drainage of pharynx, percutaneous endoscopic approach
ICD-10	0C9M70Z	Drainage of pharynx with drainage device, via natural or artificial opening
ICD-10	0C9M7ZZ	Drainage of pharynx, via natural or artificial opening
ICD-10	0C9M80Z	Drainage of pharynx with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9M8ZZ	Drainage of pharynx, via natural or artificial opening endoscopic
ICD-10	0C9P00Z	Drainage of tonsils with drainage device, open approach
ICD-10	0C9P0ZX	Drainage of tonsils, open approach, diagnostic
ICD-10	0C9P0ZZ	Drainage of tonsils, open approach
ICD-10	0C9P3ZX	Drainage of tonsils, percutaneous approach, diagnostic
ICD-10	0C9PX0Z	Drainage of tonsils with drainage device, external approach
ICD-10	0C9PXZX	Drainage of tonsils, external approach, diagnostic
ICD-10	0C9PXZZ	Drainage of tonsils, external approach
ICD-10	0C9Q00Z	Drainage of adenoids with drainage device, open approach
ICD-10	0C9Q0ZX	Drainage of adenoids, open approach, diagnostic
ICD-10	0C9Q0ZZ	Drainage of adenoids, open approach
ICD-10	0C9Q3ZX	Drainage of adenoids, percutaneous approach, diagnostic
ICD-10	0C9QX0Z	Drainage of adenoids with drainage device, external approach
ICD-10	0C9QXZX	Drainage of adenoids, external approach, diagnostic
ICD-10	0C9QXZZ	Drainage of adenoids, external approach
ICD-10	0C9R00Z	Drainage of epiglottis with drainage device, open approach
ICD-10	0C9R0ZX	Drainage of epiglottis, open approach, diagnostic
ICD-10	0C9R0ZZ	Drainage of epiglottis, open approach
ICD-10	0C9R40Z	Drainage of epiglottis with drainage device, percutaneous endoscopic approach
ICD-10	0C9R4ZZ	Drainage of epiglottis, percutaneous endoscopic approach
ICD-10	0C9R70Z	Drainage of epiglottis with drainage device, via natural or artificial opening
ICD-10	0C9R7ZZ	Drainage of epiglottis, via natural or artificial opening
ICD-10	0C9R80Z	Drainage of epiglottis with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9R8ZZ	Drainage of epiglottis, via natural or artificial opening endoscopic
ICD-10	0C9S00Z	Drainage of larynx with drainage device, open approach
ICD-10	0C9S0ZX	Drainage of larynx, open approach, diagnostic
ICD-10	0C9S0ZZ	Drainage of larynx, open approach
ICD-10	0C9S40Z	Drainage of larynx with drainage device, percutaneous endoscopic approach
ICD-10	0C9S4ZZ	Drainage of larynx, percutaneous endoscopic approach
ICD-10	0C9S70Z	Drainage of larynx with drainage device, via natural or artificial opening
ICD-10	0C9S7ZZ	Drainage of larynx, via natural or artificial opening
ICD-10	0C9S80Z	Drainage of larynx with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9S8ZZ	Drainage of larynx, via natural or artificial opening endoscopic
ICD-10	0C9T00Z	Drainage of right vocal cord with drainage device, open approach
ICD-10	0C9T0ZX	Drainage of right vocal cord, open approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0C9T0ZZ	Drainage of right vocal cord, open approach
ICD-10	0C9T40Z	Drainage of right vocal cord with drainage device, percutaneous endoscopic approach
ICD-10	0C9T4ZZ	Drainage of right vocal cord, percutaneous endoscopic approach
ICD-10	0C9T70Z	Drainage of right vocal cord with drainage device, via natural or artificial opening
ICD-10	0C9T7ZZ	Drainage of right vocal cord, via natural or artificial opening
ICD-10	0C9T80Z	Drainage of right vocal cord with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9T8ZZ	Drainage of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0C9V00Z	Drainage of left vocal cord with drainage device, open approach
ICD-10	0C9V0ZX	Drainage of left vocal cord, open approach, diagnostic
ICD-10	0C9V0ZZ	Drainage of left vocal cord, open approach
ICD-10	0C9V40Z	Drainage of left vocal cord with drainage device, percutaneous endoscopic approach
ICD-10	0C9V4ZZ	Drainage of left vocal cord, percutaneous endoscopic approach
ICD-10	0C9V70Z	Drainage of left vocal cord with drainage device, via natural or artificial opening
ICD-10	0C9V7ZZ	Drainage of left vocal cord, via natural or artificial opening
ICD-10	0C9V80Z	Drainage of left vocal cord with drainage device, via natural or artificial opening endoscopic
ICD-10	0C9V8ZZ	Drainage of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CBM0ZZ	Excision of pharynx, open approach
ICD-10	0CBM3ZZ	Excision of pharynx, percutaneous approach
ICD-10	0CBM4ZZ	Excision of pharynx, percutaneous endoscopic approach
ICD-10	0CBM7ZZ	Excision of pharynx, via natural or artificial opening
ICD-10	0CBM8ZZ	Excision of pharynx, via natural or artificial opening endoscopic
ICD-10	0CBP0ZX	Excision of tonsils, open approach, diagnostic
ICD-10	0CBP0ZZ	Excision of tonsils, open approach
ICD-10	0CBP3ZX	Excision of tonsils, percutaneous approach, diagnostic
ICD-10	0CBP3ZZ	Excision of tonsils, percutaneous approach
ICD-10	0CBPXZX	Excision of tonsils, external approach, diagnostic
ICD-10	0CBPXZZ	Excision of tonsils, external approach
ICD-10	0CBQ0ZX	Excision of adenoids, open approach, diagnostic
ICD-10	0CBQ0ZZ	Excision of adenoids, open approach
ICD-10	0CBQ3ZX	Excision of adenoids, percutaneous approach, diagnostic
ICD-10	0CBQ3ZZ	Excision of adenoids, percutaneous approach
ICD-10	0CBQXZX	Excision of adenoids, external approach, diagnostic
ICD-10	0CBQXZZ	Excision of adenoids, external approach
ICD-10	0CBR0ZX	Excision of epiglottis, open approach, diagnostic
ICD-10	0CBR0ZZ	Excision of epiglottis, open approach
ICD-10	0CBR3ZZ	Excision of epiglottis, percutaneous approach
ICD-10	0CBR4ZZ	Excision of epiglottis, percutaneous endoscopic approach
ICD-10	0CBR7ZZ	Excision of epiglottis, via natural or artificial opening
ICD-10	0CBR8ZZ	Excision of epiglottis, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CBS0ZX	Excision of larynx, open approach, diagnostic
ICD-10	0CBS3ZZ	Excision of larynx, percutaneous approach
ICD-10	0CBS7ZZ	Excision of larynx, via natural or artificial opening
ICD-10	0CBS8ZZ	Excision of larynx, via natural or artificial opening endoscopic
ICD-10	0CBT0ZX	Excision of right vocal cord, open approach, diagnostic
ICD-10	0CBT0ZZ	Excision of right vocal cord, open approach
ICD-10	0CBT3ZZ	Excision of right vocal cord, percutaneous approach
ICD-10	0CBT4ZZ	Excision of right vocal cord, percutaneous endoscopic approach
ICD-10	0CBT7ZZ	Excision of right vocal cord, via natural or artificial opening
ICD-10	0CBT8ZZ	Excision of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CBV0ZX	Excision of left vocal cord, open approach, diagnostic
ICD-10	0CBV0ZZ	Excision of left vocal cord, open approach
ICD-10	0CBV3ZZ	Excision of left vocal cord, percutaneous approach
ICD-10	0CBV4ZZ	Excision of left vocal cord, percutaneous endoscopic approach
ICD-10	0CBV7ZZ	Excision of left vocal cord, via natural or artificial opening
ICD-10	0CBV8ZZ	Excision of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CCM0ZZ	Extirpation of matter from pharynx, open approach
ICD-10	0CCM3ZZ	Extirpation of matter from pharynx, percutaneous approach
ICD-10	0CCM4ZZ	Extirpation of matter from pharynx, percutaneous endoscopic approach
ICD-10	0CCP0ZZ	Extirpation of matter from tonsils, open approach
ICD-10	0CCP3ZZ	Extirpation of matter from tonsils, percutaneous approach
ICD-10	0CCQ0ZZ	Extirpation of matter from adenoids, open approach
ICD-10	0CCQ3ZZ	Extirpation of matter from adenoids, percutaneous approach
ICD-10	0CCR0ZZ	Extirpation of matter from epiglottis, open approach
ICD-10	0CCR3ZZ	Extirpation of matter from epiglottis, percutaneous approach
ICD-10	0CCR4ZZ	Extirpation of matter from epiglottis, percutaneous endoscopic approach
ICD-10	0CCR7ZZ	Extirpation of matter from epiglottis, via natural or artificial opening
ICD-10	0CCR8ZZ	Extirpation of matter from epiglottis, via natural or artificial opening endoscopic
ICD-10	0CCS0ZZ	Extirpation of matter from larynx, open approach
ICD-10	0CCS3ZZ	Extirpation of matter from larynx, percutaneous approach
ICD-10	0CCS4ZZ	Extirpation of matter from larynx, percutaneous endoscopic approach
ICD-10	0CCT0ZZ	Extirpation of matter from right vocal cord, open approach
ICD-10	0CCT3ZZ	Extirpation of matter from right vocal cord, percutaneous approach
ICD-10	0CCT4ZZ	Extirpation of matter from right vocal cord, percutaneous endoscopic approach
ICD-10	0CCT7ZZ	Extirpation of matter from right vocal cord, via natural or artificial opening
ICD-10	0CCT8ZZ	Extirpation of matter from right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CCV0ZZ	Extirpation of matter from left vocal cord, open approach
ICD-10	0CCV3ZZ	Extirpation of matter from left vocal cord, percutaneous approach
ICD-10	0CCV4ZZ	Extirpation of matter from left vocal cord, percutaneous endoscopic approach
ICD-10	0CCV7ZZ	Extirpation of matter from left vocal cord, via natural or artificial opening
ICD-10	0CCV8ZZ	Extirpation of matter from left vocal cord, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CDT0ZZ	Extraction of right vocal cord, open approach
ICD-10	0CDT3ZZ	Extraction of right vocal cord, percutaneous approach
ICD-10	0CDT4ZZ	Extraction of right vocal cord, percutaneous endoscopic approach
ICD-10	0CDT7ZZ	Extraction of right vocal cord, via natural or artificial opening
ICD-10	0CDT8ZZ	Extraction of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CDV0ZZ	Extraction of left vocal cord, open approach
ICD-10	0CDV3ZZ	Extraction of left vocal cord, percutaneous approach
ICD-10	0CDV4ZZ	Extraction of left vocal cord, percutaneous endoscopic approach
ICD-10	0CDV7ZZ	Extraction of left vocal cord, via natural or artificial opening
ICD-10	0CDV8ZZ	Extraction of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CH701Z	Insertion of radioactive element into tongue, open approach
ICD-10	0CH731Z	Insertion of radioactive element into tongue, percutaneous approach
ICD-10	0CH7X1Z	Insertion of radioactive element into tongue, external approach
ICD-10	0CHA0YZ	Insertion of other device into salivary gland, open approach
ICD-10	0CNM0ZZ	Release pharynx, open approach
ICD-10	0CNM3ZZ	Release pharynx, percutaneous approach
ICD-10	0CNM4ZZ	Release pharynx, percutaneous endoscopic approach
ICD-10	0CNM7ZZ	Release pharynx, via natural or artificial opening
ICD-10	0CNM8ZZ	Release pharynx, via natural or artificial opening endoscopic
ICD-10	0CNP0ZZ	Release tonsils, open approach
ICD-10	0CNP3ZZ	Release tonsils, percutaneous approach
ICD-10	0CNPXZZ	Release tonsils, external approach
ICD-10	0CNQ0ZZ	Release adenoids, open approach
ICD-10	0CNQ3ZZ	Release adenoids, percutaneous approach
ICD-10	0CNQXZZ	Release adenoids, external approach
ICD-10	0CNR0ZZ	Release epiglottis, open approach
ICD-10	0CNR3ZZ	Release epiglottis, percutaneous approach
ICD-10	0CNR4ZZ	Release epiglottis, percutaneous endoscopic approach
ICD-10	0CNR7ZZ	Release epiglottis, via natural or artificial opening
ICD-10	0CNR8ZZ	Release epiglottis, via natural or artificial opening endoscopic
ICD-10	0CNS0ZZ	Release larynx, open approach
ICD-10	0CNS3ZZ	Release larynx, percutaneous approach
ICD-10	0CNS4ZZ	Release larynx, percutaneous endoscopic approach
ICD-10	0CNS7ZZ	Release larynx, via natural or artificial opening
ICD-10	0CNS8ZZ	Release larynx, via natural or artificial opening endoscopic
ICD-10	0CNT0ZZ	Release right vocal cord, open approach
ICD-10	0CNT3ZZ	Release right vocal cord, percutaneous approach
ICD-10	0CNT4ZZ	Release right vocal cord, percutaneous endoscopic approach
ICD-10	0CNT7ZZ	Release right vocal cord, via natural or artificial opening
ICD-10	0CNT8ZZ	Release right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CNV0ZZ	Release left vocal cord, open approach
ICD-10	0CNV3ZZ	Release left vocal cord, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0CNV4ZZ	Release left vocal cord, percutaneous endoscopic approach
ICD-10	0CNV7ZZ	Release left vocal cord, via natural or artificial opening
ICD-10	0CNV8ZZ	Release left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CPS00Z	Removal of drainage device from larynx, open approach
ICD-10	0CPS07Z	Removal of autologous tissue substitute from larynx, open approach
ICD-10	0CPS0DZ	Removal of intraluminal device from larynx, open approach
ICD-10	0CPS0JZ	Removal of synthetic substitute from larynx, open approach
ICD-10	0CPS0KZ	Removal of nonautologous tissue substitute from larynx, open approach
ICD-10	0CPS0YZ	Removal of other device from larynx, open approach
ICD-10	0CPS30Z	Removal of drainage device from larynx, percutaneous approach
ICD-10	0CPS37Z	Removal of autologous tissue substitute from larynx, percutaneous approach
ICD-10	0CPS3DZ	Removal of intraluminal device from larynx, percutaneous approach
ICD-10	0CPS3JZ	Removal of synthetic substitute from larynx, percutaneous approach
ICD-10	0CPS3KZ	Removal of nonautologous tissue substitute from larynx, percutaneous approach
ICD-10	0CPS77Z	Removal of autologous tissue substitute from larynx, via natural or artificial opening
ICD-10	0CPS7JZ	Removal of synthetic substitute from larynx, via natural or artificial opening
ICD-10	0CPS7KZ	Removal of nonautologous tissue substitute from larynx, via natural or artificial opening
ICD-10	0CPS87Z	Removal of autologous tissue substitute from larynx, via natural or artificial opening endoscopic
ICD-10	0CPS8JZ	Removal of synthetic substitute from larynx, via natural or artificial opening endoscopic
ICD-10	0CPS8KZ	Removal of nonautologous tissue substitute from larynx, via natural or artificial opening endoscopic
ICD-10	0CPY71Z	Removal of radioactive element from mouth and throat, via natural or artificial opening
ICD-10	0CPY77Z	Removal of autologous tissue substitute from mouth and throat, via natural or artificial opening
ICD-10	0CPY7JZ	Removal of synthetic substitute from mouth and throat, via natural or artificial opening
ICD-10	0CPY7KZ	Removal of nonautologous tissue substitute from mouth and throat, via natural or artificial opening
ICD-10	0CPY81Z	Removal of radioactive element from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CPY87Z	Removal of autologous tissue substitute from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CPY8JZ	Removal of synthetic substitute from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CPY8KZ	Removal of nonautologous tissue substitute from mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CQ20ZZ	Repair hard palate, open approach
ICD-10	0CQ23ZZ	Repair hard palate, percutaneous approach
ICD-10	0CQ2XZZ	Repair hard palate, external approach
ICD-10	0CQ30ZZ	Repair soft palate, open approach
ICD-10	0CQ33ZZ	Repair soft palate, percutaneous approach
ICD-10	0CQ3XZZ	Repair soft palate, external approach



ICD 9/10	Code	Description
ICD-10	0CQM0ZZ	Repair pharynx, open approach
ICD-10	0CQM3ZZ	Repair pharynx, percutaneous approach
ICD-10	0CQM4ZZ	Repair pharynx, percutaneous endoscopic approach
ICD-10	0CQM7ZZ	Repair pharynx, via natural or artificial opening
ICD-10	0CQM8ZZ	Repair pharynx, via natural or artificial opening endoscopic
ICD-10	0CQP0ZZ	Repair tonsils, open approach
ICD-10	0CQP3ZZ	Repair tonsils, percutaneous approach
ICD-10	0CQPXZZ	Repair tonsils, external approach
ICD-10	0CQQ0ZZ	Repair adenoids, open approach
ICD-10	0CQQ3ZZ	Repair adenoids, percutaneous approach
ICD-10	0CQQXZZ	Repair adenoids, external approach
ICD-10	0CQR0ZZ	Repair epiglottis, open approach
ICD-10	0CQR3ZZ	Repair epiglottis, percutaneous approach
ICD-10	0CQR4ZZ	Repair epiglottis, percutaneous endoscopic approach
ICD-10	0CQR7ZZ	Repair epiglottis, via natural or artificial opening
ICD-10	0CQR8ZZ	Repair epiglottis, via natural or artificial opening endoscopic
ICD-10	0CQS0ZZ	Repair larynx, open approach
ICD-10	0CQS3ZZ	Repair larynx, percutaneous approach
ICD-10	0CQS4ZZ	Repair larynx, percutaneous endoscopic approach
ICD-10	0CQS7ZZ	Repair larynx, via natural or artificial opening
ICD-10	0CQS8ZZ	Repair larynx, via natural or artificial opening endoscopic
ICD-10	0CQT0ZZ	Repair right vocal cord, open approach
ICD-10	0CQT3ZZ	Repair right vocal cord, percutaneous approach
ICD-10	0CQT4ZZ	Repair right vocal cord, percutaneous endoscopic approach
ICD-10	0CQT7ZZ	Repair right vocal cord, via natural or artificial opening
ICD-10	0CQT8ZZ	Repair right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CQV0ZZ	Repair left vocal cord, open approach
ICD-10	0CQV3ZZ	Repair left vocal cord, percutaneous approach
ICD-10	0CQV4ZZ	Repair left vocal cord, percutaneous endoscopic approach
ICD-10	0CQV7ZZ	Repair left vocal cord, via natural or artificial opening
ICD-10	0CQV8ZZ	Repair left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CR207Z	Replacement of hard palate with autologous tissue substitute, open approach
ICD-10	0CR20JZ	Replacement of hard palate with synthetic substitute, open approach
ICD-10	0CR20KZ	Replacement of hard palate with nonautologous tissue substitute, open approach
ICD-10	0CR237Z	Replacement of hard palate with autologous tissue substitute, percutaneous approach
ICD-10	0CR23JZ	Replacement of hard palate with synthetic substitute, percutaneous approach
ICD-10	0CR23KZ	Replacement of hard palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CR2X7Z	Replacement of hard palate with autologous tissue substitute, external approach
ICD-10	0CR2XJZ	Replacement of hard palate with synthetic substitute, external approach
ICD-10	0CR2XKZ	Replacement of hard palate with nonautologous tissue substitute, external approach



ICD 9/10	Code	Description
ICD-10	0CR307Z	Replacement of soft palate with autologous tissue substitute, open approach
ICD-10	0CR30JZ	Replacement of soft palate with synthetic substitute, open approach
ICD-10	0CR30KZ	Replacement of soft palate with nonautologous tissue substitute, open approach
ICD-10	0CR337Z	Replacement of soft palate with autologous tissue substitute, percutaneous approach
ICD-10	0CR33JZ	Replacement of soft palate with synthetic substitute, percutaneous approach
ICD-10	0CR33KZ	Replacement of soft palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CR3X7Z	Replacement of soft palate with autologous tissue substitute, external approach
ICD-10	0CR3XJZ	Replacement of soft palate with synthetic substitute, external approach
ICD-10	0CR3XKZ	Replacement of soft palate with nonautologous tissue substitute, external approach
ICD-10	0CRM07Z	Replacement of pharynx with autologous tissue substitute, open approach
ICD-10	0CRM0JZ	Replacement of pharynx with synthetic substitute, open approach
ICD-10	0CRM0KZ	Replacement of pharynx with nonautologous tissue substitute, open approach
ICD-10	0CRM77Z	Replacement of pharynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRM7JZ	Replacement of pharynx with synthetic substitute, via natural or artificial opening
ICD-10	0CRM7KZ	Replacement of Pharynx with Nonautologous Tissue Substitute, Via Natural or Artificial Opening
ICD-10	0CRM87Z	Replacement of pharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRM8JZ	Replacement of pharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRM8KZ	Replacement of pharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRR07Z	Replacement of epiglottis with autologous tissue substitute, open approach
ICD-10	0CRR0JZ	Replacement of epiglottis with synthetic substitute, open approach
ICD-10	0CRR0KZ	Replacement of epiglottis with nonautologous tissue substitute, open approach
ICD-10	0CRR77Z	Replacement of epiglottis with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRR7JZ	Replacement of epiglottis with synthetic substitute, via natural or artificial opening
ICD-10	0CRR7KZ	Replacement of epiglottis with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRR87Z	Replacement of epiglottis with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRR8JZ	Replacement of epiglottis with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRR8KZ	Replacement of epiglottis with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRS07Z	Replacement of larynx with autologous tissue substitute, open approach
ICD-10	0CRS0JZ	Replacement of larynx with synthetic substitute, open approach
ICD-10	0CRS0KZ	Replacement of larynx with nonautologous tissue substitute, open approach
ICD-10	0CRS77Z	Replacement of larynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRS7JZ	Replacement of larynx with synthetic substitute, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	0CRS7KZ	Replacement of larynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRS87Z	Replacement of larynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRS8JZ	Replacement of larynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRS8KZ	Replacement of larynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRT07Z	Replacement of right vocal cord with autologous tissue substitute, open approach
ICD-10	0CRT0JZ	Replacement of right vocal cord with synthetic substitute, open approach
ICD-10	0CRT0KZ	Replacement of right vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CRT77Z	Replacement of right vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRT7JZ	Replacement of right vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CRT7KZ	Replacement of right vocal cord with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRT87Z	Replacement of right vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRT8JZ	Replacement of right vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRT8KZ	Replacement of right vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRV07Z	Replacement of left vocal cord with autologous tissue substitute, open approach
ICD-10	0CRV0JZ	Replacement of left vocal cord with synthetic substitute, open approach
ICD-10	0CRV0KZ	Replacement of left vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CRV77Z	Replacement of left vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CRV7JZ	Replacement of left vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CRV7KZ	Replacement of left vocal cord with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CRV87Z	Replacement of left vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CRV8JZ	Replacement of left vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CRV8KZ	Replacement of left vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CS20ZZ	Reposition hard palate, open approach
ICD-10	0CS2XZZ	Reposition hard palate, external approach
ICD-10	0CS30ZZ	Reposition soft palate, open approach
ICD-10	0CS3XZZ	Reposition soft palate, external approach
ICD-10	0CSR0ZZ	Reposition epiglottis, open approach
ICD-10	0CSR7ZZ	Reposition epiglottis, via natural or artificial opening
ICD-10	0CSR8ZZ	Reposition epiglottis, via natural or artificial opening endoscopic
ICD-10	0CST0ZZ	Reposition right vocal cord, open approach
ICD-10	0CST7ZZ	Reposition right vocal cord, via natural or artificial opening
ICD-10	0CST8ZZ	Reposition right vocal cord, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CSV0ZZ	Reposition left vocal cord, open approach
ICD-10	0CSV7ZZ	Reposition left vocal cord, via natural or artificial opening
ICD-10	0CSV8ZZ	Reposition left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CTM0ZZ	Resection of pharynx, open approach
ICD-10	0CTM4ZZ	Resection of pharynx, percutaneous endoscopic approach
ICD-10	0CTM7ZZ	Resection of pharynx, via natural or artificial opening
ICD-10	0CTM8ZZ	Resection of pharynx, via natural or artificial opening endoscopic
ICD-10	0CTP0ZZ	Resection of tonsils, open approach
ICD-10	0CTPXZZ	Resection of tonsils, external approach
ICD-10	0CTQ0ZZ	Resection of adenoids, open approach
ICD-10	0CTQXZZ	Resection of adenoids, external approach
ICD-10	0CTR0ZZ	Resection of epiglottis, open approach
ICD-10	0CTR4ZZ	Resection of epiglottis, percutaneous endoscopic approach
ICD-10	0CTR7ZZ	Resection of epiglottis, via natural or artificial opening
ICD-10	0CTR8ZZ	Resection of epiglottis, via natural or artificial opening endoscopic
ICD-10	0CTT0ZZ	Resection of right vocal cord, open approach
ICD-10	0CTT4ZZ	Resection of right vocal cord, percutaneous endoscopic approach
ICD-10	0CTT7ZZ	Resection of right vocal cord, via natural or artificial opening
ICD-10	0CTT8ZZ	Resection of right vocal cord, via natural or artificial opening endoscopic
ICD-10	0CTV0ZZ	Resection of left vocal cord, open approach
ICD-10	0CTV4ZZ	Resection of left vocal cord, percutaneous endoscopic approach
ICD-10	0CTV7ZZ	Resection of left vocal cord, via natural or artificial opening
ICD-10	0CTV8ZZ	Resection of left vocal cord, via natural or artificial opening endoscopic
ICD-10	0CU207Z	Supplement hard palate with autologous tissue substitute, open approach
ICD-10	0CU20KZ	Supplement hard palate with nonautologous tissue substitute, open approach
ICD-10	0CU237Z	Supplement hard palate with autologous tissue substitute, percutaneous approach
ICD-10	0CU23KZ	Supplement hard palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CU2X7Z	Supplement hard palate with autologous tissue substitute, external approach
ICD-10	0CU2XJZ	Supplement hard palate with synthetic substitute, external approach
ICD-10	0CU2XKZ	Supplement hard palate with nonautologous tissue substitute, external approach
ICD-10	0CU307Z	Supplement soft palate with autologous tissue substitute, open approach
ICD-10	0CU30JZ	Supplement soft palate with synthetic substitute, open approach
ICD-10	0CU30KZ	Supplement soft palate with nonautologous tissue substitute, open approach
ICD-10	0CU337Z	Supplement soft palate with autologous tissue substitute, percutaneous approach
ICD-10	0CU33JZ	Supplement soft palate with synthetic substitute, percutaneous approach
ICD-10	0CU33KZ	Supplement soft palate with nonautologous tissue substitute, percutaneous approach
ICD-10	0CU3X7Z	Supplement soft palate with autologous tissue substitute, external approach
ICD-10	0CU3XJZ	Supplement soft palate with synthetic substitute, external approach
ICD-10	0CU3XKZ	Supplement soft palate with nonautologous tissue substitute, external approach
ICD-10	0CUM07Z	Supplement pharynx with autologous tissue substitute, open approach
ICD-10	0CUM0JZ	Supplement pharynx with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0CUM0KZ	Supplement pharynx with nonautologous tissue substitute, open approach
ICD-10	0CUM77Z	Supplement pharynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUM7JZ	Supplement pharynx with synthetic substitute, via natural or artificial opening
ICD-10	0CUM7KZ	Supplement pharynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUM87Z	Supplement pharynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUM8JZ	Supplement pharynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUM8KZ	Supplement pharynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUR07Z	Supplement epiglottis with autologous tissue substitute, open approach
ICD-10	0CUR0JZ	Supplement epiglottis with synthetic substitute, open approach
ICD-10	0CUR0KZ	Supplement epiglottis with nonautologous tissue substitute, open approach
ICD-10	0CUR77Z	Supplement epiglottis with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUR7JZ	Supplement epiglottis with synthetic substitute, via natural or artificial opening
ICD-10	0CUR7KZ	Supplement epiglottis with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUR87Z	Supplement epiglottis with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUR8JZ	Supplement epiglottis with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUR8KZ	Supplement epiglottis with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUS07Z	Supplement larynx with autologous tissue substitute, open approach
ICD-10	0CUS0JZ	Supplement larynx with synthetic substitute, open approach
ICD-10	0CUS0KZ	Supplement larynx with nonautologous tissue substitute, open approach
ICD-10	0CUS77Z	Supplement larynx with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUS7JZ	Supplement larynx with synthetic substitute, via natural or artificial opening
ICD-10	0CUS7KZ	Supplement larynx with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUS87Z	Supplement larynx with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUS8JZ	Supplement larynx with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUS8KZ	Supplement larynx with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUT07Z	Supplement right vocal cord with autologous tissue substitute, open approach
ICD-10	0CUT0JZ	Supplement right vocal cord with synthetic substitute, open approach
ICD-10	0CUT0KZ	Supplement right vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CUT77Z	Supplement right vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUT7JZ	Supplement right vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CUT7KZ	Supplement right vocal cord with nonautologous tissue substitute, via natural or artificial opening

ICD 9/10	Code	Description
ICD-10	0CUT87Z	Supplement right vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUT8JZ	Supplement right vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUT8KZ	Supplement right vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUV07Z	Supplement left vocal cord with autologous tissue substitute, open approach
ICD-10	0CUV0JZ	Supplement left vocal cord with synthetic substitute, open approach
ICD-10	0CUV0KZ	Supplement left vocal cord with nonautologous tissue substitute, open approach
ICD-10	0CUV77Z	Supplement left vocal cord with autologous tissue substitute, via natural or artificial opening
ICD-10	0CUV7JZ	Supplement left vocal cord with synthetic substitute, via natural or artificial opening
ICD-10	0CUV7KZ	Supplement left vocal cord with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0CUV87Z	Supplement left vocal cord with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CUV8JZ	Supplement left vocal cord with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0CUV8KZ	Supplement left vocal cord with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0CWS00Z	Revision of drainage device in larynx, open approach
ICD-10	0CWS07Z	Revision of autologous tissue substitute in larynx, open approach
ICD-10	0CWS0DZ	Revision of intraluminal device in larynx, open approach
ICD-10	0CWS0JZ	Revision of synthetic substitute in larynx, open approach
ICD-10	0CWS0KZ	Revision of nonautologous tissue substitute in larynx, open approach
ICD-10	0CWS0YZ	Revision of other device in larynx, open approach
ICD-10	0CWS30Z	Revision of drainage device in larynx, percutaneous approach
ICD-10	0CWS37Z	Revision of autologous tissue substitute in larynx, percutaneous approach
ICD-10	0CWS3DZ	Revision of intraluminal device in larynx, percutaneous approach
ICD-10	0CWS3JZ	Revision of synthetic substitute in larynx, percutaneous approach
ICD-10	0CWS3KZ	Revision of nonautologous tissue substitute in larynx, percutaneous approach
ICD-10	0CWS70Z	Revision of drainage device in larynx, via natural or artificial opening
ICD-10	0CWS77Z	Revision of autologous tissue substitute in larynx, via natural or artificial opening
ICD-10	0CWS7DZ	Revision of intraluminal device in larynx, via natural or artificial opening
ICD-10	0CWS7JZ	Revision of synthetic substitute in larynx, via natural or artificial opening
ICD-10	0CWS7KZ	Revision of nonautologous tissue substitute in larynx, via natural or artificial opening
ICD-10	0CWS80Z	Revision of drainage device in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS87Z	Revision of autologous tissue substitute in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS8DZ	Revision of intraluminal device in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS8JZ	Revision of synthetic substitute in larynx, via natural or artificial opening endoscopic
ICD-10	0CWS8KZ	Revision of nonautologous tissue substitute in larynx, via natural or artificial opening endoscopic

ICD 9/10	Code	Description
ICD-10	0CWY70Z	Revision of drainage device in mouth and throat, via natural or artificial opening
ICD-10	0CWY71Z	Revision of radioactive element in mouth and throat, via natural or artificial opening
ICD-10	0CWY77Z	Revision of autologous tissue substitute in mouth and throat, via natural or artificial opening
ICD-10	0CWY7DZ	Revision of intraluminal device in mouth and throat, via natural or artificial opening
ICD-10	0CWY7JZ	Revision of synthetic substitute in mouth and throat, via natural or artificial opening
ICD-10	0CWY7KZ	Revision of nonautologous tissue substitute in mouth and throat, via natural or artificial opening
ICD-10	0CWY80Z	Revision of drainage device in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY81Z	Revision of radioactive element in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY87Z	Revision of autologous tissue substitute in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY8DZ	Revision of intraluminal device in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY8JZ	Revision of synthetic substitute in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0CWY8KZ	Revision of nonautologous tissue substitute in mouth and throat, via natural or artificial opening endoscopic
ICD-10	0D840ZZ	Division of esophagogastric junction, open approach
ICD-10	0D843ZZ	Division of esophagogastric junction, percutaneous approach
ICD-10	0D844ZZ	Division of esophagogastric junction, percutaneous endoscopic approach
ICD-10	0D847ZZ	Division of esophagogastric junction, via natural or artificial opening
ICD-10	0D848ZZ	Division of esophagogastric junction, via natural or artificial opening endoscopic
ICD-10	0DB10ZX	Excision of upper esophagus, open approach, diagnostic
ICD-10	0DB10ZZ	Excision of upper esophagus, open approach
ICD-10	0DB13ZZ	Excision of upper esophagus, percutaneous approach
ICD-10	0DB17ZZ	Excision of upper esophagus, via natural or artificial opening
ICD-10	0DJ04ZZ	Inspection of upper intestinal tract, percutaneous endoscopic approach
ICD-10	0DQ50ZZ	Repair esophagus, open approach
ICD-10	0DQ53ZZ	Repair esophagus, percutaneous approach
ICD-10	0DQ54ZZ	Repair esophagus, percutaneous endoscopic approach
ICD-10	0DQ57ZZ	Repair esophagus, via natural or artificial opening
ICD-10	0DQ58ZZ	Repair esophagus, via natural or artificial opening endoscopic
ICD-10	0DU107Z	Supplement upper esophagus with autologous tissue substitute, open approach
ICD-10	0DU10JZ	Supplement upper esophagus with synthetic substitute, open approach
ICD-10	0DU10KZ	Supplement upper esophagus with nonautologous tissue substitute, open approach
ICD-10	0DU147Z	Supplement upper esophagus with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0DU14JZ	Supplement upper esophagus with synthetic substitute, percutaneous endoscopic approach
ICD-10	0DU14KZ	Supplement upper esophagus with nonautologous tissue substitute, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0DU177Z	Supplement upper esophagus with autologous tissue substitute, via natural or artificial opening
ICD-10	0DU17JZ	Supplement upper esophagus with synthetic substitute, via natural or artificial opening
ICD-10	0DU17KZ	Supplement upper esophagus with nonautologous tissue substitute, via natural or artificial opening
ICD-10	0DU187Z	Supplement upper esophagus with autologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0DU18JZ	Supplement upper esophagus with synthetic substitute, via natural or artificial opening endoscopic
ICD-10	0DU18KZ	Supplement upper esophagus with nonautologous tissue substitute, via natural or artificial opening endoscopic
ICD-10	0F900ZX	Drainage of liver, open approach, diagnostic
ICD-10	0F910ZX	Drainage of right lobe liver, open approach, diagnostic
ICD-10	0F920ZX	Drainage of left lobe liver, open approach, diagnostic
ICD-10	0FB00ZX	Excision of liver, open approach, diagnostic
ICD-10	0FB10ZX	Excision of right lobe liver, open approach, diagnostic
ICD-10	0FB20ZX	Excision of left lobe liver, open approach, diagnostic
ICD-10	0G9G00Z	Drainage of left thyroid gland lobe with drainage device, open approach
ICD-10	0G9G0ZZ	Drainage of left thyroid gland lobe, open approach
ICD-10	0G9H00Z	Drainage of right thyroid gland lobe with drainage device, open approach
ICD-10	0G9H0ZZ	Drainage of right thyroid gland lobe, open approach
ICD-10	0G9K00Z	Drainage of thyroid gland with drainage device, open approach
ICD-10	0G9K0ZZ	Drainage of thyroid gland, open approach
ICD-10	0G9L00Z	Drainage of right superior parathyroid gland with drainage device, open approach
ICD-10	0G9L0ZZ	Drainage of right superior parathyroid gland, open approach
ICD-10	0G9M00Z	Drainage of left superior parathyroid gland with drainage device, open approach
ICD-10	0G9M0ZZ	Drainage of left superior parathyroid gland, open approach
ICD-10	0G9N00Z	Drainage of right inferior parathyroid gland with drainage device, open approach
ICD-10	0G9N0ZZ	Drainage of right inferior parathyroid gland, open approach
ICD-10	0G9P00Z	Drainage of left inferior parathyroid gland with drainage device, open approach
ICD-10	0G9P0ZZ	Drainage of left inferior parathyroid gland, open approach
ICD-10	0G9Q00Z	Drainage of multiple parathyroid glands with drainage device, open approach
ICD-10	0G9Q0ZZ	Drainage of multiple parathyroid glands, open approach
ICD-10	0G9R00Z	Drainage of parathyroid gland with drainage device, open approach
ICD-10	0G9R0ZZ	Drainage of parathyroid gland, open approach
ICD-10	0GCG0ZZ	Extirpation of matter from left thyroid gland lobe, open approach
ICD-10	0GCG3ZZ	Extirpation of matter from left thyroid gland lobe, percutaneous approach
ICD-10	0GCG4ZZ	Extirpation of matter from left thyroid gland lobe, percutaneous endoscopic approach
ICD-10	0GCH0ZZ	Extirpation of matter from right thyroid gland lobe, open approach
ICD-10	0GCH3ZZ	Extirpation of matter from right thyroid gland lobe, percutaneous approach
ICD-10	0GCH4ZZ	Extirpation of matter from right thyroid gland lobe, percutaneous endoscopic approach
ICD-10	0GCK0ZZ	Extirpation of matter from thyroid gland, open approach



ICD 9/10	Code	Description
ICD-10	0GCK3ZZ	Extirpation of matter from thyroid gland, percutaneous approach
ICD-10	0GCK4ZZ	Extirpation of matter from thyroid gland, percutaneous endoscopic approach
ICD-10	0GCL0ZZ	Extirpation of matter from right superior parathyroid gland, open approach
ICD-10	0GCL3ZZ	Extirpation of matter from right superior parathyroid gland, percutaneous approach
ICD-10	0GCL4ZZ	Extirpation of matter from right superior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCM0ZZ	Extirpation of matter from left superior parathyroid gland, open approach
ICD-10	0GCM3ZZ	Extirpation of matter from left superior parathyroid gland, percutaneous approach
ICD-10	0GCM4ZZ	Extirpation of matter from left superior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCN0ZZ	Extirpation of matter from right inferior parathyroid gland, open approach
ICD-10	0GCN3ZZ	Extirpation of matter from right inferior parathyroid gland, percutaneous approach
ICD-10	0GCN4ZZ	Extirpation of matter from right inferior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCP0ZZ	Extirpation of matter from left inferior parathyroid gland, open approach
ICD-10	0GCP3ZZ	Extirpation of matter from left inferior parathyroid gland, percutaneous approach
ICD-10	0GCP4ZZ	Extirpation of matter from left inferior parathyroid gland, percutaneous endoscopic approach
ICD-10	0GCQ0ZZ	Extirpation of matter from multiple parathyroid glands, open approach
ICD-10	0GCQ3ZZ	Extirpation of matter from multiple parathyroid glands, percutaneous approach
ICD-10	0GCQ4ZZ	Extirpation of matter from multiple parathyroid glands, percutaneous endoscopic approach
ICD-10	0GCR0ZZ	Extirpation of matter from parathyroid gland, open approach
ICD-10	0GCR3ZZ	Extirpation of matter from parathyroid gland, percutaneous approach
ICD-10	0GCR4ZZ	Extirpation of matter from parathyroid gland, percutaneous endoscopic approach
ICD-10	0GHS02Z	Insertion of monitoring device into endocrine gland, open approach
ICD-10	0GHS03Z	Insertion of infusion device into endocrine gland, open approach
ICD-10	0GHS0YZ	Insertion of other device into endocrine gland, open approach
ICD-10	0GHS32Z	Insertion of monitoring device into endocrine gland, percutaneous approach
ICD-10	0GHS33Z	Insertion of infusion device into endocrine gland, percutaneous approach
ICD-10	0GHS42Z	Insertion of monitoring device into endocrine gland, percutaneous endoscopic approach
ICD-10	0GHS43Z	Insertion of infusion device into endocrine gland, percutaneous endoscopic approach
ICD-10	0GJK0ZZ	Inspection of thyroid gland, open approach
ICD-10	0GJR0ZZ	Inspection of parathyroid gland, open approach
ICD-10	0GJS0ZZ	Inspection of endocrine gland, open approach
ICD-10	0GPK00Z	Removal of drainage device from thyroid gland, open approach
ICD-10	0GPK30Z	Removal of drainage device from thyroid gland, percutaneous approach
ICD-10	0GPK40Z	Removal of drainage device from thyroid gland, percutaneous endoscopic approach
ICD-10	0GPR00Z	Removal of drainage device from parathyroid gland, open approach
ICD-10	0GPR30Z	Removal of drainage device from parathyroid gland, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0GPR40Z	Removal of drainage device from parathyroid gland, percutaneous endoscopic approach
ICD-10	0GWK00Z	Revision of drainage device in thyroid gland, open approach
ICD-10	0GWK30Z	Revision of drainage device in thyroid gland, percutaneous approach
ICD-10	0GWK40Z	Revision of drainage device in thyroid gland, percutaneous endoscopic approach
ICD-10	0GWR00Z	Revision of drainage device in parathyroid gland, open approach
ICD-10	0GWR30Z	Revision of drainage device in parathyroid gland, percutaneous approach
ICD-10	0GWR40Z	Revision of drainage device in parathyroid gland, percutaneous endoscopic approach
ICD-10	0HM1XZZ	Reattachment of face skin, external approach
ICD-10	0HM2XZZ	Reattachment of right ear skin, external approach
ICD-10	0HM3XZZ	Reattachment of left ear skin, external approach
ICD-10	0HM4XZZ	Reattachment of neck skin, external approach
ICD-10	0HM9XZZ	Reattachment of perineum skin, external approach
ICD-10	0HN0XZZ	Release scalp skin, external approach
ICD-10	0HN1XZZ	Release face skin, external approach
ICD-10	0HN2XZZ	Release right ear skin, external approach
ICD-10	0HN3XZZ	Release left ear skin, external approach
ICD-10	0HN4XZZ	Release neck skin, external approach
ICD-10	0HR0X72	Replacement of scalp skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR0X73	Replacement of scalp skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR0X74	Replacement of scalp skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR0XJ3	Replacement of scalp skin with synthetic substitute, full thickness, external approach
ICD-10	0HR0XJ4	Replacement of scalp skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR0XJZ	Replacement of scalp skin with synthetic substitute, external approach
ICD-10	0HR0XK3	Replacement of scalp skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR0XK4	Replacement of scalp skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR1X72	Replacement of face skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR1XJ3	Replacement of face skin with synthetic substitute, full thickness, external approach
ICD-10	0HR1XJ4	Replacement of face skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR1XJZ	Replacement of face skin with synthetic substitute, external approach
ICD-10	0HR1XK3	Replacement of face skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR1XK4	Replacement of face skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR2X72	Replacement of right ear skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR2X73	Replacement of right ear skin with autologous tissue substitute, full thickness, external approach

ICD 9/10	Code	Description
ICD-10	0HR2X74	Replacement of right ear skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR2XJ3	Replacement of right ear skin with synthetic substitute, full thickness, external approach
ICD-10	0HR2XJ4	Replacement of right ear skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR2XJZ	Replacement of right ear skin with synthetic substitute, external approach
ICD-10	0HR2XK3	Replacement of right ear skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR2XK4	Replacement of right ear skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR3X72	Replacement of left ear skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR3X73	Replacement of left ear skin with autologous tissue substitute, full thickness, external approach
ICD-10	0HR3X74	Replacement of left ear skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR3XJ3	Replacement of left ear skin with synthetic substitute, full thickness, external approach
ICD-10	0HR3XJ4	Replacement of left ear skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR3XJZ	Replacement of left ear skin with synthetic substitute, external approach
ICD-10	0HR3XK3	Replacement of left ear skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR3XK4	Replacement of left ear skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR4X72	Replacement of neck skin with autologous tissue substitute, cell suspension technique, external approach
ICD-10	0HR4X74	Replacement of neck skin with autologous tissue substitute, partial thickness, external approach
ICD-10	0HR4XJ3	Replacement of neck skin with synthetic substitute, full thickness, external approach
ICD-10	0HR4XJ4	Replacement of neck skin with synthetic substitute, partial thickness, external approach
ICD-10	0HR4XK3	Replacement of neck skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR4XK4	Replacement of neck skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR5XK3	Replacement of chest skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR5XK4	Replacement of chest skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR6XK3	Replacement of back skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR6XK4	Replacement of back skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR7XK3	Replacement of abdomen skin with nonautologous tissue substitute, full thickness, external approach
ICD-10	0HR7XK4	Replacement of abdomen skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HR8XK3	Replacement of buttock skin with nonautologous tissue substitute, full thickness, external approach

ICD 9/10	Code	Description
ICD-10	0HR8XK4	Replacement of buttock skin with nonautologous tissue substitute, partial thickness, external approach
ICD-10	0HX0XZZ	Transfer scalp skin, external approach
ICD-10	0HX1XZZ	Transfer face skin, external approach
ICD-10	0HX2XZZ	Transfer right ear skin, external approach
ICD-10	0HX3XZZ	Transfer left ear skin, external approach
ICD-10	0HX4XZZ	Transfer neck skin, external approach
ICD-10	0HX5XZZ	Transfer chest skin, external approach
ICD-10	0HX6XZZ	Transfer back skin, external approach
ICD-10	0HX7XZZ	Transfer abdomen skin, external approach
ICD-10	0HX8XZZ	Transfer buttock skin, external approach
ICD-10	0HXHXZZ	Transfer right upper leg skin, external approach
ICD-10	0HXJXZZ	Transfer left upper leg skin, external approach
ICD-10	0HXKXZZ	Transfer right lower leg skin, external approach
ICD-10	0HXLXZZ	Transfer left lower leg skin, external approach
ICD-10	0J010ZZ	Alteration of face subcutaneous tissue and fascia, open approach
ICD-10	0J013ZZ	Alteration of face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0J810ZZ	Division of face subcutaneous tissue and fascia, open approach
ICD-10	0J813ZZ	Division of face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JB00ZZ	Excision of scalp subcutaneous tissue and fascia, open approach
ICD-10	0JB10ZZ	Excision of face subcutaneous tissue and fascia, open approach
ICD-10	0JB13ZZ	Excision of face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JB40ZZ	Excision of right neck subcutaneous tissue and fascia, open approach
ICD-10	0JB50ZZ	Excision of left neck subcutaneous tissue and fascia, open approach
ICD-10	0JB90ZZ	Excision of buttock subcutaneous tissue and fascia, open approach
ICD-10	0JBB0ZZ	Excision of perineum subcutaneous tissue and fascia, open approach
ICD-10	0JBC0ZZ	Excision of pelvic region subcutaneous tissue and fascia, open approach
ICD-10	0JBD0ZZ	Excision of right upper arm subcutaneous tissue and fascia, open approach
ICD-10	0JBF0ZZ	Excision of left upper arm subcutaneous tissue and fascia, open approach
ICD-10	0JBG0ZZ	Excision of right lower arm subcutaneous tissue and fascia, open approach
ICD-10	0JBH0ZZ	Excision of left lower arm subcutaneous tissue and fascia, open approach
ICD-10	0JBL0ZZ	Excision of right upper leg subcutaneous tissue and fascia, open approach
ICD-10	0JBM0ZZ	Excision of left upper leg subcutaneous tissue and fascia, open approach
ICD-10	0JBN0ZZ	Excision of right lower leg subcutaneous tissue and fascia, open approach
ICD-10	0JBP0ZZ	Excision of left lower leg subcutaneous tissue and fascia, open approach
ICD-10	0JBQ0ZZ	Excision of right foot subcutaneous tissue and fascia, open approach
ICD-10	0JBR0ZZ	Excision of left foot subcutaneous tissue and fascia, open approach
ICD-10	0JH00NZ	Insertion of tissue expander into scalp subcutaneous tissue and fascia, open approach
ICD-10	0JH03NZ	Insertion of tissue expander into scalp subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JH10NZ	Insertion of tissue expander into face subcutaneous tissue and fascia, open approach

ICD 9/10	Code	Description
ICD-10	0JH13NZ	Insertion of tissue expander into face subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JH40NZ	Insertion of tissue expander into right neck subcutaneous tissue and fascia, open approach
ICD-10	0JH43NZ	Insertion of tissue expander into right neck subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JH50NZ	Insertion of tissue expander into left neck subcutaneous tissue and fascia, open approach
ICD-10	0JH53NZ	Insertion of tissue expander into left neck subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JR037Z	Replacement of scalp subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR137Z	Replacement of face subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR13KZ	Replacement of face subcutaneous tissue and fascia with nonautologous tissue substitute, percutaneous approach
ICD-10	0JR437Z	Replacement of right neck subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR537Z	Replacement of left neck subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR637Z	Replacement of chest subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR737Z	Replacement of back subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR837Z	Replacement of abdomen subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JR937Z	Replacement of buttock subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRB37Z	Replacement of perineum subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRC37Z	Replacement of pelvic region subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRD37Z	Replacement of right upper arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRF37Z	Replacement of left upper arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRG37Z	Replacement of right lower arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRH37Z	Replacement of left lower arm subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRJ37Z	Replacement of right hand subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRK37Z	Replacement of left hand subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRL37Z	Replacement of right upper leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRM37Z	Replacement of left upper leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRN37Z	Replacement of right lower leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRP37Z	Replacement of left lower leg subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0JRQ37Z	Replacement of right foot subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JRR37Z	Replacement of left foot subcutaneous tissue and fascia with autologous tissue substitute, percutaneous approach
ICD-10	0JX00ZB	Transfer scalp subcutaneous tissue and fascia with skin and subcutaneous tissue, open approach
ICD-10	0JX00ZC	Transfer scalp subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0JX03ZB	Transfer scalp subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX03ZC	Transfer scalp subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JX10ZB	Transfer face subcutaneous tissue and fascia with skin and subcutaneous tissue, open approach
ICD-10	0JX10ZC	Transfer face subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, open approach
ICD-10	0JX13ZB	Transfer face subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX13ZC	Transfer face subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JX43ZB	Transfer right neck subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX43ZC	Transfer right neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0JX53ZB	Transfer left neck subcutaneous tissue and fascia with skin and subcutaneous tissue, percutaneous approach
ICD-10	0JX53ZC	Transfer left neck subcutaneous tissue and fascia with skin, subcutaneous tissue and fascia, percutaneous approach
ICD-10	0K840ZZ	Division of tongue, palate, pharynx muscle, open approach
ICD-10	0K843ZZ	Division of tongue, palate, pharynx muscle, percutaneous approach
ICD-10	0K844ZZ	Division of tongue, palate, pharynx muscle, percutaneous endoscopic approach
ICD-10	0K9000Z	Drainage of head muscle with drainage device, open approach
ICD-10	0K900ZZ	Drainage of head muscle, open approach
ICD-10	0K9040Z	Drainage of head muscle with drainage device, percutaneous endoscopic approach
ICD-10	0K904ZZ	Drainage of head muscle, percutaneous endoscopic approach
ICD-10	0K9100Z	Drainage of Facial Muscle with Drainage Device, Open Approach
ICD-10	0K910ZZ	Drainage of facial muscle, open approach
ICD-10	0K9140Z	Drainage of facial muscle with drainage device, percutaneous endoscopic approach
ICD-10	0K914ZZ	Drainage of facial muscle, percutaneous endoscopic approach
ICD-10	0K9200Z	Drainage of Right Neck Muscle with Drainage Device, Open Approach
ICD-10	0K920ZZ	Drainage of right neck muscle, open approach
ICD-10	0K9240Z	Drainage of right neck muscle with drainage device, percutaneous endoscopic approach
ICD-10	0K924ZZ	Drainage of right neck muscle, percutaneous endoscopic approach
ICD-10	0K9300Z	Drainage of left neck muscle with drainage device, open approach
ICD-10	0K930ZZ	Drainage of left neck muscle, open approach
ICD-10	0K9340Z	Drainage of left neck muscle with drainage device, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0K934ZZ	Drainage of left neck muscle, percutaneous endoscopic approach
ICD-10	0KC00ZZ	Extirpation of matter from head muscle, open approach
ICD-10	0KC03ZZ	Extirpation of matter from head muscle, percutaneous approach
ICD-10	0KC04ZZ	Extirpation of matter from head muscle, percutaneous endoscopic approach
ICD-10	0KC10ZZ	Extirpation of matter from facial muscle, open approach
ICD-10	0KC13ZZ	Extirpation of matter from facial muscle, percutaneous approach
ICD-10	0KC14ZZ	Extirpation of matter from facial muscle, percutaneous endoscopic approach
ICD-10	0KC20ZZ	Extirpation of matter from right neck muscle, open approach
ICD-10	0KC23ZZ	Extirpation of matter from right neck muscle, percutaneous approach
ICD-10	0KC24ZZ	Extirpation of matter from right neck muscle, percutaneous endoscopic approach
ICD-10	0KC30ZZ	Extirpation of matter from left neck muscle, open approach
ICD-10	0KC33ZZ	Extirpation of matter from left neck muscle, percutaneous approach
ICD-10	0KC34ZZ	Extirpation of matter from left neck muscle, percutaneous endoscopic approach
ICD-10	0N500ZZ	Destruction of skull, open approach
ICD-10	0N503ZZ	Destruction of skull, percutaneous approach
ICD-10	0N504ZZ	Destruction of skull, percutaneous endoscopic approach
ICD-10	0N510ZZ	Destruction of frontal bone, open approach
ICD-10	0N513ZZ	Destruction of frontal bone, percutaneous approach
ICD-10	0N514ZZ	Destruction of frontal bone, percutaneous endoscopic approach
ICD-10	0N530ZZ	Destruction of right parietal bone, open approach
ICD-10	0N533ZZ	Destruction of right parietal bone, percutaneous approach
ICD-10	0N534ZZ	Destruction of right parietal bone, percutaneous endoscopic approach
ICD-10	0N540ZZ	Destruction of left parietal bone, open approach
ICD-10	0N543ZZ	Destruction of left parietal bone, percutaneous approach
ICD-10	0N544ZZ	Destruction of left parietal bone, percutaneous endoscopic approach
ICD-10	0N550ZZ	Destruction of right temporal bone, open approach
ICD-10	0N553ZZ	Destruction of right temporal bone, percutaneous approach
ICD-10	0N554ZZ	Destruction of right temporal bone, percutaneous endoscopic approach
ICD-10	0N560ZZ	Destruction of left temporal bone, open approach
ICD-10	0N563ZZ	Destruction of left temporal bone, percutaneous approach
ICD-10	0N564ZZ	Destruction of left temporal bone, percutaneous endoscopic approach
ICD-10	0N570ZZ	Destruction of occipital bone, open approach
ICD-10	0N573ZZ	Destruction of occipital bone, percutaneous approach
ICD-10	0N574ZZ	Destruction of occipital bone, percutaneous endoscopic approach
ICD-10	0N5B0ZZ	Destruction of nasal bone, open approach
ICD-10	0N5B3ZZ	Destruction of nasal bone, percutaneous approach
ICD-10	0N5B4ZZ	Destruction of nasal bone, percutaneous endoscopic approach
ICD-10	0N5C0ZZ	Destruction of sphenoid bone, open approach
ICD-10	0N5C3ZZ	Destruction of sphenoid bone, percutaneous approach
ICD-10	0N5C4ZZ	Destruction of sphenoid bone, percutaneous endoscopic approach
ICD-10	0N5F0ZZ	Destruction of right ethmoid bone, open approach
ICD-10	0N5F3ZZ	Destruction of right ethmoid bone, percutaneous approach



ICD 9/10	Code	Description
ICD-10	0N5F4ZZ	Destruction of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0N5G0ZZ	Destruction of left ethmoid bone, open approach
ICD-10	0N5G3ZZ	Destruction of left ethmoid bone, percutaneous approach
ICD-10	0N5G4ZZ	Destruction of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0N5H0ZZ	Destruction of right lacrimal bone, open approach
ICD-10	0N5H3ZZ	Destruction of right lacrimal bone, percutaneous approach
ICD-10	0N5H4ZZ	Destruction of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0N5J0ZZ	Destruction of left lacrimal bone, open approach
ICD-10	0N5J3ZZ	Destruction of left lacrimal bone, percutaneous approach
ICD-10	0N5J4ZZ	Destruction of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0N5K0ZZ	Destruction of right palatine bone, open approach
ICD-10	0N5K3ZZ	Destruction of right palatine bone, percutaneous approach
ICD-10	0N5K4ZZ	Destruction of right palatine bone, percutaneous endoscopic approach
ICD-10	0N5L0ZZ	Destruction of left palatine bone, open approach
ICD-10	0N5L3ZZ	Destruction of left palatine bone, percutaneous approach
ICD-10	0N5L4ZZ	Destruction of left palatine bone, percutaneous endoscopic approach
ICD-10	0N5M0ZZ	Destruction of right zygomatic bone, open approach
ICD-10	0N5M3ZZ	Destruction of right zygomatic bone, percutaneous approach
ICD-10	0N5M4ZZ	Destruction of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0N5N0ZZ	Destruction of left zygomatic bone, open approach
ICD-10	0N5N3ZZ	Destruction of left zygomatic bone, percutaneous approach
ICD-10	0N5N4ZZ	Destruction of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0N5P0ZZ	Destruction of right orbit, open approach
ICD-10	0N5P3ZZ	Destruction of right orbit, percutaneous approach
ICD-10	0N5P4ZZ	Destruction of right orbit, percutaneous endoscopic approach
ICD-10	0N5Q0ZZ	Destruction of left orbit, open approach
ICD-10	0N5Q3ZZ	Destruction of left orbit, percutaneous approach
ICD-10	0N5Q4ZZ	Destruction of left orbit, percutaneous endoscopic approach
ICD-10	0N5R0ZZ	Destruction of maxilla, open approach
ICD-10	0N5R3ZZ	Destruction of maxilla, percutaneous approach
ICD-10	0N5R4ZZ	Destruction of maxilla, percutaneous endoscopic approach
ICD-10	0N5T0ZZ	Destruction of right mandible, open approach
ICD-10	0N5T3ZZ	Destruction of right mandible, percutaneous approach
ICD-10	0N5T4ZZ	Destruction of right mandible, percutaneous endoscopic approach
ICD-10	0N5V0ZZ	Destruction of left mandible, open approach
ICD-10	0N5V3ZZ	Destruction of left mandible, percutaneous approach
ICD-10	0N5V4ZZ	Destruction of left mandible, percutaneous endoscopic approach
ICD-10	0N5X0ZZ	Destruction of hyoid bone, open approach
ICD-10	0N5X3ZZ	Destruction of hyoid bone, percutaneous approach
ICD-10	0N5X4ZZ	Destruction of hyoid bone, percutaneous endoscopic approach
ICD-10	0N8C0ZZ	Division of sphenoid bone, open approach
ICD-10	0N8C3ZZ	Division of sphenoid bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0N8C4ZZ	Division of sphenoid bone, percutaneous endoscopic approach
ICD-10	0N8F0ZZ	Division of right ethmoid bone, open approach
ICD-10	0N8F3ZZ	Division of right ethmoid bone, percutaneous approach
ICD-10	0N8F4ZZ	Division of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0N8G0ZZ	Division of left ethmoid bone, open approach
ICD-10	0N8G3ZZ	Division of left ethmoid bone, percutaneous approach
ICD-10	0N8G4ZZ	Division of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0N8H0ZZ	Division of right lacrimal bone, open approach
ICD-10	0N8H3ZZ	Division of right lacrimal bone, percutaneous approach
ICD-10	0N8H4ZZ	Division of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0N8J0ZZ	Division of left lacrimal bone, open approach
ICD-10	0N8J3ZZ	Division of left lacrimal bone, percutaneous approach
ICD-10	0N8J4ZZ	Division of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0N8K0ZZ	Division of right palatine bone, open approach
ICD-10	0N8K3ZZ	Division of right palatine bone, percutaneous approach
ICD-10	0N8K4ZZ	Division of right palatine bone, percutaneous endoscopic approach
ICD-10	0N8L0ZZ	Division of left palatine bone, open approach
ICD-10	0N8L3ZZ	Division of left palatine bone, percutaneous approach
ICD-10	0N8L4ZZ	Division of left palatine bone, percutaneous endoscopic approach
ICD-10	0N8M0ZZ	Division of right zygomatic bone, open approach
ICD-10	0N8M3ZZ	Division of right zygomatic bone, percutaneous approach
ICD-10	0N8M4ZZ	Division of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0N8N0ZZ	Division of left zygomatic bone, open approach
ICD-10	0N8N3ZZ	Division of left zygomatic bone, percutaneous approach
ICD-10	0N8N4ZZ	Division of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0N8P0ZZ	Division of right orbit, open approach
ICD-10	0N8P3ZZ	Division of right orbit, percutaneous approach
ICD-10	0N8P4ZZ	Division of right orbit, percutaneous endoscopic approach
ICD-10	0N8Q0ZZ	Division of left orbit, open approach
ICD-10	0N8Q3ZZ	Division of left orbit, percutaneous approach
ICD-10	0N8Q4ZZ	Division of left orbit, percutaneous endoscopic approach
ICD-10	0N8R0ZZ	Division of maxilla, open approach
ICD-10	0N8R3ZZ	Division of maxilla, percutaneous approach
ICD-10	0N8R4ZZ	Division of maxilla, percutaneous endoscopic approach
ICD-10	0N8T0ZZ	Division of right mandible, open approach
ICD-10	0N8T3ZZ	Division of right mandible, percutaneous approach
ICD-10	0N8T4ZZ	Division of right mandible, percutaneous endoscopic approach
ICD-10	0N8V0ZZ	Division of left mandible, open approach
ICD-10	0N8V3ZZ	Division of left mandible, percutaneous approach
ICD-10	0N8V4ZZ	Division of left mandible, percutaneous endoscopic approach
ICD-10	0N8X0ZZ	Division of hyoid bone, open approach
ICD-10	0N8X3ZZ	Division of hyoid bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0N8X4ZZ	Division of hyoid bone, percutaneous endoscopic approach
ICD-10	0N9C00Z	Drainage of sphenoid bone with drainage device, open approach
ICD-10	0N9C0ZX	Drainage of sphenoid bone, open approach, diagnostic
ICD-10	0N9C0ZZ	Drainage of sphenoid bone, open approach
ICD-10	0N9C3ZX	Drainage of sphenoid bone, percutaneous approach, diagnostic
ICD-10	0N9C40Z	Drainage of sphenoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9C4ZX	Drainage of sphenoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9C4ZZ	Drainage of sphenoid bone, percutaneous endoscopic approach
ICD-10	0N9F00Z	Drainage of right ethmoid bone with drainage device, open approach
ICD-10	0N9F0ZX	Drainage of right ethmoid bone, open approach, diagnostic
ICD-10	0N9F0ZZ	Drainage of right ethmoid bone, open approach
ICD-10	0N9F3ZX	Drainage of right ethmoid bone, percutaneous approach, diagnostic
ICD-10	0N9F40Z	Drainage of right ethmoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9F4ZX	Drainage of right ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9F4ZZ	Drainage of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0N9G00Z	Drainage of left ethmoid bone with drainage device, open approach
ICD-10	0N9G0ZX	Drainage of left ethmoid bone, open approach, diagnostic
ICD-10	0N9G0ZZ	Drainage of left ethmoid bone, open approach
ICD-10	0N9G3ZX	Drainage of left ethmoid bone, percutaneous approach, diagnostic
ICD-10	0N9G40Z	Drainage of left ethmoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9G4ZX	Drainage of left ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9G4ZZ	Drainage of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0N9H00Z	Drainage of right lacrimal bone with drainage device, open approach
ICD-10	0N9H0ZX	Drainage of right lacrimal bone, open approach, diagnostic
ICD-10	0N9H0ZZ	Drainage of right lacrimal bone, open approach
ICD-10	0N9H3ZX	Drainage of right lacrimal bone, percutaneous approach, diagnostic
ICD-10	0N9H40Z	Drainage of right lacrimal bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9H4ZX	Drainage of right lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9H4ZZ	Drainage of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0N9J00Z	Drainage of left lacrimal bone with drainage device, open approach
ICD-10	0N9J0ZX	Drainage of left lacrimal bone, open approach, diagnostic
ICD-10	0N9J0ZZ	Drainage of left lacrimal bone, open approach
ICD-10	0N9J3ZX	Drainage of left lacrimal bone, percutaneous approach, diagnostic
ICD-10	0N9J40Z	Drainage of left lacrimal bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9J4ZX	Drainage of left lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9J4ZZ	Drainage of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0N9K00Z	Drainage of right palatine bone with drainage device, open approach
ICD-10	0N9K0ZX	Drainage of right palatine bone, open approach, diagnostic
ICD-10	0N9K0ZZ	Drainage of right palatine bone, open approach

ICD 9/10	Code	Description
ICD-10	0N9K3ZX	Drainage of right palatine bone, percutaneous approach, diagnostic
ICD-10	0N9K40Z	Drainage of right palatine bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9K4ZX	Drainage of right palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9K4ZZ	Drainage of right palatine bone, percutaneous endoscopic approach
ICD-10	0N9L00Z	Drainage of left palatine bone with drainage device, open approach
ICD-10	0N9L0ZX	Drainage of left palatine bone, open approach, diagnostic
ICD-10	0N9L0ZZ	Drainage of left palatine bone, open approach
ICD-10	0N9L3ZX	Drainage of left palatine bone, percutaneous approach, diagnostic
ICD-10	0N9L40Z	Drainage of left palatine bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9L4ZX	Drainage of left palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9L4ZZ	Drainage of left palatine bone, percutaneous endoscopic approach
ICD-10	0N9M00Z	Drainage of right zygomatic bone with drainage device, open approach
ICD-10	0N9M0ZX	Drainage of right zygomatic bone, open approach, diagnostic
ICD-10	0N9M0ZZ	Drainage of right zygomatic bone, open approach
ICD-10	0N9M3ZX	Drainage of right zygomatic bone, percutaneous approach, diagnostic
ICD-10	0N9M40Z	Drainage of right zygomatic bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9M4ZX	Drainage of right zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9M4ZZ	Drainage of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0N9N00Z	Drainage of left zygomatic bone with drainage device, open approach
ICD-10	0N9N0ZX	Drainage of left zygomatic bone, open approach, diagnostic
ICD-10	0N9N0ZZ	Drainage of left zygomatic bone, open approach
ICD-10	0N9N3ZX	Drainage of left zygomatic bone, percutaneous approach, diagnostic
ICD-10	0N9N40Z	Drainage of left zygomatic bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9N4ZX	Drainage of left zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9N4ZZ	Drainage of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0N9P00Z	Drainage of right orbit with drainage device, open approach
ICD-10	0N9P0ZZ	Drainage of right orbit, open approach
ICD-10	0N9P40Z	Drainage of right orbit with drainage device, percutaneous endoscopic approach
ICD-10	0N9P4ZZ	Drainage of right orbit, percutaneous endoscopic approach
ICD-10	0N9Q00Z	Drainage of left orbit with drainage device, open approach
ICD-10	0N9Q0ZZ	Drainage of left orbit, open approach
ICD-10	0N9Q40Z	Drainage of left orbit with drainage device, percutaneous endoscopic approach
ICD-10	0N9Q4ZZ	Drainage of left orbit, percutaneous endoscopic approach
ICD-10	0N9R0ZX	Drainage of maxilla, open approach, diagnostic
ICD-10	0N9R3ZX	Drainage of maxilla, percutaneous approach, diagnostic
ICD-10	0N9R4ZX	Drainage of maxilla, percutaneous endoscopic approach, diagnostic
ICD-10	0N9T0ZX	Drainage of right mandible, open approach, diagnostic
ICD-10	0N9T3ZX	Drainage of right mandible, percutaneous approach, diagnostic
ICD-10	0N9T4ZX	Drainage of right mandible, percutaneous endoscopic approach, diagnostic
ICD-10	0N9V0ZX	Drainage of left mandible, open approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0N9V3ZX	Drainage of left mandible, percutaneous approach, diagnostic
ICD-10	0N9V4ZX	Drainage of left mandible, percutaneous endoscopic approach, diagnostic
ICD-10	0N9X00Z	Drainage of hyoid bone with drainage device, open approach
ICD-10	0N9X0ZX	Drainage of hyoid bone, open approach, diagnostic
ICD-10	0N9X0ZZ	Drainage of hyoid bone, open approach
ICD-10	0N9X3ZX	Drainage of hyoid bone, percutaneous approach, diagnostic
ICD-10	0N9X40Z	Drainage of hyoid bone with drainage device, percutaneous endoscopic approach
ICD-10	0N9X4ZX	Drainage of hyoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0N9X4ZZ	Drainage of hyoid bone, percutaneous endoscopic approach
ICD-10	0NB00ZZ	Excision of skull, open approach
ICD-10	0NB03ZZ	Excision of skull, percutaneous approach
ICD-10	0NB04ZZ	Excision of skull, percutaneous endoscopic approach
ICD-10	0NB10ZZ	Excision of frontal bone, open approach
ICD-10	0NB13ZZ	Excision of frontal bone, percutaneous approach
ICD-10	0NB14ZZ	Excision of frontal bone, percutaneous endoscopic approach
ICD-10	0NB30ZZ	Excision of right parietal bone, open approach
ICD-10	0NB33ZZ	Excision of right parietal bone, percutaneous approach
ICD-10	0NB34ZZ	Excision of right parietal bone, percutaneous endoscopic approach
ICD-10	0NB40ZZ	Excision of left parietal bone, open approach
ICD-10	0NB43ZZ	Excision of left parietal bone, percutaneous approach
ICD-10	0NB44ZZ	Excision of left parietal bone, percutaneous endoscopic approach
ICD-10	0NB50ZZ	Excision of right temporal bone, open approach
ICD-10	0NB53ZZ	Excision of right temporal bone, percutaneous approach
ICD-10	0NB54ZZ	Excision of right temporal bone, percutaneous endoscopic approach
ICD-10	0NB60ZZ	Excision of left temporal bone, open approach
ICD-10	0NB63ZZ	Excision of left temporal bone, percutaneous approach
ICD-10	0NB64ZZ	Excision of left temporal bone, percutaneous endoscopic approach
ICD-10	0NB70ZZ	Excision of occipital bone, open approach
ICD-10	0NB73ZZ	Excision of occipital bone, percutaneous approach
ICD-10	0NB74ZZ	Excision of occipital bone, percutaneous endoscopic approach
ICD-10	0NBB0ZZ	Excision of nasal bone, open approach
ICD-10	0NBB3ZZ	Excision of nasal bone, percutaneous approach
ICD-10	0NBB4ZZ	Excision of nasal bone, percutaneous endoscopic approach
ICD-10	0NBC0ZX	Excision of sphenoid bone, open approach, diagnostic
ICD-10	0NBC0ZZ	Excision of sphenoid bone, open approach
ICD-10	0NBC3ZX	Excision of sphenoid bone, percutaneous approach, diagnostic
ICD-10	0NBC3ZZ	Excision of sphenoid bone, percutaneous approach
ICD-10	0NBC4ZX	Excision of sphenoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBC4ZZ	Excision of sphenoid bone, percutaneous endoscopic approach
ICD-10	0NBF0ZX	Excision of right ethmoid bone, open approach, diagnostic
ICD-10	0NBF0ZZ	Excision of right ethmoid bone, open approach
ICD-10	0NBF3ZX	Excision of right ethmoid bone, percutaneous approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0NBF3ZZ	Excision of right ethmoid bone, percutaneous approach
ICD-10	0NBF4ZX	Excision of right ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBF4ZZ	Excision of right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NBG0ZX	Excision of left ethmoid bone, open approach, diagnostic
ICD-10	0NBG0ZZ	Excision of left ethmoid bone, open approach
ICD-10	0NBG3ZX	Excision of left ethmoid bone, percutaneous approach, diagnostic
ICD-10	0NBG3ZZ	Excision of left ethmoid bone, percutaneous approach
ICD-10	0NBG4ZX	Excision of left ethmoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBG4ZZ	Excision of left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NBH0ZX	Excision of right lacrimal bone, open approach, diagnostic
ICD-10	0NBH0ZZ	Excision of right lacrimal bone, open approach
ICD-10	0NBH3ZX	Excision of right lacrimal bone, percutaneous approach, diagnostic
ICD-10	0NBH3ZZ	Excision of right lacrimal bone, percutaneous approach
ICD-10	0NBH4ZX	Excision of right lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBH4ZZ	Excision of right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NBJ0ZX	Excision of left lacrimal bone, open approach, diagnostic
ICD-10	0NBJ0ZZ	Excision of left lacrimal bone, open approach
ICD-10	0NBJ3ZX	Excision of left lacrimal bone, percutaneous approach, diagnostic
ICD-10	0NBJ3ZZ	Excision of left lacrimal bone, percutaneous approach
ICD-10	0NBJ4ZX	Excision of left lacrimal bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBJ4ZZ	Excision of left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NBK0ZX	Excision of right palatine bone, open approach, diagnostic
ICD-10	0NBK0ZZ	Excision of right palatine bone, open approach
ICD-10	0NBK3ZX	Excision of right palatine bone, percutaneous approach, diagnostic
ICD-10	0NBK3ZZ	Excision of right palatine bone, percutaneous approach
ICD-10	0NBK4ZX	Excision of right palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBK4ZZ	Excision of right palatine bone, percutaneous endoscopic approach
ICD-10	0NBL0ZX	Excision of left palatine bone, open approach, diagnostic
ICD-10	0NBL0ZZ	Excision of left palatine bone, open approach
ICD-10	0NBL3ZX	Excision of left palatine bone, percutaneous approach, diagnostic
ICD-10	0NBL3ZZ	Excision of left palatine bone, percutaneous approach
ICD-10	0NBL4ZX	Excision of left palatine bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBL4ZZ	Excision of left palatine bone, percutaneous endoscopic approach
ICD-10	0NBM0ZX	Excision of right zygomatic bone, open approach, diagnostic
ICD-10	0NBM0ZZ	Excision of right zygomatic bone, open approach
ICD-10	0NBM3ZX	Excision of right zygomatic bone, percutaneous approach, diagnostic
ICD-10	0NBM3ZZ	Excision of right zygomatic bone, percutaneous approach
ICD-10	0NBM4ZX	Excision of right zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBM4ZZ	Excision of right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NBN0ZX	Excision of left zygomatic bone, open approach, diagnostic
ICD-10	0NBN0ZZ	Excision of left zygomatic bone, open approach
ICD-10	0NBN3ZX	Excision of left zygomatic bone, percutaneous approach, diagnostic



ICD 9/10	Code	Description
ICD-10	0NBN3ZZ	Excision of left zygomatic bone, percutaneous approach
ICD-10	0NBN4ZX	Excision of left zygomatic bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBN4ZZ	Excision of left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NBP0ZZ	Excision of right orbit, open approach
ICD-10	0NBP3ZZ	Excision of right orbit, percutaneous approach
ICD-10	0NBP4ZZ	Excision of right orbit, percutaneous endoscopic approach
ICD-10	0NBQ0ZZ	Excision of left orbit, open approach
ICD-10	0NBQ3ZZ	Excision of left orbit, percutaneous approach
ICD-10	0NBQ4ZZ	Excision of left orbit, percutaneous endoscopic approach
ICD-10	0NBR0ZZ	Excision of maxilla, open approach
ICD-10	0NBR3ZZ	Excision of maxilla, percutaneous approach
ICD-10	0NBR4ZZ	Excision of maxilla, percutaneous endoscopic approach
ICD-10	0NBT3ZZ	Excision of right mandible, percutaneous approach
ICD-10	0NBV3ZZ	Excision of left mandible, percutaneous approach
ICD-10	0NBX0ZX	Excision of hyoid bone, open approach, diagnostic
ICD-10	0NBX0ZZ	Excision of hyoid bone, open approach
ICD-10	0NBX3ZX	Excision of hyoid bone, percutaneous approach, diagnostic
ICD-10	0NBX3ZZ	Excision of hyoid bone, percutaneous approach
ICD-10	0NBX4ZX	Excision of hyoid bone, percutaneous endoscopic approach, diagnostic
ICD-10	0NBX4ZZ	Excision of hyoid bone, percutaneous endoscopic approach
ICD-10	0NC10ZZ	Extirpation of matter from frontal bone, open approach
ICD-10	0NC13ZZ	Extirpation of matter from frontal bone, percutaneous approach
ICD-10	0NC14ZZ	Extirpation of matter from frontal bone, percutaneous endoscopic approach
ICD-10	0NC30ZZ	Extirpation of matter from right parietal bone, open approach
ICD-10	0NC33ZZ	Extirpation of matter from right parietal bone, percutaneous approach
ICD-10	0NC34ZZ	Extirpation of matter from right parietal bone, percutaneous endoscopic approach
ICD-10	0NC40ZZ	Extirpation of matter from left parietal bone, open approach
ICD-10	0NC43ZZ	Extirpation of matter from left parietal bone, percutaneous approach
ICD-10	0NC44ZZ	Extirpation of matter from left parietal bone, percutaneous endoscopic approach
ICD-10	0NC50ZZ	Extirpation of matter from right temporal bone, open approach
ICD-10	0NC53ZZ	Extirpation of matter from right temporal bone, percutaneous approach
ICD-10	0NC54ZZ	Extirpation of matter from right temporal bone, percutaneous endoscopic approach
ICD-10	0NC60ZZ	Extirpation of matter from left temporal bone, open approach
ICD-10	0NC63ZZ	Extirpation of matter from left temporal bone, percutaneous approach
ICD-10	0NC64ZZ	Extirpation of matter from left temporal bone, percutaneous endoscopic approach
ICD-10	0NC70ZZ	Extirpation of matter from occipital bone, open approach
ICD-10	0NC73ZZ	Extirpation of matter from occipital bone, percutaneous approach
ICD-10	0NC74ZZ	Extirpation of matter from occipital bone, percutaneous endoscopic approach
ICD-10	0NCC0ZZ	Extirpation of matter from sphenoid bone, open approach
ICD-10	0NCC3ZZ	Extirpation of matter from sphenoid bone, percutaneous approach
ICD-10	0NCC4ZZ	Extirpation of matter from sphenoid bone, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0NCF0ZZ	Extirpation of matter from right ethmoid bone, open approach
ICD-10	0NCF3ZZ	Extirpation of matter from right ethmoid bone, percutaneous approach
ICD-10	0NCF4ZZ	Extirpation of matter from right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NCG0ZZ	Extirpation of matter from left ethmoid bone, open approach
ICD-10	0NCG3ZZ	Extirpation of matter from left ethmoid bone, percutaneous approach
ICD-10	0NCG4ZZ	Extirpation of matter from left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NCH0ZZ	Extirpation of matter from right lacrimal bone, open approach
ICD-10	0NCH3ZZ	Extirpation of matter from right lacrimal bone, percutaneous approach
ICD-10	0NCH4ZZ	Extirpation of matter from right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NCJ0ZZ	Extirpation of matter from left lacrimal bone, open approach
ICD-10	0NCJ3ZZ	Extirpation of matter from left lacrimal bone, percutaneous approach
ICD-10	0NCJ4ZZ	Extirpation of matter from left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NCK0ZZ	Extirpation of matter from right palatine bone, open approach
ICD-10	0NCK3ZZ	Extirpation of matter from right palatine bone, percutaneous approach
ICD-10	0NCK4ZZ	Extirpation of matter from right palatine bone, percutaneous endoscopic approach
ICD-10	0NCL0ZZ	Extirpation of matter from left palatine bone, open approach
ICD-10	0NCL3ZZ	Extirpation of matter from left palatine bone, percutaneous approach
ICD-10	0NCL4ZZ	Extirpation of matter from left palatine bone, percutaneous endoscopic approach
ICD-10	0NCM0ZZ	Extirpation of matter from right zygomatic bone, open approach
ICD-10	0NCM3ZZ	Extirpation of matter from right zygomatic bone, percutaneous approach
ICD-10	0NCM4ZZ	Extirpation of matter from right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NCN0ZZ	Extirpation of matter from left zygomatic bone, open approach
ICD-10	0NCN3ZZ	Extirpation of matter from left zygomatic bone, percutaneous approach
ICD-10	0NCN4ZZ	Extirpation of matter from left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NCP0ZZ	Extirpation of matter from right orbit, open approach
ICD-10	0NCP3ZZ	Extirpation of matter from right orbit, percutaneous approach
ICD-10	0NCP4ZZ	Extirpation of matter from right orbit, percutaneous endoscopic approach
ICD-10	0NCQ0ZZ	Extirpation of matter from left orbit, open approach
ICD-10	0NCQ3ZZ	Extirpation of matter from left orbit, percutaneous approach
ICD-10	0NCQ4ZZ	Extirpation of matter from left orbit, percutaneous endoscopic approach
ICD-10	0NCX0ZZ	Extirpation of matter from hyoid bone, open approach
ICD-10	0NCX3ZZ	Extirpation of matter from hyoid bone, percutaneous approach
ICD-10	0NCX4ZZ	Extirpation of matter from hyoid bone, percutaneous endoscopic approach
ICD-10	0NH104Z	Insertion of internal fixation device into frontal bone, open approach
ICD-10	0NH134Z	Insertion of internal fixation device into frontal bone, percutaneous approach
ICD-10	0NH144Z	Insertion of internal fixation device into frontal bone, percutaneous endoscopic approach
ICD-10	0NH304Z	Insertion of internal fixation device into right parietal bone, open approach
ICD-10	0NH334Z	Insertion of internal fixation device into right parietal bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NH344Z	Insertion of internal fixation device into right parietal bone, percutaneous endoscopic approach
ICD-10	0NH404Z	Insertion of internal fixation device into left parietal bone, open approach
ICD-10	0NH434Z	Insertion of internal fixation device into left parietal bone, percutaneous approach
ICD-10	0NH444Z	Insertion of internal fixation device into left parietal bone, percutaneous endoscopic approach
ICD-10	0NH504Z	Insertion of internal fixation device into right temporal bone, open approach
ICD-10	0NH50SZ	Insertion of hearing device into right temporal bone, open approach
ICD-10	0NH534Z	Insertion of internal fixation device into right temporal bone, percutaneous approach
ICD-10	0NH53SZ	Insertion of hearing device into right temporal bone, percutaneous approach
ICD-10	0NH544Z	Insertion of internal fixation device into right temporal bone, percutaneous endoscopic approach
ICD-10	0NH54SZ	Insertion of hearing device into right temporal bone, percutaneous endoscopic approach
ICD-10	0NH604Z	Insertion of internal fixation device into left temporal bone, open approach
ICD-10	0NH60SZ	Insertion of hearing device into left temporal bone, open approach
ICD-10	0NH634Z	Insertion of internal fixation device into left temporal bone, percutaneous approach
ICD-10	0NH63SZ	Insertion of hearing device into left temporal bone, percutaneous approach
ICD-10	0NH644Z	Insertion of internal fixation device into left temporal bone, percutaneous endoscopic approach
ICD-10	0NH64SZ	Insertion of hearing device into left temporal bone, percutaneous endoscopic approach
ICD-10	0NH704Z	Insertion of internal fixation device into occipital bone, open approach
ICD-10	0NH734Z	Insertion of internal fixation device into occipital bone, percutaneous approach
ICD-10	0NH744Z	Insertion of internal fixation device into occipital bone, percutaneous endoscopic approach
ICD-10	0NHC04Z	Insertion of internal fixation device into sphenoid bone, open approach
ICD-10	0NHC34Z	Insertion of internal fixation device into sphenoid bone, percutaneous approach
ICD-10	0NHC44Z	Insertion of internal fixation device into sphenoid bone, percutaneous endoscopic approach
ICD-10	0NHF04Z	Insertion of internal fixation device into right ethmoid bone, open approach
ICD-10	0NHF34Z	Insertion of internal fixation device into right ethmoid bone, percutaneous approach
ICD-10	0NHF44Z	Insertion of internal fixation device into right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NHG04Z	Insertion of internal fixation device into left ethmoid bone, open approach
ICD-10	0NHG34Z	Insertion of internal fixation device into left ethmoid bone, percutaneous approach
ICD-10	0NHG44Z	Insertion of internal fixation device into left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NHH04Z	Insertion of internal fixation device into right lacrimal bone, open approach
ICD-10	0NHH34Z	Insertion of internal fixation device into right lacrimal bone, percutaneous approach
ICD-10	0NHH44Z	Insertion of internal fixation device into right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NHJ04Z	Insertion of internal fixation device into left lacrimal bone, open approach

ICD 9/10	Code	Description
ICD-10	0NHJ34Z	Insertion of internal fixation device into left lacrimal bone, percutaneous approach
ICD-10	0NHJ44Z	Insertion of internal fixation device into left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NHK04Z	Insertion of internal fixation device into right palatine bone, open approach
ICD-10	0NHK34Z	Insertion of internal fixation device into right palatine bone, percutaneous approach
ICD-10	0NHK44Z	Insertion of internal fixation device into right palatine bone, percutaneous endoscopic approach
ICD-10	0NHL04Z	Insertion of internal fixation device into left palatine bone, open approach
ICD-10	0NHL34Z	Insertion of internal fixation device into left palatine bone, percutaneous approach
ICD-10	0NHL44Z	Insertion of internal fixation device into left palatine bone, percutaneous endoscopic approach
ICD-10	0NHM04Z	Insertion of internal fixation device into right zygomatic bone, open approach
ICD-10	0NHM34Z	Insertion of internal fixation device into right zygomatic bone, percutaneous approach
ICD-10	0NHM44Z	Insertion of internal fixation device into right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NHN04Z	Insertion of internal fixation device into left zygomatic bone, open approach
ICD-10	0NHN34Z	Insertion of internal fixation device into left zygomatic bone, percutaneous approach
ICD-10	0NHN44Z	Insertion of internal fixation device into left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NHP04Z	Insertion of internal fixation device into right orbit, open approach
ICD-10	0NHP34Z	Insertion of internal fixation device into right orbit, percutaneous approach
ICD-10	0NHP44Z	Insertion of internal fixation device into right orbit, percutaneous endoscopic approach
ICD-10	0NHQ04Z	Insertion of internal fixation device into left orbit, open approach
ICD-10	0NHQ34Z	Insertion of internal fixation device into left orbit, percutaneous approach
ICD-10	0NHQ44Z	Insertion of internal fixation device into left orbit, percutaneous endoscopic approach
ICD-10	0NHR04Z	Insertion of internal fixation device into maxilla, open approach
ICD-10	0NHR05Z	Insertion of external fixation device into maxilla, open approach
ICD-10	0NHR34Z	Insertion of internal fixation device into maxilla, percutaneous approach
ICD-10	0NHR35Z	Insertion of external fixation device into maxilla, percutaneous approach
ICD-10	0NHR44Z	Insertion of internal fixation device into maxilla, percutaneous endoscopic approach
ICD-10	0NHR45Z	Insertion of external fixation device into maxilla, percutaneous endoscopic approach
ICD-10	0NHT04Z	Insertion of internal fixation device into right mandible, open approach
ICD-10	0NHT05Z	Insertion of external fixation device into right mandible, open approach
ICD-10	0NHT34Z	Insertion of internal fixation device into right mandible, percutaneous approach
ICD-10	0NHT35Z	Insertion of external fixation device into right mandible, percutaneous approach
ICD-10	0NHT44Z	Insertion of internal fixation device into right mandible, percutaneous endoscopic approach
ICD-10	0NHT45Z	Insertion of external fixation device into right mandible, percutaneous endoscopic approach
ICD-10	0NHV04Z	Insertion of internal fixation device into left mandible, open approach

ICD 9/10	Code	Description
ICD-10	0NHV05Z	Insertion of external fixation device into left mandible, open approach
ICD-10	0NHV34Z	Insertion of internal fixation device into left mandible, percutaneous approach
ICD-10	0NHV35Z	Insertion of external fixation device into left mandible, percutaneous approach
ICD-10	0NHV44Z	Insertion of internal fixation device into left mandible, percutaneous endoscopic approach
ICD-10	0NHV45Z	Insertion of external fixation device into left mandible, percutaneous endoscopic approach
ICD-10	0NHW0MZ	Insertion of bone growth stimulator into facial bone, open approach
ICD-10	0NHW3MZ	Insertion of bone growth stimulator into facial bone, percutaneous approach
ICD-10	0NHW4MZ	Insertion of bone growth stimulator into facial bone, percutaneous endoscopic approach
ICD-10	0NHX04Z	Insertion of internal fixation device into hyoid bone, open approach
ICD-10	0NHX34Z	Insertion of internal fixation device into hyoid bone, percutaneous approach
ICD-10	0NHX44Z	Insertion of internal fixation device into hyoid bone, percutaneous endoscopic approach
ICD-10	0NJB0ZZ	Inspection of nasal bone, open approach
ICD-10	0NJB4ZZ	Inspection of nasal bone, percutaneous endoscopic approach
ICD-10	0NJW0ZZ	Inspection of facial bone, open approach
ICD-10	0NJW4ZZ	Inspection of facial bone, percutaneous endoscopic approach
ICD-10	0NN10ZZ	Release frontal bone, open approach
ICD-10	0NN13ZZ	Release frontal bone, percutaneous approach
ICD-10	0NN14ZZ	Release frontal bone, percutaneous endoscopic approach
ICD-10	0NN30ZZ	Release right parietal bone, open approach
ICD-10	0NN33ZZ	Release right parietal bone, percutaneous approach
ICD-10	0NN34ZZ	Release right parietal bone, percutaneous endoscopic approach
ICD-10	0NN40ZZ	Release left parietal bone, open approach
ICD-10	0NN43ZZ	Release left parietal bone, percutaneous approach
ICD-10	0NN44ZZ	Release left parietal bone, percutaneous endoscopic approach
ICD-10	0NN50ZZ	Release right temporal bone, open approach
ICD-10	0NN53ZZ	Release right temporal bone, percutaneous approach
ICD-10	0NN54ZZ	Release right temporal bone, percutaneous endoscopic approach
ICD-10	0NN60ZZ	Release left temporal bone, open approach
ICD-10	0NN63ZZ	Release left temporal bone, percutaneous approach
ICD-10	0NN64ZZ	Release left temporal bone, percutaneous endoscopic approach
ICD-10	0NN70ZZ	Release occipital bone, open approach
ICD-10	0NN73ZZ	Release occipital bone, percutaneous approach
ICD-10	0NN74ZZ	Release occipital bone, percutaneous endoscopic approach
ICD-10	0NNC0ZZ	Release sphenoid bone, open approach
ICD-10	0NNC3ZZ	Release sphenoid bone, percutaneous approach
ICD-10	0NNC4ZZ	Release sphenoid bone, percutaneous endoscopic approach
ICD-10	0NNF0ZZ	Release right ethmoid bone, open approach
ICD-10	0NNF3ZZ	Release right ethmoid bone, percutaneous approach
ICD-10	0NNF4ZZ	Release right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NNG0ZZ	Release left ethmoid bone, open approach

ICD 9/10	Code	Description
ICD-10	0NNG3ZZ	Release left ethmoid bone, percutaneous approach
ICD-10	0NNG4ZZ	Release left ethmoid bone, percutaneous endoscopic approach
ICD-10	0NNH0ZZ	Release right lacrimal bone, open approach
ICD-10	0NNH3ZZ	Release right lacrimal bone, percutaneous approach
ICD-10	0NNH4ZZ	Release right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NNJ0ZZ	Release left lacrimal bone, open approach
ICD-10	0NNJ3ZZ	Release left lacrimal bone, percutaneous approach
ICD-10	0NNJ4ZZ	Release left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NNK0ZZ	Release right palatine bone, open approach
ICD-10	0NNK3ZZ	Release right palatine bone, percutaneous approach
ICD-10	0NNK4ZZ	Release right palatine bone, percutaneous endoscopic approach
ICD-10	0NNL0ZZ	Release left palatine bone, open approach
ICD-10	0NNL3ZZ	Release left palatine bone, percutaneous approach
ICD-10	0NNL4ZZ	Release left palatine bone, percutaneous endoscopic approach
ICD-10	0NNM0ZZ	Release right zygomatic bone, open approach
ICD-10	0NNM3ZZ	Release right zygomatic bone, percutaneous approach
ICD-10	0NNM4ZZ	Release right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NNN0ZZ	Release left zygomatic bone, open approach
ICD-10	0NNN3ZZ	Release left zygomatic bone, percutaneous approach
ICD-10	0NNN4ZZ	Release left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NNR0ZZ	Release maxilla, open approach
ICD-10	0NNR3ZZ	Release maxilla, percutaneous approach
ICD-10	0NNR4ZZ	Release maxilla, percutaneous endoscopic approach
ICD-10	0NNT0ZZ	Release right mandible, open approach
ICD-10	0NNT3ZZ	Release right mandible, percutaneous approach
ICD-10	0NNT4ZZ	Release right mandible, percutaneous endoscopic approach
ICD-10	0NNV0ZZ	Release left mandible, open approach
ICD-10	0NNV3ZZ	Release left mandible, percutaneous approach
ICD-10	0NNV4ZZ	Release left mandible, percutaneous endoscopic approach
ICD-10	0NP00JZ	Removal of synthetic substitute from skull, open approach
ICD-10	0NP03JZ	Removal of synthetic substitute from skull, percutaneous approach
ICD-10	0NP04JZ	Removal of synthetic substitute from skull, percutaneous endoscopic approach
ICD-10	0NPW00Z	Removal of drainage device from facial bone, open approach
ICD-10	0NPW04Z	Removal of internal fixation device from facial bone, open approach
ICD-10	0NPW07Z	Removal of autologous tissue substitute from facial bone, open approach
ICD-10	0NPW0KZ	Removal of nonautologous tissue substitute from facial bone, open approach
ICD-10	0NPW0MZ	Removal of bone growth stimulator from facial bone, open approach
ICD-10	0NPW30Z	Removal of drainage device from facial bone, percutaneous approach
ICD-10	0NPW34Z	Removal of internal fixation device from facial bone, percutaneous approach
ICD-10	0NPW37Z	Removal of autologous tissue substitute from facial bone, percutaneous approach
ICD-10	0NPW3KZ	Removal of nonautologous tissue substitute from facial bone, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NPW3MZ	Removal of bone growth stimulator from facial bone, percutaneous approach
ICD-10	0NPW40Z	Removal of drainage device from facial bone, percutaneous endoscopic approach
ICD-10	0NPW44Z	Removal of internal fixation device from facial bone, percutaneous endoscopic approach
ICD-10	0NPW47Z	Removal of autologous tissue substitute from facial bone, percutaneous endoscopic approach
ICD-10	0NPW4KZ	Removal of nonautologous tissue substitute from facial bone, percutaneous endoscopic approach
ICD-10	0NPW4MZ	Removal of bone growth stimulator from facial bone, percutaneous endoscopic approach
ICD-10	0NPWX4Z	Removal of internal fixation device from facial bone, external approach
ICD-10	0NQ00ZZ	Repair skull, open approach
ICD-10	0NQ03ZZ	Repair skull, percutaneous approach
ICD-10	0NQ04ZZ	Repair skull, percutaneous endoscopic approach
ICD-10	0NQ10ZZ	Repair frontal bone, open approach
ICD-10	0NQ13ZZ	Repair frontal bone, percutaneous approach
ICD-10	0NQ14ZZ	Repair frontal bone, percutaneous endoscopic approach
ICD-10	0NQ30ZZ	Repair right parietal bone, open approach
ICD-10	0NQ33ZZ	Repair right parietal bone, percutaneous approach
ICD-10	0NQ34ZZ	Repair right parietal bone, percutaneous endoscopic approach
ICD-10	0NQ40ZZ	Repair left parietal bone, open approach
ICD-10	0NQ43ZZ	Repair left parietal bone, percutaneous approach
ICD-10	0NQ44ZZ	Repair left parietal bone, percutaneous endoscopic approach
ICD-10	0NQ50ZZ	Repair right temporal bone, open approach
ICD-10	0NQ53ZZ	Repair right temporal bone, percutaneous approach
ICD-10	0NQ54ZZ	Repair right temporal bone, percutaneous endoscopic approach
ICD-10	0NQ60ZZ	Repair left temporal bone, open approach
ICD-10	0NQ63ZZ	Repair left temporal bone, percutaneous approach
ICD-10	0NQ64ZZ	Repair left temporal bone, percutaneous endoscopic approach
ICD-10	0NQ70ZZ	Repair occipital bone, open approach
ICD-10	0NQ73ZZ	Repair occipital bone, percutaneous approach
ICD-10	0NQ74ZZ	Repair occipital bone, percutaneous endoscopic approach
ICD-10	0NQB0ZZ	Repair nasal bone, open approach
ICD-10	0NQB3ZZ	Repair nasal bone, percutaneous approach
ICD-10	0NQB4ZZ	Repair nasal bone, percutaneous endoscopic approach
ICD-10	0NQC0ZZ	Repair sphenoid bone, open approach
ICD-10	0NQC3ZZ	Repair sphenoid bone, percutaneous approach
ICD-10	0NQC4ZZ	Repair sphenoid bone, percutaneous endoscopic approach
ICD-10	0NQF0ZZ	Repair right ethmoid bone, open approach
ICD-10	0NQF3ZZ	Repair right ethmoid bone, percutaneous approach
ICD-10	0NQF4ZZ	Repair right ethmoid bone, percutaneous endoscopic approach
ICD-10	0NQG0ZZ	Repair left ethmoid bone, open approach
ICD-10	0NQG3ZZ	Repair left ethmoid bone, percutaneous approach
ICD-10	0NQG4ZZ	Repair left ethmoid bone, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0NQH0ZZ	Repair right lacrimal bone, open approach
ICD-10	0NQH3ZZ	Repair right lacrimal bone, percutaneous approach
ICD-10	0NQH4ZZ	Repair right lacrimal bone, percutaneous endoscopic approach
ICD-10	0NQJ0ZZ	Repair left lacrimal bone, open approach
ICD-10	0NQJ3ZZ	Repair left lacrimal bone, percutaneous approach
ICD-10	0NQJ4ZZ	Repair left lacrimal bone, percutaneous endoscopic approach
ICD-10	0NQK0ZZ	Repair right palatine bone, open approach
ICD-10	0NQK3ZZ	Repair right palatine bone, percutaneous approach
ICD-10	0NQK4ZZ	Repair right palatine bone, percutaneous endoscopic approach
ICD-10	0NQL0ZZ	Repair left palatine bone, open approach
ICD-10	0NQL3ZZ	Repair left palatine bone, percutaneous approach
ICD-10	0NQL4ZZ	Repair left palatine bone, percutaneous endoscopic approach
ICD-10	0NQM0ZZ	Repair right zygomatic bone, open approach
ICD-10	0NQM3ZZ	Repair right zygomatic bone, percutaneous approach
ICD-10	0NQM4ZZ	Repair right zygomatic bone, percutaneous endoscopic approach
ICD-10	0NQN0ZZ	Repair left zygomatic bone, open approach
ICD-10	0NQN3ZZ	Repair left zygomatic bone, percutaneous approach
ICD-10	0NQN4ZZ	Repair left zygomatic bone, percutaneous endoscopic approach
ICD-10	0NQP0ZZ	Repair right orbit, open approach
ICD-10	0NQP3ZZ	Repair right orbit, percutaneous approach
ICD-10	0NQP4ZZ	Repair right orbit, percutaneous endoscopic approach
ICD-10	0NQQ0ZZ	Repair left orbit, open approach
ICD-10	0NQQ3ZZ	Repair left orbit, percutaneous approach
ICD-10	0NQQ4ZZ	Repair left orbit, percutaneous endoscopic approach
ICD-10	0NQR0ZZ	Repair maxilla, open approach
ICD-10	0NQR3ZZ	Repair maxilla, percutaneous approach
ICD-10	0NQR4ZZ	Repair maxilla, percutaneous endoscopic approach
ICD-10	0NQT0ZZ	Repair right mandible, open approach
ICD-10	0NQT3ZZ	Repair right mandible, percutaneous approach
ICD-10	0NQT4ZZ	Repair right mandible, percutaneous endoscopic approach
ICD-10	0NQV0ZZ	Repair left mandible, open approach
ICD-10	0NQV3ZZ	Repair left mandible, percutaneous approach
ICD-10	0NQV4ZZ	Repair left mandible, percutaneous endoscopic approach
ICD-10	0NQX0ZZ	Repair hyoid bone, open approach
ICD-10	0NQX3ZZ	Repair hyoid bone, percutaneous approach
ICD-10	0NQX4ZZ	Repair hyoid bone, percutaneous endoscopic approach
ICD-10	0NR007Z	Replacement of skull with autologous tissue substitute, open approach
ICD-10	0NR00JZ	Replacement of skull with synthetic substitute, open approach
ICD-10	0NR00KZ	Replacement of skull with nonautologous tissue substitute, open approach
ICD-10	0NR037Z	Replacement of skull with autologous tissue substitute, percutaneous approach
ICD-10	0NR03JZ	Replacement of skull with synthetic substitute, percutaneous approach



ICD 9/10	Code	Description
ICD-10	0NR03KZ	Replacement of skull with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR047Z	Replacement of skull with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR04JZ	Replacement of skull with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR04KZ	Replacement of skull with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR107Z	Replacement of frontal bone with autologous tissue substitute, open approach
ICD-10	0NR10JZ	Replacement of frontal bone with synthetic substitute, open approach
ICD-10	0NR10KZ	Replacement of frontal bone with nonautologous tissue substitute, open approach
ICD-10	0NR137Z	Replacement of frontal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR13JZ	Replacement of frontal bone with synthetic substitute, percutaneous approach
ICD-10	0NR13KZ	Replacement of frontal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR147Z	Replacement of frontal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR14JZ	Replacement of frontal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR14KZ	Replacement of frontal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR307Z	Replacement of right parietal bone with autologous tissue substitute, open approach
ICD-10	0NR30JZ	Replacement of right parietal bone with synthetic substitute, open approach
ICD-10	0NR30KZ	Replacement of right parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NR337Z	Replacement of right parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR33JZ	Replacement of right parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NR33KZ	Replacement of right parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR347Z	Replacement of right parietal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR34JZ	Replacement of right parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR34KZ	Replacement of right parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR407Z	Replacement of left parietal bone with autologous tissue substitute, open approach
ICD-10	0NR40JZ	Replacement of left parietal bone with synthetic substitute, open approach
ICD-10	0NR40KZ	Replacement of left parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NR437Z	Replacement of left parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR43JZ	Replacement of left parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NR43KZ	Replacement of left parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR447Z	Replacement of left parietal bone with autologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NR44JZ	Replacement of left parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR44KZ	Replacement of left parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR507Z	Replacement of right temporal bone with autologous tissue substitute, open approach
ICD-10	0NR50JZ	Replacement of right temporal bone with synthetic substitute, open approach
ICD-10	0NR50KZ	Replacement of right temporal bone with nonautologous tissue substitute, open approach
ICD-10	0NR537Z	Replacement of right temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR53JZ	Replacement of right temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NR53KZ	Replacement of right temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR547Z	Replacement of right temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR54JZ	Replacement of right temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR54KZ	Replacement of right temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR607Z	Replacement of left temporal bone with autologous tissue substitute, open approach
ICD-10	0NR60JZ	Replacement of left temporal bone with synthetic substitute, open approach
ICD-10	0NR60KZ	Replacement of left temporal bone with nonautologous tissue substitute, open approach
ICD-10	0NR637Z	Replacement of left temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR63JZ	Replacement of left temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NR63KZ	Replacement of left temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR647Z	Replacement of left temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR64JZ	Replacement of left temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NR64KZ	Replacement of left temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR707Z	Replacement of occipital bone with autologous tissue substitute, open approach
ICD-10	0NR70JZ	Replacement of occipital bone with synthetic substitute, open approach
ICD-10	0NR70KZ	Replacement of occipital bone with nonautologous tissue substitute, open approach
ICD-10	0NR737Z	Replacement of occipital bone with autologous tissue substitute, percutaneous approach
ICD-10	0NR73JZ	Replacement of occipital bone with synthetic substitute, percutaneous approach
ICD-10	0NR73KZ	Replacement of occipital bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NR747Z	Replacement of occipital bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NR74JZ	Replacement of occipital bone with synthetic substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NR74KZ	Replacement of occipital bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRB07Z	Replacement of nasal bone with autologous tissue substitute, open approach
ICD-10	0NRB0JZ	Replacement of nasal bone with synthetic substitute, open approach
ICD-10	0NRB0KZ	Replacement of nasal bone with nonautologous tissue substitute, open approach
ICD-10	0NRB37Z	Replacement of nasal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRB3JZ	Replacement of nasal bone with synthetic substitute, percutaneous approach
ICD-10	0NRB3KZ	Replacement of nasal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRB47Z	Replacement of nasal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRB4JZ	Replacement of nasal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRB4KZ	Replacement of nasal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRC07Z	Replacement of sphenoid bone with autologous tissue substitute, open approach
ICD-10	0NRC0JZ	Replacement of sphenoid bone with synthetic substitute, open approach
ICD-10	0NRC0KZ	Replacement of sphenoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRC37Z	Replacement of sphenoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRC3JZ	Replacement of sphenoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRC3KZ	Replacement of sphenoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRC47Z	Replacement of sphenoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRC4JZ	Replacement of sphenoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRC4KZ	Replacement of sphenoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRF07Z	Replacement of right ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NRF0JZ	Replacement of right ethmoid bone with synthetic substitute, open approach
ICD-10	0NRF0KZ	Replacement of right ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRF37Z	Replacement of right ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRF3JZ	Replacement of right ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRF3KZ	Replacement of right ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRF47Z	Replacement of right ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRF4JZ	Replacement of right ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRF4KZ	Replacement of right ethmoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRG07Z	Replacement of left ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NRG0JZ	Replacement of left ethmoid bone with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NRG0KZ	Replacement of left ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRG37Z	Replacement of left ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRG3JZ	Replacement of left ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRG3KZ	Replacement of left ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRG47Z	Replacement of left ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRG4JZ	Replacement of left ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRG4KZ	Replacement of left ethmoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRH07Z	Replacement of right lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NRH0JZ	Replacement of right lacrimal bone with synthetic substitute, open approach
ICD-10	0NRH0KZ	Replacement of right lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NRH37Z	Replacement of right lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRH3JZ	Replacement of right lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NRH3KZ	Replacement of right lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRH47Z	Replacement of right lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRH4JZ	Replacement of right lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRH4KZ	Replacement of right lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRJ07Z	Replacement of left lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NRJ0JZ	Replacement of left lacrimal bone with synthetic substitute, open approach
ICD-10	0NRJ0KZ	Replacement of left lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NRJ37Z	Replacement of left lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRJ3JZ	Replacement of left lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NRJ3KZ	Replacement of left lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRJ47Z	Replacement of left lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRJ4JZ	Replacement of left lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRJ4KZ	Replacement of left lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRK07Z	Replacement of right palatine bone with autologous tissue substitute, open approach
ICD-10	0NRK0JZ	Replacement of right palatine bone with synthetic substitute, open approach
ICD-10	0NRK0KZ	Replacement of right palatine bone with nonautologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NRK37Z	Replacement of right palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRK3JZ	Replacement of right palatine bone with synthetic substitute, percutaneous approach
ICD-10	0NRK3KZ	Replacement of right palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRK47Z	Replacement of right palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRK4JZ	Replacement of right palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRK4KZ	Replacement of right palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRL07Z	Replacement of left palatine bone with autologous tissue substitute, open approach
ICD-10	0NRL0JZ	Replacement of left palatine bone with synthetic substitute, open approach
ICD-10	0NRL0KZ	Replacement of left palatine bone with nonautologous tissue substitute, open approach
ICD-10	0NRL37Z	Replacement of left palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRL3JZ	Replacement of left palatine bone with synthetic substitute, percutaneous approach
ICD-10	0NRL3KZ	Replacement of left palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRL47Z	Replacement of left palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRL4JZ	Replacement of left palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRL4KZ	Replacement of left palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRM07Z	Replacement of right zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NRM0JZ	Replacement of right zygomatic bone with synthetic substitute, open approach
ICD-10	0NRM0KZ	Replacement of right zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NRM37Z	Replacement of right zygomatic bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRM3JZ	Replacement of right zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NRM3KZ	Replacement of right zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRM47Z	Replacement of right zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRM4JZ	Replacement of right zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRM4KZ	Replacement of right zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRN07Z	Replacement of left zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NRN0JZ	Replacement of left zygomatic bone with synthetic substitute, open approach
ICD-10	0NRN0KZ	Replacement of left zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NRN37Z	Replacement of left zygomatic bone with autologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NRN3JZ	Replacement of left zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NRN3KZ	Replacement of left zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRN47Z	Replacement of left zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRN4JZ	Replacement of left zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRN4KZ	Replacement of left zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRP07Z	Replacement of right orbit with autologous tissue substitute, open approach
ICD-10	0NRP0JZ	Replacement of right orbit with synthetic substitute, open approach
ICD-10	0NRP0KZ	Replacement of right orbit with nonautologous tissue substitute, open approach
ICD-10	0NRP37Z	Replacement of right orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NRP3JZ	Replacement of right orbit with synthetic substitute, percutaneous approach
ICD-10	0NRP3KZ	Replacement of right orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRP47Z	Replacement of right orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRP4JZ	Replacement of right orbit with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRP4KZ	Replacement of right orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRQ07Z	Replacement of left orbit with autologous tissue substitute, open approach
ICD-10	0NRQ0JZ	Replacement of left orbit with synthetic substitute, open approach
ICD-10	0NRQ0KZ	Replacement of left orbit with nonautologous tissue substitute, open approach
ICD-10	0NRQ37Z	Replacement of left orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NRQ3JZ	Replacement of left orbit with synthetic substitute, percutaneous approach
ICD-10	0NRQ3KZ	Replacement of left orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRQ47Z	Replacement of left orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRQ4JZ	Replacement of left orbit with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRQ4KZ	Replacement of left orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRR07Z	Replacement of maxilla with autologous tissue substitute, open approach
ICD-10	0NRR0JZ	Replacement of maxilla with synthetic substitute, open approach
ICD-10	0NRR0KZ	Replacement of maxilla with nonautologous tissue substitute, open approach
ICD-10	0NRR37Z	Replacement of maxilla with autologous tissue substitute, percutaneous approach
ICD-10	0NRR3JZ	Replacement of maxilla with synthetic substitute, percutaneous approach
ICD-10	0NRR3KZ	Replacement of maxilla with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRR47Z	Replacement of maxilla with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRR4JZ	Replacement of maxilla with synthetic substitute, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0NRR4KZ	Replacement of maxilla with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRX07Z	Replacement of hyoid bone with autologous tissue substitute, open approach
ICD-10	0NRX0JZ	Replacement of hyoid bone with synthetic substitute, open approach
ICD-10	0NRX0KZ	Replacement of hyoid bone with nonautologous tissue substitute, open approach
ICD-10	0NRX37Z	Replacement of hyoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NRX3JZ	Replacement of hyoid bone with synthetic substitute, percutaneous approach
ICD-10	0NRX3KZ	Replacement of hyoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NRX47Z	Replacement of hyoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NRX4JZ	Replacement of hyoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NRX4KZ	Replacement of hyoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NS004Z	Reposition skull with internal fixation device, open approach
ICD-10	0NS005Z	Reposition skull with external fixation device, open approach
ICD-10	0NS00ZZ	Reposition skull, open approach
ICD-10	0NS034Z	Reposition skull with internal fixation device, percutaneous approach
ICD-10	0NS035Z	Reposition skull with external fixation device, percutaneous approach
ICD-10	0NS03ZZ	Reposition skull, percutaneous approach
ICD-10	0NS044Z	Reposition skull with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS045Z	Reposition skull with external fixation device, percutaneous endoscopic approach
ICD-10	0NS04ZZ	Reposition skull, percutaneous endoscopic approach
ICD-10	0NS304Z	Reposition right parietal bone with internal fixation device, open approach
ICD-10	0NS30ZZ	Reposition right parietal bone, open approach
ICD-10	0NS334Z	Reposition right parietal bone with internal fixation device, percutaneous approach
ICD-10	0NS33ZZ	Reposition right parietal bone, percutaneous approach
ICD-10	0NS344Z	Reposition right parietal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS34ZZ	Reposition right parietal bone, percutaneous endoscopic approach
ICD-10	0NS404Z	Reposition left parietal bone with internal fixation device, open approach
ICD-10	0NS40ZZ	Reposition left parietal bone, open approach
ICD-10	0NS434Z	Reposition left parietal bone with internal fixation device, percutaneous approach
ICD-10	0NS43ZZ	Reposition left parietal bone, percutaneous approach
ICD-10	0NS444Z	Reposition left parietal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS44ZZ	Reposition left parietal bone, percutaneous endoscopic approach
ICD-10	0NS504Z	Reposition right temporal bone with internal fixation device, open approach
ICD-10	0NS50ZZ	Reposition right temporal bone, open approach
ICD-10	0NS534Z	Reposition right temporal bone with internal fixation device, percutaneous approach
ICD-10	0NS53ZZ	Reposition right temporal bone, percutaneous approach



ICD 9/10	Code	Description
ICD-10	0NS544Z	Reposition right temporal bone with internal fixation device, percutaneous endoscopic approach
ICD-10	0NS54ZZ	Reposition right temporal bone, percutaneous endoscopic approach
ICD-10	0NSM0ZZ	Reposition right zygomatic bone, open approach
ICD-10	0NSN0ZZ	Reposition left zygomatic bone, open approach
ICD-10	0NSR05Z	Reposition maxilla with external fixation device, open approach
ICD-10	0NST05Z	Reposition right mandible with external fixation device, open approach
ICD-10	0NST0ZZ	Reposition right mandible, open approach
ICD-10	0NSV05Z	Reposition left mandible with external fixation device, open approach
ICD-10	0NSV0ZZ	Reposition left mandible, open approach
ICD-10	0NSX04Z	Reposition Hyoid Bone with Internal Fixation Device, Open Approach
ICD-10	0NSX0ZZ	Reposition hyoid bone, open approach
ICD-10	0NT10ZZ	Resection of frontal bone, open approach
ICD-10	0NT30ZZ	Resection of right parietal bone, open approach
ICD-10	0NT40ZZ	Resection of left parietal bone, open approach
ICD-10	0NT50ZZ	Resection of right temporal bone, open approach
ICD-10	0NT60ZZ	Resection of left temporal bone, open approach
ICD-10	0NT70ZZ	Resection of occipital bone, open approach
ICD-10	0NTB0ZZ	Resection of nasal bone, open approach
ICD-10	0NTC0ZZ	Resection of sphenoid bone, open approach
ICD-10	0NTF0ZZ	Resection of right ethmoid bone, open approach
ICD-10	0NTG0ZZ	Resection of left ethmoid bone, open approach
ICD-10	0NTH0ZZ	Resection of right lacrimal bone, open approach
ICD-10	0NTJ0ZZ	Resection of left lacrimal bone, open approach
ICD-10	0NTK0ZZ	Resection of right palatine bone, open approach
ICD-10	0NTL0ZZ	Resection of left palatine bone, open approach
ICD-10	0NTM0ZZ	Resection of right zygomatic bone, open approach
ICD-10	0NTN0ZZ	Resection of left zygomatic bone, open approach
ICD-10	0NTP0ZZ	Resection of right orbit, open approach
ICD-10	0NTQ0ZZ	Resection of left orbit, open approach
ICD-10	0NTR0ZZ	Resection of maxilla, open approach
ICD-10	0NTX0ZZ	Resection of hyoid bone, open approach
ICD-10	0NU007Z	Supplement skull with autologous tissue substitute, open approach
ICD-10	0NU00JZ	Supplement skull with synthetic substitute, open approach
ICD-10	0NU00KZ	Supplement skull with nonautologous tissue substitute, open approach
ICD-10	0NU037Z	Supplement skull with autologous tissue substitute, percutaneous approach
ICD-10	0NU03JZ	Supplement skull with synthetic substitute, percutaneous approach
ICD-10	0NU03KZ	Supplement skull with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU047Z	Supplement skull with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU04JZ	Supplement skull with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU04KZ	Supplement skull with nonautologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NU107Z	Supplement frontal bone with autologous tissue substitute, open approach
ICD-10	0NU10JZ	Supplement frontal bone with synthetic substitute, open approach
ICD-10	0NU10KZ	Supplement frontal bone with nonautologous tissue substitute, open approach
ICD-10	0NU137Z	Supplement frontal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU13JZ	Supplement frontal bone with synthetic substitute, percutaneous approach
ICD-10	0NU13KZ	Supplement frontal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU147Z	Supplement frontal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU14JZ	Supplement frontal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU14KZ	Supplement frontal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU307Z	Supplement right parietal bone with autologous tissue substitute, open approach
ICD-10	0NU30JZ	Supplement right parietal bone with synthetic substitute, open approach
ICD-10	0NU30KZ	Supplement right parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NU337Z	Supplement right parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU33JZ	Supplement right parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NU33KZ	Supplement right parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU347Z	Supplement right parietal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU34JZ	Supplement right parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU34KZ	Supplement right parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU407Z	Supplement left parietal bone with autologous tissue substitute, open approach
ICD-10	0NU40JZ	Supplement left parietal bone with synthetic substitute, open approach
ICD-10	0NU40KZ	Supplement left parietal bone with nonautologous tissue substitute, open approach
ICD-10	0NU437Z	Supplement left parietal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU43JZ	Supplement left parietal bone with synthetic substitute, percutaneous approach
ICD-10	0NU43KZ	Supplement left parietal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU447Z	Supplement left parietal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU44JZ	Supplement left parietal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU44KZ	Supplement left parietal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU507Z	Supplement right temporal bone with autologous tissue substitute, open approach
ICD-10	0NU50JZ	Supplement right temporal bone with synthetic substitute, open approach
ICD-10	0NU50KZ	Supplement right temporal bone with nonautologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NU537Z	Supplement right temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU53JZ	Supplement right temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NU53KZ	Supplement right temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU547Z	Supplement right temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU54JZ	Supplement right temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU54KZ	Supplement right temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU607Z	Supplement left temporal bone with autologous tissue substitute, open approach
ICD-10	0NU60JZ	Supplement left temporal bone with synthetic substitute, open approach
ICD-10	0NU60KZ	Supplement left temporal bone with nonautologous tissue substitute, open approach
ICD-10	0NU637Z	Supplement left temporal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU63JZ	Supplement left temporal bone with synthetic substitute, percutaneous approach
ICD-10	0NU63KZ	Supplement left temporal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU647Z	Supplement left temporal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU64JZ	Supplement left temporal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU64KZ	Supplement left temporal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU707Z	Supplement occipital bone with autologous tissue substitute, open approach
ICD-10	0NU70JZ	Supplement occipital bone with synthetic substitute, open approach
ICD-10	0NU70KZ	Supplement occipital bone with nonautologous tissue substitute, open approach
ICD-10	0NU737Z	Supplement occipital bone with autologous tissue substitute, percutaneous approach
ICD-10	0NU73JZ	Supplement occipital bone with synthetic substitute, percutaneous approach
ICD-10	0NU73KZ	Supplement occipital bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NU747Z	Supplement occipital bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NU74JZ	Supplement occipital bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NU74KZ	Supplement occipital bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUB07Z	Supplement nasal bone with autologous tissue substitute, open approach
ICD-10	0NUB0JZ	Supplement nasal bone with synthetic substitute, open approach
ICD-10	0NUB0KZ	Supplement nasal bone with nonautologous tissue substitute, open approach
ICD-10	0NUB37Z	Supplement nasal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUB3JZ	Supplement nasal bone with synthetic substitute, percutaneous approach
ICD-10	0NUB3KZ	Supplement nasal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUB47Z	Supplement nasal bone with autologous tissue substitute, percutaneous endoscopic approach

ICD 9/10	Code	Description
ICD-10	0NUB4JZ	Supplement nasal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUB4KZ	Supplement nasal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUC07Z	Supplement sphenoid bone with autologous tissue substitute, open approach
ICD-10	0NUC0JZ	Supplement sphenoid bone with synthetic substitute, open approach
ICD-10	0NUC0KZ	Supplement sphenoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUC37Z	Supplement sphenoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUC3JZ	Supplement sphenoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUC3KZ	Supplement sphenoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUC47Z	Supplement sphenoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUC4JZ	Supplement sphenoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUC4KZ	Supplement sphenoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUF07Z	Supplement right ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NUF0JZ	Supplement right ethmoid bone with synthetic substitute, open approach
ICD-10	0NUF0KZ	Supplement right ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUF37Z	Supplement right ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUF3JZ	Supplement right ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUF3KZ	Supplement right ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUF47Z	Supplement right ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUF4JZ	Supplement right ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUF4KZ	Supplement Right Ethmoid Bone with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach
ICD-10	0NUG07Z	Supplement left ethmoid bone with autologous tissue substitute, open approach
ICD-10	0NUG0JZ	Supplement left ethmoid bone with synthetic substitute, open approach
ICD-10	0NUG0KZ	Supplement left ethmoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUG37Z	Supplement left ethmoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUG3JZ	Supplement left ethmoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUG3KZ	Supplement left ethmoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUG47Z	Supplement left ethmoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUG4JZ	Supplement left ethmoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUG4KZ	Supplement left ethmoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUH07Z	Supplement right lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NUH0JZ	Supplement right lacrimal bone with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0NUH0KZ	Supplement right lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NUH37Z	Supplement right lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUH3JZ	Supplement right lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NUH3KZ	Supplement right lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUH47Z	Supplement right lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUH4JZ	Supplement right lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUH4KZ	Supplement right lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUJ07Z	Supplement left lacrimal bone with autologous tissue substitute, open approach
ICD-10	0NUJ0JZ	Supplement left lacrimal bone with synthetic substitute, open approach
ICD-10	0NUJ0KZ	Supplement left lacrimal bone with nonautologous tissue substitute, open approach
ICD-10	0NUJ37Z	Supplement left lacrimal bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUJ3JZ	Supplement left lacrimal bone with synthetic substitute, percutaneous approach
ICD-10	0NUJ3KZ	Supplement left lacrimal bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUJ47Z	Supplement left lacrimal bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUJ4JZ	Supplement left lacrimal bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUJ4KZ	Supplement left lacrimal bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUK07Z	Supplement right palatine bone with autologous tissue substitute, open approach
ICD-10	0NUK0JZ	Supplement right palatine bone with synthetic substitute, open approach
ICD-10	0NUK0KZ	Supplement right palatine bone with nonautologous tissue substitute, open approach
ICD-10	0NUK37Z	Supplement right palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUK3JZ	Supplement right palatine bone with synthetic substitute, percutaneous approach
ICD-10	0NUK3KZ	Supplement right palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUK47Z	Supplement right palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUK4JZ	Supplement right palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUK4KZ	Supplement right palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUL07Z	Supplement left palatine bone with autologous tissue substitute, open approach
ICD-10	0NUL0JZ	Supplement left palatine bone with synthetic substitute, open approach
ICD-10	0NUL0KZ	Supplement left palatine bone with nonautologous tissue substitute, open approach
ICD-10	0NUL37Z	Supplement left palatine bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUL3JZ	Supplement left palatine bone with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0NUL3KZ	Supplement left palatine bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUL47Z	Supplement left palatine bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUL4JZ	Supplement left palatine bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUL4KZ	Supplement left palatine bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUM07Z	Supplement right zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NUM0JZ	Supplement right zygomatic bone with synthetic substitute, open approach
ICD-10	0NUM0KZ	Supplement right zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NUM37Z	Supplement right zygomatic bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUM3JZ	Supplement right zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NUM3KZ	Supplement right zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUM47Z	Supplement right zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUM4JZ	Supplement right zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUM4KZ	Supplement right zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUN07Z	Supplement left zygomatic bone with autologous tissue substitute, open approach
ICD-10	0NUN0JZ	Supplement left zygomatic bone with synthetic substitute, open approach
ICD-10	0NUN0KZ	Supplement left zygomatic bone with nonautologous tissue substitute, open approach
ICD-10	0NUN37Z	Supplement left zygomatic bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUN3JZ	Supplement left zygomatic bone with synthetic substitute, percutaneous approach
ICD-10	0NUN3KZ	Supplement left zygomatic bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUN47Z	Supplement left zygomatic bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUN4JZ	Supplement left zygomatic bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUN4KZ	Supplement left zygomatic bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUP07Z	Supplement right orbit with autologous tissue substitute, open approach
ICD-10	0NUP0JZ	Supplement right orbit with synthetic substitute, open approach
ICD-10	0NUP0KZ	Supplement right orbit with nonautologous tissue substitute, open approach
ICD-10	0NUP37Z	Supplement right orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NUP3JZ	Supplement right orbit with synthetic substitute, percutaneous approach
ICD-10	0NUP3KZ	Supplement right orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUP47Z	Supplement right orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUP4JZ	Supplement right orbit with synthetic substitute, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0NUP4KZ	Supplement right orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUQ07Z	Supplement left orbit with autologous tissue substitute, open approach
ICD-10	0NUQ0JZ	Supplement left orbit with synthetic substitute, open approach
ICD-10	0NUQ0KZ	Supplement left orbit with nonautologous tissue substitute, open approach
ICD-10	0NUQ37Z	Supplement left orbit with autologous tissue substitute, percutaneous approach
ICD-10	0NUQ3JZ	Supplement left orbit with synthetic substitute, percutaneous approach
ICD-10	0NUQ3KZ	Supplement left orbit with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUQ47Z	Supplement left orbit with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUQ4JZ	Supplement left orbit with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUQ4KZ	Supplement left orbit with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUR07Z	Supplement maxilla with autologous tissue substitute, open approach
ICD-10	0NUR0JZ	Supplement maxilla with synthetic substitute, open approach
ICD-10	0NUR0KZ	Supplement maxilla with nonautologous tissue substitute, open approach
ICD-10	0NUR37Z	Supplement maxilla with autologous tissue substitute, percutaneous approach
ICD-10	0NUR3JZ	Supplement maxilla with synthetic substitute, percutaneous approach
ICD-10	0NUR3KZ	Supplement maxilla with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUR47Z	Supplement maxilla with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUR4JZ	Supplement maxilla with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUR4KZ	Supplement maxilla with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUT07Z	Supplement right mandible with autologous tissue substitute, open approach
ICD-10	0NUT0JZ	Supplement right mandible with synthetic substitute, open approach
ICD-10	0NUT0KZ	Supplement right mandible with nonautologous tissue substitute, open approach
ICD-10	0NUT37Z	Supplement right mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NUT3JZ	Supplement right mandible with synthetic substitute, percutaneous approach
ICD-10	0NUT3KZ	Supplement right mandible with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUT47Z	Supplement right mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUT4JZ	Supplement right mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUT4KZ	Supplement right mandible with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUV07Z	Supplement left mandible with autologous tissue substitute, open approach
ICD-10	0NUV0JZ	Supplement left mandible with synthetic substitute, open approach
ICD-10	0NUV0KZ	Supplement left mandible with nonautologous tissue substitute, open approach
ICD-10	0NUV37Z	Supplement left mandible with autologous tissue substitute, percutaneous approach
ICD-10	0NUV3JZ	Supplement left mandible with synthetic substitute, percutaneous approach
ICD-10	0NUV3KZ	Supplement left mandible with nonautologous tissue substitute, percutaneous approach



ICD 9/10	Code	Description
ICD-10	0NUV47Z	Supplement left mandible with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUV4JZ	Supplement left mandible with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUV4KZ	Supplement left mandible with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUX07Z	Supplement hyoid bone with autologous tissue substitute, open approach
ICD-10	0NUX0JZ	Supplement hyoid bone with synthetic substitute, open approach
ICD-10	0NUX0KZ	Supplement hyoid bone with nonautologous tissue substitute, open approach
ICD-10	0NUX37Z	Supplement hyoid bone with autologous tissue substitute, percutaneous approach
ICD-10	0NUX3JZ	Supplement hyoid bone with synthetic substitute, percutaneous approach
ICD-10	0NUX3KZ	Supplement hyoid bone with nonautologous tissue substitute, percutaneous approach
ICD-10	0NUX47Z	Supplement hyoid bone with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NUX4JZ	Supplement hyoid bone with synthetic substitute, percutaneous endoscopic approach
ICD-10	0NUX4KZ	Supplement hyoid bone with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0NWW00Z	Revision of drainage device in facial bone, open approach
ICD-10	0NWW04Z	Revision of internal fixation device in facial bone, open approach
ICD-10	0NWW07Z	Revision of autologous tissue substitute in facial bone, open approach
ICD-10	0NWW0JZ	Revision of synthetic substitute in facial bone, open approach
ICD-10	0NWW0KZ	Revision of nonautologous tissue substitute in facial bone, open approach
ICD-10	0NWW0MZ	Revision of bone growth stimulator in facial bone, open approach
ICD-10	0NWW30Z	Revision of drainage device in facial bone, percutaneous approach
ICD-10	0NWW34Z	Revision of internal fixation device in facial bone, percutaneous approach
ICD-10	0NWW37Z	Revision of autologous tissue substitute in facial bone, percutaneous approach
ICD-10	0NWW3JZ	Revision of synthetic substitute in facial bone, percutaneous approach
ICD-10	0NWW3KZ	Revision of nonautologous tissue substitute in facial bone, percutaneous approach
ICD-10	0NWW3MZ	Revision of bone growth stimulator in facial bone, percutaneous approach
ICD-10	0NWW40Z	Revision of drainage device in facial bone, percutaneous endoscopic approach
ICD-10	0NWW44Z	Revision of internal fixation device in facial bone, percutaneous endoscopic approach
ICD-10	0NWW47Z	Revision of autologous tissue substitute in facial bone, percutaneous endoscopic approach
ICD-10	0NWW4JZ	Revision of synthetic substitute in facial bone, percutaneous endoscopic approach
ICD-10	0NWW4KZ	Revision of nonautologous tissue substitute in facial bone, percutaneous endoscopic approach
ICD-10	0NWW4MZ	Revision of bone growth stimulator in facial bone, percutaneous endoscopic approach
ICD-10	0P530ZZ	Destruction of cervical vertebra, open approach
ICD-10	0P533ZZ	Destruction of cervical vertebra, percutaneous approach
ICD-10	0P534ZZ	Destruction of cervical vertebra, percutaneous endoscopic approach
ICD-10	0P930ZX	Drainage of cervical vertebra, open approach, diagnostic

ICD 9/10	Code	Description
ICD-10	0P933ZX	Drainage of cervical vertebra, percutaneous approach, diagnostic
ICD-10	0P934ZX	Drainage of cervical vertebra, percutaneous endoscopic approach, diagnostic
ICD-10	0PB30ZX	Excision of cervical vertebra, open approach, diagnostic
ICD-10	0PB30ZZ	Excision of cervical vertebra, open approach
ICD-10	0PB33ZX	Excision of cervical vertebra, percutaneous approach, diagnostic
ICD-10	0PB33ZZ	Excision of cervical vertebra, percutaneous approach
ICD-10	0PB34ZX	Excision of cervical vertebra, percutaneous endoscopic approach, diagnostic
ICD-10	0PB34ZZ	Excision of cervical vertebra, percutaneous endoscopic approach
ICD-10	0PB40ZZ	Excision of thoracic vertebra, open approach
ICD-10	0PB43ZZ	Excision of thoracic vertebra, percutaneous approach
ICD-10	0PB44ZZ	Excision of thoracic vertebra, percutaneous endoscopic approach
ICD-10	0PSB04Z	Reposition left clavicle with internal fixation device, open approach
ICD-10	0PSB0ZZ	Reposition left clavicle, open approach
ICD-10	0QB00ZZ	Excision of lumbar vertebra, open approach
ICD-10	0QB03ZZ	Excision of lumbar vertebra, percutaneous approach
ICD-10	0QB04ZZ	Excision of lumbar vertebra, percutaneous endoscopic approach
ICD-10	0R5C0ZZ	Destruction of right temporomandibular joint, open approach
ICD-10	0R5C3ZZ	Destruction of right temporomandibular joint, percutaneous approach
ICD-10	0R5C4ZZ	Destruction of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0R5D0ZZ	Destruction of left temporomandibular joint, open approach
ICD-10	0R5D3ZZ	Destruction of left temporomandibular joint, percutaneous approach
ICD-10	0R5D4ZZ	Destruction of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0R9C00Z	Drainage of right temporomandibular joint with drainage device, open approach
ICD-10	0R9C0ZX	Drainage of right temporomandibular joint, open approach, diagnostic
ICD-10	0R9C0ZZ	Drainage of right temporomandibular joint, open approach
ICD-10	0R9C3ZX	Drainage of right temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0R9C40Z	Drainage of right temporomandibular joint with drainage device, percutaneous endoscopic approach
ICD-10	0R9C4ZX	Drainage of right temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0R9C4ZZ	Drainage of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0R9D00Z	Drainage of left temporomandibular joint with drainage device, open approach
ICD-10	0R9D0ZX	Drainage of left temporomandibular joint, open approach, diagnostic
ICD-10	0R9D0ZZ	Drainage of left temporomandibular joint, open approach
ICD-10	0R9D3ZX	Drainage of left temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0R9D40Z	Drainage of left temporomandibular joint with drainage device, percutaneous endoscopic approach
ICD-10	0R9D4ZX	Drainage of left temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0R9D4ZZ	Drainage of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RBC0ZX	Excision of right temporomandibular joint, open approach, diagnostic
ICD-10	0RBC0ZZ	Excision of right temporomandibular joint, open approach
ICD-10	0RBC3ZX	Excision of right temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0RBC3ZZ	Excision of right temporomandibular joint, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0RBC4ZX	Excision of right temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0RBC4ZZ	Excision of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RBD0ZX	Excision of left temporomandibular joint, open approach, diagnostic
ICD-10	0RBD3ZX	Excision of left temporomandibular joint, percutaneous approach, diagnostic
ICD-10	0RBD4ZX	Excision of left temporomandibular joint, percutaneous endoscopic approach, diagnostic
ICD-10	0RCC0ZZ	Extirpation of matter from right temporomandibular joint, open approach
ICD-10	0RCC3ZZ	Extirpation of matter from right temporomandibular joint, percutaneous approach
ICD-10	0RCC4ZZ	Extirpation of matter from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RCD0ZZ	Extirpation of matter from left temporomandibular joint, open approach
ICD-10	0RCD3ZZ	Extirpation of matter from left temporomandibular joint, percutaneous approach
ICD-10	0RCD4ZZ	Extirpation of matter from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RGC04Z	Fusion of right temporomandibular joint with internal fixation device, open approach
ICD-10	0RGC07Z	Fusion of right temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RGC0JZ	Fusion of right temporomandibular joint with synthetic substitute, open approach
ICD-10	0RGC0KZ	Fusion of right temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RGC34Z	Fusion of right temporomandibular joint with internal fixation device, percutaneous approach
ICD-10	0RGC37Z	Fusion of right temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RGC3JZ	Fusion of right temporomandibular joint with synthetic substitute, percutaneous approach
ICD-10	0RGC3KZ	Fusion of right temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RGC44Z	Fusion of right temporomandibular joint with internal fixation device, percutaneous endoscopic approach
ICD-10	0RGC47Z	Fusion of right temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RGC4JZ	Fusion of right temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RGC4KZ	Fusion of right temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RGD04Z	Fusion of left temporomandibular joint with internal fixation device, open approach
ICD-10	0RGD07Z	Fusion of left temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RGD0JZ	Fusion of left temporomandibular joint with synthetic substitute, open approach
ICD-10	0RGD0KZ	Fusion of left temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RGD34Z	Fusion of left temporomandibular joint with internal fixation device, percutaneous approach
ICD-10	0RGD37Z	Fusion of left temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RGD3JZ	Fusion of left temporomandibular joint with synthetic substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0RGD3KZ	Fusion of left temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RGD44Z	Fusion of left temporomandibular joint with internal fixation device, percutaneous endoscopic approach
ICD-10	0RGD47Z	Fusion of left temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RGD4JZ	Fusion of left temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RGD4KZ	Fusion of left temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RHC03Z	Insertion of infusion device into right temporomandibular joint, open approach
ICD-10	0RHC04Z	Insertion of internal fixation device into right temporomandibular joint, open approach
ICD-10	0RHC34Z	Insertion of Internal Fixation Device into Right Temporomandibular Joint, Percutaneous Approach
ICD-10	0RHC43Z	Insertion of infusion device into right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RHC44Z	Insertion of internal fixation device into right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RHD03Z	Insertion of infusion device into left temporomandibular joint, open approach
ICD-10	0RHD04Z	Insertion of internal fixation device into left temporomandibular joint, open approach
ICD-10	0RHD34Z	Insertion of internal fixation device into left temporomandibular joint, percutaneous approach
ICD-10	0RHD43Z	Insertion of infusion device into left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RHD44Z	Insertion of internal fixation device into left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RJC0ZZ	Inspection of right temporomandibular joint, open approach
ICD-10	0RJC4ZZ	Inspection of right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RJD0ZZ	Inspection of left temporomandibular joint, open approach
ICD-10	0RJD4ZZ	Inspection of left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RNC0ZZ	Release right temporomandibular joint, open approach
ICD-10	0RNC3ZZ	Release right temporomandibular joint, percutaneous approach
ICD-10	0RNC4ZZ	Release Right Temporomandibular Joint, Percutaneous Endoscopic Approach
ICD-10	0RND0ZZ	Release left temporomandibular joint, open approach
ICD-10	0RND3ZZ	Release left temporomandibular joint, percutaneous approach
ICD-10	0RND4ZZ	Release Left Temporomandibular Joint, Percutaneous Endoscopic Approach
ICD-10	0RPC00Z	Removal of drainage device from right temporomandibular joint, open approach
ICD-10	0RPC03Z	Removal of infusion device from right temporomandibular joint, open approach
ICD-10	0RPC04Z	Removal of Internal Fixation Device from Right Temporomandibular Joint, Open Approach
ICD-10	0RPC07Z	Removal of autologous tissue substitute from right temporomandibular joint, open approach
ICD-10	0RPC0JZ	Removal of synthetic substitute from right temporomandibular joint, open approach
ICD-10	0RPC0KZ	Removal of nonautologous tissue substitute from right temporomandibular joint, open approach
ICD-10	0RPC34Z	Removal of internal fixation device from right temporomandibular joint, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0RPC37Z	Removal of autologous tissue substitute from right temporomandibular joint, percutaneous approach
ICD-10	0RPC3JZ	Removal of synthetic substitute from right temporomandibular joint, percutaneous approach
ICD-10	0RPC3KZ	Removal of nonautologous tissue substitute from right temporomandibular joint, percutaneous approach
ICD-10	0RPC40Z	Removal of drainage device from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC43Z	Removal of infusion device from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC44Z	Removal of internal fixation device from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC47Z	Removal of autologous tissue substitute from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC4JZ	Removal of synthetic substitute from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPC4KZ	Removal of nonautologous tissue substitute from right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPCX4Z	Removal of internal fixation device from right temporomandibular joint, external approach
ICD-10	0RPD00Z	Removal of drainage device from left temporomandibular joint, open approach
ICD-10	0RPD03Z	Removal of infusion device from left temporomandibular joint, open approach
ICD-10	0RPD04Z	Removal of internal fixation device from left temporomandibular joint, open approach
ICD-10	0RPD07Z	Removal of autologous tissue substitute from left temporomandibular joint, open approach
ICD-10	0RPD0JZ	Removal of synthetic substitute from left temporomandibular joint, open approach
ICD-10	0RPD0KZ	Removal of nonautologous tissue substitute from left temporomandibular joint, open approach
ICD-10	0RPD34Z	Removal of internal fixation device from left temporomandibular joint, percutaneous approach
ICD-10	0RPD37Z	Removal of autologous tissue substitute from left temporomandibular joint, percutaneous approach
ICD-10	0RPD3JZ	Removal of synthetic substitute from left temporomandibular joint, percutaneous approach
ICD-10	0RPD3KZ	Removal of nonautologous tissue substitute from left temporomandibular joint, percutaneous approach
ICD-10	0RPD40Z	Removal of drainage device from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD43Z	Removal of infusion device from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD44Z	Removal of internal fixation device from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD47Z	Removal of autologous tissue substitute from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD4JZ	Removal of synthetic substitute from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPD4KZ	Removal of nonautologous tissue substitute from left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RPDX4Z	Removal of internal fixation device from left temporomandibular joint, external approach
ICD-10	0RQC0ZZ	Repair right temporomandibular joint, open approach

ICD 9/10	Code	Description
ICD-10	0RQC3ZZ	Repair right temporomandibular joint, percutaneous approach
ICD-10	0RQC4ZZ	Repair right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RQD0ZZ	Repair left temporomandibular joint, open approach
ICD-10	0RQD3ZZ	Repair left temporomandibular joint, percutaneous approach
ICD-10	0RQD4ZZ	Repair left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RUC07Z	Supplement right temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RUC0JZ	Supplement right temporomandibular joint with synthetic substitute, open approach
ICD-10	0RUC0KZ	Supplement right temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RUC37Z	Supplement right temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RUC3JZ	Supplement right temporomandibular joint with synthetic substitute, percutaneous approach
ICD-10	0RUC3KZ	Supplement right temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RUC47Z	Supplement right temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RUC4JZ	Supplement right temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RUC4KZ	Supplement right temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RUD07Z	Supplement left temporomandibular joint with autologous tissue substitute, open approach
ICD-10	0RUD0JZ	Supplement left temporomandibular joint with synthetic substitute, open approach
ICD-10	0RUD0KZ	Supplement left temporomandibular joint with nonautologous tissue substitute, open approach
ICD-10	0RUD37Z	Supplement left temporomandibular joint with autologous tissue substitute, percutaneous approach
ICD-10	0RUD3JZ	Supplement left temporomandibular joint with synthetic substitute, percutaneous approach
ICD-10	0RUD3KZ	Supplement left temporomandibular joint with nonautologous tissue substitute, percutaneous approach
ICD-10	0RUD47Z	Supplement left temporomandibular joint with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RUD4JZ	Supplement left temporomandibular joint with synthetic substitute, percutaneous endoscopic approach
ICD-10	0RUD4KZ	Supplement left temporomandibular joint with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0RWC00Z	Revision of drainage device in right temporomandibular joint, open approach
ICD-10	0RWC03Z	Revision of infusion device in right temporomandibular joint, open approach
ICD-10	0RWC04Z	Revision of internal fixation device in right temporomandibular joint, open approach
ICD-10	0RWC07Z	Revision of autologous tissue substitute in right temporomandibular joint, open approach
ICD-10	0RWC08Z	Revision of spacer in right temporomandibular joint, open approach
ICD-10	0RWC0JZ	Revision of synthetic substitute in right temporomandibular joint, open approach
ICD-10	0RWC0KZ	Revision of nonautologous tissue substitute in right temporomandibular joint, open approach



ICD 9/10	Code	Description
ICD-10	0RWC30Z	Revision of drainage device in right temporomandibular joint, percutaneous approach
ICD-10	0RWC33Z	Revision of infusion device in right temporomandibular joint, percutaneous approach
ICD-10	0RWC34Z	Revision of internal fixation device in right temporomandibular joint, percutaneous approach
ICD-10	0RWC37Z	Revision of autologous tissue substitute in right temporomandibular joint, percutaneous approach
ICD-10	0RWC38Z	Revision of spacer in right temporomandibular joint, percutaneous approach
ICD-10	0RWC3JZ	Revision of synthetic substitute in right temporomandibular joint, percutaneous approach
ICD-10	0RWC3KZ	Revision of nonautologous tissue substitute in right temporomandibular joint, percutaneous approach
ICD-10	0RWC40Z	Revision of drainage device in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC43Z	Revision of infusion device in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC44Z	Revision of internal fixation device in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC47Z	Revision of autologous tissue substitute in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC48Z	Revision of spacer in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC4JZ	Revision of synthetic substitute in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWC4KZ	Revision of nonautologous tissue substitute in right temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD00Z	Revision of drainage device in left temporomandibular joint, open approach
ICD-10	0RWD03Z	Revision of infusion device in left temporomandibular joint, open approach
ICD-10	0RWD04Z	Revision of internal fixation device in left temporomandibular joint, open approach
ICD-10	0RWD07Z	Revision of autologous tissue substitute in left temporomandibular joint, open approach
ICD-10	0RWD08Z	Revision of spacer in left temporomandibular joint, open approach
ICD-10	0RWD0JZ	Revision of synthetic substitute in left temporomandibular joint, open approach
ICD-10	0RWD0KZ	Revision of nonautologous tissue substitute in left temporomandibular joint, open approach
ICD-10	0RWD30Z	Revision of drainage device in left temporomandibular joint, percutaneous approach
ICD-10	0RWD33Z	Revision of infusion device in left temporomandibular joint, percutaneous approach
ICD-10	0RWD34Z	Revision of internal fixation device in left temporomandibular joint, percutaneous approach
ICD-10	0RWD37Z	Revision of autologous tissue substitute in left temporomandibular joint, percutaneous approach
ICD-10	0RWD38Z	Revision of spacer in left temporomandibular joint, percutaneous approach
ICD-10	0RWD3JZ	Revision of synthetic substitute in left temporomandibular joint, percutaneous approach
ICD-10	0RWD3KZ	Revision of nonautologous tissue substitute in left temporomandibular joint, percutaneous approach
ICD-10	0RWD40Z	Revision of drainage device in left temporomandibular joint, percutaneous endoscopic approach



ICD 9/10	Code	Description
ICD-10	0RWD43Z	Revision of infusion device in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD44Z	Revision of internal fixation device in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD47Z	Revision of autologous tissue substitute in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD48Z	Revision of spacer in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD4JZ	Revision of synthetic substitute in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0RWD4KZ	Revision of nonautologous tissue substitute in left temporomandibular joint, percutaneous endoscopic approach
ICD-10	0W0207Z	Alteration of face with autologous tissue substitute, open approach
ICD-10	0W020JZ	Alteration of face with synthetic substitute, open approach
ICD-10	0W020KZ	Alteration of face with nonautologous tissue substitute, open approach
ICD-10	0W020ZZ	Alteration of face, open approach
ICD-10	0W0237Z	Alteration of face with autologous tissue substitute, percutaneous approach
ICD-10	0W023JZ	Alteration of face with synthetic substitute, percutaneous approach
ICD-10	0W023KZ	Alteration of face with nonautologous tissue substitute, percutaneous approach
ICD-10	0W023ZZ	Alteration of face, percutaneous approach
ICD-10	0W0247Z	Alteration of face with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W024JZ	Alteration of face with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W024KZ	Alteration of face with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W024ZZ	Alteration of face, percutaneous endoscopic approach
ICD-10	0W0407Z	Alteration of upper jaw with autologous tissue substitute, open approach
ICD-10	0W040JZ	Alteration of upper jaw with synthetic substitute, open approach
ICD-10	0W040KZ	Alteration of upper jaw with nonautologous tissue substitute, open approach
ICD-10	0W040ZZ	Alteration of upper jaw, open approach
ICD-10	0W0437Z	Alteration of upper jaw with autologous tissue substitute, percutaneous approach
ICD-10	0W043JZ	Alteration of upper jaw with synthetic substitute, percutaneous approach
ICD-10	0W043KZ	Alteration of upper jaw with nonautologous tissue substitute, percutaneous approach
ICD-10	0W043ZZ	Alteration of upper jaw, percutaneous approach
ICD-10	0W0447Z	Alteration of upper jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W044JZ	Alteration of upper jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W044KZ	Alteration of upper jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W044ZZ	Alteration of upper jaw, percutaneous endoscopic approach
ICD-10	0W0507Z	Alteration of lower jaw with autologous tissue substitute, open approach
ICD-10	0W050JZ	Alteration of lower jaw with synthetic substitute, open approach
ICD-10	0W050KZ	Alteration of lower jaw with nonautologous tissue substitute, open approach
ICD-10	0W050ZZ	Alteration of lower jaw, open approach
ICD-10	0W0537Z	Alteration of lower jaw with autologous tissue substitute, percutaneous approach

ICD 9/10	Code	Description
ICD-10	0W053JZ	Alteration of lower jaw with synthetic substitute, percutaneous approach
ICD-10	0W053KZ	Alteration of lower jaw with nonautologous tissue substitute, percutaneous approach
ICD-10	0W053ZZ	Alteration of lower jaw, percutaneous approach
ICD-10	0W0547Z	Alteration of lower jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W054JZ	Alteration of lower jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W054KZ	Alteration of lower jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W054ZZ	Alteration of lower jaw, percutaneous endoscopic approach
ICD-10	0W0607Z	Alteration of neck with autologous tissue substitute, open approach
ICD-10	0W060JZ	Alteration of neck with synthetic substitute, open approach
ICD-10	0W060KZ	Alteration of neck with nonautologous tissue substitute, open approach
ICD-10	0W060ZZ	Alteration of neck, open approach
ICD-10	0W0637Z	Alteration of neck with autologous tissue substitute, percutaneous approach
ICD-10	0W063JZ	Alteration of neck with synthetic substitute, percutaneous approach
ICD-10	0W063KZ	Alteration of neck with nonautologous tissue substitute, percutaneous approach
ICD-10	0W063ZZ	Alteration of neck, percutaneous approach
ICD-10	0W0647Z	Alteration of neck with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W064JZ	Alteration of neck with synthetic substitute, percutaneous endoscopic approach
ICD-10	0W064KZ	Alteration of neck with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0W064ZZ	Alteration of neck, percutaneous endoscopic approach
ICD-10	0W300ZZ	Control bleeding in head, open approach
ICD-10	0W303ZZ	Control bleeding in head, percutaneous approach
ICD-10	0W304ZZ	Control bleeding in head, percutaneous endoscopic approach
ICD-10	0W310ZZ	Control bleeding in cranial cavity, open approach
ICD-10	0W313ZZ	Control bleeding in cranial cavity, percutaneous approach
ICD-10	0W314ZZ	Control bleeding in cranial cavity, percutaneous endoscopic approach
ICD-10	0W320ZZ	Control bleeding in face, open approach
ICD-10	0W323ZZ	Control bleeding in face, percutaneous approach
ICD-10	0W324ZZ	Control bleeding in face, percutaneous endoscopic approach
ICD-10	0W330ZZ	Control bleeding in oral cavity and throat, open approach
ICD-10	0W333ZZ	Control bleeding in oral cavity and throat, percutaneous approach
ICD-10	0W334ZZ	Control bleeding in oral cavity and throat, percutaneous endoscopic approach
ICD-10	0W340ZZ	Control bleeding in upper jaw, open approach
ICD-10	0W343ZZ	Control bleeding in upper jaw, percutaneous approach
ICD-10	0W344ZZ	Control bleeding in upper jaw, percutaneous endoscopic approach
ICD-10	0W350ZZ	Control bleeding in lower jaw, open approach
ICD-10	0W353ZZ	Control bleeding in lower jaw, percutaneous approach
ICD-10	0W354ZZ	Control bleeding in lower jaw, percutaneous endoscopic approach
ICD-10	0W360ZZ	Control bleeding in neck, open approach

ICD 9/10	Code	Description
ICD-10	0W363ZZ	Control bleeding in neck, percutaneous approach
ICD-10	0W364ZZ	Control bleeding in neck, percutaneous endoscopic approach
ICD-10	0W9600Z	Drainage of neck with drainage device, open approach
ICD-10	0W960ZZ	Drainage of neck, open approach
ICD-10	0W9640Z	Drainage of neck with drainage device, percutaneous endoscopic approach
ICD-10	0W964ZZ	Drainage of neck, percutaneous endoscopic approach
ICD-10	0WB00ZZ	Excision of head, open approach
ICD-10	0WB03ZZ	Excision of head, percutaneous approach
ICD-10	0WB04ZZ	Excision of head, percutaneous endoscopic approach
ICD-10	0WB0XZZ	Excision of head, external approach
ICD-10	0WB20ZZ	Excision of face, open approach
ICD-10	0WB23ZZ	Excision of face, percutaneous approach
ICD-10	0WB24ZZ	Excision of face, percutaneous endoscopic approach
ICD-10	0WB2XZZ	Excision of face, external approach
ICD-10	0WB40ZZ	Excision of upper jaw, open approach
ICD-10	0WB43ZZ	Excision of upper jaw, percutaneous approach
ICD-10	0WB44ZZ	Excision of upper jaw, percutaneous endoscopic approach
ICD-10	0WB4XZZ	Excision of upper jaw, external approach
ICD-10	0WB50ZZ	Excision of lower jaw, open approach
ICD-10	0WB53ZZ	Excision of lower jaw, percutaneous approach
ICD-10	0WB54ZZ	Excision of lower jaw, percutaneous endoscopic approach
ICD-10	0WB5XZZ	Excision of lower jaw, external approach
ICD-10	0WB60ZZ	Excision of neck, open approach
ICD-10	0WB63ZZ	Excision of neck, percutaneous approach
ICD-10	0WB64ZZ	Excision of neck, percutaneous endoscopic approach
ICD-10	0WB6XZ2	Excision of neck, stoma, external approach
ICD-10	0WB6XZZ	Excision of neck, external approach
ICD-10	0WH301Z	Insertion of radioactive element into oral cavity and throat, open approach
ICD-10	0WH331Z	Insertion of radioactive element into oral cavity and throat, percutaneous approach
ICD-10	0WH341Z	Insertion of radioactive element into oral cavity and throat, percutaneous endoscopic approach
ICD-10	0WH401Z	Insertion of radioactive element into upper jaw, open approach
ICD-10	0WH431Z	Insertion of radioactive element into upper jaw, percutaneous approach
ICD-10	0WH441Z	Insertion of radioactive element into upper jaw, percutaneous endoscopic approach
ICD-10	0WH501Z	Insertion of radioactive element into lower jaw, open approach
ICD-10	0WH531Z	Insertion of radioactive element into lower jaw, percutaneous approach
ICD-10	0WH541Z	Insertion of radioactive element into lower jaw, percutaneous endoscopic approach
ICD-10	0WH601Z	Insertion of radioactive element into neck, open approach
ICD-10	0WH631Z	Insertion of radioactive element into neck, percutaneous approach
ICD-10	0WH641Z	Insertion of radioactive element into neck, percutaneous endoscopic approach
ICD-10	0WJ60ZZ	Inspection of neck, open approach

ICD 9/10	Code	Description
ICD-10	0WJC4ZZ	Inspection of mediastinum, percutaneous endoscopic approach
ICD-10	0WJD4ZZ	Inspection of pericardial cavity, percutaneous endoscopic approach
ICD-10	0WM20ZZ	Reattachment of face, open approach
ICD-10	0WM40ZZ	Reattachment of upper jaw, open approach
ICD-10	0WM50ZZ	Reattachment of lower jaw, open approach
ICD-10	0WM60ZZ	Reattachment of neck, open approach
ICD-10	0WQ20ZZ	Repair face, open approach
ICD-10	0WQ23ZZ	Repair face, percutaneous approach
ICD-10	0WQ24ZZ	Repair face, percutaneous endoscopic approach
ICD-10	0WQ2XZZ	Repair face, external approach
ICD-10	0WQ30ZZ	Repair oral cavity and throat, open approach
ICD-10	0WQ33ZZ	Repair oral cavity and throat, percutaneous approach
ICD-10	0WQ34ZZ	Repair oral cavity and throat, percutaneous endoscopic approach
ICD-10	0WQ3XZZ	Repair oral cavity and throat, external approach
ICD-10	0WQ40ZZ	Repair upper jaw, open approach
ICD-10	0WQ43ZZ	Repair upper jaw, percutaneous approach
ICD-10	0WQ44ZZ	Repair upper jaw, percutaneous endoscopic approach
ICD-10	0WQ4XZZ	Repair upper jaw, external approach
ICD-10	0WQ50ZZ	Repair lower jaw, open approach
ICD-10	0WQ53ZZ	Repair lower jaw, percutaneous approach
ICD-10	0WQ54ZZ	Repair lower jaw, percutaneous endoscopic approach
ICD-10	0WQ5XZZ	Repair lower jaw, external approach
ICD-10	0WQ60ZZ	Repair neck, open approach
ICD-10	0WQ63ZZ	Repair neck, percutaneous approach
ICD-10	0WQ64ZZ	Repair neck, percutaneous endoscopic approach
ICD-10	0WQ6XZ2	Repair neck, stoma, external approach
ICD-10	0WQ6XZZ	Repair neck, external approach
ICD-10	0WU20JZ	Supplement face with synthetic substitute, open approach
ICD-10	0WU20KZ	Supplement face with nonautologous tissue substitute, open approach
ICD-10	0WU24JZ	Supplement face with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU24KZ	Supplement face with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU407Z	Supplement upper jaw with autologous tissue substitute, open approach
ICD-10	0WU40JZ	Supplement upper jaw with synthetic substitute, open approach
ICD-10	0WU40KZ	Supplement upper jaw with nonautologous tissue substitute, open approach
ICD-10	0WU447Z	Supplement upper jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU44JZ	Supplement upper jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU44KZ	Supplement upper jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU507Z	Supplement lower jaw with autologous tissue substitute, open approach
ICD-10	0WU50JZ	Supplement lower jaw with synthetic substitute, open approach
ICD-10	0WU50KZ	Supplement lower jaw with nonautologous tissue substitute, open approach

ICD 9/10	Code	Description
ICD-10	0WU547Z	Supplement lower jaw with autologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU54JZ	Supplement lower jaw with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU54KZ	Supplement lower jaw with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WU60JZ	Supplement neck with synthetic substitute, open approach
ICD-10	0WU60KZ	Supplement neck with nonautologous tissue substitute, open approach
ICD-10	0WU64JZ	Supplement neck with synthetic substitute, percutaneous endoscopic approach
ICD-10	0WU64KZ	Supplement neck with nonautologous tissue substitute, percutaneous endoscopic approach
ICD-10	0WY20Z0	Transplantation of face, allogeneic, open approach
ICD-10	0WY20Z1	Transplantation of face, syngeneic, open approach
ICD-10	XHRPXL2	Replacement of skin using porcine liver derived skin substitute, external approach, new technology group 2
ICD-10	008F3ZZ	Division of olfactory nerve, percutaneous approach
ICD-10	008F4ZZ	Division of olfactory nerve, percutaneous endoscopic approach
ICD-10	008G0ZZ	Division of optic nerve, open approach
ICD-10	008G3ZZ	Division of optic nerve, percutaneous approach
ICD-10	008G4ZZ	Division of optic nerve, percutaneous endoscopic approach
ICD-10	008H0ZZ	Division of oculomotor nerve, open approach

**Table 30 – List of procedure codes related to Left Atrial Appendage Closure (LAAC) for MS-DRGs 273 and 274**

ICD9/ICD10	Code	Description
ICD-9	3736	Excision, destruction, or exclusion of left atrial appendage (LAA)
ICD-10	02L70CK	Occlusion of left atrial appendage with extraluminal device, open approach
ICD-10	02L70DK	Occlusion of left atrial appendage with intraluminal device, open approach
ICD-10	02L70ZK	Occlusion of left atrial appendage, open approach

**Table 31 – List of diagnosis and procedure codes related to hip fractures and hip replacement procedures for MS-DRGs 521 and 522**

ICD 9/10	Code	Description
ICD-9	8151	Total hip replacement
ICD-9	8152	Partial hip replacement
ICD-9	0087	Resurfacing hip, partial, acetabulum
ICD-9	73314	Pathologic fracture of neck of femur
ICD-9	73396	Stress fracture of femoral neck
ICD-9	73315	Pathologic fracture of other specified part of femur
ICD-9	8080	Closed fracture of acetabulum
ICD-9	8081	Open fracture of acetabulum
ICD-9	8208	Closed fracture of unspecified part of neck of femur
ICD-9	8209	Open fracture of unspecified part of neck of femur
ICD-9	82000	Closed fracture of intracapsular section of neck of femur, unspecified
ICD-9	82010	Open fracture of intracapsular section of neck of femur, unspecified

ICD 9/10	Code	Description
ICD-9	82001	Closed fracture of epiphysis (separation) (upper) of neck of femur
ICD-9	82011	Open fracture of epiphysis (separation) (upper) of neck of femur
ICD-9	82012	Open fracture of midcervical section of neck of femur
ICD-9	82003	Closed fracture of base of neck of femur
ICD-9	82013	Open fracture of base of neck of femur
ICD-9	82009	Other closed transcervical fracture of neck of femur
ICD-9	82019	Other open transcervical fracture of neck of femur
ICD-9	82020	Closed fracture of trochanteric section of neck of femur
ICD-9	82030	Open fracture of trochanteric section of neck of femur, unspecified
ICD-9	82031	Open fracture of intertrochanteric section of neck of femur
ICD-9	82022	Closed fracture of subtrochanteric section of neck of femur
ICD-9	82032	Open fracture of subtrochanteric section of neck of femur
ICD-10	0SR9019	Replacement of right hip joint with metal synthetic substitute, cemented, open approach
ICD-10	0SR901A	Replacement of right hip joint with metal synthetic substitute, uncemented, open approach
ICD-10	0SR901Z	Replacement of right hip joint with metal synthetic substitute, open approach
ICD-10	0SR9029	Replacement of right hip joint with metal on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SR902A	Replacement of right hip joint with metal on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SR902Z	Replacement of right hip joint with metal on polyethylene synthetic substitute, open approach
ICD-10	0SR9039	Replacement of right hip joint with ceramic synthetic substitute, cemented, open approach
ICD-10	0SR903A	Replacement of right hip joint with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SR903Z	Replacement of right hip joint with ceramic synthetic substitute, open approach
ICD-10	0SR9049	Replacement of right hip joint with ceramic on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SR904A	Replacement of right hip joint with ceramic on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SR904Z	Replacement of right hip joint with ceramic on polyethylene synthetic substitute, open approach
ICD-10	0SR9069	Replacement of right hip joint with oxidized zirconium on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SR906A	Replacement of right hip joint with oxidized zirconium on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SR906Z	Replacement of right hip joint with oxidized zirconium on polyethylene synthetic substitute, open approach
ICD-10	0SR907Z	Replacement of right hip joint with autologous tissue substitute, open approach
ICD-10	0SR90J9	Replacement of right hip joint with synthetic substitute, cemented, open approach
ICD-10	0SR90JA	Replacement of right hip joint with synthetic substitute, uncemented, open approach
ICD-10	0SR90JZ	Replacement of right hip joint with synthetic substitute, open approach
ICD-10	0SR90KZ	Replacement of right hip joint with nonautologous tissue substitute, open approach
ICD-10	0SRA009	Replacement of right hip joint, acetabular surface with polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRA00A	Replacement of right hip joint, acetabular surface with polyethylene synthetic substitute, uncemented, open approach



ICD 9/10	Code	Description
ICD-10	0SRA00Z	Replacement of right hip joint, acetabular surface with polyethylene synthetic substitute, open approach
ICD-10	0SRA019	Replacement of right hip joint, acetabular surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRA01A	Replacement of right hip joint, acetabular surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRA01Z	Replacement of right hip joint, acetabular surface with metal synthetic substitute, open approach
ICD-10	0SRA039	Replacement of right hip joint, acetabular surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRA03A	Replacement of right hip joint, acetabular surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRA03Z	Replacement of right hip joint, acetabular surface with ceramic synthetic substitute, open approach
ICD-10	0SRA07Z	Replacement of right hip joint, acetabular surface with autologous tissue substitute, open approach
ICD-10	0SRA0J9	Replacement of right hip joint, acetabular surface with synthetic substitute, cemented, open approach
ICD-10	0SRA0JA	Replacement of right hip joint, acetabular surface with synthetic substitute, uncemented, open approach
ICD-10	0SRA0JZ	Replacement of right hip joint, acetabular surface with synthetic substitute, open approach
ICD-10	0SRA0KZ	Replacement of right hip joint, acetabular surface with nonautologous tissue substitute, open approach
ICD-10	0SRB019	Replacement of left hip joint with metal synthetic substitute, cemented, open approach
ICD-10	0SRB01A	Replacement of left hip joint with metal synthetic substitute, uncemented, open approach
ICD-10	0SRB01Z	Replacement of left hip joint with metal synthetic substitute, open approach
ICD-10	0SRB029	Replacement of left hip joint with metal on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRB02A	Replacement of left hip joint with metal on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRB02Z	Replacement of left hip joint with metal on polyethylene synthetic substitute, open approach
ICD-10	0SRB039	Replacement of left hip joint with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRB03A	Replacement of left hip joint with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRB03Z	Replacement of left hip joint with ceramic synthetic substitute, open approach
ICD-10	0SRB049	Replacement of left hip joint with ceramic on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRB04A	Replacement of left hip joint with ceramic on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRB04Z	Replacement of left hip joint with ceramic on polyethylene synthetic substitute, open approach
ICD-10	0SRB069	Replacement of left hip joint with oxidized zirconium on polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRB06A	Replacement of left hip joint with oxidized zirconium on polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRB06Z	Replacement of left hip joint with oxidized zirconium on polyethylene synthetic substitute, open approach
ICD-10	0SRB07Z	Replacement of left hip joint with autologous tissue substitute, open approach



ICD 9/10	Code	Description
ICD-10	0SRB0J9	Replacement of left hip joint with synthetic substitute, cemented, open approach
ICD-10	0SRB0JA	Replacement of left hip joint with synthetic substitute, uncemented, open approach
ICD-10	0SRB0JZ	Replacement of left hip joint with synthetic substitute, open approach
ICD-10	0SRB0KZ	Replacement of left hip joint with nonautologous tissue substitute, open approach
ICD-10	0SRE009	Replacement of left hip joint, acetabular surface with polyethylene synthetic substitute, cemented, open approach
ICD-10	0SRE00A	Replacement of left hip joint, acetabular surface with polyethylene synthetic substitute, uncemented, open approach
ICD-10	0SRE00Z	Replacement of left hip joint, acetabular surface with polyethylene synthetic substitute, open approach
ICD-10	0SRE019	Replacement of left hip joint, acetabular surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRE01A	Replacement of left hip joint, acetabular surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRE01Z	Replacement of left hip joint, acetabular surface with metal synthetic substitute, open approach
ICD-10	0SRE039	Replacement of left hip joint, acetabular surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRE03A	Replacement of left hip joint, acetabular surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRE03Z	Replacement of left hip joint, acetabular surface with ceramic synthetic substitute, open approach
ICD-10	0SRE07Z	Replacement of left hip joint, acetabular surface with autologous tissue substitute, open approach
ICD-10	0SRE0J9	Replacement of left hip joint, acetabular surface with synthetic substitute, cemented, open approach
ICD-10	0SRE0JA	Replacement of left hip joint, acetabular surface with synthetic substitute, uncemented, open approach
ICD-10	0SRE0JZ	Replacement of left hip joint, acetabular surface with synthetic substitute, open approach
ICD-10	0SRE0KZ	Replacement of left hip joint, acetabular surface with nonautologous tissue substitute, open approach
ICD-10	0SRR019	Replacement of right hip joint, femoral surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRR01A	Replacement of right hip joint, femoral surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRR01Z	Replacement of right hip joint, femoral surface with metal synthetic substitute, open approach
ICD-10	0SRR039	Replacement of right hip joint, femoral surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRR03A	Replacement of right hip joint, femoral surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRR03Z	Replacement of right hip joint, femoral surface with ceramic synthetic substitute, open approach
ICD-10	0SRR07Z	Replacement of right hip joint, femoral surface with autologous tissue substitute, open approach
ICD-10	0SRR0J9	Replacement of right hip joint, femoral surface with synthetic substitute, cemented, open approach
ICD-10	0SRR0JA	Replacement of right hip joint, femoral surface with synthetic substitute, uncemented, open approach
ICD-10	0SRR0JZ	Replacement of right hip joint, femoral surface with synthetic substitute, open approach

ICD 9/10	Code	Description
ICD-10	0SRR0KZ	Replacement of right hip joint, femoral surface with nonautologous tissue substitute, open approach
ICD-10	0SRS019	Replacement of left hip joint, femoral surface with metal synthetic substitute, cemented, open approach
ICD-10	0SRS01A	Replacement of left hip joint, femoral surface with metal synthetic substitute, uncemented, open approach
ICD-10	0SRS01Z	Replacement of left hip joint, femoral surface with metal synthetic substitute, open approach
ICD-10	0SRS039	Replacement of left hip joint, femoral surface with ceramic synthetic substitute, cemented, open approach
ICD-10	0SRS03A	Replacement of left hip joint, femoral surface with ceramic synthetic substitute, uncemented, open approach
ICD-10	0SRS03Z	Replacement of left hip joint, femoral surface with ceramic synthetic substitute, open approach
ICD-10	0SRS07Z	Replacement of left hip joint, femoral surface with autologous tissue substitute, open approach
ICD-10	0SRS0J9	Replacement of left hip joint, femoral surface with synthetic substitute, cemented, open approach
ICD-10	0SRS0JA	Replacement of left hip joint, femoral surface with synthetic substitute, uncemented, open approach
ICD-10	0SRS0JZ	Replacement of left hip joint, femoral surface with synthetic substitute, open approach
ICD-10	0SRS0KZ	Replacement of left hip joint, femoral surface with nonautologous tissue substitute, open approach
ICD-10	0SU90BZ	Supplement right hip joint with resurfacing device, open approach
ICD-10	0SUA0BZ	Supplement right hip joint, acetabular surface with resurfacing device, open approach
ICD-10	0SUB0BZ	Supplement left hip joint with resurfacing device, open approach
ICD-10	0SUE0BZ	Supplement left hip joint, acetabular surface with resurfacing device, open approach
ICD-10	0SUR0BZ	Supplement right hip joint, femoral surface with resurfacing device, open approach
ICD-10	0SUS0BZ	Supplement left hip joint, femoral surface with resurfacing device, open approach
ICD-10	M80051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture
ICD-10	M80051G	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
ICD-10	M80051K	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M80051P	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M80052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture
ICD-10	M80052G	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
ICD-10	M80052K	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M80052P	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M80059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
ICD-10	M80059G	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	M80059K	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M80059P	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M80851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture
ICD-10	M80851G	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
ICD-10	M80851K	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M80851P	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M80852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture
ICD-10	M80852G	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
ICD-10	M80852K	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M80852P	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M80859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
ICD-10	M80859G	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	M80859K	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M80859P	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84351A	Stress fracture, right femur, initial encounter for fracture
ICD-10	M84351K	Stress fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84351P	Stress fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M84352A	Stress fracture, left femur, initial encounter for fracture
ICD-10	M84352K	Stress fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84352P	Stress fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M84353A	Stress fracture, unspecified femur, initial encounter for fracture
ICD-10	M84353K	Stress fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84353P	Stress fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84359A	Stress fracture, hip, unspecified, initial encounter for fracture
ICD-10	M84359K	Stress fracture, hip, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84359P	Stress fracture, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84451A	Pathological fracture, right femur, initial encounter for fracture
ICD-10	M84451K	Pathological fracture, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84451P	Pathological fracture, right femur, subsequent encounter for fracture with malunion
ICD-10	M84452A	Pathological fracture, left femur, initial encounter for fracture
ICD-10	M84452K	Pathological fracture, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84452P	Pathological fracture, left femur, subsequent encounter for fracture with malunion
ICD-10	M84453A	Pathological fracture, unspecified femur, initial encounter for fracture

ICD 9/10	Code	Description
ICD-10	M84453K	Pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84453P	Pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84459A	Pathological fracture, hip, unspecified, initial encounter for fracture
ICD-10	M84459K	Pathological fracture, hip, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84459P	Pathological fracture, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84551A	Pathological fracture in neoplastic disease, right femur, initial encounter for fracture
ICD-10	M84551K	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84551P	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with malunion
ICD-10	M84552A	Pathological fracture in neoplastic disease, left femur, initial encounter for fracture
ICD-10	M84552K	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84552P	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with malunion
ICD-10	M84553A	Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture
ICD-10	M84553K	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84553P	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84559A	Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture
ICD-10	M84559K	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84559P	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84651A	Pathological fracture in other disease, right femur, initial encounter for fracture
ICD-10	M84651K	Pathological fracture in other disease, right femur, subsequent encounter for fracture with nonunion
ICD-10	M84651P	Pathological fracture in other disease, right femur, subsequent encounter for fracture with malunion
ICD-10	M84652A	Pathological fracture in other disease, left femur, initial encounter for fracture
ICD-10	M84652K	Pathological fracture in other disease, left femur, subsequent encounter for fracture with nonunion
ICD-10	M84652P	Pathological fracture in other disease, left femur, subsequent encounter for fracture with malunion
ICD-10	M84653A	Pathological fracture in other disease, unspecified femur, initial encounter for fracture
ICD-10	M84653K	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	M84653P	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with malunion
ICD-10	M84659A	Pathological fracture in other disease, hip, unspecified, initial encounter for fracture
ICD-10	M84659K	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	M84659P	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84750A	Atypical femoral fracture, unspecified, initial encounter for fracture
ICD-10	M84750G	Atypical femoral fracture, unspecified, subsequent encounter for fracture with delayed healing
ICD-10	M84750K	Atypical femoral fracture, unspecified, subsequent encounter for fracture with nonunion
ICD-10	M84750P	Atypical femoral fracture, unspecified, subsequent encounter for fracture with malunion
ICD-10	M84751A	Incomplete atypical femoral fracture, right leg, initial encounter for fracture
ICD-10	M84751G	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
ICD-10	M84751K	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
ICD-10	M84751P	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
ICD-10	M84752A	Incomplete atypical femoral fracture, left leg, initial encounter for fracture
ICD-10	M84752G	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
ICD-10	M84752K	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
ICD-10	M84752P	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10	M84753A	Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture
ICD-10	M84753G	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
ICD-10	M84753K	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
ICD-10	M84753P	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
ICD-10	M84754A	Complete transverse atypical femoral fracture, right leg, initial encounter for fracture
ICD-10	M84754G	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
ICD-10	M84754K	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
ICD-10	M84754P	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
ICD-10	M84755A	Complete transverse atypical femoral fracture, left leg, initial encounter for fracture
ICD-10	M84755G	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
ICD-10	M84755K	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
ICD-10	M84755P	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10	M84756A	Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture
ICD-10	M84756G	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
ICD-10	M84756K	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	M84756P	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
ICD-10	M84757A	Complete oblique atypical femoral fracture, right leg, initial encounter for fracture
ICD-10	M84757G	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
ICD-10	M84757K	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
ICD-10	M84757P	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
ICD-10	M84758A	Complete oblique atypical femoral fracture, left leg, initial encounter for fracture
ICD-10	M84758G	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
ICD-10	M84758K	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
ICD-10	M84758P	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10	M84759A	Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture
ICD-10	M84759G	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
ICD-10	M84759K	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
ICD-10	M84759P	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
ICD-10	S32401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32401B	Unspecified fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32401G	Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32401K	Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32402B	Unspecified fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32402G	Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32402K	Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32409G	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32409K	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32411G	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32411K	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion



ICD 9/10	Code	Description
ICD-10	S32412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture
ICD-10	S32412G	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32412K	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32413G	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32413K	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32414G	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32414K	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture
ICD-10	S32415G	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32415K	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32416G	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32416K	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32421G	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32421K	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture



ICD 9/10	Code	Description
ICD-10	S32422G	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32422K	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32423G	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32423K	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture
ICD-10	S32424G	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32424K	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture
ICD-10	S32425G	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32425K	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32426G	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32426K	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture
ICD-10	S32431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture
ICD-10	S32431G	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32431K	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture
ICD-10	S32432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture
ICD-10	S32432G	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32432K	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S32433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32433G	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32433K	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture
ICD-10	S32434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture
ICD-10	S32434G	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32434K	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture
ICD-10	S32435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture
ICD-10	S32435G	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32435K	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32436G	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32436K	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture
ICD-10	S32441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture
ICD-10	S32441G	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32441K	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture
ICD-10	S32442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture
ICD-10	S32442G	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32442K	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture

ICD 9/10	Code	Description
ICD-10	S32443G	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32443K	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture
ICD-10	S32444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture
ICD-10	S32444G	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32444K	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture
ICD-10	S32445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture
ICD-10	S32445G	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32445K	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32446G	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32446K	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32451G	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32451K	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32452G	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32452K	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32453G	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32453K	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S32454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32454G	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32454K	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32455G	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32455K	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32456G	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32456K	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32461G	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32461K	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32462G	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32462K	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32463G	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32463K	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32464G	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	S32464K	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32465G	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32465K	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32466G	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32466K	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture
ICD-10	S32471G	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32471K	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture
ICD-10	S32472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture
ICD-10	S32472G	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32472K	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32473G	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32473K	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture
ICD-10	S32474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture
ICD-10	S32474G	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32474K	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S32475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture
ICD-10	S32475G	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32475K	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32476G	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32476K	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32481G	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32481K	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32482G	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32482K	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32483G	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32483K	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32484G	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32484K	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32485G	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32485K	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture



ICD 9/10	Code	Description
ICD-10	S32486G	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32486K	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32491A	Other specified fracture of right acetabulum, initial encounter for closed fracture
ICD-10	S32491B	Other specified fracture of right acetabulum, initial encounter for open fracture
ICD-10	S32491G	Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32491K	Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32492A	Other specified fracture of left acetabulum, initial encounter for closed fracture
ICD-10	S32492B	Other specified fracture of left acetabulum, initial encounter for open fracture
ICD-10	S32492G	Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32492K	Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S32499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture
ICD-10	S32499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture
ICD-10	S32499G	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
ICD-10	S32499K	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
ICD-10	S72001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture
ICD-10	S72001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72001G	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72001H	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72001J	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72001K	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72001M	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72001N	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72001P	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72001Q	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72001R	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture
ICD-10	S72002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II



ICD 9/10	Code	Description
ICD-10	S72002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72002G	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72002H	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72002J	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72002K	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72002M	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72002N	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72002P	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72002Q	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72002R	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72009G	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72009H	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72009J	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72009K	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72009M	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72009N	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72009P	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72009Q	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72009R	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture
ICD-10	S72011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72011G	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	S72011H	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72011J	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72011K	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72011M	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72011N	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72011P	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72011Q	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72011R	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture
ICD-10	S72012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72012G	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72012H	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72012J	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72012K	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72012M	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72012N	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72012P	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72012Q	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72012R	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72019G	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72019H	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72019J	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD 9/10	Code	Description
ICD-10	S72019K	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72019M	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72019N	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72019P	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72019Q	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72019R	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
ICD-10	S72021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II
ICD-10	S72021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72021G	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72021H	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72021J	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72021K	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72021M	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72021N	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72021P	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72021Q	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72021R	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
ICD-10	S72022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
ICD-10	S72022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72022G	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72022H	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72022J	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72022K	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72022M	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion

ICD 9/10	Code	Description
ICD-10	S72022N	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72022P	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72022Q	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72022R	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
ICD-10	S72023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72023G	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72023H	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72023J	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72023K	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72023M	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72023N	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72023P	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72023Q	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72023R	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
ICD-10	S72024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II
ICD-10	S72024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72024G	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72024H	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72024J	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72024K	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72024M	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72024N	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72024P	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion

ICD 9/10	Code	Description
ICD-10	S72024Q	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72024R	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
ICD-10	S72025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
ICD-10	S72025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72025G	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72025H	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72025J	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72025K	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72025M	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72025N	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72025P	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72025Q	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72025R	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
ICD-10	S72026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72026G	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72026H	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72026J	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72026K	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72026M	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72026N	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72026P	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72026Q	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72026R	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

ICD 9/10	Code	Description
ICD-10	S72031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture
ICD-10	S72031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72031G	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72031H	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72031J	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72031K	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72031M	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72031N	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72031P	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72031Q	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72031R	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture
ICD-10	S72032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72032G	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72032H	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72032J	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72032K	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72032M	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72032N	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72032P	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72032Q	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72032R	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC



ICD 9/10	Code	Description
ICD-10	S72033G	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72033H	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72033J	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72033K	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72033M	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72033N	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72033P	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72033Q	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72033R	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture
ICD-10	S72034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72034G	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72034H	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72034J	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72034K	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72034M	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72034N	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72034P	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72034Q	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72034R	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture
ICD-10	S72035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72035G	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72035H	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing



ICD 9/10	Code	Description
ICD-10	S72035J	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72035K	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72035M	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72035N	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72035P	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72035Q	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72035R	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72036G	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72036H	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72036J	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72036K	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72036M	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72036N	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72036P	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72036Q	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72036R	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture
ICD-10	S72041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72041G	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72041H	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72041J	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72041K	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S72041M	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72041N	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72041P	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72041Q	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72041R	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture
ICD-10	S72042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
ICD-10	S72042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72042G	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72042H	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72042J	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72042K	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72042M	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72042N	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72042P	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72042Q	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72042R	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72043G	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72043H	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72043J	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72043K	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72043M	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72043N	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S72043P	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72043Q	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72043R	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture
ICD-10	S72044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72044G	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72044H	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72044J	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72044K	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72044M	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72044N	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72044P	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72044Q	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72044R	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture
ICD-10	S72045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
ICD-10	S72045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72045G	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72045H	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72045J	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72045K	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72045M	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72045N	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72045P	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72045Q	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72045R	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72046G	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72046H	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72046J	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72046K	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72046M	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72046N	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72046P	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72046Q	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72046R	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72051A	Unspecified fracture of head of right femur, initial encounter for closed fracture
ICD-10	S72051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II
ICD-10	S72051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72051G	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72051H	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72051J	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72051K	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72051M	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72051N	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72051P	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72051Q	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72051R	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72052A	Unspecified fracture of head of left femur, initial encounter for closed fracture
ICD-10	S72052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II

ICD 9/10	Code	Description
ICD-10	S72052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72052G	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72052H	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72052J	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72052K	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72052M	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72052N	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72052P	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72052Q	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72052R	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture
ICD-10	S72059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72059G	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72059H	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72059J	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72059K	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72059M	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72059N	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72059P	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72059Q	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72059R	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture
ICD-10	S72061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II
ICD-10	S72061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72061G	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing

ICD 9/10	Code	Description
ICD-10	S72061H	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72061J	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72061K	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72061M	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72061N	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72061P	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72061Q	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72061R	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture
ICD-10	S72062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II
ICD-10	S72062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72062G	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72062H	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72062J	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72062K	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72062M	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72062N	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72062P	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72062Q	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72062R	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture
ICD-10	S72063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72063G	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72063H	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72063J	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing



ICD 9/10	Code	Description
ICD-10	S72063K	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72063M	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72063N	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72063P	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72063Q	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72063R	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture
ICD-10	S72064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II
ICD-10	S72064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72064G	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72064H	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72064J	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72064K	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72064M	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72064N	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72064P	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72064Q	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72064R	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture
ICD-10	S72065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II
ICD-10	S72065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72065G	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72065H	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72065J	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72065K	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72065M	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion



ICD 9/10	Code	Description
ICD-10	S72065N	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72065P	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72065Q	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72065R	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture
ICD-10	S72066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72066G	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72066H	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72066J	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72066K	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72066M	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72066N	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72066P	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72066Q	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72066R	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72091A	Other fracture of head and neck of right femur, initial encounter for closed fracture
ICD-10	S72091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II
ICD-10	S72091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72091G	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72091H	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72091J	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72091K	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72091M	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72091N	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72091P	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72091Q	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72091R	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72092A	Other fracture of head and neck of left femur, initial encounter for closed fracture
ICD-10	S72092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II
ICD-10	S72092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72092G	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72092H	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72092J	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72092K	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72092M	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72092N	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72092P	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72092Q	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72092R	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture
ICD-10	S72099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72099G	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72099H	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72099J	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72099K	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72099M	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72099N	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72099P	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72099Q	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72099R	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S72101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II

ICD 9/10	Code	Description
ICD-10	S72101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72101G	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72101H	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72101J	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72101K	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72101M	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72101N	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72101P	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72101Q	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72101R	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S72102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72102G	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72102H	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72102J	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72102K	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72102M	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72102N	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72102P	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72102Q	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72102R	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72109G	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72109H	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing

ICD 9/10	Code	Description
ICD-10	S72109J	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72109K	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72109M	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72109N	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72109P	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72109Q	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72109R	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture
ICD-10	S72111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72111G	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72111H	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72111J	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72111K	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72111M	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72111N	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72111P	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72111Q	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72111R	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture
ICD-10	S72112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72112G	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72112H	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72112J	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72112K	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S72112M	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72112N	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72112P	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72112Q	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72112R	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture
ICD-10	S72113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72113G	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72113H	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72113J	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72113K	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72113M	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72113N	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72113P	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72113Q	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72113R	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture
ICD-10	S72114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72114G	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72114H	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72114J	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72114K	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72114M	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72114N	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S72114P	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72114Q	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72114R	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture
ICD-10	S72115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72115G	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72115H	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72115J	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72115K	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72115M	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72115N	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72115P	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72115Q	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72115R	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture
ICD-10	S72116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72116G	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72116H	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72116J	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72116K	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72116M	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72116N	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72116P	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72116Q	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion



ICD 9/10	Code	Description
ICD-10	S72116R	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture
ICD-10	S72121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72121G	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72121H	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72121J	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72121K	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72121M	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72121N	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72121P	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72121Q	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72121R	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture
ICD-10	S72122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72122G	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72122H	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72122J	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72122K	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72122M	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72122N	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72122P	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72122Q	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72122R	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture



ICD 9/10	Code	Description
ICD-10	S72123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72123G	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72123H	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72123J	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72123K	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72123M	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72123N	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72123P	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72123Q	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72123R	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture
ICD-10	S72124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II
ICD-10	S72124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72124G	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72124H	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72124J	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72124K	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72124M	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72124N	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72124P	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72124Q	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72124R	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture
ICD-10	S72125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
ICD-10	S72125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

ICD 9/10	Code	Description
ICD-10	S72125G	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72125H	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72125J	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72125K	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72125M	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72125N	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72125P	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72125Q	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72125R	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture
ICD-10	S72126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72126G	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72126H	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72126J	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72126K	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72126M	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72126N	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72126P	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72126Q	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72126R	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture
ICD-10	S72131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72131G	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72131H	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72131J	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD 9/10	Code	Description
ICD-10	S72131K	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72131M	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72131N	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72131P	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72131Q	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72131R	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture
ICD-10	S72132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72132G	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72132H	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72132J	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72132K	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72132M	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72132N	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72132P	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72132Q	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72132R	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72133G	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72133H	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72133J	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72133K	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72133M	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72133N	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S72133P	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72133Q	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72133R	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture
ICD-10	S72134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72134G	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72134H	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72134J	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72134K	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72134M	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72134N	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72134P	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72134Q	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72134R	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture
ICD-10	S72135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72135G	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72135H	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72135J	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72135K	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72135M	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72135N	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72135P	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72135Q	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S72135R	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72136G	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72136H	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72136J	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72136K	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72136M	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72136N	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72136P	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72136Q	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72136R	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S72141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72141G	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72141H	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72141J	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72141K	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72141M	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72141N	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72141P	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72141Q	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72141R	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S72142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72142G	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72142H	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72142J	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72142K	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72142M	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72142N	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72142P	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72142Q	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72142R	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72143G	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72143H	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72143J	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72143K	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72143M	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72143N	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72143P	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72143Q	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72143R	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S72144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S72144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC



ICD 9/10	Code	Description
ICD-10	S72144G	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72144H	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72144J	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72144K	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72144M	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72144N	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72144P	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S72144Q	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72144R	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S72145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S72145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72145G	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72145H	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S72145J	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72145K	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72145M	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72145N	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72145P	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S72145Q	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72145R	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S72146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S72146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S72146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S72146G	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S72146H	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing



ICD 9/10	Code	Description
ICD-10	S72146J	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S72146K	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S72146M	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S72146N	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S72146P	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S72146Q	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S72146R	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7221XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S7221XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S7221XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7221XG	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7221XH	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7221XJ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7221XK	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7221XM	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7221XN	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7221XP	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S7221XQ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7221XR	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7222XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S7222XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S7222XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7222XG	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7222XH	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7222XJ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7222XK	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion

ICD 9/10	Code	Description
ICD-10	S7222XM	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7222XN	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7222XP	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S7222XQ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7222XR	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7223XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S7223XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S7223XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7223XG	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7223XH	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7223XJ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7223XK	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7223XM	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7223XN	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7223XP	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S7223XQ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7223XR	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7224XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture
ICD-10	S7224XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
ICD-10	S7224XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7224XG	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7224XH	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7224XJ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7224XK	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7224XM	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7224XN	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD 9/10	Code	Description
ICD-10	S7224XP	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
ICD-10	S7224XQ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7224XR	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7225XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture
ICD-10	S7225XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
ICD-10	S7225XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7225XG	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7225XH	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7225XJ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7225XK	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7225XM	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7225XN	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7225XP	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
ICD-10	S7225XQ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
ICD-10	S7225XR	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S7226XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
ICD-10	S7226XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
ICD-10	S7226XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
ICD-10	S7226XG	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
ICD-10	S7226XH	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10	S7226XJ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
ICD-10	S7226XK	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
ICD-10	S7226XM	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
ICD-10	S7226XN	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10	S7226XP	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
ICD-10	S7226XQ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion

ICD 9/10	Code	Description
ICD-10	S7226XR	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
ICD-10	S79001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture
ICD-10	S79001G	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
ICD-10	S79001K	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
ICD-10	S79001P	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
ICD-10	S79002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture
ICD-10	S79002G	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
ICD-10	S79002K	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
ICD-10	S79002P	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
ICD-10	S79009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
ICD-10	S79009G	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	S79009K	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	S79009P	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion
ICD-10	S79011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture
ICD-10	S79011G	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
ICD-10	S79011K	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
ICD-10	S79011P	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
ICD-10	S79012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture
ICD-10	S79012G	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
ICD-10	S79012K	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
ICD-10	S79012P	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
ICD-10	S79019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
ICD-10	S79019G	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	S79019K	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	S79019P	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion
ICD-10	S79091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture

ICD 9/10	Code	Description
ICD-10	S79091G	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
ICD-10	S79091K	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
ICD-10	S79091P	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
ICD-10	S79092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture
ICD-10	S79092G	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
ICD-10	S79092K	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
ICD-10	S79092P	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
ICD-10	S79099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
ICD-10	S79099G	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
ICD-10	S79099K	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
ICD-10	S79099P	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion

**Table 32 – List of procedure codes related to the performance of hemodialysis for MS-DRG 019**

ICD 9/10	Code	Description
ICD-9	39.95	Hemodialysis
ICD-10	5A1D70Z	Performance of urinary filtration, intermittent, less than 6 hours per day
ICD-10	5A1D80Z	Performance of urinary filtration, prolonged intermittent, 6-18 hours per day
ICD-10	5A1D90Z	Performance of urinary filtration, continuous, greater than 18 hours per day

**Table 33 – List of procedure codes related to kidney transplant for MS-DRGs 650 and 651**

ICD 9/10	Code	Description
ICD-9	5569	Other kidney transplantation
ICD-10	0TY00Z0	Transplantation of Right Kidney, Allogeneic, Open Approach
ICD-10	0TY00Z1	Transplantation of Right Kidney, Syngeneic, Open Approach
ICD-10	0TY00Z2	Transplantation of Right Kidney, Zooplastic, Open Approach
ICD-10	0TY10Z0	Transplantation of Left Kidney, Allogeneic, Open Approach
ICD-10	0TY10Z1	Transplantation of Left Kidney, Syngeneic, Open Approach
ICD-10	0TY10Z2	Transplantation of Left Kidney, Zooplastic, Open Approach

**Table 34 – List of diagnosis codes describing mechanical complications of vascular dialysis catheters for MS-DRGs 673-675 and 698-700**

ICD 9/10	Code	Description
ICD-9	9961	Mechanical complication of other vascular device, implant, and graft
ICD-9	99673	Other complications due to renal dialysis device, implant, and graft
ICD-10	T8241XA	Breakdown (mechanical) of vascular dialysis catheter, initial encounter
ICD-10	T8242XA	Displacement of vascular dialysis catheter, initial encounter
ICD-10	T8243XA	Leakage of vascular dialysis catheter, initial encounter
ICD-10	T8249XA	Other complication of vascular dialysis catheter, initial encounter

**Table 35 – List of non-operating room procedure codes related for MS-DRGs 673-675**

ICD 9/10	Code	Description
ICD-10	0JH60XZ	Insertion of Tunneled Vascular Access Device into Chest Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JH63WZ	Insertion of Totally Implantable Vascular Access Device into Chest Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JH63XZ	Insertion of Tunneled Vascular Access Device into Chest Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JH80XZ	Insertion of Tunneled Vascular Access Device into Abdomen Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JH83WZ	Insertion of Totally Implantable Vascular Access Device into Abdomen Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JH83XZ	Insertion of Tunneled Vascular Access Device into Abdomen Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHD0XZ	Insertion of Tunneled Vascular Access Device into Right Upper Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHD3WZ	Insertion of Totally Implantable Vascular Access Device into Right Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHD3XZ	Insertion of Tunneled Vascular Access Device into Right Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHF0XZ	Insertion of Tunneled Vascular Access Device into Left Upper Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHF3WZ	Insertion of Totally Implantable Vascular Access Device into Left Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHF3XZ	Insertion of Tunneled Vascular Access Device into Left Upper Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHG0XZ	Insertion of Tunneled Vascular Access Device into Right Lower Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHG3WZ	Insertion of Totally Implantable Vascular Access Device into Right Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHG3XZ	Insertion of Tunneled Vascular Access Device into Right Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHH0XZ	Insertion of Tunneled Vascular Access Device into Left Lower Arm Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHH3WZ	Insertion of Totally Implantable Vascular Access Device into Left Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHH3XZ	Insertion of Tunneled Vascular Access Device into Left Lower Arm Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHL0XZ	Insertion of Tunneled Vascular Access Device into Right Upper Leg Subcutaneous Tissue and Fascia, Open Approach



ICD 9/10	Code	Description
ICD-10	0JHL3WZ	Insertion of Totally Implantable Vascular Access Device into Right Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHL3XZ	Insertion of Tunneled Vascular Access Device into Right Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHM0XZ	Insertion of Tunneled Vascular Access Device into Left Upper Leg Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHM3WZ	Insertion of Totally Implantable Vascular Access Device into Left Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHM3XZ	Insertion of Tunneled Vascular Access Device into Left Upper Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHN0XZ	Insertion of Tunneled Vascular Access Device into Right Lower Leg Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHN3WZ	Insertion of Totally Implantable Vascular Access Device into Right Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHN3XZ	Insertion of Tunneled Vascular Access Device into Right Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHP0XZ	Insertion of Tunneled Vascular Access Device into Left Lower Leg Subcutaneous Tissue and Fascia, Open Approach
ICD-10	0JHP3WZ	Insertion of Totally Implantable Vascular Access Device into Left Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach
ICD-10	0JHP3XZ	Insertion of Tunneled Vascular Access Device into Left Lower Leg Subcutaneous Tissue and Fascia, Percutaneous Approach

**Table 36 – List of reassigned procedure codes for MS-DRGs 987-989**

ICD 9/10	Code	Description
ICD-9	5419	Other laparotomy
ICD-9	3409	Other incision of pleura
ICD-10	0W3G3ZZ	Control bleeding in peritoneal cavity, percutaneous approach
ICD-10	0W3G4ZZ	Control bleeding in peritoneal cavity, percutaneous endoscopic approach
ICD-10	0WBC0ZX	Excision of mediastinum, open approach, diagnostic

**Table 37 – List of procedure codes describing excision of mediastinum for MS-DRGs 166-168**

ICD 9/10	Code	Description
ICD-9	343	Excision or destruction of lesion or tissue of mediastinum
ICD-10	0WBC0ZZ	Excision of Mediastinum, Open Approach
ICD-10	0WBC3ZZ	Excision of Mediastinum, Percutaneous Approach
ICD-10	0WBC4ZZ	Excision of Mediastinum, Percutaneous Endoscopic Approach