

CMS Manual System	Department of Health & Human Services (DHHS)
Pub 100-20 One-Time Notification	Centers for Medicare & Medicaid Services (CMS)
Transmittal 2359	Date: September 5, 2019
	Change Request 10890

Transmittal 2339, dated August 9, 2019, is being rescinded and replaced by Transmittal 2359 dated, September 5, 2019, to change the screen listed from SUPEROP CURRENT VALUE SET LIST screen to SUPEROP CROSS-COPY VALUE SET LIST in business requirement 10890.2. All other information remains the same.

SUBJECT: User CR: ViPS Medicare System (VMS) Changes to Provide Cross Copy Functionality for Multiple SuperOp Events and Value Sets

I. SUMMARY OF CHANGES: ViPS Medicare System (VMS) changes will be made to expand the cross copy function to allow both a single cross copy and multiple cross copying of both SuperOp events and value sets.

EFFECTIVE DATE: January 1, 2020

**Unless otherwise specified, the effective date is the date of service.*

IMPLEMENTATION DATE: January 6, 2020

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-Only One Per Row.

R/N/D	CHAPTER / SECTION / SUBSECTION / TITLE
N/A	

III. FUNDING:

For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

IV. ATTACHMENTS:

One Time Notification

Attachment - One-Time Notification

Pub. 100-20	Transmittal: 2359	Date: September 5, 2019	Change Request: 10890
--------------------	--------------------------	--------------------------------	------------------------------

Transmittal 2339, dated August 9, 2019, is being rescinded and replaced by Transmittal 2359 dated, September 5, 2019, to change the screen listed from SUPEROP CURRENT VALUE SET LIST screen to SUPEROP CROSS-COPY VALUE SET LIST in business requirement 10890.2. All other information remains the same.

SUBJECT: User CR: ViPS Medicare System (VMS) Changes to Provide Cross Copy Functionality for Multiple SuperOp Events and Value Sets

EFFECTIVE DATE: January 1, 2020

**Unless otherwise specified, the effective date is the date of service.*

IMPLEMENTATION DATE: January 6, 2020

I. GENERAL INFORMATION

A. Background: Currently, the SuperOp sub-system allows an operator to cross-copy a single SuperOp event or value set. The Cross-copy function is a timesaving method used by Durable Medical Equipment Medicare Administrative Contractors (DME MACs) for copying either a SuperOp event or value set from one CICS region to another. For example, a DME MAC can establish and test a SuperOp event in the UAT region and once tested the event can be cross-copied to the DME MAC's production region eliminating the need to re-enter the SuperOp event.

B. Policy: N/A

II. BUSINESS REQUIREMENTS TABLE

"Shall" denotes a mandatory requirement, and "should" denotes an optional requirement.

Number	Requirement	Responsibility							
		A/B MAC		D M E M A C	Shared- System Maintainers				Other
		A	B		H H H	F I S S	M C S	V M S	
10890.1	The contractor shall update the VMS SuperOp subsystem to allow users to select and copy multiple events from the SUPEROP CROSS-COPY EVENT LIST screen.							X	
10890.2	The contractor shall update the VMS SuperOp subsystem to allow users to select and copy multiple value sets from the SUPEROP CROSS-COPY VALUE SET LIST screen.							X	

III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility			
		A/B MAC		D M E	C E D I
	None	A	B	H H H	M A C

IV. SUPPORTING INFORMATION

Section A: Recommendations and supporting information associated with listed requirements: N/A

"Should" denotes a recommendation.

X-Ref Requirement Number	Recommendations or other supporting information:
--------------------------------	--

Section B: All other recommendations and supporting information: N/A

V. CONTACTS

Pre-Implementation Contact(s): Stacey Ndelle, 410-786-8208 or Stacey.Ndelle@cms.hhs.gov , Kay Curry, 410-786-1801 or Kay.Curry@cms.hhs.gov

Post-Implementation Contact(s): Contact your Contracting Officer's Representative (COR).

VI. FUNDING

Section A: For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

ATTACHMENTS: 0