

| NCD: | 150.3 | | |
|------------|---|-----------|--|
| NCD Title: | Bone (Mineral) Density Studies | | |
| IOM: | http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=256&ncdver=2&DocID=150.3&SearchType=Advanced&bc=IAAABAAAA& | | |
| MCD: | http://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R1236CP.pdf | | |
| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
| 242.00 | Toxic diffuse goiter without mention of thyrotoxic crisis or storm | E05.00 | Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm |
| 242.01 | Toxic diffuse goiter with mention of thyrotoxic crisis or storm | E05.01 | Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm |
| 242.10 | Toxic uninodular goiter without mention of thyrotoxic crisis or storm | E05.10 | Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm |
| 242.11 | Toxic uninodular goiter with mention of thyrotoxic crisis or storm | E05.11 | Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm |
| 242.20 | Toxic multinodular goiter without mention of thyrotoxic crisis or storm | E05.20 | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm |
| 242.21 | Toxic multinodular goiter with mention of thyrotoxic crisis or storm | E05.21 | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm |
| 242.30 | Toxic nodular goiter, unspecified type, without mention of thyrotoxic crisis or storm | E05.20 | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm |
| 242.31 | Toxic nodular goiter, unspecified type, with mention of thyrotoxic crisis or storm | E05.21 | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm |
| 242.40 | Thyrotoxicosis from ectopic thyroid nodule without mention of thyrotoxic crisis or storm | E05.30 | Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm |
| 242.41 | Thyrotoxicosis from ectopic thyroid nodule with mention of thyrotoxic crisis or storm | E05.31 | Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm |
| 242.80 | Thyrotoxicosis of other specified origin without mention of thyrotoxic crisis or storm | E05.80 | Other thyrotoxicosis without thyrotoxic crisis or storm |
| 242.80 | Thyrotoxicosis of other specified origin without mention of thyrotoxic crisis or storm | E05.40 | Thyrotoxicosis factitia without thyrotoxic crisis or storm |
| 242.81 | Thyrotoxicosis of other specified origin with mention of thyrotoxic crisis or storm | E05.81 | Other thyrotoxicosis with thyrotoxic crisis or storm |
| 242.81 | Thyrotoxicosis of other specified origin with mention of thyrotoxic crisis or storm | E05.41 | Thyrotoxicosis factitia with thyrotoxic crisis or storm |
| 242.90 | Thyrotoxicosis without mention of goiter or other cause, and without mention of thyrotoxic crisis or storm | E05.90 | Thyrotoxicosis, unspecified without thyrotoxic crisis or storm |
| 242.91 | Thyrotoxicosis without mention of goiter or other cause, with mention of thyrotoxic crisis or storm | E05.91 | Thyrotoxicosis, unspecified with thyrotoxic crisis or storm |
| 246.0 | Disorders of thyrocalcitonin secretion | E07.0 | Hypersecretion of calcitonin |
| 252.00 | Hyperparathyroidism, unspecified | E21.3 | Hyperparathyroidism, unspecified |
| 252.01 | Primary hyperparathyroidism | E21.0 | Primary hyperparathyroidism |
| 252.02 | Secondary hyperparathyroidism, non-renal | E21.1 | Secondary hyperparathyroidism, not elsewhere classified |
| 252.08 | Other hyperparathyroidism | E21.2 | Other hyperparathyroidism |
| 253.2 | Panhypopituitarism | E23.0 | Hypopituitarism |
| 255.0 | Cushing's syndrome | E24.4 | Alcohol-induced pseudo-Cushing's syndrome |
| 255.0 | Cushing's syndrome | E24.9 | Cushing's syndrome, unspecified |
| 255.0 | Cushing's syndrome | E24.2 | Drug-induced Cushing's syndrome |
| 255.0 | Cushing's syndrome | E24.3 | Ectopic ACTH syndrome |
| 255.0 | Cushing's syndrome | E24.8 | Other Cushing's syndrome |
| 255.0 | Cushing's syndrome | E24.0 | Pituitary-dependent Cushing's disease |
| 256.2 | Postablative ovarian failure | E89.40 | Asymptomatic postprocedural ovarian failure |
| 256.2 | Postablative ovarian failure | E89.41 | Symptomatic postprocedural ovarian failure |
| 256.31 | Premature menopause | E28.319 | Asymptomatic premature menopause |
| 256.31 | Premature menopause | E28.310 | Symptomatic premature menopause |
| 256.39 | Other ovarian failure | E28.39 | Other primary ovarian failure |
| 257.2 | Other testicular hypofunction | E29.1 | Testicular hypofunction |
| 259.3 | Ectopic hormone secretion, not elsewhere classified | E34.2 | Ectopic hormone secretion, not elsewhere classified |
| 627.4 | Symptomatic states associated with artificial menopause | N95.8 | Other specified menopausal and perimenopausal disorders |
| 627.8 | Other specified menopausal and postmenopausal disorders | N95.8 | Other specified menopausal and perimenopausal disorders |
| 627.9 | Unspecified menopausal and postmenopausal disorder | N95.9 | Unspecified menopausal and perimenopausal disorder |
| 733.00 | Osteoporosis, unspecified | M81.0 | Age-related osteoporosis without current pathological fracture |
| 733.01 | Senile osteoporosis | M81.0 | Age-related osteoporosis without current pathological fracture |
| 733.02 | Idiopathic osteoporosis | M81.8 | Other osteoporosis without current pathological fracture |
| 733.03 | Disuse osteoporosis | M81.8 | Other osteoporosis without current pathological fracture |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|--|
| 733.09 | Other osteoporosis | M81.6 | Localized osteoporosis [Lequesne] |
| 733.09 | Other osteoporosis | M81.8 | Other osteoporosis without current pathological fracture |
| 733.13 | Pathologic fracture of vertebrae | M80.08xA | Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.52xA | Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.53xA | Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.56xA | Collapsed vertebra, not elsewhere classified, lumbar region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.57xA | Collapsed vertebra, not elsewhere classified, lumbosacral region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.51xA | Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.58xA | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.50xA | Collapsed vertebra, not elsewhere classified, site unspecified, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.54xA | Collapsed vertebra, not elsewhere classified, thoracic region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M48.55xA | Collapsed vertebra, not elsewhere classified, thoracolumbar region, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M80.88xA | Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M84.58xA | Pathological fracture in neoplastic disease, vertebrae, initial encounter for fracture |
| 733.13 | Pathologic fracture of vertebrae | M84.68xA | Pathological fracture in other disease, other site, initial encounter for fracture |
| 733.90 | Disorder of Bone and cartilage | M85.9 | Disorder of bone density and structure, unspecified |
| 733.90 | Disorder of Bone and cartilage | M89.9 | Disorder of bone, unspecified |
| 733.90 | Disorder of Bone and cartilage | M94.9 | Disorder of cartilage, unspecified |
| 733.95 | Stress fracture of other bone | M48.42xA | Fatigue fracture of vertebra, cervical region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.43xA | Fatigue fracture of vertebra, cervicothoracic region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.46xA | Fatigue fracture of vertebra, lumbar region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.47xA | Fatigue fracture of vertebra, lumbosacral region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.41xA | Fatigue fracture of vertebra, occipito-atlanto-axial region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.48xA | Fatigue fracture of vertebra, sacral and sacrococcygeal region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.40xA | Fatigue fracture of vertebra, site unspecified, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.44xA | Fatigue fracture of vertebra, thoracic region, initial encounter for fracture |
| 733.95 | Stress fracture of other bone | M48.45xA | Fatigue fracture of vertebra, thoracolumbar region, initial encounter for fracture |
| 756.51 | Osteogenesis imperfecta | Q78.0 | Osteogenesis imperfecta |
| 758.6 | Gonadal dysgenesis | Q96.0 | Karyotype 45, X |
| 758.6 | Gonadal dysgenesis | Q96.1 | Karyotype 46, X iso (Xq) |
| 758.6 | Gonadal dysgenesis | Q96.2 | Karyotype 46, X with abnormal sex chromosome, except iso (Xq) |
| 758.6 | Gonadal dysgenesis | Q96.3 | Mosaicism, 45, X/46, XX or XY |
| 758.6 | Gonadal dysgenesis | Q96.4 | Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome |
| 758.6 | Gonadal dysgenesis | Q55.4 | Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate |
| 758.6 | Gonadal dysgenesis | Q96.8 | Other variants of Turner's syndrome |
| 758.6 | Gonadal dysgenesis | Q96.9 | Turner's syndrome, unspecified |
| 805.00 | Closed fracture of cervical vertebra, unspecified level | S12.9xA | Fracture of neck, unspecified, initial encounter |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|---|
| 805.01 | Closed fracture of first cervical vertebra | S12.040A | Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.030A | Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.041A | Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.031A | Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.090A | Other displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.091A | Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.01xA | Stable burst fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.001A | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.01 | Closed fracture of first cervical vertebra | S12.02xA | Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.110A | Anterior displaced Type II dens fracture, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.112A | Nondisplaced Type II dens fracture, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.120A | Other displaced dens fracture, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.190A | Other displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.121A | Other nondisplaced dens fracture, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.191A | Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.150A | Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.151A | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.111A | Posterior displaced Type II dens fracture, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.14xA | Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.130A | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| 805.02 | Closed fracture of second cervical vertebra | S12.131A | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.290A | Other displaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.291A | Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.250A | Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.251A | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.24xA | Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|---|
| 805.03 | Closed fracture of third cervical vertebra | S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.230A | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |
| 805.03 | Closed fracture of third cervical vertebra | S12.231A | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.390A | Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.391A | Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.350A | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.351A | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.34xA | Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.330A | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| 805.04 | Closed fracture of fourth cervical vertebra | S12.331A | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.490A | Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.491A | Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.450A | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.451A | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.44xA | Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.430A | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| 805.05 | Closed fracture of fifth cervical vertebra | S12.431A | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.590A | Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.591A | Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.550A | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.551A | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.54xA | Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|--|
| 805.06 | Closed fracture of sixth cervical vertebra | S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.530A | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |
| 805.06 | Closed fracture of sixth cervical vertebra | S12.531A | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.690A | Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.691A | Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.650A | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.651A | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.64xA | Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.630A | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| 805.07 | Closed fracture of seventh cervical vertebra | S12.631A | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| 805.08 | Closed fracture of multiple cervical vertebrae | S12.9xxA | Fracture of neck, unspecified, initial encounter |
| 805.10 | Open fracture of cervical vertebra, unspecified level | S12.9xxA | Fracture of neck, unspecified, initial encounter |
| 805.11 | Open fracture of first cervical vertebra | S12.040B | Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.030B | Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.041B | Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.031B | Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.090B | Other displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.091B | Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.01xB | Stable burst fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.000B | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.001B | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 805.11 | Open fracture of first cervical vertebra | S12.02xB | Unstable burst fracture of first cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.110B | Anterior displaced Type II dens fracture, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.112B | Nondisplaced Type II dens fracture, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.120B | Other displaced dens fracture, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.190B | Other displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.121B | Other nondisplaced dens fracture, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.191B | Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|---|
| 805.12 | Open fracture of second cervical vertebra | S12.150B | Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.151B | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.111B | Posterior displaced Type II dens fracture, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.14xB | Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.130B | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture |
| 805.12 | Open fracture of second cervical vertebra | S12.131B | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.290B | Other displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.291B | Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.250B | Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.251B | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.24xB | Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.230B | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture |
| 805.13 | Open fracture of third cervical vertebra | S12.231B | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.390B | Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.391B | Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.350B | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.351B | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.34xB | Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.330B | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture |
| 805.14 | Open fracture of fourth cervical vertebra | S12.331B | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.490B | Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|--|
| 805.15 | Open fracture of fifth cervical vertebra | S12.491B | Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.450B | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.451B | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.44xB | Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.400B | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.401B | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.430B | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture |
| 805.15 | Open fracture of fifth cervical vertebra | S12.431B | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.590B | Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.591B | Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.550B | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.551B | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.54xB | Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.500B | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.501B | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.530B | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture |
| 805.16 | Open fracture of sixth cervical vertebra | S12.531B | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.690B | Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.691B | Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.650B | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.651B | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.64xB | Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.600B | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.601B | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.630B | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture |
| 805.17 | Open fracture of seventh cervical vertebra | S12.631B | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture |

Page 8 of 28

Page 9 of 28

Page 10 of 28

Page 11 of 28

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|--|
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.2xxB | Fracture of coccyx, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.111B | Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.121B | Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.131B | Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.110B | Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.120B | Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.130B | Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.19xB | Other fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.112B | Severely displaced Zone I fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.122B | Severely displaced Zone II fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.132B | Severely displaced Zone III fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.14xB | Type 1 fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.15xB | Type 2 fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.16xB | Type 3 fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.17xB | Type 4 fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.10xB | Unspecified fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.119B | Unspecified Zone I fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.129B | Unspecified Zone II fracture of sacrum, initial encounter for open fracture |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | S32.139B | Unspecified Zone III fracture of sacrum, initial encounter for open fracture |
| 805.8 | Closed fracture of unspecified vertebral column without mention of spinal cord injury | S12.9xxA | Fracture of neck, unspecified, initial encounter |
| 805.9 | Open fracture of unspecified vertebral column without mention of spinal cord injury | S12.9xxA | Fracture of neck, unspecified, initial encounter |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S14.101A | Unspecified injury at C1 level of cervical spinal cord, initial encounter |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.001A | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S14.102A | Unspecified injury at C2 level of cervical spinal cord, initial encounter |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S14.103A | Unspecified injury at C3 level of cervical spinal cord, initial encounter |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S14.104A | Unspecified injury at C4 level of cervical spinal cord, initial encounter |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S14.111A | Complete lesion at C1 level of cervical spinal cord, initial encounter |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.001A | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S14.112A | Complete lesion at C2 level of cervical spinal cord, initial encounter |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|--|
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S14.113A | Complete lesion at C3 level of cervical spinal cord, initial encounter |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S14.114A | Complete lesion at C4 level of cervical spinal cord, initial encounter |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S14.131A | Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.001A | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S14.132A | Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S14.133A | Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S14.134A | Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S14.121A | Central cord syndrome at C1 level of cervical spinal cord, initial encounter |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.001A | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S14.122A | Central cord syndrome at C2 level of cervical spinal cord, initial encounter |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S14.123A | Central cord syndrome at C3 level of cervical spinal cord, initial encounter |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S14.124A | Central cord syndrome at C4 level of cervical spinal cord, initial encounter |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S14.151A | Other incomplete lesion at C1 level of cervical spinal cord, initial encounter |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|---|
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.001A | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S14.152A | Other incomplete lesion at C2 level of cervical spinal cord, initial encounter |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S14.153A | Other incomplete lesion at C3 level of cervical spinal cord, initial encounter |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S14.154A | Other incomplete lesion at C4 level of cervical spinal cord, initial encounter |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S14.105A | Unspecified injury at C5 level of cervical spinal cord, initial encounter |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S14.106A | Unspecified injury at C6 level of cervical spinal cord, initial encounter |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S14.107A | Unspecified injury at C7 level of cervical spinal cord, initial encounter |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S14.115A | Complete lesion at C5 level of cervical spinal cord, initial encounter |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S14.116A | Complete lesion at C6 level of cervical spinal cord, initial encounter |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S14.117A | Complete lesion at C7 level of cervical spinal cord, initial encounter |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S14.135A | Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|---|
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S14.136A | Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S14.137A | Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S14.125A | Central cord syndrome at C5 level of cervical spinal cord, initial encounter |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S14.126A | Central cord syndrome at C6 level of cervical spinal cord, initial encounter |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S14.127A | Central cord syndrome at C7 level of cervical spinal cord, initial encounter |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S14.155A | Other incomplete lesion at C5 level of cervical spinal cord, initial encounter |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S14.156A | Other incomplete lesion at C6 level of cervical spinal cord, initial encounter |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S14.157A | Other incomplete lesion at C7 level of cervical spinal cord, initial encounter |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S14.101A | Unspecified injury at C1 level of cervical spinal cord, initial encounter |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.000B | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.001B | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S14.102A | Unspecified injury at C2 level of cervical spinal cord, initial encounter |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|--|
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S14.103A | Unspecified injury at C3 level of cervical spinal cord, initial encounter |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S14.104A | Unspecified injury at C4 level of cervical spinal cord, initial encounter |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S14.111A | Complete lesion at C1 level of cervical spinal cord, initial encounter |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.000B | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.001B | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S14.112A | Complete lesion at C2 level of cervical spinal cord, initial encounter |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S14.113A | Complete lesion at C3 level of cervical spinal cord, initial encounter |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S14.114A | Complete lesion at C4 level of cervical spinal cord, initial encounter |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S14.131A | Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.000B | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.001B | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S14.132A | Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S14.133A | Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S14.134A | Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|--|
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S14.121A | Central cord syndrome at C1 level of cervical spinal cord, initial encounter |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.000B | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.001B | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S14.122A | Central cord syndrome at C2 level of cervical spinal cord, initial encounter |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S14.123A | Central cord syndrome at C3 level of cervical spinal cord, initial encounter |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S14.124A | Central cord syndrome at C4 level of cervical spinal cord, initial encounter |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S14.151A | Other incomplete lesion at C1 level of cervical spinal cord, initial encounter |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.000B | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.001B | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S14.152A | Other incomplete lesion at C2 level of cervical spinal cord, initial encounter |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S14.153A | Other incomplete lesion at C3 level of cervical spinal cord, initial encounter |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S14.154A | Other incomplete lesion at C4 level of cervical spinal cord, initial encounter |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S14.105A | Unspecified injury at C5 level of cervical spinal cord, initial encounter |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S12.400B | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S12.401B | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S14.106A | Unspecified injury at C6 level of cervical spinal cord, initial encounter |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|--|-----------|---|
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S12.500B | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S12.501B | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S14.107A | Unspecified injury at C7 level of cervical spinal cord, initial encounter |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S12.600B | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | S12.601B | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S14.115A | Complete lesion at C5 level of cervical spinal cord, initial encounter |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S12.400B | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S12.401B | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S14.116A | Complete lesion at C6 level of cervical spinal cord, initial encounter |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S12.500B | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S12.501B | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S14.117A | Complete lesion at C7 level of cervical spinal cord, initial encounter |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S12.600B | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | S12.601B | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S14.135A | Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S12.400B | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S12.401B | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S14.136A | Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S12.500B | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S12.501B | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S14.137A | Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S12.600B | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | S12.601B | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S14.125A | Central cord syndrome at C5 level of cervical spinal cord, initial encounter |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S12.400B | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S12.401B | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S14.126A | Central cord syndrome at C6 level of cervical spinal cord, initial encounter |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S12.500B | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S12.501B | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | S14.127A | Central cord syndrome at C7 level of cervical spinal cord, initial encounter |

Page 19 of 28

[illegible]

Page 21 of 28

Page 22 of 28

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|---|---|-----------|--|
| 806.70 | Open fracture of sacrum and coccyx with unspecified spinal cord injury | S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture |
| 806.70 | Open fracture of sacrum and coccyx with unspecified spinal cord injury | S32.2XXB | Fracture of coccyx, initial encounter for open fracture |
| 806.71 | Open fracture of sacrum and coccyx with complete cauda equina lesion | S34.3XXA | Injury of cauda equina, initial encounter |
| 806.71 | Open fracture of sacrum and coccyx with complete cauda equina lesion | S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture |
| 806.71 | Open fracture of sacrum and coccyx with complete cauda equina lesion | S32.2XXB | Fracture of coccyx, initial encounter for open fracture |
| 806.72 | Open fracture of sacrum and coccyx with other cauda equina injury | S34.3XXA | Injury of cauda equina, initial encounter |
| 806.72 | Open fracture of sacrum and coccyx with other cauda equina injury | S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture |
| 806.72 | Open fracture of sacrum and coccyx with other cauda equina injury | S32.2XXB | Fracture of coccyx, initial encounter for open fracture |
| 806.79 | Open fracture of sacrum and coccyx with other spinal cord injury | S34.131A | Complete lesion of sacral spinal cord, initial encounter |
| 806.79 | Open fracture of sacrum and coccyx with other spinal cord injury | S34.132A | Incomplete lesion of sacral spinal cord, initial encounter |
| 806.79 | Open fracture of sacrum and coccyx with other spinal cord injury | S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture |
| 806.79 | Open fracture of sacrum and coccyx with other spinal cord injury | S32.2XXB | Fracture of coccyx, initial encounter for open fracture |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S14.109A | Unspecified injury at unspecified level of cervical spinal cord, initial encounter |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S12.9XXA | Fracture of neck, unspecified, initial encounter |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S24.109A | Unspecified injury at unspecified level of thoracic spinal cord, initial encounter |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S22.009A | Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S34.109A | Unspecified injury to unspecified level of lumbar spinal cord, initial encounter |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S32.009A | Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S34.139A | Unspecified injury to sacral spinal cord, initial encounter |
| 806.8 | Closed fracture of unspecified vertebral column with spinal cord injury | S32.10XA | Unspecified fracture of sacrum, initial encounter for closed fracture |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S14.109A | Unspecified injury at unspecified level of cervical spinal cord, initial encounter |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S12.9XXA | Fracture of neck, unspecified, initial encounter |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S24.109A | Unspecified injury at unspecified level of thoracic spinal cord, initial encounter |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S22.009B | Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S34.109A | Unspecified injury to unspecified level of lumbar spinal cord, initial encounter |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S32.009B | Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S34.139A | Unspecified injury to sacral spinal cord, initial encounter |
| 806.9 | Open fracture of unspecified vertebral column with spinal cord injury | S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture |
| V49.81 | Asymptomatic postmenopausal status (age-related) (natural) | Z78.0 | Asymptomatic menopausal state |
| V58.69 | Long term (current) use of other medications | Z79.3 | Long term (current) use of hormonal contraceptives |
| V58.65 | Long-term (current) use of steroids | Z79.51 | Long term (current) use of inhaled steroids |
| V58.65 | Long-term (current) use of steroids | Z79.51 | Long term (current) use of inhaled steroids |
| V58.65 | Long-term (current) use of steroids | Z79.52 | Long term (current) use of systemic steroids |
| V58.65 | Long-term (current) use of steroids | Z79.52 | Long term (current) use of systemic steroids |
| V58.68 | Long term (current) use of bisphosphonates | Z79.83 | Long term (current) use of bisphosphonates |
| 733.90 | Disorder of bone and cartilage, unspecified | M85.9 | Disorder of bone density and structure, unspecified |
| 733.90 | Disorder of bone and cartilage, unspecified | M89.9 | Disorder of bone, unspecified |
| 733.90 | Disorder of bone and cartilage, unspecified | M94.9 | Disorder of cartilage, unspecified |
| <p>CPT 77080 and 77085 with the diagnoses below do not have a frequency: ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9)</p> <p>CPT codes below have a frequency of once every 23 months for screening EXCEPT for CPT 77080 and CPT 77085 when they are reported with the ICD codes above. G0130, 77078, 77081, 76977</p> <p>77080 (frequency of 1 every 23 months applies to all diagnoses in the ICD diagnosis tab in the spreadsheet EXCEPT those listed above with CPT 77080)</p> | | | |

| ICD-9-CM | ICD-9 DX Description | ICD-10 CM | ICD-10 DX Description |
|----------|---|-----------|-----------------------|
| | 77085 (frequency of 1 every 23 months applies to all diagnoses on the ICD diagnosis tab in the spreadsheet EXCEPT those listed above with CPT 77085) | | |
| | | | |
| | Policy Logic: if CPT 77080 or 77085 is sent with an allowed dx that is NOT 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9) apply frequency of 1 every 23 months. | | |
| | Policy Logic: if CPT 77080 or 77085 is sent with allowed dx 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9) apply frequency of 1 every 23 months. | | |

| | | | |
|-------------------|---|-------------------|-------------------------------|
| NCD: | 150.3 | | |
| NCD Title: | Bone (Mineral) Density Studies | | |
| IOM: | http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCID=256&ncdver=2&DocID=150.3&SearchType=Advanced&bc=IAAABAAAA& | | |
| MCD: | http://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R1236CP.pdf | | |
| ICD-9 | ICD-9 Px Description | ICD-10 PCS | ICD-10 PCS Description |
| N/A | N/A | N/A | N/A |

| | | | | | | | | | | |
|------------|---|--|-----------------------|---|---------------------|-----------------|--------------------|-----------------------------|------------------------------|------------------------------|
| NCD: | 150.3 | | | | | | | | | |
| NCD Title: | Bone (Mineral) Density Studies | | | | | | | | | |
| IOM: | http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=256&ncdver=2&DocID=150.3&SearchType=Advanced&bc=IAAABAAAAAA& | | | | | | | | | |
| MCD: | http://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R1236CP.pdf | | | | | | | | | |
| | | | | | | | | | | |
| Part A | Rule Description Part A | Proposed HCPCS/CPT Part A | Frequency Limitations | TOB (Part A) | Revenue Code Part A | Modifier Part A | Provider Specialty | Proposed MSN Message Part A | Proposed CARC Message Part A | Proposed RARC Message Part A |
| | | G0130 77078 77080 77081 77085 76977 | | 12X 13X 71X 72X 73X 77X 85X | | | | 16.10 36.1 36.2 | | |
| Part A | A/MACs: Shall pay 77078, 77080, 77081, 77085, 76977, G0130 when the claim contains a valid ICD dx code indicating the reason for the test is postmenopausal female, vertebral fracture, hyperparathyroidism, or, steroid therapy on approved TOB. | | NA | | 320 | TC | N/A | | 50 | M38 |
| | CWF: Add HCPCS 77085 to the logic for frequency with DOS on or after 7/1/2015 and also include the following dx codes to not set the frequency edits for HCPC 77085. ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9) | | 1 x 24 months | | | | | | | |
| | CWF: Update the frequency edits for the existing HCPCS 77080 to not apply based on the following dx codes retroactive back to the effective date 10/1/2014. ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9) | | 1 x 24 months | | | | | | | |
| Part A | A/MACs: Shall pay claims for BMM according to frequency when coded: CPT 77080 dual energy x-ray absorptiometry bone density study OR CPT 77085 dual-energy x-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment, are used to monitor osteoporosis drug therapy (do not report 77085 in conjunction with 77080), along with ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9, M94.9). | 77080 77085 | N/A | 12X 13X 71X 72X 73X 77X 85X | 320 | TC | N/A | 16.10 36.1 36.2 | 50 | M38 |

| NCD: 150.3 | | | | | | | | | | |
|---|---|---|-----------------------|--------------|-----|-----------------|--------------------|-----------------------------|------------------------------|------------------------------|
| NCD Title: Bone (Mineral) Density Studies | | | | | | | | | | |
| IOM: http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=256&ncdver=2&DocID=150.3&SearchType=Advanced&bc=IAAABAAAA& | | | | | | | | | | |
| MCD: http://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R1236CP.pdf | | | | | | | | | | |
| Part B | Rule Description Part B | Proposed HCPCS/CPT Part B | Frequency Limitations | POS (Part B) | n/a | Modifier Part B | Provider Specialty | Proposed MSN Message Part B | Proposed CARC Message Part B | Proposed RARC Message Part B |
| Part B | B/MACs: Shall pay 77078, 77080, 77081, 77085 , 76977, G0130 when the claim contains a valid ICD dx code indicating the reason for the test is post-menopausal female, vertebral fracture, hyperparathyroidism, or steroid therapy. | G0130 77078 77080 77081 77085 76977 | NA | N/A | N/A | 26 TC | N/A | 16.10 36.1 36.2 | 50 | M38 |
| | CWF: Add HCPCS 77085 to the logic for frequency with DOS on or after 7/1/2015 and also including the following dx codes to not set the frequency edits for HCPC 77085. ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9) | | 1 x 24 months | | | | | | | |
| | CWF: Update the frequency edits for the existing HCPCS 77080 to not apply based on the following dx codes retroactive back to the effective date 10/1/2014. ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9 and M94.9) | | 1 x 24 months | | | | | | | |
| Part B | B/MACs: Shall pay claims for BMM according to frequency when coded: CPT 77080 dual energy x-ray absorptiometry bone density study OR CPT 77085 dual-energy x-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment, are used to monitor osteoporosis drug therapy (do not report 77085 in conjunction with 77080), along with ICD-9 255.0, 733.00, 733.01, 733.02, 733.03, 733.09, or 733.90 (ICD-10 E24.4, E24.9, E24.2, E24.3, E24.8, E24.0, M81.0, M81.8, M81.6, M89.9, M94.9). | 77080 77085 | N/A | N/A | N/A | 26 TC | N/A | 16.10 36.1 36.2 | 50 | M38 |

| | | | | | | | | | | |
|--------------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| NCD: | 150.3 | | | | | | | | | |
| NCD Title: | Bone (Mineral) Density Studies | | | | | | | | | |
| IOM: | http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=256&ncdver=2&DocID=150.3&SearchType=Advanced&bc=IAAABAAAA& | | | | | | | | | |
| MCD: | http://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R1236CP.pdf | | | | | | | | | |
| Change Note | <p>2/4/14: RARC M27 deleted per CORE, deleted CPT 77079 & 77083, FI/MCS replaced with A/B MACs.</p> <p>3/19/14: RARC M38 added, RARC N386 removed.</p> <p>4/28/14: Modifier TC added to Part B, TOB 83x removed per FISS.</p> <p>4/30/14: Added per NGS request ICD-10 Q78.0 Osteogenesis imperfecta, Z79.3 Long term (current) use of hormonal contraceptives, Z79.83 Long term (current) use of bisphosphonates.</p> <p>5/1/14: Frequency of 1 every 24 months for 77080 remains (explanation on dx tab), TOB codes updated, 11x, 14x, 22x, 23x, 34x were removed, 72x and 73x added per FISS.</p> <p>12/16/14: Removed dx M85.9 from payment with CPT codes 77080 & 77085.</p> <p>2/6/15: Added CPT code 77085 along with 77080 edits. Added ICD-10 M85.9/733.90, M89.9/733.90 & M94.9/733.90.</p> | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |