



Centers for Medicare & Medicaid Services (CMS) 7500 Security Blvd Baltimore, MD 21244-1850

HIPAA Eligibility Transaction System (HETS) Health Care Eligibility Benefit Inquiry and Response (270/271) 5010 Companion Guide

FINAL

Version: 10-4

Date of Last Revision: October 2017

Disclosure Statement

The Centers for Medicare & Medicaid Services (CMS) is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations. Disclosure of Medicare Beneficiary eligibility data is restricted under the provisions of the Privacy Act of 1974 and the Health Insurance Portability and Accountability Act of 1996 (HIPAA). The Provider Medicare Beneficiary eligibility transaction is to be used for conducting Medicare business only.

The 271 response returned by the HETS 270/271 application should not be interpreted as a guarantee of payment. Payment of benefits remains subject to all health benefit plan terms, limits, conditions, exclusions and the member's eligibility at the time services are rendered.

Preface

This Companion Guide to the ASC X12N/005010X279A1 Health Care Eligibility Benefit Inquiry and Response and the ASC X12C/005010X231A1 Implementation Acknowledgement for Health Care Insurance (999) Technical Report Type 3 (TR3), adopted under HIPAA, clarifies and specifies the data content when exchanging Medicare Beneficiary eligibility data electronically with CMS utilizing the HIPAA Eligibility Transaction System (HETS) 270/271 application. Transmissions based on this Companion Guide, used in tandem with the previously referenced TR3s, are compliant with both X12 syntax and the TR3.

This Companion Guide is intended to convey information that is within the framework of the TR3s adopted for use under HIPAA. This Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

This page is intentionally left blank.

T	able of Contents	
D	isclosure Statement	i
Ρ	reface	ii
L	ist of Tables	vi
L	ist of Figures	vi
1	Introduction	1
	1.1 Scope	1
	1.2 Application Overview	
	 1.3 References 1.4 Additional Information 	
	1.4.1 Authorized Purposes for Requesting Medicare Beneficiary Eligibility Information	
	1.4.2 Unauthorized Purposes for Requesting Medicare Beneficiary Eligibility Information	
	1.4.3 Note to Medicare Providers/Suppliers:	
2	Getting Started	4
	2.1 Working with the CMS Help Desk	
	2.2 Trading Partner Registration	
	2.3 Certification and Testing Overview	
3	Testing	4
4	Connectivity/Communications	5
	4.1 Process Flows	
	4.1.1 Trading Partner Registration	
	4.1.2 Transaction Process	
	4.2 Transmission Administrative Procedures	
	4.2.2 Re-Transmission Procedure	
	4.3 Communication Protocol Specifications	7
	4.3.1 CMS Extranet	
	 4.3.2 Web Services Connectivity via SOAP + WSDL ("SOAP") or HTTP MIME Multipart ("MIME") 4.3.3 SOAP + WSDL ("SOAP") 	
	4.3.4 HTTP MIME Multipart ("MIME")	
	4.4 Security	14
5	MCARE Contact Information	15
6	Control Segments/Envelopes	15
	6.1 Interchange Control Structure (ISA/IEA)	
	6.2 Functional Group Structure (GS/GE)	16
	6.3 Transaction Set Header/Trailer (ST/SE)	16
7	Payer Specific Business Rules and Limitations	16
	7.1 General Structural Notes	16
	7.2 General Transaction Notes	
	7.3 Medicare Beneficiary Matching Rules7.4 Date Request Rules	
	 7.4 Date Request Rules 7.5 Medicare Part A & Part B Eligibility Business Rules 	21
	7.6 Medicare Plan Level Part A Deductible Business Rules	23
	 7.7 Medicare Plan Level Part B Deductible and Coinsurance Business Rules 7.7.1 STC Financial Business Rules 	
	1.1.1 UTVT IIIaIIUlai Dubiliebo I/uleo	

	.7.2 Medicare HCPCS Code Financial Business Rules	
7.8	Medicare Part A Hospital and Skilled Nursing Facility (SNF) Spells Business Rules	
7.9	Home Health Periods Business Rules	
7.10		
7.11	J	
7.12		
7.13		
7.14		
7.15	0	
7.16		
7.17		
7.18 7.19		
7.19		
7.20		
8 A	Acknowledgements and Error Codes	41
8.1	TA1	11
8.2	999	
8.3	271	
8.4	Proprietary Error Message	
8.5	Common Error Processing for SOAP+WSDL and HTTP MIME/Multipart	
	.5.1 HTTP Status and Error Codes	
	.5.2 Envelope Processing Status and Error Codes	
	.5.3 SOAP-Specific Processing Errors	
8.	.5.4 MIME-Specific Processing Errors	
8	.5.5 SOAP and MIME Transaction Error Processing	44
9 Т	rading Partner Agreements	
10 T	ransaction Specific Information	
10.1		45
	0.1.1 Information Source Level Structures	
	0.1.2 Information Receiver Level Structures	
	0.1.3 Subscriber Level Structures	
10.2	271 Eligibility Response Transaction	47
Appe	ndix A – Sample 270 Eligibility Request Transaction	63
Appe	ndix B – Sample 271 Eligibility Response	64
	ndix C – Acronyms	
	-	
Appe	ndix D – Revision History	69

List of Tables

Table 1 – Standard Format of the TCP/IP Communication Transport Protocol Wrapper	8
Table 2 – Required Body Elements for 270 Requests Using SOAP	
Table 3 – Required Body Elements for X12 Responses Using SOAP	
Table 4 – Required Body Elements for 270 Requests Using MIME	
Table 5 – Required Body Elements for X12 Responses Using MIME	
Table 6 – 270 ISA Segment Rules	
Table 7 – 270 GS Segment Rules	16
Table 8 – Preferred 270 Request Delimiters	
Table 9 – HETS 270/271 Search Options	20
Table 10 – Request Date Calendar	
Table 11 – AAA Error Codes	
Table 12 – Proprietary Error Message Format	
Table 13 – Proprietary Error Message Codes	
Table 14 – Envelope Processing Status and Errors	
Table 15 – SOAP-Specific Processing Errors	
Table 16 – 270 Header and Information Source	
Table 17 – 270 Information Receiver	
Table 18 – 270 Subscriber	
Table 19 – 271 Header and Information Source	
Table 20 – 271 Information Receiver	
Table 21 – 271 Subscriber Demographic Data	
Table 22 – 271 Part D Plan Coverage	
Table 23 – 271 Part A and Part B Plan Level Eligibility	
Table 24 – 271 Part A and Part B Plan Level Deductible	49
Table 25 – 271 Part B Plan Level Coinsurance.	
Table 26 – 271 Part B Plan Level Deductible - Supported HCPCS Codes	
Table 27 – 271 Part B Plan Level Coinsurance - Supported HCPCS Codes	
Table 28 – 271 Part A Hospital Spell Data	51
Table 29 – 271 Part A Hospital and SNF Data	
Table 30 – 271 Home Health Data	
Table 31 – 271 Part A Hospice Occurrence Count.	
Table 32 – 271 Preventive Data	
Table 33 – 271 Smoking/Tobacco Cessation Data	
Table 34 – 271 Therapy Services Data	
Table 35 – 271 Pulmonary Rehabilitation Services	
Table 36 – 271 Cardiac Rehabilitation Services	
Table 37 – 271 Intensive Cardiac Rehabilitation Services	58
Table 38 – 271 ESRD Data	58
Table 39 – 271 Hospice Data	59
Table 40 – 271 Blood Deductible Data	
Table 41 – 271 Part D Enrollment Data	60
Table 42 – 271 Medicare Advantage (MA) Enrollment Data	
Table 43 – 271 Medicare Secondary Payer (MSP) Enrollment Data	
Table 44 – 271 Qualified Medicare Beneficiary (QMB) Periods	
Table 45 – Acronyms	
Table 46 – Document Revision History	69

List of Figures

Figure 1 – Process for Submitting 270 Transactions	5
Figure 2 – Transaction Process	6
Figure 3 – Example of TCP/IP Communication Transport Protocol Wrapper	9

1 Introduction

1.1 Scope

This document defines the Medicare eligibility request sent from Medicare-authorized Trading Partners and the corresponding response from the Medicare Health Insurance Portability and Accountability Act (HIPAA) Eligibility Transaction System (HETS) 270/271 application. To implement the HIPAA administrative simplification provisions, the 270/271 transaction set has been named under 45 CFR 162 as the Electronic Data Interchange (EDI) standard for Health Care Eligibility Benefit Inquiry/Response.

The HETS 270/271 application supports the ASC X12 270/271 version 005010X279A1 and the ASC X12 999 version 005010X231A1 TR3s that can be found at the following web site: <u>http://store.x12.org/store/</u>. The 270 request and the 271 response are "paired" transactions. The 270 is an inbound eligibility request whereas the 271 is an outbound eligibility response.

This companion guide has two purposes. The first purpose is to educate the user on how to access the HETS 270/271 application. The second purpose is to educate the user on how to send eligibility requests and interpret responses, using the 270/271 formats, as they relate to the applicable Medicare required business rules and information.

1.2 Application Overview

The HETS 270/271 application provides access to Medicare Beneficiary eligibility data in a real-time environment. Providers, Clearinghouses, and/or Third Party Vendors, herein referred to as "Trading Partners", may initiate a real-time 270 eligibility request to query coverage information from Medicare on patients for whom services are scheduled or have already been delivered. In real-time mode, the Trading Partner transmits a 270 request and remains connected while the receiver processes the transaction and returns a 271 response.

The HETS 270/271 application is located at a secure CMS data center. To transmit data with CMS, Trading Partners may connect to the HETS 270/271 application via the CMS Extranet, which is a secure closed private network, or via the internet using a digital certificate. Trading Partners must not send User IDs and passwords within the 270 eligibility transaction.

For a real-time 270 request, the HETS 270/271 application translates the incoming 270 request, performs validations, requests Medicare Beneficiary eligibility data from the CMS eligibility database, and creates an Eligibility Response (271), an Implementation Acknowledgement (999), an Interchange Acknowledgement (TA1), or a proprietary error response.

The information included in the 271 response is not intended to provide a complete representation of all benefits, but rather to address the status of eligibility (active or inactive) and patient financial responsibility for Medicare Part A and Part B. Additionally,

the 271 response returned by the HETS 270/271 application should not be interpreted as a guarantee of payment.

The data included in a 271 response file is to be considered true and accurate only at the particular time of the transaction. Questions regarding eligibility/benefit data for Medicare Part A and Part B should be directed to the appropriate regional Medicare Administrative Contractor (MAC). Eligibility/benefit questions about Medicare Advantage (MA), Part D and Medicare Secondary Payer (MSP) should be directed to the appropriate plan(s) identified in the 271 response. Eligibility/benefit questions about Qualified Medicare Beneficiary (QMB) eligibility should be directed to the State online Medicaid eligibility systems or other documentation, including Medicaid Identification cards and documents issued by the State proving the patient qualifies for the QMB program.

1.3 References

The ASC X12 TR3s that detail the full requirements for these transactions can be purchased from the publisher, Washington Publishing Company (WPC) at their website <u>http://store.x12.org/store/</u>.

The HETS Trading Partner Agreement Form (TPA) to request access to the HETS 270/271 application is available for download from the CMS HETS Help website. Use the following link to display the "How to Get Connected – HETS 270/271" page and to access the TPA: <u>http://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/HETSHelp/HowtoGetConnectedHETS270271.html</u>.

For more information on the Web Services Communication Protocol Specifications for connecting to the HETS 270/271 application, refer to the HETS Trading Partner SOAP/MIME Connectivity Instructions available online here: <u>http://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/HETSHelp/Downloads/HETS270271SOAPMIMEConnectivity.pdf</u>.

1.4 Additional Information

CMS is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations. Disclosure of Medicare Beneficiary eligibility data is restricted under the provisions of the Privacy Act of 1974 and HIPAA.

CMS implemented the HETS 270/271 application following a real-time request/response model (single response per request). The data available in this implementation allows a Provider to verify an individual's Medicare eligibility and benefits. Medicare eligibility data is only to be used for the business of Medicare, such as preparing an accurate Medicare claim or determining eligibility for specific services. The HETS 270/271 application is not a Medicare claims processing or appeals system. Providers' authorized staff members are expected to use and disclose protected health information according to the CMS regulations.

CMS monitors Medicare Beneficiary eligibility inquiries. Trading Partners identified as having aberrant behavior (e.g., high inquiry error rate or high ratio of eligibility inquiries

to claims submitted, an excessive number of resubmissions of the same eligibility request in a single day, requesting psychiatric data when the NPI is not a Psychiatric provider) may be contacted to verify and/or address improper use of the system or, when appropriate, be referred for investigation.

- **1.4.1** Authorized Purposes for Requesting Medicare Beneficiary Eligibility Information In conjunction with the intent to provide health care services to a Medicare Beneficiary, authorized purposes include to:
 - Verify eligibility, after screening the patient to determine Medicare eligibility, for Part A and/or Part B coverage
 - Determine Medicare Beneficiary payment responsibility with regard to deductible/copayment
 - Determine eligibility for other services, such as preventive
 - Determine if Medicare is the primary or secondary payer
 - Determine if the Medicare Beneficiary is in the original Medicare plan, MA plan or Part D plan
 - Determine proper billing

1.4.2 Unauthorized Purposes for Requesting Medicare Beneficiary Eligibility Information

The following are examples of unauthorized purposes for requesting Medicare Beneficiary eligibility information:

- To determine eligibility for Medicare without first screening the patient to determine if they are Medicare eligible
- To acquire the Medicare Beneficiary's Health Insurance Claim Number (HICN)

1.4.3 Note to Medicare Providers/Suppliers:

The Medicare Beneficiary should be the first source of health insurance eligibility information. When scheduling a medical appointment for a Medicare Beneficiary, remind them to bring, on the day of their appointment, all health insurance cards showing their health insurance coverage. This will not only help you determine who to bill for services rendered, but also give you the proper spelling of the Medicare Beneficiary's first and last name and identify their HICN as reflected on the Medicare Health Insurance card. If the Medicare Beneficiary has Medicare coverage but does not have a Medicare Health Insurance card, encourage them to contact the Social Security Administration at 1-800-772-1213 to obtain a replacement Medicare Health Insurance card (RRB) can call 1-800-833-4455 to request a replacement Medicare Health Insurance card from RRB.

It is assumed that the reader of this document is familiar with the ASC X12 270/271 version 005010X279A1 and ASC X12 999 version 005010X231 TR3s and the

transaction format and content rules contained within them. This Companion Guide is intended to be a complement to the ASC X12 270/271 and 999 TR3 versions noted above and not the sole authoritative source of data.

2 Getting Started

2.1 Working with the CMS Help Desk

The Medicare Customer Assistance Regarding Eligibility (MCARE) Help Desk is available to assist with this process Monday – Friday, from 7:00 AM to 7:00 PM ET. MCARE is the single point of contact for all questions or concerns about the HETS 270/271 application. A potential Trading Partner must contact MCARE to initiate the registration process.

Please refer to <u>Section 5</u> of this Companion Guide for MCARE contact information.

2.2 Trading Partner Registration

Entities must apply for and be granted access as an authorized Trading Partner before they will be able to utilize the HETS 270/271 application. Entities must complete an application via the HETS Trading Partner Agreement located at the following link: <u>http://cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-</u> <u>Technology/HETSHelp/Downloads/HETS Trading Partner Agreement Form.pdf</u>

Instructions to complete the sign-up process can be found at the following link: <u>http://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/HETSHelp/HowtoGetConnectedHETS270271.html</u>

2.3 Certification and Testing Overview

Trading Partners are required to submit test transactions to ensure that their systems are X12 compliant. Each Trading Partner may submit up to 50 test transactions during the testing phase. Trading Partners must contact MCARE to coordinate testing procedures.

Please refer to <u>Section 5</u> of this Companion Guide for MCARE contact information.

3 Testing

CMS requires that all newly registered Trading Partners work with MCARE to complete basic transaction submission testing. Successful transaction submission and receipt of both valid and error responses is an indication to CMS that all systems involved can properly submit and receive transactions. MCARE is available to assist with new Trading Partner testing Monday – Friday, from 9:00 AM to 5:00 PM ET.

Trading Partners must send all test transactions with Usage Indicator (ISA15) = "T" until approved to submit production transactions with a Usage Indicator (ISA15) = "P". The HETS 270/271 application will return a TA105 = "020" error for an Invalid Test Indicator Value if the incorrect value is included within this field.

Please refer to <u>Section 5</u> of this Companion Guide for MCARE contact information.


4 Connectivity/Communications

4.1 Process Flows

4.1.1 Trading Partner Registration

To access the HETS 270/271 application, potential Trading Partners need to obtain a Submitter ID through MCARE. Figure 1 illustrates the high level process for successfully registering as a Trading Partner and submitting 270 transactions. Trading Partners are also required to recertify their HETS 270/271 application access annually by completing the Trading Partner Agreement (TPA) recertification process as instructed by CMS.

Figure 1 – Process for Submitting 270 Transactions



Step 1: Trading Partner Registration

Complete and submit the HETS Trading Partner Agreement Form. Refer to <u>Section 2.2</u> of this Companion Guide for the Trading Partner registration process.

Step 2: Trading Partner Authentication

MCARE will verify the information on the Trading Partner Agreement Form and approve or deny any Submitter ID requests.

Step 3: Testing Stage

MCARE will have a Trading Partner send up to 50 test transactions and verify that all systems involved can properly submit and receive X12 compliant transactions. The Usage Indicator (ISA15) must be "T".

Step 4: Production Status

Once testing is complete, a Trading Partner can begin to submit 270 transactions and receive 271 transactions in the Production environment. The Usage Indicator (ISA15) must be "P".

Step 5: Annual Recertification

Trading Partners that are in Production Status are required to recertify their access annually at a date predetermined by CMS. Trading Partners must complete an updated HETS Trading Partner Agreement and submit it per CMS' instructions. The updated Trading Partner Agreement is validated to ensure it remains compliant with CMS policy.

4.1.2 Transaction Process

A Trading Partner may submit a 270 request to the HETS 270/271 application using Transmission Control Protocol/Internet Protocol (TCP/IP), Simple Object Access Protocol (SOAP) + Web Services Description Language (WSDL) or Hypertext Transfer Protocol (HTTP)/Multipurpose Internet Mail Extensions (MIME) Multipart communication protocols. The HETS 270/271 application authenticates the Trading Partner and ensures that the Trading Partner is associated with valid National Provider IDs (NPI) in the HETS database. If the Trading Partner is not authorized, or is not associated with valid NPIs, then an appropriate error response is returned. If the Trading Partner is authorized, then the appropriate response is returned. Figure 2 illustrates the high-level process for communicating with the HETS 270/271 application. The lock icons represent system checkpoints that must be passed before eligibility information is returned on the 271 response.




Figure 2 – Transaction Process

4.2 Transmission Administrative Procedures

4.2.1 Schedule, Availability, and Downtime Notification

The HETS 270/271 application is available 24 hours a day, 7 days a week, with the exception of 12:00 AM – 5:00 AM ET on Mondays when system maintenance is performed. MCARE will notify the Trading Partners of any additional planned downtime. All current and archived downtime notifications are available via the following page within the CMS HETS Help website: <u>https://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/HETSHelp/MCARE-Notification-Archive.html</u>.

Any unplanned downtime with the HETS 270/271 application during Help Desk operational hours will also be communicated to the Trading Partners via email and posted to the HETS Help website, <u>http://go.cms.gov/hetshelp</u> as soon as MCARE is aware of the situation. A second follow-up email will also be sent alerting the Trading Partners when the HETS 270/271 application becomes available.

Please refer to <u>Section 5</u> of this Companion Guide for MCARE contact information.

4.2.2 Re-Transmission Procedure

Trading Partners may call MCARE for assistance in researching problems with their transactions. However, MCARE will not edit Trading Partner eligibility data and/or resubmit transactions for processing on behalf of a Trading Partner. The Trading Partner must correct the transaction and resubmit, following the same processes and procedures of the original file.

4.3 Communication Protocol Specifications

Trading Partners may connect to the HETS 270/271 application via one of the following methods:

• TCP/IP over the CMS Extranet

Additional information about TCP/IP connectivity over the CMS Extranet is available in <u>Section 4.3.1</u>.

- SOAP + WSDL ("SOAP")
- HTTP MIME Multipart ("MIME")

Additional information about SOAP + WSDL or HTTP MIME Multipart connectivity is available in <u>Section 4.3.2</u> through <u>Section 4.3.4</u>.

4.3.1 CMS Extranet

The HETS 270/271 application supports transactions through the CMS Extranet via the TCP/IP transfer protocol. Trading Partners must initiate the TCP handshake to establish a TCP/IP socket connection at the CMS data center. Trading Partners should only request to open a TCP/IP socket connection as necessary to support their active eligibility requests.

The 270 request must be sent to the connected socket session immediately after Trading Partners have successfully negotiated the socket, and the 271 response will be received on the same socket connection. Trading Partners may choose to implement a client that can listen to the same socket session for a 271 response while 270 requests are being streamed. Trading Partners should monitor the socket connection while connected to ensure that the socket remains open and viable. Trading Partners should be able to determine if a socket has prematurely terminated for any reason.

Trading Partners should only submit one transaction concurrently per socket. Transactions process linearly; therefore, submitting more than one transaction per socket concurrently results in additional transactions queuing and delaying response time to the additional transactions.

CMS recommends that high volume Trading Partners send transactions asynchronously, that is, streaming multiple sequential requests via the single socket connection. If transactions are submitted asynchronously, Trading Partners should submit the next 270 request as soon as the response to the previous request is received. Asynchronous Trading Partners may open multiple sockets, if necessary, to support transaction volume during high volume periods.

Sending 270 requests asynchronously also improves socket efficiency. There are a finite number of available HETS 270/271 sockets, so Trading Partners should limit the number of simultaneous connections to the HETS 270/271 application.

When the last requested 271 response has been received, Trading Partners should close the socket connection immediately. The HETS 270/271 application is configured to idle connections, but only after a 5-second delay to determine if additional requests will be sent. Trading Partners will greatly improve overall socket availability if they forcefully terminate all socket requests when their transactions are complete.

Each submitted transmission must contain one 270 request with only one Interchange Control Envelope, along with a transmission wrapper, around the 270 request. The purpose of the transmission wrapper is to communicate the length of the transaction message and to indicate the end of the transmission to the HETS 270/271 application.

The outbound response transaction wrapper has the same format as the inbound transmission wrapper. The 271 response to the Trading Partner will be returned in the same session in which the 270 request was submitted.

The standard format of the TCP/IP Communication Transport Protocol Wrapper, SOHLLLLLLLSTX<HIPAA 270 Transaction>ETX, is represented in Table 1.

Element	Description	Length	Hexadecimal Value	Note(s)
SOH	Start of header	1	01	This is a required element.
LLLLLLLLL	# of bytes, including spaces, of the 270 request	10		Right justified, zero padded. This is a required element.
STX	Start of text	1	02	This is a required element.
HIPAA 270 Transaction	Eligibility request	variable		This is a required element.
ETX	End of text	1	03	This is a required element.

 Table 1 – Standard Format of the TCP/IP Communication Transport Protocol Wrapper

An illustration of the standard format of the TCP/IP Communication Transport Protocol Wrapper is represented by Figure 3.

Figure 3 – Example of TCP/IP Communication Transport Protocol Wrapper



_0000000539_ISA*00* *ZZ*SUBMITTERID *00* *ZZ*CMS *160125*0734*^*00501*000005014*1*T*|~GS*HS*SUBMITTERID*CMS*20 160125*0734/11*5014*X*005010X279A1~ST*270*000000001*005010X279A 1~BHT*0022/*13*TRACKING_NUMBER*20160125*073411~HL*1**20*1~N HIPAA M1/*PR*2*C/MS*****PI*CMS~HL*2*1*21*1~NM1*1P*2*PROVIDER Transaction NAME*****XX*1234567893~HL*3*2*22*0~TRN*1*MEIC-TEST* 9TESTYT\$~NM1*IL*1*LNAME*FNAME****MI*999999999A~DMG* D8*19330/101~DTP*291*RD8*20151220-20160520~EQ*10^15^67^AD^ AE^BF^BG^A5^A7~EQ**HC|G0444~SE*14*000000001~GE*1*5014~ IEA*1*000005014 SOH, STX, ETX

Refer to the Extended Control Set matrix in the Appendix of the ASC X12 270/271 version 005010X279A1 TR3 for additional information about SOH, STX and ETX.

4.3.2 Web Services Connectivity via SOAP + WSDL ("SOAP") or HTTP MIME Multipart ("MIME")

To connect to the HETS 270/271 application via SOAP or MIME, Trading Partners will need to authenticate with an X.509 Digital Certificate using the Transport Layer Security (TLS) 1.2 open standard for client certificate-based authentication. TLS 1.2 is required for compliance with the federally mandated NIST Special Publication 800-52r1.

The Trading Partner's IP address will be verified by CMS prior to allowing the 270 inquiry through to the HETS 270/271 application. Note that the Trading Partner's IP address must be an address from the organization's Production (not Testing) environment. Also note that the supplied Trading Partner IP address must be a public address.

The information provided in the following steps should allow the Trading Partners to locate proper digital certificates for HETS connectivity. Trading Partners will need to generate a Certificate Signing Request (CSR) for obtaining the digital certificate for their organization. The CSR generation process is platform specific. Please review the CSR generation process for your Certificate Authority (CA) carefully, as shown in the links found in the following three subsections, and contact the CAs directly in order to obtain the digital certificate. CMS requires that all Trading Partners using SOAP or MIME use a SHA2-256 digital certificate.

Note: The certificates listed for each CA are the minimum level required to connect to the HETS 270/271 application. Trading Partners may choose to procure a higher level of certificate.

Before accessing the HETS 270/271 application via SOAP or MIME, new and existing Trading Partners must provide the Digital Certificate to CMS by contacting MCARE. MCARE will verify the certificate and initiate the process to configure Trading Partner access to the HETS 270/271 application. If the Trading Partner's Digital Certificate has not been approved and properly configured, the SOAP or MIME connection to the HETS 270/271 application will be rejected. Trading Partners that acquire a new Digital Certificate for use with HETS 270/271 must provide a copy of Digital Certificate to CMS by contacting MCARE. The Trading Partner will also be instructed to complete a new copy of the HETS Trading Partner Agreement as outlined in Section 9.

For more information on the Web Services Communication Protocol Specifications for connecting to the HETS 270/271 application, refer to the HETS Trading Partner SOAP/MIME Connectivity Instructions available online here: <u>http://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-</u>Technology/HETSHelp/Downloads/HETS270271SOAPMIMEConnectivity.pdf.

The Trading Partners will need to procure a digital certificate from one of the following CAs detailed in the subsections below in order to allow their infrastructure to connect to the HETS servers. Information on certificate procurement and platform-specific CSR generation processes can be found on each CAs webpage. The links to their home pages has been provided below in <u>Section 4.3.2.1</u> through <u>Section 4.3.2.3</u>.

Trading Partners must use one of the following CAs in the subsections below to procure a Digital Certificate.

4.3.2.1 DigiCert

Information on digital certificates provided by DigiCert can be found using the following link: <u>http://www.digicert.com</u>

Digital certificates issued by the following DigiCert Intermediate certificates are accepted:

- DigiCert SHA2 Assured ID CA
- DigiCert SHA2 Secure Server CA
- DigiCert SHA2 Extended Validation Server CA
- DigiCert SHA2 High Assurance Server CA
- DigiCert Assured ID CA G2
- DigiCert Global CA G2

4.3.2.2 Entrust

Information on digital certificates provided by Entrust can be found using the following link: <u>http://www.entrust.net</u>

Digital certificates issued by the following Entrust Intermediate certificates are accepted:

- Entrust Certification Authority L1K
- Entrust Certification Authority L1M

4.3.2.3 Symantec

Information on digital certificates provided by Symantec can be found using the following link: <u>http://www.symantec.com</u>

Digital certificates issued by the following Symantec Intermediate certificates are accepted:

- Symantec Class 3 EV SSL CA G3
- Symantec Class 3 Secure Server CA G4
- Symantec Class 3 Extended Validation SHA256 SSL CA

4.3.3 SOAP + WSDL ("SOAP")

The HETS 270/271 application also supports Internet transactions formatted according to SOAP standards set forth by the WSDL for Extensible Markup Language (XML) envelope formatting, submission and retrieval.

4.3.3.1 SOAP XML Schema

The XML schema definition used by the HETS 270/271 application is located at:

http://www.caqh.org/sites/default/files/core/wsdl/CORERule2.2.0.xsd

4.3.3.2 WSDL Information

The WSDL definition used by the HETS 270/271 application is located at:

http://www.caqh.org/sites/default/files/core/wsdl/CORERule2.2.0.wsdl

4.3.3.3 SOAP Version Requirements

The HETS 270/271 application requires that all SOAP transactions conform to SOAP Version 1.2.

4.3.3.4 Submission/Retrieval

SOAP transactions are submitted to HETS 270/271 via a specific URL. Refer to the HETS Trading Partner SOAP/MIME Connectivity Instructions for additional information.

The X12 payload must be embedded using the Inline method (CDATA element) for realtime SOAP transactions. For more information, refer to the W3C recommendation on SOAP messaging framework located at: <u>http://www.w3.org/TR/soap12-part1</u>

4.3.3.5 SOAP Header Requirements

The SOAP Header must include the timestamp element which must be digitally signed. The Web Services Security Binary Security Token must be added to the SOAP Header which is used for verification of the signature. The following link should be used as a reference when constructing the SOAP Header: <u>http://www.caqh.org/sites/default/files/core/phase-ii/policy-rules/270-v5010.pdf</u>

4.3.3.6 SOAP Body Requirements

Only those characters referenced in the Basic and the Extended Character Sets noted in the Appendix of the ASCX12 270/271 version 005010X279A1 TR3 including the 005010X279E1 Errata are acceptable within a HETS 270 inquiry. The following link should be used as a reference when constructing the SOAP Body: http://www.w3.org/TR/soap12-part1

Required HETS-specific body elements for 270 requests using SOAP are defined in Table 2.

Table 2 - Required Body Elements for 270 Requests Using SOAP

Element Name	Description		
PayloadType X12_270_Request_005010X279A1			
ProcessingMode RealTime			
PayloadID	Refer to Section 4.4.2 of the Phase II CORE 270: Connectivity Rule for structural guidelines for CORE envelope metadata.		
TimeStamp Format is YYYY-MM-DDTHH:MM:SSZ. Refer to http://www.w3.org/TR/xmlschema1 for more information.			
SenderID	This is a user defined alphanumeric field. The value must be 10 characters in length. Recommended value is the HETS 270/271 SOAP Submitter ID plus trailing zeros for a total of 10 characters.		
ReceiverID	CMS		
CORERuleVersion	2.2.0		
Payload	X12 request. This element must be digitally signed and the entire payload should be enclosed within a CDATA tag.		

Table 3 defines HETS-specific body elements for X12 responses using SOAP.

Table 3 – Required Body Elements for X12 Responses Using SOAP

Element Name	Description
PayloadType	X12_271_Response_005010X279A1, X12_TA1_Response_00501X231A1,
	X12_999_Response_005010X231A1
ProcessingMode	RealTime
PayloadID	Refer to Section 4.4.2 of the Phase II CORE 270: Connectivity Rule for structural
	guidelines for CORE envelope metadata.
TimeStamp	Format is YYYY-MM-DDTHH:MM:SSZ. Refer to http://www.w3.org/TR/xmlschema11-2/
	for more information.
SenderID	CMS
ReceiverID	The value of this field will exactly match the SenderID submitted in the 270 request.
	Refer to Table 2 for additional information on 270 request SenderID.
CORERuleVersion	2.2.0
Payload	X12 response

4.3.3.7 SOAP Digital Signature

The SOAP communication protocol requires Trading Partners embed their certificate within the eligibility request and digitally sign the SOAP Body Payload and SOAP Header Timestamp using their private key. CMS will embed their certificate in the 271

response enabling the Trading Partner to verify it came from CMS. Trading Partners can obtain a copy of CMS' Certificate in advance by contacting the MCARE Help Desk. Refer to the following link for details related to digital signatures as they relate to SOAP: <u>http://www.w3.org/TR/SOAP-dsig/</u>

4.3.3.8 SOAP Examples

Examples of a SOAP request and response can be found in Sections 4.2.2.3 and 4.2.2.4 of the CORE Phase II Connectivity Rule at this link: <u>http://www.caqh.org/sites/default/files/core/phase-ii/policy-rules/270-v5010.pdf</u>

4.3.4 HTTP MIME Multipart ("MIME")

HETS will support standard MIME messages. The MIME format used must be multipart/form-data.

CORE does not specify the naming conventions as a mandate. HETS will implement the MIME body parts with the same field names as the SOAP element nodes. The response will be returned as MIME multipart/form-data, with the Payload body part containing the X12 response.

Trading Partners must specify appropriate MIME headers. The MIME specification is very precise, and requires that the headers and the body be constructed perfectly. The HETS implementation of MIME allows for the use of the Basic and Extended Character Sets as noted in the Appendix of the ASCX12 270/271 version 005010X279A1 TR3 including the 005010X279E1 Errata only. Please refer to the RFC 2388 – returning values from Forms: multipart/form-data to review header and body specifications. The RFC 2388 can be found at the following link: http://www.fags.org/rfcs/rfc2388.html

4.3.4.1 Submission/Retrieval

MIME transactions are submitted to HETS 270/271 via a specific URL. Refer to the HETS Trading Partner SOAP/MIME Connectivity Instructions for additional information.

A MIME transaction must be constructed exactly to the multipart/form-data specifications. Refer to <u>http://www.faqs.org/rfcs/rfc2388.html</u> for more information on multipart/form header and body specifications.

4.3.4.2 HTTP MIME Multipart Header Requirements

MIME Messages will have standard HTTP header data elements, such as POST, HOST, Content-Length and Content-Type. The supported Content-Type is MIME multipart/form-data.

4.3.4.3 HTTP MIME Multipart Body Requirements

Since CORE does not specify naming conventions, HETS will implement MIME with the same field names as SOAP. Required body elements for MIME transactions are defined in Table 4.

Element Name	Description
PayloadType	X12_270_Request_005010X279A1
ProcessingMode	RealTime
PayloadID	Refer to Section 4.4.2 of the Phase II CORE 270: Connectivity Rule for structural
	guidelines for CORE envelope metadata.
TimeStamp	Format is YYYY-MM-DDTHH:MM:SSZ. Refer to http://www.w3.org/TR/xmlschema11-2/
	for more information.
SenderID	This is a user defined alphanumeric field. The value must be 10 characters in length.
	Recommended value is the HETS 270/271 MIME Submitter ID plus trailing zeros for a
	total of 10 characters.
ReceiverID	CMS
CORERuleVersion	2.2.0
Payload	X12 request. The X12 request must be submitted as part of the MIME request and not as
	an attachment. If an attachment is received, the transaction will be rejected. The request
	does not need to be enclosed within a CDATA tag. See Appendix A for an example of the
	270 request that would appear here.

Table 4 – Required Body Elements for 270 Requests Using MIME

Table 5 defines HETS-specific body elements for X12 responses using MIME.

Table 5 – Required Body Elements for X12 Responses Using MIME

Element Name	Description
PayloadType	X12_271_Response_005010X279A1, X12_999_Response_005010X231A1 or
	X12_TA1_Response_00501X231A1
ProcessingMode	RealTime
PayloadID	Refer to Section 4.4.2 of the Phase II CORE 270: Connectivity Rule for structural
	guidelines for CORE envelope metadata.
TimeStamp	Format is YYYY-MM-DDTHH:MM:SSZ. Refer to http://www.w3.org/TR/xmlschema11-2/
	for more information.
SenderID	CMS
ReceiverID	This value of this field will exactly match the SenderID submitted in the 270 request.
	Refer to Table 4 for additional information on 270 request SenderID.
CORERuleVersion	2.2.0
Payload	X12 response

4.3.4.4 HTTP MIME Multipart Examples

Examples of a MIME request and response can be found in Sections 4.2.1.1 and 4.2.1.2 of the CORE Phase II Connectivity Rule at this link: <u>http://www.caqh.org/sites/default/files/core/phase-ii/policy-rules/270-v5010.pdf</u>

4.4 Security

The HETS 270/271 application is located at a secure CMS data center. The CMS Extranet connection requires a password that is provided by the CMS-approved network reseller and features a variety of security measures to protect the integrity of the HETS 270/271 application. Trading Partners transmitting with SOAP or MIME must obtain a digital certificate and send the transaction to the HETS 270/271 application via secure internet connection. Additionally, the HETS 270/271 application authorizes Trading Partners based on either their originating Internet Protocol (IP) address or digital certificate and their CMS-issued HETS 270/271 Submitter ID.

All Trading Partners must assume full responsibility for the privacy and security of all Medicare Beneficiary data. Additionally, CMS holds Clearinghouse Trading Partners responsible for the privacy and security of eligibility transactions sent directly to them from Providers, and requires them to be able to associate each inquiry with a Provider. Provider authentication must be established by the Clearinghouse outside of the transaction.

5 MCARE Contact Information

All inquiries and comments regarding Trading Partner registration, connection set-up, transaction testing, and the submission of 270/271 transactions and interpretation of their data should be directed to MCARE.

MCARE is available at 1-866-324-7315 or at <u>MCARE@cms.hhs.gov</u> Monday through Friday, from 7:00 AM to 7:00 PM ET.

Note: The MCARE email address is monitored during normal business hours. Emails are typically answered within one business day.

MCARE cannot assist in the resolution of benefit-related discrepancies. Questions regarding eligibility/benefit data for Medicare Part A and Part B should be directed to the appropriate regional MAC. Eligibility/benefit questions about MA, Part D and MSP should be directed to the appropriate plan(s) identified in the 271 response.

6 Control Segments/Envelopes

The following sections describe the HETS 270/271 transaction requirements to be used in conjunction with the requirements outlined in the ASC X12 270/271 version 005010X279A1 TR3. Adhering to these requirements will help to ensure that transactions received by the HETS 270/271 application will pass the specified business edits.

All references to the ASC X12 270/271 version 005010X279A1 TR3 assume the version referenced in <u>Section 1.1</u> of this Companion Guide.

6.1 Interchange Control Structure (ISA/IEA)

Table 6 describes the values specifically required by the HETS 270/271 application within the ISA Header of the 270 request. The HETS 270/271 application does not expect any custom values for the IEA segment within the 270 request. Please follow the rules as specified by the ASC X12 270/271 version 005010X279A1 TR3.

Reference	Name	X12 Codes	Notes/Comments
ISA	Interchange Control Header		
ISA01	Authorization Information Qualifier	00	HETS always expects "00".
ISA03	Security Information Qualifier	00	HETS always expects "00".

Table 6 – 270 ISA Segment Rules

Reference	Name	X12 Codes	Notes/Comments
ISA05	Interchange ID Qualifier	ZZ	HETS always expects "ZZ".
ISA06	Interchange Sender ID		HETS always expects the Trading Partner Submitter ID assigned by CMS.
ISA07	Interchange ID Qualifier	ZZ	HETS always expects "ZZ".
ISA08	Interchange Receiver ID		HETS always expects "CMS".
ISA14	Acknowledgment Requested	0,1	HETS will not return the TA1 acknowledgement receipt of a real time transaction even if acknowledgment is requested.

6.2 Functional Group Structure (GS/GE)

Table 7 describes the values specifically required by the HETS 270/271 application within the GS Header of the 270 request. The HETS 270/271 application does not expect any custom values for the GE segment within the 270 request.

Please follow the rules as specified by the ASC X12 270/271 version 005010X279A1 TR3 for all elements not included in Table 7.

Table 7 – 270 GS Segment Rules

Reference	Name	X12 Codes	Notes/Comments
GS	Functional Group Header		
GS02	Application Sender's Code		HETS always expects the Trading Partner Submitter ID assigned by CMS.
GS03	Application Receiver's Code		HETS always expects "CMS".

6.3 Transaction Set Header/Trailer (ST/SE)

The HETS 270/271 application does not expect any custom values for the ST/SE segments within the 270 request. Please follow the rules as specified by the ASC X12 270/271 version 005010X279A1 TR3.

7 Payer Specific Business Rules and Limitations

This section describes the business rules and limitations of the HETS 270/271 application.

All references to the ASC X12 270/271 version 005010X279A1TR3 assume the version referenced in <u>Section 1.1</u> of this Companion Guide.

7.1 General Structural Notes

- Trading Partners should follow the ST/SE guidelines outlined in the 270 section of the ASC X12 270/271 version 005010X279A1 TR3.
- Trading Partners should follow the ISA/IEA and GS/GE guidelines for HIPAA in Appendix C of the ASC X12 270/271 version 005010X279A1 TR3 and follow the 999 and TA1 guidelines outlined in the ASC X12 version 005010X231A1 TR3.

- Trading Partners must follow the character set guidelines as defined in the Appendix of the ASC X12 270/271 version 005010X279A1 TR3.
- CMS strongly recommends that Trading Partners use the preferred 270 request delimiters in Table 8. HETS will utilize these delimiters for all 271 responses (regardless of the delimiters the Trading Partner sent in the 270 request).

Character	Name	Delimiter
*	Asterisk	Data Element Separator
	Pipe	Component Element Separator
~	Tilde	Segment Terminator
٨	Carat	Repetition Separator

Table 8 – Preferred 270 Request Delimiters

• Each transaction must contain only one Patient Request. Each 270 request must have only one ISA/IEA, one GS/GE, one ST/SE, and a single 2100C Subscriber Loop

7.2 General Transaction Notes

- The HETS 270/271 application data is updated once daily (early in the morning, Eastern Time). The HETS 271 response will not be updated further during the course of a day. Trading Partners should not resubmit the same transaction multiple times during the course of a day expecting to receive different results.
- The HETS 270/271 application will return the following basic set of eligibility information if the Medicare Beneficiary is entitled to Part A and/or Part B for all valid 270 requests.
 - Medicare Beneficiary Demographics
 - Part A and B Entitlement including any Periods of Inactivity
 - Coverage Status of Requested and Supported STCs
 - MSP, MA, and Part D Plan Enrollment Information (where applicable)
 - Plan Level Financial Information
- The HETS 270/271 application will accept multiple Service Type Codes (STCs) and/or Healthcare Common Procedure Coding System (HCPCS) codes on a 270 request.
- Additional eligibility information will be returned when the following supported STCs are sent within a 270 request: AD, AE, AF, AG, A5, A7, BF, BG, 10, 14, 15, 42, 45, 47, 48, 49 and 67.
- Additional eligibility information will be returned when the following supported HCPCS Codes are sent within a 270 request: 76706, 76977, 77067¹, 77078, 77080, 77081, 80061, 81528, 82270, 82465, 82947, 82950, 82951, 83718, 84478, 90670,

¹ HCPCS code G0202 (currently accepted by HETS) will be replaced by HCPCS code 77067 effective January 1, 2018. HETS Submitters should not send HCPCS code G0202 after 12/31/17 or send HCPCS code 77067 before 01/01/2018.

90732, G0101, G0102, G0103, G0104, G0105, G0106, G0117, G0118, G0120, G0121, G0123, G0130, G0143, G0144, G0145, G0147, G0148, G0202², G0297, G0328, G0402, G0403, G0404, G0405, G0438, G0439, G0442, G0443, G0444, G0445, G0446, G0447, G0472, G0473, G0475, P3000 and Q0091.

- The HETS 270/271 application will return the Medicare coverage status for the following supported STCs when sent within a 270 request: 1, 2, 3, 4, 5, 6, 7, 8, 10, 12, 13, 14, 15, 18, 20, 23, 24, 25, 26, 27, 28, 30, 33, 35, 36, 37, 38, 39, 40, 41, 42, 45, 47, 48, 49, 50, 51, 52, 53, 54, 62, 65, 67, 68, 69, 73, 76, 78, 80, 81, 82, 83, 86, 88, 93, 98, 99, A0, A3, A4, A5, A6, A7, A8, AD, AE, AF, AG, AI, AJ, AK, AL, BF, BG, BH, BT, BU, BV, DM, MH, UC.
- The HETS 270/271 application will only return the coverage status of the "child" components of STCs 1, 30, 35, 47 and/or MH if they are sent within a 270 request. If the requested date(s) of service start date is after the Date of Death, then the "child" components will not be returned. The "child" components will not be returned when the Medicare Beneficiary is ineligible. The "child" component STCs are defined in the Front Matter of the ASC X12 270/271 version 005010X279A1 TR3.
- The HETS 270/271 application will return STCs 1, 47 and MH when requested on the 270 and the Medicare Beneficiary is ineligible for Medicare Part A. The HETS 270/271 application will return STCs 1, 35, 47 and MH when requested on the 270 and the Medicare Beneficiary is ineligible for Medicare Part B.
- The HETS 270/271 application will return the following supported STCs as covered under Medicare Part A: 10, 15, 42, 45, 48, 49, 65, 69, 76, 78, 83, A5, A7, AG, BT, BU, BV. The coverage status of the Part A covered STCs will be returned in the EB01 data element of the Part A Entitlement 2110C Loop.
- The HETS 270/271 application will return the following supported STCs as covered under Medicare Part B: 2, 3, 4, 5, 6, 7, 8, 10, 12, 13, 14, 18, 20, 23, 24, 25, 26, 27, 28, 33, 36, 37, 38, 39, 40, 42, 50, 51, 52, 53, 62, 65, 67, 69, 73, 76, 78, 80, 81, 83, 86, 93, 98, 99, A0, A3, A4, A6, A8, AD, AE, AF, AI, AJ, AK, AL, BF, BG, BH, BT, BU, BV, DM, UC. The coverage status of the Part B covered STCs will be returned in the EB01 data element of the Part B Entitlement 2110C Loop.
- The HETS 270/271 application will return the following supported STCs as not covered (EB01= "I") under Medicare: 41, 54, 68, 82.
- When STC = "30" is submitted on a 270 request, the HETS 270/271 application will return the coverage status of the following STCs: 2, 3, 23, 24, 25, 26, 27, 28, 33, 36, 37, 38, 39, 40, 41, 42, 45, 48, 49, 50, 51, 52, 53, 54, 67, 69, 73, 76, 83, 86, 88, 98, A4, A5, A6, A7, A8, AG, AI, AJ, AK, AL, BT, BU, BV, DM, UC.
- The following scenarios will also produce a response as though STC= "30" was requested.

² HCPCS code G0202 (currently accepted by HETS) will be replaced by HCPCS code 77067 effective January 1, 2018. HETS Submitters should not send HCPCS code G0202 after 12/31/17 or send HCPCS code 77067 before 01/01/2018.

- No STC is requested
- A requested STC is not supported by HETS
- A requested HCPCS code is not supported by HETS
- The HETS 270/271 application will return the Medicare Beneficiary's Part D coverage status with STC = "88" in a separate 2110C Loop when STC = "88" or "30" is specifically requested or if the HETS 270/271 application is responding as if STC = "30" was requested.
- The following STCs are free services and are covered at 100% by Medicare Part A and/or Part B; therefore, deductibles, copayment and coinsurance liabilities do not apply: 5, 42, 45, 67 and AJ. HETS will return all Part A free service information in a single 271 2110C EB loop with the potential for multiple DTP segments, regardless of what calendar year they fall within. HETS will handle Part B free service information in the same manner as a single 271 2110C EB loop with the potential for multiple DTP segments.
- The HETS 270/271 application will return an additional 2110C Loop for any STC where the deductible and/or coinsurance amounts differ from the Plan Level amounts.
- The HETS 270/271 application will return the coverage status for STCs 48 and 49 when STCs AG, 47, 48 and/or 49 are sent within a 270 request except when the requested date(s) of service start date is after the Date of Death or the Medicare Beneficiary is ineligible.
- The HETS 270/271 application may return multiple EB loops to reflect the Medicare Beneficiary's plan level financials, benefit and enrollment history and/or the EQ values sent within a 270 request.
- The HETS 270/271 application will not generate 2110C loops for future year deductibles, coinsurance and copayment per day when these values have not yet been published by CMS. The 271 response is based upon information obtained from the CMS database at the time of inquiry and is not considered a guarantee of payment.
- The HETS 270/271 application 271 response will include the DOEBA and DOLBA dates of all hospital spells intersecting the current date and/or the calendar (years) of the date/date range of the 270 request. This data will be returned in the HETS 271 response for any specific Service Type Code (STC) or HCPCS code in the 270 request. Example segments returned in a 271 response:

EB*D**30*MA~ DTP*292*RD8*CCYYMMDD-CCYYMMDD~(DTP03 = DOEBA and DOLBA Dates)

• Trading Partners will receive a AAA error in a 2100A Loop with a reject reason code of AAA03 = "42" when the HETS 270/271 application is unable to process a single transaction in less than 60 seconds or when other system issues are encountered.

• The HETS 270/271 application will return a 999 error response if dependent level data is sent within a 270 request.

7.3 Medicare Beneficiary Matching Rules

The HETS 270/271 application applies search logic that uses a combination of the following data elements: Health Insurance Claim Number (HICN), Medicare Beneficiary's Date of Birth (DOB), Medicare Beneficiary's Full Last Name, and Medicare Beneficiary's Full First Name. Trading Partners should not submit any additional Beneficiary data elements in an attempt to generate a match. Table 9 describes the necessary data elements for the required primary and alternate search options supported by the HETS 270/271 application.

Table 9 – HETS 270/271 Search Options

Search Option	HICN	Last Name	First Name	DOB
Primary	Х	Х	Х	Х
Alternate 1	Х	Х		Х
Alternate 2	Х	Х	Х	

- If the Medicare Beneficiary's submitted HICN is found but is not the Medicare Beneficiary's active number, the HETS 270/271 application will cross-reference the submitted HICN to the active HICN. The 271 response will include in the 2100C Loop the inactive HICN within a REF segment, the active HICN within NM109, and a AAA error with a reject reason code of AAA03 = "72". The Trading Partner may then send a new 270 request with the active HICN.
- If the Trading Partner submits a Beneficiary's Middle Name or Initial in the 270 2100C NM105 or a Gender Code in the 270 2100C DMG03, then HETS will return a 999 response. Additionally, HETS will reject any requests where the 270 2100C REF01 contains a value of 'SY'. Trading Partners should not submit any additional Beneficiary data elements outside of those listed above in Table 9.
- If the search criteria do not produce a match to a Medicare Beneficiary, the HETS 270/271 application will generate the appropriate AAA03 error code in the 271 response. Refer to <u>Section 8.3</u> of this Companion Guide for additional information.

7.4 Date Request Rules

- The HETS 270/271 application will respond with current eligibility information if no date is contained in the 270 request.
- CMS will verify that the date(s) requested on the 270 request are within the HETS 270/271 application's allowable date span. The allowable date span is up to 12 months in the past and up to four months in the future, based on the date the transaction was received. If requests are outside of this range, the HETS 270/271 application will return a AAA error in the 2100C Loop with a reject reason code of AAA03 = "62".

Table 10 illustrates the allowable request date ranges.

If the Current Month Is:	Historical Requests Are Valid Through:	Future Requests Are Valid Through:
January	January, 1 year ago	May of the current year
February	February, 1 year ago	June of the current year
March	March, 1 year ago	July of the current year
April	April, 1 year ago	August of the current year
May	May, 1 year ago	September of the current year
June	June, 1 year ago	October of the current year
July	July, 1 year ago	November of the current year
August	August, 1 year ago	December of the current year
September	September, 1 year ago	January of the following year
October	October, 1 year ago	February of the following year
November	November, 1 year ago	March of the following year
December	December, 1 year ago	April of the following year

Table 10 – Request Date Calendar

Example: If an eligibility request is sent on November 1, 2017, requests from November 1, 2016 through March 1, 2018 will be accepted.

7.5 Medicare Part A & Part B Eligibility Business Rules

- Trading Partners should review the entire 271 response to determine the appropriate eligibility status for the Medicare Beneficiary.
- To indicate periods of Medicare entitlement, the HETS 270/271 application will return a 2110C Loop with element EB01 = "1" along with applicable EB03 covered STCs and the Subscriber Eligibility/Benefit Date (DTP03) where DTP01 = "291" with beginning and end dates, where appropriate, for each applicable entitlement period.
- The HETS 270/271 application will return a 2110C Loop with element EB01= "6" for Part A and/or Part B along with applicable EB03 covered STCs without the DTP segments for either of the following reasons:
 - The Medicare Beneficiary's Part A and/or Part B Entitlement had not yet begun as of the requested date(s) of service.
 - The Medicare Beneficiary's Part A and/or Part B Entitlement has terminated prior to the requested date(s) of service.
- The HETS 270/271 application will return a 2110C Loop with element EB01 = "6" along with a DTP segment containing beginning and end dates for the period of inactivity when an individual entitled to Medicare is ineligible for Medicare benefits over a period of time for any one the following reasons:
 - The Medicare Beneficiary has been classified as an illegal alien in the United States.
 - The Medicare Beneficiary has been deported from the United States.
 - The Medicare Beneficiary has been incarcerated.
 - **Note:** Information specifying the reason for the period of ineligibility will not be released.

- Multiple periods of a Medicare Beneficiary's inactive Medicare enrollment may be returned in a 271 response if they occur during the requested date(s) of service.
- The HETS 270/271 application will return a 2110C Loop with element EB01= "6", EB03 = "30" plus any covered STCs from the 270 request that are supported by HETS, and no eligibility data, when the Medicare Beneficiary is deceased and the Date of Death is prior to the requested date(s) of service. STCs that are supported by HETS but are not covered will be returned in the 271 response as non-covered.
- If a Medicare Beneficiary has died, but the requested date(s) of service are on or prior to the Date of Death, their Medicare Part A and/or Part B Entitlement date(s) and other applicable eligibility data will be returned along with a separate DTP segment containing the Date of Death. Date of Death will be returned on the 2100C DTP segment. Example segments returned in a 271 response:

Part A Entitlement

EB*1**30^42^45^48^49^69^76^83^A5^A7^AG^BT^BU^BV*MA~ DTP*291*RD8*CCYYMMDD-CCYYMMDD~ (DTP03 = Entitlement and Termination Dates (where applicable))

Part B Entitlement

EB*1**30^2^3^23^24^25^26^27^28^33^36^37^38^39^40^42^50^51^52^53^67^6 9^73^76^83^86^98^A4^A6^A8^AI^AJ^AK^AL^BT^BU^BV^DM^UC*MB~ DTP*291*RD8*CCYYMMDD-CCYYMMDD~ (DTP03 = Entitlement and Termination Dates (where applicable))

Inactive Due to Date of Death

```
DTP*442*D8*CCYYMMDD~ (DTP03 = Date of Death)
EB*6**30^10~
EB*I**30^41~
```

Entitled but Inactive Due to Incarceration, Deportation or Alien Status

Inactive Period

```
EB*6**30~
DTP*307*RD8*CCYYMMDD-CCYYMMDD~ (DTP03 = Inactive Date(s))
```

Entitlement Period

```
EB*1**30^42^45^48^49^69^76^83^A5^A7^AG^BT^BU^BV*MA~
DTP*291*D8*CCYYMMDD~ (DTP03 = Part A Entitlement Date(s))
EB*1**30^2^3^23^24^25^26^27^28^33^36^37^38^39^40^42^50^51^52^53^67^6
9^73^76^83^86^98^A4^A6^A8^AI^AJ^AK^AL^BT^BU^BV^DM^UC*MB~
DTP*291*D8*CCYYMMDD~ (DTP03 = Part B Entitlement Date(s))
```

For additional information, refer to Table 23.

7.6 Medicare Plan Level Part A Deductible Business Rules

- The HETS 270/271 application will return the following Part A Plan Level financial information in the 2110C Loop on every 271 response when the Medicare Beneficiary is Part A entitled:
 - The base Part A deductible amount for every calendar year of the date/date range on the 270 request plus the start year of the earliest intersecting spell.
 - The remaining Part A deductible amount for every calendar year within the date/date range on the 270 request plus the start year of the earliest intersecting spell.
 - The remaining Part A deductible amount and applicable DOEBA/DOLBA dates for every spell that intersects within 60 days of the date/date range on the 270 request.
- The HETS 270/271 application will return the Part A deductible as zero in an additional 2110C Loop for STCs 42 or 45 when applicable and the Medicare Beneficiary is Part A entitled.
- Example segments returned in a 271 response:

Part A Deductible Financial Data

EB*C**30*MA**26*1316~ (EB07 = Part A Base Deductible 2017) DTP*291*RD8*20170101-20171231~ (Dates within calendar year when no QMB enrollment is present) EB*C**30*MA**26*1288~ (EB07 = Part A Base Deductible 2016) DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present) EB*C**30*MA**29*1316~ (EB07 = Part A Base Deductible as Remaining 2017) DTP*291*RD8*20170101-20171231~ (Dates within calendar year when no QMB enrollment is present) EB*C**30*MA**29*1288~ (EB07 = Part A Base Deductible as Remaining 2016) DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present) EB*C**30*MA**29*07 (EB07 = Part A Base Deductible as Remaining 2016) DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present) EB*C**30*MA**29*0~ (EB07 = Part A Spell Remaining) DTP*291*RD8*20170101-20170106~ (Dates within DOEBA-DOLBA when no QMB enrollment is present)

Covered at 100% -- Part A

EB*C**42^45*MA**26*0~ (EB07 = 0 to display the Part A Base Deductible is not applicable) DTP*292*RD8*20170101-20171231~ (Dates within calendar year when no QMB enrollment is present) DTP*292*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present) For additional information, refer to Table 24.

7.7 Medicare Plan Level Part B Deductible and Coinsurance Business Rules

The purpose of this section is to explain the HETS 270/271 application business rules for Part B deductible and coinsurance amounts. <u>Section 7.7.1</u> illustrates the business rules for STCs. <u>Section 7.7.2</u> illustrates the business rules for supported HCPCS codes.

7.7.1 STC Financial Business Rules

- The HETS 270/271 application will return the following Part B Plan Level financial information in the 2110C Loop on every 271 response when a supported STC, non-supported STC or no STC is submitted and the Medicare Beneficiary is Part B entitled:
 - The Part B base deductible amount for every calendar year within the date/date range on the 270 request.
 - The Part B remaining deductible amount for every calendar year within the date/date range on the 270 request.
 - The Part B coinsurance amount for every calendar year within the date/date range sent within a 270 request.
- The HETS 270/271 application will return the Part B deductible and coinsurance percentage as zero for STC 5, 42, 67 and/or AJ in an additional 2110C loop when the Medicare Beneficiary is Part B entitled and any of the following conditions exist on the 270 request.
 - STCs 5, 42, 67 or AJ are explicitly requested
 - STCs 1, 30 or MH are requested
 - HETS responds as if STC 30 was requested refer to Section 7.2
- Example segments returned in a 271 response:

Part B Deductible Financial Data

```
EB*C**30*MB**23*183~ (EB07 = Part B Base Deductible 2017)
DTP*291*RD8*20170101-20171231~ (Dates within calendar year when no QMB
enrollment is present)
EB*C**30*MB**23*166~ (EB07 = Part B Base Deductible 2016)
DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB
enrollment is present)
EB*C**30*MB**29*0~ (EB07 = Part B Remaining Deductible 2017)
DTP*291*RD8*20170101-20171231~ (Dates within calendar year when no QMB
enrollment is present)
EB*C**30*MB**29*0~ (EB07 = Part B Remaining Deductible 2016)
DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB
enrollment is present)
EB*C**30*MB**29*0~ (EB07 = Part B Remaining Deductible 2016)
DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB
enrollment is present)
EB*A**30*MB**27**.2~ (EB08 = Plan Level Coinsurance Percentage 2017)
```

DTP*291*RD8*20170101-20171231~ (Dates within calendar year when no QMB enrollment is present) EB*A**30*MB**27**.2~ (EB08 = Plan Level Coinsurance Percentage 2016)

DTP*291*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present)

Covered at 100% -- Part B

EB*C**5^42^67^AJ*MB**23*0~ (EB07 = 0 to display the Part B Base Deductible is not applicable) DTP*292*RD8*20170101-20171231~ (Dates within calendar year when no QMB enrollment is present) DTP*292*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present) EB*A**5^42^67^AJ*MB**27**0~ (EB08 = 0 to display the Part B Coinsurance is not applicable) DTP*292*RD8*20170101-20171231~ (Dates within calendar year when no QMB enrollment is present) DTP*292*RD8*20160101-20161231~ (Dates within calendar year when no QMB enrollment is present)

For additional information, refer to Table 25.

7.7.2 Medicare HCPCS Code Financial Business Rules

The HETS 270/271 application will only return Part B HCPCS financial data in the 2110C Loop with the current system transaction processing date for the supported HCPCS code submitted when:

- The next eligible date year is prior to or equal to the current year. The current year is determined by the year of the system date on which the 270 request is received by the HETS 270/271 application.
- The Beneficiary is not dual-eligible for both Medicare and Medicaid (QMB) as of the current system transaction processing date. Refer to <u>Section 7.21</u> for additional information.
- The HCPCS code deductible and/or coinsurance details do not match the Part B Plan Level deductible and/or coinsurance amount.

When the HCPCS code deductible and/or coinsurance details for a specific code match the Part B Plan Level deductible and/or coinsurance amount, only the Next Eligible Date will be returned if applicable and no financial data will be returned.

• Example segments returned in a 271 response:

Part B Deductible Amount:

EB*C***MB**23*0*****HC|80061~ (EB07 = Deductible Amount of "0", EB13-2 = HCPCS Code)

DTP*292*D8*CCYYMMDD~ (DTP03 = the current system transaction processing date)

Part B Coinsurance Amount:

EB*A***MB**27**0*****HC|80061~ (EB08 = Coinsurance Amount of "0", EB13-2 = HCPCS Code) DTP*292*D8*CCYYMMDD~ (DTP03 = the current system transaction processing date)

For additional information, refer to Table 26 and Table 27.

7.8 Medicare Part A Hospital and Skilled Nursing Facility (SNF) Spells Business Rules

- STC 47, 48, 49, AG, A5 or A7 must be sent within a 270 request to receive Hospital Spell data in the 271 response.
 - Hospital Base days and Hospital remaining days and copayment amounts will be returned with Hospital Spell data.
 - Lifetime reserve base days, Lifetime remaining days and copayment amount will be returned with Hospital Spell data.
- STC AG must be sent within a 270 request to receive SNF data in the 271 response.
- Hospital Base days and Hospital remaining days and copayment amounts will be returned with SNF Spell data.
- A SNF spell will always be accompanied by a prior Hospital stay.
- The dates of a Hospital/SNF spell (2110C Loop, Element DTP01 = "435") will be returned as the Date of Earliest Billing Activity (DOEBA) through the Date of Latest Billing Activity (DOLBA) for the overall spell. Dates of individual Hospital/SNF stays within the complete spell will not be specified.
- All Hospital/SNF spells that fall within 60 days of the date or date range specified in the 270 request will be returned.
- If a single Hospital/SNF spell spans more than one calendar year, the HETS 270/271 application will return the daily copayment amounts associated with the beginning year of the spell.
- If there is no Hospital/SNF spell within 60 days of the requested date(s) of service, the HETS 270/271 application will return default values for Part A Spell data.
- Overlapping Hospital spells may indicate a change in Medicare Beneficiary primary entitlement from Medicare Part A to a Medicare Advantage plan. Please review the response to determine if the Medicare Beneficiary is covered by Medicare Part A or a Medicare Advantage plan.
- STC A7 must be sent within a 270 request to receive Lifetime Psychiatric Limitation Data for Psychiatric Base Days and Psychiatric Remaining Days in the 271 response.

• Example segments returned in a 271 response:

Hospital Days Base

EB*B**30*MA**7*0~ (EB07 = \$0 for Medicare Part A Copayment Days) HSD***DA**30*0~ (From Day 1) HSD***DA**31*60~ (Thru Day 60) HSD****26*1~ (Per Part A Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

EB*B**30*MA**7*329~ (EB07 = \$ Amt for Medicare Part A Copayment Days) HSD***DA**30*60~ (From Day 61) HSD***DA**31*90~ (Thru Day 90) HSD****26*1~ (Per Part A Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

Hospital Days Remaining

EB*B**30*MA**7*0~ (EB07 = \$0 for Medicare Part A Copayment Days) HSD***DA**29*60~ (60 Days Remaining at \$0 Per Day) HSD****26*1~ (Per Part A Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

EB*B**30*MA**7*329~ (\$ Amt for Medicare Part A Copayment Days) HSD***DA**29*30~ (30 Days Remaining at \$ Amt Per Day) HSD****26*1~ (Per Part A Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

Hospital Spell Days Remaining

EB*B**30*MA**7*0~ (EB07 = \$0 for Medicare Part A Copayment Days) HSD***DA**29*56~ (56 Days Remaining at \$0 Per Day) HSD****26*1~ (Per Part A Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (DOEBA-DOLBA) (Dates within DOEBA-DOLBA when no QMB enrollment is present)

EB*B**30*MA**7*329~ (EB07 = \$ Amt for Medicare Part A Copayment Days) HSD***DA**29*30~ (30 Days Remaining at \$ Amt Per Day) HSD****26*1~ (Per Part A Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (DOEBA-DOLBA) (Dates within DOEBA-DOLBA when no QMB enrollment is present)

SNF Days Base

EB*B**AG*MA**7*0~ (EB07 = \$0 for Medicare Part A Copayment Days) HSD***DA**30*0~ (From Day 1) HSD***DA**31*20~ (Thru Day 20) HSD****26*1~ (Per SNF Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

EB*B**AG*MA**7*164.50~ (EB07 = \$ Amt for Medicare Part A Copayment Days) HSD***DA**30*20~ (From Day 21) HSD***DA**31*100~ (Thru Day 100) HSD****26*1~ (Per SNF Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

SNF Days Remaining

EB*B**AG*MA**7*0~ (EB07 = \$0 for Medicare Part A Copayment Days) HSD***DA**29*20~ (20 Days Remaining at \$0 Per Day) HSD****26*1~ (Per SNF Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

EB*B**AG*MA**7*164.50~ (EB07 = \$ Amt for Medicare Part A Copayment Days) HSD***DA**29*80~ (80 Days Remaining at \$ Amt Per Day) HSD****26*1~ (Per SNF Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

SNF Spell Days Remaining

EB*B**AG*MA**7*0~ (EB07 = \$0 for Medicare Part A Copayment Days) HSD***DA**29*18~ (18 Days Remaining at \$0 Per Day) HSD****26*1~ (Per SNF Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (DOEBA-DOLBA) (Dates within DOEBA-DOLBA when no QMB enrollment is present)

EB*B**AG*MA**7*164.50~ (EB07 = \$ Amt for Medicare Part A Copayment Days) HSD***DA**29*80~ (80 Days Remaining at \$ Amt Per Day) HSD****26*1~ (Per SNF Spell) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (DOEBA-DOLBA) (Dates within DOEBA-DOLBA when no QMB enrollment is present)

Lifetime Reserve Days

EB*K**30*MA**32***DY*60~ (EB10 = Lifetime Base Days) EB*K**30*MA**33***DY*58~ (EB10 = Lifetime Remaining Days) EB*K**30*MA**7*658~ (Copayment Amt Per Day) DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when no QMB enrollment is present)

Lifetime Psychiatric Limitation Days

EB*K**A7*MA**32***DY*190~ (EB10=Lifetime Psychiatric Base Days) EB*K**A7*MA**33***DY*180~ (EB10=Lifetime Psychiatric Remaining Days) For additional information, refer to Table 29.

7.9 Home Health Periods Business Rules

- Home Health information for all periods that overlap the requested date(s) will only be returned on the 271 response when STC "42" is sent within a 270 request.
- The DTP03 dates associated with DTP01 = "472" are the Home Health period Start and End Date(s).
- The DTP03 dates associated with DTP01 = "193" and "194" are the Home Health period DOEBA and DOLBA.
- When EB13 = "HC|G0180", the DTP03 date associated with DTP01 = "193" is the Home Health period Certification Date.
- When EB13 = "HC|G0179", the DTP03 date associated with DTP01 = "193" is the Home Health period Recertification Date.
- Home Health NPI will be returned in the 2120C Loop NM109 element. The HETS 270/271 application will use multiple loops to return both the Contractor ID and the Provider ID.
- If a Contractor name is unavailable, HETS will return the Contract Number alone without the Contractor name.
- Example segments returned in a 271 response:

Home Health Benefit Data if Beneficiary is Medicare entitled

*If Contractor Name is unavailable, NM103 will not be returned.

For additional information, refer to Table 30.

7.10 Preventive Care Business Rules

• Preventive services are described by the Healthcare Common Procedure Coding System (HCPCS). Although there are many HCPCS codes for which Medicare

provides payment, the following is a listing of the preventive categories and the associated HCPCS code(s) supported by the HETS 270/271 application:

- Annual Alcohol Misuse Screening includes code G0442 and G0443.
- Annual Depression Screening includes code G0444.
- Annual Wellness Visit (AWV) includes codes G0438 and G0439.
- Cardiovascular Disease Screening (CARD) includes codes 80061, 82465, 83718, and 84478.
- Colorectal Cancer Screening (COLO) includes codes 81528, G0104, G0105, G0106, G0120 and G0121.
- Computed Tomography Bone Mineral Density Study includes code 77078.
- Diabetes Screening Tests (DIAB) includes codes 82947, 82950, and 82951.
- Dual Energy X-ray Absorptiometry (DXA) Bone Density Study; axial skeleton includes code 77080.
- DXA Bone Density Study; appendicular skeleton includes code 77081.
- Fecal Occult Blood Test (FOBT) includes codes G0328 and 82270.
- Glaucoma Screening (GLAU) includes codes G0117 and G0118.
- Hepatitis C Virus (HCV) in Adults Screening includes code G0472.
- Human Immunodeficiency Virus (HIV) Infection Screening includes code G0475.
- Intensive Behavioral Counseling for Obesity includes code G0447 and G0473.
- Intensive Behavioral Therapy (IBT) for Cardiovascular Disease (CVD) includes code G0446.
- Initial Preventive Physical Examination³ (IPPE) includes codes G0402, G0403, G0404, and G0405.
- Low dose CT scan (LDCT) for Lung Cancer Screening includes codes G0297.
- Pneumococcal Vaccine (PPV) includes codes 90670 and 90732.
- Prostate Cancer Screening (PROS) includes codes G0102 and G0103.
- Screening and High Intensive Behavioral Counseling (HIBC) to prevent STIs includes code G0445.

³ HETS 271 responses for IPPE HCPCS codes may, in certain circumstances, return a 271 2110C EB loop indicating that the Medicare Beneficiary is ineligible for this service.

- Screening Mammography⁴ (MAMM) includes codes 77067 and G0202.
- Screening Pap Test (PAPT) includes codes Q0091, P3000, G0123, G0143, G0144, G0145, G0147, and G0148.
- Screening Pelvic Exam (PCBE) includes code G0101.
- Single Energy X-ray Study includes code G0130.
- Ultrasound Bone Density Measurement and Interpretation includes code 76977.
- Ultrasound Screening for Abdominal Aortic Aneurysm (AAA) includes code 76706.
- Preventive care information displays current date information only. No inference about historical eligibility can be made based on the returned next eligible dates. The next eligible date is the date on which the Medicare Beneficiary is eligible to receive services specified by the HCPCS.
- The HETS 270/271 application will ignore the procedure modifier value in EQ02-3 of the 2110C Loop when received on a 270 request.
- Eligibility for preventive services will be returned in individual 2110C Loops within a 271 response when supported HCPCS codes are submitted for a Medicare Beneficiary that has active Part B Entitlement and does not have a Date of Death on file at the time of the 270 request.
- If the technical and professional components of a HCPCS code have different next eligible dates, then the HETS 270/271 application will return a separate 2110C Loop for each date.
- Example segments returned in a 271 response:

Preventive Care with the same Professional and Technical date

EB*D***MB*******HC|G0121~ (EB13-2 = HCPCS Code) DTP*348*D8*CCYYMMDD~ (DTP03 = Next Eligible Date)

Preventive Care with different Professional and Technical dates for the HCPCS codes and Modifiers

EB*D***MB******HC|G0103|26~ (EB13-2 = HCPCS Code, EB13-3 = HCPCS Modifier) DTP*348*D8*20150701~ (DTP03 = Next Eligible Professional Date) EB*D***MB*******HC|G0103|TC~ (EB13-2 = HCPCS Code, EB13-3 = HCPCS Modifier) DTP*348*D8*20150601~ (DTP03 = Next Eligible Technical Date)

⁴ HCPCS code G0202 (currently accepted by HETS) will be replaced by HCPCS code 77067 effective January 1, 2018. HETS Submitters should not send HCPCS code G0202 after 12/31/17 or send HCPCS code 77067 before 01/01/2018.

For additional information, refer to Table 32.

7.11 Smoking/Tobacco Cessation Counseling Business Rules

- Eligibility for smoking/tobacco cessation counseling benefits will be returned within a 271 response when STC "67" is submitted for a Medicare Beneficiary that has active Part B Entitlement and does not have a Date of Death on file at the time of the 270 request.
- Smoking Cessation information displays current information only. No inference about historical eligibility can be made based on the returned next eligible dates.
- Both the base number of sessions and the number of sessions remaining or next eligible date will be returned. If any sessions have been used in the applicable benefit period, the number of sessions remaining along with the base number of sessions will be returned. Otherwise, the next date the Medicare Beneficiary is eligible to receive smoking/tobacco cessation counseling will be returned. However, if a Medicare Beneficiary has never used any sessions during their lifetime eligibility, the HETS 270/271 application will return base and remaining sessions as "8" but will not return a DTP segment.
- Example segments returned in a 271 response:

Smoking Cessation Sessions Remaining

EB*F**67*MB**22***VS*8~ (EB10 = Base Sessions) HSD*VS*6***29~ (HSD02 = Remaining Sessions)

OR

Smoking Cessation Next Eligible Date

EB*F**67*MB**22***VS*8~ (EB10 = Base Sessions) DTP*348*D8*YYCCMMDD~ (DTP03 = Next Eligible Date)

For additional information, refer to Table 33.

7.12 Therapy Services Business Rules

- The dollar amount used by the Medicare Beneficiary for therapy services will be returned for all years within the requested Date(s) of Service, when the Medicare Beneficiary was also entitled to Part B at any time during those year(s) and when STC "AD", "AE" and/or "AF" is sent within a 270 request.
- Therapy service information will not be returned when:
 - The Medicare Beneficiary was deceased prior to the start of that year.
 - The Medicare Beneficiary had an inactive period of Part B Entitlement that spanned the entire calendar year.
- The HETS 270/271 application will return the coverage status for AE and AF if either AE or AF is sent within a 270 request except when the requested Date(s) of Service start date is after the Date of Death or if the Medicare Beneficiary is ineligible.

- The HETS 270/271 application will return EB03 = "AE" to represent a combined usage for Physical and Speech Therapy.
- Example segments returned in a 271 response:

Therapy Services

EB*D**AD*MB***200~ (EB03 = AD for Occupational Therapy, EB07 = \$200 Therapy Amount Used) DTP*292*RD8*YYYY0101-YYYY1231~ (Calendar Year) MSG*Used Amount~

EB*D**AE*MB***500~ (EB03 = AE for Physical/Speech Therapy, EB07 = \$500 Therapy Amount Used) DTP*292*RD8*YYYY0101-YYYY1231~ (Calendar Year) MSG*Used Amount~

For additional information, refer to Table 34.

7.13 Pulmonary Rehabilitation Services Business Rules

- Eligibility for Pulmonary Rehabilitation (PR) services will be returned within a 271 response when the data is available and STC "BF" is submitted for a Medicare Beneficiary that has active Part B Entitlement at the time of the 270 request. Professional and/or Technical Sessions Remaining may be returned.
- Example segments returned in a 271 response:

Pulmonary Rehabilitation Services

```
EB*F**BF*MB**29***CA*72~ (EB10 = PR Sessions Remaining)
MSG*Professional~
EB*F**BF*MB**29***CA*72~
MSG*Technical~
```

For additional information, refer to Table 35.

7.14 Cardiac Rehabilitation and Intensive Cardiac Rehabilitation Services Business Rules

- Eligibility for Cardiac Rehabilitation (CR) and Intensive Cardiac Rehabilitation (ICR) services will be returned within a 271 response when the data is available and STC "BG" is submitted for a Medicare Beneficiary that has active Part B Entitlement at the time of the 270 request. Professional and/or Technical Sessions Used may be returned.
- Example segments returned in a 271 response:

Cardiac Rehabilitation Services

```
EB*F**BG*MB*****99*72~ (EB10 = CR Sessions Used)
MSG*Professional~
EB*F**BG*MB*****99*72~
```

MSG*Technical~

Intensive Cardiac Rehabilitation Services

EB*F**BG*MB*****99*72~ (EB10 = ICR Sessions Used) MSG*Intensive Cardiac Rehabilitation - Professional~ EB*F**BG*MB*****99*72~ MSG*Intensive Cardiac Rehabilitation - Technical~

For additional information, refer to Table 36 and Table 37.

7.15 End Stage Renal Disease (ESRD) Periods Business Rules

- STC "14" or "15" must be sent within a 270 request to receive ESRD dialysis method code, dialysis method start date, and kidney transplant hospital discharge date in a 271 response. Dialysis method start date and/or kidney transplant date will be returned regardless of the date(s) request of the 270 inquiry.
- Example segments returned in a 271 response:

ESRD – Renal Supplies in the Home

EB*D**14*MB~ (EB03 = 14 for Renal Supplies in the Home, EB04 = MB for Part B)

DTP*356*D8*CCYYMMDD~ (DTP03 = ESRD Dialysis Method Start Date) DTP*096*D8*CCYYMMDD~ (DTP03 = Kidney Transplant Hospital Discharge Date)

ESRD – Alternative Method Dialysis

EB*D**15*MA~ (EB03 = 15 for Alternative Method Dialysis, EB04 = MA for Part A) DTP*356*D8*CCYYMMDD~ (DTP03 = ESRD Dialysis Method Start Date)

DTP*356*D8*CCYYMMDD~ (DTP03 = ESRD Dialysis Method Start Date) DTP*096*D8*CCYYMMDD~ (DTP03 = Kidney Transplant Hospital Discharge Date)

For additional information, refer to Table 38.

7.16 Hospice Care Periods Business Rules

• The Hospice section provides eligibility information when the Hospice benefit is effective and when it terminates. When Hospice coverage is elected, the Medicare Beneficiary waives all rights to Medicare payments for services that are related to the treatment and management of their terminal illness during any period their Hospice benefit election is in effect, unless the services are provided by the designated Hospice or provided by another Hospice under arrangements made by the designated Hospice. The one exception is for professional services of an attending physician, which may include a nurse practitioner. If the attending physician, who may be a nurse practitioner, is an employee of the designated Hospice for those services under Part B. These physician professional services are billed to Medicare Part A by the Hospice.

- Hospice information for all periods that overlap the date(s) of service requested will only be returned on the 271 response when:
 - STC 45 is sent within the 270 request and
 - The Medicare Beneficiary is Part A entitled for at least 1 day within the date(s) requested on the 270.
- Hospice Occurrence Count will be returned on the 271 response when STC 45 is sent within the 270 request and the Medicare Beneficiary has a valid Part A Entitlement regardless of the presence or absence of Hospice benefit period data on the 271 response. For additional information, refer to Table 31.
- Revocation Code will be returned in an MSG segment for the corresponding Hospice period. Revocation Code values returned by the HETS 270/271 application are:

Medicare Beneficiary in Hospice Care

"0" - Not revoked, open spell

Medicare Beneficiary with Hospice Care Revoked

"1" – Revoked by notice of revocation

"2" – Revoked by notice of revocation with a non-payment code of "N" and an occurrence code of "42"

"3" – Revoked by a Hospice claim with an occurrence code of "23"

• Example segments returned in a 271 response:

Hospice Occurrence Count

EB*D**45*MA**26***99*1~ (EB10 = Hospice Occurrence Count)

Hospice Care with Facility information

```
EB*X**45*MA**26~ (EB03 = Hospice)
DTP*292*RD8*CCYYMMDD-CCYYMMDD~ (DTP03 = Hospice Period Dates)
MSG*Revocation Code – 0~ (MSG01 = Hospice Revocation Code)
LS*2120~
NM1*1P*2*****XX*1234567893~ (NM109 = Provider NPI)
LE*2120~
```

For additional information, refer to Table 39.

7.17 Blood Deductible Business Rules

- The base number of units for which the Medicare Beneficiary is liable per year and the number of units remaining for the annual blood deductible will be returned for all years within the requested Date(s) of Service, when the Medicare Beneficiary was entitled to either Medicare Part A or Part B at any time during those year(s) and when STC "10" is sent within a 270 request.
- Annual blood deductible will not be returned when:
 - The Medicare Beneficiary was deceased prior to the start of that year.

- The Medicare Beneficiary had an inactive period that spanned the entire calendar year.
- Example segments returned in a 271 response:

Blood Deductible

EB*E**10***23***DB*3~ (EB10 = Units Excluded) HSD*FL*2***29~ (HSD02 = Units Remaining) DTP*292*RD8*CCYYMMDD-CCYYMMDD~ (DTP03 = Calendar Year)

For additional information, refer to Table 40.

7.18 Part D Plan Enrollment Business Rules

- All Medicare Part D plans with enrollment periods that overlap the requested date(s) of service will be returned within the 271 response.
- Trading Partners are advised to contact the plans if there are any questions about the plan terms and conditions. In addition, indication of coverage does not imply or guarantee payment by the plan. Trading Partners should contact the plan for full benefit and billing information.
- For information on how to contact plans go to <u>http://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/MCRAdvPartDEnrolData/index.html</u> and choose "PDP Plan Directory".
- MA plans that offer Prescription Drug Coverage as a part of an HMO, PPO, POS, or Indemnity plan will be returned twice – once with the "OT" designation to indicate Prescription Drug Coverage and once with the appropriate qualifiers for their MA Plan Type.
- MA plans that only offer Prescription Drug Coverage will be returned once, with the "OT" designation.
- Example segments returned in a 271 response:

Part D Coverage Status

EB*1**88~

Part D Enrollment

```
EB*R**88*OT~ (EB04 = OT – Prescription Drug Coverage)

REF*18*12345 001~ (REF02 = Contract Number followed by Plan Number)

DTP*292*RD8*CCYYMMDD-CCYYMMDD~ (DTP03 = Part D Enrollment and

Disenrollment Dates)

LS*2120~

NM1*PR*2*ABC DRUG COMPANY~ (NM103 = Contract Name)

N3*PO BOX 123~ (N301 = Contract Street Address)

N4*ANYTOWN*MD*999999999~ (N401 = Contract City, N402 = Contract State,

N403 = Contract Zip)

PER*IC**TE*8001234567*UR*www.plan.com~ (PER04 = Plan Telephone

Number, PER06 = Contract Website Address)
```

LE*2120~

For additional information, refer to Table 22 and Table 41.

7.19 MA Plan Enrollment Business Rules

- All Medicare Beneficiary MA plans with enrollment periods that overlap the requested date(s) of service will be returned within the 271 response.
- The HETS 270/271 application will return one of the following qualifiers within element EB04 in the 2110C Loop for each MA enrollment:
 - HM for Health Maintenance Organization (HMO) Medicare Non-Risk
 - HN for HMO Medicare Risk
 - IN for Indemnity
 - PR for Preferred Provider Organization (PPO)
 - PS for Point of Service (POS)
- The HETS 270/271 application will return only the most recent plan designation (HMO, Indemnity, PPO, POS) for an MA contract, even if the contract's plan designation has changed since the Medicare Beneficiary originally enrolled in the contract.
- MCO Bill Option Code will be returned only for Insurance Type Code values "HM", "HN", "IN", "PR" and "PS". The MCO Bill Option Codes returned by the HETS 270/271 application are:

Medicare Beneficiary "locked in" to MCO

- "A" Fiscal Intermediary should process all claims
- "B" MCO should process only in-plan Part A claims and in-area Part B claims
- "C" MCO should process all claims

Medicare Beneficiary NOT "locked in" to MCO

- "1" Fiscal Intermediary should process all claims
- "2" MCO should process only in-plan Part A claims and in-area Part B claims
- Trading Partners are advised to contact the plans if there are any questions about the plan terms and conditions. In addition, indication of coverage does not imply or guarantee payment by the plan. Trading Partners should contact the plan for full benefit and billing information.
- For information on how to contact plans go to <u>http://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/MCRAdvPartDEnrolData/index.html</u> and choose "MA Plan Directory".
- MA plans that offer Prescription Drug Coverage as a part of an HMO, PPO, POS, or Indemnity plan will be returned twice once with the "OT" designation to indicate Prescription Drug Coverage and once with the appropriate qualifiers for their MA Plan Type.

• Example segments returned in a 271 response:

MA

```
EB*R**30*HN~ (EB04 = Plan Type)

REF*18*12345 001~ (REF02 = Contract Number followed by Plan Number)

DTP*290*D8*CCYYMMDD~ (DTP03 = MA Enrollment Date)

MSG*MCO Bill Option Code – C~

LS*2120~

NM1*PRP*2*ABC HEALTHCARE~ (NM103 = Contract Name)

N3*PO BOX 123~ (N301 = Contract Street Address)

N4*ANYTOWN*MD*9999999990~ (N401 = Contract City, N402 = Contract

State, N403 = Contract Zip)

PER*IC**TE*8001234567*UR*www.plan.com~ (PER04 = Plan Telephone

Number, PER06 = Contract Website Address)

LE*2120~
```

For additional information, refer to Table 42.

7.20 Medicare Secondary Payer (MSP) Enrollment Business Rules

- All Medicare Beneficiary insurance coverage policies that are primary to Medicare coverage will be returned within the 271 response, provided that the enrollment period overlaps the requested date(s) of service.
- Example segments returned in a 271 response:

MSP

```
EB*R**30*12~(EB04 = MSP Insurance Type Code)
REF*IG*123456789~(REF02 = Group Coverage Plan Policy Number)
DTP*290*D8*CCYYMMDD~ (DTP03 = MSP Effective Date(s))
LS*2120~
NM1*PRP*2*ABC HEALTHPLAN~ (NM103 = MSP Name)
N3*123 MAIN ST~ (N301 = MSP Street Address)
N4*ANYTOWN*MD*999999999~ (N401 = MSP City, N402 = MSP State, N403 =
MSP Zip)
LE*2120~
```

For additional information, refer to Table 43.

7.21 Qualified Medicare Beneficiary (QMB) Period Business Rules

 HETS will return a 271 2110C loop for applicable Beneficiaries to indicate periods where the Beneficiary is enrolled in the Qualified Medicare Beneficiary (QMB) program. QMB-enrolled Beneficiaries are dually-eligible for both Medicare and Medicaid. Beneficiaries who are enrolled in the QMB program are not liable for Medicare co-insurance, co-payments or deductible payments. Note that QMB status may fluctuate for a minority of Beneficiaries. If the HETS response indicates that the Beneficiary QMB enrollment has terminated, please verify the patient's QMB status through State online Medicaid eligibility systems or other documentation, including Medicaid Identification cards and documents issued by the State proving the patient qualifies for the QMB program.

- QMB Periods will only be returned in the 271 when the Beneficiary has the appropriate Medicare entitlement and the QMB enrollment intersects at least one of the following:
 - One day within a calendar year contained in the request date(s) or unique DOEBA year of any spell being returned
 - The DOEBA-DOLBA of any spell being returned
 - The current date
- Financials during QMB periods will be returned in separate 271 2110C loop EB segments with EB04 = 'QM' and with unique DTP segment(s) reflecting dates when the Beneficiary is enrolled in a QMB period and financial details.
- Medicare Part A and Part B Free Services financial 271 2110C loop EB segments will not be returned for dates within the calendar year(s) requested when the Beneficiary is enrolled in a QMB period.
- HETS will not return financial information for preventive HCPCS codes when the Beneficiary is dual-eligible for both Medicare and Medicaid (QMB) as of the current system transactions processing date.
- Example QMB segments returned in a 271 response:
 - Example of a QMB Enrollment Period returned in a 271 2110C loop:

EB*R***QM*State QMB Plan~ (EB05 = State Code + "QMB Plan") DTP*290*RD8*CCYYMMDD-CCYYMMDD~ (DTP02 = D8 if the QMB Period is ongoing, RD8 if the QMB period has an end date)

• Example of a QMB Part A Base Deductible Period returned in a 271 2110C loop:

EB*C**30*QM*Medicare Part A*26*0~ DTP*291*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when Beneficiary is dual eligible for Medicare and Medicaid)

• Example of a QMB Part A Hospital Days Base returned in a 271 2110C loop:

```
EB*B**30*QM*Medicare Part A*7*0~
HSD***DA**31*90~
HSD****26*1~
DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

 Example of a QMB Part A Hospital Days Base as Remaining returned in a 271 2110C loop:

```
EB*B**30*QM*Medicare Part A*7*0~
HSD***DA**29*90~
```

HSD****26*1~

DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when Beneficiary is dual eligible for Medicare and Medicaid)

• Example of a QMB Part A Hospital Days Remaining returned in a 271 2110C loop:

```
EB*B**30*QM*Medicare Part A*7*0~
HSD***DA**29*82~
HSD****26*1~
DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

• Example of a QMB SNF Days Base returned in a 271 2110C loop:

```
EB*B**AG*QM*Medicare Part A*7*0~
HSD***DA**31*100~
HSD****26*1~
DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

• Example of a QMB SNF Days Base as Remaining returned in a 271 2110C loop:

```
EB*B**AG*QM*Medicare Part A*7*0~
HSD***DA**29*100~
HSD****26*1~
DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

• Example of a QMB SNF Days Remaining returned in a 271 2110C loop:

```
EB*B**AG*QM*Medicare Part A*7*0~
HSD***DA**29*92~
HSD****26*1~
DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

• Example of a QMB Part A Lifetime Reserve returned in a 271 2110C loop:

```
EB*K**30*QM*Medicare Part A*7*0~
DTP*435*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

• Example of a QMB Part B Base Deductible returned in a 271 2110C loop:

```
EB*C**30*QM*Medicare Part B*23*0~
DTP*291*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year
when Beneficiary is dual eligible for Medicare and Medicaid)
```

 Example of a QMB Part B Coinsurance returned in a 271 2110C loop: EB*A**30*QM*Medicare Part B*27*0~ DTP*291*RD8*CCYYMMDD-CCYYMMDD~ (Dates within calendar year when Beneficiary is dual eligible for Medicare and Medicaid)

For additional information, refer to Table 44.

8 Acknowledgements and Error Codes

Only one response will be sent for each 270 request that is submitted – a TA1, a 999, a 271, or a proprietary error message. There are no CMS reports regarding the 270/271 transactions available to Trading Partners.

8.1 TA1

The TA1 Interchange Acknowledgement is used by the HETS 270/271 application to communicate the rejection of a 270 request based on errors encountered with X12 compliance, formatting, or CMS specific requirements of the ISA/IEA Interchange segments. Following are examples of when a TA1 may be returned if one of the conditions listed below exists:

- A 270 request is received and the version of the transmission cannot be determined.
- A 270 request is received and the version of the transmission is unsupported by the HETS 270/271 application. This includes previously accepted versions that are no longer supported.
- The Trading Partner has not been authorized for the submitted X12 version.
- The sender is not authorized as an active HETS 270/271 Trading Partner.

8.2 999

The 999 Implementation Acknowledgement is used by the HETS 270/271 application to communicate the rejection of a 270 request based on errors encountered with X12 compliance, formatting, or CMS specific requirements within the data segments between the Functional Group Header (GS) and Functional Group Trailer (GE). Refer to the ASC X12 999 version 005010X231A1 TR3 for additional information.

8.3 271

When the 270 request complies with the X12 standard syntax requirements and all additional formatting rules as specified by this Companion Guide, then a 271 response is returned to the Trading Partner. If no error exists, the Medicare Beneficiary eligibility data will be returned within the 271 response. Refer to <u>Section 10.2</u> of this Companion Guide for more information.

The AAA error segment is utilized within the 271 response to communicate error conditions based on CMS business rules. The HETS 270/271 application will return the invalid or non-matching data element(s) from the 270 request for 2100C Loop AAA error codes 58, 62, 71, 72, and 73. The AAA error codes are specified in Table 11.

Table 11 – AAA Error Codes

AAA01 Loop Yes/ No Condition		AAA03 Reject Reason Code	AAA04 Follow-up Action Code	
2100A	No	04 – When multiple Medicare Beneficiaries are included on a single 270 request.	С	
2100A	Yes	42 – When the system is unable to respond as a result of being unavailable or when a HIPAA compliant 271 cannot be formatted.	R	
2100A	No	79 – When 270 2100A NM103 or NM109 Source identification is other than "CMS".	С	
2100A	No	T4 – When 270 2100A NM103 or NM109 is missing.	С	
2100B	No	41 – When the National Provider Identifier (NPI) located at 2100B NM109 is a valid FFS Medicare NPI and exists in HETS Desktop (HDT), but there is no current, valid relationship between the NPI and the provided HETS Submitter ID. Ensure that there is a relationship between your Submitter ID and the NPI in HETS Desktop (HDT).	С	
2100B	No	 43 – When the 2100B NM101 is not equal to "1P", "FA" or "80" or when the NPI located at 2100B NM109 has an invalid Medicare Provider status. If you believe that the NPI is a valid FFS Medicare Provider or supplier, contact your MAC for verification. 	С	
2100B	No	50 – When the NPI located at 2100B NM109 is a valid, FFS Medicare provider or supplier but is not currently eligible to verify Medicare eligibility in HETS. Contact MCARE for further information.	С	
2100B	No	51 – When the NPI located at 2100B NM109 is not on file with HETS. Verify that the NPI is a valid FFS Medicare Provider and ensure that the NPI is added to your Submitter ID via HETS Desktop (HDT). An overnight update may be required before the NPI can be used with HETS.	С	
2100C	No	58 – When the 270 2100C DMG02 element and NM104 element are both missing.	С	
2100C	No	62 – When the 270 2100C DTP03 element request date is more than 12 months in the past, or more than 4 months in the future from current day.	С	
2100C	No	71 – When the 270 2100C DMG02 element does not match the Medicare Beneficiary DOB on the database.	С	
2100C	No	 72 – When the 270 2100C NM109 element is either: An invalid length or cannot be matched to any HICN on the database, or Missing. When the NM109 element is missing, the 271 AAA response will also return the value "MISSING" in the 271 2100C NM109, or Inactive. When the NM109 is inactive, the 271 AAA response will also return the active HICN in the 271 2100C NM109 along with the requested HICN in the 2100C REF segment. 	С	

Loop	AAA01 Yes/ No Condition	AAA03 Reject Reason Code	AAA04 Follow-up Action Code
2100C	No	73 – When the 270 2100C NM103 element is missing, or the matching algorithm of the Medicare Beneficiary Last Name on the 270 request does not satisfy the matching algorithm of the Medicare Beneficiary Last Name in the database, or the last name is too long (41-60 characters in length).	С
2100C	No	 73 – When the 270 2100C NM104 element does not satisfy the matching algorithm of the Medicare Beneficiary First Name in the database or the first name is too long (31- 35 characters in length). 	С

8.4 **Proprietary Error Message**

Proprietary error messages will be sent only when it is impossible to formulate an X12 compliant response. The proprietary message will return error codes and descriptions. Trading Partners may contact MCARE for assistance with proprietary errors. The format for the proprietary messages is described in Table 12.

Data Element	Description	Size	Comments
Transaction ID	Transaction ID	4	Data content will be "HETS"
Transaction Reference Number	Trace Identification Number or (ISA13)	30	Spaces
Date/Time Stamp	System Date & Time	17	CCYYMMDDHHMMSSddd
Response Code Indicator	ISA Formatting Error	1	Space
Message Code	Error Code	8	Error code, refer to Table 13 of this Companion Guide
Message Text Description	Error Descriptions	500	"Message Text Description", refer to Table 13 of this Companion Guide

Table 12 – Proprietary Error Message Format

Table 13 describes the proprietary error message codes.

Table 13 – Proprietary Error Message Codes

Message Code	Message Text Description
HTS00101	Transmission Wrapper SOH (hex = 01) is invalid or missing.
HTS00102	Transmission Wrapper STX (hex = 02) is invalid or missing.
HTS00103	ETX is not in the expected location.
HTS00104	Unexpected System Exception occurred while processing transaction. Please resubmit.
HTS00105	Transmission Wrapper Length invalid, missing or not numeric.
HTS00111	Transmission inbound message was empty.
HTS00158	Submitter ID/Transaction Source Mismatch.
HTS00160	The Transaction Envelope could not be read, please correct and resubmit.
HTS00201	ISA13 not 9 characters in length.
HTS00203	ISA13 and IEA02 do not match.
HTS00204	ISA13 must be numeric.
HTS00206	ISA13 is missing.

Message Code	Message Text Description
HTS00207	IEA02 is missing.
HTS00208	IEA02 not 9 characters in length.
HTS00210	IEA02 must be numeric.
HTS00250	Certificate not valid for Submitter ID.

8.5 Common Error Processing for SOAP+WSDL and HTTP MIME/Multipart

The HETS 270/271 application will process SOAP and MIME transactions and return errors as described in this section.

8.5.1 HTTP Status and Error Codes

The processing and error codes for the HTTP layer are defined as part of the HTTP specifications: <u>http://www.w3.org/Protocols/rfc2616/rfc2616-sec10.html</u>. The intended use of these status and error codes in processing transactions is specified in Table 4.3.3.1 of the Phase II CORE 270: Connectivity Rule. This document is located at: <u>http://www.caqh.org/pdf/CLEAN5010/270-v5010.pdf</u>.

8.5.2 Envelope Processing Status and Error Codes

Table 14 describes envelope processing status and error codes specific to the HETS 270/271 application for SOAP and MIME transactions.

Table 14 – Envelope Processing Status and Errors

Error Code	Error Message		
<fieldname>Illegal</fieldname>	Illegal value provided for <fieldname>.</fieldname>		
<fieldname>Required</fieldname>	The field <fieldname> is required but was not provided.</fieldname>		
VersionMismatch	The CORERuleVersion sent is not acceptable to the Receiver.		
Success	Envelope was processed successfully.		

8.5.3 SOAP-Specific Processing Errors

Table 15 describes examples of SOAP processing errors.

Table 15 – SOAP-Specific Processing Errors

Error Code	Error Message
UnAuthorized	The signature could not be verified.

8.5.4 MIME-Specific Processing Errors

HETS does not return any MIME specific processing errors.

8.5.5 SOAP and MIME Transaction Error Processing

Transaction processing errors, described in <u>Sections 8.1</u> through <u>8.4</u> of this Companion Guide, will be returned as a SOAP message or MIME Multipart/form-data containing the related response. Refer to those sections for additional information.

9 Trading Partner Agreements

In order to submit requests to the HETS 270/271 application, a prospective applicant must complete the trading partner registration process via submission of a HETS 270/271 Trading Partner Agreement (TPA). Refer to <u>Section 2.2</u> of this Companion Guide for information regarding registering as a Trading Partner.

HETS Trading Partners will promptly contact the MCARE Help Desk at 1-866-324-7315 if the name of the Authorized Representative noted on the TPA changes. HETS Trading Partners agree to recertify their HETS access annually by re-submitting a new TPA upon CMS request. Failure to complete the recertification process will result in the HETS Trading Partner's loss of access to the HETS 270/271 Application.

The HETS 270/271 application will validate that the Clearinghouse or Provider has been established in the Trading Partner Management System (TPMS) prior to processing the 270 transaction. If the Trading Partner (ISA06) cannot be validated, the HETS 270/271 application will return a TA1 Interchange Acknowledgement as outlined in <u>Section 8.1</u> of this Companion Guide.

Trading Partners may not send transactions to be executed as Usage Indicator (ISA15) = "P" until testing has been accomplished and approval to submit production transactions has been given. The HETS 270/271 application will return a TA105 = "020" error for an Invalid Test Indicator Value.

The Trading Partner Rules of Behavior are outlined within the Trading Partner Registration documentation. Please refer to <u>Section 1.3</u> of this Companion Guide for links to these documents.

10 Transaction Specific Information

This section defines specific requirements that CMS requires over and above the standard information in the ASC X12 270/271 version 005010X279A1 TR3 referenced in <u>Section 1.1</u> of this Companion Guide.

10.1 270 Eligibility Request Transaction

This section describes the values required by CMS in the 270 request. Any segments or elements not referenced in the following tables should be submitted on the 270 request as per the ASC X12 270/271 version 005010X279A1 TR3.

10.1.1 Information Source Level Structures

CMS will be the Information Source for all Medicare Eligibility Transactions. Table 16 defines specific requirements for the Header and Information Source data.

Loop ID	Reference	Name	X12 Codes	Notes/Comments
	BHT	Beginning of Hierarchical Transaction		
	BHT02	Transaction Set Purpose Code	13	HETS does not support cancellations.
2100A	NM1	Information Source Name		
2100A	NM102	Entity Type Qualifier	2	HETS does not support individuals as information sources.
2100A	NM103	Information Source Last or Organization Name		HETS always expects "CMS".
2100A	NM109	Information Source Primary Identifier		HETS always expects "CMS".

Table 16 – 270 Header and Information Source

10.1.2 Information Receiver Level Structures

Trading Partners that submit transactions on behalf of a Provider must ensure that the correct, valid, and active Medicare Provider identification is submitted as the Information Receiver. Only National Provider Identifier (NPI) numbers are accepted. Table 17 defines specific requirements for the Information Receiver data.

Table 17 – 270 Information Receiver

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2100B	NM1	Information Receiver Name		
2100B	NM101	Entity Identifier Code	1P, 80, FA	HETS only sends responses for providers, hospitals and facilities.
2100B	NM109	Information Receiver Identification Number		The Medicare Enrolled Provider's NPI number.

10.1.3 Subscriber Level Structures

Trading Partners must ensure that only one Medicare Beneficiary request is submitted in the Subscriber Level for each 270 request. Table 18 defines specific requirements for the Subscriber Level data.

Table 18 – 270 Subscriber

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2100C	NM1	Subscriber Name		
2100C	NM103	Subscriber Last Name		Last Name is required for Medicare Beneficiary Identification using the Primary or Alternate Search options. Maximum length allowable is 40 characters.
2100C	NM104	Subscriber First Name		First name is required for Medicare Beneficiary Identification only when the Beneficiary's date of birth is not submitted. Maximum length allowable is 30 characters.

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2100C	NM107	Subscriber Name Suffix		When the suffix is part of the Medicare Beneficiary's Last Name on the Medicare card, the suffix is required for Last Name matching. For convenience, the Subscriber Name Suffix can also be appended to the Subscriber Last Name field to meet matching constraints.
2100C	NM109	Subscriber Primary Identifier		HICN is required for all Medicare Beneficiary Search options. This element must exactly match the ID on the patient's Medicare card.
2100C	DMG	Subscriber Demographic Information		
2100C	DMG02	Subscriber Birth Date		Date of Birth is required for Medicare Beneficiary Identification only when the Beneficiary's first name is not submitted.
2100C	DTP	Subscriber Date		
2100C	DTP01	Date Time Qualifier	291	
2110C	EQ	Subscriber Eligibility or Benefit Inquiry		
2110C	EQ01	Service Type Code		HETS will accept all X12 STC codes; however, only those codes specified by this Companion Guide will return explicit benefit information. All other X12 codes will return only the basic set of eligibility data as defined in <u>Section 7.2</u> of this guide.
2110C	EQ02	Composite Medical Procedure Identifier		HETS will accept all valid Procedure codes; however, only those codes specified by this Companion Guide will return explicit benefit information. All other valid Procedure codes will return only the basic set of eligibility data.

10.2 271 Eligibility Response Transaction

This section describes the values returned by CMS in the 271 response. The following tables describe the CMS utilization of segments and elements when there is a type of uniqueness or restriction. All other values comply with the ASC X12 270/271 version 005010X279A1 TR3.

Table 19 – 271 Header and Information S	Source
---	--------

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2100A	NM1	Information Source Name		
2100A	NM101	Entity Identifier Code	PR	
2100A	NM108	Identification Code Qualifier	PI	
2100A	NM109	Information Source Primary Identifier		HETS always returns "CMS".

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2100B	NM1	Information Receiver Name		
2100B	NM101	Entity Identifier Code	1P, 80, FA	
2100B	NM109	Information Receiver Identification Number		The Provider's assigned NPI number as submitted on the 270 request.

Table 20 – 271 Information Receiver

Table 21 – 271 Subscriber Demographic Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2000C	TRN	Subscriber Trace Number		
2000C	TRN01	Trace Type Code	2	
2100C	NM1	Subscriber Name		
2100C	NM103	Subscriber Last Name		If there are errors in the transaction, HETS will return the value from the 270. If a match is found, HETS will return the value from the CMS Eligibility Database.
2100C	NM104	Subscriber First Name		If there are errors in the transaction, HETS will return the value from the 270. If a match is found, HETS will return the value from the CMS Eligibility Database.
2100C	NM107	Subscriber Name Suffix		
2100C	NM109	Subscriber Primary Identifier		HETS returns the HICN submitted on the 270 request or the active cross-referenced HICN when an inactive HICN is submitted. If a HICN was not submitted on the 270 request, a value of "MISSING" will be returned.
2100C	REF	Subscriber Additional Identification		A REF segment in the 2100C Loop is returned containing the HICN submitted on the 270 when an active/cross-referenced HICN is found and returned in the NM109.
2100C	REF01	Reference Identification Qualifier	Q4	This element is used to communicate the submitted HICN from the 270 request when a cross-referenced HICN is located.
2100C	REF02	Subscriber Supplemental Identifier		This element is used to communicate the submitted HICN from the 270 request when a cross-referenced HICN is located.
2100C	N3	Subscriber Address		
2100C	N301	Subscriber Address Line		Medicare Beneficiary Address Line 1 or "Unknown" if any address lines are missing or invalid on the database.
2100C	N4	Subscriber City State Zip		
2100C	N401	Subscriber City Name		Medicare Beneficiary City Name or "Unknown" if any address lines are missing or invalid on the database.
2100C	N402	Subscriber State Code		Medicare Beneficiary State Code or "MD" if any address lines are missing or invalid on the database.
2100C	N403	Subscriber Postal Zone or Zip Code		Medicare Beneficiary Postal ZIP Code or "21244" if any address lines are missing or invalid on the database.

L	.oop ID	Reference	Name	X12 Codes	Notes/Comments
	2100C	DTP	Subscriber Date		
	2100C	DTP01	Date Time Qualifier	307 or 442	

Table 22 – 271 Part D Plan Coverage

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Inquiry		
2110C	EB01	Eligibility or Benefit Information	1 or 6	This information will be returned if STC 30 or 88 is requested, an STC is not present or a Non-Supported STC is requested.
2110C	EB03	Service Type Code	88	This information will be returned if STC 30 or 88 is requested, an STC is not present or a Non-Supported STC is requested.

Table 23 – 271 Part A and Part B Plan Level Eligibility

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Refer to Section 7.2 for a list of Medicare Part A and Part B STCs supported by the HETS 270/271 application.
2110C	EB01	Eligibility or Benefit Information	1 or 6	
2110C	EB04	Insurance Type Code	MA or MB	EB04 will be omitted when requested dates are after a Medicare Beneficiary's Date of Death. When requested dates are during a period of Incarceration, Deportation or Alien Status, EB04 will be omitted only from the EB segment pertaining to the period of inactivity or ineligibility.
2110C	DTP	Subscriber Eligibility/Benefit Date		If multiple entitlement periods exist, HETS returns them in descending order – future, current, past. For inactive periods, the DTP segment will only be included for a specific date range.
2110C	DTP01	Date Time Qualifier	291	

Table 24 – 271 Part A and Part B Plan Level Deductible

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		
2110C	EB01	Eligibility or Benefit Information	С	
2110C	EB04	Insurance Type Code	MA, MB or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part A" or "Medicare Part B" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	23, 26, or 29	

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	291 or 292	HETS returns "291" only when EB03 = "30"; otherwise, HETS returns "292".

Table 25 – 271 Part B Plan Level Coinsurance

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Refer to Section 7.2 for a list of Medicare Part B STCs supported by the HETS 270/271 application.
2110C	EB01	Eligibility or Benefit Information	А	
2110C	EB04	Insurance Type Code	MB or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part B" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	27	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	291 or 292	HETS returns "291" when EB03 = "30" only; otherwise, HETS returns "292".

Table 26 – 271 Part B Plan Level Deductible - Supported HCPCS Codes

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Refer to Section 7.10 for a list of Medicare Preventive HCPCS supported by the HETS 270/271 application.
2110C	EB01	Eligibility or Benefit Information	С	Preventive Services EB Loop(s)
2110C	EB04	Insurance Type Code	MB	
2110C	EB06	Time Period Qualifier	23 or 29	
2110C	EB13-1	Product or Service ID Qualifier	HC	
2110C	EB13-2	Procedure Code		HCPCS Code
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2110C	DTP03	Eligibility or Benefit Date Time Period		HETS returns the current system transaction processing date.

Table 27 – 271 Part B Plan Level Coinsurance - Supported HCPCS Codes

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Refer to Section 7.10 for a list of Medicare Preventive HCPCS supported by the HETS 270/271 application.
2110C	EB01	Eligibility or Benefit Information	А	Preventive Services EB Loop(s)
2110C	EB04	Insurance Type Code	MB	
2110C	EB06	Time Period Qualifier	27	

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB13-1	Product or Service ID Qualifier	HC	
2110C	EB13-2	Procedure Code		HCPCS Code
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2110C	DTP03	Eligibility or Benefit Date Time Period		HETS returns the current system transaction processing date.

Table 28 – 271 Part A Hospital Spell Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		
2110C	EB01	Eligibility or Benefit Information	D	
2110C	EB04	Insurance Type Code	MA	
2110C	EB06	Time Period Qualifier	27	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2110C	DTP03	Eligibility or Benefit Date Time Period		DOEBA and DOLBA dates of all hospital spells intersecting the current date and/or the calendar (years) of the date/date range of the 270 request.

Table 29 – 271 Part A Hospital and SNF Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Part A Days Allowed Per Spell Loop This loop will repeat for every Part A Spell returned and for each calendar year included in the Plan dates from the 270. Information in this table is for STCs "48", "49", "AG", "A5", and "A7". If STC "47" is requested, the HETS 270/271 application will return information for STCs "48" and "49". Refer to Section 7.2 for more information.
2110C	EB01	Eligibility or Benefit Information	В	
2110C	EB03	Service Type Code	30	
2110C	EB04	Insurance Type Code	MA or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part A" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	7	
2110C	HSD	Health Care Services Delivery		Hospital Days Base or Base as Remaining Days
2110C	HSD03	Unit or Basis for Measurement Code	DA	
2110C	HSD05	Time Period Qualifier	29, 30 or 31	

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	HSD	Healthcare Services Delivery		Hospital Episodes
2110C	HSD05	Time Period Qualifier	26	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	435	
2110C	EB	Subscriber Eligibility or Benefit Information		Part A Days Remaining Per Spell Loop This loop will repeat for every Part A Spell returned and for each calendar year included in the Plan dates from the 270.
2110C	EB01	Eligibility or Benefit Information	В	
2110C	EB03	Service Type Code	30	
2110C	EB04	Insurance Type Code	MA or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part A" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	7	
2110C	HSD	Health Care Services Delivery		Hospital Days Remaining
2110C	HSD03	Unit or Basis for Measurement Code	DA	
2110C	HSD05	Time Period Qualifier	29	
2110C	HSD	Health Care Services Delivery		Hospital Episodes
2110C	HSD05	Time Period Qualifier	26	
2110C	DTP	Subscriber Eligibility/Benefit Date		DOEBA and DOLBA are related to a single Inpatient Spell and NOT to the individual general benefit.
2110C 2110C	DTP01 EB	Date Time Qualifier Subscriber Eligibility or Benefit Information	435	SNF Days Allowed Per Spell Loop This loop will repeat for every Part A Spell returned and for each calendar year included in the Plan dates from the 270.
2110C	EB01	Eligibility or Benefit Information	В	
2110C	EB03	Service Type Code	AG	
2110C	EB04	Insurance Type Code	MA or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part A" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	7	
2110C	HSD	Health Care Services Delivery		SNF Days Base or Base as Remaining Days
2110C	HSD03	Unit or Basis for Measurement Code	DA	
2110C	HSD05	Time Period Qualifier	29, 30 or 31	
2110C	HSD	Health Care Services Delivery		SNF Episodes
2110C	HSD05	Time Period Qualifier	26	
2110C	DTP	Subscriber Eligibility/Benefit Date		

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP01	Date Time Qualifier	435	N/A
2110C	EB	Subscriber Eligibility or Benefit Information		SNF Days Remaining Per Spell Loop This loop will repeat for every Part A Spell returned and for each calendar year included in the Plan dates from the 270.
2110C	EB01	Eligibility or Benefit Information	В	
2110C	EB03	Service Type Code	AG	
2110C	EB04	Insurance Type Code	MA or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part A" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	7	
2110C	HSD	Health Care Services Delivery		SNF Days Remaining segment
2110C	HSD03	Unit or Basis for Measurement Code	DA	
2110C	HSD05	Time Period Qualifier	29	
2110C	HSD	Health Care Services Delivery		SNF Episodes
2110C	HSD05	Time Period Qualifier	26	
2110C	DTP	Subscriber Eligibility/Benefit Date		DOEBA and DOLBA are related to a single Inpatient Spell and NOT to the individual general benefit.
2110C	DTP01	Date Time Qualifier	435	
2110C	EB	Subscriber Eligibility or Benefit Information		Lifetime Reserve Base or Remaining Days Loop This loop will repeat for each calendar year included in the Plan dates from the 270.
2110C	EB01	Eligibility or Benefit Information	К	
2110C	EB03	Service Type Code	30	
2110C	EB04	Insurance Type Code	MA	
2110C	EB06	Time Period Qualifier	32 or 33	
2110C	EB09	Quantity Qualifier	DY	
2110C	EB	Subscriber Eligibility or Benefit Information		Lifetime Reserve Copayment per Day Amount Loop This loop will repeat for each calendar year included in the Plan dates from the 270.
2110C	EB01	Eligibility or Benefit Information	К	
2110C	EB03	Service Type Code	30	
2110C	EB04	Insurance Type Code	MA or QM	
2110C	EB05	Plan Coverage Description		HETS returns "Medicare Part A" when EB04 = "QM".
2110C	EB06	Time Period Qualifier	7	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	435	
2110C	EB	Subscriber Eligibility or Benefit Information	EB	Psychiatric Limitation Days Loop This loop will repeat for each calendar year included in the Plan dates from the 270.

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB01	Eligibility or Benefit Information	К	
2110C	EB03	Service Type Code	A7	
2110C	EB04	Insurance Type Code	MA	
2110C	EB06	Time Period Qualifier	32 or 33	
2110C	EB09	Quantity Qualifier	DY	

Table 30 – 271 Home Health Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Home Health Loop Information in this table will be returned on the 271 response when STC "42" is submitted on a 270 request. Home Health Data will be returned only for episodes with end dates.
2110C	EB01	Eligibility or Benefit Information	x	
2110C	EB06	Time Period Qualifier	26	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	472, 193 or 194	HETS returns "472" for Home Health Start and End Dates; HETS returns "193" for DOEBA and "194" for DOLBA.
2120C	NM1	Subscriber Benefit Related Entity Name		
2120C	NM101	Entity Identifier Code	PR	
2120C	NM102	Entity Type Qualifier	2	
2120C	NM103	Benefit Related Entity Last or Organization Name		HETS returns "Cahaba GBA", "National Government Services, Inc.", "National Heritage Insurance Company", "Palmetto GBA", or "United Government Services, CA".
2120C	NM108	Identification Code Qualifier	PI	
2120C	NM109	Benefit Related Entity Identifier		HETS returns 00011, 00180, 00380, 00450, 00454, 00456,06001, 06004,06014,11004, 14004,14014 or 15004
2120C	NM1	Subscriber Benefit Related Entity Name		
2120C	NM101	Entity Identifier Code	1P	
2120C	NM103	Name Last or Organization Name		
2120C	NM108	Identification Code Qualifier	XX	
2110C	EB	Subscriber Eligibility or Benefit Information		Home Health Certification Loop
2110C	EB01	Eligibility or Benefit Information	Х	
2110C	EB13	Composite Medical Procedure Identifier	HC G0180	HETS returns "HC G0180" to indicate Home Health Certification.

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	193	HH Certification date
2110C	EB	Subscriber Eligibility or Benefit Information		Home Health Recertification Loop
2110C	EB01	Eligibility or Benefit Information	Х	
2110C	EB13	Composite Medical Procedure Identifier	HC G0179	HETS returns "HC G0179" to indicate Home Health Recertification.
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	193	HH Recertification date

Table 31 – 271 Part A Hospice Occurrence Count

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Hospice Loop Information in this table will be returned on the 271 response when STC "45" is submitted on a 270 request. Refer to Section 7.16.
2110C	EB01	Eligibility or Benefit Information	D	
2110C	EB04	Insurance Type Code	MA	
2110C	EB06	Time Period Qualifier	26	
2110C	EB09	Quantity Qualifier	99	
2110C	EB10	Quantity		HETS returns the Part A Hospice Occurrence Count.

Table 32 – 271 Preventive Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Preventive Services Loop(s) Refer to Section 7.10 for a list of Medicare Preventive HCPCS supported by the HETS 270/271 application.
2110C	EB01	Eligibility or Benefit Information	D or 6	HETS may return "6" to indicate ineligibility for particular IPPE HCPCS codes.
2110C	EB04	Insurance Type Code	MB	
2110C	EB13-1	Product or Service ID Qualifier	HC	
2110C	EB13-3	Procedure Modifier	26 or TC	HETS returns "26" or "TC". HETS will omit EB13-3 if the dates of the HCPCS professional and technical components are the same.
2110C	DTP	DTP		
2110C	DTP01	Date Time Qualifier	348	

Table 33 – 271 Smoking/Tobacco Cessation Data	а
---	---

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Smoking/Tobacco Cessation Sessions Remaining Loop Information in this table will be returned on the 271 response when STC "67" is submitted on a 270 request. Smoking Cessation Counseling Sessions Remaining will be returned when the Medicare Beneficiary is eligible for Smoking Cessation Counseling with no waiting period; next eligible date will not be returned.
2110C	EB01	Eligibility or Benefit Information	F	
2110C	EB04	Insurance Type Code	MB	
2110C	EB06	Time Period Qualifier	22	
2110C	EB09	Quantity Qualifier	VS	
2110C	HSD	Health Care Services Delivery		
2110C	HSD01	Quantity Qualifier	VS	
2110C	EB	Subscriber Eligibility or Benefit Information		Smoking/Tobacco Cessation Next Eligible Date Loop Smoking/Tobacco Cessation Counseling Next Eligible Date will be returned when no Smoking/Tobacco Cessation Counseling sessions remain; sessions remaining will not be returned. Refer to Section 7.11.
2110C	EB01	Eligibility or Benefit Information	F	
2110C	EB04	Insurance Type Code	MB	
2110C	EB06	Time Period Qualifier	22	
2110C	EB09	Quantity Qualifier	VS	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	348	

Table 34 – 271 Therapy Services Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Occupational Therapy Service Loop Refer to Section 7.12 for a list of Medicare Therapy Services supported by the HETS 270/271 application. Information in this section will be returned on the 271 response when STC "AD" is submitted on a 270 request.
2110C	EB01	Eligibility or Benefit Information	D	
2110C	EB04	Insurance Type Code	MB	
2110C	EB07	Benefit Amount		HETS returns the Occupational Therapy Used Amount.

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2110C	MSG	Message Text		
2110C	MSG01	Free-form Message Text		HETS returns "Used Amount".
2110C	EB	Subscriber Eligibility or Benefit Information		Physical/Speech Therapy Used Loop Information in this section will be returned on the 271 response when STC "AE" and/or "AF" are submitted on a 270 request.
2110C	EB01	Eligibility or Benefit Information	D	
2110C	EB03	Service Type Code	AE	HETS always returns "AE" regardless of whether "AE", "AF", or "AE/AF" is requested.
2110C	EB04	Insurance Type Code	MB	
2110C	EB07	Benefit Amount		HETS returns the combined Physical/Speech Therapy Used Amount.
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2110C	MSG	Message Text		
2110C	MSG01	Free-form Message Text		HETS returns "Used Amount".

Table 35 – 271 Pulmonary Rehabilitation Services

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Pulmonary Rehabilitation Loop Refer to Section 7.13 for a list of Medicare Pulmonary Rehabilitation Services supported by the HETS 270/271 application. Information in this table will be returned on the 271 response when STC "BF" is submitted on a 270 request.
2110C	EB01	Eligibility or Benefit Information	F	
2110C	EB04	Insurance Type Code	MB	
2110C	EB06	Time Period Qualifier	29	
2110C	EB09	Quantity Qualifier	CA	
2110C	EB10	Quantity		HETS returns the number of Pulmonary Rehabilitation sessions remaining.
2110C	MSG	Message Text		
2110C	MSG01	Free-form Message Text		HETS returns "Professional" or "Technical".

Table 36 – 27	Cardiac	Rehabilitation Service	es
---------------	---------	-------------------------------	----

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Cardiac Rehabilitation Loop Refer to Section 7.14 for a list of Medicare Cardiac Rehabilitation Services supported by the HETS 270/271 application. Information in this table will be returned on the 271 response when STC "BG" is submitted on a 270 request.
2110C	EB01	Eligibility or Benefit Information	F	
2110C	EB04	Insurance Type Code	MB	
2110C	EB09	Quantity Qualifier	99	
2110C	EB10	Quantity		HETS returns the number of Cardiac Rehabilitation sessions used.
2110C	MSG	Message Text		
2110C	MSG01	Free-form Message Text		HETS returns "Professional" or "Technical".

Table 37 – 271 Intensive Cardiac Rehabilitation Services

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Intensive Cardiac Rehabilitation Loop Refer to Section 7.14 for a list of Medicare Intensive Cardiac Rehabilitation Services supported by the HETS 270/271 application. Information in this table will be returned on the 271 response when STC "BG" is submitted on a 270 request.
2110C	EB01	Eligibility or Benefit Information	F	
2110C	EB04	Insurance Type Code	MB	
2110C	EB09	Quantity Qualifier	99	
2110C	EB10	Quantity		HETS returns the number of Intensive Cardiac Rehabilitation sessions used.
2110C	MSG	Message Text		
2110C	MSG01	Free-form Message Text		HETS returns "Intensive Cardiac Rehabilitation- Professional" or "Intensive Cardiac Rehabilitation-Technical".

Table 38 – 271 ESRD Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		ESRD Loop Information in this table will be returned on the 271 response when STC "14" or "15" is submitted on a 270 request. Refer to Section 7.15
2110C	EB01	Eligibility or Benefit Information	D	
2110C	EB04	Insurance Type Code	MA or MB	HETS returns "MA" when EB03 = "15"; HETS returns "MB" when EB03 = "14".

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	356 or 096	HETS returns "356" for the ESRD Effective Date; HETS returns "096" for the Transplant Discharge Date.

Table 39 – 271 Hospice Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Hospice Periods Occurrence Loop Information in this table will be returned on the 271 response when STC "45" is submitted on a 270 request. Refer to Section 7.16.
2110C	EB01	Eligibility or Benefit Information	Х	
2110C	EB04	Insurance Type Code	MA	
2110C	EB06	Time Period Qualifier	26	
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2110C	MSG	Message Text		
2110C	MSG01	Free-form Message Text	N/A	HETS returns "Revocation code – [Revocation code value]". Revocation code values returned are: 0, 1, 2, or 3.
2120C	NM1	Subscriber Benefit Related Entity Name		
2120C	NM101	Entity Identifier Code	1P	
2120C	NM102	Entity Type Qualifier	2	
2120C	NM108	Identification Code Qualifier	XX	

Table 40 – 271 Blood Deductible Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Blood Deductible Loop Information in this table will be returned on the 271 response when STC "10" is submitted on a 270 request. Refer to Section 7.17.
2110C	EB01	Eligibility or Benefit Information	Е	
2110C	EB03	Service Type Code	10	
2110C	EB06	Time Period Qualifier	23	
2110C	EB09	Quantity Qualifier	DB	
2110C	EB10	Benefit Quantity	N/A	HETS returns the base number of Blood Deductible units.
2110C	HSD	Health Care Services Delivery		
2110C	HSD01	Quantity Qualifier	FL	
2110C	HSD02	Quantity	N/A	HETS returns the number of Blood Deductible Units Remaining.
2110C	HSD05	Time Period Qualifier	29	

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	

Table 41 – 271 Part D Enrollment Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		Part D Enrollment Loop Information in this table will be returned on the 271 response when STC "88" is submitted on a 270 request. Refer to Section 7.18.
2110C	EB01	Eligibility or Benefit Information	R	
2110C	REF	Subscriber Additional Identification		
2110C	REF01	Reference Identification Qualifier	18	
2110C	REF02	Subscriber Eligibility or Benefit Identifier		HETS returns the Contract Number and Plan Number separated by a space. If a Plan Number is unavailable, HETS only returns the Contract Number.
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	292	
2120C	NM1	Subscriber Benefit Related Entity Name		
2120C	NM101	Entity Identifier Code	PR	
2120C	NM102	Entity Type Qualifier	2	
2120C	N301	Benefit Related Entity Address Line		Medicare Insurer Address Line 1 if valid, otherwise not sent.
2120C	N302	Benefit Related Entity Address Line		Medicare Insurer Address Line 2 if valid, otherwise not sent.
2120C	N401	Benefit Related Entity City Name		Medicare Insurer City Name or "Baltimore" if any address lines are missing or invalid on the database.
2120C	N402	Benefit Related Entity State Code		Medicare Insurer State Code or "MD" if any address lines are missing or invalid on the database.
2120C	N403	Benefit Related Entity Postal Zone or Zip Code		Medicare Insurer Postal ZIP Code or "21244" if any address lines are missing or invalid on the database.
2120C	PER	Subscriber Benefit Related Entity Contact Information		HETS returns the telephone number or website address in the PER03 and PER04 elements when the Part D plan has only a telephone number or only a website address. If neither exists, then HETS does not return the PER segment.

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		MA Loop Information in this table will be returned on the 271 response when STC "30" is submitted on a 270 request. Refer to Section 7.19.
2110C	EB01	Eligibility or Benefit Information	R	
2110C	EB04	Insurance Type Code	HM, HN, IN, PR, or PS	
2110C	REF	Subscriber Additional Identification		
2110C	REF01	Reference Identification Qualifier	18	
2110C	REF02	Subscriber Eligibility or Benefit Identifier		HETS returns the Contract Number and Plan Number, separated by a space. If a Plan Number is unavailable, HETS returns only the Contract Number.
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	290	
2110C	MSG	Message Text		
2110C	MSG01	Free Form Message Text		HETS returns "MCO Bill Option Code – [code value]". Code values returned are: A, B, C, 1 or 2.
2120C	NM1	Benefit Related Entity Name		
2120C	NM101	Entity Identifier Code	PR or PRP	
2120C	NM102	Entity Type Qualifier	2	
2120C	NM103	Benefit Related Entity Last or Organization Name		HETS returns the MA Insurer Name.
2120C	N301	Benefit Related Entity Address Line		Medicare Insurer Address Line 1 if valid, otherwise not sent.
2120C	N302	Benefit Related Entity Address Line		Medicare Insurer Address Line 2 if valid, otherwise not sent.
2120C	N401	Benefit Related Entity City Name		Medicare Insurer City Name
2120C	N402	Benefit Related Entity State Code		Medicare Insurer State Code
2120C	N403	Benefit Related Entity Postal Zone or Zip Code		Medicare Insurer Postal ZIP Code
2120C	PER	Benefit Related Entity Contact Information		HETS returns the telephone number or website address in the PER03 and PER04 elements when the MA plan has only a telephone number or only a website address. If neither exists, then HETS does not return the PER segment.

Table 42 – 271 Medicare Advantage (MA) Enrollment Data

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		MSP Loop Information in this table will be returned on the 271 response when STC "30" is submitted on a 270 request. Refer to Section 7.20.
2110C	EB01	Eligibility or Benefit Information	R	N/A
2110C	EB04	Insurance Type Code		HETS returns codes: 12, 13, 14, 15, 16, 41, 42, 43, 47, AP, LT or WC
2110C	REF	Subscriber Additional Identification		
2110C	REF01	Reference Identification Qualifier	IG	
2110C	REF02	Subscriber Eligibility or Benefit Identifier		HETS returns the MSP Policy Number, which is the group coverage plan in which the Medicare Beneficiary is enrolled.
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	290	
2120C	NM1	Benefit Related Entity Name		
2120C	NM101	Entity Identifier Code	PRP	
2120C	NM102	Entity Type Qualifier	2	
2120C	NM103	Benefit Related Entity Last or Organization Name		HETS returns the Primary Insurer Name.
2120C	N3	Benefit Related Entity Address	N3	Beginning of segment
2120C	N301	Benefit Related Entity Address Line		Primary Insurer Address Line 1 if valid, otherwise not sent.
2120C	N302	Benefit Related Entity Address Line		Primary Insurer Address Line 2 if valid, otherwise not sent.
2120C	N4	Benefit Related Entity City State Zip		
2120C	N401	Benefit Related Entity City Name		Primary Insurer City if valid, otherwise not sent.
2120C	N402	Benefit Related Entity State Code		Primary Insurer State Code
2120C	N403	Benefit Related Entity Postal Zone or Zip Code		Primary Insurer ZIP Code

Table 43 – 271 Medicare Secondary Payer (MSP) Enrollment Data

Table 44 – 271 Qualified Medicare Beneficiary (QMB) Periods

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	EB	Subscriber Eligibility or Benefit Information		
2110C	EB01	Eligibility or Benefit Information	R	N/A
2110C	EB04	Insurance Type Code	QM	Qualified Medicare Beneficiary
2100C	EB05	Plan Coverage Description		HETS returns the Medicaid enrollment State Code + "QMB Plan"

Loop ID	Reference	Name	X12 Codes	Notes/Comments
2110C	DTP	Subscriber Eligibility/Benefit Date		
2110C	DTP01	Date Time Qualifier	290	
2100C	DTP02	Date Time Format Qualifier		HETS returns 'D8' if the QMB period is still active and only has a start date. HETS returns 'RD8' if the QMB period has an end date.

Appendix A – Sample 270 Eligibility Request Transaction

This example includes the minimum required data elements for a HETS 270 request. Additional data may be provided but will not affect the 271 response.

Sample 270 Eligibility Request

□000000544□ ISA*00* *00* *ZZ*SUBMITTERID *ZZ*CMS *171104*0734*^*00501*000005014*1*P* |~ GS*HS*SUBMITTERID*CMS*20171104*073411*5014*X*005010X279A1~ ST*270*00000001*005010X279A1~ BHT*0022*13*TRANSA*20171104*073411~ HL*1**20*1~ NM1*PR*2*CMS*****PI*CMS~ HL*2*1*21*1~ NM1*1P*2*IRNAME****XX*1234567893~ HL*3*2*22*0~ TRN*1*TRACKNUM*ABCDEFGHIJ~ NM1*IL*1*LNAME*FNAME****MI*123456789A~ DMG*D8*19400401~ DTP*291*RD8*20170101-20171204~ EQ*10^14^30^42^45^48^67^A7^AD^AE^AG^BF^BG~ EQ**HC|80061~ EQ**HC|G0117~ SE*15*00000001~ GE*1*5014~ IEA*1*000005014~

Appendix B – Sample 271 Eligibility Response

Not all of the information presented in this example will be present on every HETS 271 response. This example is for illustrative purposes only and shows the various eligibility information that a 271 response may contain, including Part A, Part B, SNF, Hospital, Preventive, Smoking Cessation, Blood Deductible, Hospice, MSP, Home Health, Medicare Advantage, Part D, Inactive Periods, Preventive HCPCS, Rehabilitation, and Occupational, Physical, & Speech Therapies. This example does not include QMB Periods.

Sample 271 Eligibility Response

□0000004511□ ISA*00* *00* *ZZ*CMS *ZZ*SUBMITTERID *171104*0734*^*00501*11111111*0*P* |~ GS*HB*CMS*SUBMITTERID*20171104*07340000*1*X*005010X279A1~ ST*271*0001*005010X279A1~ BHT*0022*11*TRANSA*20171104*07342355~ HL*1**20*1~ NM1*PR*2*CMS*****PI*CMS~ HL*2*1*21*1~ NM1*1P*2*IRNAME****XX*1234567893~ HL*3*2*22*0~ TRN*2*TRACKNUM*ABCDEFGHIJ~ NM1*IL*1*LNAME*FNAME*M***MI*123456789A~ N3*ADDRESSLINE1*ADDRESSLINE2~ N4*CITY*ST*ZIPCODE~ DMG*D8*19400401*F~ DTP*307*RD8*20170101-20171204~ EB*6**30~ DTP*307*RD8*20170101-20170108~ EB*I**41^54~ EB*1**88~ EB*1**30^10^42^45^48^49^69^76^83^A5^A7^AG^BT^BU^BV*MA~ DTP*291*D8*20050401~ EB*D**30*MA~ DTP*292*RD8*20170116-20170120~ EB*C**30*MA**26*1316~ DTP*291*RD8*20170101-20171231~ EB*C**30*MA**29*1316~ DTP*291*RD8*20170101-20171231~ EB*C**30*MA**29*0~ DTP*291*RD8*20170116-20170120~ EB*C**42^45*MA**26*0~ DTP*292*RD8*20170101-20171231~ EB*B**30*MA**7*0~ HSD***DA**30*0~ HSD***DA**31*60~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**30*MA**7*329~ HSD***DA**30*60~ HSD***DA**31*90~ HSD****26*1~ DTP*435*RD8*20170101-20171231~

HSD***DA**29*60~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**30*MA**7*329~ HSD***DA**29*30~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**30*MA**7*0~ HSD***DA**29*56~ HSD****26*1~ DTP*435*RD8*20170116-20170120~ EB*B**30*MA**7*329~ HSD***DA**29*30~ HSD****26*1~ DTP*435*RD8*20170116-20170120~ EB*B**AG*MA**7*0~ HSD***DA**30*0~ HSD***DA**31*20~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**AG*MA**7*164.50~ HSD***DA**30*20~ HSD***DA**31*100~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**AG*MA**7*0~ HSD***DA**29*20~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**AG*MA**7*164.50~ HSD***DA**29*80~ HSD****26*1~ DTP*435*RD8*20170101-20171231~ EB*B**AG*MA**7*0~ HSD***DA**29*16~ HSD****26*1~ DTP*435*RD8*20170116-20170120~ EB*B**AG*MA**7*164.50~ HSD***DA**29*80~ HSD****26*1~ DTP*435*RD8*20170116-20170120~ EB*K**30*MA**32***DY*60~ EB*K**30*MA**33***DY*58~ EB*K**30*MA**7*658~ DTP*435*RD8*20170101-20171231~ EB*K**A7*MA**32***DY*190~ EB*K**A7*MA**33***DY*180~ EB*D**45*MA**26***99*1~ EB*1**30^2^3^5^10^14^23^24^25^26^27^28^33^36^37^38^39^40^42^50^51^52^53^67^69^73^76^83^86^98^A4^A6^ A8^AD^AE^AF^AI^AJ^AK^AL^BF^BG^BT^BU^BV^DM^UC*MB~ DTP*291*D8*20050401~ EB*C**30*MB**23*183~

EB*B**30*MA**7*0~

DTP*291*RD8*20170101-20171231~ EB*C**30*MB**29*0~ DTP*291*RD8*20170101-20171231~ EB*A**30*MB**27**.2~ DTP*291*RD8*20170101-20171231~ EB*C**42^67^AJ*MB**23*0~ DTP*292*RD8*20170101-20171231~ EB*A**42^67^AJ*MB**27**0~ DTP*292*RD8*20170101-20171231~ EB*C***MB**23*0*****HC|80061~ DTP*292*D8*20171104~ EB*A***MB**27**0*****HC|80061~ DTP*292*D8*20171104~ EB*D***MB******HC|80061~ DTP*348*D8*20130105~ EB*D***MB******HC|G0117~ DTP*348*D8*20120107~ EB*F**67*MB**22***VS*8~ HSD*VS*6***29~ EB*D**AD*MB***200~ DTP*292*RD8*20170101-20171231~ MSG*USED AMOUNT~ EB*D**AE*MB***0~ DTP*292*RD8*20170101-20171231~ MSG*USED AMOUNT~ EB*F**BF*MB**29***CA*72~ MSG*Professional~ EB*F**BF*MB**29***CA*72~ MSG*Technical~ EB*F**BG*MB*****99*0~ MSG*Professional~ EB*F**BG*MB*****99*0~ MSG*Technical~ EB*F**BG*MB*****99*15~ MSG*Intensive Cardiac Rehabilitation - Professional~ EB*F**BG*MB*****99*15~ MSG*Intensive Cardiac Rehabilitation – Technical~ EB*X**42***26~ DTP*472*RD8*20161222-20170116~ LS*2120~ NM1*PR*2*ORGNAME*****PI*CONTR~ NM1*1P*2*****XX*1234567890~ LE*2120~ EB*X********HC|G0180~ DTP*193*D8*20140101~ EB*X********HC|G0179~ DTP*193*D8*20140501~ DTP*193*D8*20140301~ EB*X**45*MA**26~ DTP*292*RD8*20170201-20170301~ MSG*Revocation Code – 1~ LS*2120~

NM1*1P*2*****XX*1234567890~

-67-

LE*2120~ EB*D**14*MB~ DTP*356*D8*20110601~ DTP*096*D8*20130105~ EB*E**10***23***DB*3~ HSD*FL*2***29~ DTP*292*RD8*20170101-20171231~ EB*R**88*OT~ REF*18*S0000 999~ DTP*292*D8*20130101~ LS*2120~ NM1*PRP*2*ORGNAME~ N3*ADDRESSLINE1*ADDRESSLINE2~ N4*CITY*ST*ZIPCODE~ PER*IC**TE*AAABBBCCCC*UR*www.website.com~ LE*2120~ EB*R**30*IN~ REF*18*H0000 999~ DTP*290*D8*20090101~ MSG*MCO Bill Option Code- C~ LS*2120~ NM1*PRP*2*ORGNAME~ N3*ADDRESSLINE1*ADDRESSLINE2~ N4*CITY*ST*ZIPCODE~ PER*IC**TE*AAABBBCCCC*UR*www.website.com~ LE*2120~ EB*R**30*13~ REF*IG*GROUPCOVERAGEPLANPOLICYNUMBER~ DTP*290*RD8*20110601-20170601~ LS*2120~ NM1*PRP*2*ORGNAME~ N3*ADDRESSLINE1*ADDRESSLINE2~ N4*CITY*ST*ZIPCODE~ LE*2120~ SE*181*0001~ GE*1*1~ IEA*1*111111111~

Appendix C – Acronyms

Table 45 presents a list of acronyms that are used in this document.

Table 45 – Acronyms

Acronym	Definition
ASC	Accredited Standards Committee
CMS	Centers for Medicare & Medicaid Services
DOB	Date of Birth
DOEBA	Date of Earliest Billing Activity
DOLBA	Date of Latest Billing Activity
EDI	Electronic Data Interchange
ESRD	End Stage Renal Disease
HCPCS	Healthcare Common Procedure Coding System
HDT	HETS Desktop
HETS	HIPAA Eligibility Transaction System
HICN	Health Insurance Claim Number
HIPAA	Health Insurance Portability and Accountability Act of 1996
HMO	Health Maintenance Organization
HTTP	Hypertext Transfer Protocol
IP	Internet Protocol
IPPE	Initial Preventive Physical Exam
MA	Medicare Advantage
MAC	Medicare Administrative Contractor
MCARE	Medicare Customer Assistance Regarding Eligibility
MIME	Multipurpose Internet Mail Extensions
MSP	Medicare Secondary Payer
NPI	National Provider Identifier
POS	Point of Service
PPO	Preferred Provider Organization
QMB	Qualified Medicare Beneficiary
RRB	Railroad Retirement Board
SNF	Skilled Nursing Facility
SOAP	Simple Object Access Protocol
STC	Service Type Code
TCP	Transmission Control Protocol
TPMS	Trading Partner Management System
TR3	ASC X12 270/271 Implementation Guide. Formerly known as the IG.
WSDL	Web Services Description Language
XML	Extensible Markup Language

Appendix D – Revision History

Table 46 provides a summary of changes made to this document.

Table 46 – Document Revision History

Version	Date	Description of Changes
Version 10-4	Date 10/12/2017	Description of Changes Changes include: Section 1.2 – Added note to indicate that questions about QMB eligibility should be directed to State online Medicaid eligibility systems or other documentation Section 7.2 – Added HCPCS codes 77067, 781528, GO297, G0442, G0443, G0472, G0473 and G0475 to the list of HETS supported HCPCS codes. Added notes to reflect that code G0202 will no longer be effective 01/01/2018. Added bullet to indicate that HETS will return hospital spell DCEBA-DOLBA for all spells that intersect the calendar year(s) of the date request regardless of STC or HCPCS code present on the 270 Section 7.6 – Updated to reflect that HETS will return all Part A Free Services date(s) within a single 271 2110C IDT P segment example to reflect that for 100% covered Part A services, HETS will return dates within a calendar year where no QMB enrollment is present Section 7.7.1 – Updated to reflect that HETS will return all Part B Free Services date(s) within a single 271 2110C IDT P segment example to reflect that for 100% covered Part A services, HETS will return dates within a calendar year where no QMB enrollment is present Section 7.7.1 – Updated to this section to reflect changes included in this release, including QMB related changes Section 7.8 – Updated to include descriptions of new HETS supported HCPCS codes. Added note to explain that HETS may return IPPE preventive codes as ineligible. Added note to reflect that GPE provide code code as ineligible. Added note to reflect that Hat Hospice Coccurrence Count will only be returned if the Medicare Beneficiary has Part A Entitlement Section 7.10 – Updated to include descriptions of new HETS will return dMB Periods Table 28 – Added new table to allots there thet will not return providive codes as ineligible. Added note to
		Minor grammatical and formatting updates throughout the document
10-3	08/24/2017	Changes include:
		Updated the linked address in Section 4.2.1 to reflect an updated URL. Section 7.20 – Updated the description of the MSP Policy Number to clarify that the returned number is the group coverage plan in which the Medicare Beneficiary is enrolled. Similar changes noted in Section 10.2, Table 41 and Appendix B

Version	Date	Description of Changes
10-2	12/05/2016	Changes include: Section 7.2 – Added HCPCS code 76706 to and removed HCPCS codes 77057 and G0389 from the list of HETS supported codes. HCPCS code 77057 is being removed from the list of supported codes effective 01/01/2017. HCPCS code 76706 is replacing HCPCS code G0389 effective 01/01/2017 Section 7.10 – Updated the seventeenth bullet in this section to reflect the removal of HCPCS code 77057 effective 01/01/2017. Updated the final bullet in this section to reflect the
		HCPCS code change of G0389 to 76706 effective 01/01/2017
10-1	06/21/2016	Changes include: Section 4.2.1 – Updated HETSHelp URL from <u>http://www.cms.gov/HETSHelp</u> to the new URL of <u>http://go.cms.gov/hetshelp</u> Section 7.2 – Added note that HETS will return a 999 error when a request is submitted with a dependent loop Section 10.2, Table 19 – Removed 2100A PER loop. HETS will no longer return a 2100A
		PER loop in each 271 response Appendix B – Removed 2100A PER loop from the sample response. HETS will no longer return a 2100A PER loop in each 271 response

Version	Date	Description of Changes
10-0	02/23/2016	Changes include:
	0_,_0,_0,0	Section 1.3 – Updated to include reference to the HETS Trading Partner SOAP/MIME
		Connectivity Instructions
		Section 1.4 – Mentioned that repetitive sending of the same transaction in a single day is an
		aberrant behavior that will be monitored
		Section 4.3.1 – Figure 3 updated to include more current sample data
		Section 4.3.2 – Removed references to December 31, 2015 deadline to utilize TLS 1.2 and a
		SHA2-256 certificate as this deadline has passed
		Section 4.3.2.2 – Updated list of Entrust digital certificate types accepted by HETS
		Section 4.3.3.4 – Updated to reflect that the SOAP specific URL is available in the HETS
		Trading Partner SOAP/MIME Connectivity Instructions
		Section 4.3.3.6 - Tables 2-5 updated to include updated W3C URL. Tables 3 & 5 updated to
		include proper Payload Type code for TA1 situations. Titles of Tables 3 & 5 also updated
		Section 4.3.4.1 – Updated to reflect that the MIME specific URL is available in the HETS
		Trading Partner SOAP/MIME Connectivity Instructions
		Section 7.2 – Noted that the HETS 271 database is only updated once per day, therefore
		Trading Partners should not submit the same transaction multiple times per day expecting to
		receive updated results. Also added note that "child" components of STC 1, 30, 35, 47 and/or
		MH will not be returned when the Medicare Beneficiary is ineligible. Also added note with
		restrictions as to when STC 48 & 49 are not returned in the 271 response
		Section 7.3 – Added note that submitting a Beneficiary Middle Name or Initial in 270 2100C
		NM105, a Gender Code in 270 2100C DMG03 or a value of 'SY' in 270 2100C REF01 will
		result in a 999 response. Added general note that Trading Partners should not send
		additional Beneficiary data elements outside of items listed in Table 9. HCPCS code 90669
		removed from the list of supported HCPCS codes
		Section 7.5 – Added clarifying notes regarding how HETS responds to supported STCs when
		the Medicare Beneficiary is deceased and the Date of Death is prior to the requested Date(s)
		of Service
		Section 7.10 – HCPCS code 90669 removed from the list of supported Preventive HCPCS
		codes
		Section 7.11 – Removed previous 2nd bullet stating that HETS will return a separate 2110C
		loop when STC 67 is submitted on the request for a deceased Medicare Beneficiary
		Section 7.12 – Added clarifying note to 3rd bullet
		Section 8.3 – Table 11 updated to reflect new AAA code "T4" and modified error message
		code descriptions for AAA03 04, 79, 41, 43, 51 and 72 reject reason code descriptions
		Section 8.4 – Tables 12 & 13 updated to reflect changes to Proprietary Error handling
		Section 8.5.2 – Table 14 updated to reflect new and updated Error Codes and Error
		Messages
		Section 8.5.3 – Table 15 updated to add a new Error Code and Error Message while deleting
		all previous Error Codes and Error Messages Section 8.5.4 – The previous Table 16 (MIME-Specific Processing Errors) was deleted.
		HETS will no longer return MIME-specific processing errors Section 10.1.3 – Table 19. Added notes specifying maximum allowable length for Subscriber
		Last Name and Subscriber First Name
		Section 10.2 – Table 22. Added note that HETS will return 'MISSING' in the 2100C NM109 if
		there is no HICN submitted in the 270 request
		Appendix C – Table 42. Added HDT/HETS Desktop
		Minor grammatical and formatting updates throughout the document including consistently
		using the term 'Trading Partner' in lieu of 'Submitter'. Also updated sample data throughout
		the document to more current examples.
9-4	08/25/2015	Changes include:
3-4	00/20/2010	Section 4.3 – Updated section including changing TLS version to 1.1 (and moving to TLS 1.2
		in 2015), requiring SHA2-256 encryption in 2015, updating links to CAQH.org webpages, and
		updating the list of approved digital certificates in Section 4.3.2.

Version	Date	Description of Changes
9-3	04/27/2015	Changes include:
		Section 1.4 – Added note clarifying that the HETS 270/271 application is not a claims
		processing or appeals system
		Section 2.2 – Added a direct link to the HETS 270/271 Trading Partner Agreement form
		Section 4.1.1 & Figure 1 – Updated to include reference to the annual HETS Trading Partner
		Recertification process
		Section 4.2.1 – Removed reference to the HETS Status website while adding link to the
		HETS Help website.
		Figure 3 – Updated TCP/IP Communication Transport Protocol Wrapper example to better
		match structure of a current HETS 270 request
		Table 3 & 5 – Updated description of the 271 ReceiverID field
		Section 7.1 – Added specific reference to X12 00510X231 TR3
		Section 7.2 – Reorganized section. Clarified date(s) of service rule relevant to child STCs.
		Removed note that HETS will return a 999 error when a request is submitted with a
		dependent loop. Added notes defining STC and HCPCS acronym definitions.
		Section 7.7.1 – Removed Mental Health Coinsurance Percentage bullet and sample data
		Section 7.8 – Added bullet to describe condition where overlapping Hospital spells may occur
		due to changes in Medicare Beneficiary primary entitlement coverage
		Section 7.11 – Updated bullet to clarify business rules
		Section 8.2 – Added specific reference to X12 005010X231 TR3
		Table 11 – Updated AAA03=52 Error to clarify that HETS 270/271 may require an overnight update after a new Submitter ID/NPI relationship is created in HPG
		Table 11 – Updated AAA03=62 Error condition to reflect searches beyond 12 months
		historical (previously 27 months historical)
		Table 13 – Removed a Proprietary Error code (HTS00106) that is no longer valid
		Updated hyperlinks throughout the document
		Table 23 – Update to reflect that HETS will return address information as Unknown if the
		address of file is missing or invalid
		Table 40 – Update to reflect that HETS will return address information as Unknown if the
		address of file is missing or invalid
		Table 41 – Update to reflect that HETS will return address information as Unknown if the
		address of file is missing or invalid
		Appendix A & B – Updated sample transactions to more current examples
		Minor grammatical and formatting updates throughout the document
L	1	miner grammatical and formatting apartee throughout the document

Version	Date	Description of Changes
9-2	7/11/2014	Changes include:
		Section 4.2.1 – Updated hyperlink from the HETS Help index to the HETS Help Spotlight Section 4.3 – Updated section to include reference to the HETS SOAP/MIME Connectivity document
		Section 4.3.2.4 – Updated note to include reference to payload information in Table 2 Section 7.1 – Update section to include mention that CMS will return a standard set of
		delimiters on each 271 response regardless of the delimiters sent in the 270 request
		Section 7.4 – Updated supported historical Date of Service search from 27 months to 12
		months to allow HETS to mirror the Medicare Fee-for-Service timely filing requirements that were enacted under the Patient Protection and Affordable Care Act (PPACA) in 2010
		Section 7.6 – Updated DOEBA/DOLBA bullet to include +/- 60 days Section 7.9 – Updated to note that HETS will now return the Home Health Contractor number
		when the Home Health Contractor name is not available Section 7.16 – Updated to note that Medicare Beneficiary must have Part A Entitlement for
		Hospice information to be returned in the 271 response
		Section 8.1 – Updated to reflect that HETS returns a TA1 when the Trading Partner is not actively authorized to use HETS 270/271
		Section 8.3 – Updated Table 11 to include new 2100A AAA03 = '04' error code. This condition currently returns a 999 error
		Section 9.0 – Updated to include reference to the annual Trading Partner Agreement recertification requirement
		Table 19 – Updated 2110C EQ01&02 note/comment to remove reference to STC 30 and include reference to Section 7.2
		Tables 33-36 – Updated in-table 2110C EB comment to correct section reference names
		Table 37 – Corrected EB04 note/comment to properly note that STC 15 returns MA while
		STC 14 returns MB
		Table 41 – Updated 2120C N3 & N4 loops to reflect change in address information that will
		be returned if a MA plan address information is incomplete in the CMS plan database. Updated hyperlinks throughout the document
9-1	1/14/2014	2014Q100 Changes include:
		Section 7.2 and 7.10-Updated with Bone Density codes
		Updated examples throughout Section 7, Appendix A and B
9-0	12/30/2013	Updates for X12 verbiage
8-1	10/15//2013	Changes include:
		Table 31- Added new HH+H numbers 06001, 06014 Table 27 and Section 7.7.1- Updated DTP to be 291 for Plan Level Part B Coinsurance.
8-0	7/18/2013	2013Q400 Changes include:
		Section 2.2- Updated wording
		Figure2- Removed URLs
		Table 2 and 4 - Updated Sender ID and payload
		Section 4.3 - Updated wording Section 7.2- Updated bullets for coinsurance
		Table 10- Updated the example
		Section 7.6- Updated the examples
		Section 7.7.1 – Updated bullets for coinsurance
		Section 7.8 – Updated for psych data and updated examples
		Section 7.16 – Updated for Hospice Occurrences and updated examples
		Table 27 and 30 – Updated EB03
		Table 31- Added new HH+H numbers 06004, 14014 Table 39 –Updated for Hospice Occurrence
		Updated Appendix A and B for Coinsurance, Psych data and Hospice Occurrence
7-4	4/30/2013	Corrected delimiter in Appendix A example
7-3	04/08/2013	Changes include:
		Section 7.2- Updated the bullets for STC= 30.

Version	Date	Description of Changes
7-2	04/1/2013	Changes Include:
		Section 7.2 – Added bullets for HCPCS, updated "child" component bullet for DOD.
		Section 7.5 – Updated EB01 = "6" bullet and example.
		Section 7.7 – Updated for HCPCS financials business rules.
		Section 7.10 – Removed G0442/0443 and added bullet for modifier and
		Professional/Technical
		Section 7.11 – Added bullet for base/remaining sessions = 8
		Table 22 – Updated address elements for missing data.
		Added new tables 28 and 29 for HCPCS Deductible and Coinsurance information.
		Appendix A and B $-$ Updated the 270/271 examples.
7-1	03/06/2013	Changes include:
		Section 4.3.2.4 – Updated URL for SOAP transactions.
		Section 4.3.3.1 – Updated URL for MIME transactions.
7-0	02/15/2013	Changes include:
		Section 1.2 – Updated to include internet protocols.
		Section 4.1.2 – Added Transaction Process for all communication protocols.
		Section 4.3 – Updated section and added sub-sections for SOAP and MIME.
		Section 4.4 – Updated for SOAP and MIME.
		Section 7.7 – Updated example for percentage format.
		Section 7.9 and Table 30 – Replaced colon with pipe for HC G0180 and HC G0179.
		Section 8.3 – Removed text reference to AAA code 74 since it was removed from the table in
		a previous release.
		Section 8.5 – Added section for SOAP and MIME errors.
		Table 29 – Corrected DTP01 code value for the Lifetime Benefit Reserve EB Loop