

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 1  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
RIC	1	2					C Record Identification Code
VERSION	3	1					C Version Number
BASEID	4	8					C Unique SP Identification Number
AA2	12	2	GEND				N ID; gender
				3,828			1 Male
				10,286			2 Female
AA3	14	10					N ID; birthdate
AA4	24	2	RACEETH				N ID; race/ethnicity
				3			. Missing
				7			-1 Unable to determine
				65			1 Amer Indian/Alaskan Native
				97			2 Asian/Pacific Islander
				1,424			3 Black, not of Hispanic origin
				232			4 Hispanic
				12,286			5 White, not of Hispanic origin
AA6A	26	15					C ID; facility provider number, state
AA6B	41	12					C ID, facility provider number, federal
AA8A	53	2	\$PASSESS				C ID; primary reason for assessment
				1,631			00 None of above
				1,122			01 Admission assessment
				1,406			02 Annual assessment
				836			03 Signif change in status assessment
				17			04 Signif correction of prior full
				5,555			05 Quarterly review assessment
				1,265			06 Discharged; return not anticipated
				1,102			07 Discharged; return anticipated
				241			08 Discharged; prior to initial assessment
				923			09 Re-entry
				16			10 Signif correction of prior quarterly
AA8B	55	1	\$CASSESS				C ID; codes for assessments required
				11,265			Missing
				1,163			1 Medicare 5 day assessment
				341			2 Medicare 30 day assessment
				128			3 Medicare 60 day assessment
				101			4 Medicare 90 day assessment
				65			5 Medicare readmission/return assessment
				231			6 Other state required assessment
				728			7 Medicare 14 day assessment
				92			8 Other Medicare required assessment
AB1	56	10					N Residential; date of entry

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 2  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB2	66	2	ADMITFRM				N Residential; admitted from
				3,883			. Missing
				3,896			-2 Item was left blank
				11			-1 Unable to determine
				894			1 Private home w/ no home health services
				336			2 Private home w/ home health services
				247			3 Board and care/assist living/group home
				687			4 Nursing home
				3,887			5 Acute care hospital
				96			6 Psychiatric hospital, MR/DD facility
				87			7 Rehabilitation hospital
				90			8 Other
AB3	68	2	YESNOALO				N Residential; lived alone
				3,925			. Missing
				4,189			-2 Item was left blank
				52			-1 Unable to determine
				3,467			0 No
				1,624			1 Yes
				857			2 In other facility
AB4	70	5					C Residential; zip code, prior primary res
AB5A	75	2	INDIC				N Residential; prior stay in nursing home
				3,923			. Missing
				4,196			-2 Item was left blank
				34			-1 Unable to determine
				5,052			0 Not indicated
				909			1 Indicated
AB5B	77	2	INDIC				N Residential; stay in other nursing home
				3,923			. Missing
				4,198			-2 Item was left blank
				34			-1 Unable to determine
				4,819			0 Not indicated
				1,140			1 Indicated
AB5C	79	2	INDIC				N Residential; other residential facility
				3,923			. Missing
				4,198			-2 Item was left blank
				34			-1 Unable to determine
				5,307			0 Not indicated
				652			1 Indicated
AB5D	81	2	INDIC				N Residential; MH/psychiatric setting
				3,923			. Missing
				4,198			-2 Item was left blank
				34			-1 Unable to determine
				5,830			0 Not indicated
				129			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 3  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB5E	83	2	INDIC				N Residential; MR/DD setting
				3,923			. Missing
				4,198			-2 Item was left blank
				34			-1 Unable to determine
				5,949			0 Not indicated
				10			1 Indicated
AB5F	85	2	INDIC				N Residential; none of above
				3,940			. Missing
				4,189			-2 Item was left blank
				34			-1 Unable to determine
				2,497			0 Not indicated
				3,454			1 Indicated
AB6	87	21					C Demo; lifetime occupation(s)
AB7	108	2	HIEDUCAT				N Demo; highest of education complete
				3,942			. Missing
				4,192			-2 Item was left blank
				194			-1 Unable to determine
				149			1 No schooling
				1,594			2 8th grade/less
				843			3 9-11 grades
				1,921			4 High school
				316			5 Technical or trade school
				518			6 Some college
				359			7 Bachelors degree
				86			8 Graduate degree
AB8A	110	2	PRIMLANG				N Demo; primary language
				3,925			. Missing
				4,184			-2 Item was left blank
				24			-1 Unable to determine
				5,776			0 English
				106			1 Spanish
				14			2 French
				85			3 Other
AB8B	112	9					C Demo; other primary language
AB9	121	2	YESNO				N Mental; indication of MR/MI/DD history
				3,925			. Missing
				4,196			-2 Item was left blank
				30			-1 Unable to determine
				5,608			0 No
				355			1 Yes
Note: See MENTAL in Ric2F							
AB10A	123	2	INDIC				N Mental; status, no MR/DD
				3,924			. Missing
				4,207			-2 Item was left blank
				19			-1 Unable to determine
				171			0 Not indicated
				5,793			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 4  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB10B	125	2	INDIC				N Mental; status, downs syndrome
				3,932			. Missing
				9,966			-2 Item was left blank
				17			-1 Unable to determine
				193			0 Not indicated
				6			1 Indicated
AB10C	127	2	INDIC				N Mental; status, autism
				3,932			. Missing
				9,968			-2 Item was left blank
				17			-1 Unable to determine
				196			0 Not indicated
				1			1 Indicated
AB10D	129	2	INDIC				N Mental; status, epilepsy
				3,932			. Missing
				9,966			-2 Item was left blank
				17			-1 Unable to determine
				182			0 Not indicated
				17			1 Indicated
AB10E	131	2	INDIC				N Mental; status, other organic condition
				3,932			. Missing
				9,966			-2 Item was left blank
				17			-1 Unable to determine
				129			0 Not indicated
				70			1 Indicated
AB10F	133	2	INDIC				N Mental; status, MR/DD w/ no organic cond
				3,932			. Missing
				9,965			-2 Item was left blank
				18			-1 Unable to determine
				114			0 Not indicated
				85			1 Indicated
AB11	135	10					N Date background information completed
AC1A	145	2	INDIC				N Routine; event, stays up late at night
				3,923			. Missing
				4,410			-2 Item was left blank
				82			-1 Unable to determine
				3,742			0 Not indicated
				1,957			1 Indicated
AC1B	147	2	INDIC				N Routine; event, naps regularly
				3,923			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				2,555			0 Not indicated
				3,146			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 5  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1C	149	2	INDIC				N Routine; event, goes out 1+ days
				3,923			. Missing
				4,410			-2 Item was left blank
				82			-1 Unable to determine
				3,588			0 Not indicated
				2,111			1 Indicated
AC1D	151	2	INDIC				N Routine; event, stays busy
				3,923			. Missing
				4,410			-2 Item was left blank
				82			-1 Unable to determine
				2,969			0 Not indicated
				2,730			1 Indicated
AC1E	153	2	INDIC				N Routine; event, most of time spent alone
				3,923			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				3,397			0 Not indicated
				2,304			1 Indicated
AC1F	155	2	INDIC				N Routine; event, moves independent indoor
				3,923			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				2,065			0 Not indicated
				3,636			1 Indicated
AC1G	157	2	INDIC				N Routine; event, use of tobacco products
				3,923			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				5,329			0 Not indicated
				372			1 Indicated
AC1H	159	2	INDIC				N Routine; event, none of above
				3,939			. Missing
				4,406			-2 Item was left blank
				82			-1 Unable to determine
				5,154			0 Not indicated
				533			1 Indicated
AC1I	161	2	INDIC				N Routine; eating, distinct food pref
				3,924			. Missing
				4,409			-2 Item was left blank
				82			-1 Unable to determine
				4,600			0 Not indicated
				1,099			1 Indicated
AC1J	163	2	INDIC				N Routine; eating, eats between meals
				3,924			. Missing
				4,410			-2 Item was left blank
				92			-1 Unable to determine
				4,034			0 Not indicated
				1,654			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 6  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1K	165	2	INDIC				N Routine; eating, use of alcoholic bev
				3,924			. Missing
				4,409			-2 Item was left blank
				82			-1 Unable to determine
				5,527			0 Not indicated
				172			1 Indicated
AC1L	167	2	INDIC				N Routine; eating, none of above
				3,940			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				2,431			0 Not indicated
				3,253			1 Indicated
AC1M	169	2	INDIC				N Routine; ADL, bedclothes most of day
				3,924			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				5,110			0 Not indicated
				590			1 Indicated
AC1N	171	2	INDIC				N Routine; ADL, wakens to toilet
				3,924			. Missing
				4,410			-2 Item was left blank
				82			-1 Unable to determine
				2,968			0 Not indicated
				2,730			1 Indicated
AC1O	173	2	INDIC				N Routine; ADL, irregular bowel movement
				3,924			. Missing
				4,410			-2 Item was left blank
				82			-1 Unable to determine
				4,716			0 Not indicated
				982			1 Indicated
AC1P	175	2	INDIC				N Routine; ADL, showers for bathing
				3,924			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				3,082			0 Not indicated
				2,618			1 Indicated
AC1Q	177	2	INDIC				N Routine; ADL, bathing in PM
				3,924			. Missing
				4,410			-2 Item was left blank
				83			-1 Unable to determine
				5,115			0 Not indicated
				582			1 Indicated
AC1R	179	2	INDIC				N Routine; ADL, none of above
				3,940			. Missing
				4,408			-2 Item was left blank
				82			-1 Unable to determine
				4,355			0 Not indicated
				1,329			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 7  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1S	181	2	INDIC				N Routine; involve, daily contact family
				3,923			. Missing
				4,409			-2 Item was left blank
				81			-1 Unable to determine
				1,646			0 Not indicated
				4,055			1 Indicated
AC1T	183	2	INDIC				N Routine; involve, attends church
				3,923			. Missing
				4,409			-2 Item was left blank
				81			-1 Unable to determine
				4,005			0 Not indicated
				1,696			1 Indicated
AC1U	185	2	INDIC				N Routine; involve, strength in faith
				3,923			. Missing
				4,409			-2 Item was left blank
				81			-1 Unable to determine
				2,916			0 Not indicated
				2,785			1 Indicated
AC1V	187	2	INDIC				N Routine; involve, animal companion
				3,923			. Missing
				4,409			-2 Item was left blank
				81			-1 Unable to determine
				5,066			0 Not indicated
				635			1 Indicated
AC1W	189	2	INDIC				N Routine; involve, group activities
				3,923			. Missing
				4,408			-2 Item was left blank
				81			-1 Unable to determine
				4,215			0 Not indicated
				1,487			1 Indicated
AC1X	191	2	INDIC				N Routine; involve, none of above
				3,939			. Missing
				4,407			-2 Item was left blank
				81			-1 Unable to determine
				4,970			0 Not indicated
				717			1 Indicated
AC1Y	193	2	INDIC				N Routine; unknown routines
				3,927			. Missing
				4,198			-2 Item was left blank
				5,700			0 Not indicated
				289			1 Indicated
A2	195	5					C Background; room number
A3A	200	10					N Background; assessment reference date
A4B	210	2					N Background; original or copy number
A4A	212	10					N Background; date of reentry

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 8  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A5	222	2	MARITAL				N Background; marital status
				8,297			. Missing
				3			-3 Does not apply to this assessment
				6			-1 Unable to determine
				652			1 Never married
				1,174			2 Married
				3,516			3 Widowed
				72			4 Separated
				394			5 Divorced
A6	224	12					C Background; medical record number
A7A	236	2	INDIC				N Payment; Medicaid per diem
				8,310			. Missing
				2			-3 Does not apply to this assessment
				3,369			0 Not indicated
				2,433			1 Indicated
A7B	238	2	INDIC				N Payment; Medicare per diem
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,513			0 Not indicated
				2,288			1 Indicated
A7C	240	2	INDIC				N Payment; Medicare ancillary part A
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,483			0 Not indicated
				1,318			1 Indicated
A7D	242	2	INDIC				N Payment; Medicare ancillary part B
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,124			0 Not indicated
				677			1 Indicated
A7E	244	2	INDIC				N Payment; CHAMPUS per diem
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,799			0 Not indicated
				2			1 Indicated
A7F	246	2	INDIC				N Payment; VA per diem
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,769			0 Not indicated
				32			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 9  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A7G	248	2	INDIC				N Payment; self/family pays full per diem
				8,311			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,844			0 Not indicated
				956			1 Indicated
A7H	250	2	INDIC				N Payment; Mcaid res liab/Mcare co-payment
				8,311			. Missing
				2			-3 Does not apply to this assessment
				4,926			0 Not indicated
				875			1 Indicated
A7I	252	2	INDIC				N Payment; private insurance per diem
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,085			0 Not indicated
				716			1 Indicated
A7J	254	2	INDIC				N Payment; other per diem
				8,310			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,662			0 Not indicated
				139			1 Indicated
A9A	256	2	INDIC				N Decisions; legal guardian
				8,312			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,470			0 Not indicated
				328			1 Indicated
A9B	258	2	INDIC				N Decisions; other legal oversight
				8,312			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,648			0 Not indicated
				150			1 Indicated
A9C	260	2	INDIC				N Decisions; dur power attorney/health
				8,312			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,949			0 Not indicated
				1,849			1 Indicated
A9D	262	2	INDIC				N Decisions; dur power attorney/financial
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,412			0 Not indicated
				1,387			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 10  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A9E	264	2	INDIC				N Decisions; family member responsible
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				2,093			0 Not indicated
				3,703			1 Indicated
A9F	266	2	INDIC				N Decisions; patient responsible for self
				8,312			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,823			0 Not indicated
				1,975			1 Indicated
A9G	268	2	INDIC				N Decisions; none of the above
				8,333			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,577			0 Not indicated
				202			1 Indicated
A10A	270	2	INDIC				N Adv directives; living will
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,541			0 Not indicated
				1,258			1 Indicated
Note: See ADLIVWIL in Ric2F							
A10B	272	2	INDIC				N Adv directives; do not resuscitate
				8,292			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,866			0 Not indicated
				2,953			1 Indicated
Note: See ADDNRES in Ric2F							
A10C	274	2	INDIC				N Adv directives; do not hospitalize
				8,292			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,624			0 Not indicated
				195			1 Indicated
Note: See ADDNHOSP in Ric2F							
A10D	276	2	INDIC				N Adv directives; organ donation
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,784			0 Not indicated
				15			1 Indicated

RIC: MD  
Page: 11  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A10E	278	2	INDIC				N Adv directives; autopsy request
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,791			0 Not indicated
				8			1 Indicated
A10F	280	2	INDIC				N Adv directives; feeding restrict
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,241			0 Not indicated
				558			1 Indicated
A10G	282	2	INDIC				N Adv directives; medication restrict
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,587			0 Not indicated
				212			1 Indicated
A10H	284	2	INDIC				N Adv directives; other treatment restrict
				8,312			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,358			0 Not indicated
				441			1 Indicated
A10I	286	2	INDIC				N Adv directives; none of above
				8,333			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,501			0 Not indicated
				2,278			1 Indicated
B1	288	2	YESNO				N Cognitive; comatose
				3,532			. Missing
				4			-1 Unable to determine
				10,526			0 No
				52			1 Yes
			Note: See COMATOSE in Ric2F				
B2A	290	2	MEMORY				N Cognitive; short-term memory OK
				3,533			. Missing
				53			-2 Item was left blank
				10			-1 Unable to determine
				2,967			0 Memory OK
				7,551			1 Memory problem
			Note: See CSMEMST in Ric2F				

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 12  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B2B	292	2	MEMORY				N Cognitive; long-term memory OK
				3,533			. Missing
				53			-2 Item was left blank
				11			-1 Unable to determine
				4,571			0 Memory OK
				5,946			1 Memory problem
			Note: See CSMEMLT in Ric2F				
B3A	294	2	INDIC				N Cognitive; recall; current season
				5,906			. Missing
				7			-3 Does not apply to this assessment
				34			-2 Item was left blank
				7			-1 Unable to determine
				4,665			0 Not indicated
				3,495			1 Indicated
			Note: See CSCURSEA in Ric2F				
B3B	296	2	INDIC				N Cognitive; recall; location of own room
				5,906			. Missing
				7			-3 Does not apply to this assessment
				34			-2 Item was left blank
				7			-1 Unable to determine
				3,785			0 Not indicated
				4,375			1 Indicated
			Note: See CSLOCROM in Ric2F				
B3C	298	2	INDIC				N Cognitive; recall; staff names/faces
				5,906			. Missing
				7			-3 Does not apply to this assessment
				34			-2 Item was left blank
				7			-1 Unable to determine
				3,016			0 Not indicated
				5,144			1 Indicated
			Note: See CSNAMFAC in Ric2F				
B3D	300	2	INDIC				N Cognitive; recall; lives in nursing home
				5,882			. Missing
				23			-3 Does not apply to this assessment
				34			-2 Item was left blank
				7			-1 Unable to determine
				3,535			0 Not indicated
				4,633			1 Indicated
			Note: See CSINNH in Ric2F				
B3E	302	2	INDIC				N Cognitive; recall; none of the above
				5,903			. Missing
				23			-3 Does not apply to this assessment
				34			-2 Item was left blank
				7			-1 Unable to determine
				5,957			0 Not indicated
				2,190			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 13  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B4	304	2	COGNITIV				N Cognitive; daily decision making skills
				3,533			. Missing
				53			-2 Item was left blank
				1			-1 Unable to determine
				2,126			0 Independent
				2,081			1 Modified independence
				3,945			2 Moderately impaired
				2,375			3 Severely impaired
Note: See CSDECIS in Ric2F							
B5A	306	2	COGNITIV				N Cognitive; delirium, easily distracted
				3,533			. Missing
				53			-2 Item was left blank
				1			-1 Unable to determine
				8,272			0 Independent
				2,192			1 Modified independence
				63			2 Moderately impaired
				0			3 Severely impaired
B5B	308	2	COGNITIV				N Cognitive; delirium, altered perception
				3,533			. Missing
				53			-2 Item was left blank
				4			-1 Unable to determine
				8,549			0 Independent
				1,861			1 Modified independence
				114			2 Moderately impaired
				0			3 Severely impaired
B5C	310	2	COGNITIV				N Cognitive; delirium, disorganized speech
				3,533			. Missing
				53			-2 Item was left blank
				1			-1 Unable to determine
				8,486			0 Independent
				1,953			1 Modified independence
				88			2 Moderately impaired
				0			3 Severely impaired
B5D	312	2	COGNITIV				N Cognitive; delirium, restlessness
				3,533			. Missing
				53			-2 Item was left blank
				1			-1 Unable to determine
				8,550			0 Independent
				1,850			1 Modified independence
				127			2 Moderately impaired
				0			3 Severely impaired
B5E	314	2	COGNITIV				N Cognitive; delirium, lethargy
				3,533			. Missing
				53			-2 Item was left blank
				2			-1 Unable to determine
				9,210			0 Independent
				1,134			1 Modified independence
				182			2 Moderately impaired
				0			3 Severely impaired

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 14  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B5F	316	2	COGNITIV				N Cognitive; delirium, varied function
				3,533			. Missing
				54			-2 Item was left blank
				5			-1 Unable to determine
				7,883			0 Independent
				2,498			1 Modified independence
				141			2 Moderately impaired
				0			3 Severely impaired
B6	318	2	CHANGE				N Cognitive; change in last 90 days
				8,287			. Missing
				22			-3 Does not apply to this assessment
				29			-2 Item was left blank
				5			-1 Unable to determine
				4,949			0 No change
				165			1 Improved
				657			2 Deteriorated
C1	320	2	HEAR				N Comm; hearing ability
				8,311			. Missing
				1			-3 Does not apply to this assessment
				26			-2 Item was left blank
				9			-1 Unable to determine
				3,629			0 Hears adequately
				1,305			1 Minimal difficulty
				698			2 Hears in special situations only
				135			3 Highly impaired
Note: See HCHECOND in Ric2F							
C2A	322	2	INDIC				N Comm; hearing aid, present and used
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,227			0 Not indicated
				549			1 Indicated
Note: See HCHEAID in Ric2F							
C2B	324	2	INDIC				N Comm; hearing aid, present and not used
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,624			0 Not indicated
				152			1 Indicated
C2C	326	2	INDIC				N Comm; other receptive used
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,714			0 Not indicated
				62			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 15  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C2D	328	2	INDIC				N Comm; none of above comm methods used
				8,332			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				729			0 Not indicated
				5,026			1 Indicated
C3A	330	2	INDIC				N Comm; modes, speech
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				3			-1 Unable to determine
				348			0 Not indicated
				5,429			1 Indicated
C3B	332	2	INDIC				N Comm; modes, writing messages to clarify
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,681			0 Not indicated
				95			1 Indicated
C3C	334	2	INDIC				N Comm; modes, ASL or braille
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,772			0 Not indicated
				4			1 Indicated
C3D	336	2	INDIC				N Comm; modes, signs, gestures, or sounds
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				4,603			0 Not indicated
				1,173			1 Indicated
C3E	338	2	INDIC				N Comm; modes, communication board
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,731			0 Not indicated
				45			1 Indicated
C3F	340	2	INDIC				N Comm; modes, other
				8,311			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,751			0 Not indicated
				25			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 16  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C3G	342	2	INDIC				N Comm; modes, none of above
				8,332			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				3			-1 Unable to determine
				5,615			0 Not indicated
				141			1 Indicated
C4	344	2	UNDERSTO				N Comm; ability to make self understood
				3,533			. Missing
				52			-2 Item was left blank
				6			-1 Unable to determine
				5,235			0 Understood
				2,429			1 Usually understood
				1,689			2 Sometimes understood
				1,170			3 Rarely/Never understood
Note: See HCUNCOND in Ric2F							
C5	346	2	CLEAR				N Comm, speech clarity
				8,311			. Missing
				1			-3 Does not apply to this assessment
				26			-2 Item was left blank
				1			-1 Unable to determine
				4,287			0 clear speech
				1,222			1 unclear speech
				266			2 no speech
C6	348	2	UNDERSTA				N Comm; ability to understand others
				3,533			. Missing
				52			-2 Item was left blank
				10			-1 Unable to determine
				4,619			0 Understands
				2,892			1 Usually understands
				2,047			2 Sometimes understands
				961			3 Rarely/Never understands
Note: See HCUNDOTH in Ric2F							
C7	350	2	CHANGE				N Comm; change in last 90 days
				8,311			. Missing
				1			-3 Does not apply to this assessment
				26			-2 Item was left blank
				6			-1 Unable to determine
				5,227			0 No change
				99			1 Improved
				444			2 Deteriorated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 17  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D1	352	2	ADEQUATE				N Vision
				8,308			. Missing
				1			-3 Does not apply to this assessment
				27			-2 Item was left blank
				17			-1 Unable to determine
				3,356			0 Adequate
				1,320			1 Impaired
				499			2 Moderately impaired
				445			3 Highly impaired
				141			4 Severely impaired
Note: See VISION in Ric2F							
D2A	354	2	INDIC				N Vision; limitation, side vision problems
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				10			-1 Unable to determine
				5,573			0 Not indicated
				180			1 Indicated
D2B	356	2	INDIC				N Vision; limitation, halos/rings/flashes
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				10			-1 Unable to determine
				5,710			0 Not indicated
				43			1 Indicated
D2C	358	2	INDIC				N Vision; limitation, none of above
				8,349			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				10			-1 Unable to determine
				216			0 Not indicated
				5,516			1 Indicated
D3	360	2	YESNO				N Vision; corrective eyewear, etc.
				8,328			. Missing
				1			-3 Does not apply to this assessment
				27			-2 Item was left blank
				6			-1 Unable to determine
				1,754			0 No
				3,998			1 Yes
Note: See VISAPPL in Ric2F							
E1A	362	2	INDICTH				N Mood; negative statements
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				10,026			0 Not exhibited in last 30 days
				408			1 Exhibited up to 5 days week
				93			2 Exhibited 6 to 7 days week

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 18  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1B	364	2	INDICTH				N Mood; repetitive questions
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				9,896			0 Not exhibited in last 30 days
				427			1 Exhibited up to 5 days week
				204			2 Exhibited 6 to 7 days week
E1C	366	2	INDICTH				N Mood; repetitive verbalizations
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				9,746			0 Not exhibited in last 30 days
				500			1 Exhibited up to 5 days week
				281			2 Exhibited 6 to 7 days week
E1D	368	2	INDICTH				N Mood; persistent anger w/ self or others
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				9,090			0 Not exhibited in last 30 days
				1,057			1 Exhibited up to 5 days week
				380			2 Exhibited 6 to 7 days week
E1E	370	2	INDICTH				N Mood; self deprecation
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				10,353			0 Not exhibited in last 30 days
				153			1 Exhibited up to 5 days week
				21			2 Exhibited 6 to 7 days week
E1F	372	2	INDICTH				N Mood; unrealistic fears
				3,533			. Missing
				51			-2 Item was left blank
				5			-1 Unable to determine
				10,139			0 Not exhibited in last 30 days
				314			1 Exhibited up to 5 days week
				72			2 Exhibited 6 to 7 days week
E1G	374	2	INDICTH				N Mood; belief terrible going to happen
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				10,392			0 Not exhibited in last 30 days
				112			1 Exhibited up to 5 days week
				23			2 Exhibited 6 to 7 days week
E1H	376	2	INDICTH				N Mood; repetitive health complaints
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				9,662			0 Not exhibited in last 30 days
				651			1 Exhibited up to 5 days week
				214			2 Exhibited 6 to 7 days week

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 19  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1I	378	2	INDICTH				N Mood; repetitive anxious complaints
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				9,568			0 Not exhibited in last 30 days
				695			1 Exhibited up to 5 days week
				264			2 Exhibited 6 to 7 days week
E1J	380	2	INDICTH				N Mood; unpleasant mood in AM
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				10,020			0 Not exhibited in last 30 days
				367			1 Exhibited up to 5 days week
				140			2 Exhibited 6 to 7 days week
E1K	382	2	INDICTH				N Mood; insomnia/change in sleep pattern
				3,533			. Missing
				51			-2 Item was left blank
				4			-1 Unable to determine
				10,081			0 Not exhibited in last 30 days
				359			1 Exhibited up to 5 days week
				86			2 Exhibited 6 to 7 days week
E1L	384	2	INDICTH				N Mood; sad/worried facial expressions
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				8,237			0 Not exhibited in last 30 days
				1,651			1 Exhibited up to 5 days week
				639			2 Exhibited 6 to 7 days week
E1M	386	2	INDICTH				N Mood; crying/tearfulness
				3,533			. Missing
				51			-2 Item was left blank
				3			-1 Unable to determine
				9,641			0 Not exhibited in last 30 days
				747			1 Exhibited up to 5 days week
				139			2 Exhibited 6 to 7 days week
E1N	388	2	INDICTH				N Mood; repetitive physical movements
				3,533			. Missing
				51			-2 Item was left blank
				2			-1 Unable to determine
				9,261			0 Not exhibited in last 30 days
				717			1 Exhibited up to 5 days week
				550			2 Exhibited 6 to 7 days week
E1O	390	2	INDICTH				N Mood; withdrawal from activ of interest
				3,533			. Missing
				51			-2 Item was left blank
				4			-1 Unable to determine
				9,877			0 Not exhibited in last 30 days
				398			1 Exhibited up to 5 days week
				251			2 Exhibited 6 to 7 days week

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 20  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1P	392	2	INDICTH				N Mood; reduced social interaction
				3,533			. Missing
				51			-2 Item was left blank
				4			-1 Unable to determine
				9,620			0 Not exhibited in last 30 days
				588			1 Exhibited up to 5 days week
				318			2 Exhibited 6 to 7 days week
E2	394	2	MODINDIC				N Mood; persistence
				3,533			. Missing
				51			-2 Item was left blank
				4			-1 Unable to determine
				6,337			0 No mood indicators
				2,309			1 Indicators present, easily altered
				1,880			2 Indicators present, not easily altered
E3	396	2	CHANGE				N Mood; change in last 90 days
				8,311			. Missing
				1			-3 Does not apply to this assessment
				24			-2 Item was left blank
				11			-1 Unable to determine
				4,950			0 No change
				275			1 Improved
				542			2 Deteriorated
E4AA	398	2	BEHAVA				N Behavior; wandering frequency
				3,533			. Missing
				54			-2 Item was left blank
				9,544			0 Behavior not exhibited
				317			1 1 to 3 days
				215			2 4 to 6 days
				451			3 Behavior exhibited daily
Note: See BSWANDER in Ric2F							
E4AB	400	2	BEHAVB				N Behavior; wandering alterability
				3,533			. Missing
				54			-2 Item was left blank
				1			-1 Unable to determine
				9,948			0 Behavior not present or easily altered
				578			1 Behavior not easily altered
E4BA	402	2	BEHAVA				N Behavior; verbally abusive frequency
				3,533			. Missing
				54			-2 Item was left blank
				9,299			0 Behavior not exhibited
				773			1 1 to 3 days
				264			2 4 to 6 days
				191			3 Behavior exhibited daily

Note: See BSVERBAB in Ric2F

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 21  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E4BB	404	2	BEHAVB				N Behavior; verbally abusive alterability
				3,533			. Missing
				54			-2 Item was left blank
				1			-1 Unable to determine
				9,788			0 Behavior not present or easily altered
				738			1 Behavior not easily altered
E4CA	406	2	BEHAVA				N Behavior; physical abusive frequency
				3,533			. Missing
				53			-2 Item was left blank
				9,736			0 Behavior not exhibited
				480			1 1 to 3 days
				166			2 4 to 6 days
				146			3 Behavior exhibited daily
Note: See BSPHYSAB in Ric2F							
E4CB	408	2	BEHAVB				N Behavior; physical abusive alterability
				3,533			. Missing
				53			-2 Item was left blank
				1			-1 Unable to determine
				9,991			0 Behavior not present or easily altered
				536			1 Behavior not easily altered
E4DA	410	2	BEHAVA				N Behavior; soc inappropriate frequency
				3,533			. Missing
				54			-2 Item was left blank
				9,004			0 Behavior not exhibited
				769			1 1 to 3 days
				344			2 4 to 6 days
				410			3 Behavior exhibited daily
Note: See BSDISRPT in Ric2F							
E4DB	412	2	BEHAVB				N Behavior; soc inappropriate alterability
				3,533			. Missing
				54			-2 Item was left blank
				1			-1 Unable to determine
				9,525			0 Behavior not present or easily altered
				1,001			1 Behavior not easily altered
E4EA	414	2	BEHAVA				N Behavior; resists care frequency
				3,533			. Missing
				53			-2 Item was left blank
				8,372			0 Behavior not exhibited
				1,142			1 1 to 3 days
				509			2 4 to 6 days
				505			3 Behavior exhibited daily

Note: See BSRESIST in Ric2F

RIC: MD  
Page: 22  
Version: 1

Variable	Col	Len	Format	Frequency	Com	Ques#	Fac	Ques#	Variable Type & Label
E4EB	416	2	BEHAVB						N Behavior; resists care alterability
				3,533					. Missing
				53					-2 Item was left blank
				1					-1 Unable to determine
				8,963					0 Behavior not present or easily altered
				1,564					1 Behavior not easily altered
E5	418	2	CHANGE						N Behavior; change in last 90 days
				8,311					. Missing
				1					-3 Does not apply to this assessment
				28					-2 Item was left blank
				5					-1 Unable to determine
				5,091					0 No change
				247					1 Improved
				431					2 Deteriorated
F1A	420	2	INDIC						N Social; at ease interacting with others
				8,328					. Missing
				1					-3 Does not apply to this assessment
				22					-2 Item was left blank
				4					-1 Unable to determine
				1,271					0 Not indicated
				4,488					1 Indicated
									Note: See PWINTOTH in Ric2F
F1B	422	2	INDIC						N Social; at ease in structured activities
				8,328					. Missing
				1					-3 Does not apply to this assessment
				22					-2 Item was left blank
				4					-1 Unable to determine
				3,175					0 Not indicated
				2,584					1 Indicated
									Note: See PWSTRACT in Ric2F
F1C	424	2	INDIC						N Social; at ease in self-init activities
				8,328					. Missing
				1					-3 Does not apply to this assessment
				22					-2 Item was left blank
				4					-1 Unable to determine
				3,308					0 Not indicated
				2,451					1 Indicated
									Note: See PWSLFACT in Ric2F
F1D	426	2	INDIC						N Social; establishes own goals
				8,328					. Missing
				1					-3 Does not apply to this assessment
				22					-2 Item was left blank
				4					-1 Unable to determine
				4,560					0 Not indicated
				1,199					1 Indicated
									Note: See PWGOALS in Ric2F

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 23  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F1E	428	2	INDIC				N Social; involvement in life of facility
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				5			-1 Unable to determine
				5,019			0 Not indicated
				739			1 Indicated
Note: See PWFACLIF in Ric2F							
F1F	430	2	INDIC				N Social; accepts invitations group activ
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				5			-1 Unable to determine
				4,673			0 Not indicated
				1,085			1 Indicated
Note: See PWGRPACT in Ric2F							
F1G	432	2	INDIC				N Social; none of above
				8,349			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				4,771			0 Not indicated
				967			1 Indicated
F2A	434	2	INDIC				N Social; open conflict with staff
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,522			0 Not indicated
				237			1 Indicated
F2B	436	2	INDIC				N Social; unhappy with roommate
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,703			0 Not indicated
				56			1 Indicated
F2C	438	2	INDIC				N Social; unhappy with other residents
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,653			0 Not indicated
				106			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 24  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F2D	440	2	INDIC				N Social; open conflict w/ fam/friend
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,634			0 Not indicated
				125			1 Indicated
F2E	442	2	INDIC				N Social; absence of contact w/ fam/friend
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,574			0 Not indicated
				185			1 Indicated
Note: See PWNOFC in Ric2F							
F2F	444	2	INDIC				N Social; recent loss of close fam/friend
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,670			0 Not indicated
				89			1 Indicated
F2G	446	2	INDIC				N Social; does not adjust to routine chang
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				5,311			0 Not indicated
				448			1 Indicated
F2H	448	2	INDIC				N Social; none of above
				8,349			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				4			-1 Unable to determine
				912			0 Not indicated
				4,826			1 Indicated
F3A	450	2	INDIC				N Social; strong identity in past role
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				7			-1 Unable to determine
				5,051			0 Not indicated
				705			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 25  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F3B	452	2	INDIC				N Social; sadness/anger at loss of role
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				7			-1 Unable to determine
				5,481			0 Not indicated
				275			1 Indicated
F3C	454	2	INDIC				N Social; routine diff than prior pattern
				8,328			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				11			-1 Unable to determine
				5,406			0 Not indicated
				346			1 Indicated
F3D	456	2	INDIC				N Social; none of above
				8,349			. Missing
				1			-3 Does not apply to this assessment
				22			-2 Item was left blank
				11			-1 Unable to determine
				938			0 Not indicated
				4,793			1 Indicated
G1AA	458	2	ADLA				N ADL; bed mobility, self-perform
				3,533			. Missing
				3,346			0 Independent
				632			1 Supervision
				2,084			2 Limited assistance
				2,285			3 Extensive assistance
				2,231			4 Total dependence
				3			8 Activity did not occur
G1AB	460	2	ADLB				N ADL; bed mobility, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				2,309			0 No setup or physical help from staff
				400			1 Setup help only
				4,011			2 One person physical assist
				1,447			3 Two+ persons physical assist
				3			8 Activity did not occur
G1BA	462	2	ADLA				N ADL; transfer, self-perform
				3,533			. Missing
				2,059			0 Independent
				668			1 Supervision
				2,065			2 Limited assistance
				2,696			3 Extensive assistance
				2,949			4 Total dependence
				144			8 Activity did not occur

Note: See PFTRNSFR in Ric2F

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 26  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1BB	464	2	ADLB				N ADL; transfer, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				1,330			0 No setup or physical help from staff
				378			1 Setup help only
				3,672			2 One person physical assist
				2,660			3 Two+ persons physical assist
				130			8 Activity did not occur
G1CA	466	2	ADLA				N ADL; walk in room, self-perform
				3,533			. Missing
				2			-1 Unable to determine
				2,040			0 Independent
				703			1 Supervision
				1,569			2 Limited assistance
				1,016			3 Extensive assistance
				128			4 Total dependence
				5,123			8 Activity did not occur
G1CB	468	2	ADLB				N ADL; walk in room, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				1,377			0 No setup or physical help from staff
				363			1 Setup help only
				2,049			2 One person physical assist
				325			3 Two+ persons physical assist
				4,054			8 Activity did not occur
G1DA	470	2	ADLA				N ADL; walk in corridor, self-perform
				3,533			. Missing
				2			-1 Unable to determine
				1,594			0 Independent
				899			1 Supervision
				1,490			2 Limited assistance
				854			3 Extensive assistance
				111			4 Total dependence
				5,631			8 Activity did not occur
G1DB	472	2	ADLB				N ADL; walk in corridor, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				1,134			0 No setup or physical help from staff
				412			1 Setup help only
				1,872			2 One person physical assist
				269			3 Two+ persons physical assist
				4,481			8 Activity did not occur

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 27  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1EA	474	2	ADLA				N ADL; locomotion on unit, self-perform
				3,533			. Missing
				2			-1 Unable to determine
				2,939			0 Independent
				1,032			1 Supervision
				1,527			2 Limited assistance
				1,110			3 Extensive assistance
				3,537			4 Total dependence
				434			8 Activity did not occur
Note: See PFLOCOMO in Ric2F							
G1EB	476	2	ADLB				N ADL; locomotion on unit, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				1,934			0 No setup or physical help from staff
				669			1 Setup help only
				5,104			2 One person physical assist
				95			3 Two+ persons physical assist
				366			8 Activity did not occur
G1FA	478	2	ADLA				N ADL; locomotion off unit, self-perform
				3,533			. Missing
				2			-1 Unable to determine
				2,173			0 Independent
				1,070			1 Supervision
				1,211			2 Limited assistance
				1,050			3 Extensive assistance
				4,021			4 Total dependence
				1,054			8 Activity did not occur
G1FB	480	2	ADLB				N ADL; locomotion off unit, supported
				5,940			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				1,531			0 No setup or physical help from staff
				520			1 Setup help only
				5,197			2 One person physical assist
				45			3 Two+ persons physical assist
				874			8 Activity did not occur
G1GA	482	2	ADLA				N ADL; dressing, self-perform
				3,533			. Missing
				2			-1 Unable to determine
				862			0 Independent
				613			1 Supervision
				2,275			2 Limited assistance
				3,241			3 Extensive assistance
				3,354			4 Total dependence
				234			8 Activity did not occur

Note: See PFDRSSNG in Ric2F

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 28  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1GB	484	2	ADLB				N ADL; dressing, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				513			0 No setup or physical help from staff
				450			1 Setup help only
				6,649			2 One person physical assist
				364			3 Two+ persons physical assist
				192			8 Activity did not occur
G1HA	486	2	ADLA				N ADL; eating, self-perform
				3,533			. Missing
				4,137			0 Independent
				2,278			1 Supervision
				1,058			2 Limited assistance
				835			3 Extensive assistance
				2,255			4 Total dependence
				18			8 Activity did not occur
Note: See PFEATING in Ric2F							
G1HB	488	2	ADLB				N ADL; eating, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				1,199			0 No setup or physical help from staff
				3,544			1 Setup help only
				3,400			2 One person physical assist
				10			3 Two+ persons physical assist
				17			8 Activity did not occur
G1IA	490	2	ADLA				N ADL; toilet use, self-perform
				3,533			. Missing
				1,481			0 Independent
				592			1 Supervision
				1,784			2 Limited assistance
				2,473			3 Extensive assistance
				4,116			4 Total dependence
				135			8 Activity did not occur
Note: See PFTOILET in Ric2F							
G1IB	492	2	ADLB				N ADL; toilet use, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				990			0 No setup or physical help from staff
				349			1 Setup help only
				5,239			2 One person physical assist
				1,488			3 Two+ persons physical assist
				104			8 Activity did not occur

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 29  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1JA	494	2	ADLA				N ADL; personal hygiene, self-perform
				3,533			. Missing
				2			-1 Unable to determine
				993			0 Independent
				789			1 Supervision
				2,183			2 Limited assistance
				2,729			3 Extensive assistance
				3,884			4 Total dependence
				1			8 Activity did not occur
G1JB	496	2	ADLB				N ADL; personal hygiene, supported
				5,939			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				514			0 No setup or physical help from staff
				719			1 Setup help only
				6,664			2 One person physical assist
				270			3 Two+ persons physical assist
				1			8 Activity did not occur
G2A	498	2	BATHING				N ADL; bathing, self perform
				3,533			. Missing
				2			-1 Unable to determine
				172			0 Independent
				374			1 Supervision
				767			2 Phys help limited to transfer only
				4,529			3 Phys help in part of bathing activity
				4,689			4 Total dependence
				48			8 Activity did not occur
Note: See PFBATHNG in Ric2F							
G2B	500	2	ADLB				N ADL; bathing, supported
				8,313			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				62			0 No setup or physical help from staff
				204			1 Setup help only
				4,647			2 One person physical assist
				843			3 Two+ persons physical assist
				41			8 Activity did not occur
G3A	502	2	BALANCE				N ADL; balance while standing
				5,903			. Missing
				7			-3 Does not apply to this assessment
				34			-1 Unable to determine
				642			0 Maintained position
				905			1 Unsteady
				1,603			2 Partial physical support
				5,020			3 Not able to attempt test

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 30  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G3B	504	2	BALANCE				N ADL; balance while sitting
				5,903			. Missing
				7			-3 Does not apply to this assessment
				22			-1 Unable to determine
				3,890			0 Maintained position
				820			1 Unsteady
				1,496			2 Partial physical support
				1,976			3 Not able to attempt test
G4AA	506	2	RANGE				N ADL; neck, range of motion
				3,533			. Missing
				16			-1 Unable to determine
				9,290			0 No limitation
				186			1 Limitation on one side
				1,089			2 Limitation on both sides
G4AB	508	2	VOL				N ADL; neck, voluntary motion
				3,533			. Missing
				13			-1 Unable to determine
				9,301			0 No loss
				1,078			1 Partial loss
				189			2 Full loss
G4BA	510	2	RANGE				N ADL; arm, range of motion
				3,534			. Missing
				10			-1 Unable to determine
				7,218			0 No limitation
				1,498			1 Limitation on one side
				1,854			2 Limitation on both sides
G4BB	512	2	VOL				N ADL; arm, voluntary motion
				3,534			. Missing
				10			-1 Unable to determine
				7,303			0 No loss
				2,687			1 Partial loss
				580			2 Full loss
G4CA	514	2	RANGE				N ADL; hand, range of motion
				3,533			. Missing
				10			-1 Unable to determine
				7,951			0 No limitation
				1,268			1 Limitation on one side
				1,352			2 Limitation on both sides
G4CB	516	2	VOL				N ADL; hand, voluntary motion
				3,533			. Missing
				10			-1 Unable to determine
				7,848			0 No loss
				2,081			1 Partial loss
				642			2 Full loss

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 31  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G4DA	518	2	RANGE				N ADL; leg, range of motion
				3,534			. Missing
				11			-1 Unable to determine
				5,838			0 No limitation
				1,962			1 Limitation on one side
				2,769			2 Limitation on both sides
G4DB	520	2	VOL				N ADL; leg, voluntary motion
				3,534			. Missing
				11			-1 Unable to determine
				5,956			0 No loss
				3,644			1 Partial loss
				969			2 Full loss
G4EA	522	2	RANGE				N ADL; foot, range of motion
				3,534			. Missing
				11			-1 Unable to determine
				7,245			0 No limitation
				1,189			1 Limitation on one side
				2,135			2 Limitation on both sides
G4EB	524	2	VOL				N ADL; foot, voluntary motion
				3,534			. Missing
				11			-1 Unable to determine
				7,112			0 No loss
				2,469			1 Partial loss
				988			2 Full loss
G4FA	526	2	RANGE				N ADL; other, range of motion
				3,534			. Missing
				91			-1 Unable to determine
				9,792			0 No limitation
				171			1 Limitation on one side
				526			2 Limitation on both sides
G4FB	528	2	VOL				N ADL; other, voluntary motion
				3,534			. Missing
				91			-1 Unable to determine
				9,720			0 No loss
				604			1 Partial loss
				165			2 Full loss
G5A	530	2	INDIC				N ADL; used cane
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				3,677			0 Not indicated
				2,118			1 Indicated

Note: See MLCANE in Ric2F

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 32  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G5B	532	2	INDIC				N ADL; wheeled self
				8,292			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				3,931			0 Not indicated
				1,884			1 Indicated
				Note: See MLWHLSLF in Ric2F			
G5C	534	2	INDIC				N ADL; other person wheeled
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				2,046			0 Not indicated
				3,750			1 Indicated
				Note: See MLWHLOTH in Ric2F			
G5D	536	2	INDIC				N ADL; wheelchair primary mode
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				2,182			0 Not indicated
				3,614			1 Indicated
G5E	538	2	INDIC				N ADL; none of above
				8,333			. Missing
				1			-3 Does not apply to this assessment
				4			-1 Unable to determine
				4,947			0 Not indicated
				829			1 Indicated
G6A	540	2	INDIC				N ADL; transfer, bedfast
				3,533			. Missing
				5			-1 Unable to determine
				9,740			0 Not indicated
				836			1 Indicated
G6B	542	2	INDIC				N ADL; transfer, bed rails used
				3,533			. Missing
				4			-1 Unable to determine
				5,265			0 Not indicated
				5,312			1 Indicated
G6C	544	2	INDIC				N ADL; transfer, lifted manually
				8,299			. Missing
				10			-3 Does not apply to this assessment
				5			-1 Unable to determine
				4,414			0 Not indicated
				1,386			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 33  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G6D	546	2	INDIC				N ADL; transfer, lifted mechanically
				8,299			. Missing
				10			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,256			0 Not indicated
				544			1 Indicated
G6E	548	2	INDIC				N ADL; transfer, transfer aid
				8,299			. Missing
				10			-3 Does not apply to this assessment
				5			-1 Unable to determine
				4,192			0 Not indicated
				1,608			1 Indicated
G6F	550	2	INDIC				N ADL; transfer, none of above
				3,574			. Missing
				4			-1 Unable to determine
				6,990			0 Not indicated
				3,546			1 Indicated
G7	552	2	YESNO				N ADL; task segmentation
				5,910			. Missing
				6			-3 Does not apply to this assessment
				12			-1 Unable to determine
				5,397			0 No
				2,789			1 Yes
G8A	554	2	INDIC				N ADL; rehab potential, resident believes
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				4,501			0 Not indicated
				1,294			1 Indicated
G8B	556	2	INDIC				N ADL; rehab potential, staff believes
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				4,069			0 Not indicated
				1,726			1 Indicated
G8C	558	2	INDIC				N ADL; rehab potential, slow
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,103			0 Not indicated
				692			1 Indicated
G8D	560	2	INDIC				N ADL; rehab potential, diff in AM and PM
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,542			0 Not indicated
				253			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 34  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G8E	562	2	INDIC				N ADL; rehab potential, none of above
				8,333			. Missing
				1			-3 Does not apply to this assessment
				5			-1 Unable to determine
				2,344			0 Not indicated
				3,431			1 Indicated
G9	564	2	CHANGE				N ADL; change in last 90 days
				8,314			. Missing
				2			-3 Does not apply to this assessment
				9			-1 Unable to determine
				3,451			0 No change
				682			1 Improved
				1,656			2 Deteriorated
H1A	566	2	CONTINEN				N Continence; bowel
				3,533			. Missing
				8			-1 Unable to determine
				4,324			0 Continent
				826			1 Usually continent
				575			2 Occasionally incontinent
				847			3 Frequently incontinent
				4,001			4 Incontinent
Note: See CTBOWEC in Ric2F							
H1B	568	2	CONTINEN				N Continence; bladder
				3,533			. Missing
				5			-1 Unable to determine
				3,402			0 Continent
				756			1 Usually continent
				884			2 Occasionally incontinent
				1,573			3 Frequently incontinent
				3,961			4 Incontinent
Note: See CTBADDC in Ric2F							
H2A	570	2	INDIC				N Continence; bowel regular
				8,313			. Missing
				1			-3 Does not apply to this assessment
				4			-1 Unable to determine
				1,386			0 Not indicated
				4,410			1 Indicated
H2B	572	2	INDIC				N Continence; bowel constipation
				8,313			. Missing
				1			-3 Does not apply to this assessment
				4			-1 Unable to determine
				4,963			0 Not indicated
				833			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 35  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
H2C	574	2	INDIC				N Continence; bowel diarrhea
				5,911			. Missing
				6			-3 Does not apply to this assessment
				4			-1 Unable to determine
				7,943			0 Not indicated
				250			1 Indicated
H2D	576	2	INDIC				N Continence; bowel fecal impaction
				3,533			. Missing
				4			-1 Unable to determine
				10,507			0 Not indicated
				70			1 Indicated
H2E	578	2	INDIC				N Continence; scheduled plan
				3,576			. Missing
				4			-1 Unable to determine
				5,115			0 Not indicated
				5,419			1 Indicated
H3A	580	2	INDIC				N Continence; none of above
				3,533			. Missing
				1			-1 Unable to determine
				7,682			0 Not indicated
				2,898			1 Indicated
H3B	582	2	INDIC				N Continence; bladder retaining plan
				3,533			. Missing
				2			-1 Unable to determine
				10,465			0 Not indicated
				114			1 Indicated
H3C	584	2	INDIC				N Continence; external condom catheter
				3,533			. Missing
				2			-1 Unable to determine
				10,528			0 Not indicated
				51			1 Indicated
H3D	586	2	INDIC				N Continence; indwelling catheter
				3,533			. Missing
				2			-1 Unable to determine
				9,545			0 Not indicated
				1,034			1 Indicated
H3E	588	2	INDIC				N Continence; intermittent catheter
				8,299			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,749			0 Not indicated
				54			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 36  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
H3F	590	2	INDIC				N Continence; did not use commode/urinal
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,972			0 Not indicated
				826			1 Indicated
H3G	592	2	INDIC				N Continence; pads/briefs used
				8,313			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,219			0 Not indicated
				3,580			1 Indicated
H3H	594	2	INDIC				N Continence; enemas/irrigation
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,707			0 Not indicated
				91			1 Indicated
H3I	596	2	INDIC				N Continence; ostomy present
				3,533			. Missing
				2			-1 Unable to determine
				10,254			0 Not indicated
				325			1 Indicated
H3J	598	2	INDIC				N Continence; none of above
				3,574			. Missing
				1			-1 Unable to determine
				6,125			0 Not indicated
				4,414			1 Indicated
H4	600	2	CHANGE				N Continence; change in last 90 days
				8,314			. Missing
				2			-3 Does not apply to this assessment
				10			-1 Unable to determine
				4,810			0 No change
				254			1 Improved
				724			2 Deteriorated
I1A	602	2	INDIC				N Diag; diabetes mellitus
				5,928			. Missing
				30			-3 Does not apply to this assessment
				10			-1 Unable to determine
				6,493			0 Not indicated
				1,653			1 Indicated

Note: See DIABMEL in Ric2F

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 37  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1B	604	2	INDIC				N Diag; hyperthyroidism
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,762			0 Not indicated
				36			1 Indicated
				Note: See HYPETHYR in Ric2F			
I1C	606	2	INDIC				N Diag; hypothyroidism
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,978			0 Not indicated
				820			1 Indicated
				Note: See HYPOTHYR in Ric2F			
I1D	608	2	INDIC				N Diag; arteriosclerotic heart disease
				8,293			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,971			0 Not indicated
				848			1 Indicated
				Note: See ASHD in Ric2F			
I1E	610	2	INDIC				N Diag; cardiac dysrhythmias
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,839			0 Not indicated
				959			1 Indicated
				Note: See CARDDYSR in Ric2F			
I1F	612	2	INDIC				N Diag; congestive heart failure
				8,293			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,300			0 Not indicated
				1,519			1 Indicated
				Note: See HRTFAIL in Ric2F			
I1G	614	2	INDIC				N Diag; deep vein thrombosis
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,650			0 Not indicated
				148			1 Indicated
				Note: See VEINTHR in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 38  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1H	616	2	INDIC				N Diag; hypertension
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				2,829			0 Not indicated
				2,969			1 Indicated
				Note: See HYPETENS in Ric2F			
I1I	618	2	INDIC				N Diag; hypotension
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,708			0 Not indicated
				90			1 Indicated
				Note: See HYPOTENS in Ric2F			
I1J	620	2	INDIC				N Diag; peripheral vascular disease
				8,293			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,064			0 Not indicated
				754			1 Indicated
				Note: See VASCULAR in Ric2F			
I1K	622	2	INDIC				N Diag; other cardiovascular disease
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,593			0 Not indicated
				1,205			1 Indicated
				Note: See CARDIOV in Ric2F			
I1L	624	2	INDIC				N Diag; arthritis
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,159			0 Not indicated
				1,639			1 Indicated
				Note: See ARTHRIT in Ric2F			
I1M	626	2	INDIC				N Diag; hip fracture
				5,901			. Missing
				6			-3 Does not apply to this assessment
				10			-1 Unable to determine
				7,596			0 Not indicated
				601			1 Indicated
				Note: See HIPFRACT in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 39  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1N	628	2	INDIC				N Diag; missing limb (e.g., amputation)
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,610			0 Not indicated
				188			1 Indicated
				Note: See MISSLIMB in Ric2F			
I1O	630	2	INDIC				N Diag; osteoporosis
				8,313			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,840			0 Not indicated
				959			1 Indicated
				Note: See OSTEOP in Ric2F			
I1P	632	2	INDIC				N Diag; pathological bone fracture
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,761			0 Not indicated
				37			1 Indicated
				Note: See BONEFRAC in Ric2F			
I1Q	634	2	INDIC				N Diag; alzheimers disease
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,921			0 Not indicated
				877			1 Indicated
				Note: See ALZHMR in Ric2F			
I1R	636	2	INDIC				N Diag; aphasia
				5,901			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				7,699			0 Not indicated
				499			1 Indicated
				Note: See APHASIA in Ric2F			
I1S	638	2	INDIC				N Diag; cerebral palsy
				5,901			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,116			0 Not indicated
				82			1 Indicated
				Note: See CERPALSY in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 40  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1T	640	2	INDIC				N Diag; cerebrovascular accident (stroke)
				5,901			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				6,587			0 Not indicated
				1,611			1 Indicated
				Note: See STROKE in Ric2F			
I1U	642	2	INDIC				N Diag; dementia other than alzheimers
				8,313			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,769			0 Not indicated
				2,030			1 Indicated
				Note: See DEMENT in Ric2F			
I1V	644	2	INDIC				N Diag; hemiplegia/hemiparesis
				5,901			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				7,452			0 Not indicated
				746			1 Indicated
				Note: See HEMIPLPA in Ric2F			
I1W	646	2	INDIC				N Diag; multiple sclerosis
				5,901			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,097			0 Not indicated
				101			1 Indicated
				Note: See SCLEROS in Ric2F			
I1X	648	2	INDIC				N Diag; paraplegia
				8,293			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,788			0 Not indicated
				30			1 Indicated
				Note: See PARAPLEG in Ric2F			
I1Y	650	2	INDIC				N Diag; parkinsons disease
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,286			0 Not indicated
				512			1 Indicated
				Note: See PARKNSON in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 41  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1Z	652	2	INDIC				N Diag; quadriplegia
				5,901			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,140			0 Not indicated
				58			1 Indicated
				Note: See QUADPLEG in Ric2F			
I1AA	654	2	INDIC				N Diag; seizure disorder
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,262			0 Not indicated
				536			1 Indicated
				Note: See SEIZURE in Ric2F			
I1BB	656	2	INDIC				N Diag; transient ischemic attack (TIA)
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,535			0 Not indicated
				263			1 Indicated
				Note: See TIA in Ric2F			
I1CC	658	2	INDIC				N Diag; traumatic brain injury
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,731			0 Not indicated
				67			1 Indicated
				Note: See BRAININJ in Ric2F			
I1DD	660	2	INDIC				N Diag; anxiety disorder
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,191			0 Not indicated
				607			1 Indicated
				Note: See ANXIETY in Ric2F			
I1EE	662	2	INDIC				N Diag; depression
				5,909			. Missing
				5			-3 Does not apply to this assessment
				9			-1 Unable to determine
				5,573			0 Not indicated
				2,618			1 Indicated
				Note: See DEPRESS in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 42  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1FF	664	2	INDIC				N Diag; manic depression (bipolar disease)
				5,909			. Missing
				5			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,103			0 Not indicated
				87			1 Indicated
				Note: See MANICDEP in Ric2F			
I1GG	666	2	INDIC				N Diag; schizophrenia
				8,293			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,690			0 Not indicated
				128			1 Indicated
				Note: See SCHIZOPH in Ric2F			
I1HH	668	2	INDIC				N Diag; asthma
				8,293			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,658			0 Not indicated
				160			1 Indicated
				Note: See ASTHMA in Ric2F			
I1II	670	2	INDIC				N Diag; emphysema/COPD
				8,293			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,779			0 Not indicated
				1,039			1 Indicated
				Note: See EMPCCOPD in Ric2F			
I1JJ	672	2	INDIC				N Diag; cataracts
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,199			0 Not indicated
				599			1 Indicated
				Note: See CATARCT in Ric2F			
I1KK	674	2	INDIC				N Diag; diabetic retinopathy
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,759			0 Not indicated
				39			1 Indicated
				Note: See DIABRET in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 43  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1LL	676	2	INDIC				N Diag; glaucoma
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,396			0 Not indicated
				402			1 Indicated
				Note: See GLAUCOMA in Ric2F			
I1MM	678	2	INDIC				N Diag; macular degeneration
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,540			0 Not indicated
				258			1 Indicated
				Note: See MACDEGEN in Ric2F			
I1NN	680	2	INDIC				N Diag; allergies
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,286			0 Not indicated
				1,512			1 Indicated
				Note: See ALLERGY in Ric2F			
I1OO	682	2	INDIC				N Diag; anemia
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,467			0 Not indicated
				1,331			1 Indicated
				Note: See ANEMIA in Ric2F			
I1PP	684	2	INDIC				N Diag; cancer
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,278			0 Not indicated
				520			1 Indicated
				Note: See CANCER in Ric2F			
I1QQ	686	2	INDIC				N Diag; renal failure
				8,313			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,419			0 Not indicated
				379			1 Indicated
				Note: See RENTFAIL in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 44  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1RR	688	2	INDIC				N Diag; none of above
				5,949			. Missing
				5			-3 Does not apply to this assessment
				9			-1 Unable to determine
				7,109			0 Not indicated
				1,042			1 Indicated
I2A	690	2	INDIC				N Diag; antibiotic resistant infection
				5,906			. Missing
				17			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,002			0 Not indicated
				186			1 Indicated
				Note: See INFMRSA in Ric2F			
I2B	692	2	INDIC				N Diag; clostridium difficile (c. diff.)
				5,907			. Missing
				18			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,141			0 Not indicated
				45			1 Indicated
				Note: See INFCDIFF in Ric2F			
I2C	694	2	INDIC				N Diag; conjunctivitis
				5,906			. Missing
				18			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,145			0 Not indicated
				42			1 Indicated
				Note: See INFCONJ in Ric2F			
I2D	696	2	INDIC				N Diag; HIV infection
				5,899			. Missing
				211			-3 Does not apply to this assessment
				2,532			-1 Unable to determine
				5,472			0 Not indicated
				0			1 Indicated
				Note: See INFHIV in Ric2F			
I2E	698	2	INDIC				N Diag; pneumonia
				5,906			. Missing
				15			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,800			0 Not indicated
				390			1 Indicated
				Note: See INFPNEU in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 45  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I2F	700	2	INDIC				N Diag; respiratory infection
				5,906			. Missing
				18			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,919			0 Not indicated
				268			1 Indicated
				Note: See INFRESP in Ric2F			
I2G	702	2	INDIC				N Diag; septicemia
				5,906			. Missing
				15			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,131			0 Not indicated
				59			1 Indicated
				Note: See INFSEPT in Ric2F			
I2H	704	2	INDIC				N Diag; sexually transmitted diseases
				5,899			. Missing
				207			-3 Does not apply to this assessment
				2,174			-1 Unable to determine
				5,834			0 Not indicated
				0			1 Indicated
				Note: See INFSEXTR in Ric2F			
I2I	706	2	INDIC				N Diag; tuberculosis
				5,906			. Missing
				18			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,180			0 Not indicated
				7			1 Indicated
				Note: See INFTBRC in Ric2F			
I2J	708	2	INDIC				N Diag; urinary tract infection, 30 days
				3,569			. Missing
				9			-1 Unable to determine
				9,450			0 Not indicated
				1,086			1 Indicated
				Note: See INFURNRY in Ric2F			
I2K	710	2	INDIC				N Diag; viral hepatitis
				5,906			. Missing
				18			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,182			0 Not indicated
				5			1 Indicated
				Note: See INFHPPTS in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 46  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I2L	712	2	INDIC				N Diag; wound infection
				5,906			. Missing
				17			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,968			0 Not indicated
				220			1 Indicated
Note: See INFWOUND in Ric2F							
I2M	714	2	INDIC				N Diag; none of above
				3,584			. Missing
				2,480			-1 Unable to determine
				1,897			0 Not indicated
				6,153			1 Indicated
I3A	716	7					C Diag; other diagnosis A
I3B	723	7					C Diag; other diagnosis B
I3C	730	7					C Diag; other diagnosis C
I3D	737	7					C Diag; other diagnosis D
I3E	744	7					C Diag; other diagnosis E
J1A	751	2	INDIC				N Health; weight gain/loss
				5,908			. Missing
				9			-3 Does not apply to this assessment
				17			-1 Unable to determine
				7,877			0 Not indicated
				303			1 Indicated
J1B	753	2	INDIC				N Health; not able lie flat, short breath
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,839			0 Not indicated
				357			1 Indicated
J1C	755	2	INDIC				N Health; dehydrated
				3,533			. Missing
				4			-1 Unable to determine
				10,503			0 Not indicated
				74			1 Indicated
Note: See DEHYD in Ric2F							
J1D	757	2	INDIC				N Health; insufficient fluid
				5,906			. Missing
				9			-3 Does not apply to this assessment
				11			-1 Unable to determine
				7,826			0 Not indicated
				362			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 47  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J1E	759	2	INDIC				N Health; delusions
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,958			0 Not indicated
				238			1 Indicated
Note: See DELUS in Ric2F							
J1F	761	2	INDIC				N Health; dizziness/vertigo
				8,303			. Missing
				10			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,664			0 Not indicated
				134			1 Indicated
J1G	763	2	INDIC				N Health; edema
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				6,531			0 Not indicated
				1,665			1 Indicated
J1H	765	2	INDIC				N Health; fever
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,950			0 Not indicated
				246			1 Indicated
J1I	767	2	INDIC				N Health; hallucinations
				3,533			. Missing
				4			-1 Unable to determine
				10,331			0 Not indicated
				246			1 Indicated
Note: See HALLUC in Ric2F							
J1J	769	2	INDIC				N Health; internal bleeding
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,149			0 Not indicated
				47			1 Indicated
J1K	771	2	INDIC				N Health; recurrent lung aspirations
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,159			0 Not indicated
				37			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 48  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J1L	773	2	INDIC				N Health; shortness of breath
				5,906			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				7,323			0 Not indicated
				873			1 Indicated
J1M	775	2	INDIC				N Health; syncope (fainting)
				8,303			. Missing
				10			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,784			0 Not indicated
				14			1 Indicated
J1N	777	2	INDIC				N Health; unsteady gait
				5,911			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,528			0 Not indicated
				2,663			1 Indicated
J1O	779	2	INDIC				N Health; vomiting
				5,911			. Missing
				9			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,039			0 Not indicated
				152			1 Indicated
J1P	781	2	INDIC				N Health; none of above
				3,574			. Missing
				10			-1 Unable to determine
				4,635			0 Not indicated
				5,895			1 Indicated
J2A	783	2	PAINA				N Health; pain symptoms, frequency
				3,534			. Missing
				4			-1 Unable to determine
				6,489			0 No pain
				2,170			1 Pain less than daily
				1,917			2 Pain daily
J2B	785	2	PAINB				N Health; pain symptoms, intensity
				3,531			. Missing
				6,495			-2 Item was left blank
				2			-1 Unable to determine
				1,568			1 Mild pain
				2,221			2 Moderate pain
				297			3 Horrible/Excruciating pain

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 49  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J3A	787	2	INDIC				N Health; pain site, back
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				21			-1 Unable to determine
				1,927			0 Not indicated
				642			1 Indicated
J3B	789	2	INDIC				N Health; pain site, bone
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				21			-1 Unable to determine
				2,350			0 Not indicated
				219			1 Indicated
J3C	791	2	INDIC				N Health; pain site, chest
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				24			-1 Unable to determine
				2,518			0 Not indicated
				48			1 Indicated
J3D	793	2	INDIC				N Health; pain site, headache
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				23			-1 Unable to determine
				2,326			0 Not indicated
				241			1 Indicated
J3E	795	2	INDIC				N Health; pain site, hip
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				22			-1 Unable to determine
				2,112			0 Not indicated
				456			1 Indicated
J3F	797	2	INDIC				N Health; pain site, incisional
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				23			-1 Unable to determine
				2,303			0 Not indicated
				264			1 Indicated
J3G	799	2	INDIC				N Health; pain site, joint, other than hip
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				11			-1 Unable to determine
				1,744			0 Not indicated
				835			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 50  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J3H	801	2	INDIC				N Health; pain site, soft tissue
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				24			-1 Unable to determine
				2,142			0 Not indicated
				424			1 Indicated
J3I	803	2	INDIC				N Health; pain site, stomach pain
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				18			-1 Unable to determine
				2,427			0 Not indicated
				145			1 Indicated
J3J	805	2	INDIC				N Health; pain site, other
				8,311			. Missing
				1			-3 Does not apply to this assessment
				3,212			-2 Item was left blank
				19			-1 Unable to determine
				1,784			0 Not indicated
				787			1 Indicated
J4A	807	2	INDIC				N Health; fell in last 30 days
				3,533			. Missing
				4			-1 Unable to determine
				8,809			0 Not indicated
				1,768			1 Indicated
J4B	809	2	INDIC				N Health; fell in last 31-180 days
				3,533			. Missing
				4			-1 Unable to determine
				7,926			0 Not indicated
				2,651			1 Indicated
J4C	811	2	INDIC				N Health; hip fracture in last 180 days
				3,533			. Missing
				4			-1 Unable to determine
				10,176			0 Not indicated
				401			1 Indicated
J4D	813	2	INDIC				N Health; other fracture in last 180 days
				3,545			. Missing
				4			-1 Unable to determine
				10,262			0 Not indicated
				303			1 Indicated
J4E	815	2	INDIC				N Health; none of above
				3,533			. Missing
				4			-1 Unable to determine
				3,882			0 Not indicated
				6,695			1 Indicated

RIC: MD  
Page: 51  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J5A	817	2	INDIC				N Health; diseases make patterns unstable
				3,533			. Missing
				4			-1 Unable to determine
				6,779			0 Not indicated
				3,798			1 Indicated
J5B	819	2	INDIC				N Health; episode of recurrent problem
				3,533			. Missing
				4			-1 Unable to determine
				9,462			0 Not indicated
				1,115			1 Indicated
J5C	821	2	INDIC				N Health; end-stage disease, 6 mo. to live
				3,533			. Missing
				4			-1 Unable to determine
				10,394			0 Not indicated
				183			1 Indicated
J5D	823	2	INDIC				N Health; none of above
				3,533			. Missing
				4			-1 Unable to determine
				4,365			0 Not indicated
				6,212			1 Indicated
K1A	825	2	INDIC				N Nutri; chewing problem
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,053			0 Not indicated
				2,151			1 Indicated
				Note: See ONCHEW in Ric2F			
K1B	827	2	INDIC				N Nutri; swallowing problem
				5,901			. Missing
				7			-3 Does not apply to this assessment
				3			-1 Unable to determine
				6,601			0 Not indicated
				1,602			1 Indicated
				Note: See ONSWALL in Ric2F			
K1C	829	2	INDIC				N Nutri; mouth pain
				8,309			. Missing
				5			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,762			0 Not indicated
				35			1 Indicated
				Note: See ONMOUTH in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 52  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K1D	831	2	INDIC				N Nutri; none of above
				5,942			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,004			0 Not indicated
				5,159			1 Indicated
K2A	833	2					N Nutri; height
				Note: See HEIGHT in Ric2F			
K2B	835	3					N Nutri; weight
				Note: See WEIGHT in Ric2F			
K3A	838	2	YESNO				N Nutri; weight loss, 5% in last 30
				3,533			. Missing
				47			-1 Unable to determine
				9,221			0 No
				1,313			1 Yes
K3B	840	2	YESNO				N Nutri; weight gain, 5% in last 30
				3,534			. Missing
				44			-1 Unable to determine
				9,871			0 No
				665			1 Yes
K4A	842	2	INDIC				N Nutri; complains about taste of food
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,727			0 Not indicated
				68			1 Indicated
K4B	844	2	INDIC				N Nutri; regular complaints of hunger
				8,312			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,780			0 Not indicated
				15			1 Indicated
K4C	846	2	INDIC				N Nutri; leaves 25% food left uneaten
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				3,276			0 Not indicated
				2,520			1 Indicated
K4D	848	2	INDIC				N Nutri; none of above
				8,333			. Missing
				1			-3 Does not apply to this assessment
				4			-1 Unable to determine
				2,538			0 Not indicated
				3,238			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 53  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K5A	850	2	INDIC				N Nutri; parenteral/IV
				5,922			. Missing
				5			-3 Does not apply to this assessment
				4			-1 Unable to determine
				8,024			0 Not indicated
				159			1 Indicated
K5B	852	2	INDIC				N Nutri; feeding tube
				3,533			. Missing
				4			-1 Unable to determine
				9,645			0 Not indicated
				932			1 Indicated
K5C	854	2	INDIC				N Nutri; mechanically altered diet
				8,313			. Missing
				1			-3 Does not apply to this assessment
				3			-1 Unable to determine
				3,443			0 Not indicated
				2,354			1 Indicated
K5D	856	2	INDIC				N Nutri; syringe, oral feeding
				8,313			. Missing
				1			-3 Does not apply to this assessment
				4			-1 Unable to determine
				5,790			0 Not indicated
				6			1 Indicated
K5E	858	2	INDIC				N Nutri; therapeutic diet
				8,313			. Missing
				1			-3 Does not apply to this assessment
				4			-1 Unable to determine
				3,252			0 Not indicated
				2,544			1 Indicated
K5F	860	2	INDIC				N Nutri; dietary supplement before meals
				8,313			. Missing
				1			-3 Does not apply to this assessment
				3			-1 Unable to determine
				3,874			0 Not indicated
				1,923			1 Indicated
K5G	862	2	INDIC				N Nutri; plate guard, built-up utensil,...
				8,313			. Missing
				1			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,506			0 Not indicated
				291			1 Indicated
K5H	864	2	INDIC				N Nutri; planned weight change program
				3,533			. Missing
				4			-1 Unable to determine
				8,935			0 Not indicated
				1,642			1 Indicated

RIC: MD  
Page: 54  
Version: 1

Variable	Col	Len	Format	Frequency	ComQu	FacQu	Variable Type & Label
K5I	866	2	INDIC				N Nutri; none of above
				3,574			. Missing
				3			-1 Unable to determine
				6,123			0 Not indicated
				4,414			1 Indicated
K6A	868	2	CALORIES				N Nutri; parenteral, total calories
				5,888			. Missing
				60			-3 Does not apply to this assessment
				7,293			-2 Item was left blank
				3			-1 Unable to determine
				104			0 None
				53			1 1% - 25%
				25			2 26% - 50%
				53			3 51% - 75%
				635			4 76% - 100%
K6B	870	2	FLUID				N Nutri; parenteral, fluid intake
				5,887			. Missing
				60			-3 Does not apply to this assessment
				7,291			-2 Item was left blank
				2			-1 Unable to determine
				17			0 None
				55			1 1 to 500cc/day
				57			2 501 to 1000cc/day
				142			3 1001 to 1500cc/day
				312			4 1501 to 2000cc/day
				291			5 2001 or more cc/day
L1A	872	2	INDIC				N Dental; debris present prior to bed
				8,329			. Missing
				2			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,745			0 Not indicated
				35			1 Indicated
				Note: See DHDEBRIS in Ric2F			
L1B	874	2	INDIC				N Dental; dentures or removable bridge
				8,329			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,130			0 Not indicated
				2,651			1 Indicated
				Note: See DHBRIDGE in Ric2F			
L1C	876	2	INDIC				N Dental; some/all natural teeth lost
				8,329			. Missing
				2			-3 Does not apply to this assessment
				3			-1 Unable to determine
				3,944			0 Not indicated
				1,836			1 Indicated
				Note: See DHTELOS in Ric2F			

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 55  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
L1D	878	2	INDIC				N Dental; broken or loose teeth
				8,329			. Missing
				2			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,500			0 Not indicated
				280			1 Indicated
Note: See DHBROKEN in Ric2F							
L1E	880	2	INDIC				N Dental; inflamed gums
				8,329			. Missing
				2			-3 Does not apply to this assessment
				3			-1 Unable to determine
				5,749			0 Not indicated
				31			1 Indicated
Note: See DHINFGUM in Ric2F							
L1F	882	2	INDIC				N Dental; daily cleaning of teeth/dentures
				8,329			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				80			0 Not indicated
				5,701			1 Indicated
L1G	884	2	INDIC				N Dental; none of above
				8,350			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,742			0 Not indicated
				19			1 Indicated
M1A	886	2					N Skin; number of stage 1 ulcers
M1B	888	2					N Skin; number of stage 2 ulcers
M1C	890	2					N Skin; number of stage 3 ulcers
M1D	892	2					N Skin; number of stage 4 ulcers
M2A	894	2	ULCERSTA				N Skin; highest stage, pressure ulcer
				3,533			. Missing
				1			-1 Unable to determine
				9,220			0 None
				322			1 Stage one
				702			2 Stage two
				158			3 Stage three
				178			4 Stage four

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 56  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M2B	896	2	ULCERSTA				N Skin; highest stage, stasis ulcer
				3,533			. Missing
				3			-1 Unable to determine
				10,332			0 None
				22			1 Stage one
				147			2 Stage two
				40			3 Stage three
				37			4 Stage four
M3	898	2	YESNO				N Skin; ulcer resolved in last 90 days
				8,294			. Missing
				2			-3 Does not apply to this assessment
				11			-1 Unable to determine
				5,107			0 No
				700			1 Yes
M4A	900	2	INDIC				N Skin; abrasions, bruises
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,370			0 Not indicated
				1,820			1 Indicated
M4B	902	2	INDIC				N Skin; burns, 2nd or 3rd degree
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,175			0 Not indicated
				15			1 Indicated
M4C	904	2	INDIC				N Skin; open lesions, not ulcer/rash/cut
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,971			0 Not indicated
				219			1 Indicated
M4D	906	2	INDIC				N Skin; rashes
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,230			0 Not indicated
				960			1 Indicated
M4E	908	2	INDIC				N Skin; desensitized to pain or pressure
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,594			0 Not indicated
				596			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 57  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M4F	910	2	INDIC				N Skin; tears or cuts, other than surgery
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,593			0 Not indicated
				597			1 Indicated
M4G	912	2	INDIC				N Skin; surgical wounds
				5,917			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,439			0 Not indicated
				751			1 Indicated
M4H	914	2	INDIC				N Skin; none of above
				5,940			. Missing
				5			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,636			0 Not indicated
				4,531			1 Indicated
M5A	916	2	INDIC				N Skin; pressure rel device for chair
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,108			0 Not indicated
				3,096			1 Indicated
M5B	918	2	INDIC				N Skin; pressure rel device for bed
				5,901			. Missing
				7			-3 Does not apply to this assessment
				3			-1 Unable to determine
				3,437			0 Not indicated
				4,766			1 Indicated
M5C	920	2	INDIC				N Skin; turning/repositioning program
				5,901			. Missing
				7			-3 Does not apply to this assessment
				3			-1 Unable to determine
				4,547			0 Not indicated
				3,656			1 Indicated
M5D	922	2	INDIC				N Skin; nutrition to manage skin prob
				5,901			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,775			0 Not indicated
				1,430			1 Indicated
M5E	924	2	INDIC				N Skin; ulcer care
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,104			0 Not indicated
				1,100			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 58  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M5F	926	2	INDIC				N Skin; surgical wound care
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,592			0 Not indicated
				612			1 Indicated
M5G	928	2	INDIC				N Skin; applic. of dressings, not feet
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,644			0 Not indicated
				1,560			1 Indicated
M5H	930	2	INDIC				N Skin; applic. of ointment/med, not feet
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,652			0 Not indicated
				2,552			1 Indicated
M5I	932	2	INDIC				N Skin; other preventative care, not feet
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,176			0 Not indicated
				4,028			1 Indicated
M5J	934	2	INDIC				N Skin; none of above
				5,922			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				7,101			0 Not indicated
				1,083			1 Indicated
M6A	936	2	INDIC				N Skin; foot, one or more problems
				5,901			. Missing
				7			-3 Does not apply to this assessment
				4			-1 Unable to determine
				6,754			0 Not indicated
				1,448			1 Indicated
M6B	938	2	INDIC				N Skin; foot, infections
				5,901			. Missing
				7			-3 Does not apply to this assessment
				5			-1 Unable to determine
				8,110			0 Not indicated
				91			1 Indicated
M6C	940	2	INDIC				N Skin; foot, open lesions
				5,901			. Missing
				7			-3 Does not apply to this assessment
				5			-1 Unable to determine
				7,999			0 Not indicated
				202			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 59  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M6D	942	2	INDIC				N Skin; foot, nails/calluses trimmed
				5,901			. Missing
				7			-3 Does not apply to this assessment
				4			-1 Unable to determine
				3,851			0 Not indicated
				4,351			1 Indicated
M6E	944	2	INDIC				N Skin; foot, preventative care
				5,901			. Missing
				7			-3 Does not apply to this assessment
				5			-1 Unable to determine
				6,547			0 Not indicated
				1,654			1 Indicated
M6F	946	2	INDIC				N Skin; foot, application of dressings
				5,901			. Missing
				7			-3 Does not apply to this assessment
				5			-1 Unable to determine
				7,743			0 Not indicated
				458			1 Indicated
M6G	948	2	INDIC				N Skin; none of above
				5,922			. Missing
				7			-3 Does not apply to this assessment
				4			-1 Unable to determine
				5,594			0 Not indicated
				2,587			1 Indicated
N1A	950	2	INDIC				N Act; awake in morning
				3,532			. Missing
				4			-1 Unable to determine
				1,367			0 Not indicated
				9,211			1 Indicated
N1B	952	2	INDIC				N Act; awake in afternoon
				3,532			. Missing
				4			-1 Unable to determine
				2,061			0 Not indicated
				8,517			1 Indicated
N1C	954	2	INDIC				N Act; awake in evening
				3,532			. Missing
				5			-1 Unable to determine
				4,445			0 Not indicated
				6,132			1 Indicated
N1D	956	2	INDIC				N Act; none of above
				3,532			. Missing
				4			-1 Unable to determine
				9,943			0 Not indicated
				635			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 60  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N2	958	2	AVRGTIME				N Act; average time involved
				3,533			. Missing
				54			-2 Item was left blank
				1			-1 Unable to determine
				407			0 Most - more than 2/3 time
				7,607			1 Some - from 1/3 to 2/3 time
				2,301			2 Little - less than 1/3 time
				211			3 None
N3A	960	2	INDIC				N Act; settings, own room
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				564			0 Not indicated
				5,212			1 Indicated
N3B	962	2	INDIC				N Act; settings, day room
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				1,688			0 Not indicated
				4,088			1 Indicated
N3C	964	2	INDIC				N Act; settings, inside NH, off unit
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				3,142			0 Not indicated
				2,634			1 Indicated
N3D	966	2	INDIC				N Act; settings, outside facility
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				4,460			0 Not indicated
				1,316			1 Indicated
N3E	968	2	INDIC				N Act; settings, none of above
				8,332			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				4			-1 Unable to determine
				5,688			0 Not indicated
				68			1 Indicated
N4A	970	2	INDIC				N Act; pref, cards, other games
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				7			-1 Unable to determine
				3,460			0 Not indicated
				2,314			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 61  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N4B	972	2	INDIC				N Act; pref, crafts/arts
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				4,536			0 Not indicated
				1,239			1 Indicated
N4C	974	2	INDIC				N Act; pref, exercise/sports
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				3,445			0 Not indicated
				2,330			1 Indicated
N4D	976	2	INDIC				N Act; pref, music
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				710			0 Not indicated
				5,066			1 Indicated
N4E	978	2	INDIC				N Act; pref, reading/writing
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				2,999			0 Not indicated
				2,776			1 Indicated
N4F	980	2	INDIC				N Act; pref, spiritual/religious activitie
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				2,006			0 Not indicated
				3,769			1 Indicated
N4G	982	2	INDIC				N Act; pref, trips/shopping
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				4,582			0 Not indicated
				1,193			1 Indicated
N4H	984	2	INDIC				N Act; pref, walking/wheelchair outdoors
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				3,571			0 Not indicated
				2,204			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 62  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N4I	986	2	INDIC				N Act; pref, watching TV
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				9			-1 Unable to determine
				1,333			0 Not indicated
				4,439			1 Indicated
N4J	988	2	INDIC				N Act; pref, gardening or plants
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				4,949			0 Not indicated
				826			1 Indicated
N4K	990	2	INDIC				N Act; pref, talking or conversing
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				1,146			0 Not indicated
				4,630			1 Indicated
N4L	992	2	INDIC				N Act; pref, helping others
				8,311			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				6			-1 Unable to determine
				5,163			0 Not indicated
				612			1 Indicated
N4M	994	2	INDIC				N Act; pref, none of above
				8,332			. Missing
				1			-3 Does not apply to this assessment
				21			-2 Item was left blank
				5			-1 Unable to determine
				5,676			0 Not indicated
				79			1 Indicated
N5A	996	2	ROUTINCH				N Act; pref, change in type activities
				8,312			. Missing
				2			-3 Does not apply to this assessment
				28			-2 Item was left blank
				13			-1 Unable to determine
				5,401			0 No change
				267			1 Slight change
				91			2 Major change

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 63  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N5B	998	2	ROUTINCH				N Act; pref, change in extent involvement
				8,311			. Missing
				1			-3 Does not apply to this assessment
				28			-2 Item was left blank
				13			-1 Unable to determine
				5,372			0 No change
				300			1 Slight change
				89			2 Major change
O1	1000	2					N Rx; # of different med rec last 7
O2	1002	2	YESNO				N Rx; receiving med initiated, last 90
				8,314			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				1,986			0 No
				3,808			1 Yes
O3	1004	2	NUMDAY				N Rx; # of days injections rec, last 7
				5,907			. Missing
				7			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,190			0-7 Number of days
O4A	1006	2	NUMDAY				N Rx; # of days antipsychotic rec, last 7
				3,533			. Missing
				13			-1 Unable to determine
				10,568			0-7 Number of days
O4B	1008	2	NUMDAY				N Rx; # of days antianxiety rec, last 7
				3,533			. Missing
				14			-1 Unable to determine
				10,567			0-7 Number of days
O4C	1010	2	NUMDAY				N Rx; # of days antidepressant rec, last 7
				3,533			. Missing
				3			-1 Unable to determine
				10,578			0-7 Number of days
O4D	1012	2	NUMDAY				N Rx; # of days hypnotic rec, last 7
				3,533			. Missing
				14			-1 Unable to determine
				10,567			0-7 Number of days
O4E	1014	2	NUMDAY				N Rx; # of days diuretic rec, last 7
				3,533			. Missing
				6			-1 Unable to determine
				10,575			0-7 Number of days

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 64  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AA	1016	2	INDIC				N Special; chemotherapy
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,164			0 Not indicated
				35			1 Indicated
P1AB	1018	2	INDIC				N Special; dialysis
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,111			0 Not indicated
				88			1 Indicated
P1AC	1020	2	INDIC				N Special; IV medication
				5,908			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,305			0 Not indicated
				892			1 Indicated
P1AD	1022	2	INDIC				N Special; intake/output
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,959			0 Not indicated
				2,240			1 Indicated
P1AE	1024	2	INDIC				N Special; monitoring acute med condition
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,247			0 Not indicated
				1,952			1 Indicated
P1AF	1026	2	INDIC				N Special; ostomy care
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,767			0 Not indicated
				432			1 Indicated
P1AG	1028	2	INDIC				N Special; oxygen therapy
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,086			0 Not indicated
				1,113			1 Indicated
P1AH	1030	2	INDIC				N Special; radiation
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,169			0 Not indicated
				30			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 65  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AI	1032	2	INDIC				N Special; suctioning
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,063			0 Not indicated
				136			1 Indicated
P1AJ	1034	2	INDIC				N Special; tracheostomy
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,118			0 Not indicated
				81			1 Indicated
P1AK	1036	2	INDIC				N Special; transfusions
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,088			0 Not indicated
				111			1 Indicated
P1AL	1038	2	INDIC				N Special; ventilator or respirator
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,166			0 Not indicated
				33			1 Indicated
P1AM	1040	2	INDIC				N Special; alcoholic/drug treatment
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,199			0 Not indicated
				0			1 Indicated
P1AN	1042	2	INDIC				N Special; alzheimers/dementia spec care
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,749			0 Not indicated
				450			1 Indicated
P1AO	1044	2	INDIC				N Special; hospice care
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,110			0 Not indicated
				89			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 66  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AP	1046	2	INDIC				N Special; pediatric unite
				5,908			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,196			0 Not indicated
				1			1 Indicated
P1AQ	1048	2	INDIC				N Special; respite care
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,196			0 Not indicated
				3			1 Indicated
P1AR	1050	2	INDIC				N Special; community skill training
				5,906			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				7,418			0 Not indicated
				781			1 Indicated
P1AS	1052	2	INDIC				N Special; none of above
				5,927			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,275			0 Not indicated
				3,903			1 Indicated
P1BAA	1054	2	NUMDAY				N Special; speech therapy days
				5,992			. Missing
				6			-3 Does not apply to this assessment
				8			-1 Unable to determine
				8,108			0-7 Number of days
P1BAB	1056	4	NUMMINS				N Special; speech therapy minutes
				5,901			. Missing
				7			-3 Does not apply to this assessment
				2			-1 Unable to determine
				8,204			0-9999 Number of minutes
P1BBA	1060	2	NUMDAY				N Special; occupational therapy days
				5,901			. Missing
				7			-3 Does not apply to this assessment
				8			-1 Unable to determine
				8,198			0-7 Number of days
P1BBB	1062	4	NUMMINS				N Special; occupational therapy minutes
				5,901			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				8,205			0-9999 Number of minutes

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 67  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1BCA	1066	2	NUMDAY				N Special; physical therapy days
				5,901			. Missing
				7			-3 Does not apply to this assessment
				8			-1 Unable to determine
				8,198			0-7 Number of days
P1BCB	1068	4	NUMMINS				N Special; physical therapy minutes
				5,901			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				8,205			0-9999 Number of minutes
P1BDA	1072	2	NUMDAY				N Special; respiratory therapy days
				5,901			. Missing
				7			-3 Does not apply to this assessment
				9			-1 Unable to determine
				8,197			0-7 Number of days
P1BDB	1074	4	NUMMINS				N Special; respiratory therapy minutes
				5,901			. Missing
				7			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,203			0-9999 Number of minutes
P1BEA	1078	2	NUMDAY				N Special; psychological therapy days
				5,901			. Missing
				7			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,196			0-7 Number of days
P1BEB	1080	4	NUMMINS				N Special; psychological therapy minutes
				5,901			. Missing
				7			-3 Does not apply to this assessment
				3			-1 Unable to determine
				8,203			0-9999 Number of minutes
P2A	1084	2	INDIC				N Special; behavior symptom eval program
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				5,427			0 Not indicated
				369			1 Indicated
P2B	1086	2	INDIC				N Special; mental health specialist eval
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				5,171			0 Not indicated
				625			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 68  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P2C	1088	2	INDIC				N Special; group therapy
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				5,768			0 Not indicated
				28			1 Indicated
P2D	1090	2	INDIC				N Special; deliberate environment changes
				8,312			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				5,689			0 Not indicated
				107			1 Indicated
P2E	1092	2	INDIC				N Special; reorientation
				8,312			. Missing
				2			-3 Does not apply to this assessment
				3			-1 Unable to determine
				3,290			0 Not indicated
				2,507			1 Indicated
P2F	1094	2	INDIC				N Special; none of above
				8,333			. Missing
				1			-3 Does not apply to this assessment
				3			-1 Unable to determine
				2,957			0 Not indicated
				2,820			1 Indicated
P3A	1096	2	NUMDAY				N Special; rehab, passive range of motion
				5,902			. Missing
				7			-3 Does not apply to this assessment
				15			-1 Unable to determine
				8,190			0-7 Number of days
P3B	1098	2	NUMDAY				N Special; rehab, active range of motion
				5,902			. Missing
				7			-3 Does not apply to this assessment
				15			-1 Unable to determine
				8,190			0-7 Number of days
P3C	1100	2	NUMDAY				N Special; rehab, splint or brace
				5,902			. Missing
				7			-3 Does not apply to this assessment
				23			-1 Unable to determine
				8,182			0-7 Number of days
P3D	1102	2	NUMDAY				N Special; practice, bed mobility
				5,902			. Missing
				7			-3 Does not apply to this assessment
				13			-1 Unable to determine
				8,192			0-7 Number of days

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 69  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P3E	1104	2	NUMDAY				N Special; practice, transfer
				5,902			. Missing
				7			-3 Does not apply to this assessment
				9			-1 Unable to determine
				8,196			0-7 Number of days
P3F	1106	2	NUMDAY				N Special; practice, walking
				5,902			. Missing
				7			-3 Does not apply to this assessment
				11			-1 Unable to determine
				8,194			0-7 Number of days
P3G	1108	2	NUMDAY				N Special; practice, dressing or grooming
				5,902			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				8,199			0-7 Number of days
P3H	1110	2	NUMDAY				N Special; practice, eating or swallowing
				5,902			. Missing
				7			-3 Does not apply to this assessment
				10			-1 Unable to determine
				8,195			0-7 Number of days
P3I	1112	2	NUMDAY				N Special; practice, ampu/prosthesis care
				5,902			. Missing
				7			-3 Does not apply to this assessment
				23			-1 Unable to determine
				8,182			0-7 Number of days
P3J	1114	2	NUMDAY				N Special; practice, communication
				5,902			. Missing
				7			-3 Does not apply to this assessment
				15			-1 Unable to determine
				8,190			0-7 Number of days
P3K	1116	2	NUMDAY				N Special; practice, other
				5,902			. Missing
				7			-3 Does not apply to this assessment
				24			-1 Unable to determine
				8,181			0-7 Number of days
P4A	1118	2	USED				N Special; devices, full bed rails
				3,533			. Missing
				9			-1 Unable to determine
				7,022			0 Not used
				79			1 Used less than daily
				3,471			2 Used daily

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 70  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P4B	1120	2	USED				N Special; devices, other types of rails
				3,533			. Missing
				10			-1 Unable to determine
				7,197			0 Not used
				171			1 Used less than daily
				3,203			2 Used daily
P4C	1122	2	USED				N Special; devices, trunk restraint
				3,533			. Missing
				15			-1 Unable to determine
				10,019			0 Not used
				26			1 Used less than daily
				521			2 Used daily
P4D	1124	2	USED				N Special; devices, limb restraint
				3,533			. Missing
				15			-1 Unable to determine
				10,514			0 Not used
				13			1 Used less than daily
				39			2 Used daily
P4E	1126	2	USED				N Special; devices, chair prevents rising
				3,533			. Missing
				15			-1 Unable to determine
				9,919			0 Not used
				63			1 Used less than daily
				584			2 Used daily
P5	1128	2	NUMDAY2X				N Special; # overnight hospital stays
				8,313			. Missing
				1			-3 Does not apply to this assessment
				5,800			0-15 Number of days
P6	1130	2	NUMDAY2X				N Special; # emergency room visits
				8,188			. Missing
				5			-3 Does not apply to this assessment
				14			-1 Unable to determine
				5,907			0-15 Number of days
P7	1132	2	NUMDAY2X				N Special; # days physician examined
				5,907			. Missing
				7			-3 Does not apply to this assessment
				8,200			0-15 Number of days
P8	1134	2	NUMDAY2X				N Special; # days physician changed orders
				5,902			. Missing
				7			-3 Does not apply to this assessment
				8,205			0-15 Number of days

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 71  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P9	1136	2	YESNO				N Special; abnormal lab value last 90 days
				8,314			. Missing
				2			-3 Does not apply to this assessment
				8			-1 Unable to determine
				1,709			0 No
				4,081			1 Yes
Q1A	1138	2	YESNO				N Status; expresses pref of discharge
				8,295			. Missing
				2			-3 Does not apply to this assessment
				12			-1 Unable to determine
				4,183			0 No
				1,622			1 Yes
Q1B	1140	2	YESNO				N Status; support person pos to discharge
				8,315			. Missing
				2			-3 Does not apply to this assessment
				11			-1 Unable to determine
				4,350			0 No
				1,436			1 Yes
Q1C	1142	2	DISCHARG				N Status; discharge projected
				8,295			. Missing
				2			-3 Does not apply to this assessment
				8			-1 Unable to determine
				4,131			0 No
				707			1 Within 30 days
				275			2 Within 31-90 days
				696			3 Discharge status uncertain
Q2	1144	2	CHANGE				N Status; overall care change last 90 days
				3,534			. Missing
				8			-1 Unable to determine
				8,172			0 No change
				542			1 Improved
				1,858			2 Deteriorated
R1A	1146	2	YESNO				N Discharge; assess resident particip
				8,315			. Missing
				1			-3 Does not apply to this assessment
				9			-1 Unable to determine
				708			0 No
				5,081			1 Yes
R1B	1148	2	YESNOFAM				N Discharge; assess, family particip
				8,315			. Missing
				1			-3 Does not apply to this assessment
				8			-1 Unable to determine
				3,082			0 No
				2,583			1 Yes
				125			2 No family

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 72  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
R1C	1150	2	YESNONON				N Discharge; assess, signif other particip
				8,315			. Missing
				1			-3 Does not apply to this assessment
				17			-1 Unable to determine
				3,499			0 No
				443			1 Yes
				1,839			2 None
R2B	1152	10					N Discharge; date RN assess complete
R3A	1162	2					N Discharge; code for resident disposition
R3B	1164	2					N Discharge; optional state code
R4	1166	10					N Discharge; date of discharge
T1AA	1176	2	NUMDAY				N Supp; recreation therapy days
				9,663			. Missing
				13			-3 Does not apply to this assessment
				101			-2 Item was left blank
				138			-1 Unable to determine
				4,199			0-7 Number of days
T1AB	1178	4	NUMMINS				N Supp; recreation therapy minutes
				9,644			. Missing
				24			-3 Does not apply to this assessment
				102			-2 Item was left blank
				131			-1 Unable to determine
				4,213			0-9999 Number of minutes
T1B	1182	2	YESNO				N Supp; PT, OT, ST ordered first 14 days
				9,207			. Missing
				12			-3 Does not apply to this assessment
				3,630			-2 Item was left blank
				31			-1 Unable to determine
				280			0 No
				954			1 Yes
T1C	1184	2	NUMDAY2X				N Supp; therapy days through day 15
				9,208			. Missing
				13			-3 Does not apply to this assessment
				3,901			-2 Item was left blank
				27			-1 Unable to determine
				965			0-15 Number of days
T1D	1186	4	NUMMINS				N Supp; total min therapy through day 15
				9,207			. Missing
				13			-3 Does not apply to this assessment
				3,901			-2 Item was left blank
				27			-1 Unable to determine
				966			0-9999 Number of minutes

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 73  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
T2A	1190	2	WALKDIST				N Supp; furthest distance walked
				9,230			. Missing
				13			-3 Does not apply to this assessment
				2,688			-2 Item was left blank
				220			-1 Unable to determine
				619			0 150+ feet
				507			1 51-149 feet
				286			2 26-50 feet
				277			3 10-25 feet
				274			4 Less than 25 feet
T2B	1192	2	WALKTIME				N Supp; time walked without sitting
				9,230			. Missing
				13			-3 Does not apply to this assessment
				2,684			-2 Item was left blank
				226			-1 Unable to determine
				584			0 1-2 minutes
				645			1 3-4 minutes
				538			2 5-10 minutes
				145			3 11-15 minutes
				33			4 16-30 minutes
				16			5 31+ minutes
T2C	1194	2	WALKASSI				N Supp; self-performance in walking
				9,230			. Missing
				13			-3 Does not apply to this assessment
				2,687			-2 Item was left blank
				224			-1 Unable to determine
				278			0 Independent
				379			1 Supervision
				829			2 Limited assistance
				474			3 Extensive assistance
T2D	1196	2	WALKSUPP				N Supp; walking support provided
				9,230			. Missing
				13			-3 Does not apply to this assessment
				2,683			-2 Item was left blank
				225			-1 Unable to determine
				338			0 No setup or physical help from staff
				286			1 Setup help only
				1,126			2 One person physical assist
				213			3 Two+ persons physical assist
T2E	1198	2	YESNO				N Supp; parallel bars used
				9,230			. Missing
				13			-3 Does not apply to this assessment
				2,652			-2 Item was left blank
				176			-1 Unable to determine
				1,879			0 No
				164			1 Yes
T3MDCR	1200	5					C Case mix group Medicare
T3STATE	1205	5					C Case mix group State

03/02/07  
MDS  
1999

MEDICARE CURRENT BENEFICIARY SURVEY  
Minimum Data Set

RIC: MD  
Page: 74  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U01RA	1210	2	ROUTE				N Drug 1; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				633			-2 Item was left blank
				1			-1 Unable to determine
				1,228			1 By mouth (PO)
				1			2 Sub lingual (SL)
				10			3 Intramuscular (IM)
				10			4 Intravenous (IV)
				27			5 Subcutaneous (SQ)
				5			6 Rectal (R)
				84			7 Topical
				47			8 Inhalation
				100			9 Enteral tube
				31			10 Other
U01FR	1212	2	\$FREQU				C Drug 1; frequency
				12,411			Missing
				159			&& Invalid entry, &&
				1			-- Invalid entry, --
				2			C Continuous
				14			O Other
				78			PR (PRN) As necessary
				7			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				935			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				6			1M (Q mo) Once each month
				7			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				278			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				10			2W Two times each week
				0			21 Invalid entry, 21
				126			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				10			3W Three times each week
				41			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				3			4W Four times each week
				1			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				14			6H (Q6H) Every 6 hours
				2			6W Six times each week
				4			8H (Q8H) Every 8 hours
U01AA	1214	5	\$AMOUNT				C Drug 1; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 75  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U01PR	1219	2	PRNN				N Drug 1; PRN-number of doses
				11,924			. Missing
				14			-3 Does not apply to this assessment
				2,091			-2 Item was left blank
				85			0-99 Number of doses
U01NDC	1221	9	\$NDCDRUG				C Drug 1; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U02RA	1230	2	ROUTE				N Drug 2; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				653			-2 Item was left blank
				1,204			1 By mouth (PO)
				0			2 Sub lingual (SL)
				8			3 Intramuscular (IM)
				15			4 Intravenous (IV)
				33			5 Subcutaneous (SQ)
				15			6 Rectal (R)
				82			7 Topical
				26			8 Inhalation
				100			9 Enteral tube
				41			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 76  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U02FR	1232	2	\$FREQU				C Drug 2; frequency
				12,431			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				2			C Continuous
				7			O Other
				83			PR (PRN) As necessary
				19			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				900			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				3			1M (Q mo) Once each month
				13			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				277			2D (BID) Two times daily
				1			2H (Q2H) Every 2 hours
				0			2M Twice each month
				14			2W Two times each week
				0			21 Invalid entry, 21
				114			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				8			3W Three times each week
				57			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				4			4W Four times each week
				3			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				8			6H (Q6H) Every 6 hours
				2			6W Six times each week
				6			8H (Q8H) Every 8 hours
U02AA	1234	5	\$AMOUNT				C Drug 2; amount administered
				14,114			LOW-HIGH Amount administered
U02PR	1239	2	PRNN				N Drug 2; PRN-number of doses
				11,924			. Missing
				14			-3 Does not apply to this assessment
				2,084			-2 Item was left blank
				92			0-99 Number of doses
U02NDC	1241	9	\$NDCDRUG				C Drug 2; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 77  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U03RA	1250	2	ROUTE				N Drug 3; route of administration
				11,924			. Missing
				14			-3 Does not apply to this assessment
				699			-2 Item was left blank
				1,222			1 By mouth (PO)
				0			2 Sub lingual (SL)
				4			3 Intramuscular (IM)
				7			4 Intravenous (IV)
				27			5 Subcutaneous (SQ)
				7			6 Rectal (R)
				61			7 Topical
				33			8 Inhalation
				82			9 Enteral tube
				34			10 Other
U03FR	1252	2	\$FREQU				C Drug 3; frequency
				12,477			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				4			O Other
				83			PR (PRN) As necessary
				24			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				877			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				303			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				10			2W Two times each week
				0			21 Invalid entry, 21
				84			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				5			3W Three times each week
				52			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				5			4W Four times each week
				2			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				11			6H (Q6H) Every 6 hours
				2			6W Six times each week
				9			8H (Q8H) Every 8 hours
U03AA	1254	5	\$AMOUNT				C Drug 3; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 78  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U03PR	1259	2	PRNN				N Drug 3; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,086			-2 Item was left blank
				91			0-99 Number of doses
U03NDC	1261	9	\$NDCDRUG				C Drug 3; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U04RA	1270	2	ROUTE				N Drug 4; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				754			-2 Item was left blank
				1,097			1 By mouth (PO)
				2			2 Sub lingual (SL)
				7			3 Intramuscular (IM)
				19			4 Intravenous (IV)
				23			5 Subcutaneous (SQ)
				8			6 Rectal (R)
				101			7 Topical
				29			8 Inhalation
				93			9 Enteral tube
				44			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 79  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U04FR	1272	2	\$FREQU				C Drug 4; frequency
				12,532			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				8			O Other
				102			PR (PRN) As necessary
				23			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				796			1D (QD or HS) Once daily
				1			1H (QH) Every hour
				1			1M (Q mo) Once each month
				4			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				281			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				121			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				5			3W Three times each week
				41			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				4			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				16			6H (Q6H) Every 6 hours
				2			6W Six times each week
				15			8H (Q8H) Every 8 hours
U04AA	1274	5	\$AMOUNT				C Drug 4; amount administered
				14,114			LOW-HIGH Amount administered
U04PR	1279	2	PRNN				N Drug 4; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,067			-2 Item was left blank
				110			0-99 Number of doses
U04NDC	1281	9	\$NDCDRUG				C Drug 4; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 80  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U05RA	1290	2	ROUTE				N Drug 5; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				833			-2 Item was left blank
				1,023			1 By mouth (PO)
				1			2 Sub lingual (SL)
				18			3 Intramuscular (IM)
				12			4 Intravenous (IV)
				41			5 Subcutaneous (SQ)
				9			6 Rectal (R)
				79			7 Topical
				21			8 Inhalation
				83			9 Enteral tube
				57			10 Other
U05FR	1292	2	\$FREQU				C Drug 5; frequency
				12,611			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				13			O Other
				87			PR (PRN) As necessary
				28			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				1			00 Invalid entry, 00
				0			1 Invalid entry, One
				681			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				6			1M (Q mo) Once each month
				6			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				346			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				2			2M Twice each month
				5			2W Two times each week
				0			21 Invalid entry, 21
				112			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				9			3W Three times each week
				29			4D (QID) Four times daily
				4			4H (Q4H) Every 4 hours
				1			4W Four times each week
				0			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				7			6H (Q6H) Every 6 hours
				0			6W Six times each week
				4			8H (Q8H) Every 8 hours
U05AA	1294	5	\$AMOUNT				C Drug 5; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 81  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U05PR	1299	2	PRNN				N Drug 5; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,083			-2 Item was left blank
				94			0-99 Number of doses
U05NDC	1301	9	\$NDCDRUG				C Drug 5; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U06RA	1310	2	ROUTE				N Drug 6; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				950			-2 Item was left blank
				931			1 By mouth (PO)
				1			2 Sub lingual (SL)
				17			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				43			5 Subcutaneous (SQ)
				17			6 Rectal (R)
				84			7 Topical
				39			8 Inhalation
				62			9 Enteral tube
				30			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 82  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U06FR	1312	2	\$FREQU				C Drug 6; frequency
				12,728			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				7			O Other
				135			PR (PRN) As necessary
				23			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				626			1D (QD or HS) Once daily
				1			1H (QH) Every hour
				10			1M (Q mo) Once each month
				6			1W (Q week) Once each week
				2			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				275			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				80			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				5			3W Three times each week
				37			4D (QID) Four times daily
				4			4H (Q4H) Every 4 hours
				4			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				1			6W Six times each week
				5			8H (Q8H) Every 8 hours
U06AA	1314	5	\$AMOUNT				C Drug 6; amount administered
				14,114			LOW-HIGH Amount administered
U06PR	1319	2	PRNN				N Drug 6; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,036			-2 Item was left blank
				141			0-99 Number of doses
U06NDC	1321	9	\$NDCDRUG				C Drug 7; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 83  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U07RA	1330	2	ROUTE				N Drug 7; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,116			-2 Item was left blank
				770			1 By mouth (PO)
				0			2 Sub lingual (SL)
				14			3 Intramuscular (IM)
				10			4 Intravenous (IV)
				48			5 Subcutaneous (SQ)
				11			6 Rectal (R)
				82			7 Topical
				37			8 Inhalation
				59			9 Enteral tube
				30			10 Other
U07FR	1332	2	\$FREQU				C Drug 7; frequency
				12,894			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				13			O Other
				126			PR (PRN) As necessary
				3			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				561			1D (QD or HS) Once daily
				1			1H (QH) Every hour
				5			1M (Q mo) Once each month
				2			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				179			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				1			2M Twice each month
				4			2W Two times each week
				0			21 Invalid entry, 21
				85			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				10			3W Three times each week
				40			4D (QID) Four times daily
				7			4H (Q4H) Every 4 hours
				3			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				1			6D Invalid entry, 6D
				11			6H (Q6H) Every 6 hours
				1			6W Six times each week
				6			8H (Q8H) Every 8 hours
U07AA	1334	5	\$AMOUNT				C Drug 7; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 84  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U07PR	1339	2	PRNN				N Drug 7; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,044			-2 Item was left blank
				133			0-99 Number of doses
U07NDC	1341	9	\$NDCDRUG				C Drug 7; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U08RA	1350	2	ROUTE				N Drug 8; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,267			-2 Item was left blank
				662			1 By mouth (PO)
				0			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				8			4 Intravenous (IV)
				40			5 Subcutaneous (SQ)
				14			6 Rectal (R)
				101			7 Topical
				27			8 Inhalation
				45			9 Enteral tube
				12			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 85  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U08FR	1352	2	\$FREQU				C Drug 8; frequency
				13,045			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				12			O Other
				140			PR (PRN) As necessary
				2			Q0 Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				448			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				7			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				175			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				71			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				23			4D (QID) Four times daily
				7			4H (Q4H) Every 4 hours
				2			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				1			6D Invalid entry, 6D
				8			6H (Q6H) Every 6 hours
				2			6W Six times each week
				6			8H (Q8H) Every 8 hours
U08AA	1354	5	\$AMOUNT				C Drug 8; amount administered
				14,114			LOW-HIGH Amount administered
U08PR	1359	2	PRNN				N Drug 8; PRN-number of doses
				11,924			. Missing
				14			-3 Does not apply to this assessment
				2,031			-2 Item was left blank
				145			0-99 Number of doses
U08NDC	1361	9	\$NDCDRUG				C Drug 8; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 86  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U09RA	1370	2	ROUTE				N Drug 9; route of administration
				11,924			. Missing
				14			-3 Does not apply to this assessment
				1,426			-2 Item was left blank
				518			1 By mouth (PO)
				0			2 Sub lingual (SL)
				7			3 Intramuscular (IM)
				11			4 Intravenous (IV)
				38			5 Subcutaneous (SQ)
				14			6 Rectal (R)
				73			7 Topical
				25			8 Inhalation
				39			9 Enteral tube
				25			10 Other
U09FR	1372	2	\$FREQU				C Drug 9; frequency
				13,204			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				3			C Continuous
				13			O Other
				134			PR (PRN) As necessary
				4			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				330			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				5			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				144			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				51			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				1			3P Invalid entry, 3P
				3			3W Three times each week
				29			4D (QID) Four times daily
				7			4H (Q4H) Every 4 hours
				3			4W Four times each week
				1			5D Five times daily
				3			5W Five times each week
				0			6D Invalid entry, 6D
				11			6H (Q6H) Every 6 hours
				1			6W Six times each week
				5			8H (Q8H) Every 8 hours
U09AA	1374	5	\$AMOUNT				C Drug 9; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 87  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U09PR	1379	2	PRNN				N Drug 9; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,038			-2 Item was left blank
				139			0-99 Number of doses
U09NDC	1381	9	\$NDCDRUG				C Drug 9; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U10RA	1390	2	ROUTE				N Drug 10; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,538			-2 Item was left blank
				416			1 By mouth (PO)
				0			2 Sub lingual (SL)
				5			3 Intramuscular (IM)
				5			4 Intravenous (IV)
				21			5 Subcutaneous (SQ)
				11			6 Rectal (R)
				104			7 Topical
				25			8 Inhalation
				32			9 Enteral tube
				20			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 88  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U10FR	1392	2	\$FREQU				C Drug 10; frequency
				13,316			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				10			O Other
				125			PR (PRN) As necessary
				18			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				1			1 Invalid entry, One
				244			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				3			1M (Q mo) Once each month
				8			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				125			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				13			2W Two times each week
				0			21 Invalid entry, 21
				57			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				20			4D (QID) Four times daily
				3			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				0			6W Six times each week
				6			8H (Q8H) Every 8 hours
U10AA	1394	5	\$AMOUNT				C Drug 10; amount administered
				14,114			LOW-HIGH Amount administered
U10PR	1399	2	PRNN				N Drug 10; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,048			-2 Item was left blank
				129			0-99 Number of doses
U10NDC	1401	9	\$NDCDRUG				C Drug 10; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 89  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U11RA	1410	2	ROUTE				N Drug 11; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,674			-2 Item was left blank
				340			1 By mouth (PO)
				1			2 Sub lingual (SL)
				5			3 Intramuscular (IM)
				7			4 Intravenous (IV)
				19			5 Subcutaneous (SQ)
				9			6 Rectal (R)
				59			7 Topical
				18			8 Inhalation
				25			9 Enteral tube
				20			10 Other
U11FR	1412	2	\$FREQU				C Drug 11; frequency
				13,452			Missing
				159			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				5			O Other
				113			PR (PRN) As necessary
				2			Q0 Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				209			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				5			1M (Q mo) Once each month
				4			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				77			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				6			2W Two times each week
				0			21 Invalid entry, 21
				38			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				4			3W Three times each week
				31			4D (QID) Four times daily
				3			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				0			6W Six times each week
				2			8H (Q8H) Every 8 hours
U11AA	1414	5	\$AMOUNT				C Drug 11; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 90  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U11PR	1419	2	PRNN				N Drug 11; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,061			-2 Item was left blank
				116			0-99 Number of doses
U11NDC	1421	9	\$NDCDRUG				C Drug 11; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U12RA	1430	2	ROUTE				N Drug 12; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,803			-2 Item was left blank
				272			1 By mouth (PO)
				1			2 Sub lingual (SL)
				9			3 Intramuscular (IM)
				6			4 Intravenous (IV)
				12			5 Subcutaneous (SQ)
				1			6 Rectal (R)
				35			7 Topical
				8			8 Inhalation
				20			9 Enteral tube
				10			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 91  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U12FR	1432	2	\$FREQU				C Drug 12; frequency
				13,581			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				2			O Other
				59			PR (PRN) As necessary
				3			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				150			1D (QD or HS) Once daily
				1			1H (QH) Every hour
				3			1M (Q mo) Once each month
				4			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				91			2D (BID) Two times daily
				1			2H (Q2H) Every 2 hours
				0			2M Twice each month
				5			2W Two times each week
				0			21 Invalid entry, 21
				36			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				10			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				4			6H (Q6H) Every 6 hours
				0			6W Six times each week
				1			8H (Q8H) Every 8 hours
U12AA	1434	5	\$AMOUNT				C Drug 12; amount administered
				14,114			LOW-HIGH Amount administered
U12PR	1439	2	PRNN				N Drug 12; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,113			-2 Item was left blank
				64			0-99 Number of doses
U12NDC	1441	9	\$NDCDRUG				C Drug 12; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 92  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U13RA	1450	2	ROUTE				N Drug 13; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,897			-2 Item was left blank
				1			-1 Unable to determine
				206			1 By mouth (PO)
				2			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				4			4 Intravenous (IV)
				17			5 Subcutaneous (SQ)
				0			6 Rectal (R)
				11			7 Topical
				14			8 Inhalation
				13			9 Enteral tube
				11			10 Other
U13FR	1452	2	\$FREQU				C Drug 13; frequency
				13,675			Missing
				159			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				1			O Other
				61			PR (PRN) As necessary
				2			QO Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				120			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				2			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				53			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				1			2W Two times each week
				0			21 Invalid entry, 21
				19			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				15			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				1			6W Six times each week
				1			8H (Q8H) Every 8 hours
U13AA	1454	5	\$AMOUNT				C Drug 13; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 93  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U13PR	1459	2	PRNN				N Drug 13; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,113			-2 Item was left blank
				64			0-99 Number of doses
U13NDC	1461	9	\$NDCDRUG				C Drug 13; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U14RA	1470	2	ROUTE				N Drug 14; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				1,961			-2 Item was left blank
				1			-1 Unable to determine
				154			1 By mouth (PO)
				0			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				5			4 Intravenous (IV)
				13			5 Subcutaneous (SQ)
				5			6 Rectal (R)
				18			7 Topical
				5			8 Inhalation
				11			9 Enteral tube
				3			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 94  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U14FR	1472	2	\$FREQU				C Drug 14; frequency
				13,739			Missing
				159			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				3			O Other
				50			PR (PRN) As necessary
				3			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				97			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				26			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				0			2W Two times each week
				0			21 Invalid entry, 21
				17			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				6			3W Three times each week
				6			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				0			6W Six times each week
				3			8H (Q8H) Every 8 hours
U14AA	1474	5	\$AMOUNT				C Drug 14; amount administered
				14,114			LOW-HIGH Amount administered
U14PR	1479	2	PRNN				N Drug 14; PRN-number of doses
				11,924			. Missing
				14			-3 Does not apply to this assessment
				2,125			-2 Item was left blank
				51			0-99 Number of doses
U14NDC	1481	9	\$NDCDRUG				C Drug 14; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

MEDICARE CURRENT BENEFICIARY SURVEY  
Minimum Data Set

RIC: MD  
Page: 95  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U15RA	1490	2	ROUTE				N Drug 15; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,018			-2 Item was left blank
				1			-1 Unable to determine
				94			1 By mouth (PO)
				0			2 Sub lingual (SL)
				3			3 Intramuscular (IM)
				9			4 Intravenous (IV)
				6			5 Subcutaneous (SQ)
				5			6 Rectal (R)
				13			7 Topical
				13			8 Inhalation
				11			9 Enteral tube
				4			10 Other
U15FR	1492	2	\$FREQU				C Drug 15; frequency
				13,796			Missing
				159			&& Invalid entry, &&
				1			-- Invalid entry, --
				0			C Continuous
				2			O Other
				34			PR (PRN) As necessary
				2			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				65			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				2			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				22			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				1			2W Two times each week
				0			21 Invalid entry, 21
				13			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				11			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				2			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				0			6W Six times each week
				1			8H (Q8H) Every 8 hours
U15AA	1494	5	\$AMOUNT				C Drug 15; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 96  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U15PR	1499	2	PRNN				N Drug 15; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,143			-2 Item was left blank
				34			0-99 Number of doses
U15NDC	1501	9	\$NDCDRUG				C Drug 15; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U16RA	1510	2	ROUTE				N Drug 16; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,064			-2 Item was left blank
				1			-1 Unable to determine
				80			1 By mouth (PO)
				0			2 Sub lingual (SL)
				0			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				7			5 Subcutaneous (SQ)
				3			6 Rectal (R)
				9			7 Topical
				0			8 Inhalation
				4			9 Enteral tube
				6			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 97  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U16FR	1512	2	\$FREQU				C Drug 16; frequency
				13,842			Missing
				159			&& Invalid entry, &&
				1			-- Invalid entry, --
				1			C Continuous
				2			O Other
				30			PR (PRN) As necessary
				0			Q0 Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				42			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				27			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				4			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				2			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U16AA	1514	5	\$AMOUNT				C Drug 16; amount administered
				14,114			LOW-HIGH Amount administered
U16PR	1519	2	PRNN				N Drug 16; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,144			-2 Item was left blank
				33			0-99 Number of doses
U16NDC	1521	9	\$NDCDRUG				C Drug 16; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 98  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U17RA	1530	2	ROUTE				N Drug 17; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,100			-2 Item was left blank
				43			1 By mouth (PO)
				1			2 Sub lingual (SL)
				2			3 Intramuscular (IM)
				1			4 Intravenous (IV)
				5			5 Subcutaneous (SQ)
				0			6 Rectal (R)
				6			7 Topical
				15			8 Inhalation
				4			9 Enteral tube
				0			10 Other
U17FR	1532	2	\$FREQU				C Drug 17; frequency
				13,878			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				1			O Other
				16			PR (PRN) As necessary
				0			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				25			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				25			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				0			2W Two times each week
				0			21 Invalid entry, 21
				8			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				1			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U17AA	1534	5	\$AMOUNT				C Drug 17; amount administered
				14,114			LOW-HIGH Amount administered

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 99  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U17PR	1539	2	PRNN				N Drug 17; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,157			-2 Item was left blank
				20			0-99 Number of doses
U17NDC	1541	9	\$NDCDRUG				C Drug 17; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
U18RA	1550	2	ROUTE				N Drug 18; route of administration
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,117			-2 Item was left blank
				42			1 By mouth (PO)
				0			2 Sub lingual (SL)
				0			3 Intramuscular (IM)
				2			4 Intravenous (IV)
				2			5 Subcutaneous (SQ)
				1			6 Rectal (R)
				8			7 Topical
				2			8 Inhalation
				2			9 Enteral tube
				1			10 Other

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 100  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U18FR	1552	2	\$FREQU				C Drug 18; frequency
				13,895			Missing
				159			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				0			O Other
				8			PR (PRN) As necessary
				0			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				2			1 Invalid entry, One
				16			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				11			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				14			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				0			3W Three times each week
				6			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U18AA	1554	5	\$AMOUNT				C Drug 18; amount administered
				14,114			LOW-HIGH Amount administered
U18PR	1559	2	PRNN				N Drug 18; PRN-number of doses
				11,923			. Missing
				14			-3 Does not apply to this assessment
				2,166			-2 Item was left blank
				11			0-99 Number of doses
U18NDC	1561	9	\$NDCDRUG				C Drug 18; National Drug Code (NDC)
				14,114			LOW-HIGH National Drug Code
VA01A	1570	2	INDIC				N Delirium, triggered
				9,908			. Missing
				584			-3 Does not apply to this assessment
				65			-2 Item was left blank
				16			-1 Unable to determine
				2,738			0 Not indicated
				803			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 101  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA01B	1572	2	INDIC				N Delirium, care planning
				9,912			. Missing
				586			-3 Does not apply to this assessment
				73			-2 Item was left blank
				274			-1 Unable to determine
				2,946			0 Not indicated
				323			1 Indicated
VA02A	1574	2	INDIC				N Cognitive loss, triggered
				9,903			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				713			0 Not indicated
				2,834			1 Indicated
VA02B	1576	2	INDIC				N Cognitive loss, care planning
				9,907			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				88			-1 Unable to determine
				1,378			0 Not indicated
				2,082			1 Indicated
VA03A	1578	2	INDIC				N Visual function, triggered
				9,907			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				19			-1 Unable to determine
				1,976			0 Not indicated
				1,563			1 Indicated
VA03B	1580	2	INDIC				N Visual function, care planning
				9,912			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				194			-1 Unable to determine
				2,401			0 Not indicated
				948			1 Indicated
VA04A	1582	2	INDIC				N Communication, triggered
				9,904			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				1,148			0 Not indicated
				2,398			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 102  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA04B	1584	2	INDIC				N Communication, care planning
				9,909			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				125			-1 Unable to determine
				1,768			0 Not indicated
				1,653			1 Indicated
VA05A	1586	2	INDIC				N ADL funct/Rehab potential, triggered
				9,904			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				95			0 Not indicated
				3,451			1 Indicated
VA05B	1588	2	INDIC				N ADL funct/Rehab potential, care planning
				9,907			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				51			-1 Unable to determine
				679			0 Not indicated
				2,818			1 Indicated
VA06A	1590	2	INDIC				N Urinary incontinence, triggered
				9,904			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				952			0 Not indicated
				2,594			1 Indicated
VA06B	1592	2	INDIC				N Urinary incontinence, care planning
				9,907			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				111			-1 Unable to determine
				1,463			0 Not indicated
				1,974			1 Indicated
VA07A	1594	2	INDIC				N Psychosocial well-being, triggered
				9,905			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				2,390			0 Not indicated
				1,155			1 Indicated

03/02/07

MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 103  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA07B	1596	2	INDIC				N Psychosocial well-being, care planning
				9,911			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				253			-1 Unable to determine
				2,490			0 Not indicated
				801			1 Indicated
VA08A	1598	2	INDIC				N Mood state, triggered
				9,903			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				1,966			0 Not indicated
				1,581			1 Indicated
VA08B	1600	2	INDIC				N Mood state, care planning
				9,909			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				206			-1 Unable to determine
				2,117			0 Not indicated
				1,223			1 Indicated
VA09A	1602	2	INDIC				N Behavioral symptoms, triggered
				9,905			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				2,348			0 Not indicated
				1,197			1 Indicated
VA09B	1604	2	INDIC				N Behavioral symptoms, care planning
				9,909			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				218			-1 Unable to determine
				2,375			0 Not indicated
				953			1 Indicated
VA10A	1606	2	INDIC				N Activities, triggered
				9,903			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				2,437			0 Not indicated
				1,110			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 104  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA10B	1608	2	INDIC				N Activities, care planning
				9,910			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				238			-1 Unable to determine
				2,464			0 Not indicated
				843			1 Indicated
VA11A	1610	2	INDIC				N Falls, triggered
				9,905			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				1,266			0 Not indicated
				2,279			1 Indicated
VA11B	1612	2	INDIC				N Falls, care planning
				9,910			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				146			-1 Unable to determine
				1,574			0 Not indicated
				1,825			1 Indicated
VA12A	1614	2	INDIC				N Nutritional status, triggered
				9,906			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				16			-1 Unable to determine
				658			0 Not indicated
				2,885			1 Indicated
VA12B	1616	2	INDIC				N Nutritional status, care planning
				9,907			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				86			-1 Unable to determine
				1,214			0 Not indicated
				2,248			1 Indicated
VA13A	1618	2	INDIC				N Feeding tubes, triggered
				9,905			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				3,227			0 Not indicated
				318			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 105  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA13B	1620	2	INDIC				N Feeding tubes, care planning
				9,913			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				318			-1 Unable to determine
				2,977			0 Not indicated
				247			1 Indicated
VA14A	1622	2	INDIC				N Dehydration/Fluid mainten, triggered
				9,906			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				1,646			0 Not indicated
				1,898			1 Indicated
VA14B	1624	2	INDIC				N Dehydration/Fluid mainten, care planning
				9,913			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				166			-1 Unable to determine
				2,108			0 Not indicated
				1,268			1 Indicated
VA15A	1626	2	INDIC				N Dental care, triggered
				9,905			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				2,336			0 Not indicated
				1,209			1 Indicated
VA15B	1628	2	INDIC				N Dental care, care planning
				9,912			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				205			-1 Unable to determine
				2,636			0 Not indicated
				702			1 Indicated
VA16A	1630	2	INDIC				N Pressure ulcers, triggered
				9,904			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				785			0 Not indicated
				2,761			1 Indicated

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 106  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA16B	1632	2	INDIC				N Pressure ulcers, care planning
				9,907			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				101			-1 Unable to determine
				1,373			0 Not indicated
				2,074			1 Indicated
VA17A	1634	2	INDIC				N Psychotropic drug use, triggered
				9,904			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				1,951			0 Not indicated
				1,595			1 Indicated
VA17B	1636	2	INDIC				N Psychotropic drug use, care planning
				9,914			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				221			-1 Unable to determine
				2,056			0 Not indicated
				1,264			1 Indicated
VA18A	1638	2	INDIC				N Physical restraints, triggered
				9,905			. Missing
				593			-3 Does not apply to this assessment
				56			-2 Item was left blank
				15			-1 Unable to determine
				3,199			0 Not indicated
				346			1 Indicated
VA18B	1640	2	INDIC				N Physical restraints, care planning
				9,911			. Missing
				595			-3 Does not apply to this assessment
				64			-2 Item was left blank
				302			-1 Unable to determine
				2,963			0 Not indicated
				279			1 Indicated
VB2	1642	10					N Signature date, RAP assessment
VB4	1652	10					N Signature date, care planning
STATE_CD	1662	2					C FU-STATE-ID
RESIDENT	1664	7					N FU-RES-INT-ID
ASMNT_IN	1671	7					N FU-MDS-ASMT-INT-ID
FACILITY	1678	7					N FU-FAC-INT-ID
SUBMISSO	1685	10					N FU-SUBMISSION-DATE
SUBMISSI	1695	6					N FU-MDS-SUBM-SEQ-NBR

03/02/07  
MDS  
1999

**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data Set

RIC: MD  
Page: 107  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
EFFECTIV	1701	10					N FU-EFFECTIVE-DATE
TARGET_D	1711	10					N FU-TARGET-DATE
ORIG_ASM	1721	7					N FU-ORIG-ASMT-INT-ID
ASMNT_MO	1728	1					C FU-AST-MOD-IND
ASMNT_CO	1729	2					N FU-AST-CORR-VER
ASMNT_BE	1731	10					N FU-AST-BEG-VER-DT
ASMNT_EN	1741	10					N FU-AST-END-VER-DT
CARE_LCK	1751	10					N FU-CARE-LOCK
P_REC_DT	1761	10					N FU-P-REC-DT
VCODE1	1771	5					C FU-VCODE1
VCODE2	1776	5					C FU-VCODE2
SFTW_ID	1781	9					C FU-SFTW-ID
SFT_VER	1790	5					C FU-SFT-VER
RES_MATC	1795	2					N FU-RES-MATCH-CRITERIA
MCR_GP	1797	3					C FU-MCR-GP
CREATED_	1800	10					N FU-CREATED-DATE
UPDATED_	1810	10					N FU-UPDATED-DATE
MCR_VR	1820	2					C FU-MCR-VR
MCR_CMI	1822	12					N FU-MCR-CMI
RES_CHG_	1834	10					N FU-RES-CHG-YIMESTAMP
MCR_SET_	1844	3					C FU-MCR-SET-CODE
MCD_GP	1847	3					C FU-MCD-GP
MCD_VR	1850	2					C FU-MCD-VR
MCD_CMI	1852	12					N FU-MCD-CMI
MCD_SET_	1864	3					C FU-MCD-SET-CODE
SUBREQ	1867	1					C FU-SUBMISSION-REQUIREMENT
PREPARDT	1868	10					N FU-STATE-PREPARED-DATE
CPS	1878	1					C FU-COGNITIVE-PERFORMANCE-SCALE
BARTHEL	1879	2					N FU-BARTHEL-INDEX
SORTFLAG	1881	2					C FU-SORT-FLAG

03/02/07

MDS  
1999**MEDICARE CURRENT BENEFICIARY SURVEY**  
Minimum Data SetRIC: MD  
Page: 108  
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CRITERIA	1883	1					C FU-CRITERIA
DOB	1884	10					N FU-DOB
GENDER	1894	2					N FU-GENDER
DEATH_DA	1896	10					N FU-DEATH-DA
MAT_RES	1906	1					C FU-MAT-RES
COUNTY	1907	3					C FU-COUNTY
MAT_FAC	1910	1					C FU-MAT-FAC
R_TARGET	1911	10					N FU-R-TARGET
ABLIMP	1921	10					N FU-ABLIMP
RSRTFLAG	1931	1					C FU-RSRTFLAG
LSTTRANS	1932	1					C FU-LSTTRANS
LSTFULL	1933	1					C FU-LSTFULL
FACCHG	1934	1					C FU-FACCHG
LSTRNDT	1935	10					N FU-LSTRNDT
LSTDISDT	1945	10					N FU-LSTDISDT