

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 1
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

This file examines in greater detail the behaviors of the Medicare population with respect to various preventative healthcare screeners. In addition to mammograms and Pap smears this file contains data on procedures associated with the prostate and colon cancer, osteoporosis, and diabetes. There is one record for every community interview.

RIC	1	2					C Record Identification Code
VERSION	3	1					C Version Number
BASEID	4	8	\$BSIDFMT				C Unique SP Identification Number
				15,246			LOW-HIGH BASEID Count
MAMSITE	12	2	SITE2FMT		HS11a		N Where was last mammogram performed
				11,002			. Inapplicable
				1			-9 Not ascertained
				7			-8 Don't know
				562			1 Doctor's office/Group Practice
				581			2 Doctor's clinic
				196			3 Managed care plan center/HMO
				914			4 Radiology office
				25			5 Neighborhood/Family health center
				5			6 Freestanding surgical clinic
				6			7 Rural health clinic
				8			8 Company clinic
				44			9 Other clinic
				4			10 Walk-in urgent center
				9			11 Hospital emergency room
				1,841			12 Hospital outpatient dept/Clinic
				8			13 V.A. facility
				5			14 Health fair
				28			91 Other

NOTES: Applies only if RIC 2, MAMMOGRM = 1
First available in 2000

MAMANUL	14	2	IND1FMT		HS11b		N Dr recommends/prescribes annually
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				3,639			1 Indicated
				601			2 Not Indicated

NOTES: Applies only if RIC 2, MAMMOGRM = 1
First available in 2000

MAMFMLY	16	2	IND1FMT		HS11b		N Family/friend recommends it
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				47			1 Indicated
				4,193			2 Not Indicated

NOTES: Applies only if RIC 2, MAMMOGRM = 1
First available in 2000

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 2

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMPROB	18	2	IND1FMT	HS11b			N SP has lump/possible problem
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				180			1 Indicated
				4,060			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 1			
				First available in 2000			
MAMSCRN	20	2	IND1FMT	HS11b			N To screen for or prevent breast cancer
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				223			1 Indicated
				4,017			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 1			
				First available in 2000			
MAMRISK	22	2	IND1FMT	HS11b			N At risk for cancer/other problems
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				193			1 Indicated
				4,047			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 1			
				First available in 2000			
MAMPRES	24	2	IND1FMT	HS11b			N Dr. prescribed it
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				298			1 Indicated
				3,942			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 1			
				First available in 2000			
MAMREC	26	2	IND1FMT	HS11b			N Dr. recommended it
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				198			1 Indicated
				4,042			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 1			
				First available in 2000			

10/25/02

MEDICARE CURRENT BENEFICIARY SURVEY

RIC: 2P

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMFREE	28	2	IND1FMT	HS11b			N Free/reasonable cost of mammogram
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				7			1 Indicated
				4,233			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1							
First available in 2000							
MAMOTHR	30	2	IND1FMT	HS11b			N Reason for mammogram - other
				11,002			. Inapplicable
				1			-9 Not ascertained
				3			-8 Don't know
				18			1 Indicated
				4,222			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1							
First available in 2000							
MAMNNEED	32	2	IND1FMT	HS11c			N Wasn't needed/no need/nothing wrong
				11,101			. Inapplicable
				36			-8 Don't know
				1,074			1 Indicated
				3,035			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2							
First available in 2000							
MAMNANUL	34	2	IND1FMT	HS11c			N Not recommended annually/diff schedule
				11,101			. Inapplicable
				36			-8 Don't know
				444			1 Indicated
				3,665			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2							
First available in 2000							
MAMNGET	36	2	IND1FMT	HS11c			N Could get cancer anyway/test useless
				11,101			. Inapplicable
				36			-8 Don't know
				125			1 Indicated
				3,984			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2							
First available in 2000							
MAMNRISK	38	2	IND1FMT	HS11c			N Not at risk for breast cancer
				11,101			. Inapplicable
				36			-8 Don't know
				89			1 Indicated
				4,020			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2							
First available in 2000							

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 4

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNPRES	40	2	IND1FMT	HS11c			N Dr. did not prescribe or recommend it
				11,101			. Inapplicable
				36			-8 Don't know
				762			1 Indicated
				3,347			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNREC	42	2	IND1FMT	HS11c			N Dr. recommended against getting it
				11,101			. Inapplicable
				36			-8 Don't know
				43			1 Indicated
				4,066			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNLIKE	44	2	IND1FMT	HS11c			N Don't like mammograms/pain/reactions to
				11,101			. Inapplicable
				36			-8 Don't know
				413			1 Indicated
				3,696			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNLOCA	46	2	IND1FMT	HS11c			N Inconvenient/unable to get to location
				11,101			. Inapplicable
				36			-8 Don't know
				144			1 Indicated
				3,965			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNMISS	48	2	IND1FMT	HS11c			N Forgot/missed it/procrastinated
				11,101			. Inapplicable
				36			-8 Don't know
				568			1 Indicated
				3,541			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNCOST	50	2	IND1FMT	HS11c			N Cost of mammogram/not covered by ins
				11,101			. Inapplicable
				36			-8 Don't know
				67			1 Indicated
				4,042			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 5

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNFEAR	52	2	IND1FMT	HS11c			N Afraid of results/don't want to know
				11,101			. Inapplicable
				36			-8 Don't know
				71			1 Indicated
				4,038			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNRADI	54	2	IND1FMT	HS11c			N Mammogram radiation could cause cancer
				11,101			. Inapplicable
				36			-8 Don't know
				19			1 Indicated
				4,090			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNHEAR	56	2	IND1FMT	HS11c			N Never heard of mammogram
				11,101			. Inapplicable
				36			-8 Don't know
				20			1 Indicated
				4,089			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNAPPT	58	2	IND1FMT	HS11c			N Appointment is scheduled/due soon
				11,101			. Inapplicable
				36			-8 Don't know
				419			1 Indicated
				3,690			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNMASC	60	2	IND1FMT	HS11c			N SP had a mastectomy
				11,101			. Inapplicable
				36			-8 Don't know
				72			1 Indicated
				4,037			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNILL	62	2	IND1FMT	HS11c			N SP was too ill, physically or mentally
				11,101			. Inapplicable
				36			-8 Don't know
				129			1 Indicated
				3,980			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2001			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 6

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNOTHR	64	2	IND1FMT		HS11c		N Reason not had mammogram - other
				11,101			. Inapplicable
				36			-8 Don't know
				102			1 Indicated
				4,007			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
PAPANUL	66	2	IND1FMT		HS12a		N Dr. recommends/prescribes annually
				12,278			. Inapplicable
				3			-8 Don't know
				2,569			1 Indicated
				396			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1			
				First available in 2000			
PAPFMLY	68	2	IND1FMT		HS12a		N Family/friend recommends it
				12,278			. Inapplicable
				3			-8 Don't know
				20			1 Indicated
				2,945			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1			
				First available in 2000			
PAPPROB	70	2	IND1FMT		HS12a		N Result of exam/possible problem
				12,278			. Inapplicable
				3			-8 Don't know
				68			1 Indicated
				2,897			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1			
				First available in 2000			
PAPSCRN	72	2	IND1FMT		HS12a		N To screen for or prevent cancer
				12,278			. Inapplicable
				3			-8 Don't know
				108			1 Indicated
				2,857			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1			
				First available in 2000			
PAPRISK	74	2	IND1FMT		HS12a		N At risk for cancer or health problem
				12,278			. Inapplicable
				3			-8 Don't know
				48			1 Indicated
				2,917			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1			
				First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 7

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPPRES	76	2	IND1FMT		HS12a		N Dr. prescribed it
				12,278			. Inapplicable
				3			-8 Don't know
				192			1 Indicated
				2,773			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000			
PAPREC	78	2	IND1FMT		HS12a		N Dr. recommended it
				12,278			. Inapplicable
				3			-8 Don't know
				172			1 Indicated
				2,793			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000			
PAPFREE	80	2	IND1FMT		HS12a		N Free/reasonable cost of pap smear
				12,278			. Inapplicable
				3			-8 Don't know
				4			1 Indicated
				2,961			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000			
PAPOTHR	82	2	IND1FMT		HS12a		N Reason for pap smear - other
				12,278			. Inapplicable
				3			-8 Don't know
				25			1 Indicated
				2,940			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000			
PAPNNEED	84	2	IND1FMT		HS12b		N Wasn't needed/no need/nothing wrong
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				1,328			1 Indicated
				3,975			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000			
PAPNANUL	86	2	IND1FMT		HS12b		N Not recommended annually/diff schedule
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				759			1 Indicated
				4,544			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 8

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNGET	88	2	IND1FMT	HS12b			N Could get cancer anyway/test useless
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				99			1 Indicated
				5,204			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNRISK	90	2	IND1FMT	HS12b			N Not at risk for cancer
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				97			1 Indicated
				5,206			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNPRES	92	2	IND1FMT	HS12b			N Dr. did not prescribe or recommend it
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				1,072			1 Indicated
				4,231			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNREC	94	2	IND1FMT	HS12b			N Dr. recommended against getting it
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				76			1 Indicated
				5,227			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNLIKE	96	2	IND1FMT	HS12b			N Don't like Pap smears/pain/discomfort
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				332			1 Indicated
				4,971			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			

ACCESS
2001

Health Status & Functioning -- Prevention

Page: 9

NOTES: Applies only if RIC2, PAPSMEAR = 2
First available in 2000

ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 10

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNHYST	108	2	IND1FMT	HS12b			N Had hysterectomy; no uterus or ovaries
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				764			1 Indicated
				4,539			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNHEAR	110	2	IND1FMT	HS12b			N Never heard of Pap smear
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				14			1 Indicated
				5,289			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNILL	112	2	IND1FMT	HS12b			N SP was too ill, physically or mentally
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				92			1 Indicated
				5,211			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2001			
PAPNOTHR	114	2	IND1FMT	HS12b			N Reason not had Pap smear - other
				9,880			. Inapplicable
				62			-8 Don't know
				1			-7 Refused
				130			1 Indicated
				5,173			2 Not Indicated
				NOTES: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PROANUL	116	2	IND1FMT	HS13bb			N Dr. recommends/prescribes annually
				11,296			. Inapplicable
				9			-8 Don't know
				3,079			1 Indicated
				862			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 11

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PROFMLY	118	2	IND1FMT		HS13bb		N Family/friend recommends it
				11,296			. Inapplicable
				9			-8 Don't know
				36			1 Indicated
				3,905			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			
PROPROB	120	2	IND1FMT		HS13bb		N SP has possible problem
				11,296			. Inapplicable
				9			-8 Don't know
				302			1 Indicated
				3,639			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			
PROSCRN	122	2	IND1FMT		HS13bb		N To screen for or prevent cancer
				11,296			. Inapplicable
				9			-8 Don't know
				303			1 Indicated
				3,638			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			
PRORISK	124	2	IND1FMT		HS13bb		N At risk for cancer
				11,296			. Inapplicable
				9			-8 Don't know
				172			1 Indicated
				3,769			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			
PROPRES	126	2	IND1FMT		HS13bb		N Dr. prescribed it
				11,296			. Inapplicable
				9			-8 Don't know
				347			1 Indicated
				3,594			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			
PROREC	128	2	IND1FMT		HS13bb		N Dr. recommended it
				11,296			. Inapplicable
				9			-8 Don't know
				244			1 Indicated
				3,697			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 1			
				First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 12

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PROFREE	130	2	IND1FMT		HS13bb		N Free/reasonable cost of PSA
				11,296			. Inapplicable
				9			-8 Don't know
				16			1 Indicated
				3,925			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROCANCR	132	2	IND1FMT		HS13bb		N Has/had prostate cancer
				11,296			. Inapplicable
				3			-8 Don't know
				34			1 Indicated
				3,913			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROOTHR	134	2	IND1FMT		HS13bb		N Reason for prostate test - other
				11,296			. Inapplicable
				9			-8 Don't know
				36			1 Indicated
				3,905			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PRONNEED	136	2	IND1FMT		HS13cc		N Wasn't needed/no need/nothing wrong
				12,816			. Inapplicable
				35			-8 Don't know
				1,021			1 Indicated
				1,374			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONANUL	138	2	IND1FMT		HS13cc		N Not recommended annually/diff schedule
				12,816			. Inapplicable
				35			-8 Don't know
				296			1 Indicated
				2,099			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONGET	140	2	IND1FMT		HS13cc		N Could get cancer anyway/test useless
				12,816			. Inapplicable
				35			-8 Don't know
				33			1 Indicated
				2,362			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 13

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONRISK	142	2	IND1FMT		HS13cc		N Not at risk for cancer
				12,816			. Inapplicable
				35			-8 Don't know
				52			1 Indicated
				2,343			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONPRES	144	2	IND1FMT		HS13cc		N Dr. did not prescribe or recommend it
				12,816			. Inapplicable
				35			-8 Don't know
				625			1 Indicated
				1,770			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONREC	146	2	IND1FMT		HS13cc		N Dr. recommended against getting it
				12,816			. Inapplicable
				35			-8 Don't know
				30			1 Indicated
				2,365			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONLIKE	148	2	IND1FMT		HS13cc		N Don't like blood tests/pain/reactions to
				12,816			. Inapplicable
				35			-8 Don't know
				34			1 Indicated
				2,361			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONLOCA	150	2	IND1FMT		HS13cc		N Inconvenient/unable to get to location
				12,816			. Inapplicable
				35			-8 Don't know
				17			1 Indicated
				2,378			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONMISS	152	2	IND1FMT		HS13cc		N Forgot/missed it/procrastinated
				12,816			. Inapplicable
				35			-8 Don't know
				196			1 Indicated
				2,199			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 14

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONCOST	154	2	IND1FMT	HS13cc			N Cost of blood test/not covered by ins
				12,816			. Inapplicable
				35			-8 Don't know
				43			1 Indicated
				2,352			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONFEAR	156	2	IND1FMT	HS13cc			N Afraid of results/don't want to know
				12,816			. Inapplicable
				35			-8 Don't know
				10			1 Indicated
				2,385			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONHEAR	158	2	IND1FMT	HS13cc			N Never heard of PSA
				12,816			. Inapplicable
				35			-8 Don't know
				47			1 Indicated
				2,348			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONAPPT	160	2	IND1FMT	HS13cc			N Appointment is scheduled/due soon
				12,816			. Inapplicable
				35			-8 Don't know
				102			1 Indicated
				2,293			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONPROS	162	2	IND1FMT	HS13cc			N Prostate removed
				12,816			. Inapplicable
				35			-8 Don't know
				87			1 Indicated
				2,308			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONOTHR	164	2	IND1FMT	HS13cc			N Reason not had prostate test - other
				12,816			. Inapplicable
				35			-8 Don't know
				66			1 Indicated
				2,329			2 Not Indicated
				NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 16

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FLUAGNST	178	2	IND1FMT	HS14a			N No flu shot b/c Dr against/allergic to
				9,805			. Inapplicable
				32			-8 Don't know
				254			1 Indicated
				5,155			2 Not Indicated
				NOTES: Applies only if FLUSHOT = 2 First available in 1996			
FLUREACT	180	2	IND1FMT	HS14a			N No flu shot b/c don't like shots/needles
				9,805			. Inapplicable
				32			-8 Don't know
				403			1 Indicated
				5,006			2 Not Indicated
				NOTES: Applies only if FLUSHOT = 2 First available in 1996			
FLULOCAT	182	2	IND1FMT	HS14a			N No flu shot b/c unable get to location
				9,805			. Inapplicable
				32			-8 Don't know
				143			1 Indicated
				5,266			2 Not Indicated
				NOTES: Applies only if FLUSHOT = 2 First available in 1996			
FLUMISS	184	2	IND1FMT	HS14a			N No flu shot b/c missed, forgot, etc.
				9,805			. Inapplicable
				32			-8 Don't know
				555			1 Indicated
				4,854			2 Not Indicated
				NOTES: Applies only if FLUSHOT = 2 First available in 1996			
FLUCOST	186	2	IND1FMT	HS14a			N No flu shot b/c shot not worth cost
				9,805			. Inapplicable
				32			-8 Don't know
				29			1 Indicated
				5,380			2 Not Indicated
				NOTES: Applies only if FLUSHOT = 2 First available in 1996			
FLUBEFOR	188	2	IND1FMT	HS14a			N No flu shot b/c had before/no need again
				9,805			. Inapplicable
				32			-8 Don't know
				40			1 Indicated
				5,369			2 Not Indicated
				NOTES: Applies only if FLUSHOT = 2 First available in 1996			

ACCESS
2001

Health Status & Functioning -- Prevention

Page: 17

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FLUVAC	190	2	IND1FMT		HS14a		N Vaccine unavailable/vaccine shortage
				9,805			. Inapplicable
				32			-8 Don't know
				623			1 Indicated
				4,786			2 Not Indicated
			NOTES: Applies only if FLUSHOT = 2 First available in 2001				
FLUOTHER	192	2	IND1FMT		HS14a		N No flu shot b/c other reason
				9,805			. Inapplicable
				32			-8 Don't know
				239			1 Indicated
				5,170			2 Not Indicated
			NOTES: Applies only if FLUSHOT = 2 First available in 1996				
D_VACSUP	194	2	IND2FMT		HS14c, d		N Flu vaccine in short supply/unavailable
				755			. Missing
				37			-8 Don't know
				2,850			1 Indicated
				11,604			2 Not Indicated
			NOTE: First available in 2001				
PNUNEEED	196	2	IND1FMT		HS15a		N No pneu shot b/c didn't know was needed
				9,720			. Inapplicable
				103			-8 Don't know
				3,404			1 Indicated
				2,019			2 Not Indicated
			NOTES: Applies only if PNEUSHOT = 2 First available in 1996				
PNUCAUSE	198	2	IND1FMT		HS15a		N No pneu shot b/c could cause pneumonia
				9,720			. Inapplicable
				103			-8 Don't know
				216			1 Indicated
				5,207			2 Not Indicated
			NOTES: Applies only if PNEUSHOT = 2 First available in 1996				
PNUSIDE	200	2	IND1FMT		HS15a		N No pneu shot b/c could have side effects
				9,720			. Inapplicable
				103			-8 Don't know
				140			1 Indicated
				5,283			2 Not Indicated
			NOTES: Applies only if PNEUSHOT = 2 First available in 1996				

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 18

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUPRVNT	202	2	IND1FMT	HS15a			N No pneu shot b/c no think prevent pneu.
				9,720			. Inapplicable
				103			-8 Don't know
				298			1 Indicated
				5,125			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2 First available in 1996			
PNURISK	204	2	IND1FMT	HS15a			N No pneu shot b/c not at risk of catching
				9,720			. Inapplicable
				103			-8 Don't know
				238			1 Indicated
				5,185			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2 First available in 1996			
PNUDOCNO	206	2	IND1FMT	HS15a			N No pneu shot b/c Dr didn't recommend it
				9,720			. Inapplicable
				103			-8 Don't know
				797			1 Indicated
				4,626			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2 First available in 1996			
PNUAGNST	208	2	IND1FMT	HS15a			N No pneu shot b/c Dr against/allergic to
				9,720			. Inapplicable
				103			-8 Don't know
				78			1 Indicated
				5,345			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2 First available in 1996			
PNUREACT	210	2	IND1FMT	HS15a			N No pneu shot b/c dont like shots/needles
				9,720			. Inapplicable
				103			-8 Don't know
				229			1 Indicated
				5,194			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2 First available in 1996			
PNULOCAT	212	2	IND1FMT	HS15a			N No pneu shot b/c unable get to location
				9,720			. Inapplicable
				103			-8 Don't know
				36			1 Indicated
				5,387			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2 First available in 1996			

10/25/02

ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 19

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUMISS	214	2	IND1FMT	HS15a			N No pneu shot b/c missed, forgot, etc.
				9,720			. Inapplicable
				103			-8 Don't know
				388			1 Indicated
				5,035			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNUCOST	216	2	IND1FMT	HS15a			N No pneu shot b/c shot not worth cost
				9,720			. Inapplicable
				103			-8 Don't know
				17			1 Indicated
				5,406			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNUOTHER	218	2	IND1FMT	HS15a			N No pneu shot b/c other reason
				9,720			. Inapplicable
				103			-8 Don't know
				109			1 Indicated
				5,314			2 Not Indicated
				NOTES: Applies only if PNEUSHOT = 2			
				First available in 1996			
DIDSMOKE	220	2	DIDSMOK	HS17a			N How many years did you smoke?
				8,491			. Inapplicable
				269			-8 Don't know
				6			-7 Refused
				6,064			1-95 Number of years SP smoked
				416			96 Smoked less than 1 year
				NOTES: Applies only if SMOKNOW = 2			
				First available in 2001			
LASTSMOK	222	2	LASTSMOK	HS17b			N How long since you last smoked regularly
				8,491			. Inapplicable
				55			-8 Don't know
				5			-7 Refused
				49			1 With the last month
				100			2 1 month to less than 6 months
				95			3 6 months to less than 1 year
				428			4 1 year to less than 5 years
				550			5 5 years to less than 10 years
				5,473			6 10 or more years ago
				NOTES: Applies only if SMOKNOW = 2			
				First available in 2001			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 20

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

HAVSMOKE	224	2	DIDSMOK		HS17c		N How many years have you smoked?
				12,964			. Inapplicable
				72			-8 Don't know
				3			-7 Refused
				2,204			1-95 Number of years SP smoked
				3			96 Smoked less than 1 year

NOTES: Applies only if SMOKNOW = 1
First available in 2001

QUITSMOK	226	2	YES1FMT		HS17d		N Did you quit smoking in the last year?
				12,964			. Inapplicable
				5			-8 Don't know
				1			-7 Refused
				866			1 Yes
				1,410			2 No

NOTES: Applies only if SMOKNOW = 1
First available in 2001

DRINKDAY	228	2	DRNKDAY		HS17e		N Nbr of days in a month SP drinks alcohol
				1			-9 Not ascertained
				56			-8 Don't know
				31			-7 Refused
				10,363			0 None
				870			1 One day a month
				592			2 Two days a month
				306			3 Three days a month
				454			4 Four days a month
				239			5 Five days a month
				510			6-10 Six to ten days a month
				336			11-15 Eleven to fifteen days a month
				232			16-20 Sixteen to twenty days a month
				119			21-25 Twenty-one to twenty-five days a month
				1,137			26-31 Twenty-six days to every day

NOTE: First available in 2001

DRINKSPD	230	2	DRNKSPD		HS17f		N Nbr of alcoholic drinks SP has per day
				10,363			. Inapplicable
				1			-9 Not ascertained
				73			-8 Don't know
				34			-7 Refused
				0			0 No alcoholic drinks
				2,729			1 One drink per day
				1,252			2 Two drinks per day
				371			3 Three drinks per day
				125			4 Four drinks per day
				46			5 Five drinks per day
				118			6-10 Six to ten drinks per day
				24			11-15 Eleven to fifteen drinks per day
				14			16-95 Sixteen or more drinks per day
				96			96 Less than one alcohol drink per day

NOTES: Applies only if DRINKDAY does not equal 0
First available in 2001

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 21

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FOURDRNK	232	2	DRNKDAY		HS17g		N Nbr of days in a month SP had 4+ drinks
				10,363			. Inapplicable
				1			-9 Not ascertained
				84			-8 Don't know
				33			-7 Refused
				4,000			0 None
				193			1 One day a month
				146			2 Two days a month
				68			3 Three days a month
				102			4 Four days a month
				41			5 Five days a month
				77			6-10 Six to ten days a month
				38			11-15 Eleven to fifteen days a month
				14			16-20 Sixteen to twenty days a month
				10			21-25 Twenty-one to twenty-five days a month
				76			26-31 Twenty-six days to every day

NOTES: Applies only if DRINKDAY does not equal 0
First available in 2001

ACTVNOW	234	2	ACTIVE		HS22a		N Is SP more/less/same active now?
				1			-9 Not ascertained
				236			-8 Don't know
				16			-7 Refused
				5,752			1 More Active
				4,170			2 Less Active
				5,071			3 About the same

NOTE: First available in 2001

ACTVAGO	236	2	ACTIVE		HS22b		N Is SP more/less/same active from last yr
				1			-9 Not ascertained
				22			-8 Don't know
				16			-7 Refused
				1,530			1 More Active
				4,642			2 Less Active
				9,035			3 About the same

NOTE: First available in 2001

ACTVPART	238	2	YES2FMT		HS22c		N Does SP participate in weekly exercise?
				1			-9 Missing
				5			-8 Don't know
				16			-7 Refused
				7,186			1 Yes
				8,038			2 No

NOTE: First available in 2001

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 22

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ACTVWALK	240	2	ACTWALK		HS22d		N How often does SP walk each week?
				8,060			. Inapplicable
				1			-9 Not ascertained
				18			-8 Don't know
				3,643			1 Walk every day or more
				1,098			2 Walk once every other day
				1,248			3 Walk once every 3-4 days
				611			4 Walk once every 5-6 days
				567			5 Never Walk

NOTES: Applies only if ACTVPART = 1
First available in 2001

D_VIGTIM	242	2	NUMHRS		HS22e		N Time spent doing vigorous phys. activity
				8,116			. Inapplicable
				4,166			0 None
				358			1 One hour per week
				482			2 Two hours per week
				366			3 Three hours per week
				244			4 Four hours per week
				165			5 Five hours per week
				92			6 Six hours per week
				458			7 Seven hours per week
				62			8 Eight hours per week
				9			9 Nine hours per week
				87			10 Ten hours per week
				2			11 Eleven hours per week
				20			12 Twelve hours per week
				1			13 Thirteen hours per week
				249			14 Fourteen hours per week
				33			15 Fifteen hours per week
				48			16-20 Sixteen to twenty hours per week
				127			21-25 Twenty-one to twenty-five hours per week
				86			26-30 Twenty-six to thirty hours per week
				32			31-35 Thirty-one to thirty-five hours per week
				43			36-99 Thirty-six or more hours per week

NOTES: Applies only if ACTVPART = 1
First available in 2001

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 23

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D_MODTIM	244	2	NUMHRS		HS22f		N Time spent doing moderate phys. activity
				8,161			. Inapplicable
				1,281			0 None
				395			1 One hour per week
				713			2 Two hours per week
				660			3 Three hours per week
				507			4 Four hours per week
				395			5 Five hours per week
				203			6 Six hours per week
				1,143			7 Seven hours per week
				137			8 Eight hours per week
				28			9 Nine hours per week
				234			10 Ten hours per week
				5			11 Eleven hours per week
				60			12 Twelve hours per week
				3			13 Thirteen hours per week
				493			14 Fourteen hours per week
				74			15 Fifteen hours per week
				146			16-20 Sixteen to twenty hours per week
				240			21-25 Twenty-one to twenty-five hours per week
				161			26-30 Twenty-six to thirty hours per week
				73			31-35 Thirty-one to thirty-five hours per week
				134			36-99 Thirty-six or more hours per week

NOTES: Applies only if ACTVPART = 1
First available in 2001

D_MUSTIM	246	2	NUMHRS		HS22g		N Time spent to increase muscle activity
				8,091			. Inapplicable
				5,000			0 None
				505			1 One hour per week
				442			2 Two hours per week
				368			3 Three hours per week
				135			4 Four hours per week
				77			5 Five hours per week
				38			6 Six hours per week
				437			7 Seven hours per week
				7			8 Eight hours per week
				6			9 Nine hours per week
				20			10 Ten hours per week
				1			11 Eleven hours per week
				3			12 Twelve hours per week
				0			13 Thirteen hours per week
				62			14 Fourteen hours per week
				2			15 Fifteen hours per week
				2			16-20 Sixteen to twenty hours per week
				23			21-25 Twenty-one to twenty-five hours per week
				19			26-30 Twenty-six to thirty hours per week
				4			31-35 Thirty-one to thirty-five hours per week
				4			36-99 Thirty-six or more hours per week

NOTES: Applies only if ACTVPART = 1
First available in 2001