

# **Medicare Current Beneficiary Survey**

Section Specifications for 2012 R64 FQM

FACILITY QUESTIONNAIRE MISSING DATA

Created on 6/13/2013 1:21:41 PM

# BOX FQMBEG

## BOX INSTRUCTIONS

GO TO FQMISS1 - FQMISSNG.

# FQMISS1

Code 1

## QUESTION TEXT

THE FOLLOWING ITEMS ARE MISSING FROM FQ. CONFIRM THAT THE RESPONDENT CAN ANSWER AT LEAST ONE QUESTION.

PRESS "1" TO CONTINUE.

## FIELD 1: FQMISSNG

### FIELD 1 ROUTING

| Value | Label    | Route    |
|-------|----------|----------|
| 1     | CONTINUE | BOX FQM1 |

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

Report Display instructions:

If FQ1A - PLACNAME = DK or RF and FQM1A - MSFNAME = DK, EMPTY or NULL, then display "IS FACILITY'S NAME CORRECT?".

If FQ2 - FADDROK = DK or RF and FQM2A - MSFADDR = DK, EMPTY, or NULL, then display "IS FACILITY'S ADDRESS CORRECT?".

If FQ4 - MADDROK = RF and FQM2C - MSMADDR = DK, EMPTY or NULL, then display "IS FACILITY'S MAILING ADDRESS CORRECT?".

If FQ3 - FADMNOK = DK or RF and FQM3A - MSFADMN = DK, EMPTY or NULL, then display "IS FACILITY'S ADMINISTRATOR CORRECT?".

If FQ5 - FPHONOK = DK or RF and FQM4A - MSFPHON = DK, EMPTY or NULL, then display "IS FACILITY'S PHONE NUMBER CORRECT?".

If FA1 - PLACTYP1 = RF and FQM5A - MSPLACTY = DK, EMPTY or NULL, then display "WHAT IS THE TYPE OF PLACE FOR (FACILITY)?".

If FA12 - BEDSNUM = DK or RF and FQM6A - MSBEDSNU = DK, EMPTY or NULL, then display "WHAT IS THE NUMBER OF BEDS IN (FACILITY)?".

If FA13 - CAIDCRT1 = DK or RF and FQM7A - MSCAIDC1 = DK, EMPTY or NULL, then display "IS THERE MEDICAID CERTIFICATION FOR (FACILITY)?".

If FA14 - CARECRT1 = DK or RF and FQM8A - MSCAREC1 = DK, EMPTY or NULL, then display "IS THERE MEDICARE CERTIFICATION FOR (FACILITY)?".

If FA15 - CAIDICF = DK or RF and FQM9A - MSCAIDIC = DK, EMPTY or NULL, then display "IS THERE MEDICAID-ICF/MR CERTIFICATION FOR (FACILITY)?".

If FA16 - HDEPTLIC = DK or RF and (FA13 - CAIDCRT1, FA14 - CARECRT1, FA15 - CAIDICF, FQM7A - MSCAIDC1, FQM8 - MSCAREC1, and FQM9A MSCAIDIC <> 1/Yes), and FQM10A - MSHDEPTL = DK, EMPTY or NULL, then display "IS THERE STATE DEPARTMENT LICENSING FOR (FACILITY)?".

If FA18 - HDEPTPCH = DK or RF and FQM11A - MSHDEPTP = DK, EMPTY or NULL, then display "IS THERE NON-NURSING LICENSING FOR (FACILITY)?".

Report Display:

(IS FACILITY'S NAME CORRECT?)

(IS FACILITY'S ADDRESS CORRECT?)

(IS FACILITY'S MAILING ADDRESS CORRECT?)

(IS FACILITY'S ADMINISTRATOR CORRECT?)

(IS FACILITY'S PHONE NUMBER CORRECT?)

[WHAT IS THE TYPE OF PLACE FOR (FACILITY)?]

[WHAT IS THE NUMBER OF BEDS IN (FACILITY)?]

[IS THERE MEDICAID CERTIFICATION FOR (FACILITY)?]

[IS THERE MEDICARE CERTIFICATION FOR (FACILITY)?]

[IS THERE MEDICAID-ICF/MR CERTIFICATION FOR (FACILITY)?]

[IS THERE STATE DEPARTMENT LICENSING FOR (FACILITY)?]

[IS THERE NON-NURSING LICENSING FOR (FACILITY)?]

# BOX FQM1

## **BOX INSTRUCTIONS**

IF (FQ1A - PLACNAME = DK OR RF) AND (FQM1A - MSFNAME = DK, EMPTY, OR NULL),  
GO TO FQM1A - MSFNAME.

ELSE GO TO BOX FQM2.

# FQM1A

Yes/No

## QUESTION TEXT

I need to verify that our information about you is correct.

Is (FACILITY) the exact name of this (facility/home)?

## FIELD 1: MSFNAME

### FIELD 1 ROUTING

| Value | Label | Route            |
|-------|-------|------------------|
| 0     | NO    | FQM1B - ADDRNAME |
| 1     | YES   | BOX FQM2         |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions   |
|---------------|---|
| PLACNAME      | If FQM1A - MSFNAME = 1/Yes or RF, then<br>PLAC.PLACNAME =<br>PreloadPLAC.PLACNAME |
| PLACNAME      | If FQM1A - MSFNAME = 1/Yes or RF, then<br>FQ.PLACNAME = PreloadPLAC.PLACNAME      |

# FQM1B

Text

**QUESTION TEXT**

What is the exact name of the place where (SP) was physically located on (REFERENCE DATE)?

**FIELD 1: ADDRNAME****FIELD 1 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX FQM2 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions          |
|---------------|----------------------------------|
| PLACNAME      | PLAC.PLACNAME = FQM1B - ADDRNAME |
| PLACNAME      | FQ.PLACNAME = FQM1B - ADDRNAME   |

**DESIGN NOTES**

Use the updated FACILITY name for "(FACILITY)". Fill in all questions that follow.

# BOX FQM2

## **BOX INSTRUCTIONS**

IF (FQ2 - FADDROK = DK OR RF) AND (FQM2A - MSFADDR = DK, EMPTY, OR NULL), GO TO FQM2A - MSFADDR.

ELSE GO TO BOX FQM2A1.



# FQM2A

Yes/No

## QUESTION TEXT

Is [READ ADDRESS LISTED BELOW] the correct address of the place where (SP) was physically located on (REFERENCE DATE)?

## FIELD 1: MSFADDR

### FIELD 1 ROUTING

| Value | Label | Route           |
|-------|-------|-----------------|
| 0     | NO    | FQM2B - ADDRESS |
| 1     | YES   | BOX FQM2A1      |

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

Report Display Instructions:

PRELOAD ADDRESS = PreloadPLAC.ADDRESS

PRELOAD CITY = PreloadPLAC.ADDRCITY

PRELOAD STATE = PreloadPLAC.ADDRSTAT

PRELOAD ZIP = PreloadPLAC.ADDRZIP

Report Header:

PREVIOUSLY REPORTED ADDRESS:

Report Display:

(PRELOAD ADDRESS)

(PRELOAD CITY) (PRELOAD STATE) (PRELOAD ZIP)

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions   |
|---------------|---|
| ADDRESS       | If FQM2A - MSFADDR = 1/Yes or RF then<br>FQ.ADDRESS = PreloadPLAC.ADDRESS |

| Variable Name | Assignment Instructions  |
|---------------|--|
| ADDRCITY      | If FQM2A - MSFADDR = 1/Yes or RF then<br>FQ.ADDRCITY = PreloadPLAC.ADDRCITY      |
| ADDRSTAT      | If FQM2A - MSFADDR = 1/Yes or RF then<br>FQ.ADDRSTAT =<br>PreloadPLAC.ADDRSTAT   |
| ADDRZIP       | If FQM2A - MSFADDR = 1/Yes or RF then<br>FQ.ADDRZIP = PreloadPLAC.ADDRZIP        |
| ADDRESS       | If FQM2A - MSFADDR = 1/Yes or RF then<br>PLAC.ADDRESS = PreloadPLAC.ADDRESS      |
| ADDRCITY      | If FQM2A - MSFADDR = 1/Yes or RF then<br>PLAC.ADDRCITY = PreloadPLAC.ADDRCITY    |
| ADDRSTAT      | If FQM2A - MSFADDR = 1/Yes or RF then<br>PLAC.ADDRSTAT =<br>PreloadPLAC.ADDRSTAT |
| ADDRZIP       | If FQM2A - MSFADDR = 1/Yes or RF then<br>PLAC.ADDRZIP = PreloadPLAC.ADDRZIP      |

# FQM2B

Address

**QUESTION TEXT**

What is the correct address of the place where (SP) was physically located on (REFERENCE DATE)?

**FIELD 1: ADDRESS**

ADDRESS

**FIELD 1 ROUTING**

| Value | Label                | Route             |
|-------|----------------------|-------------------|
| 1     | [Continuous answer.] | FQM2B - ADDR CITY |

**FIELD 2: ADDR CITY**

CITY

**FIELD 2 ROUTING**

| Value | Label                | Route             |
|-------|----------------------|-------------------|
| 1     | [Continuous answer.] | FQM2B - ADDR STAT |

**FIELD 3: ADDR STAT**

STATE

**FIELD 3 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | FQM2B - ADDR ZIP |

**FIELD 4: ADDRZIP**

ZIP

**FIELD 4 ROUTING**

| Value | Label                | Route      |
|-------|----------------------|------------|
| 1     | [Continuous answer.] | BOX FQM2A1 |

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display Instructions:

PRELOAD ADDRESS = PreloadPLAC.ADDRESS

PRELOAD CITY = PreloadPLAC.ADDRCITY

PRELOAD STATE = PreloadPLAC.ADDRSTAT

PRELOAD ZIP = PreloadPLAC.ADDRZIP

Report Header:

PREVIOUSLY REPORTED ADDRESS:

Report Display:

(PRELOAD ADDRESS)

(PRELOAD CITY) (PRELOAD STATE) (PRELOAD ZIP)

**BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions           |
|---------------|-----------------------------------|
| ADDRESS       | PLAC.ADDRESS = FQM2B - ADDRESS    |
| ADDRRCITY     | PLAC.ADDRCITY = FQM2B - ADDRRCITY |
| ADDRSTAT      | PLAC.ADDRSTAT = FQM2B - ADDRSTAT  |
| ADDRZIP       | PLAC.ADDRZIP = FQM2B - ADDRZIP    |

**DESIGN NOTES**

Use the updated FQM2B - ADDRSTAT state for "(PREFERRED NAME(S) FOR MEDICAID)".

# BOX FQM2A1

## **BOX INSTRUCTIONS**

IF (FQ4 - MADDROK = RF) AND (FQM2C - MSMADDR = EMPTY, OR NULL), GO TO FQM2C - MSMADDR.

ELSE GO TO BOX FQM3.

# FQM2C

Yes/No

## QUESTION TEXT

Is [READ ADDRESS LISTED BELOW] the correct address for your office?

## FIELD 1: MSMADDR

### FIELD 1 ROUTING

| Value | Label | Route            |
|-------|-------|------------------|
| 0     | NO    | FQM2D - MAILADDR |
| 1     | YES   | BOX FQM3         |

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

Report Display Instructions:

PRELOAD MAILING ADDRESS = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILADDR. Else display PLAC.ADDRESS.

PRELOAD MAILING CITY = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILEITY. Else display PLAC.ADDRCITY.

PRELOAD MAILING STATE = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILSTAT. Else display PLAC.ADDRSTAT.

PRELOAD MAILING ZIP = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILZIP. Else display PLAC.ADDRZIP.

Report Header:

PREVIOUSLY REPORTED MAILING ADDRESS:

Report Display:

(PRELOAD MAILING ADDRESS)

(PRELOAD MAILING CITY) (PRELOAD MAILING STATE) (PRELOAD MAILING ZIP)

**BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions  |
|---------------|--|
| MAILADDR      | If FQ4-MADDROK = 1/Yes or RF:<br>If PreloadFQ.MAILADDR <> EMPTY, then<br>FQ.MAILADDR = PreloadFQ.MAILADDR.<br>Else FQ.MAILADDR = FQ.ADDRESS  |
| MAILCITY      | If FQ4-MADDROK = 1/Yes or RF:<br>If PreloadFQ.MAILADDR <> EMPTY, then<br>FQ.MAILCITY = PreloadFQ.MAILCITY. Else<br>FQ.MAILCITY = FQ.ADDRCITY |
| MAILSTAT      | If FQ4-MADDROK = 1/Yes or RF:<br>If PreloadFQ.MAILADDR <> EMPTY, then<br>FQ.MAILSTAT = PreloadFQ.MAILSTAT. Else<br>FQ.MAILSTAT = FQ.ADDRSTAT |
| MAILZIP       | If FQ4-MADDROK = 1/Yes or RF:<br>If PreloadFQ.MAILADDR <> EMPTY, then<br>FQ.MAILZIP = PreloadFQ.MAILZIP. Else<br>FQ.MAILZIP = FQ.ADDRZIP     |

# FQM2D

Text

**QUESTION TEXT**

What is the correct address for your office?

**FIELD 1: MAILADDR**

ADDRESS

**FIELD 1 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | FQM2D - MAILCITY |

**FIELD 2: MAILCITY**

CITY

**FIELD 2 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | FQM2D - MAILSTAT |

**FIELD 3: MAILSTAT**

STATE

**FIELD 3 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | FQM2D - MAILZIP |



**FIELD 4: MAILZIP**

ZIP

**FIELD 4 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX FQM3 |

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display Instructions:

PRELOAD MAILING ADDRESS = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILADDR. Else display PLAC.ADDRESS.

PRELOAD MAILING CITY = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILCITY. Else display PLAC.ADDRCITY.

PRELOAD MAILING STATE = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILSTAT. Else display PLAC.ADDRSTAT.

PRELOAD MAILING ZIP = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILZIP. Else display PLAC.ADDRZIP.

Report Header:

PREVIOUSLY REPORTED MAILING ADDRESS:

Report Display:

(PRELOAD MAILING ADDRESS)

(PRELOAD MAILING CITY) (PRELOAD MAILING STATE) (PRELOAD MAILING ZIP)

# BOX FQM3

## **BOX INSTRUCTIONS**

IF (FQ3 - FADMNOK = DK OR RF) AND (FQM3A - MSFADMN = DK, EMPTY, OR NULL), GO TO FQM3A - MSFADMN.

ELSE GO TO BOX FQM4.

# FQM3A

Yes/No

**QUESTION TEXT**

[Is (ADMINISTRATOR'S NAME)/Are you] (still) the current administrator of (FACILITY)?

**FIELD 1: MSFADMN****FIELD 1 ROUTING**

| Value | Label | Route            |
|-------|-------|------------------|
| 0     | NO    | FQM3B - FACRNAMM |
| 1     | YES   | BOX FQM4         |

# FQM3B

Text

**QUESTION TEXT**

What is the current administrator's name?

SELECT A RESPONSE BELOW OR ADD TO THE PERSON ROSTER.

**FIELD 1: FACRNAMM****FIELD 1 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX FQM4 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions  |
|---------------|--|
| XFACRADM      | PLAC.XFACRADM = FACRNUM<br>added/selected in PLAC where PLACNUM =<br>001 |
| XFACRADM      | FQ.XFACRADM = FACRNUM added/selected                                     |

# BOX FQM4

## **BOX INSTRUCTIONS**

IF (FQ5 - FPHONOK = DK OR RF) AND (FQM4A - MSFPHON = DK, EMPTY, OR NULL), GO TO FQM4A - MSFPHON.

ELSE GO TO BOX FQM5.

# FQM4A

Yes/No

## QUESTION TEXT

(VERIFY PHONE NUMBER IS FOR FQ RESPONDENT. DO NOT READ ALOUD.)

Is (FACILITY AREA CODE AND PHONE NUMBER) the correct phone number for (FACILITY)?

## FIELD 1: MSFPHON

### FIELD 1 ROUTING

| Value | Label | Route            |
|-------|-------|------------------|
| 0     | NO    | FQM4B - ADDRAREA |
| 1     | YES   | BOX FQM5         |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions  |
|---------------|--|
| ADDRAREA      | If FQM4A - MSFPHON = 1/Yes or RF then<br>PLAC.ADDRAREA =<br>PreloadPLAC.ADDRAREA |
| ADDREXCH      | If FQM4A - MSFPHON = 1/Yes or RF then<br>PLAC.ADDREXCH =<br>PreloadPLAC.ADDREXCH |
| ADDRLOCL      | If FQM4A - MSFPHON = 1/Yes or RF then<br>PLAC.ADDRLOCL =<br>PreloadPLAC.ADDRLOCL |
| ADDRAREA      | If FQM4A - MSFPHON = 1/Yes or RF then<br>FQ.ADDRAREA = PreloadPLAC.ADDRAREA      |
| ADDREXCH      | If FQM4A - MSFPHON = 1/Yes or RF then<br>FQ.ADDREXCH = PreloadPLAC.ADDREXCH      |

| Variable Name | Assignment Instructions   |
|---------------|---|
| ADDRLOCL      | If FQM4A - MSFPHON = 1/Yes or RF then<br>FQ.ADDRLOCL = PreloadPLAC.ADDRLOCL |

# FQM4B

Numeric

**QUESTION TEXT**

What is the phone number?

**FIELD 1: ADDRAREA**

AREA CODE

**FIELD 1 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | FQM4B - ADDREXCH |

**FIELD 2: ADDREXCH**

EXCHANGE

**FIELD 2 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | FQM4B - ADDRLOCL |

**FIELD 3: ADDRLOCL**

LOCAL

**FIELD 3 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX FQM5 |



**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| <b>Variable Name</b> | <b>Assignment Instructions</b>   |
|----------------------|--|
| ADDRAREA             | If FQM4B - ADDRAREA <> DK, RF then<br>PLAC.ADDRAREA = FQM4B - ADDRAREA.<br>Else PLAC.ADDRAREA =<br>PreloadPLAC.ADDRAREA. |
| ADDREXCH             | If FQM4B - ADDREXCH <> DK, RF then<br>PLAC.ADDREXCH = FQM4B - ADDREXCH.<br>Else PLAC.ADDREXCH =<br>PreloadPLAC.ADDREXCH. |
| ADDRLOCL             | If FQM4B - ADDRLOCL <> DK, RF then<br>PLAC.ADDRLOCL = FQM4B - ADDRLOCL.<br>Else PLAC.ADDRLOCL =<br>PreloadPLAC.ADDRLOCL. |
| ADDRAREA             | If FQM4B - ADDRAREA <> DK, RF then<br>FQ.ADDRAREA = FQM4B - ADDRAREA.<br>Else FQ.ADDRAREA =<br>PreloadPLAC.ADDRAREA.     |
| ADDREXCH             | If FQM4B - ADDREXCH <> DK, RF then<br>FQ.ADDREXCH = FQM4B - ADDREXCH.<br>Else FQ.ADDREXCH =<br>PreloadPLAC.ADDREXCH.     |
| ADDRLOCL             | If FQM4B - ADDRLOCL <> DK, RF then<br>FQ.ADDRLOCL = FQM4B - ADDRLOCL.<br>Else FQ.ADDRLOCL =<br>PreloadPLAC.ADDRLOCL.     |

# BOX FQM5

## **BOX INSTRUCTIONS**

IF (FA1 - PLACTYP1 = RF) AND (FQM5A - MSPLACTY = EMPTY OR NULL), GO TO FQM5A - MSPLACTY.

ELSE GO TO BOX FQM6.

# FQM5A

Code 1

## QUESTION TEXT

SHOW CARD FA2

What type of place is (FACILITY)?

PRESS F1 FOR PLACE DEFINITIONS.

IF RESPONDENT REPORTS CCRC OR RETIREMENT COMMUNITY, PROBE FOR TYPE OF PLACE FOR UNIT WHERE SP RESIDES. DO NOT ENTER "OTHER".

## FIELD 1: MSPLACTY

### FIELD 1 ROUTING

| Value | Label  | Route           |
|-------|--|-----------------|
| 1     | FREE STANDING NURSING HOME   | BOX FQM6        |
| 4     | NURSING HOME UNIT WITHIN A CCRC OR RETIREMENT CENTER                                 | BOX FQM6        |
| 6     | HOSPITAL   | DO NOT DISPLAY. |
| 7     | HOSPITAL-BASED SNF UNIT  | DO NOT DISPLAY  |
| 8     | ASSISTED LIVING FACILITY   | BOX FQM6        |
| 9     | BOARD AND CARE HOME  | BOX FQM6        |
| 10    | DOMICILIARY CARE HOME  | BOX FQM6        |
| 11    | PERSONAL CARE HOME   | BOX FQM6        |
| 12    | REST HOME/RETIREMENT HOME  | BOX FQM6        |
| 13    | HOME OFFICE OR MANAGEMENT OFFICE FOR A CHAIN OR GROUP OF OFF-SITE NURSING FACILITIES | DO NOT DISPLAY. |
| 15    | MENTAL HEALTH CENTER/PSYCHIATRIC SETTING   | BOX FQM6        |

| Value | Label  | Route            |
|-------|--|------------------|
| 16    | INSTITUTION FOR THE MENTALLY RETARDED/DEVELOPMENTALLY DISABLED | BOX FQM6         |
| 17    | REHABILITATION FACILITY  | BOX FQM6         |
| 91    | OTHER  | FQM5A - MSPLTPOS |

**FIELD 2: MSPLTPOS**

OTHER (SPECIFY)

**FIELD 2 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX FQM6 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions  |
|---------------|--|
| PLACTYPE      | If FQM5A - MSPLACTY = 1/FreeStandingNursingHome or 4/NursingHomeUnitCCRC then<br>PLAC.PLACTYPE = 4/NursingHomeorNHUnit.<br>Else PLAC.PLACTYPE = FQM5A - MSPLACTY |
| PLACTPOS      | If FQM5A - MSPLACTY = 91/Other, then<br>PLAC.PLACTPOS = FQM5A-MSPLTPOS.<br>Else PLAC.PLACTPOS = EMPTY.   |

# BOX FQM6

## **BOX INSTRUCTIONS**

IF (FA12 - BEDSNUM = DK OR RF) AND (FQM6A - MSBEDSNU = DK, EMPTY, OR NULL),  
GO TO FQM6A - MSBEDSNU.

ELSE GO TO BOX FQM7.

# FQM6A

Numeric

**QUESTION TEXT**

How many beds does (FACILITY) have?

PRESS F1 FOR EXPANDED DEFINITIONS OF "BEDS".

**FIELD 1: MSBEDSNU**

NO. OF BEDS

**FIELD 1 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX FQM7 |

# BOX FQM7

## **BOX INSTRUCTIONS**

IF (FA13 - CAIDCRT1 = DK OR RF) AND (FQM7A - MSCAIDC1 = DK, EMPTY, OR NULL), GO TO FQM7A - MSCAIDC1.

ELSE GO TO BOX FQM8.

# FQM7A

Yes/No

**QUESTION TEXT**

Is (FACILITY) certified by [(PREFERRED NAME(S) FOR MEDICAID)/MEDICAID] as a Nursing Facility (NF)?

IF R MENTIONS:

-ICF (INTERMEDIATE CARE FACILITY), NOTE IN COMMENTS AND ENTER 1.

-ICF/MR (INTERMEDIATE CARE FACILITY- MENTAL RETARDATION), NOTE IN COMMENTS AND ENTER 0.

**FIELD 1: MSCAIDC1****FIELD 1 ROUTING**

| Value | Label | Route    |
|-------|-------|----------|
| 0     | NO    | BOX FQM8 |
| 1     | YES   | BOX FQM8 |



# BOX FQM8

## **BOX INSTRUCTIONS**

IF (FA14 - CARECRT1 = DK OR RF) AND (FQM8A - MSCAREC1 = DK, EMPTY, OR NULL),  
GO TO FQM8A - MSCAREC1.

ELSE GO TO BOX FQM9.

# FQM8A

Yes/No

**QUESTION TEXT**

Is (FACILITY) certified by Medicare as a SNF?

**FIELD 1: MSCAREC1****FIELD 1 ROUTING**

| Value | Label | Route    |
|-------|-------|----------|
| 0     | NO    | BOX FQM9 |
| 1     | YES   | BOX FQM9 |

# BOX FQM9

## **BOX INSTRUCTIONS**

IF (FA15 - CAIDICF = DK OR RF) AND (FQM9A - MSCAIDIC = DK, EMPTY, OR NULL), GO TO FQM9A - MSCAIDIC.

ELSE GO TO BOX FQM10.

# FQM9A

Yes/No

**QUESTION TEXT**

Does (FACILITY) have any beds certified by [(PREFERRED NAME(S) FOR MEDICAID)/MEDICAID] as ICF-MR (Intermediate Care Facility for the Mentally Retarded) beds?

**FIELD 1: MSCAIDIC****FIELD 1 ROUTING**

| Value | Label | Route     |
|-------|-------|-----------|
| 0     | NO    | BOX FQM10 |
| 1     | YES   | BOX FQM10 |

# BOX FQM10

## **BOX INSTRUCTIONS**

IF (FA16 - HDEPTLIC = DK OR RF) AND (FQM10A - MSHDEPTL = DK, EMPTY, OR NULL)  
AND (FA13 - CAIDCRT1, FA14 - CARECRT1, FA15 - CAIDICF, FQM7A - MSCAIDC1, FQM8A  
- MSCAREC1 AND FQM9A - MSCAIDIC <> 1/Yes) GO TO FQM10A - MSHDEPTL.

ELSE GO TO BOX FQM11.

# FQM10A

Code 1

**QUESTION TEXT**

Is (FACILITY) licensed as a nursing (facility/home) by the (STATE) State Health Department or by some other agency?

**FIELD 1: MSHDEPTL****FIELD 1 ROUTING**

| Value | Label                                    | Route             |
|-------|--|-------------------|
| 0     | NO, NOT LICENSED                         | BOX FQM11         |
| 1     | YES, LICENSED BY STATE HEALTH DEPARTMENT | BOX FQM11         |
| 2     | YES, LICENSED BY SOME OTHER AGENCY       | FQM10A - MSHDPLOS |

**FIELD 2: MSHDPLOS**

OTHER AGENCY (SPECIFY)

**FIELD 2 ROUTING**

| Value | Label                | Route     |
|-------|----------------------|-----------|
| 1     | [Continuous answer.] | BOX FQM11 |

# BOX FQM11

## **BOX INSTRUCTIONS**

IF (FA18 - HDEPTPCH = DK OR RF) AND (FQM11A - MSHDEPTP = DK, EMPTY, OR NULL),  
GO TO FQM11A - MSHDEPTP.

ELSE GO TO BOX FQMCOMP.

# FQM11A

Code 1

**QUESTION TEXT**

Does (FACILITY) have any beds licensed as personal care, board and care, assisted living, or domiciliary care beds by the (STATE) State Health Department or by some other state agency?

**FIELD 1: MSHDEPTP****FIELD 1 ROUTING**

| Value | Label                                    | Route             |
|-------|--|-------------------|
| 0     | NO, NOT LICENSED                         | BOX FQMCOMP       |
| 1     | YES, LICENSED BY STATE HEALTH DEPARTMENT | BOX FQMCOMP       |
| 2     | YES, LICENSED BY SOME OTHER AGENCY       | FQM11A - MSHDPPOS |

**FIELD 2: MSHDPPOS**

OTHER AGENCY (SPECIFY)

**FIELD 2 ROUTING**

| Value | Label                | Route       |
|-------|----------------------|-------------|
| 1     | [Continuous answer.] | BOX FQMCOMP |



# BOX FQMCOMP

## BOX INSTRUCTIONS

GO TO FQMEND - FQMSEND.

# FQMEND

Code 1

**QUESTION TEXT**

YOU HAVE REACHED THE END OF THE SECTION FOR FACILITY LEVEL MISSING DATA.  
PRESS "1" TO RETURN TO FACILITY NAVIGATION SCREEN.

**FIELD 1: FQMSEND****FIELD 1 ROUTING**

| Value | Label    | Route      |
|-------|----------|------------|
| 1     | CONTINUE | BOX FQMEND |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

FQMDDISP:

If FQM1A - MSFNAME <> DK and FQM2A - MSFADDR <> DK and FQM2C - MSMADDR <> DK and FQM3A - MSFADMN <> DK and FQM4A - MSFPHON <> DK and FQM6A - MSBEDSNU <> DK and FQM7A - MSCAIDC1 <> DK and FQM8A - MSCAREC1 <> DK, and FQM9A - MSCAIDIC <> DK and FQM10A - MSHDEPTL <> DK and FQM11A - MSHDEPTP <> DK, then FQMDDISP = 5/Complete. Else FQMDDISP = 3/StartedNotComplete.

# BOX FQMEND

## **BOX INSTRUCTIONS**

GO TO NAVIGATOR

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

Any DK responses to the following variables should be set to EMPTY upon return to the Navigator:

FQM1A - MSFNAME

FQM2A - MSFADDR

FQM2C - MSMADDR

FQM3A - MSFADMN

FQM4A - MSFPHON

FQM6A - MSBEDSNU

FQM7A - MSCAIDC1

FQM8A - MSCAREC1

FQM9A - MSCAIDIC

FQM10A - MSHDEPTL

FQM11A - MSHDEPTP