

Medicare Current Beneficiary Survey

Section Specifications for 2012 R64 END

END OF INTERVIEW

Created on 6/12/2013 5:22:06 PM

END1

Code 1

QUESTION TEXT

WAS THIS INTERVIEW CONDUCTED MOSTLY IN ENGLISH,
SPANISH, OR SOME OTHER LANGUAGE?

FIELD 1: INTLANG**FIELD 1 ROUTING**

Value	Label	Route
2	ENGLISH	END2 - SAVECASE
3	SPANISH	END2 - SAVECASE
91	OTHER	END1 - INTLANOS

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
MRES.INTLANG	1

FIELD 2: INTLANOS

OTHER (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	END2 - SAVECASE

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
MRES.INTLANOS	1

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

DISABLE BREAKOFF.

END2

No Entry

QUESTION TEXT

(Someone from the home office may be calling to verify that I was here to conduct this interview.)

THIS CASE IS CODED (CASE RESULT CODE) (CASE DISPOSITION) (CASE EXPLANATION).

PRESS ENTER TO COMPLETE THE INTERVIEW.

FIELD 1: SAVECASE

FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX END
	Empty	BOX END

OTHER PROGRAMMING INSTRUCTIONS

BACKGROUND VARIABLE ASSIGNMENTS

Code frame for case disposition with instrument:

NotWorked	00	Not Worked
Breakoff	10	Breakoff
InstitutedNow	12	SP Institutionalized
InstitutedPrior	14	SP Instituted Prior
Complete	40	Complete
DeceasedPrior	44	SP Deceased Prior
DeceasedNow	50	SP Deceased Now
InstituteAfter	60	SP Instututed After

Setting Admin.CaseDisp and sCaseExplan:

IF (Preload.IntType = SupSmp1stTimeUtil OR Preload.IntType = SupSmp1sttimeUtilSkipped)
AND Admin.SPLiving = No AND tDeadInstDate < tStartYearDate THEN

Admin.CaseDisp := DeceasedPrior /* 44 */

sCaseExplan := 'BECAUSE THE SP DIED {' + sDecsInstDate + ' } PRIOR TO ' +

sStartYearDate

```

ELSE IF (Preload.IntType = SupSmp1stTimeUtil OR Preload.IntType =
SupSmp1sttimeUtilSkipped) AND
Admin.SPInstitute = Yes AND tDeadInstDate < tStartYearDate THEN
    Admin.CaseDisp := InstitutedPrior /* 14 */
    sCaseExpln := 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate + '}'
PRIOR TO ' + sStartYearDate

ELSE IF Preload.IntType = NewFromSupplement AND (SPIsInstitute in Intro.INMres.Whyproxy)
THEN
    Admin.CaseDisp := InstitutedPrior /* 14 */
    sCaseExpln := 'BECAUSE THE SP IS INSTITUTIONALIZED'

ELSE IF Preload.IntType = NewFromSupplement AND
(SPIsDeceased in Intro.INMRes.Whyproxy) THEN
    Admin.CaseDisp := DeceasedPrior /* 44 */
    sCaseExpln := 'BECAUSE THE SP IS DECEASED'

ELSE IF (Preload.CurrentRound + 2 = Base.ExitRnd OR Preload.CurrentRound +1 =
Base.ExitRnd) AND Admin.SPInstitute = Yes AND tDeadInstDate > tStartYearDate THEN
    Admin.CaseDisp = InstituteAfter /* 60 */
    sCaseExpln = 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate + '}' +
AFTER ' + sStartYearDate

ELSE IF Admin.SPInstitute = Yes THEN
    Admin.CaseDisp := InstitutedNow /* 12 */
    sCaseExpln := 'BECAUSE THE SP WAS INSITUTIONALIZED {' + sDescInstDate + '}'

ELSE IF Admin.SPLiving = No THEN
    Admin.CaseDisp := DeceasedNow /* 50 */
    sCaseExpln := 'BECAUSE THE SP DIED {' + sDecsInstDate + '}'

ELSE
    Admin.CaseDisp := Complete
    sCaseExpln := "
END IF

```

Admin.DeceasInstDate:
Populated from branching to INS2 (institutionalized date) or INS3 (deceased date).

SPLiving and SPInstitute:
Derive from INS1 (SPAStatus).

Setting MResRslt, BFOSDisp and sCaseDisp:

IF Admin.CaseDisp = NotWorked THEN

 MResRslt := '00'

 BFOSDisp:= '00'

 sCaseDisp := 'NOT WORKED'

ELSE IF Admin.CaseDisp = InstitutedNow THEN

 MResRslt := '40'

 BFOSDisp:= '12'

 sCaseDisp := 'INSTITUTIONALIZED'

ELSE IF Admin.CaseDisp = InstitutedPrior THEN

 MResRslt := '14'

 BFOSDisp:= '14'

 sCaseDisp := 'INSTITUTIONALIZED PRIOR'

ELSE IF Admin.CaseDisp = Complete THEN

 MResRslt := '40'

 BFOSDisp:= '40'

 sCaseDisp := 'COMPLETE'

ELSE IF Admin.CaseDisp = DeceasedPrior THEN

 MResRslt := '44'

 BFOSDisp:= '44'

 sCaseDisp := 'DECEASED PRIOR'

ELSE IF Admin.CaseDisp = DeceasedNow THEN

 MResRslt := '50'

 BFOSDisp:= '50'

 sCaseDisp := 'DECEASED'

ELSE If Admin.CaseDisp = InstituteAfter THEN

 MResRslt := '40'

 BFOSDisp:= '60'

 sCaseDisp := 'INSTITUTIONALIZED'

ELSE

 MResRslt := '10' /* everything else assumed Breakoff -- in progress */

 BFOSDisp:= '10'

 sCaseDisp := 'BREAKOFF'

END IF

Variable Name	Assignment Instructions
BFOSDisp	Set MRES.BFOSDisp = Admin.CaseDisp as specified above in the Background Assignment specifications.
MRESRSLT	Set MRES.MRESRSLT = Admin.CaseDisp as specified above in the Background Assignment specifications.
MRESEDAT	Set MRES.MRESEDAT = today's date in YYMMDD format.
MENDDATE	If Admin.CaseDisp = Complete then MRES.MendDate = MRES.MResEdat. Else if (Admin.CaseDisp = InstitutedNow or DeceasedNow or InstituteAfter) then MRES.MendDate = tDeadInstDate in YYMMDD format.

DESIGN NOTES

DISABLE BREAKOFF.

BOX END

BOX INSTRUCTIONS

CASE IS COMPLETE. RETURN TO IMS