

# **Medicare Current Beneficiary Survey**

Section Specifications for 2012 R64 RHF

RESIDENCE HISTORY

Created on 6/13/2013 2:03:07 PM

# BOX RHBEG

## **BOX INSTRUCTIONS**

IF SP IS A CFR, GO TO RH2PRE - RH2PRECT.

ELSE GO TO RH1PRE - RH1PRECT.

| Variable Name | Assignment Instructions   |
|---------------|---|
| RH3CT         | RH3CT=EMPTY   |
| RHREFBEG      | If SP IS A CFR and PERS.RHREFBEG = EMPTY or NULL, then<br>PERS.RHREFBEG = date of previous interview. |
| SPDISP        | SPDISP = EMPTY  |

# RH1PRE

Code 1

**QUESTION TEXT**

Now, I would like to ask you about the places where (SP) stayed for one night or more between [January 1, (CURRENT YEAR)/(his/her) admission to this (facility/home)/(his/her) readmission to this (facility/home)] and today including staying in [other parts of (LARGER FACILITY),] hospitals or other places.

In answering these questions, it might be helpful for you to review records that show discharges or transfers from (FACILITY) to [other parts of (LARGER FACILITY),] hospitals or other places.

PRESS "1" TO CONTINUE.

**FIELD 1: RH1PRECT****FIELD 1 ROUTING**

| Value | Label    | Route   |
|-------|----------|---------|
| 1     | CONTINUE | BOX RH1 |

# RH2PRE

Code 1

**QUESTION TEXT**

On my last visit on (REF DATE), (SP) was alive and a resident of (FACILITY).

Now, I would like to ask you about all the places (SP) has stayed since my last visit, including staying in [other parts of (LARGER FACILITY)], hospitals or other places.

PRESS "1" TO CONTINUE.

**FIELD 1: RH2PRECT****FIELD 1 ROUTING**

| Value | Label    | Route   |
|-------|----------|---------|
| 1     | CONTINUE | BOX RH1 |

**OTHER PROGRAMMING INSTRUCTIONS****DESIGN NOTES**

Ref begin only set once, do not change on backup

# BOX RH1

## **BOX INSTRUCTIONS**

If CFR, GO TO RH7 - RHALIVE.

ELSE IF SP IS EXPECTED SSM1, GO TO RH2 - ADMITMM1.

ELSE GO TO RH2A - ADMITMM2.

# RH2

Date

## QUESTION TEXT

On what date was (SP) most recently admitted to (FACILITY)?

## FIELD 1: ADMITMM1

MONTH

## FIELD 1 ROUTING

| Value | Label                | Route          |
|-------|----------------------|----------------|
| 1     | [Continuous answer.] | RH2 - ADMITDD1 |

## FIELD 2: ADMITDD1

DAY

## FIELD 2 ROUTING

| Value | Label                | Route          |
|-------|----------------------|----------------|
| 1     | [Continuous answer.] | RH2 - ADMITYY1 |

## FIELD 3: ADMITYY1

YEAR

## FIELD 3 ROUTING

| Value | Label                | Route   |
|-------|----------------------|---------|
| 1     | [Continuous answer.] | BOX RH2 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| <b>Variable Name</b> | <b>Assignment Instructions</b>   |
|----------------------|--|
| ADMIT                | If RH2-ADMITYY1 <> DK, RF, EMPTY or NULL, PERS.ADMIT = RH22-ADMITYY1 + RH22-ADMITMM1 + RH22-ADMITDD1   |
| ORIGADMT             | If RH2-ADMITYY1 <> DK, RF, EMPTY or NULL, PERS.ORIGADMT = ADMIT  |
| RAD                  | PERS.RAD = ADMIT   |
| SUPPTYPE             | If RH2-ADMITYY1 = current year, then PERS.SUPPTYPE = 2/SSM2. Else PERS.SUPPTYPE = SSM1.  |
| PREVADMT             | If RH2-ADMITYY1 = current year, then PERS.PREVADMT = PERS.ADMIT. Else if RH2-ADMITYY1 <> DK, RF, EMPTY, NULL, or current year, then PERS. PREVADMT = current year + '0101' |
| RHREFBEG             | PERS.RHREFBEG = PREVADMT   |

# RH2A

Date

## **QUESTION TEXT**

On what date [on or around (ADMISSION DATE REPORTED BY A PREVIOUS SOURCE),] do your records show (SP) was admitted to (FACILITY)?

IF SP NEVER ADMITTED, ENTER "DK" IN MONTH FIELD.

## **FIELD 1: ADMITMM2**

MONTH

## **FIELD 1 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH2A - ADMITDD2 |

## **FIELD 2: ADMITDD2**

DAY

## **FIELD 2 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH2A - ADMITYY2 |

## **FIELD 3: ADMITYY2**

YEAR

## **FIELD 3 ROUTING**

| Value | Label                | Route     |
|-------|----------------------|-----------|
| 1     | [Continuous answer.] | BOX RH2A1 |



**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| <b>Variable Name</b> | <b>Assignment Instructions</b>  |
|----------------------|---|
| ORIGADMT             | If RH2A-ADMITYY2 <> DK, RF, EMPTY or NULL and PERSRNDC = current round, then<br>ORIGADMT = RH2A-ADMITYY2 + RH2A-ADMITMM2 + RH2A-ADMITDD2  |
| ADMIT                | If PERSRNDC = current round, then ADMIT = ORIGADMT  |
| PREVADMT             | If CURRTYPE = 5/SSM and RH2A-ADMITYY2 <> RF, DK, EMPTY, or NULL and RH2A-ADMITYY2 <> CURRENT YEAR, then<br>PREVADMT = CURRENT YEAR + '0101'.<br>Else if PERSRNDC = current round, then<br>PREVADMT = RH2A-ADMITYY2 + RH2A-ADMITMM2 + RH2A-ADMITDD2. |
| SUPPTYPE             | If CURRTYPE = 5/SSM THEN<br>If RH2A-ADMITYY2 <> DK, RF, or EMPTY and RH2A-ADMITYY2 <> current year, then<br>SUPPTYPE = 1/SSM1. Else SUPPTYPE = 2/SSM2.  |
| RAD                  | If RH2A-ADMITYY2 <> DK, RF, EMPTY or NULL, RAD = RH2A-ADMITYY2 + RH2A-ADMITMM2 + RH2A-ADMITDD2  |
| RHREFBEG             | If PERSRNDC = current round, then<br>RHREFBEG = PREVADMT. Else<br>RHREFBEG = RAD.   |

**DESIGN NOTES**

Design note: This item collects the FAD for CFCs, SSM2s and first time to this facility FCFs and FFCs, and the RAD for FCFs and FFCs with previous interviews in this facility.

# BOX RH2A1

## **BOX INSTRUCTIONS**

GO TO BOX RH2.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

If PERSRND <> current round, create next sequential stay with the following field values:

| <b>Variable Name</b> | <b>Assignment Instructions</b>                                |
|----------------------|---|
| STAYNUM              | STAYNUM = Create STAY where STAYNUM = next sequential STAYNUM |
| STAYRND              | STAYRND = current round                                       |
| STAYACCS             | STAYACCS = current round                                      |
| RHPROBTY             | STAY.RHPROBTY = 9/DPStay                                      |
| XSTPLAC              | STAY.XSTPLAC = 000  |
| DPSTAY               | STAY.DPSTAY = 1/Indicated                                     |
| STAYLAST             | PERS.STAYLAST = STAYNUM for newly created STAY                |
| STAYSYY              | STAY.STAYSYY = Year of Previous Interview                     |
| STAYSMM              | STAY.STAYSMM = Month of Previous Interview                    |
| STAYSDD              | STAY.STAYSDD = Day of Previous Interview                      |
| STAYEYY              | STAY.STAYEYY = ADMITYY2                                       |
| STAYEMM              | STAY.STAYEMM = ADMITMM2                                       |
| STAYEDD              | STAY.STAYEDD = ADMITDD2                                       |
| STAYORD              | STAY.STAYORD = next sequential STAYORD                        |
| LASTSTAY             | PERS.LASTSTAY = STAY.STAYNUM of newly created stay            |
| STAYCLASS            | STAY.STAYCLAS = 6/OutsideThisFac                              |

# BOX RH2

## BOX INSTRUCTIONS

IF SSM, GO TO RH6 - RHSEX.

ELSE GO TO RH7 - RHALIVE.

## OTHER PROGRAMMING INSTRUCTIONS

| <u>VARIABLE NAME</u> | <u>ASSIGNMENT INSTRUCTIONS</u>  |
|----------------------|---|
| <u>STAYNUM</u>       | <u>IF PERSRND = CURRENT ROUND, CREATE FIRST STAY WITH STAYNUM = 001. ELSE CREATE STAY WITH NEXT SEQUENTIAL STAYNUM.</u> |
| <u>STAYRND</u>       | <u>STAYRND = CURRENT ROUND</u>  |
| <u>STAYACCS</u>      | <u>STAYACCS = CURRENT ROUND</u>   |
| <u>RHPROBTY</u>      | <u>IF PERSRND = CURRENT ROUND, STAY.RHPROBTY = 0. ELSE STAY.RHPROBTY = 8.</u>   |
| <u>XSTPLAC</u>       | <u>STAY.XSTPLAC = 001</u>   |
| <u>STAYSYY</u>       | <u>YEAR PORTION OF RHREFBEG</u>   |
| <u>STAYLAST</u>      | <u>PERS.STAYLAST = STAYNUM</u>  |
| <u>STAYSMM</u>       | <u>MONTH PORTION OF RHREFBEG</u>  |
| <u>STAYSDD</u>       | <u>DAY PORTION OF RHREFBEG</u>  |
| <u>STAYORD</u>       | <u>STAY.STAYORD = NEXT SEQUENTIAL STAYORD</u>   |
| <u>LASTSTAY</u>      | <u>PERS.LASTSTAY = STAY.STAYNUM OF NEWLY CREATED STAY</u>   |
| <u>STAYCLASS</u>     | <u>STAY.STAYCLAS = 1/ELIGIBLELTC</u>  |

## DESIGN NOTES

Must reassign any global SSM1/SSM2 displays based on assignments at RH2 or RH2A.

# RH3

Code 1

**QUESTION TEXT**

Please tell me the name and title of someone in (FACILITY) who could give me that information.

RECORD RESPONDENT INFORMATION ON PERSON ROSTER AND SELECT ENTRY WHEN RH IS RESTARTED.

PRESS "1" TO CONTINUE.

**FIELD 1: RH3CT****FIELD 1 ROUTING**

| Value | Label    | Route     |
|-------|----------|-----------|
| 1     | CONTINUE | BOX RHEND |

# RH6

Code 1

**QUESTION TEXT**

ASK IF NOT OBVIOUS.

Is (SP) male or female?

**FIELD 1: RHSEX****FIELD 1 ROUTING**

| Value | Label  | Route         |
|-------|--------|---------------|
| 1     | MALE   | RH7 - RHALIVE |
| 2     | FEMALE | RH7 - RHALIVE |

**OTHER PROGRAMMING INSTRUCTIONS****DESIGN NOTES**

Global displays for sex must be updated if RHSEX does not match preload.

# RH7

Yes/No

**QUESTION TEXT**

Is (SP) alive?

**FIELD 1: RHALIVE****FIELD 1 ROUTING**

| Value | Label | Route         |
|-------|-------|---------------|
| 0     | NO    | RH8 - RHDODMM |
| 1     | YES   | BOX RH7       |

# RH8

Date

## QUESTION TEXT

On what date did (SP) die?

## FIELD 1: RHDODMM

MONTH

[IF RESPONDENT ANSWERS "DK", PROBE: Do you know what month (SP) died?]

## **FIELD 1 ROUTING**

| Value | Label                | Route         |
|-------|----------------------|---------------|
| 1     | [Continuous answer.] | RH8 - RHDODDD |

## FIELD 2: RHDODDD

DAY

## **FIELD 2 ROUTING**

| Value | Label                | Route         |
|-------|----------------------|---------------|
| 1     | [Continuous answer.] | RH8 - RHDODYY |

## FIELD 3: RHDODYY

YEAR

## **FIELD 3 ROUTING**

| Value | Label                | Route   |
|-------|----------------------|---------|
| 1     | [Continuous answer.] | BOX RH6 |

# BOX RH6

## **BOX INSTRUCTIONS**

IF SP IS SSM, GO TO RH3B - RHINEL.

ELSE IF MONTH OR YEAR OF DEATH IS DK OR RF, GO TO RH3 - RH3CT.

ELSE, GO TO BOX RH7.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

IF DAY IS DK OR RF:

SET DATE OF DEATH TO LAST DAY OF MONTH OR TODAY'S DATE IF MONTH OF DEATH = DATE OF INTERVIEW (DOI) MONTH.

| Variable Name | Assignment Instructions   |
|---------------|---|
| DOD           | If RH8-RHDODYY ^= RF, DK, NULL or EMPTY:<br>If RH8-RHDODDD ^= RF, DK THEN DOD = RH8-RHDODYY + RH8-RHDODMM + RH8-RHDODDD.<br>ELSE IF RH8-RHDODDD = RF or DK, then DOD = RH8-RHDODYY + RH8-RHDODMM + Last day of month in RH8-RHDODMM |
| SPDISP        | If SP is SSM, SPDISP = 11/FinalNonResp  |



# BOX RH7

## **BOX INSTRUCTIONS**

IF SP IS SSM, GO TO RH9 - RHDOBMM.

ELSE GO TO BOX RH9A.

| <b>Variable Name</b> | <b>Assignment Instructions</b>   |
|----------------------|--|
| RHREFEND             | If RH7-RHALIVE = 0/No, RHREFEND = DOD.<br>Else If PERS.RHDOI <> EMPTY, RHREFEND = PERS.RHDOI.<br>Else RHREFEND = CURRENT DATE. |

# RH9

Date

## QUESTION TEXT

What (is/was) (SP's) date of birth?

ENTER A 4-DIGIT YEAR.

## FIELD 1: RHDOBMM

MONTH

## **FIELD 1 ROUTING**

| Value | Label                | Route         |
|-------|----------------------|---------------|
| 1     | [Continuous answer.] | RH9 - RHDOBDD |

## FIELD 2: RHDOBDD

DAY

## **FIELD 2 ROUTING**

| Value | Label                | Route         |
|-------|----------------------|---------------|
| 1     | [Continuous answer.] | RH9 - RHDOBYY |

## FIELD 3: RHDOBYY

YEAR

## **FIELD 3 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH9A |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| <b>Variable Name</b> | <b>Assignment Instructions</b> |
|----------------------|--------------------------------|
| DOBYY                | DOBYY = RHDOBYY                |
| DOBMM                | DOBMM = RHDOBMM                |
| DOBDD                | DOBDD = RHDOBDD                |

# RH10

Numeric

**QUESTION TEXT**

Approximately how old is (SP)?

**FIELD 1: RHAGE****FIELD 1 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH9A |

# BOX RH9A

## **BOX INSTRUCTIONS**

IF SP IS A CFR, GO TO RH11A - RHPROBE1.

ELSE GO TO RH11B - RHPROBE2.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

Open last chronological STAY for CFRs.

| Variable Name | Assignment Instructions   |
|---------------|---|
| AGE           | If DOB <> DK, RF, EMPTY or NULL, then AGE = difference between DOB and RHREFEND in years. Else if RHAGE <> DK, RF, EMPTY or NULL, then PERS.AGE = RHAGE. Else AGE = difference between PreloadSP.DOB and RHREFEND in years. |

# RH11A

Yes/No

## QUESTION TEXT

Between (REF DATE), (the date of my last visit), and (RH END OF REFERENCE PERIOD) has (SP) been in (FACILITY) the whole time or has (he/she) spent one or more nights [in another part of (LARGER FACILITY),] in a hospital, or in some other place?

## FIELD 1: RHPROBE1

### FIELD 1 ROUTING

| Value | Label           | Route     |
|-------|-----------------|-----------|
| 0     | NO, OTHER PLACE | BOX RH13A |
| 1     | YES, WHOLE TIME | BOX RH10  |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions   |
|---------------|---|
| STAYACCS      | STAYACCS = CURRRND  |
| STAYEYY       | If RH11A-RHPROBE1 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEYY = Year portion of RHREFEND.  |
| STAYEMM       | If RH11A-RHPROBE1 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEMM = Month portion of RHREFEND. |
| STAYEDD       | If RH11A-RHPROBE1 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEDD = Day portion of RHREFEND.   |
| RHPROBE       | STAY.RHPROBE = RH11A-RHPROBE1   |

# RH11B

Yes/No

## QUESTION TEXT

Between (REF DATE) and (RH END OF REFERENCE PERIOD) has (SP) been in (FACILITY) the whole time or has (she/he) spent one or more nights [in another part of (LARGER FACILITY),] in a hospital, or in some other place?

## FIELD 1: RHPROBE2

### FIELD 1 ROUTING

| Value | Label           | Route     |
|-------|-----------------|-----------|
| 0     | NO, OTHER PLACE | BOX RH13A |
| 1     | YES, WHOLE TIME | BOX RH10  |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions   |
|---------------|---|
| STAYEYY       | If RH11B-RHPROBE2 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEYY = Year portion of RHREFEND.  |
| STAYEMM       | If RH11B-RHPROBE2 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEMM = Month portion of RHREFEND. |
| STAYEDD       | If RH11B-RHPROBE2 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEDD = Day portion of RHREFEND.   |
| RHPROBE       | STAY.RHPROBE = RH11B-RHPROBE2   |

# RH12

Yes/No

## QUESTION TEXT

Between (CURRENT START DATE) and (END OF RH REFERENCE PERIOD) was (SP) in (CURRENT PLACE) the whole time?

## FIELD 1: RHPROBE3

### FIELD 1 ROUTING

| Value | Label           | Route     |
|-------|-----------------|-----------|
| 0     | NO, LEFT        | BOX RH13A |
| 1     | YES, WHOLE TIME | BOX RH10  |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions  |
|---------------|--|
| RHPROBE       | If RH12-RHPROBE3 = 0/NoLeft, then STAY.RHPROBE = 0/NoOtherPlace.<br>Else STAY.RHPROBE = RH12-RHPROBE3. |
| STAYEYY       | If RH12-RHPROBE3 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEYY = Year portion of RHREFEND.    |
| STAYEMM       | If RH12-RHPROBE3 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEMM = Month portion of RHREFEND.   |
| STAYEDD       | If RH12-RHPROBE3 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEDD = Day portion of RHREFEND.     |



# BOX RH10

## **BOX INSTRUCTIONS**

(IF RH11A-RHPROBE1 = 1/YesWholeTime, OR  
RH11B-RHPROBE2 = 1/YesWholeTime, OR  
RH12-RHPROBE3 = 1/YesWholeTime) AND SP IS ALIVE OR VITAL STATUS IS NOT  
KNOWN, GO TO BOX RH24.

(IF RH11A-RHPROBE1 = RF, OR  
RH11B-RHPROBE2 = RF, OR  
RH12-RHPROBE3 = DK or RF) AND SP IS ALIVE OR VITAL STATUS IS NOT KNOWN, GO  
TO RH12B - CURSTIL.

ELSE GO TO RH12A - CURDIED.

# RH12A

Code 1

## QUESTION TEXT

Was (he/she) in (CURRENT PLACE) when (he/she) died on (DATE OF DEATH) or somewhere else?

## FIELD 1: CURDIED

### FIELD 1 ROUTING

| Value | Label          | Route     |
|-------|----------------|-----------|
| 0     | SOMEWHERE ELSE | BOX RH13A |
| 1     | IN (FACILITY)  | BOX RH24  |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions  |
|---------------|--|
| STAYEYY       | If RH12A-CURDIED = 1/InCurrPlace, DK, or RF, then STAYEYY = Year portion of RHREFEND.  |
| STAYEMM       | If RH12A-CURDIED = 1/InCurrPlace, DK, or RF, then STAYEMM = Month portion of RHREFEND. |
| STAYEDD       | If RH12A-CURDIED = 1/InCurrPlace, DK, or RF, then STAYEDD = Day portion of RHREFEND.   |

# RH12B

Yes/No

## QUESTION TEXT

Is (he/she) still at (CURRENT PLACE)?

## FIELD 1: CURSTIL

### FIELD 1 ROUTING

| Value | Label | Route     |
|-------|-------|-----------|
| 0     | NO    | BOX RH13A |
| 1     | YES   | BOX RH24  |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

RH12B-CURSTIL = 1/Yes, DK, or RF set stay end date to end of reference period.

| Variable Name | Assignment Instructions  |
|---------------|--|
| STAYEYY       | If RH12B-CURSTIL = 1/Yes, DK, or RF, then STAYEYY = Year portion of RHREFEND.  |
| STAYEMM       | If RH12B-CURSTIL = 1/Yes, DK, or RF, then STAYEMM = Month portion of RHREFEND. |
| STAYEDD       | If RH12B-CURSTIL = 1/Yes, DK, or RF, then STAYEDD = Day portion of RHREFEND.   |

# BOX RH13A

## BOX INSTRUCTIONS

GO TO RH13 - STAYEMM.

# RH13

Date

## QUESTION TEXT

When did (SP) leave (CURRENT PLACE)?

## FIELD 1: STAYEMM

MONTH

## FIELD 1 ROUTING

| Value | Label                | Route          |
|-------|----------------------|----------------|
| 1     | [Continuous answer.] | RH13 - STAYEDD |

## FIELD 2: STAYEDD

DAY

## FIELD 2 ROUTING

| Value | Label                | Route          |
|-------|----------------------|----------------|
| 1     | [Continuous answer.] | RH13 - STAYEYY |

## FIELD 3: STAYEYY

YEAR

## FIELD 3 ROUTING

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH11 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Create the next STAY with the following field values:

| <b>Variable Name</b> | <b>Assignment Instructions</b>   |
|----------------------|--|
| STAYRNDC             | STAYRNDC for newly created STAY = current round  |
| STAYACCS             | STAYACCS for newly created STAY = current round  |
| RHPROBTY             | IF RH12A-CURDIED = 0/SomewhereElse, DK, or RF, then RHPROBTY = 4. Else if RH12B-CURSTIL = 0/No, DK, or RF, then RHPROBTY = 5. Else RHPROBTY = 3. |
| STAYLAST             | PERS.STAYLAST = STAYNUM for newly created STAY   |
| STAYSYY              | RH13-STAYEYY   |
| STAYSMM              | RH13-STAYEMM   |
| STAYSDD              | RH13-STAYEDD   |
| STAYEYY              | If (RH12A-CURDIED = 0/SomewhereElse) or (RH12B-CURSTIL = 0/No), then STAYEYY = Year portion of RHREFEND. Else STAYEYY = EMPTY.                   |
| STAYEMM              | If (RH12A-CURDIED = 0/SomewhereElse) or (RH12B-CURSTIL = 0/No), then STAYEMM = Month portion of RHREFEND. Else STAYEMM = EMPTY.                  |
| STAYEDD              | If (RH12A-CURDIED = 0/SomewhereElse) or (RH12B-CURSTIL = 0/No), then STAYEDD = Day portion of RHREFEND. Else STAYEDD = EMPTY.                    |
| STAYORD              | STAY.STAYORD = next sequential STAYORD   |
| LASTSTAY             | PERS.LASTSTAY = STAY.STAYNUM of newly created stay   |

# BOX RH11

## **BOX INSTRUCTIONS**

IF ANY PART OF RH13 DATE IS MISSING, GO TO RH14 - STAYNITE.

ELSE GO TO RH21 - XSTPLACS.

# RH14

Numeric

## QUESTION TEXT

About how many nights did (he/she) spend there?

## FIELD 1: STAYNITE

### FIELD 1 ROUTING

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH21 - XSTPLACS |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

MINEND:

If RH14-STAYNITE <> DK,RF & RH13-STAYEMM <> DK, RF & RH13-STAYEYY <> DK,RF.

If RH13-STAYEDD <> DK,RF then MINEND = RH13-STAYEYY + RH13-STAYEMM + RH13-STAYEDD.

Else if RH13-STAYEMM <> RH14STARTMM then MINEND = RH13-STAYEYY + RH13-STAYEMM + '01'.

Else if RH13-STAYEMM = RH14STARTMM and day from MINSTART = last day of the month for RH14STARTMM then MINEND = RH13-STAYEYY + RH13-STAYEMM + last day of the month for RH13-STAYEMM.

Else MINEND = MINSTART + 1 day.

MAXEND:

If RH14-STAYNITE <> DK,RF & RH13-STAYEMM <> DK, RF & RH13-STAYEYY <> DK,RF.

If RH13-STAYEDD <> DK,RF then MAXEND = RH13-STAYEYY + RH13-STAYEMM + RH13-STAYEDD.

Else if RH14STARTYY = RH8-RHDODYY and RH14STARTMM = RH8-RHDODMM, then MAXSTART = PERS.DOD.

Else If RH14STARTYY = current year and RH14STARTMM = RH8-RHDODMM, then MAXSTART = RHREFEND.

Else MAXEND = RH13-STAYEYY + RH13-STAYEMM + last day of the month for RH13-STAYEMM.



| Variable Name | Assignment Instructions  |
|---------------|--|
| MAXALLOW      | If RH14-STAYNITE <> DK, RF and MAXSTART <> EMPTY and MAXEND <> EMPTY then MAXALLOW = MAXEND – MAXSTART.          |
| MINALLOW      | If RH14-STAYNITE <> DK, RF and MINSTART <> EMPTY and MINEND <> EMPTY then MINALLOW = MINEND - MINSTART.          |
| STAYEYY       | If RH14-STAYNITE <> DK, RF, then STAYEYY = Year portion of date calculated as RHSTARTDATE + RH14-STAYNITE days.  |
| STAYEMM       | If RH14-STAYNITE <> DK, RF, then STAYEMM = Month portion of date calculated as RHSTARTDATE + RH14-STAYNITE days. |
| STAYEDD       | If RH14-STAYNITE <> DK, RF, then STAYEDD = Day portion of date calculated as RHSTARTDATE + RH14-STAYNITE days.   |
| RH14STARTMM   | If STAYRNDC = current round, then RH14STARTMM = STAYSMM.<br>Else RH14STARTMM = month portion of RHREFBEG.        |
| RH14STARTDD   | If STAYRNDC = current round, then RH14STARTDD = STAYSDD.<br>Else RH14STARTDD = day portion of RHREFBEG.          |
| RH14STARTYY   | If STAYRNDC = current round, then RH14STARTYY = STAYSYY.<br>Else RH14STARTYY = year portion of RHREFBEG.         |

| Variable Name | Assignment Instructions  |
|---------------|--|
| MINSTART      | <p>If RH14-STAYNITE &lt;&gt; DK,RF and RH14-STARTMM &lt;&gt; DK,RF &amp; RH14STARTYY &lt;&gt; DK,RF:</p> <p>If RH14STARTDD &lt;&gt; DK,RF then MINSTART = RH14STARTYY + RH14STARTMM + RH14STARTDD.</p> <p>Else MINSTART = RH14STARTYY + RH14STARTMM + last day of the month for RH14STARTMM.</p> |
| MAXSTART      | <p>If RH14-STAYNITE &lt;&gt; DK, RF and RH14STARTMM &lt;&gt; DK, RF and RH14STARTYY &lt;&gt; DK,RF:</p> <p>If RH14STARTDD &lt;&gt; DK, RF then MAXSTART = RH14STARTYY + RH14STARTMM + RH14-STARTDD.</p> <p>Else MAXSTART = RH14STARTYY + RH14STARTMM + '01'.</p>                                 |
| RH14STARTDATE | <p>RH14STARTDATE = RH14STARTYY + RH14STARTMM + RH14STARTDD.</p>  |

# RH21

## Roster

### QUESTION TEXT

[Where did (he/she) go on (START DATE)?/Where is (he/she) living now?/Where was (he/she) staying when (he/she) died on (DATE OF DEATH)?]

SELECT NAME FROM LIST OR SELECT "[NEED TO ADD PLACE]".

### FIELD 1: XSTPLACS

#### FIELD 1 ROUTING

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH12 |

### OTHER PROGRAMMING INSTRUCTIONS

#### ROSTER/GRID INSTRUCTIONS

Display all place names on the STAY roster except the place name for the place where the SP stayed during the last sequential STAY.

# BOX RH12

## **BOX INSTRUCTIONS**

IF RH21-XSTPLACS = "[NEED TO ADD PLACE]", GO TO RH21A - XSTPLACN.

ELSE GO TO BOX RH13.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

Create next sequential PLAC and assign the following:

| <b>Variable Name</b> | <b>Assignment Instructions</b>                    |
|----------------------|---|
| PLACNUM              | PLAC.PLACNUM = next sequential PLAC record number |
| PLACRNDC             | PLAC.PLACRNDC = CURRENT ROUND                     |
| PLCREATE             | PLAC.PLCREATE = 50/ResidenceHistory               |
| XSTPLAC              | STAY.XSTPLAC = PLACNUM                            |

# RH21A

Text

**QUESTION TEXT**

ENTER THE NAME OF THE PLACE.

**FIELD 1: XSTPLACN****FIELD 1 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH13 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions  |
|---------------|--------------------------|
| PLACNAME      | PLAC.PLACNAME = XSTPLACN |

# BOX RH13

## **BOX INSTRUCTIONS**

IF PLACE ADDED AT RH21A-XSTPLACN AND FACILITY IS PART OF A LARGER PLACE,  
GO TO RH21B - LOCTEMP.

ELSE IF PLACE ADDED AT RH21A-XSTPLACN, GO TO RH22 - PLACKIRH.

ELSE IF PLACE SELECTED IS A HOSPITAL, GO TO RH25 - SNFWING.

ELSE GO TO BOX RH18.

| Variable Name | Assignment Instructions   |
|---------------|---|
| XSTPLAC       | STAY.XSTPLAC = PLACNUM of place added/selected  |
| STAYCLAS      | If PLAC.PLACKIND of place selected <><br>(3/CcrcRetirementHomeCenter or 4/Hospital), then<br>STAY.STAYCLAS = STAY.STAYCLAS of previous STAY for this<br>PLAC. |

# RH21B

Yes/No

**QUESTION TEXT**

Is (ADDED PLACE NAME) part of (LARGER FACILITY NAME)?

**FIELD 1: LOCTEMP****FIELD 1 ROUTING**

| Value | Label | Route           |
|-------|-------|-----------------|
| 0     | NO    | RH22 - PLACKIRH |
| 1     | YES   | RH22 - PLACKIRH |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions   |
|---------------|---|
| LOCCODE       | If RH21B-LOCTEMP = 1/Yes then<br>PLAC.LOCCODE = 5/PartOfLarger. Else<br>PLAC.LOCCODE = 7/Other. |

# RH22

Code 1

## QUESTION TEXT

SHOW CARD RH1

Please look at this card and tell me what kind of place (ADDED PLACE NAME) is:

PRESS F1 FOR DEFINITIONS.

## FIELD 1: PLACKIRH

### FIELD 1 ROUTING

| Value | Label   | Route           |
|-------|---|-----------------|
| 1     | NURSING HOME/REHAB CENTER                       | BOX RH15        |
| 2     | PERSONAL CARE<br>HOME/RESIDENTIAL CARE FACILITY | BOX RH15        |
| 3     | CCRC/RETIREMENT HOME/CENTER                     | BOX RH15        |
| 4     | HOSPITAL  | BOX RH15        |
| 5     | PRIVATE HOME OR APARTMENT                       | BOX RH15        |
| 7     | OTHER LTC FACILITY                              | BOX RH15        |
| 91    | OTHER   | RH22 - PLKIRHOS |

## FIELD 2: PLKIRHOS

OTHER (SPECIFY)

### FIELD 2 ROUTING

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH15 |



## **OTHER PROGRAMMING INSTRUCTIONS**

### **REPORT DISPLAY**

Display report above question text.

Display all stays where STAY.XSTPLAC <> 000 that were reported for this SP in chronological order by start date of the stay.

Report header: STAY TIMELINE

Report layout:

Column 1, header="Place Name", display PLAC.PLACNAME of PLAC where PLAC.PLACNUM = STAY.XSTPLAC.

Column 2, header="Start Date", display STAY.STAYSMM+STAY.STAYSDD+STAY.STAYSYY in month, day year format.

Column 3, header="End Date", display STAY.STAYEMM+STAY.STAYEDD+STAY.STAYEYY in month, day year format.

Column 4, header="Stay Type", display STAY.STAYCLAS.

### **BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions  |
|---------------|--|
| RHPLACTY      | If RH22-PLACKIRH =<br>1/NursingHomeRehabCenter,<br>2/PersonalCareHome,<br>3/CcrcRetirementHomeCenter or<br>7/OtherLtcFacility, then PLAC.RHPLACTY =<br>5/OtherFacLTC.<br>Else if RH22-PLACKIRH = 4/Hospital,<br>PLAC.RHPLACTY = 3/Hospital.<br>Else PLAC.RHPLACTY = 4/Community. |
| PLACKIND      | PLAC.PLACKIND = PLACKIRH   |
| PLACKIOS      | PLAC.PLACKIOS = PLKIRHOS   |

# BOX RH15

## **BOX INSTRUCTIONS**

IF RH22 - PLACKIRH = 1/NursingHomeRehabCenter, 2/PersonalCareHome, OR 7/OtherLtcFacility, GO TO BOX RH24.

ELSE IF RH22 - PLACKIRH = 3/CcrcRetirementHomeCenter, GO TO BOX RH18.

ELSE I F RH22 - PLACKIRH = 4/Hospital, GO TO RH25 - SNFWING.

ELSE GO TO RH30A - LALONE.

| Variable Name | Assignment Instructions  |
|---------------|--|
| STAYCLAS      | If RH22-PLACKIRH = 1/NursingHomeRehabCenter, 2/PersonalCareHome, 3/CcrcRetirementHomeCenter or 7/OtherLtcFacility, then STAYCLAS = 5/OtherFacLTC.<br>Else If RH22-PLACKIRH = 4/Hospital, then STAYCLAS = 3/Hospital.<br>Else STAYCLAS = 4/Community. |

# RH25

Yes/No

## QUESTION TEXT

Was (SP) staying in a SNF wing or SNF unit of (CURRENT PLACE)?

## FIELD 1: SNFWING

### FIELD 1 ROUTING

| Value | Label | Route    |
|-------|-------|----------|
| 0     | NO    | BOX RH24 |
| 1     | YES   | BOX RH24 |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions  |
|---------------|--|
| SNFWING       | STAY.SNFWING = RH25 - SNFWING                                    |
| STAYCLASS     | If RH25 - SNFWING = 1/Yes, then<br>STAY.STAYCLAS = 5/OtherFacLTC |

# BOX RH18

## **BOX INSTRUCTIONS**

IF PLACKIND OF PLACE ADDED OR SELECTED = 1/NursingHomeRehabCenter, 2/PersonalCareHomeResidentialCareFacility, OR 7/OtherLtcFacility AND RH12-RHPROBE3 = 1/Yes AND SP IS ALIVE OR VITAL STATUS IS NOT KNOWN, GO TO BOX RH31.

ELSE IF PLACKIND OF PLACE ADDED OR SELECTED = 1/NursingHomeRehabCenter, 2/PersonalCareHomeResidentialCareFacility, OR 7/OtherLtcFacility AND (RH11A-RHPROBE1 = 0/No, DK, or RF, OR RH11B-RHPROBE2 = 0/No, DK, or RF, OR RH12-RHPROBE3 = 0/No, DK, or RF) OR SP IS DECEASED AND PLACE SELECTED IS TARGET FACILITY, GO TO BOX RH24.

IF PLACKIND = 5/PrivateHomeOrApartment OR 91/Other, GO TO RH30A - LALONE.

ELSE IF PLACKIND = 3/CcrcRetirementHomeCenter, GO TO RH27 - NURWING.

| Variable Name | Assignment Instructions   |
|---------------|---|
| STAYCLAS      | If PLACKIND = 5/PrivateHomeOrApartment or 91/Other, then STAYCLAS = 4/Community |

# RH27

Yes/No

**QUESTION TEXT**

Was (he/she) staying in a nursing wing, nursing unit, assisted living unit, or personal care unit of (CURRENT PLACE)?

**FIELD 1: NURWING****FIELD 1 ROUTING**

| Value | Label | Route    |
|-------|-------|----------|
| 0     | NO    | BOX RH19 |
| 1     | YES   | BOX RH19 |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions       |
|---------------|-------------------------------|
| NURWING       | STAY.NURWING = RH27 - NURWING |

# BOX RH19

## **BOX INSTRUCTIONS**

IF RH27-NURWING = 1/Yes, GO TO RH28 - NAMNWING.

ELSE GO TO RH29 - PRIVHOME.

# RH28

Text

## **QUESTION TEXT**

[INTERVIEWER: ASK THE FOLLOWING QUESTIONS AND RECORD THE INFORMATION, AS AVAILABLE. SELECT "DON'T KNOW" FOR ANY ITEM THAT IS NOT AVAILABLE.]

What is the name of this nursing wing, nursing unit, assisted living unit or personal care unit?

## **FIELD 1: NAMNWING**

### **FIELD 1 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH28 - NWINGCIT |

## **FIELD 2: NWINGCIT**

In what city is this place located?

### **FIELD 2 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH28 - NWINGSTA |

## **FIELD 3: NWINGSTA**

In what state is this place located?

### **FIELD 3 ROUTING**

| Value | Label                | Route    |
|-------|----------------------|----------|
| 1     | [Continuous answer.] | BOX RH21 |

**OTHER PROGRAMMING INSTRUCTIONS**

**DESIGN NOTES**

STORE ALL FIELDS IN RH28 ON THE STAY BLOCK.



# RH29

Yes/No

## QUESTION TEXT

Was (he/she) staying in a private home or apartment at (CURRENT PLACE)?

## FIELD 1: PRIVHOME

### FIELD 1 ROUTING

| Value | Label | Route    |
|-------|-------|----------|
| 0     | NO    | BOX RH21 |
| 1     | YES   | BOX RH21 |

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

| Variable Name | Assignment Instructions   |
|---------------|---|
| STAYCLAS      | If RH29-PRIVHOME = 1/Yes, then<br>STAY.STAYCLAS = 4/Community.  |
| RHPLACTY      | If RH29A-PRIVHOME = 1/Yes, then<br>STAY.RHPLACTY = 4/Community. |
| PRIVHOME      | STAY.PRIVHOME = RH29 - PRIVHOME                                 |

# BOX RH21

## **BOX INSTRUCTIONS**

IF RH29-PRIVHOME = 1/Yes, GO TO RH30A - LALONE.

ELSE GO TO BOX RH24.

# RH30A

Yes/No

**QUESTION TEXT**

(Did/Does) (SP) live there alone?

**FIELD 1: LALONE****FIELD 1 ROUTING**

| Value | Label | Route        |
|-------|-------|--------------|
| 0     | NO    | RH30 - LWITH |
| 1     | YES   | BOX RH24     |

# RH30

Code All

**QUESTION TEXT**

Who (lived/lives) with (him/her) there?

SELECT ALL THAT APPLY.

SEPARATE RESPONSES BY USING THE SPACEBAR.

**FIELD 1: LWITH****FIELD 1 ROUTING**

| Value | Label                 | Route    |
|-------|-----------------------|----------|
| 1     | SPOUSE                | BOX RH24 |
| 2     | DAUGHTER              | BOX RH24 |
| 3     | SON                   | BOX RH24 |
| 4     | MOTHER                | BOX RH24 |
| 5     | FATHER                | BOX RH24 |
| 6     | SISTER                | BOX RH24 |
| 7     | BROTHER               | BOX RH24 |
| 8     | GUARDIAN              | BOX RH24 |
| 9     | OTHER FEMALE RELATIVE | BOX RH24 |
| 10    | OTHER MALE RELATIVE   | BOX RH24 |
| 11    | OTHER NONRELATIVE     | BOX RH24 |

# BOX RH24

## **BOX INSTRUCTIONS**

IF ALL DAYS IN REFERENCE PERIOD ACCOUNTED FOR AND SP'S LAST STAY IS IN A PLACE OTHER THAN THE TARGET FACILITY, GO TO BOX RH36.

IF ALL DAYS IN REFERENCE PERIOD ACCOUNTED FOR AND SP IS STILL A RESIDENT OF THE TARGET FACILITY, GO TO RH49A - CNSNTREQ.

ELSE GO TO RH12 - RHPROBE3.

# BOX RH31

## **BOX INSTRUCTIONS**

IF (SP IS ALIVE OR SP'S VITAL STATUS IS NOT KNOWN ) AND NOT A RESIDENT OF TARGET FACILITY, GO TO BOX RH36.

ELSE GO TO RH49A - CNSNTREQ.

# BOX RH36

## BOX INSTRUCTIONS

GO TO RH36 - FORMDIS.

# RH36

Yes/No

**QUESTION TEXT**

Earlier you told me (SP) had been discharged to (DISCHARGE PLACE).

Was (SP) formally discharged from (FACILITY) for the stay at (LAST PLACE NAME FROM RH21) that began on (DISCHARGE DATE)?

PRESS F1 FOR DEFINITION OF FORMAL DISCHARGE.

**FIELD 1: FORMDIS****FIELD 1 ROUTING**

| Value | Label | Route            |
|-------|-------|------------------|
| 0     | NO    | RH49A - CNSNTREQ |
| 1     | YES   | RH48 - CONTNAME  |



# RH48

Text

## **QUESTION TEXT**

Please tell me the name, address, and telephone number of someone we could contact regarding (SP) at (DISCHARGE PLACE).

## **FIELD 1: CONTNAME**

NAME

## **FIELD 1 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH48 - CONTADDR |

## **FIELD 2: CONTADDR**

ADDRESS

## **FIELD 2 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH48 - CONTCITY |

## **FIELD 3: CONTCITY**

CITY

## **FIELD 3 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH48 - CONTSTAT |

**FIELD 4: CONTSTAT**

STATE

**FIELD 4 ROUTING**

| Value | Label                | Route          |
|-------|----------------------|----------------|
| 1     | [Continuous answer.] | RH48 - CONTZIP |

**FIELD 5: CONTZIP**

ZIPCODE

**FIELD 5 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH48 - CONTAREA |

**FIELD 6: CONTAREA**

AREACODE

**FIELD 6 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH48 - CONTEXCH |

**FIELD 7: CONTEXCH**

EXCHANGE

**FIELD 7 ROUTING**

| Value | Label                | Route           |
|-------|----------------------|-----------------|
| 1     | [Continuous answer.] | RH48 - CONTLOCL |

**FIELD 8: CONTLOCL**

LOCAL

**FIELD 8 ROUTING**

| <b>Value</b> | <b>Label</b>         | <b>Route</b>   |
|--------------|----------------------|----------------|
| 1            | [Continuous answer.] | RH49 - CONTREL |

**OTHER PROGRAMMING INSTRUCTIONS****DESIGN NOTES**

STORE ALL FIELDS IN RH48 ON THE PERS BLOCK.

# RH49

Code 1

## QUESTION TEXT

What is the relationship of (CONTACT NAME FROM RH48) to (SP)?

## FIELD 1: CONTREL

### FIELD 1 ROUTING

| Value | Label                 | Route            |
|-------|-----------------------|------------------|
| 1     | SPOUSE                | RH49A - CNSNTREQ |
| 2     | DAUGHTER              | RH49A - CNSNTREQ |
| 3     | SON                   | RH49A - CNSNTREQ |
| 4     | MOTHER                | RH49A - CNSNTREQ |
| 5     | FATHER                | RH49A - CNSNTREQ |
| 6     | SISTER                | RH49A - CNSNTREQ |
| 7     | BROTHER               | RH49A - CNSNTREQ |
| 8     | DAUGHTER-IN-LAW       | RH49A - CNSNTREQ |
| 9     | SON-IN-LAW            | RH49A - CNSNTREQ |
| 10    | GRANDDAUGHTER         | RH49A - CNSNTREQ |
| 11    | GRANDSON              | RH49A - CNSNTREQ |
| 12    | NIECE                 | RH49A - CNSNTREQ |
| 13    | NEPHEW                | RH49A - CNSNTREQ |
| 14    | FRIEND/NEIGHBOR       | RH49A - CNSNTREQ |
| 15    | NURSE/NURSE'S AIDE    | RH49A - CNSNTREQ |
| 16    | BOARDER               | RH49A - CNSNTREQ |
| 17    | GUARDIAN              | RH49A - CNSNTREQ |
| 91    | OTHER FEMALE RELATIVE | RH49 - CONTRFOS  |

| Value | Label               | Route           |
|-------|---------------------|-----------------|
| 92    | OTHER MALE RELATIVE | RH49 - CONTRMOS |
| 93    | OTHER NONRELATIVE   | RH49 - CONTNROS |

**FIELD 2: CONTRFOS**

OTHER FEMALE RELATIVE (SPECIFY)

**FIELD 2 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | RH49A - CNSNTREQ |

**FIELD 3: CONTRMOS**

OTHER MALE RELATIVE (SPECIFY)

**FIELD 3 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | RH49A - CNSNTREQ |

**FIELD 4: CONTNROS**

OTHER NON-RELATIVE (SPECIFY)

**FIELD 4 ROUTING**

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | RH49A - CNSNTREQ |

# RH49A

Yes/No

**QUESTION TEXT**

WAS "CONSENT" REQUIRED AND OBTAINED FOR THIS SP?

PRESS F1 FOR A DEFINITION OF "CONSENT".

**FIELD 1: CNSNTREQ****FIELD 1 ROUTING**

| Value | Label | Route            |
|-------|-------|------------------|
| 0     | NO    | RH50 - DIDABRH   |
| 1     | YES   | RH49B - WRITVERB |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions                           |
|---------------|---|
| RHDOI         | If PERS.RHDOI = EMPTY, PERS.RHDOI = current date. |

# RH49B

Yes/No

**QUESTION TEXT**

WAS THE "CONSENT" WRITTEN OR VERBAL (BY TELEPHONE)?

**FIELD 1: WRITVERB****FIELD 1 ROUTING**

| Value | Label   | Route          |
|-------|---------|----------------|
| 1     | WRITTEN | RH50 - DIDABRH |
| 2     | VERBAL  | RH50 - DIDABRH |

# RH50

Code 1

**QUESTION TEXT**

DID YOU ABSTRACT?

**FIELD 1: DIDABRH****FIELD 1 ROUTING**

| Value | Label    | Route            |
|-------|----------|------------------|
| 1     | ALL      | RH51 - WHYABRH   |
| 2     | MAJORITY | RH51 - WHYABRH   |
| 3     | HALF     | RH51 - WHYABRH   |
| 4     | SOME     | RH51 - WHYABRH   |
| 5     | NONE     | RHEND - RHENDCNT |



# RH51

Code 1

## QUESTION TEXT

WHY DID YOU ABSTRACT?

## FIELD 1: WHYABRH

### FIELD 1 ROUTING

| Value | Label                                    | Route            |
|-------|--|------------------|
| 1     | NO KNOWLEDGEABLE<br>RESPONDENT AVAILABLE | RHEND - RHENDCNT |
| 2     | NO TIME/STAFF BURDEN TOO<br>GREAT        | RHEND - RHENDCNT |
| 3     | REFUSAL--UNWILLING TO<br>COOPERATE       | RHEND - RHENDCNT |
| 91    | OTHER                                    | RH51 - WHYABROS  |

## FIELD 2: WHYABROS

OTHER (SPECIFY)

### FIELD 2 ROUTING

| Value | Label                | Route            |
|-------|----------------------|------------------|
| 1     | [Continuous answer.] | RHEND - RHENDCNT |

# RH3B

Code 1

**QUESTION TEXT**

Thank you. Those are all the questions I have for you at the moment. Someone from my office may call you to verify some of the data I have collected. We appreciate your help on this important study.

PRESS "1" TO CONTINUE.

**FIELD 1: RHINEL****FIELD 1 ROUTING**

| Value | Label    | Route     |
|-------|----------|-----------|
| 1     | CONTINUE | BOX RHEND |

# RHEND

Code 1

**QUESTION TEXT**

THANK THE RESPONDENT.

PRESS "1" TO RETURN TO THE NAVIGATION SCREEN.

**FIELD 1: RHENDCNT****FIELD 1 ROUTING**

| Value | Label    | Route     |
|-------|----------|-----------|
| 1     | CONTINUE | BOX RHEND |

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

| Variable Name | Assignment Instructions  |
|---------------|--|
| RHDISP        | If RH3-RH3CT = 1/Continue, then RHDISP = 92/ReadyToInterview.<br>Else if missing RHDATA, then RHDISP = 94/MissingData.<br>Else RHDISP = 96/Complete. |

# BOX RHEND

## BOX INSTRUCTIONS

GO TO NAVIGATOR