

# **Medicare Current Beneficiary Survey**

Section Specifications for RHM

R67 2013

RESIDENCE HISTORY MISSING DATA

Created on 12/13/2013 2:09:22 PM

# BOX RHMBEG

## BOX INSTRUCTIONS

GO TO RHMISS1 - RHMISSNG.

# RHMISS1

Code 1

## QUESTION TEXT

THE FOLLOWING ITEMS ARE MISSING FROM RH. CONFIRM THAT RESPONDENT CAN ANSWER AT LEAST ONE OF THESE ITEMS.

PRESS "1" TO CONTINUE.

## FIELD 1: RHMISSNG

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX RHM2

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

Report display instructions:

If RH7 - RHALIVE = DK or RF and RHM2 - RHMALIVE = DK, RF, EMPTY or NULL, then display "IS (SP) ALIVE?".

If (RH8 - RHDODMM = DK or RF or RHDODDD = DK, or RF or RH8 - RHDODYY = DK or RF) and (RHM3 - RHMDODMM = DK, RF, EMPTY or NULL or RHM3 - RHMDODDD = DK, RF, EMPTY or NULL or RHM3 - RHMDODYY = DK, RF, EMPTY or NULL), then display "WHAT IS (SP's) DATE OF DEATH?".

If (any current round stay where STAYEMM = DK or RF or any stay where STAYEDD = DK or RF or any stay where STAYEYY = DK or RF) and (RHM6 - STAYEMM = DK, RF, EMPTY or NULL or RHM6 - STAYEDD = DK, RF, EMPTY or NULL or RHM6 - STAYEYY = DK, RF, EMPTY or NULL and RHM6B - STAYNITE = DK, RF, EMPTY or NULL), then display "WHAT ARE THE DATES FOR PLACE (SP) WAS IN (CURRENT YEAR)?".

Report display:

[IS (SP) ALIVE?]

[WHAT IS (SP's) DATE OF DEATH?]

[WHAT ARE THE DATES FOR PLACE (SP) WAS IN (CURRENT YEAR)?]

# BOX RHM2

## **BOX INSTRUCTIONS**

If (RH7 - RHALIVE = DK OR RF) AND (RHM2 - RHMALIVE = DK, RF, EMPTY OR NULL), GO TO RHM2 - RHMALIVE.

ELSE GO TO BOX RHM3.

# RHM2

Code 1

## QUESTION TEXT

Is (SP) alive?

ENTER "95" IF RESPONDENT NEVER WILL KNOW.

## FIELD 1: RHMALIVE

### FIELD 1 ROUTING

Value	Label	Route
0	NO	RHM3 - RHMDODMM
1	YES	BOX RHM3
95	NEVER WILL KNOW	BOX RHM3
	Don't Know	BOX RHM3
	Refused	BOX RHM3

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

Variable Name	Assignment Instructions
RHMDODMM	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODMM = 95/NeverWillKnow
RHMDODDD	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODDD = 95/NeverWillKnow
RHMDODYY	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODYY = 95/NeverWillKnow

# BOX RHM3

## **BOX INSTRUCTIONS**

If (RHM2-ALIVE = 0 or RH7-RHALIVE = 0) AND ((RH8 - RHDODMM = DK OR RF OR RH8 - RHDODDD = DK OR RF OR RH8 - RHDODYY = DK OR RF OR RHM2 - RHMALIVE = 0/No) AND (RHM3 - RHMDODMM = DK, RF, EMPTY OR NULL OR RHM3 - RHMDODDD = DK, RF, EMPTY OR NULL OR RHM3 - RHMDODYY = DK, RF, EMPTY OR NULL)), GO TO RHM3 - RHMDODMM.

ELSE GO TO BOX RHM6A.

# RHM3

Date

## QUESTION TEXT

On what date did (SP) die?

ENTER "95" IN MONTH , DAY, AND YEAR IF RESPONDENT NEVER WILL KNOW DATE.

## FIELD 1: RHMDODMM

MONTH

[IF RESPONDENT ANSWERS "DK", PROBE: "Do you know what month (SP) died?"]

## **FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM3 - RHMDODDD
	Don't Know	RHM3 - RHMDODDD
	Refused	RHM3 - RHMDODDD

## FIELD 2: RHMDODDD

DAY

## **FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM3 - RHMDODYY
	Don't Know	RHM3 - RHMDODYY
	Refused	RHM3 - RHMDODYY

## FIELD 3: RHMDODYY

YEAR

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RHM6A
	Don't Know	BOX RHM6A
	Refused	BOX RHM6A



# BOX RHM6A

## **BOX INSTRUCTIONS**

IF THERE IS A CURRENT ROUND STAY WITH A MISSING END DATE AND (RHM6B - STAYNITE = DK, RF, EMPTY OR NULL), GO TO RHM6 - STAYEMM.

ELSE GO TO RHMEND - RHMENDC.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

If there is a current round STAY with a missing end date, generate a MD STAY ARRAY for this case to collect the missing end date(s).

# RHM6

Date

## QUESTION TEXT

When did (SP) leave (CURRENT PLACE)?

## FIELD 1: STAYEMM

MONTH

## **FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM6 - STAYEDD
	Don't Know	RHM6 - STAYEDD
	Refused	RHM6 - STAYEDD

## FIELD 2: STAYEDD

DAY

## **FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM6 - STAYEYY
	Don't Know	RHM6 - STAYEYY
	Refused	RHM6 - STAYEYY

## FIELD 3: STAYEYY

YEAR

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RHM6B
	Don't Know	BOX RHM6B
	Refused	BOX RHM6B

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Display report above question text.

Display all stays with MDSTAY.XSTPLAC <> 000 that were reported for this SP in chronological order by start date of the stay.

Report header: STAY TIMELINE

Report layout:

Column 1, header="Place Name", display PLAC.PLACNAME of PLAC where PLAC.PLACNUM = MDSTAY.XSTPLAC.

Column 2, header="Start Date", display MDSTAY.STAYSMM+MDSTAY.STAYSDD+MDSTAY.STAYSYY in month, day year format.

Column 3, header="End Date", display MDSTAY.STAYEMM+MDSTAY.STAYEDD+MDSTAY.STAYEYY in month, day year format.

Column 4, header="Stay Type", display MDSTAY.STAYCLAS.

# BOX RHM6B

## **BOX INSTRUCTIONS**

IF ANY PART OF RHM6 DATE = DK OR RF AND RHM6B - STAYNITE = DK, RF, EMPTY OR NULL, GO TO RHM6B - STAYNITE.

ELSE GO TO RHMSTCNT - STAYCNTC.

# RHM6B

Numeric

## QUESTION TEXT

About how many nights did (he/she) spend there?

ENTER "995" IF RESPONDENT NEVER WILL KNOW.

## FIELD 1: STAYNITE

# OF NIGHTS

## **FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHMSTCNT - STAYCNTC
	Don't Know	RHMSTCNT - STAYCNTC
	Refused	RHMSTCNT - STAYCNTC

## OTHER PROGRAMMING INSTRUCTIONS

### **BACKGROUND VARIABLE ASSIGNMENTS**

MINEND:

If RHM6B-STAYNITE <> DK,RF & STAYEMM <> DK, RF & STAYEYY <> DK,RF.

If STAYEDD <> DK,RF then MINEND = STAYEYY + STAYEMM + STAYEDD.

Else if STAYEMM <> RHM6BSTARTMM then MINEND = STAYEYY + STAYEMM + '01'.

Else if STAYEMM = RHM6BSTARTMM and day from MINSTART = last day of the month for RHM6BSTARTMM then MINEND = STAYEYY + STAYEMM + last day of the month for STAYEMM.

Else MINEND = MINSTART + 1 day.

MAXEND:

If RHM6B-STAYNITE <> DK,RF & STAYEMM <> DK, RF & STAYEYY <> DK,RF.

If STAYEDD <> DK,RF then MAXEND = STAYEYY + STAYEMM + STAYEDD.

Else if RHM6BSTARTYY = RH8-RHDODYY and RHM6BSTARTMM = RH8-RHDODMM, then MAXSTART = PERS.DOD.

Else If RHM6BSTARTYY = current year and RHM6BSTARTMM = RH8-RHDODMM, then

MAXSTART = RHREFEND.

Else MAXEND = STAYEYY + STAYEMM + last day of the month for STAYEMM.

Variable Name	Assignment Instructions
MAXALLOW	If RHM6B-STAYNITE <> DK, RF and MAXSTART <> EMPTY and MAXEND <> EMPTY then MAXALLOW = MAXEND – MAXSTART
MINALLOW	If RHM6B-STAYNITE <> DK, RF and MINSTART <> EMPTY and MINEND <> EMPTY then MINALLOW = MINEND - MINSTART.
STAYEYY	If RHM6B-STAYNITE <> DK, RF, then STAYEYY = Year portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
STAYEMM	If RHM6B-STAYNITE <> DK, RF, then STAYEMM = Month portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
STAYEDD	If RHM6B-STAYNITE <> DK, RF, then STAYEDD = Day portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
RHM6BSTARTMM	If STAYRNDC = current round, then RHM6BSTARTMM = STAYSMM. Else RHM6BSTARTMM = month portion of RHREFBEG.
RHM6BSTARTDD	If STAYRNDC = current round, then RHM6BSTARTDD = STAYSDD. Else RHM6BSTARTDD = day portion of RHREFBEG.
RHM6BSTARTYY	If STAYRNDC = current round, then RHM6BSTARTYY = STAYSYY. Else RHM6BSTARTYY = year portion of RHREFBEG.

Variable Name	Assignment Instructions
MINSTART	<p>If RHM6B-STAYNITE &lt;&gt; DK,RF and RHM6B-STARTMM &lt;&gt; DK,RF &amp; RHM6BSTARTYY &lt;&gt; DK,RF:</p> <p>If RHM6BSTARTDD &lt;&gt; DK,RF then  MINSTART = RHM6BSTARTYY +  RHM6BSTARTMM + RHM6BSTARTDD.  Else MINSTART = RHM6BSTARTYY +  RHM6BSTARTMM + last day of the month for  RHM6BSTARTMM.</p>
MAXSTART	<p>If RHM6B-STAYNITE &lt;&gt; DK, RF and  RHM6BSTARTMM &lt;&gt; DK, RF and  RHM6BSTARTYY &lt;&gt; DK,RF:</p> <p>If RHM6BSTARTDD &lt;&gt; DK, RF then  MAXSTART = RHM6BSTARTYY +  RHM6BSTARTMM + RHM6B- STARTDD.  Else MAXSTART = RHM6BSTARTYY +  RHM6BSTARTMM + '01'.</p>
RHM6BSTARTDATE	RHM6BSTARTDATE = RHM6BSTARTYY + RHM6BSTARTMM + RHM6BSTARTDD.

# RHMSTCNT

Code 1

**QUESTION TEXT**

PRESS "1" TO CONTINUE.

**FIELD 1: STAYCNTC****FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHM7



# BOX RHM7

## **BOX INSTRUCTIONS**

IF THERE IS ANOTHER CURRENT ROUND STAY WITH A MISSING END DATE, GO TO RHM6 - STAYEMM.

ELSE GO RHMEND - RHMENDC.

Variable Name	Assignment Instructions
STAYSMM	STAYSMM of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEMM of current STAY.
STAYSDD	STAYSDD of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEDD of current STAY.
STAYSYY	STAYSYY of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEYY of current STAY

# RHMEND

Code 1

## QUESTION TEXT

YOU HAVE COMPLETED THE MISSING RESIDENCE HISTORY ITEMS FOR THIS SP.

THANK RESPONDENT AND PRESS "1" TO RETURN TO THE NAVIGATION SCREEN.

## FIELD 1: RHMENDC

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX RHMEND

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

RHMDDISP:

If (RH7 - RHALIVE = DK or RF AND RHM2 - RHMALIVE = DK, RF, EMPTY, or NULL) or ((RH8 - RHDODMM = DK or RF or RH8 - RHDODDD = DK or RF or RH8 - RHDODYY = DK or RF) and (RHM3 - RHMDODMM = DK, RF, EMPTY or NULL or RHM3 - RHMDODDD = DK, RF, EMPTY or NULL or RHM3 - RHMDODYY = DK, RF, EMPTY or NULL)) or (There is a MD STAY ARRAY and any current round STAY.STAYEMM, STAYEDD, STAYEYY = DK, RF and RHM6B - STAYNITE = DK, RF, EMPTY or NULL) then RHMDDISP = 94/MissingData.  
Else RHMDDISP = 96/Complete.

# BOX RHMEND

## **BOX INSTRUCTIONS**

GO TO NAVIGATOR

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

Any DK or RF responses to the following variables should be set to EMPTY upon return to the Navigator:

RHM2 - RHMALIVE

RHM3 - RHMDODMM

RHM3 - RHMDODDD

RHM3 - RHMDODYY

RHM6B - STAYNITE where STAYACCS = current round