

HEDIS® 2016 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2015 MEASUREMENT YEAR)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

Column 1: **Record Identifier**—use the tilde (~) character to start the line.
Column 2-6: **CMS Contract Number**—only one contract number per submission (e.g., H1205, R1234).
Column 7-66: **Organization Name**—as reported to NCQA for summary-level data submission.
Column 67-71: **Submission ID**—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

***Due to the addition of 5-digit submission IDs, follow the guidelines below: Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.**

Example: In columns 67 ~ 71, a 5-digit ID would be entered as (12345).

A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-878: Blank fill with spaces.

**Specifications - Reporting patient-level data should encompass only those members included and timeframes used in summary measures submitted by your plan;
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure, but should in no instance include experience from 2016.**

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS 2016 Interactive Data Submission System (IDSS) for that measure.

HEDIS® 2016 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2015 MEASUREMENT YEAR)

3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-12		12	HIC Number. A beneficiary's individual health insurance claim number. For most beneficiaries, the HIC consists of a nine-digit Social Security Number followed by one or two alphanumeric characters (e.g., 11122333A, 123456789C1). Only beneficiaries entitled to Medicare under the Railroad Retirement Board will have a different format, usually starting with one or two alpha characters (e.g., WA123456).	The HIC number must be a continuous string, with no hyphens or embedded spaces. Blank fill with spaces to right of value This field is mandatory—do not leave blank!
13-36		24	Last Name. A beneficiary's individual Last Name.	The Last Name must be filled by no more than 24 characters. Blank fill with spaces to right of value This field is mandatory—do not leave blank!
37-51		15	First Name. A beneficiary's individual First Name	The First Name must be filled by no more than 15 characters. Blank fill with spaces to right of value This field is mandatory—do not leave blank!
52-73		22	City. A beneficiary's individual City of residence	The City must be filled by no more than 22 characters. Blank fill with spaces to right of value This field is mandatory—do not leave blank!
74-75		2	State. A beneficiary's individual State of residence	The State must be filled with the postal code (ex. Maryland would be MD). Blank fill with spaces to right of value This field is mandatory—do not leave blank!
76-80		5	Zip Code. A beneficiary's individual Zip Code	The Zip Code must be filled with 5 digits This field is mandatory—do not leave blank! NOTE: This field is to be submitted as a 5 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
81		1	Sex. A beneficiary's gender assigned at birth.	Enter a: 'f' if this member is a Female 'm' if this member is a Male No other characters are allowed This field is mandatory—do not leave blank!
82-89		8	Birth Date. A beneficiary's individual Birth Date	The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970). No characters other than numbers are allowed This field is mandatory—do not leave blank!
90-92		3	Plan ID Number.	The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134). NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
93		1	SNP Enrollee Type. SNP benefit package at end of measurement year	Enter: '0' if this member is NOT enrolled in an SNP plan benefit package '1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package '2' if this member is enrolled in an INSTITUTIONAL SNP benefit package '3' if this member is enrolled in a CHRONIC CONDITIONSNP benefit package
94-95		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure	Each member should have an MMC value between 0 and 12.
96	ABA	1	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator of the Adult BMI Assessment measure '0' if the member is not in the denominator of this measure
97	ABA	1	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator of the Adult BMI Assessment measure '0' if the member is not in the numerator or the information is missing
98	COL	1	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator of the Colorectal Cancer Screening measure '0' if the member is not in the denominator of this measure
99	COL	1	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator of the Colorectal Cancer Screening measure '0' if the member is not in the numerator or the information is missing
100	BCS	1	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator of the Breast Cancer Screening measure '0' if the member is not in the denominator of this measure
101	BCS	1	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator of the Breast Cancer Screening measure '0' if the member is not in the numerator or the information is missing

102	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the denominator of the Osteoporosis Management in Women Who Had a Fracture measure '0' if the member is not in the denominator of this measure
103	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the numerator of the Osteoporosis Management in Women Who Had a Fracture measure '0' if the member is not in the numerator or the information is missing
104	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator of the Controlling High Blood Pressure measure '0' if the member is not in the denominator of this measure
105	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator of the Controlling High Blood Pressure measure '0' if the member is not in the numerator or the information is missing
106	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator of the Persistence of Beta-Blocker Treatment After a Heart Attack measure '0' if the member is not in the denominator of this measure
107	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator of the Persistence of Beta-Blocker Treatment After a Heart Attack measure '0' if the member is not in the numerator or the information is missing
108	CDC	1	Denominator 1 for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in denominator 1 (HbA1c Testing) of the Comprehensive Diabetes Care measure '0' if the member is not in the denominator of this measure
109	CDC	1	Numerator 1 for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in numerator 1 (HbA1c Testing) of the Comprehensive Diabetes Care measure '0' if the member is not in the numerator or the information is missing
110	CDC	1	Denominator 2 for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in denominator 2 (HbA1c Poor Control >9%) of the Comprehensive Diabetes Care measure '0' if the member is not in the denominator of this measure
111	CDC	1	Numerator 2 for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in numerator 2 (HbA1c Poor Control >9%) of the Comprehensive Diabetes Care measure '0' if the member is not in the numerator or the information is missing
112	CDC	1	Denominator 3 for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in denominator 3 (HbA1c Control <8%) of the Comprehensive Diabetes Care measure '0' if the member is not in the denominator of this measure
113	CDC	1	Numerator 3 for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in numerator 3 (HbA1c Control <8%) of the Comprehensive Diabetes Care measure '0' if the member is not in the numerator or the information is missing
114	CDC	1	Denominator 4 for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed	Enter: '1' if this member is in denominator 4 (Eye exam) of the Comprehensive Diabetes Care measure '0' if the member is not in the denominator of this measure
115	CDC	1	Numerator 4 for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in numerator 4 (Eye exam) of the Comprehensive Diabetes Care measure '0' if the member is not in the numerator or the information is missing
116	CDC	1	Denominator 7 for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in denominator 7 (Medical Attention for Nephropathy) of the Comprehensive Diabetes Care measure '0' if the member is not in the denominator of this measure
117	CDC	1	Numerator 7 for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in numerator 7 (Medical Attention for Nephropathy) of the Comprehensive Diabetes Care measure '0' if the member is not in the numerator or the information is missing
118	CDC	1	Denominator 9 for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in denominator 9 (Blood pressure control < 140/90) of the Comprehensive Diabetes Care measure '0' if the member is not in the denominator of this measure
119	CDC	1	Numerator 9 for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in numerator 9 (Blood pressure control < 140/90) of the Comprehensive Diabetes Care measure '0' if the member is not in the numerator or the information is missing
120	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator of the Use of Spirometry Testing in the Assessment and Diagnosis of COPD measure '0' if the member is not in the denominator of this measure
121	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator of the Use of Spirometry Testing in the Assessment and Diagnosis of COPD measure '0' if the member is not in the numerator or the information is missing
122-123	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator of the Pharmacotherapy Management of COPD Exacerbation measure '0' if the member is not in the denominator of this measure
124-125	PCE	2	Numerator 1 for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in numerator 1 (Systemic Corticosteroid) of the Pharmacotherapy Management of COPD Exacerbation measure '0' if the member is not in the numerator or the information is missing

126-127	PCE	2	Numerator 2 for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in numerator 2 (Bronchodilator) of the Pharmacotherapy Management of COPD Exacerbation measure '0' if the member is not in the numerator or the information is missing
128-129	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH)	Enter: The number of times this member is in denominator of the Follow-Up After Hospitalization for Mental Illness measure '0' if the member is not in the denominator of this measure
130-131	FUH	2	Numerator 1 for Follow-Up After Hospitalization for Mental Illness (FUH): 30-day follow-up	Enter: The number of times this member is in numerator 1 (30-day follow-up) of the Follow-Up After Hospitalization for Mental Illness measure '0' if the member is not in the numerator or the information is missing
132-133	FUH	2	Numerator 2 for Follow-Up After Hospitalization for Mental Illness (FUH): 7-day follow-up	Enter: The number of times this member is in numerator 2 (7-day follow-up) of the Follow-Up After Hospitalization for Mental Illness measure '0' if the member is not in the numerator or the information is missing
134	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator of the Antidepressant Medication Management measure '0' if the member is not in the denominator of this measure
135	AMM	1	Numerator 1 for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in numerator 1 (Effective Acute Phase Treatment) of the Antidepressant Medication Management measure '0' if the member is not in the numerator or the information is missing
136	AMM	1	Numerator 2 for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in numerator 2 (Effective Continuation Phase Treatment) of the Antidepressant Medication Management Effective measure '0' if the member is not in the numerator or the information is missing
137	ART	1	Denominator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the denominator of the Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis measure '0' if the member is not in the denominator of this measure
138	ART	1	Numerator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the numerator of the Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis measure '0' if the member is not in the numerator or the information is missing
139	MPM	1	Denominator 1 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on ACE Inhibitors or ARBs	Enter: '1' if this member is in denominator 1 (Annual Monitoring for Members on ACE Inhibitors or ARBs) of the Annual Monitoring for Patients on Persistent Medications measure '0' if the member is not in the denominator of this measure
140	MPM	1	Numerator 1 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on ACE Inhibitors or ARBs	Enter: '1' if this member is in numerator 1 (Annual Monitoring for Members on ACE Inhibitors or ARBs) of the Annual Monitoring for Patients on Persistent Medications measure '0' if the member is not in the numerator or the information is missing
141	MPM	1	Denominator 2 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Digoxin	Enter: '1' if this member is in denominator 2 (Annual Monitoring for Members on Digoxin) of the Annual Monitoring for Patients on Persistent Medications measure '0' if the member is not in the denominator of this measure
142	MPM	1	Numerator 2 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Digoxin	Enter: '1' if this member is in numerator 2 (Annual Monitoring for Members on Digoxin) of the Annual Monitoring for Patients on Persistent Medications measure '0' if the member is not in the numerator or the information is missing
143	MPM	1	Denominator 3 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Diuretics	Enter: '1' if this member is in denominator 3 (Annual Monitoring for Members on Diuretics) of the Annual Monitoring for Patients on Persistent Medications measure '0' if the member is not in the denominator of this measure
144	MPM	1	Numerator 3 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Diuretics	Enter: '1' if this member is in numerator 3 (Annual Monitoring for Members on Diuretics) of the Annual Monitoring for Patients on Persistent Medications measure '0' if the member is not in the numerator or the information is missing
145	DAE	1	Denominator for Use of High-Risk Medications in the Elderly (DAE)	Enter: '1' if this member is in the denominator of the Use of High-Risk Medications in the Elderly measure '0' if the member is not in the denominator of this measure
146	DAE	1	Numerator 1 for Use of High-Risk Medications in the Elderly (DAE): At Least One Prescription	Enter: '1' if this member is in numerator 1 (At Least One Prescription) of the Use of High-Risk Medications in the Elderly measure '0' if the member is not in the numerator or the information is missing
147	DAE	1	Numerator 2 for Use of High-Risk Medications in the Elderly (DAE): At Least Two Prescriptions	Enter: '1' if this member is in numerator 2 (At Least Two Prescriptions) of the Use of High-Risk Medications in the Elderly measure '0' if the member is not in the numerator or the information is missing

148	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Enter: '1' if this member is in denominator 1 (History of Falls) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the denominator of this measure
149	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Enter: '1' if this member is in numerator 1 (History of Falls) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the numerator or the information is missing
150	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Enter: '1' if this member is in denominator 2 (Dementia) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the denominator of this measure
151	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Enter: '1' if this member is in numerator 2 (Dementia) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the numerator or the information is missing
152	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Chronic Kidney Disease + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Enter: '1' if this member is in denominator 3 (Chronic Kidney Disease) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the denominator of this measure
153	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Chronic Kidney Disease + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Enter: '1' if this member is in numerator 3 (Chronic Kidney Disease) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the numerator or the information is missing
154	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 20-44 measure '0' if the member is not in the denominator of this measure
155	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 20-44 measure '0' if the member is not in the numerator or the information is missing
156	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 45-64 measure '0' if the member is not in the denominator of this measure
157	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 45-64 measure '0' if the member is not in the numerator or the information is missing
158	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 65+ measure '0' if the member is not in the denominator of this measure
159	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 65+ measure '0' if the member is not in the numerator or the information is missing
160	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): 13-17 years	Enter: '1' if this member is in the denominator of the Initiation and Engagement of AOD Treatment, 13-17 years measure '0' if the member is not in the denominator of this measure
161	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): Initiation of AOD Treatment—13-17 years	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Initiation of AOD Treatment, 13-17 years measure '0' if the member is not in the numerator or the information is missing
162	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): Engagement of AOD Treatment—13-17 years	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Engagement of AOD Treatment, 13-17 years measure '0' if the member is not in the numerator or the information is missing
163	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): 18+ years	Enter: '1' if this member is in the denominator of the Initiation and Engagement of AOD Treatment, 18+ years measure '0' if the member is not in the denominator of this measure
164	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): Initiation of AOD Treatment—18+ years	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Initiation of AOD Treatment, 18+ years measure '0' if the member is not in the numerator or the information is missing
165	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Engagement of AOD Treatment, 18+ years measure '0' if the member is not in the numerator or the information is missing
166-168	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member appears in the numerator of the Bariatric weight loss surgery rate '0' if the member is not in the numerator of this measure
169-171	FSP	3	Numerator for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member appears in the numerator of the CABG (Coronary Artery Bypass Graft) measure '0' if the member is not in the numerator of this measure

172-174	FSP	3	Numerator for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member appears in the numerator of the PCI rate '0' if the member is not in the numerator of this measure
175-177	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member appears in the numerator of the Cardiac catheterization rate '0' if the member is not in the numerator of this measure
178-180	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member appears in the numerator of the Carotid endarterectomy rate '0' if the member is not in the numerator of this measure
181-183	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member appears in the numerator of the Open Cholecystectomy rate '0' if the member is not in the numerator of this measure
184-186	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member appears in the numerator of the Laparoscopic cholecystectomy rate '0' if the member is not in the numerator of this measure
187-189	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member appears in the numerator of the Back surgery rate '0' if the member is not in the numerator of this measure
190-192	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member appears in the numerator of the Abdominal hysterectomy rate '0' if the member is not in the numerator of this measure
193-195	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member appears in the numerator of the Vaginal hysterectomy rate '0' if the member is not in the numerator of this measure
196-198	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member appears in the numerator of the Prostatectomy rate '0' if the member is not in the numerator of this measure
199-201	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member appears in the numerator of the Total hip replacement rate '0' if the member is not in the numerator of this measure
202-204	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member appears in the numerator of the Total knee replacement rate '0' if the member is not in the numerator of this measure
205-207	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member appears in the numerator of the Mastectomy rate '0' if the member is not in the numerator of this measure
208-210	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member appears in the numerator of the Lumpectomy rate '0' if the member is not in the numerator of this measure
211-213	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Total Inpatient Discharges	Enter: The total General Hospital/Acute Care discharges for this member '0' if the member did not have any General Hospital/Acute Care discharges
214-216	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Total Inpatient Days	Enter: The total number of days for all General Hospital/Acute Care stays for this member '0' if the member did not have any General Hospital/Acute Care stays
217-219	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Medicine Discharges	Enter: The total General Hospital/Acute Care—Medicine discharges for this member '0' if the member did not have any General Hospital/Acute Care—Medicine discharges
220-222	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Medicine Days	Enter: The total number of days for all General Hospital/Acute Care—Medicine stays for this member '0' if the member did not have any General Hospital/Acute Care—Medicine stays
223-225	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Surgery Discharges	Enter: The total General Hospital/Acute Care—Surgery discharges for this member '0' if the member did not have any General Hospital/Acute Care—Surgery discharges
226-228	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Surgery Days	Enter: The total number of days for all General Hospital/Acute Care—Surgery stays for this member '0' if the member did not have any General Hospital/Acute Care—Surgery stays
229-231	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Maternity Discharges	Enter: The total General Hospital/Acute Care—Maternity discharges for this member '0' if the member did not have any General Hospital/Acute Care—Maternity discharges
232-234	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Maternity Days	Enter: The total number of days for all General Hospital/Acute Care—Maternity stays for this member '0' if the member did not have any General Hospital/Acute Care—Maternity stays
235-237	AMB	3	Numerator for Ambulatory Care (AMB): Outpatient Visits	Enter: The total number of Ambulatory Care—Outpatient visits for this member '0' if the member did not have any Ambulatory Care—Outpatient visits
238-240	AMB	3	Numerator for Ambulatory Care (AMB): ED Visits	Enter: The total number of Ambulatory Care—ED visits for this member '0' if the member did not have any Ambulatory Care—ED visits

241	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Any Service measure '0' if the member is not in the numerator or the information is missing
242	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Inpatient Services measure '0' if the member is not in the numerator or the information is missing
243	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services measure '0' if the member is not in the numerator or the information is missing
244	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient and ED Services	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Outpatient and ED Services measure '0' if the member is not in the numerator or the information is missing
245	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Any Service	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Any Services measure '0' if the member is not in the numerator or the information is missing
246	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Inpatient Services	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Inpatient Services measure '0' if the member is not in the numerator or the information is missing
247	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services measure '0' if the member is not in the numerator or the information is missing
248	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Outpatient and ED Services	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Outpatient and ED Services measure '0' if the member is not in the numerator or the information is missing
249-252	ABX	4	Numerator for Antibiotic Utilization (ABX): Total number of antibiotic prescriptions	Enter: The total number of times the member appears in the Antibiotic Utilization—Total number of antibiotic prescriptions rate '0' if the member is not in the numerator of this measure
253-256	ABX	4	Numerator for Antibiotic Utilization (ABX): Total days supplied for all antibiotic prescriptions	Enter: The total number of days the member appears in the Antibiotic Utilization—Total days supplied for all antibiotic prescriptions rate '0' if the member is not in the numerator of this measure
257-260	ABX	4	Numerator for Antibiotic Utilization (ABX): Total number of prescriptions for antibiotics of concern	Enter: The total number of times the member appears in the Antibiotic Utilization—Total number of prescriptions for antibiotics of concern rate '0' if the member is not in the numerator of this measure
261-264	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Quinolones	Enter: The total number of times the member appears in the Antibiotics of Concern—Quinolones rate '0' if the member is not in the numerator of this measure
265-268	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Cephalosporins 2nd- 4th Generation	Enter: The total number of times the member appears in the Antibiotics of Concern—Cephalosporins 2nd- 4th Generation rate '0' if the member is not in the numerator of this measure
269-272	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Azithromycin and Clarithromycin	Enter: The total number of times the member appears in the Antibiotics of Concern—Azithromycin and Clarithromycin rate '0' if the member is not in the numerator of this measure
273-276	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Amoxicillin/Clavulanate	Enter: The total number of times the member appears in the Antibiotics of Concern—Amoxicillin/Clavulanate rate '0' if the member is not in the numerator of this measure
277-280	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Ketolides	Enter: The total number of times the member appears in the Antibiotics of Concern—Ketolides rate '0' if the member is not in the numerator of this measure
281-284	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Clindamycin	Enter: The total number of times the member appears in the Antibiotics of Concern—Clindamycin rate '0' if the member is not in the numerator of this measure
285-288	ABX	4	Numerator for Antibiotic Utilization (ABX): Miscellaneous Antibiotics of Concern	Enter: The total number of times the member appears in the Miscellaneous Antibiotics of Concern rate '0' if the member is not in the numerator of this measure
289-292	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Absorbable Sulfonamides	Enter: The total number of times the member appears in the All Other Antibiotics—Absorbable Sulfonamides rate '0' if the member is not in the numerator of this measure
293-296	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Aminoglycosides	Enter: The total number of times the member appears in the All Other Antibiotics—Aminoglycosides rate '0' if the member is not in the numerator of this measure

297-300	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—First Generation Cephalosporins	Enter: The total number of times the member appears in the All Other Antibiotics—First Generation Cephalosporins rate '0' if the member is not in the numerator of this measure
301-304	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Lincosamides (other than Clindamycin)	Enter: The total number of times the member appears in the All Other Antibiotics—Lincosamides (other than Clindamycin) rate '0' if the member is not in the numerator of this measure
305-308	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin)	Enter: The total number of times the member appears in the All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin) rate '0' if the member is not in the numerator of this measure
309-312	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Penicillins	Enter: The total number of times the member appears in the All Other Antibiotics—Penicillins rate '0' if the member is not in the numerator of this measure
313-316	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Tetracyclines	Enter: The total number of times the member appears in the All Other Antibiotics—Tetracyclines rate '0' if the member is not in the numerator of this measure
317-320	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Miscellaneous Antibiotics	Enter: The total number of times the member appears in the All Other Antibiotics—Miscellaneous Antibiotics rate '0' if the member is not in the numerator of this measure
321	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator of the Non-Recommended PSA-Based Screening in Older Men measure '0' if the member is not in the denominator of this measure
322	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator of the Non-Recommended PSA-Based Screening in Older Men measure '0' if the member is not in the numerator or the information is missing
323-324	MRP	2	Denominator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
325-326	MRP	2	Numerator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
327	MMA	1	Denominator for Medication Management for People with Asthma (MMA): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
328	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
329	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
330	MMA	1	Denominator for Medication Management for People with Asthma (MMA): 65-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
331	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 65-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
332	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 65-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
333	MMA	1	Denominator for Medication Management for People with Asthma (MMA): 18-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
334	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 18-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
335	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 18-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
336	AMR	1	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
337	AMR	1	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
338	AMR	1	Denominator for Asthma Medication Ratio (AMR): 65-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

339	AMR	1	Numerator for Asthma Medication Ratio (AMR): 65-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
340	AMR	1	Denominator for Asthma Medication Ratio (AMR): 18-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
341	AMR	1	Numerator for Asthma Medication Ratio (AMR): 18-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
342	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
343	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
344	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
345	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
346	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
347	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
348	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
349	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
350	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
351	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
352	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
353	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
354	IHU	1	Inpatient Hospital Utilization (IHU)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
355-357	IHU	3	Inpatient Hospital Utilization (IHU): Observed Inpatient Discharges, Surgery	Enter: The total number of discharges for this member '0' if the member does not have any discharges
358-360	IHU	3	Inpatient Hospital Utilization (IHU): Observed Inpatient Discharges, Medicine	Enter: The total number of discharges for this member '0' if the member does not have any discharges
361-363	IHU	3	Inpatient Hospital Utilization (IHU): Observed Inpatient Discharges, Total Inpatient	Enter: The total number of discharges for this member '0' if the member does not have any discharges
364-375	IHU	12	Inpatient Hospital Utilization (IHU): PPD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
376-387	IHU	12	Inpatient Hospital Utilization (IHU): PPD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
388-399	IHU	12	Inpatient Hospital Utilization (IHU): PPD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789

584-595	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
596-607	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
608-619	EDU	12	Emergency Department Utilization (EDU): PPV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
620-631	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
632-643	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
644-655	EDU	12	Emergency Department Utilization (EDU): PUCV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
656	HPC	1	Hospitalization for Potentially Preventable Complications (HPC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
657-658	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
659-660	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
661-662	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
663-674	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
675-686	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
687-698	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
699-710	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
711-722	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
723-734	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
735-746	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Base Risk Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
747-758	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Base Risk Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789

759-770	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Base Risk Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
771-782	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
783-794	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
795-806	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
807-818	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
819-830	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
831-842	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
843-854	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Base Risk Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
855-866	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Base Risk Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789
867-878	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Base Risk Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable To report a negative number for this weight, please follow the below example: -0.123456789