

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

- Column 1: **Record Identifier**—use the tilde (~) character to start the line.
- Column 2-6: **CMS Contract Number**—only one contract number per submission (e.g., H1205, R1234).
- Column 7-66: **Organization Name**—as reported to NCQA for summary-level data submission.
- Column 67-71: **Submission ID**—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

***Due to the addition of 5-digit submission IDs, please follow the guidelines below:**

Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).

A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-878: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2017.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS 2017 Interactive Data Submission System (IDSS) for that measure.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-12		12	Health Insurance Claim Number (HICN). A beneficiary's individual health insurance claim number. For most beneficiaries, the HICN consists of a nine-digit Social Security Number followed by one or two alphanumeric characters (e.g., 111223333A, 123456789C1). Only beneficiaries entitled to Medicare under the Railroad Retirement Board will have a different format, usually starting with one or two alpha characters (e.g., WA123456).	The HICN must be a continuous string, with no hyphens or embedded spaces. Blank fill with spaces to right of value. For a list of valid HICN formats, please refer to section 2.3 in '2017_HEDIS_Patient_Level_Data_File_Specifications_File_1_of_2.docx.' This field is mandatory—do not leave blank.
13-36		24	Last Name. A beneficiary's individual Last Name.	The Last Name must be filled by no more than 24 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
37-51		15	First Name. A beneficiary's individual First Name	The First Name must be filled by no more than 15 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
52-73		22	City. A beneficiary's individual City of residence	The City must be filled by no more than 22 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
74-75		2	State. A beneficiary's individual State of residence	The State must be filled with the postal code (ex. Maryland would be MD). Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
76-80		5	Zip Code. A beneficiary's individual Zip Code	The Zip Code must be filled with 5 digits. This field is mandatory—do not leave blank. NOTE: This field is to be submitted as a 5 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
81		1	Sex. A beneficiary's gender assigned at birth.	Enter: 'f' if this member is a Female. 'm' if this member is a Male. 'o' if this member belongs to Others. No other characters are allowed. This field is mandatory—do not leave blank.
82-89		8	Birth Date. A beneficiary's individual Birth Date	The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970). No characters other than numbers are allowed. This field is mandatory—do not leave blank.
90-92		3	Plan ID Number. A beneficiary's assigned plan benefit number	The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134). NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
93		1	SNP Enrollee Type. SNP benefit package at end of measurement year	Enter: '0' if this member is NOT enrolled in an SNP plan benefit package. '1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package. '2' if this member is enrolled in an INSTITUTIONAL SNP benefit package. '3' if this member is enrolled in a CHRONIC CONDITIONSNP benefit package.
94-95		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure	Each member should have an MMC value between 0 and 12.
96	ABA	1	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator of the Adult BMI Assessment measure. '0' if the member is not in the denominator of this measure.
97	ABA	1	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator of the Adult BMI Assessment measure. '0' if the member is not in the numerator or the information is missing.
98	COL	1	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator of the Colorectal Cancer Screening measure. '0' if the member is not in the denominator of this measure.
99	COL	1	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator of the Colorectal Cancer Screening measure. '0' if the member is not in the numerator or the information is missing.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
100	BCS	1	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator of the Breast Cancer Screening measure. '0' if the member is not in the denominator of this measure.
101	BCS	1	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator of the Breast Cancer Screening measure. '0' if the member is not in the numerator or the information is missing.
102	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the denominator of the Osteoporosis Management in Women Who Had a Fracture measure. '0' if the member is not in the denominator of this measure.
103	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the numerator of the Osteoporosis Management in Women Who Had a Fracture measure. '0' if the member is not in the numerator or the information is missing.
104	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator of the Controlling High Blood Pressure measure. '0' if the member is not in the denominator of this measure.
105	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator of the Controlling High Blood Pressure measure. '0' if the member is not in the numerator or the information is missing.
106	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator of the Persistence of Beta-Blocker Treatment After a Heart Attack measure. '0' if the member is not in the denominator of this measure.
107	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator of the Persistence of Beta-Blocker Treatment After a Heart Attack measure. '0' if the member is not in the numerator or the information is missing.
108	CDC	1	Denominator 1 for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in denominator 1 (HbA1c Testing) of the Comprehensive Diabetes Care measure. '0' if the member is not in the denominator of this measure.
109	CDC	1	Numerator 1 for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in numerator 1 (HbA1c Testing) of the Comprehensive Diabetes Care measure. '0' if the member is not in the numerator or the information is missing.
110	CDC	1	Denominator 2 for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in denominator 2 (HbA1c Poor Control >9%) of the Comprehensive Diabetes Care measure. '0' if the member is not in the denominator of this measure.
111	CDC	1	Numerator 2 for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in numerator 2 (HbA1c Poor Control >9%) of the Comprehensive Diabetes Care measure. '0' if the member is not in the numerator or the information is missing.
112	CDC	1	Denominator 3 for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in denominator 3 (HbA1c Control <8%) of the Comprehensive Diabetes Care measure. '0' if the member is not in the denominator of this measure.
113	CDC	1	Numerator 3 for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in numerator 3 (HbA1c Control <8%) of the Comprehensive Diabetes Care measure. '0' if the member is not in the numerator or the information is missing.
114	CDC	1	Denominator 4 for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in denominator 4 (Eye exam) of the Comprehensive Diabetes Care measure. '0' if the member is not in the denominator of this measure.
115	CDC	1	Numerator 4 for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in numerator 4 (Eye exam) of the Comprehensive Diabetes Care measure. '0' if the member is not in the numerator or the information is missing.
116	CDC	1	Denominator 7 for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in denominator 7 (Medical Attention for Nephropathy) of the Comprehensive Diabetes Care measure. '0' if the member is not in the denominator of this measure.
117	CDC	1	Numerator 7 for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in numerator 7 (Medical Attention for Nephropathy) of the Comprehensive Diabetes Care measure. '0' if the member is not in the numerator or the information is missing.
118	CDC	1	Denominator 9 for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in denominator 9 (Blood pressure control < 140/90) of the Comprehensive Diabetes Care measure. '0' if the member is not in the denominator of this measure.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
119	CDC	1	Numerator 9 for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in numerator 9 (Blood pressure control < 140/90) of the Comprehensive Diabetes Care measure. '0' if the member is not in the numerator or the information is missing.
120	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator of the Use of Spirometry Testing in the Assessment and Diagnosis of COPD measure. '0' if the member is not in the denominator of this measure.
121	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator of the Use of Spirometry Testing in the Assessment and Diagnosis of COPD measure. '0' if the member is not in the numerator or the information is missing.
122-123	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator of the Pharmacotherapy Management of COPD Exacerbation measure. '0' if the member is not in the denominator of this measure.
124-125	PCE	2	Numerator 1 for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in numerator 1 (Systemic Corticosteroid) of the Pharmacotherapy Management of COPD Exacerbation measure. '0' if the member is not in the numerator or the information is missing.
126-127	PCE	2	Numerator 2 for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in numerator 2 (Bronchodilator) of the Pharmacotherapy Management of COPD Exacerbation measure. '0' if the member is not in the numerator or the information is missing.
128-129	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH)	Enter: The number of times this member is in denominator of the Follow-Up After Hospitalization for Mental Illness measure. '0' if the member is not in the denominator of this measure.
130-131	FUH	2	Numerator 1 for Follow-Up After Hospitalization for Mental Illness (FUH): 30-day follow-up	Enter: The number of times this member is in numerator 1 (30-day follow-up) of the Follow-Up After Hospitalization for Mental Illness measure. '0' if the member is not in the numerator or the information is missing.
132-133	FUH	2	Numerator 2 for Follow-Up After Hospitalization for Mental Illness (FUH): 7-day follow-up	Enter: The number of times this member is in numerator 2 (7-day follow-up) of the Follow-Up After Hospitalization for Mental Illness measure. '0' if the member is not in the numerator or the information is missing.
134	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator of the Antidepressant Medication Management measure. '0' if the member is not in the denominator of this measure.
135	AMM	1	Numerator 1 for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in numerator 1 (Effective Acute Phase Treatment) of the Antidepressant Medication Management measure. '0' if the member is not in the numerator or the information is missing.
136	AMM	1	Numerator 2 for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in numerator 2 (Effective Continuation Phase Treatment) of the Antidepressant Medication Management Effective measure. '0' if the member is not in the numerator or the information is missing.
137	ART	1	Denominator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the denominator of the Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis measure. '0' if the member is not in the denominator of this measure.
138	ART	1	Numerator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the numerator of the Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis measure. '0' if the member is not in the numerator or the information is missing.
139	MPM	1	Denominator 1 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on ACE Inhibitors or ARBs	Enter: '1' if this member is in denominator 1 (Annual Monitoring for Members on ACE Inhibitors or ARBs) of the Annual Monitoring for Patients on Persistent Medications measure. '0' if the member is not in the denominator of this measure.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
140	MPM	1	Numerator 1 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on ACE Inhibitors or ARBs	Enter: '1' if this member is in numerator 1 (Annual Monitoring for Members on ACE Inhibitors or ARBs) of the Annual Monitoring for Patients on Persistent Medications measure. '0' if the member is not in the numerator or the information is missing.
141	MPM	1	Denominator 2 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Digoxin	Enter: '1' if this member is in denominator 2 (Annual Monitoring for Members on Digoxin) of the Annual Monitoring for Patients on Persistent Medications measure. '0' if the member is not in the denominator of this measure.
142	MPM	1	Numerator 2 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Digoxin	Enter: '1' if this member is in numerator 2 (Annual Monitoring for Members on Digoxin) of the Annual Monitoring for Patients on Persistent Medications measure. '0' if the member is not in the numerator or the information is missing.
143	MPM	1	Denominator 3 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Diuretics	Enter: '1' if this member is in denominator 3 (Annual Monitoring for Members on Diuretics) of the Annual Monitoring for Patients on Persistent Medications measure. '0' if the member is not in the denominator of this measure.
144	MPM	1	Numerator 3 for Annual Monitoring for Patients on Persistent Medications (MPM): Annual Monitoring for Members on Diuretics	Enter: '1' if this member is in numerator 3 (Annual Monitoring for Members on Diuretics) of the Annual Monitoring for Patients on Persistent Medications measure. '0' if the member is not in the numerator or the information is missing.
145	DAE	1	Denominator for Use of High-Risk Medications in the Elderly (DAE)	Enter: '1' if this member is in the denominator of the Use of High-Risk Medications in the Elderly measure. '0' if the member is not in the denominator of this measure.
146	DAE	1	Numerator 1 for Use of High-Risk Medications in the Elderly (DAE): At Least One Prescription	Enter: '1' if this member is in numerator 1 (At Least One Prescription) of the Use of High-Risk Medications in the Elderly measure. '0' if the member is not in the numerator or the information is missing.
147	DAE	1	Numerator 2 for Use of High-Risk Medications in the Elderly (DAE): At Least Two Prescriptions	Enter: '1' if this member is in numerator 2 (At Least Two Prescriptions) of the Use of High-Risk Medications in the Elderly measure. '0' if the member is not in the numerator or the information is missing.
148	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Enter: '1' if this member is in denominator 1 (History of Falls) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the denominator of this measure
149	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Enter: '1' if this member is in numerator 1 (History of Falls) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure. '0' if the member is not in the numerator or the information is missing.
150	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Enter: '1' if this member is in denominator 2 (Dementia) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure. '0' if the member is not in the denominator of this measure.
151	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Enter: '1' if this member is in numerator 2 (Dementia) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure '0' if the member is not in the numerator or the information is missing
152	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Chronic Kidney Disease + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Enter: '1' if this member is in denominator 3 (Chronic Kidney Disease) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure. '0' if the member is not in the denominator of this measure.
153	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Chronic Kidney Disease + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Enter: '1' if this member is in numerator 3 (Chronic Kidney Disease) of the Potentially Harmful Drug-Disease Interactions in the Elderly measure. '0' if the member is not in the numerator or the information is missing.
154	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 20-44 measure. '0' if the member is not in the denominator of this measure.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
155	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 20-44 measure. '0' if the member is not in the numerator or the information is missing.
156	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 45-64 measure. '0' if the member is not in the denominator of this measure.
157	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 45-64 measure. '0' if the member is not in the numerator or the information is missing.
158	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 65+ measure. '0' if the member is not in the denominator of this measure.
159	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator of the Adults' Access to Preventive/Ambulatory Health Services, Ages 65+ measure. '0' if the member is not in the numerator or the information is missing.
160	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): 13-17 years	Enter: '1' if this member is in the denominator of the Initiation and Engagement of AOD Treatment, 13-17 years measure. '0' if the member is not in the denominator of this measure.
161	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): Initiation of AOD Treatment—13-17 years	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Initiation of AOD Treatment, 13-17 years measure. '0' if the member is not in the numerator or the information is missing.
162	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): Engagement of AOD Treatment—13-17 years	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Engagement of AOD Treatment, 13-17 years measure. '0' if the member is not in the numerator or the information is missing.
163	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): 18+ years	Enter: '1' if this member is in the denominator of the Initiation and Engagement of AOD Treatment, 18+ years measure. '0' if the member is not in the denominator of this measure.
164	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET): Initiation of AOD Treatment—18+ years	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Initiation of AOD Treatment, 18+ years measure. '0' if the member is not in the numerator or the information is missing.
165	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	Enter: '1' if this member is in the numerator of the Initiation and Engagement of AOD Treatment—Engagement of AOD Treatment, 18+ years measure. '0' if the member is not in the numerator or the information is missing.
166-168	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member appears in the numerator of the Bariatric weight loss surgery rate. '0' if the member is not in the numerator of this measure.
169-171	FSP	3	Numerator for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member appears in the numerator of the CABG (Coronary Artery Bypass Graft) measure. '0' if the member is not in the numerator of this measure.
172-174	FSP	3	Numerator for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member appears in the numerator of the PCI rate. '0' if the member is not in the numerator of this measure.
175-177	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member appears in the numerator of the Cardiac catheterization rate. '0' if the member is not in the numerator of this measure.
178-180	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member appears in the numerator of the Carotid endarterectomy rate. '0' if the member is not in the numerator of this measure.
181-183	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member appears in the numerator of the Open Cholecystectomy rate. '0' if the member is not in the numerator of this measure.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
184-186	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member appears in the numerator of the Laparoscopic cholecystectomy rate. '0' if the member is not in the numerator of this measure.
187-189	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member appears in the numerator of the Back surgery rate. '0' if the member is not in the numerator of this measure.
190-192	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member appears in the numerator of the Abdominal hysterectomy rate. '0' if the member is not in the numerator of this measure.
193-195	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member appears in the numerator of the Vaginal hysterectomy rate. '0' if the member is not in the numerator of this measure.
196-198	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member appears in the numerator of the Prostatectomy rate. '0' if the member is not in the numerator of this measure.
199-201	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member appears in the numerator of the Total hip replacement rate. '0' if the member is not in the numerator of this measure.
202-204	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member appears in the numerator of the Total knee replacement rate. '0' if the member is not in the numerator of this measure.
205-207	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member appears in the numerator of the Mastectomy rate. '0' if the member is not in the numerator of this measure.
208-210	FSP	3	Numerator for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member appears in the numerator of the Lumpectomy rate. '0' if the member is not in the numerator of this measure.
211-213	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Total Inpatient Discharges	Enter: The total General Hospital/Acute Care discharges for this member. '0' if the member did not have any General Hospital/Acute Care discharges.
214-216	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Total Inpatient Days	Enter: The total number of days for all General Hospital/Acute Care stays for this member. '0' if the member did not have any General Hospital/Acute Care stays.
217-219	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Medicine Discharges	Enter: The total General Hospital/Acute Care—Medicine discharges for this member. '0' if the member did not have any General Hospital/Acute Care—Medicine discharges.
220-222	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Medicine Days	Enter: The total number of days for all General Hospital/Acute Care—Medicine stays for this member. '0' if the member did not have any General Hospital/Acute Care—Medicine stays.
223-225	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Surgery Discharges	Enter: The total General Hospital/Acute Care—Surgery discharges for this member. '0' if the member did not have any General Hospital/Acute Care—Surgery discharges.
226-228	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Surgery Days	Enter: The total number of days for all General Hospital/Acute Care—Surgery stays for this member. '0' if the member did not have any General Hospital/Acute Care—Surgery stays.
229-231	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Maternity Discharges	Enter: The total General Hospital/Acute Care—Maternity discharges for this member. '0' if the member did not have any General Hospital/Acute Care—Maternity discharges.
232-234	IPU	3	Numerator for Inpatient Utilization—General Hospital/Acute Care (IPU): Maternity Days	Enter: The total number of days for all General Hospital/Acute Care—Maternity stays for this member. '0' if the member did not have any General Hospital/Acute Care—Maternity stays.
235-237	AMB	3	Numerator for Ambulatory Care (AMB): Outpatient Visits	Enter: The total number of Ambulatory Care—Outpatient visits for this member. '0' if the member did not have any Ambulatory Care—Outpatient visits.
238-240	AMB	3	Numerator for Ambulatory Care (AMB): ED Visits	Enter: The total number of Ambulatory Care—ED visits for this member. '0' if the member did not have any Ambulatory Care—ED visits.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
241	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Any Service measure. '0' if the member is not in the numerator or the information is missing.
242	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Inpatient Services measure. '0' if the member is not in the numerator or the information is missing.
243	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services measure. '0' if the member is not in the numerator or the information is missing.
244	IAD	1	Numerator for Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient and ED Services	Enter: '1' if this member is in the numerator of the Identification of Alcohol and Other Drug Services—Percentage of Members Receiving Outpatient and ED Services measure. '0' if the member is not in the numerator or the information is missing.
245	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Any Service	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Any Services measure. '0' if the member is not in the numerator or the information is missing.
246	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Inpatient Services	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Inpatient Services measure. '0' if the member is not in the numerator or the information is missing.
247	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services	'1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services measure. '0' if the member is not in the numerator or the information is missing.
248	MPT	1	Numerator for Mental Health Utilization (MPT): Percentage of Members Receiving Outpatient and ED Services	Enter: '1' if this member is in the numerator of the Mental Health Utilization—Percentage of Members Receiving Outpatient and ED Services measure. '0' if the member is not in the numerator or the information is missing.
249-252	ABX	4	Numerator for Antibiotic Utilization (ABX): Total number of antibiotic prescriptions	Enter: The total number of times the member appears in the Antibiotic Utilization—Total number of antibiotic prescriptions rate. '0' if the member is not in the numerator of this measure.
253-256	ABX	4	Numerator for Antibiotic Utilization (ABX): Total days supplied for all antibiotic prescriptions	Enter: The total number of days the member appears in the Antibiotic Utilization—Total days supplied for all antibiotic prescriptions rate. '0' if the member is not in the numerator of this measure.
257-260	ABX	4	Numerator for Antibiotic Utilization (ABX): Total number of prescriptions for antibiotics of concern	Enter: The total number of times the member appears in the Antibiotic Utilization—Total number of prescriptions for antibiotics of concern rate. '0' if the member is not in the numerator of this measure.
261-264	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Quinolones	Enter: The total number of times the member appears in the Antibiotics of Concern—Quinolones rate. '0' if the member is not in the numerator of this measure.
265-268	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Cephalosporins 2nd- 4th Generation	Enter: The total number of times the member appears in the Antibiotics of Concern—Cephalosporins 2nd- 4th Generation rate. '0' if the member is not in the numerator of this measure.
269-272	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Azithromycin and Clarithromycin	Enter: The total number of times the member appears in the Antibiotics of Concern—Azithromycin and Clarithromycin rate. '0' if the member is not in the numerator of this measure.
273-276	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Amoxicillin/Clavulanate	Enter: The total number of times the member appears in the Antibiotics of Concern—Amoxicillin/Clavulanate rate. '0' if the member is not in the numerator of this measure.
277-280	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Ketolides	Enter: The total number of times the member appears in the Antibiotics of Concern—Ketolides rate. '0' if the member is not in the numerator of this measure.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
281-284	ABX	4	Numerator for Antibiotic Utilization (ABX): Antibiotics of Concern—Clindamycin	Enter: The total number of times the member appears in the Antibiotics of Concern—Clindamycin rate. '0' if the member is not in the numerator of this measure.
285-288	ABX	4	Numerator for Antibiotic Utilization (ABX): Miscellaneous Antibiotics of Concern	Enter: The total number of times the member appears in the Miscellaneous Antibiotics of Concern rate. '0' if the member is not in the numerator of this measure.
289-292	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Absorbable Sulfonamides	Enter: The total number of times the member appears in the All Other Antibiotics—Absorbable Sulfonamides rate. '0' if the member is not in the numerator of this measure.
293-296	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Aminoglycosides	Enter: The total number of times the member appears in the All Other Antibiotics—Aminoglycosides rate. '0' if the member is not in the numerator of this measure.
297-300	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—First Generation Cephalosporins	Enter: The total number of times the member appears in the All Other Antibiotics—First Generation Cephalosporins rate. '0' if the member is not in the numerator of this measure.
301-304	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Lincosamides (other than Clindamycin)	Enter: The total number of times the member appears in the All Other Antibiotics—Lincosamides (other than Clindamycin) rate. '0' if the member is not in the numerator of this measure.
305-308	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin)	Enter: The total number of times the member appears in the All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin) rate. '0' if the member is not in the numerator of this measure.
309-312	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Penicillins	Enter: The total number of times the member appears in the All Other Antibiotics—Penicillins rate. '0' if the member is not in the numerator of this measure.
313-316	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Tetracyclines	Enter: The total number of times the member appears in the All Other Antibiotics—Tetracyclines rate. '0' if the member is not in the numerator of this measure.
317-320	ABX	4	Numerator for Antibiotic Utilization (ABX): All Other Antibiotics—Miscellaneous Antibiotics	Enter: The total number of times the member appears in the All Other Antibiotics—Miscellaneous Antibiotics rate. '0' if the member is not in the numerator of this measure.
321	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator of the Non-Recommended PSA-Based Screening in Older Men measure. '0' if the member is not in the denominator of this measure.
322	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator of the Non-Recommended PSA-Based Screening in Older Men measure. '0' if the member is not in the numerator or the information is missing.
323-324	MRP	2	Denominator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in denominator. '0' if the member is not in the denominator.
325-326	MRP	2	Numerator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in the numerator. '0' if the member is not in the numerator OR the information is missing.
327	MMA	1	Denominator for Medication Management for People with Asthma (MMA): 51-64 years	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
328	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 51-64 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
329	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 51-64 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
330	MMA	1	Denominator for Medication Management for People with Asthma (MMA): 65-85 years	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
331	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 65-85 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
332	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 65-85 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
333	MMA	1	Denominator for Medication Management for People with Asthma (MMA): 18-50 years	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
334	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 18-50 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
335	MMA	1	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 18-50 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
336	AMR	1	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
337	AMR	1	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
338	AMR	1	Denominator for Asthma Medication Ratio (AMR): 65-85 years	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
339	AMR	1	Numerator for Asthma Medication Ratio (AMR): 65-85 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
340	AMR	1	Denominator for Asthma Medication Ratio (AMR): 18-50 years	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
341	AMR	1	Numerator for Asthma Medication Ratio (AMR): 18-50 years	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
342	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
343	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
344	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
345	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
346	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
347	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
348	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
349	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
350	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
351	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
352	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
353	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator. '0' if this member is not in the numerator OR the information for this member is missing.
354	IHU	1	Inpatient Hospital Utilization (IHU)	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
355-357	IHU	3	Inpatient Hospital Utilization (IHU): Observed Inpatient Discharges, Surgery	Enter: The total number of discharges for this member. '0' if the member does not have any discharges.
358-360	IHU	3	Inpatient Hospital Utilization (IHU): Observed Inpatient Discharges, Medicine	Enter: The total number of discharges for this member. '0' if the member does not have any discharges.
361-363	IHU	3	Inpatient Hospital Utilization (IHU): Observed Inpatient Discharges, Total Inpatient	Enter: The total number of discharges for this member. '0' if the member does not have any discharges.
364-375	IHU	12	Inpatient Hospital Utilization (IHU): PPD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
376-387	IHU	12	Inpatient Hospital Utilization (IHU): PPD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
388-399	IHU	12	Inpatient Hospital Utilization (IHU): PPD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
400-411	IHU	12	Inpatient Hospital Utilization (IHU): PPD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
412-423	IHU	12	Inpatient Hospital Utilization (IHU): PPD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
424-435	IHU	12	Inpatient Hospital Utilization (IHU): PPD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
436-447	IHU	12	Inpatient Hospital Utilization (IHU): PPD Base Risk Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
448-459	IHU	12	Inpatient Hospital Utilization (IHU): PPD Base Risk Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
460-471	IHU	12	Inpatient Hospital Utilization (IHU): PPD Base Risk Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
472-483	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
484-495	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
496-507	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
508-519	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
520-531	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
532-543	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
544-555	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Base Risk Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
556-567	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Base Risk Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
568-579	IHU	12	Inpatient Hospital Utilization (IHU): PUCD Base Risk Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
580	EDU	1	Emergency Department Utilization (EDU)	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
581-583	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member. '0' if the member does not have any visits.
584-595	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
596-607	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
608-619	EDU	12	Emergency Department Utilization (EDU): PPV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
620-631	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
632-643	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
644-655	EDU	12	Emergency Department Utilization (EDU): PUCV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
656	HPC	1	Hospitalization for Potentially Preventable Complications (HPC)	Enter: '1' if this member is in the denominator. '0' if this member is not in the denominator.
657-658	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member. '0' if the member does not have any discharges.
659-660	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member. '0' if the member does not have any discharges.
661-662	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member. '0' if the member does not have any discharges.
663-674	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
675-686	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
687-698	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
699-710	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
711-722	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
723-734	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
735-746	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Base Risk Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
747-758	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Base Risk Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
759-770	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Base Risk Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

HEDIS® 2017 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2016 MEASUREMENT YEAR)
3.2 DETAIL RECORD

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
771-782	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
783-794	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
795-806	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
807-818	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
819-830	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
831-842	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
843-854	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Base Risk Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
855-866	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Base Risk Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
867-878	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Base Risk Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789