


2014 eCQM Flow
Measure Identifier: CMS62v3
NQF 0403: HIV/AIDS: Medical Visit



*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a=8 patients)}}{\text{Denominator (b=10 patients) - Denominator Exclusions (N/A) - Denominator Exceptions (N/A)}} = 80.00\%$$

2014 eCQM Flows
Measure Identifier: CMS62v3
NQF 0403: HIV/AIDS: Medical Visit

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Encounter Performed:
 - a. If QDM data element, HIV VISIT, during the measurement period equals Yes, proceed to check Diagnosis Active.
 - b. If QDM data element, HIV VISIT, during the measurement period equals No, do not include in Initial Patient Population. Stop Processing.
3. Check Diagnosis Active:
 - a. If the QDM data element, HIV, starts before or during the measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
 - b. If the QDM data element, HIV, starts before or during the measurement period equals No, do not include in Initial Patient Population. Stop Processing.
4. Start Denominator
 - a. Denominator equals the Initial Patient Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
5. Start Numerator
6. Check Encounters Performed:
 - a. If Occurrence A of the QDM data element, HIV VISIT, during measurement period equals Yes, proceed to check for Occurrence B of Encounter Performed.
 - b. If Occurrence A of the QDM data element, HIV VISIT, during measurement period equals No, include in the No/Missing Data Submitted count. Stop Processing.
 - c. If Occurrence B of the QDM data element, HIV VISIT, during measurement period equals Yes, proceed to check for next Occurrence B of Encounter Performed.
 - d. If Occurrence B of the QDM data element, HIV VISIT, during measurement period equals No, include in the No/Missing Data Submitted count. Stop Processing.
 - e. If Occurrence B of the QDM data element HIV VISIT, greater than or equal to 90 days starts after end of Occurrence A of QDM data element, HIV VISIT, equals Yes, include in Numerator Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 8 patients in the sample calculation.
 - f. If Occurrence B of the QDM data element HIV VISIT, greater than or equal to 90 days starts after end of Occurrence A of QDM data element, HIV VISIT, equals No, include in the No/Missing Data Submitted count. Stop Processing.

SAMPLE CALCULATION:

Performance Rate =

Numerator (a= 8 patients)

÷

Denominator (b=10 patients) – *Denominator Exclusions (N/A)* – *Denominator Exceptions (N/A)*

= **80.00%**