


2014 eCQM Flow  
Measure Identifier: CMS155v3  
NQF 0024: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents


*This eMeasure requires the reporting of three Performance Rates*



\*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

‡ For a listing of appropriate encounters, please refer to the QDM data elements and associated value sets as specific data elements have not been listed.

2014 eCQM Flow  
Measure Identifier: CMS155v3  
NQF 0024: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents



\*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

‡ For a listing of appropriate encounters, please refer to the QDM data elements and associated value sets as specific data elements have not been listed.

2014 eCQM Flow  
Measure Identifier: CMS155v3  
NQF 0024: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents

**SAMPLE CALCULATION:** *Combination of Initial Patient Population; Denominator; Numerator 1*

**Performance Rate =**

$$\frac{\text{Numerator (a=6 patients)}}{\text{Denominator (b=10 patients) – Denominator Exclusions (c=2 patients) – Denominator Exceptions (N/A)}} = 75.00\%$$

**SAMPLE CALCULATION:** *Combination of Initial Patient Population; Denominator; Numerator 2*

**Performance Rate =**

$$\frac{\text{Numerator (a=4 patients)}}{\text{Denominator (b=10 patients) – Denominator Exclusions (c=2 patients) – Denominator Exceptions (N/A)}} = 50.00\%$$

**SAMPLE CALCULATION:** *Combination of Initial Patient Population; Denominator; Numerator 3*

**Performance Rate =**

$$\frac{\text{Numerator (a=3 patients)}}{\text{Denominator (b=10 patients) – Denominator Exclusions (c=2 patients) – Denominator Exceptions (N/A)}} = 37.50\%$$

## 2014 eCQM Flows

Measure Identifier: CMS155v3

### NQF 0024: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents

*This eCQM requires the reporting of three Performance Rates*

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Patient Characteristic Birthdate:
  - a. If QDM data element, BIRTH DATE, is greater than or equal to 3 years and less than 17 years starts before start of measurement period equals No, do not include in Initial Patient Population. Stop Processing.
  - b. If QDM data element, BIRTH DATE, is greater than or equal to 3 years and less than 17 years starts before start of measurement period equals Yes, proceed to check Encounter Performed.
3. Check Encounter Performed:
  - a. If QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
  - b. If QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals No, continue to next Encounter Performed.
  - c. If QDM data element, OFFICE VISIT, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
  - d. If QDM data element, OFFICE VISIT, during measurement period equals No, continue to next Encounter Performed.
  - e. If QDM data element, PREVENTIVE CARE SERVICES-INDIVIDUAL COUNSELING, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
  - f. If QDM data element, PREVENTIVE CARE SERVICES-INDIVIDUAL COUNSELING, during measurement period equals No, continue to next Encounter Performed.
  - g. If QDM data element, PREVENTIVE CARE – INITIAL OFFICE VISIT, 0 TO 17, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
  - h. If QDM data element, PREVENTIVE CARE – INITIAL OFFICE VISIT, 0 TO 17, during measurement period equals No, continue to next Encounter Performed.
  - i. If QDM data element, PREVENTIVE CARE – ESTABLISHED OFFICE VISIT, 0 TO 17, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
  - j. If QDM data element, PREVENTIVE CARE – ESTABLISHED OFFICE VISIT, 0 TO 17, during measurement period equals No, continue to next Encounter Performed.
  - k. If QDM data element, PREVENTIVE CARE SERVICES – GROUP COUNSELING, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.

- l. If QDM data element, PREVENTIVE CARE SERVICES – GROUP COUNSELING, during measurement period equals No, continue to next Encounter Performed.
  - m. If QDM data element, HOME HEALTHCARE SERVICES, during measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
  - n. If QDM data element HOME HEALTHCARE SERVICES, during measurement period equals No, do not include in Initial Patient Population. Stop Processing.
4. Start Denominator
  - a. Denominator equals the Initial Patient Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
5. Start Denominator Exclusions
6. Check Diagnosis Active:
  - a. If Occurrence A of QDM data element, PREGNANCY, starts before or during but does not end before start of measurement period equals Yes, include in Denominator Exclusions count. Denominator Exclusion is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 2 patients in the sample calculation.
  - b. If Occurrence A of QDM data element, PREGNANCY, starts before or during but does not end before start of measurement period equals No, proceed to Numerator 1.
7. Start Numerator 1
8. Check Physical Exam Finding:
  - a. If QDM data element, BMI PERCENTILE, and QDM data element, HEIGHT, and QDM data element, WEIGHT, during measurement period equals Yes, include in Numerator 1 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 6 patients in the sample calculation. Continue on to Numerator 2.
  - b. If QDM data element, BMI PERCENTILE, and QDM data element, HEIGHT, and QDM data element, WEIGHT, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 2.
8. Start Numerator 2
9. Check Intervention Performed:
  - a. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element FACE-TO-FACE INTERACTION, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.
  - b. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element FACE-TO-FACE INTERACTION, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
  - c. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element OFFICE VISIT, during measurement period equals Yes, include in

Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.

- d. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element OFFICE VISIT, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
- e. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-INDIVIDUAL COUNSELING, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.
- f. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-INDIVIDUAL COUNSELING, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
- g. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-INITIAL OFFICE VISIT, 0 TO 17, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.
- h. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-INITIAL OFFICE VISIT, 0 TO 17, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
- i. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-ESTABLISHED OFFICE VISIT, 0 TO 17, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.
- j. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-ESTABLISHED OFFICE VISIT, 0 TO 17, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
- k. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-GROUP COUNSELING, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.
- l. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element PREVENTIVE CARE SERVICES-GROUP COUNSELING, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
- m. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element HOME HEALTHCARE SERVICES, during measurement period equals

- Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 4 patients in the sample calculation. Continue on to Numerator 3.
- n. If QDM data element, COUNSELING FOR NUTRITION, during QDM data element HOME HEALTHCARE SERVICES, during measurement period equals No, include in the No/Missing Data Submitted Count. Continue on to Numerator 3.
10. Start Numerator 3
11. Check for Intervention Performed:
- a. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element FACE-TO-FACE INTERACTION, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.
  - b. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element FACE-TO-FACE INTERACTION, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.
  - c. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element OFFICE VISIT, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.
  - d. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element OFFICE VISIT, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.
  - e. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-INDIVIDUAL COUNSELING, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.
  - f. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-INDIVIDUAL COUNSELING, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.
  - g. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-INITIAL OFFICE VISIT, 0 TO 17, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.
  - h. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-INITIAL OFFICE VISIT, 0 TO 17, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.
  - i. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-ESTABLISHED OFFICE VISIT, 0 TO 17, during measurement period equals Yes, include in Numerator 2 Count.

Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.

- j. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-ESTABLISHED OFFICE VISIT, 0 TO 17, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.
- k. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-GROUP COUNSELING, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.
- l. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element PREVENTIVE CARE SERVICES-GROUP COUNSELING, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.
- m. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element HOME HEALTHCARE SERVICES, during measurement period equals Yes, include in Numerator 2 Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 3 patients in the sample calculation.
- n. If QDM data element, COUNSELING FOR PHYSICAL ACTIVITY, during QDM data element HOME HEALTHCARE SERVICES, during measurement period equals No, include in the No/Missing Data Submitted Count. Stop Processing.

**SAMPLE CALCULATION: Calculation of Initial Patient Population; Denominator; Numerator 1**

**Performance Rate =**

Numerator (a = 6 patients)

÷

Denominator (b=10 patients) – Denominator Exclusions (c=2 patients) – *Denominator Exceptions (N/A)*  
= **75.00%**

**SAMPLE CALCULATION: Calculation of Initial Patient Population; Denominator; Numerator 2**

**Performance Rate =**

Numerator (a = 4 patients)

÷

Denominator (b=10 patients) – Denominator Exclusions (c=2 patients) – *Denominator Exceptions (N/A)*  
= **50.00%**

**SAMPLE CALCULATION: Calculation of Initial Patient Population; Denominator; Numerator 3**

**Performance Rate =**

Numerator (a = 3 patients)

÷

Denominator (b=10 patients) – Denominator Exclusions (c=2 patients) – *Denominator Exceptions (N/A)*  
= **37.50%**