

2014 eMeasure Flows
Cover Page

For eligible professionals reporting EHR clinical quality measures for Meaningful Use (MU) only (Option #1) in 2014, the following must be included in the submitted file(s):


- 1 – Rendering NPI and TIN on QRDA Category III files
- 2 – Payers for all eligible patients identified on QRDA Category III files
- 3 – All of the identifiers for the eMeasures the eligible professional or group practice intends to report must be included in the appropriate fields of the QRDA Category III files even if they do not have any eligible patients for those eMeasures
- 4 – Performance rate(s) (or a measure observation value) must be included in the QRDA Category III file for every eMeasure the eligible professional intended to report according to the performance rate (or measure observation) algorithms provided in each of the flows
- 5 – For every patient evaluated for the eMeasures also identify payer, race, ethnicity and sex.

For eligible professionals and group practices reporting EHR clinical quality measures for Meaningful Use (MU) and the Physician Quality Reporting System (PQRS) (Option #2) in 2014, the following must be included in the submitted file(s):

- 1 – Rendering NPI and TIN on the appropriate fields of the QRDA Category I or QRDA Category III files for eligible professionals reporting as *individuals* **OR** submission of all NPIs within the TIN when reporting as a *group practice*
- 2 – At least **one** Medicare Part B beneficiary that is eligible for at least one of the eMeasures either via QRDA Category I or III files
- 3 – Valid HIC# for Medicare beneficiaries on QRDA Category I files
- 4 – Payers for all eligible patients identified on QRDA Category I or III files
- 5 – All of the identifiers for the eMeasures the eligible professional or group practice intends to report must be included in the appropriate fields of the QRDA Category I or III files even if they do not have any eligible patients for those eMeasures
- 6 – Performance rate(s) (or a measure observation value) must be included in the QRDA Category III file for every eMeasure the eligible professional intended to report according to the performance rate (or measure observation) algorithms provided in each of the flows
- 7 – All of the detailed data pertaining to the eMeasures the eligible professional intends to report must be included in the patient-level QRDA Category I files so that the system may generate accurate performance rate(s) (or a measure observation value)
- 8 – For every patient evaluated for the eMeasures also identify payer, race, ethnicity and sex.

2014 eMeasure Flows
eMeasure Identifier: 167

NQF 0088: Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy




*Please refer to the specific section of the eMeasure to identify the QDM data elements and associated value sets for use in reporting this eMeasure.

‡ Appropriate encounters include: Ophthalmological Services, Care Services in Long-Term Residential Facility, Nursing Facility Visit, Office Visit, Outpatient Consultation, Face-to-Face Interaction.

‡‡ Appropriate encounters include: Ophthalmological Services, Care Services in Long-Term Residential Facility, Nursing Facility Visit, Office Visit, Outpatient Consultation, Patient Provider Interaction.

2014 eMeasure Flows
eMeasure Identifier: 167

NQF 0088: Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy



*Please refer to the specific section of the eMeasure to identify the QDM data elements and associated value sets for use in reporting this eMeasure.

‡ Appropriate encounters include: Ophthalmological Services, Care Services in Long-Term Residential Facility, Nursing Facility Visit, Office Visit, Outpatient Consultation, Face-to-Face Interaction.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a = 5 patients)}}{\text{Denominator (b = 10 patients) – Denominator Exclusions (N/A) – Denominator Exceptions (c = 4 patients)}} = 83.33\%$$

2014 eMeasure Flows
eMeasure Identifier: 167

NQF 0088: Diabetic Retinopathy: Documentation of Presence or Absence of Macular
Edema and Level of Severity of Retinopathy

Please refer to the specific section of the eMeasure to identify the QDM data elements and associated value sets for use in reporting this eMeasure.

1. Start Initial Patient Population
2. Check Patient Characteristic Birthdate:
 - a. If QDM data element, BIRTH DATE, is greater than or equal to 18 years starts before start of measurement period, equals No, do not include in Initial Patient Population. Stop Processing.
 - b. If QDM data element, BIRTH DATE, is greater than or equal to 18 years starts before start of measurement period, equals Yes, proceed to check Diagnosis Active.
3. Check Diagnosis Active:
 - a. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, during measurement period equals No, proceed to check next Diagnosis Active.
 - b. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, during measurement period equals Yes, proceed to check Encounter Performed.
 - c. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during measurement period equals No, proceed to check next Diagnosis Active.
 - d. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during measurement period equals Yes, proceed to check Encounter Performed.
 - e. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, during measurement period equals No, proceed to check next Diagnosis Active.
 - f. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, during measurement period equals Yes, proceed to check Encounter Performed.
 - g. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals No, proceed to check next Diagnosis Active.
 - h. If QDM data element, RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals Yes, proceed to check Encounter Performed.

- i. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during measurement period equals No, proceed to check next Diagnosis Active.
 - j. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during measurement period equals Yes, proceed to check Encounter Performed.
 - k. If QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals No, do not include in the Initial Patient Population. Stop Processing.
 - l. If the QDM data element, DIABETIC RETINOPATHY, starts before or during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed: Total number of encounters must be greater than or equal to 2:
- a. If QDM data element, OPHTHALMOLOGICAL SERVICES, during the measurement period, equals No, proceed to check next Encounter Performed.
 - b. If QDM data element, OPHTHALMOLOGICAL SERVICES, during the measurement period, equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - c. If QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during the measurement period, equals No, proceed to check next Encounter Performed.
 - d. If QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during the measurement period, equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - e. If QDM data element, NURSING FACILITY VISIT, during the measurement period, equals No, proceed to check next Encounter Performed.
 - f. If QDM data element, NURSING FACILITY VISIT, during the measurement period, equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - g. If QDM data element, OFFICE VISIT, during the measurement period, equals No, proceed to check next Encounter Performed.
 - h. If QDM data element, OFFICE VISIT, during the measurement period, equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - i. If QDM data element, OUTPATIENT CONSULTATION, during the measurement period, equals No, proceed to check next Encounter Performed.
 - j. If QDM data element, OUTPATIENT CONSULTATION, during the measurement period, equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - k. If QDM data element, PATIENT PROVIDER INTERACTION, during the measurement period, equals No, do not include in the Initial Patient Population. Stop Processing.

- I. If QDM data element, PATIENT PROVIDER INTERACTION, during the measurement period, equals Yes, include in the Initial Patient Population and proceed to the Denominator if total number of encounters are greater than or equal to 2.
5. Start Denominator
 - a. Denominator equals the Initial Patient Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
6. Start Numerator
7. Check Diagnostic Study Result:
 - a. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals No, proceed to check next Diagnostic Study Result.
 - b. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals Yes, proceed to line 8, check Diagnostic Study Result.
 - c. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals No, proceed to check next Diagnostic Study Result.
 - d. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals Yes, proceed to line 8, check Diagnostic Study Result.
 - e. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals No, proceed to check next Diagnostic Study Result.
 - f. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals Yes, proceed to line 8, check Diagnostic Study Result.
 - g. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals No, proceed to check next Diagnostic Study Result.
 - h. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals Yes, proceed to line 8, check Diagnostic Study Result.
 - i. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals No, proceed to check next Diagnostic Study Result.
 - j. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, proceed to line 8, check Diagnostic Study Result.

- k. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals No, do not include in Numerator count and proceed to Denominator Exceptions.
 - l. If Occurrence A of QDM data element, MACULAR EXAM (result: Level of Severity of Retinopathy Findings), during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals Yes, proceed to line 8, check Diagnostic Study Result.
- 8. Check Diagnostic Study Result:
 - a. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals No, proceed to check next Diagnostic Study Result.
 - b. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation. Stop Processing.
 - c. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals No, proceed to check next Diagnostic Study Result.
 - d. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation. Stop Processing.
 - e. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals No, proceed to check next Diagnostic Study Result.
 - f. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation. Stop Processing.
 - g. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals No, proceed to check next Diagnostic Study Result.

- h. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation. Stop Processing.
 - i. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals No, proceed to check next Diagnostic Study Result.
 - j. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation. Stop Processing.
 - k. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals No, do not include in the Numerator and proceed to check Denominator Exceptions.
 - l. If Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema findings absent), or if Occurrence A of QDM data element, MACULAR EXAM (result: Macular Edema Findings Present), during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation. Stop Processing.
9. Check Denominator Exceptions
10. Check Diagnostic Study Performed Not Done:
- a. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals No, proceed to check next Diagnostic Study Performed Not Done.
 - b. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing
 - c. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals No, proceed to check next Diagnostic Study Performed Not Done.
 - d. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample

calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.

- e. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals No, proceed to check next Diagnostic Study Performed Not Done.
 - f. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
 - g. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals No, proceed to check next Diagnostic Study Performed Not Done.
 - h. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
 - i. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals No, proceed to check next Diagnostic Study Performed Not Done.
 - j. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
 - k. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals No, proceed to check Diagnostic Study Performed Not Done.
 - l. If QDM data element, MEDICAL REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
11. Check Diagnostic Study Performed Not Done:
- a. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals No, proceed to check next Diagnostic Study Performed Not Done.
 - b. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OPHTHALMOLOGICAL SERVICES, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
 - c. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals No, proceed to check next Diagnostic Study Performed Not Done.

- d. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
- e. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals No, proceed to check next Diagnostic Study Performed Not Done.
- f. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
- g. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals No, proceed to check next Diagnostic Study Performed Not Done.
- h. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
- i. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals No, proceed to check next Diagnostic Study Performed Not Done.
- j. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.
- k. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals No, include in the No/Missing Data Submitted. Stop Processing.
- l. If QDM data element, PATIENT REASON, for Macular Exam Grouping Value Set, during Occurrence A of Encounter Performed QDM data element, FACE-TO FACE INTERACTION, equals Yes, include in Denominator Exclusion Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C equals 4 patients. Stop Processing.

SAMPLE CALCULATION:

Performance Rate

Numerator (a= 5 patients)

÷

Denominator (b=10 patients) – *Denominator Exclusions (N/A)* – Denominator Exceptions (c=4 patients)

= **83.33%**