


2015 Claims/Registry Individual Measure Flow
PQRS #255: Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure



SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a=4 episodes)} + \text{Performance Exclusion (b=1 episode)} + \text{Performance Not Met (c=2 episodes)}}{\text{Eligible Population / Denominator (d=8 episodes)}} = \frac{7 \text{ episodes}}{8 \text{ episodes}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 visits)}}{\text{Reporting Numerator (7 episodes) - Performance Exclusion (1 episode)}} = \frac{4 \text{ episodes}}{6 \text{ episodes}} = 66.67\%$$

*See the posted Measure Specification for specific coding and instructions to report this measure.

**Encounter must occur in the Emergency Department (ED).

NOTE: Report Frequency – Episode

v1

2015 Claims/Registry Individual Measure Flow
PQRS #255: Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at
Risk of Fetal Blood Exposure

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Patient Age and Gender:
 - a. If the Female Age is equal to 14 thru 50 years of age on Date of Service equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
 - b. If the Female Age is equal to 14 thru 50 years of age on Date of Service equals Yes during the measurement period, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
 - a. If Diagnosis for Rh-Negative as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Diagnosis for Rh-Negative as Listed in the Denominator equals Yes, proceed to check Diagnosis of High Risk Pregnancy Complications.
4. Check Diagnosis of High Risk Pregnancy Complications:
 - a. If Diagnosis of High Risk Pregnancy Complications as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Diagnosis of High Risk Pregnancy Complications as Listed in the Denominator equals Yes, proceed to check Encounter Performed.
5. Check Encounter Performed:
 - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Encounter as Listed in the Denominator equals Yes, proceed to check POS: 23 Emergency Department (ED)
6. Check POS: 23 Emergency Department (ED):
 - a. If POS:23 Emergency Department (ED) as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If POS: 23 Emergency Department (ED) as Listed in the Denominator equals Yes, include in the Eligible population.
7. Denominator Population:
 - a. Denominator population is all Eligible Patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 episodes in the sample calculation.
8. Start Numerator

9. Check Documentation in Medical Record that Rh-Immunoglobulin (Rhogam) Ordered:
 - a. If Documentation in Medical Record that Rh-Immunoglobulin (Rhogam) Ordered equals Yes, include in Reporting Met and Performance Met.
 - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 4 episodes in Sample Calculation.
 - c. If Documentation in Medical Record that Rh-Immunoglobulin (Rhogam) Ordered equals No, proceed to Rh-Immunoglobulin (Rhogam) Not Ordered for Documented Reasons.
10. Check Rh-Immunoglobulin (Rhogam) Not Ordered for Documented Reasons:
 - a. If Rh-Immunoglobulin (Rhogam) Not Ordered for Documented Reasons equals Yes, include in Reporting Met and Performance Exclusion.
 - b. Reporting Met and Performance Exclusion letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 1 episode in the Sample Calculation.
 - c. If Rh-Immunoglobulin (Rhogam) Not Ordered for Documented Reasons equals No, proceed to Documentation Rh-Immunoglobulin (Rhogam) was Not Ordered, Reason Not Given.
11. Check Rh-Immunoglobulin (Rhogam) was Not Ordered, Reason Not Given:
 - a. If Rh-Immunoglobulin (Rhogam) was Not Ordered, Reason Not Given equals Yes, include in the Reporting Met and Performance Not Met.
 - b. Reporting Met and Performance Not Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter c equals 2 episodes in the Sample Calculation.
 - c. If Rh-Immunoglobulin (Rhogam) was Not Ordered, Reason Not Given equals No, proceed to Reporting Not Met.
12. Check Reporting Not Met
 - a. If Reporting Not Met equals No, Quality Data Code or equivalent was not reported. 1 visit has been subtracted from the reporting numerator in the sample calculation.

SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a=4 episodes)} + \text{Performance Exclusion (b=1 episode)} + \text{Performance Not Met (c=2 episodes)}}{\text{Eligible Population / Denominator (d=8 episodes)}} = \frac{7 \text{ episodes}}{8 \text{ episodes}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 visits)}}{\text{Reporting Numerator (7 episodes) - Performance Exclusion (1 episodes)}} = \frac{4 \text{ episodes}}{6 \text{ episodes}} = 66.67\%$$