

---

# Program Memorandum Intermediaries

Department of Health & Human  
Services (DHHS)  
Centers For Medicare & Medicaid  
Services (CMS)

---

Transmittal A-02-001

Date: JANUARY 8, 2002

---

## CHANGE REQUEST 2016

**SUBJECT: January Outpatient Code Editor (OCE) Specifications Version (V3.0)**

**The purpose of this Program Memorandum (PM) is to facilitate the testing of the logic changes in the OCE as described below.**

### Introduction

This PM reflects specifications for OCE version (V3.0) to be installed and tested by the standard system maintainers as well as their respective beta and delta testing contractors. In order to appropriately test this version of the software, several requirements will need to be met by the maintainers.

Process the following bills through this test version of the OCE:

- All outpatient hospital Part B bills for dates of service August 1, 2000, and later with the exception of Indian Health Service Hospitals, Critical Access Hospitals (CAHs), Maryland hospitals, hospitals located in American Samoa, Guam, and Saipan, and Virgin Island Hospitals claims for dates of service on or after January 1, 2002, (bill types 12X, 13X, or 14X);
- CMHC bills (bill type 76X);
- HHA and CORF bills containing certain Healthcare Common Procedure Coding System (HCPCS) codes as identified in the chart entitled "HCPCS Codes for Reporting Antigenes, Vaccines, Splints and Casts" below (bill types 34X or 75X); and
- Any bill containing a condition code 07 with certain HCPCS codes as identified in the chart entitled "HCPCS Codes for Reporting Antigenes, Vaccines, Splints and Casts" below.

**NOTE:** For bill type 34X, only vaccines and their administration, splints, casts, and antigenes will be paid under OPSS. For bill type 75X, only vaccines and their administration are paid under OPSS. For bills containing condition code 07, only splints, casts and antigenes will be paid under OPSS.

You will be provided shortly with the final test version of the OCE. A revised version of the OPSS OCE with all recent revisions is expected on or after January 24, 2002, to be tested and installed for implementation at a later date as determined by CMS.

The following information provides you with the revised OCE edit specifications that will be utilized to make appropriate payments under the OPSS system.

### General Functions of the OCE

The revised OCE will perform the following two major functions:

- Edit claims data to identify errors and return a series of edit flags; and
- Assign an ambulatory payment classification (APC) number for each service covered under OPSS and return information to be used as input to the PRICER program.

### **CMS-Pub.60A**

A major change in processing is required to handle claims with service dates that span more than 1 calendar day. Each claim will be represented by a collection of data, which will consist of all necessary demographic (header) data, plus all services provided (line items). You are responsible for organizing all applicable services into a single claim record, and passing them as a unit to OCE. OCE functions only on a single claim and does not have any cross-claim capabilities. OCE will accept up to 450 line items per claim. The OCE software is responsible for ordering line items by date of service.

The original OCE focused solely on the presence or absence of specific edits and did not specify action that should be taken when an edit occurred (e.g., deny claim, suspend claim). Further, the original OCE did not compute any information that would be used for payment purposes. Therefore, the original OCE was structured to return a set of flags for each diagnosis and procedure that indicated the presence or absence of individual edits. The revised OCE not only identifies individual errors but also indicates actions to take and the reasons why these actions are necessary. In order to accommodate this expanded functionality, the revised OCE is structured to return lists of edit numbers instead of zero/one flags. This new structure facilitates the linkage between the action being taken, the reasons for the action, and the information on the claim (e.g., a specific diagnosis) that caused the action.

In general, OCE performs all functions that require specific reference to HCPCS codes, HCPCS modifiers, and ICD-9-CM diagnosis codes. Since these coding systems are complex and annually updated, the centralization of the direct reference to these codes and modifiers in a single program will reduce effort for you and reduce the chance of inconsistent processing.

The span of time that a claim represents will be controlled by the from and through dates that will be part of the input header information. If the claim spans more than 1 calendar day, OCE will subdivide the claim into separate days for the purpose of determining discounting and multiple visits on the same calendar day.

Some edits will be date driven. For example, bilateral procedure will be considered an error if a pair of procedures is coded with the same service date, but not if the service dates are different.

### **Information Sent to OCE**

Pass header and line items information to the OCE by means of a control block of pointers. Table 1 below contains the structure of the OCE control block. The shaded area separates input from return information. Multiple items are assumed to be in contiguous locations.

The header information must relate to the entire claim and must include the following:

- From date;
- Through date;
- Condition code;
- List of ICD-9-CM diagnosis codes;
- Age;
- Sex;
- Type of bill; and
- Medicare provider number.

The from and through dates will be used to determine if the claim spans more than 1 day and therefore represents multiple visits. The condition code (e.g., 41) specifies special claim conditions such as a claim for partial hospitalization, which is paid on a per diem basis. The diagnosis codes apply to the entire claim and are not specific to a line item. Each line item contains the following information:

- HCPCS code with up to 2 modifiers;
- Revenue code;
- Service date;
- Service units; and

- Charge.

The HCPCS codes and modifiers are used as the basis of assigning the APCs. Not all line items will contain a HCPCS code. The line item service dates are used to subdivide a claim that spans more than 1 day into individual visits. The service units indicate the number of times a HCPCS code was provided (e.g., a lab test with a service unit of 2 means the lab test was performed twice).

### **Information Returned From OCE**

The following is an overview of the information that will be returned from OCE and used as input into the PRICER program.

There are currently 53 different edits in OCE, 2 of which are currently inactive. Each edit is assigned a number. A description of the edits is contained in Table 3. The edit return buffers consist of a list of the edit numbers that occurred for each diagnosis, procedure, modifier, or date. For example, if a 75-year-old male had a diagnosis related to pregnancy, it would create a conflict between the diagnosis and age and sex. Therefore, the diagnosis edit return buffer for the pregnancy diagnosis would contain the edit numbers 2 and 3. There is more space allocated in the edit return buffers than is necessary for the current edits in order to allow future expansion of the number of edits. The four edit return buffers are described in Table 2.

The claim return buffer described in Table 4 summarizes the edits that occurred on the claim. The occurrence of an edit can result in one of six different dispositions.

Claim Rejection	There are one or more edits present that cause the whole claim to be rejected. A claim rejection means that the provider can correct and resubmit the claim but cannot appeal the claim rejection.
Claim Denial	There are one or more edits present that cause the whole claim to be denied. A claim denial means the provider cannot resubmit the claim but can appeal the claim denial.
Claim Return to Provider (RTP)	There are one or more edits present that cause the whole claim to be RTP. A claim RTP means the provider can resubmit the claim once the problems are corrected.
Claim Suspension	There are one or more edits present that cause the whole claim to be suspended. A claim suspension means that the claim is not RTP, but is not processed for payment until you make a determination or obtain further information.
Line Item Rejection	There are one or more edits present that cause one or more individual line items to be rejected. A line item rejection means the claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed).
Line Item Denials	There are one or more edits present that cause one or more individual line items to be denied. A line item denial means the claim can be processed for payment with some line items denied for payment. The line item cannot be resubmitted but can be appealed. The one exception is for emergency room visits in which a patient dies during a procedure that is categorized as an inpatient procedure. Under such circumstances, the claim can be resubmitted as an inpatient claim.

In the initial release of the OCE, many of the edits have a disposition of RTP in order to give providers time to adapt to OPPS. In subsequent releases of OCE, the disposition of some edits may be changed to other more automatic dispositions such as a line item denial. A single claim can have one or more edits in all six dispositions. Six 0/1 dispositions are contained in the claim return buffer

that indicate the presence or absence of edits in each of the six dispositions. In addition, there are six lists of reasons in the claim return buffer that contain the edit numbers that are associated with each disposition. For example, if there were three edits that caused the claim to have a disposition of RTP, the edit numbers of the three edits would be contained in the claim RTP reason list. There is more space allocated in the reason lists than is necessary for the current edits in order to allow for future expansion of the number of edits.

In addition to the six individual dispositions, there is also an overall claim disposition, which summarizes the status of the claim.

Table 5 contains the APC return buffer that contains the APC for each line item along with the relevant information for computing OPSS payment. Two APC numbers are returned: HCPCS APC and payment APC. Partial hospitalizations are paid on a per diem basis. There is no HCPCS code that specifies a partial hospitalization related service. Partial hospitalizations are identified by means of a condition code, bill type, and HCPCS codes specifying the individual services that constitute a partial hospitalization. Thus, there are no input line items that directly correspond to the partial hospitalization service. In order to assign the partial hospitalization APC to one of the line items, the payment APC for one of the line items that represents one of the services that comprise partial hospitalization is assigned the partial hospitalization APC. Except for partial hospitalization claims, the HCPCS APC and the payment APC are always the same. The APC return buffer contains the information that will be passed to the PRICER.

Observations may be paid separately if they meet specific criteria. (See “OCE Observation Criteria” below.)

Not all edits are performed for all sites of service. See “OCE Edits Applied by Bill Type” below for OCE edits that apply for each bill type.

PRICER computes the standard OPSS payment for a line item as the product of the payment amount corresponding to the assigned payment APC, the discounting factor, and the number of units for all line items for which the following is true:

### **Criteria for Applying Standard OPSS Payment Calculations**

- APC value is not 00000
- Payment indicator has a value of 1
- Packaging flag has a value of zero
- Line item denial or rejection flag is zero or the line item action flag is 1
- Line item action flag is not 2 or 3
- Payment adjustment flag is zero
- Payment method flag is zero

If payment adjustments are applicable to a line item (payment adjustment flag is not 0), then nonstandard calculations are necessary to compute payment for a line item (see Table 6).

The line item action flag is passed as input to the OCE as a means of allowing you to override a line item denial or rejection (used by you to override OCE and have PRICER compute payment ignoring the line item rejection or denial) or allowing you to indicate that the line item should be denied or rejected even if there are no OCE edits present. For some sites of service (e.g., HHAs) only some services are paid under OPSS. The line item action flag also impacts the computation of the discounting factor as described under “Computation of Discounting Fraction” below. OPSS payment for the claim is computed as the sum of the payments for each line item with the appropriate conversion factor, wage rate adjustment, outlier adjustment, etc., applied. The OCE overview below summarizes the process of filling in the APC return buffer.

If a claim spans more than 1 calendar day, OCE subdivides the claim into separate days for the purpose of determining discounting and multiple visits on the same day. All claims that span more than 1 day are subdivided into multiple days. Multiple day claims are determined based on calendar day. OCE deals with all multiple day claims issues by means of the return information. PRICER does not need to be aware of the issues associated with multiple day claims. It simply applies the payment computation as described above and the result is the total OPSS payment for the claim

regardless of whether the claim was for a single day or multiple days. If a multiple day claim has a subset of the days with a claim denial, RTP, or suspend, the whole claim is denied, RTP, or suspended.

For the purpose of determining the version of the OCE to be applied, the from date on the header information is used.

## Tables

**Table 1: OCE Control Block**

Pointer Name		UB-92 Form Locator	Number	Sizes (bytes)	Flat File	Sizes (bytes)	Comment
Dxptr	ICD-9-CM diagnosis codes	67-75	Up to 15	6	RT70, FL4, RT74, FL12, RT70, FL13, RT70, FL14	9	Diagnosis codes apply to whole claim and are not specific to a line item (left justified, blank filled). First listed diagnosis is considered "reason for visit diagnosis"
Ndxptr	Count of the number of diagnoses pointed to by Dxptr		1	4			Binary fullword count
Sgptr	Line item entries	44-46	Up to 450		RT61 FL6-9 FL11-13	44	
Nsgptr	Count of the number of Line item entries pointed to by Sgptr		1	4			Binary fullword count
Flagptr	Line item action flag. Flag sent by you and passed by OCE to PRICER		Up to 450	1			A variable that indicates to PRICER that a line item rejection or denial should be ignored or added (See table 5)
Ageptr	Numeric age in years		1	3			0-124
Sexptr	Numeric sex code	15	1	1	RT30 FL15		0, 1, 2, (unknown, male, female)
Dateptr	From and Through dates (yyyymmdd)	6	2	8	RT20 FL19-20	16	Used to determine multi-day claim
CCptr	Condition codes	24-30	Up to 7	2	RT41 FL4-13	20	Used to identify partial hospitalization and hospice
NCCptr	Count of the number of condition codes entered		1	4			Binary fullword count
Billptr	Type of bill	4	1	3	RT40, FL4	3	Used to identify CMHCs and claims pending under OPSS. It is presumed that bill type has been edited for validity by the standard system before that claim is sent to OCE
National Provider Identifier (NPI) Provptr	NPI Medicare Provider Number	51	1	13	RT10, FL6, RT30, FL24	13	Pass on to PRICER
OSCAR Provptr	OSCAR Medicare Provider Number	51	1	6	RT10, FL6, RT30, FL24	6	Pass on to PRICER
PstatPtr	Patient status	22	1	2	RT 20, FL12-16		For future use
OppsPtr	Opps/Non-OPSS flag		1	1			1=OPSS, 2=Non-OPSS (For future use)
Dxeditptr	Diagnosis edit return buffer		Up to 15	Table 2			Count specified in Ndxptr
Proceditptr	Procedure edit return buffer		Up to 450	Table 2			Count specified in Nsgptr
Mdeditptr	Modifier edit return buffer		Up to 450	Table 2			Count specified in Nsgptr

Pointer Name		UB-92 Form Locator	Number	Sizes (bytes)	Flat File	Sizes (bytes)	Comment
Dreditptr	Date edit return buffer		Up to 450	Table 2			Count specified in Nsgptr
Rcreditptr	Revenue code edit return buffer		Up to 450	Table 2			Count specified in Nsgptr
APCptr	APC return buffer		Up to 450	Table 5			Count specified in Nsgptr
Claimptr	Claim return buffer		1	Table 4			
Wkptr	Work area pointer		1	256K			Working storage allocated in user interface
Wklenptr	Actual length of the work area pointed to by Wkptr		1	4			Binary fullword

For those using X12N 837 formats, the following is provided to assist in your implementation efforts:

The Medicare A 837 Health Care Claim version 3051 implementations 3A.01 and 1A.C1 (Appendix C of both documents have UB-92 mapping), along with the UB-92 version 6.0 are at [www.hcfa.gov/medicare/edi/edi3.htm](http://www.hcfa.gov/medicare/edi/edi3.htm). These formats are effective through October 16, 2002. The X12N 837 version 4010 (HIPAA) to UB-92 version 6.0 mapping is at <http://www.hcfa.gov/medicare/edi/hipaadoc.htm>. The 837 version 4010 can be downloaded at [www.wpc-edi.com](http://www.wpc-edi.com).

**Table 2: Edit Return Buffers**

Name	Size (bytes)	Number	Values	Description	Comments
Diagnosis edit return buffer	2	8	0-5	Two-digit code specifying the edits that apply to the diagnosis. Currently, there are five different edits that apply to diagnoses	There is one 8x2-diagnosis edit return buffer for each of up to 15 diagnoses.
Procedure edit return buffer	2	30	0,6-9, 11-21, 28,37-40,42-45,47, 49-50, 52-53	Two-digit code specifying the edits that apply to the procedure. Currently, there are 28 different edits that apply to procedures	There is one 30x2 procedure edit return buffer for each of up to 450 line items.
Modifier edit return buffer	2	4	0,22	Two-digit code specifying the edits that apply to the modifier. Currently, there is 1 edit that applies to modifiers	There is one 4x2 modifier edit return buffer for each of the five modifiers for each of up to 450 line items.
Date edit return buffer	2	4	0,23	Two-digit code specifying the edits that apply to the line item dates. Currently, there is one edit that applies to dates	There is one 4x2 date edit return buffer for each of up to 450 line items.
Revenue Center edit return buffer	2	5	0,41,48	Two-digit code specifying the edits that apply to revenue centers. Currently, there are two edits that apply to revenue centers	There is one 5x2 revenue center edit return buffer for each of up to 450 line items

Each of the return buffers is positionally representative of the source that it contains information for, in the order in which that source was passed to OCE. For example, the seventh diagnosis return buffer contains information about the seventh diagnosis; the fourth modifier edit buffer contains information about the modifiers in the fourth line item.

**Table 3: Description of Edits/Claim Reasons**

Edit	Description	Disposition
1	Invalid diagnosis code	RTP
2	Diagnosis and age conflict	RTP
3	Diagnosis and sex conflict	RTP

<b>Edit</b>	<b>Description</b>	<b>Disposition</b>
4	Medicare secondary payer alert (V1.0 and V1.1 only)	Suspend
5	E-code as reason for visit	RTP
6	Invalid procedure code	RTP
7	Procedure and age conflict <b>(Not activated)</b>	RTP
8	Procedure and sex conflict	RTP
9	Non-covered for reasons other than statute	Line item denial
10	Service submitted for verification of denial (condition code 21)	Claim denial
11	Service submitted for review (condition code 20)	Suspend
12	Questionable covered service	Suspend
13	Separate payment for services is not provided by Medicare	Line item rejection
14	Code indicates a site of service not included in OPPS	RTP
15	Service unit out of range for procedure	RTP
16	Multiple bilateral procedures without modifier 50 (see Table 7)	RTP
17	Inappropriate specification of bilateral procedure (see Table 7)	RTP
18	Inpatient procedure	Line item denial (**)
19	Mutually exclusive procedure that is not allowed by CCI even if appropriate modifier is present	Line item rejection
20	Component of a comprehensive procedure that is not allowed by CCI even if appropriate modifier is present	Line item rejection
21	Medical visit on same day as a type "T" or "S" procedure without modifier 25 (see "Multiple Medical and Procedure Visits on the Same Day" below)	Line item rejection
22	Invalid modifier	RTP
23	Invalid date	RTP
24	Date out of OCE range	Suspend
25	Invalid age	RTP
26	Invalid sex	RTP
27	Only incidental services reported	RTP
28	Code not recognized by Medicare; alternate code for same service may be available	RTP
	(See Partial Hospitalization/Mental Health Logic Charts for logic of edits 29-36)	
29	Partial hospitalization service for non-mental health diagnosis	RTP
30	Insufficient services on day of partial hospitalization	Suspend
31	Partial hospitalization on same day as electroconvulsive therapy or type T procedure	Suspend
32	Partial hospitalization claim spans 3 or less days with insufficient services, or electroconvulsive therapy or significant procedure on at least one of the days	Suspend
33	Partial hospitalization claim spans more than 3 days with insufficient number of days having mental health services	Suspend
34	Partial hospitalization claim spans more than 3 days with insufficient number of days meeting partial hospitalization criteria	Suspend

<b>Edit</b>	<b>Description</b>	<b>Disposition</b>
35	Only activity therapy and/or occupational therapy services provided	RTP
36	Extensive mental health services provided on day of electroconvulsive therapy or significant procedure	Suspend
37	Terminated bilateral procedure or terminated procedure with units greater than one	RTP
38	Inconsistency between implanted device and implantation procedure	RTP
39	Mutually exclusive procedure that would be allowed by CCI if appropriate modifier were present	Line rejection item
40	Component of a comprehensive procedure that would be allowed by CCI if appropriate modifier were present	Line rejection item
41	Invalid revenue code	RTP
42	Multiple medical visits on same day with same revenue code without condition code G0 (See "Rules for Medical and Procedure Visits on Same Day and for Multiple Medical Visits on Same Day")	RTP
43	Transfusion or blood product exchange without specification of blood product	RTP
44	Observation revenue code on line item with non-observation HCPCS code	RTP
45	Inpatient separate procedures not paid	Line rejection item
46	Partial hospitalization condition code 41 not approved for type of bill	RTP
47	Service is not separately payable	Line rejection item
48	Revenue center requires HCPCS	RTP
49	Service on same day as inpatient procedure	Line item denial
50	Non-covered based on statutory exclusion	Line rejection item
51	Multiple observations overlap in time <b>(Not activated)</b>	RTP
52	Observation does not meet criteria for separate payment	RTP
53	Code G0244 is only allowed with bill type 13X	Line rejection item

**NOTE:** For edit 15, units for all line items with the same HCPCS code on the same day are added together for the purpose of applying this edit. If the total units exceed the code's limits, the procedure edit return buffer is set for all line items that have that HCPCS code. If modifier 91 is present on a line item and the HCPCS is on a list of codes that are exempt, the unit edits are not applied.

(\*\*) Edit 18 will cause all other line items on the same day to be line item denied with Edit 49 (see APC return buffer "Line item denial or reject flag". No other edits are performed on any lines with Edit 18 or 49.

If Edit 27 is triggered, no other edits are performed on the claim.

**Table 4: Claim Return Buffer**

<b>Name</b>	<b>Size (bytes)</b>	<b>Number</b>	<b>Values</b>	<b>Description</b>
Claim processed flag	1	1	0-3,9	0- Claim processed 1-Claim could not be processed (edits 23 or 24 or invalid bill type) 2-Claim could not be processed (claim has no line items) 3-Claim could not be processed (Condition Code 21 present) 9- Fatal error, OCE can not run – the environment can not be set up as needed. Exit immediately.
NPI	13	1	aaaaaaaaaaaa	Transferred from input, for PRICER

Name	Size (bytes)	Number	Values	Description
OSCAR Medicare provider number	6	1	aaaaaa	Transferred from input, for PRICER
Number of line items	3	1	nnn	Input value from Nsgptr
Overall claim disposition	1	1	0-5	0- No edits present on claim 1- Only edits present are for line item denial or rejection 2- Multiple-day claim with one or more days denied or rejected 3- Claim denied, rejected, suspended or RTP, or single day claim with all line items denied or rejected, with only post-payment edits 4- Claim denied, rejected, suspended or RTP, or single day claim with all line items denied or rejected, with only pre-payment edits 5- Claim denied, rejected, suspended or RTP, or single day claim with all line items denied or rejected, with both post-payment and pre-payment edits
Claim rejection disposition	1	1	0-2	0- Claim not rejected 1- There are one or more edits present that cause the claim to be rejected 2- There are one or more edits present that cause one or more days of a multiple-day claim to be rejected
Claim denial disposition	1	1	0-2	0- Claim not denied 1- There are one or more edits present that cause the claim to be denied 2- There are one or more edits present that cause one or more days of a multiple-day claim to be denied, or single day claim with all lines denied (edit 18 only).
Claim RTP disposition	1	1	0-1	0- Claim not RTP 1- There are one or more edits present that cause the claim to be RTP
Claim suspension disposition	1	1	0-1	0- Claim not suspended 1- There are one or more edits present that cause the claim to be suspended
Line item rejection disposition	1	1	0-1	0- There are no line item rejections 1- There are one or more edits present that cause one or more line items to be rejected
Line item denial disposition	1	1	0-1	0- There are no line item denials 1- There are one or more edits present that cause one or more line items to be denied
Claim rejection reasons	2	4		Two digit code specifying edits that caused the claim to be rejected. There are currently no edits that cause a claim to be rejected
Claim denial reasons	2	8	10	Two digit code specifying edits that caused the claim to be denied There is currently 1 edit that causes a claim to be denied
Claim RTP reasons	2	30	1-3, 5-8, 14-17, 22, 23, 25-29, 35, 37, 38, 41-44, 46, 48, 52	Two-digit code specifying edits that caused the claim to be RTP There are currently 27 different edits that cause a claim to be RTP
Claim suspension reasons	2	16	4, 11, 12, 24, 30-34, 36	Two-digit code specifying the edits that caused the claim to be suspended There are currently 10 different edits that cause a claim to be suspended
Line item rejection reasons	2	12	13, 19, 20, 21, 39, 40, 45, 47, 50, 53	Two digit code specifying the edits that caused the line item to be rejected There are currently 10 edits that cause a line item to be rejected
Line item denied reasons	2	6	9, 18, 49	Two-digit code specifying the edits that caused the line item to be denied There are currently 3 edits that cause a line item denial
APC return buffer flag	1	1	0-1	0-No services paid under OPPS. APC return buffer filled in with default values (See "OCE Edits Applied by Bill Type") 1-One or more services paid under OPPS. APC return buffer filled in
Version Used	8	1	yy.vv.rr	Version ID of the version used for processing the claim (e.g., 2.1.0)
Patient Status	2	1		Patient status code – transferred from input
OPPS Flag	1	1	0-1	OPPS/Non-OPPS flag – transferred from input

**Table 5: APC Return Buffer**

Names	Size (bytes)	Values	Description
HCPCS procedure code	5	Alpha	For potential future use by PRICER Transfer from input

Names	Size (bytes)	Values	Description
Payment APC	5	0001-nnnnn	APC used to determine payment. If no APC assigned to line item, the value 00000 is assigned. For partial hospitalization claims the payment APC may be different than the APC assigned to the HCPCS code.
HCPCS APC	5	0001-nnnnn	APC assigned to HCPCS code.
Service indicator	1	Alpha	A-Services not paid under OPPS B-Non-allowed item or service for OPPS C- Inpatient procedure E- Non allowed item or service F- Corneal tissue acquisition G- Drug/Biological Pass-through H- Device pass-through J- New drug or new biological pass-through* K-Non pass-through drug or device N- Packaged incidental service P- Partial hospitalization service S- Significant procedure not subject to multiple procedure discounting T- Significant procedure subject to multiple procedure discounting V- Medical visit to clinic or emergency department X- Ancillary service
Payment indicator	1	Alpha-numeric	1- Paid standard hospital OPSS amount (service indicators K, S, T, V, X) 2- Services not paid under OPSS (service indicator A, or no HCPCS code and not certain revenue codes) 3- Not paid, or not paid under OPSS (service indicators B, C, E) 4- Paid at reasonable cost (service indicator F) 5- Additional payment for drug or biological (service indicator G) 6- Additional payment for device (service indicator H) 7- Additional payment for new drug or new biological (service indicator J)* 8- Paid partial hospitalization per diem (service indicator P) 9- No additional payment, payment included in line items with APCs (service indicator N, or no HCPCS code and certain revenue codes, or HCPCS codes G0176 (activity therapy), G0129 (occupational therapy) or G0177 (partial hospitalization program services)) See Partial Hospitalization Logic on page 18 for detailed information.
Discounting formula number	1	1-8	See "Computation of Discounting Fraction" for values
Line item denial or rejection flag	1	0-2	0- Line item not denied or rejected 1- Line item denied or rejected (procedure edit return buffer for line item contains a 9, 13, 18, 19, 20, 21, 39, 40, 45, 47, 49, 50, 53) 2-The line item has no errors, but occurs on a day that has been denied or rejected (not used as of 1/1/02 - v3.0).
Packaging flag	1	0-2	0- Not packaged 1- Packaged service (service indicator N) 2- Packaged as part of partial hospitalization per diem or daily mental health service per diem
Payment adjustment flag	1	0-4	0- No payment adjustment 1- Designated current drug or biological payment adjustment applies to APC (service indicator G) 2- Designated new device payment adjustment applies to APC (service indicator H) 3- Designated new drug or new biological payment adjustment applies to APC (service indicator J) 4- Deductible not applicable (specific list of HCPCS codes)
Payment Method Flag	1	0-4	0-OPPS PRICER determines payment for service 1-Based on OPSS or coverage rules, the service is not paid 2-Service is not subject to OPSS 3-Service is not subject to OPSS, and has an OCE line item denial or rejection 4-Line item is denied or rejected by you; OCE not applied to line item
Service Units	7	1-x	Transferred from input, for PRICER. For the line items assigned APCs 33 or 34, the service units are always assigned a value of one by the OCE even if the input service units were greater than one.
Charge	10	nnnnnnnnn	Transferred from input, for PRICER
Line item action flag	1	0-3	Transferred from input, for PRICER, and can impact selection of discounting formula 0-OCE line item denial or rejection is not ignored 1-OCE line item denial or rejection is ignored 2-External line item denial. Line item is denied even if no OCE edits 3-External line item rejection. Line item is rejected even if no OCE edits.

\* Service indicator J was replaced by service indicator G starting in January 2002 (V3.0)

**Table 6: Criteria for Payment Adjustment Flag**

The payment adjustment flag for a line item (See Table 5) is set based on the criteria in the following chart:

Criteria	Payment Adjustment Flag Value
Service indicator G	1
Service indicator H	2
Service indicator J*	3
Code is flagged as 'deductible not applicable'	4
All others	0

\* Service indicator J was replaced by service indicator G starting in January 2002 (V3.0)

**Table 7: Bilateral Procedure Logic**

There is a list of codes that are exclusively bilateral if a modifier of 50 is present. The following edits apply to these bilateral procedures.

Condition	Action	Edit
The same code which can be performed bilaterally occurs two or more times on the same date of service, all codes without a 50 modifier	RTP	16
The same code which can be performed bilaterally occurs two or more times (based on units and/or lines) on the same date of service, all or some codes with a 50 modifier	RTP	17

In addition, there is a list of codes that are considered inherently bilateral even if a modifier of 50 is not present. The following edit applies to these bilateral procedures.

Condition	Action	Edit
The same bilateral code occurs two or more times (based on units and/or lines) on the same date of service	RTP	17

**NOTE:** For ER and observation claims, all services on the claim are treated like any normal claim, including multiple day processing.

### **Rules for Medical and Procedure Visits on the Same Day and for Multiple Medical Visits on the Same Day**

Under some circumstances, medical visits on the same date as a procedure will result in additional payments. A modifier of 25 with an Evaluation and Management (E&M) (service indicator V) code is used to indicate that a medical visit was unrelated to any procedure that was performed with a type of **T** or **S**. E&M codes on the same day and same claim as a procedure of type **T** or **S** will have the medical APC assigned to all lines with E&M codes. However, if any E&M code that occurs on a claim with a type **T** or **S** procedure does not have a modifier of **25**, then edit 21 will apply and there will be a line item rejection.

If there are multiple E&M codes on the same day on the same claim, the rules associated with multiple visits are shown in the following table.

E&M	Revenue Center	Condition Code	Action	Edit
-----	----------------	----------------	--------	------

<b>E&amp;M</b>	<b>Revenue Center</b>	<b>Condition Code</b>	<b>Action</b>	<b>Edit</b>
2 or more	Revenue center is different for each E&M code, and all E&M codes have units equal to 1	Not G0	Assign medical APC to each line item with E&M code	-
2 or more	Two or more E&M codes have the same revenue center  OR One or more E&M codes with units greater than 1 had same revenue center	Not G0	Assign medical APC to each line item with E&M code and RTP	Edit 42
2 or more	Two or more E&M codes have the same revenue center  OR One or more E&M codes with units greater than 1 had same revenue center	G0	Assign medical APC to each line item with E&M code	-

Condition code G0 specifies that multiple medical visits occurred on the same day with the same revenue center, and these visits were distinct and constituted independent visits (e.g., two visits to the ER, one for a broken arm and one for chest pain).

### **Computation of Discounting Fraction**

Line items with a service indicator of “T” are subject to multiple procedure discounting unless modifiers 76, 77, 78 and/or 79 are present. The “T” line item with the highest payment amount will not be multiple procedure discounted, and all other “T” line items will be multiple procedure discounted. All line items that do not have a service indicator of “T” will be ignored in determining the discount. A modifier of 73 indicates that a procedure was terminated prior to anesthesia. A terminated procedure will also be discounted although not necessarily at the same level as the discount for multiple type “T” procedures. Terminated bilateral procedures or terminated procedures with units greater than one for type “T” procedures should not occur and have the discounting factor set so as to result in the equivalent of a single procedure. Bilateral procedures are identified from the “bilateral” field in the physician fee schedule. For non-type “T” procedures there is no terminated procedure or multiple bilateral discounting performed. Bilateral procedures have the following values in the “bilateral” field:

1. Conditional bilateral (i.e., procedure is considered bilateral if the modifier 50 is present);
2. Inherent bilateral (i.e., procedure in and of itself is bilateral); and
3. Independent bilateral (i.e., procedure is considered a bilateral if the modifier 50 is present, but full payment should be made for each procedure (e.g., certain radiological procedures)).

Inherent bilateral procedures will be treated as a non-bilateral procedure since the bilaterality of the procedure is encompassed in the code. For bilateral procedures the type “T” procedure discounting rules will take precedence over the discounting specified in the physician fee schedule. All line items for which the line item denial or reject indicator is 1 and the line item action flag is zero, or the line item action flag is 2 or 3, will be ignored in determining the discount.

The discounting process will utilize an APC payment amount file. The discounting factor for bilateral procedures is the same as the discounting factor for multiple type “T” procedures.

There are eight different discount formulas that can be applied to a line item.

1. 1.0
2.  $(1.0+D(U-1))/U$
3.  $T/U$
4.  $(1+D)/U$

5. D
6. TD/U
7. D(1+D)/U
8. 2.0

Where

**D** = discounting fraction (currently 0.5)  
**U** = number of units  
**T** = terminated procedure discount (currently 0.5)

The discount formula, which applies is summarized in the following table.

Discounting Formula Number						
			Type "T" Procedure		Non Type "T" Procedure	
Payment Amount	Modifier 73	Modifier 50	Conditional or Independent Bilateral	Inherent or Non-Bilateral	Conditional or Independent Bilateral	Inherent Or Non Bilateral
Highest	No	No	2	2	1	1
Highest	Yes	No	3	3	1	1
Highest	No	Yes	4	2	8	1
Highest	Yes	Yes	3	3	+8	1
Not Highest	No	No	5	5	1	1
Not Highest	Yes	No	6	6	1	1
Not Highest	No	Yes	7	5	8	1
Not Highest	Yes	Yes	6	6	+8	1

For the purpose of determining which APC has the highest payment amount, the terminated procedure discount (**T**) will be applied prior to selecting the type T procedure with the highest payment amount.

List of HCPCS codes in the following chart specify vaccines, antigens, splints, and casts.

#### **HCPCS Codes for Reporting Antigens, Vaccines, Splints, and Casts**

Category	Code
Antigens	95144, 95145, 95146, 95147, 95148, 95149, 95165, 95170, 95180, 95199
Vaccines	90657, 90658, 90659, 90723, 90732, 90740, 90743, 90744, 90746, 90747, 90748, G0008, G0009, G0010
Splints	29105, 29125, 29126, 29130, 29131, 29505, 29515
Casts	29000, 29010, 29015, 29020, 29025, 29035, 29040, 29044, 29046, 29049, 29055, 29058, 29065, 29075, 29085, 29305, 29325, 29345, 29355, 29358, 29365, 29405, 29425, 29435, 29440, 29445, 29450, 29700, 29705, 29710, 29715, 29720, 29730, 29740, 29750, 29799

### **Correct Coding Initiative (CCI) Edits**

OCE will generate CCI edits. All CCI edits in version 7.1 will be incorporated in the OCE with the exception of anesthesiology edits, E&M, mental health, and dermabond. These edits will be part of the OCE software. The proprietary edits have not been included.

The CCI edits are applicable to claims submitted on behalf of the same beneficiary, provided by the same provider, and on the same date of service. The edits are of two major types of coding situations. One type, referred to as the comprehensive/component edits, are those edits which are applied to code combinations where one of the codes is a component of the more comprehensive code. In this instance only the comprehensive code is paid. The other type, referred to as the mutually exclusive edits, are those edits which are applied to code combinations where one of the codes is considered to be either impossible or improbable to be performed with the other code. Other unacceptable code combinations are also included. One such code combination consists of one code that represents a service ‘with’ something and the other is ‘without’ the something. The edit is set to pay the lesser-priced service.

Version 7.3 of CCI edits is included in the January OCE. Please note that the CCI edits in the OCE are always one quarter behind the Carrier CCI edits.

(See chart “OCE Edits Applied by Bill Type” for bill types which the OCE will subject to these and other OCE edits.)

### **Units of Service Edits**

OCE will generate a series of units of service edits. These edits are part of the OCE software.

In determining the maximum allowed number of services for each HCPCS code, the codes were reviewed from a number of different perspectives. One perspective is based on a review of the narrative description of the code and a knowledge of the human anatomy. Another is related to an understanding of standards of medical/surgical practice utilized in the development of the National Correct Coding Initiative. For example, a provider would not perform CPT code 70210 (radiologic examination, sinuses, paranasal, complete minimum of three views) more than once a day because of the nature of the exam, how it is used diagnostically, and the nature of the disease for which it is used.

While there are many exceptions, surgical procedures in the CPT code range of 10000 - 69999 are assigned the maximum units of service equal to 10.

Because there are codes with descriptions for timed services, i.e., the time spent in performing the service, the codes with the time intervals, such as but not inclusive of physical medicine and rehabilitation codes 97032-97039, 97110-97140, 97504-97770 were assigned the maximum units of service based on what is considered the upper limits typical for the modality/therapeutic procedure.

For other timed services such as critical care services where services could be provided during an entire 24-hour period, then the unit of service is based on the 24 hour day. Under OPSS only one payment is made for critical care services.

For the drugs/injection codes (e.g., J0120 - J9999), because the units of service are dependent on the dosage of the drug given and the amount in which it is dispensed, no maximum allowable units of service are assigned.

Many codes describe services for which the number provided will vary because of the nature of the problem being treated. Some such codes have the words “each additional” or “each” as part of their descriptors. Because of the variability of the medical conditions for which these treatment codes are intended, no maximum allowable units of service have been established.

For codes identified as “unlisted procedures” or services not otherwise classified, no maximum allowable units of service have been established.

Furthermore, there were assumptions made with regard to the definition and utilization of certain modifiers which necessitate additional comment:

- The informational anatomic modifiers such as LT, RT, E1 E4, FA, F1, F9, TA, T1, T9, LC, LD, RC should be used wherever appropriate to designate the anatomic site of a procedure performed. With the assumption that these modifiers are used whenever and wherever they are appropriate, the procedure codes to which these modifiers are allocated and applicable are assigned a unit of service equal to 1;
- Because of coding and payment instructions, the procedures to which modifier 50 (for bilateral procedure) are appended are assigned a unit of service equal to 1;
- In those instances where an anatomic or the bilateral modifier is not more appropriate, modifier 59 may be appropriate. On the first line, the code is reported without the modifier. On subsequent lines, the code is reported with modifier 59 and the unit of service is equal to 1. (In other words if a procedure is performed on three different sites, the first line will show the procedure code without the modifier, but with a unit of service of one. The next two lines will show the same procedure code, each with modifier 59 appended.
- Where a procedure has to be repeated on the same anatomic site on the same day either by the same physician performing the first procedure (modifier 76) or by another physician (modifier 77), for the claim to be paid, the number of lines with the same code and modifier 76 or modifier 77 appended to all but the first code, must be less than, or equal to the maximum units allowed; and
- The units of service edits for procedure codes submitted with modifier 91 (repeat clinical diagnostic laboratory test) do not apply. For clinical diagnostic laboratory tests, modifier 91 is appended to a code to indicate that the test was repeated on a different specimen. On the assumption that this modifier is used properly, no maximum units of service for procedures submitted with this modifier have been established. That is, procedures submitted with modifier 91 will bypass the units of service edits applied to clinical laboratory test codes in the 80000 - 89399 range of the CPT codes.

OCE Edits Applied by Bill Type

Flow Chart Cell	Provider/BillTypes	DX & Proc (1-5, 7-9, 11-12, 50, 53(**))	HCPC (6,13)	OPPS Site of svc (14)	Non Medicare Code (28)	Proc & Modifier (18,38, 43,45,47, 49)	HCPC Req'd (48)	Modifier (16,17, (**), 22,37)	CCI (19,20, 39,40)	Units (15)	(*) Line Item Date (23)	Rev Code (41, 44)	Age, Sex (25, 26)	Partial Hosp (29-34)	APC (21, 27, 42)	MH (35, 36)	Bill Type (46)	APC buffer completed	Observation logic (51, 52)
1	12X, or 14X w.o condition code 41	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	N	Y	N
2	13X w condition code 41	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y
3	12X or 14X w condition code 41	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4	76X (CMHC)	Y	Y	N	Y	Y	Y	N	N	Y	Y	Y	Y	Y	N	N	N	Y	N
5	74X (OPTs), or 75X (CORFs) w. Vaccine	Y	Y	N	Y	N	Y	N	N	Y	Y	Y	Y	N	N	N	N	N	N
6	(22X, 23X, 24X or any bill type except ExclList), w condition code 07, w.o Antigen, Splint or Cast	Y	Y	N	Y	Y	N	N	N	N	Y	Y	Y	N	N	N	N	N	N
7	22X,23X, 24X or any bill type (ExcList), except w condition code 07, w Antigen, Splint or Cast	Y	Y	N	Y	Y	N	N	N	N	Y	Y	Y	N	N	N	N	Y	N
8	75X (CORF) w Vaccine (PPS)	Y	Y	N	Y	Y	Y	N	N	Y	N	Y	Y	N	N	N	N	Y	N
9	22X, 23X (SNF), 24X w.o condition code 07	Y	Y	N	Y	N	N	N	N	N	Y	Y	Y	N	N	N	N	N	N
10	34X (HHA) w Vaccine, Antigen, Splint or Cast	Y	Y	N	Y	Y	N	N	N	Y	N	Y	Y	N	N	N	N	Y	N
11	34X (HHAs) w.o Vaccine, Antigen, Splint or Cast; or 71X, (RHC), 73X, (FQHC), 81X (Hospice), 82X	Y	Y	N	Y	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N
12	Any bill type except 22X,23X, 24X or (ExcList), w.o condition code 07	Y	Y	N	Y	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N
13	72X (ESRD)	Y	N	N	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N
14	13X w.o condition code 41	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	N	Y	Y
15	32X, 33X (HHA)	Y	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N

Y=edits apply, N=edits do not apply

Edit 10, and Edits 23 and 24 for From/Through dates, are not dependent on this chart


(\*) if edit 23 is not applied (N), the lowest service (or From) date is substituted for any invalid dates, and processing continues.

ExcList = 12X, 13X, 14X, 34X, 71X, 72X, 73X, 74X, 75X, 76X, 81X, 82X

(\*\*) Bypass edit 22 if Revenue code is 540

(\*\*\*) Edit 53 not relevant for bill type 13X

### Flow Chart for OCE Edits Applied by Bill Type





---



V = vaccine  
 A = antigen  
 S = splint  
 C = cast

---

## Partial Hospitalization Logic



PH = Partial Hospitalization (APC 33)  
 MH = Mental Health (APC 322-5, 373-4)  
 ECT = Electroconvulsive Therapy (APC 320)  
 AT = Activity Therapy (HCPCS code G0176)  
 OT = PH Occupational Therapy (HCPCS code G0129)  
 PS = PH Program Services (HCPCS code G0177)




+Multiple occurrences of 322, 323, 324, 325, and 373 are treated as separate APCs in determining whether 3 or more APCs are present. However, multiple occurrences of AT, multiple occurrences of OT, and multiple occurrences of PS are each treated as a single APC.

### Assign Partial Hospitalization Payment APC

For any day that has an MH Service, the first listed line item with HCPCS APC from the hierarchical list of APCs (323, 324, 325, 322, 373, 374, AT, OT, PS) is assigned a payment APC of 33, a service indicator of P, a payment indicator of 8, a discounting factor of 1, a line item denial or rejection indicator of 0, a packaging flag of 0, a payment adjustment flag of 0, and a service unit of 1.

For all other line items with a mental health service (i.e., 322, 323, 324, 325, 373, 374, AT, OT or PS) the packaging flag is set to 2.

## Mental Health Logic



### Assign Daily Mental Health Service Payment APC

The first listed line item with HCPCS APC from the hierarchical list of APCs (323, 324, 325) is assigned a payment APC of 34, a service indicator of P, a payment indicator of 8, a discounting factor of 1, a line item denial or rejection indicator of 0, a packaging flag of 0, a payment adjustment flag of 0 and a service unit of 1. For all other line items with a mental health HCPCS APC (i.e., 322, 323, 324, 325, 373, 374 AT, OT, PS) the packaging flag is set to 2.



## OCE Overview

1. If claims from/through dates span more than 1 day subdivide the line items on the claim into separate days based on the calendar day of the line item service date.
2. The default values for the APC return buffer for variables not transferred from input are as follows:

Payment APC	00000
HCPCS APC	00000
Service indicator	A
Payment indicator	2
Discounting formula number	1
Line item denial or rejection flag	0
Packaging flag	0
Payment adjustment flag	0
Payment method flag	Assigned in steps 5, 13, and 14

Assign the default values to each line item in the APC return buffer.

3. If no HCPCS code is on a line item and the revenue code is from one of three specific lists, then assign the following values to the line item in the APC return buffer.

	<u>N-list</u>	<u>E-list</u>	<u>B-list</u>
HCPCS APC	00000	00000	00000
Payment APC	00000	00000	00000
Service indicator	N	E	B
Payment indicator	9	3	3
Packaging flag	1	0	0

If no HCPCS code is on a line, and the revenue center is not on the specified list, defaults will apply.

4. If applicable, based on "OCE Edits by Bill Type," assign HCPCS APC, service indicator, and payment indicator in the APC return buffer for each line item that contains an applicable HCPCS code.
5. If edit 18 is present on a claim, generate edit 49 for all other line items occurring on the same day as the line item with edit 18, and set the line item denial or rejection flag to 1 for each of them. Go to step 12.
6. If all of the lines on the claim are incidental, and all of the line item action flags are zero, generate edit 27. Go to step 12.
7. If the line item action flag for a line item has a value of 2 or 3 then reset the values of the Payment APC to 00000, and set the payment method flag to 4. Ignore all line items with a line item action flag of 2 or 3 in all subsequent steps.
8. If bill type is 13x and condition code = 41, or type of bill = 76X, apply partial hospitalization logic from Partial Hospitalization/Mental Health Logic Charts. Go to step 10.
9. If bill type 13X without condition code 41 apply mental health logic from Partial Hospitalization/Mental Health Logic Charts independently for each date of service.
10. If bill type is 13X apply observation logic from OCE Observation Criteria below.
11. If the payment APC for a line item has not been assigned a value in steps 8 or 9 set payment APC in the APC return buffer for the line item equal to the HCPCS APC for the line item.

12. If edits 9, 13, 19, 20, 21, 39, 40, 45, 47, 49, 50, 53 are present in the edit return buffer for a line item, the line item denial or rejection flag for the line item is set to 1.
13. Compute the discounting factor based on “Computations of Discounting Factor” for each line item that has a service indicator of “T”, a modifier of 73 or 50, or is a non type “T” bilateral procedure. Line items that meet either of the following conditions are not included in the discounting logic:
  - Line item action flag is 2 or 3
  - Line item rejection disposition or line item denial disposition in the APC return buffer is 1 and the line item action flag is not 1
14. If the packaging flag has not been assigned a value of 1 or 2 in previous steps and the service indicator is “N”, then set the packaging flag for the line item to 1.
15. The payment adjustment flag for a line item is set based on the criteria in Table 6.
16. The payment method flag for a line item is set based on the criteria in “Logic for Assigning Payment Method Flag Values to a Line”. If any payment method flag is set to a value that is greater than zero, reset the HCPCS and Payment APC values for that line to ‘00000’.
17. If the line item denial or rejection flag is 1 or 2 and the payment method flag has been set to 2 in step 13, reset the payment method flag to 3.

## OCE Observation Criteria

### Assumptions


1. Separate payable observation is identified by code G0244.
2. Code G0244 has default Service Indicator 'S', and default APC 339.
3. Observation logic is performed only for claims with bill type 13x, with or without condition code 41. Lines with G0244 are rejected if the bill type is not 13x.
4. If any of the observation criteria is not met, G0244 is not paid and the claim is returned to provider.
5. E/M code is required the day before or day of observation. If E/M is coded the same day as observation, it must have modifier 25 coded also.
6. E/M code on the same day as observation takes precedence over E/M code on the day before observation.
7. E/M code or any of the qualifying services (EKG, etc.) that have been denied or rejected, either externally or by OCE edits, are ignored.
8. Both the associated E/M code and observation are paid separately if the observation criteria are met.
9. More than one observation meeting the observation criteria allowed on a single claim and each observation is paid separately.
10. Observation is not paid if a type T procedure is performed the day before or day of the observation.
11. Observation of less than 8 hours that are coded with G0244 are returned to provider.
12. The minimum services required to qualify (e.g., EKG) must be within the dates of the E/M visit plus the first 24 hours of observation.
13. Observation date is assumed to be the date admitted for observation.
14. The diagnoses required for the observation criteria are:

<b>Chest Pain</b>	<b>Asthma</b>	<b>CHF</b>
411/0, 1, 81, 89	493/01, 02, 11, 12, 21, 22, 91, 92	391/8
413/0, 1, 9		398/91
786/05, 50, 51, 52, 59		402/01, 11, 91
		404/01, 03, 11, 13, 91, 93
		428/0, 1, 9


15. The procedures required for the observation criteria are:

CPK	82550, 82552, 82553
Troponin	84484, 84512
EKG	93005
Peak expiratory flow rate	94010
Chest X-ray	71010
Pulse Oximetry (Single, Multiple)	94760, 94761

16. The APCs required for the observation criteria to identify E/M visits are 600-602, 610-612.

**OCE Observation Criteria (Cont.)**

### OCE Observation Criteria (Cont.)



(\*) within E/M visit plus first 24 hours of observation

### Summary of Modifications

The modifications of the OCE/APC for the January 2002 release (V3.0) are summarized in the following table. Please note the redlined material in this PM, which also indicates changes.

Some OCE/APC modifications will also be retroactively added to prior OCE/APC releases. If so, the retroactive date appears in the 'Retroactive' column. Otherwise, the column is blank.

	<b>Mod. Type</b>	<b>Retro-Active</b>	<b>Edit</b>	
1.	Logic	8/1/00	18/49*	Modify as follows: <ul style="list-style-type: none"> <li>• Edit 18 will be the first non-terminating edit performed, with the same criteria and disposition as now               <ul style="list-style-type: none"> <li>? a line has service indicator 'C', <b>and is not</b> on the 'separate procedure' list.</li> <li>? <b>Or</b></li> <li>? a line has service indicator 'C' <b>and is</b> on the 'separate procedure' list <b>and</b> there are no type 'T' lines on the same day.</li> </ul> </li> <li>• All other lines on the same day will trigger new Edit 49, "Service on same day as inpatient procedure", with line item denial flag = 1.</li> <li>• Line item denial flag 2 will no longer be used.</li> <li>• <b>NO OTHER EDITS WILL BE DONE ON LINES WITH EITHER EDIT 18 OR 49.</b></li> </ul> NOTE: this will effect the results for Edit 45 as defined in the October update. See #2 below.
2.	Logic	8/1/00	45*	Redefine to reflect the fact that Edit 18 will preclude one of the scenarios ever happening: for the same day, all lines with service indicator 'C' are on the 'separate procedure' list, <b>and</b> there is at least one type 'T' line
3.	Logic	8/1/00	27	Modify as follows: <ul style="list-style-type: none"> <li>• perform immediately after Edit 18 (if Edit 18 is not triggered), with the same logic and dispositions as now.</li> <li>• <b>NO OTHER EDITS WILL BE DONE ON LINES WITH EDIT 27</b></li> </ul>
4.	Logic	No	9/50	Edit 9 – new description – "Non-covered for reasons other than statute" • criteria and disposition as now, except list of codes will change to break out 'statutory' exclusion' codes for new Edit 50 Edit 50 – new edit – "Statutory exclusion" – line item reject • all codes on new 'statutory exclusion' list
5.	Logic	8/1/00		Modify the Payment Method Flag (PMF) logic (See Logic for Assigning Payment Method Flag Values to a Line chart below) to assign PMF to 2, instead of 0, for codes with SI = F, when the bill type/condition code is HOPD (13x, or 12x/14x w.o CC 41). Leave the PMF at 1 for CMHC bill types, and at 2 for all other bill types
6.	Logic	No	52,53	Add new logic for observation claims – See OCE Observation Criteria
7.	Logic	Yes	22	Modify to bypass the edit if the revenue code is 540
8.	Content	Yes**	15	Modify the maximum units for drug and lab codes identified by CMS.
9.	Content	No	15	Modify the maximum units for codes other than drug and lab, as identified by CMS.
10.	Content	No		Make HCPCS/APC/SI changes, as provided by CMS.
11.	Content	No	19,20,39,40	Implement version <b>7.3</b> of the NCCI file, removing all code pairs which include Anesthesia (00100-01999), E&M (92002-92014, 99201-99499), MH (90804-90911), or G0168
12.	Content	No	9/50	Split list of non-covered codes to trigger edits 9 or 50, instead of just edit 9 as now.
13.	Content	10/1/00	41/48	Add 0023 to the list of valid revenue codes; Set default service indicator to 'B' when no HCPCS is coded.
14.	Content	No		Flag new HCPCS code G0244 for use in the new observation logic (OCE Observation Criteria)
15.	Content	No	44	Add G0244 to the list of observations that can be coded with Revenue Code 762
16.	Content	No		Flag dx codes 411/01/81/89, 413/0/1/9, 786/05/50/51/52/59 (Chest Pain), 493/01/02/11/12/21/22/91/92 (Asthma), 391/8, 398/91, 402/01/11/91, 404/01/03/11/13/91/93, 428/0/1/9 (CHF) for new observation logic
17.	Content	No		Flag HCPCS 82550, 82552, 82553 (CPK), 84484, 84512 (Troponin), 93005 (EKG), 94010 (Peak expiratory flow rate), 71010 (chest X-ray), 94760/61 (Pulse oximetry-single/multiple), for new observation logic
18.	Content	No		Flag APCs 600, 601, 602, 610, 611, 612 (Clinic/ED services) for use with a new observation logic
19.	Content	8/1/00		Add diagnosis 300.82 to the list of mental health diagnoses

20.	Content	No		Replace all occurrences of Service indicator J with Service indicator G starting with Jan '02 (v3.0)
-----	---------	----	--	--

**\* rules for edits 18/45 – in hierarchical order –  
If the claim has lines on the same day that have:**

Non-separate proc type 'C' (Nsep)	Separate proc type 'C' – (Sep)	Type T on same day	Nsep edit is:	Sep edit is:
Yes	--	--	18	--
No	Yes	No	--	18
No	Yes	Yes	--	45

Edit 18 will be performed first and, if triggered, will set the line item denial flag to 1 and the edit to 49 for all other lines on the same day.

Edit 45 will be done only if edit 18 is not triggered, and will set the line item rejection flag to 1 for each line that meets the criteria.

**\*\* Dates TBD**

***The implementation date: Testing to begin no later than January 28, 2002.***

***The effective date: January 1, 2002.***

**These instructions should be implemented within your current operating budget.**

**This PM should be discarded after January 1, 2003.**

**Contractors should contact the appropriate regional office with any questions.**