


2014 eCQM Flow
Measure Identifier: CMS127v4
 NQF 0043: Pneumonia Vaccination Status for Older Adults



*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

‡ For a listing of appropriate encounters, please refer to the Population Criteria and associated value sets as specific data elements have not been listed.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a=6 patients)}}{\text{Denominator (b=10 patients) - Denominator Exclusions (N/A) - Denominator Exceptions (N/A)}} = 60.00\%$$

2014 eCQM Flow
Measure Identifier: CMS127v4
NQF 0043: Pneumonia Vaccination Status for Older Adults

Please refer to the specific section of the eCQM to identify the Population Criteria and associated value sets for use in reporting this eCQM.

1. Start Initial Population
2. Check Age:
 - a. If the AGE is greater than or equal to 65 years at measurement period equals No, do not include in Initial Population and stop processing.
 - b. If the AGE is greater than or equal to 65 years at measurement period, equals Yes continue processing and proceed to check Encounter Performed.
3. Check Encounter Performed:
 - a. If the Encounter Performed QDM data element, OFFICE VISIT during the measurement period equals Yes, include in the Initial Population and proceed to the Denominator.
 - b. If the Encounter Performed QDM data element, OFFICE VISIT during the measurement period equals No, proceed to check next Encounter Performed.
 - c. If the Encounter Performed QDM data element, FACE-TO-FACE INTERACTION during the measurement period equals Yes, include in the Initial Population and proceed to the Denominator.
 - d. If the Encounter Performed QDM data element, FACE-TO-FACE INTERACTION during the measurement period equals No, proceed to check next Encounter Performed.
 - e. If the Encounter Performed QDM data element, PREVENTIVE CARE SERVICES – ESTABLISHED OFFICE VISIT, 18 AND UP during the measurement period equals Yes, include in the Initial Population and proceed to the Denominator.
 - f. If the Encounter Performed QDM data element, PREVENTIVE CARE SERVICES – ESTABLISHED OFFICE VISIT, 18 AND UP during the measurement period equals No, proceed to check next Encounter Performed.
 - g. If the Encounter Performed QDM data element, PREVENTIVE CARE SERVICES – INITIAL OFFICE VISIT, 18 AND UP during the measurement period equals Yes, include in the Initial Population and proceed to the Denominator.
 - h. If the Encounter Performed QDM data element, PREVENTIVE CARE SERVICES – INITIAL OFFICE VISIT, 18 AND UP during the measurement period equals No, proceed to check next Encounter Performed.
 - i. If the Encounter Performed QDM data element, HOME HEALTHCARE SERVICES during the measurement period equals Yes, include in the Initial Population and proceed to the Denominator.
 - j. If the Encounter Performed QDM data element, HOME HEALTHCARE SERVICES during the measurement period equals No, proceed to check next Encounter Performed.

- k. If the Encounter Performed QDM data element, ANNUAL WELLNESS VISIT during the measurement period equals Yes, include in the Initial Population and proceed to the Denominator.
 - l. If the Encounter Performed QDM data element, ANNUAL WELLNESS VISIT during the measurement period equals No, do not include in Initial Population and stop processing.
 4. Start Denominator
 - a. Denominator equals the Initial Population. Denominator is represented by the Letter b in the sample calculation listed at the end of this document. Letter b equals 10 patients in the sample calculation.
 5. Start Numerator
 6. Check Medication Administered:
 - a. If the Medication Administered QDM data element PNEUMOCOCCAL VACCINE starts before end of measurement period equals Yes, include in Numerator count. Numerator is represented by the Letter a in the sample calculation listed at the end of this document. Letter a equals 6 patients in the sample calculation.
 - b. If the Medication Administered QDM data element PNEUMOCOCCAL VACCINE starts before end of measurement period equals No, proceed to check Procedure Performed.
 7. Check Procedure Performed:
 - a. If the Procedure Performed QDM data element PNEUMOCOCCAL VACCINE ADMINISTERED starts before end of measurement period equals Yes, include in Numerator count. Numerator is represented by the Letter a in the sample calculation listed at the end of this document. Letter a equals 6 patients in the sample calculation.
 - b. If the Procedure Performed QDM data element PNEUMOCOCCAL VACCINE ADMINISTERED starts before end of measurement period equals No, proceed to check Risk Category Assessment.
 8. Check Risk Category Assessment:
 - a. If the Risk Category Assessment QDM data element HISTORY OF PNEUMOCOCCAL VACCINE starts before end of measurement period equals Yes, include in Numerator count. Numerator is represented by the Letter a in the sample calculation listed at the end of this document. Letter a equals 6 patients in the sample calculation.
 - b. If the Risk Category Assessment QDM data element HISTORY OF PNEUMOCOCCAL VACCINE starts before end of measurement period equals No, include in the No/Missing Numerator Data Submitted count and stop processing.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a=6 patients)}}{\text{Denominator (b=10 patients) - Denominator Exclusions (N/A) - Denominator Exceptions (N/A)}} = 60.00\%$$