

**Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: C**

Item ID: M1700_COG_FUNCTION .....	2
Item ID: M1710_WHEN_CONFUSED .....	4
Item ID: M1720_WHEN_ANXIOUS .....	6
Item ID: C0100 .....	8
Item ID: C0200 .....	10
Item ID: C0300A .....	12
Item ID: C0300B .....	14
Item ID: C0300C .....	16
Item ID: C0400A .....	18
Item ID: C0400B .....	20
Item ID: C0400C .....	22
Item ID: C0500 .....	24
Item ID: C1310A .....	26
Item ID: C1310B .....	28
Item ID: C1310C .....	30
Item ID: C1310D .....	32

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: M1700\_COG\_FUNCTION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cognitive functioning	Asmt		Code	2	874-875

#### Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
01		Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
02		Requires assistance and some direction in specific situations (for example, on all tasks involving shifting attention), or consistently requires low stimulus environment due to distractibility.
03		Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
04		Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A,

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: M1710\_WHEN\_CONFUSED

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
When confused (reported or observed)	Asmt		Code	2	876-877

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		Never
01		In new or complex situations only
02		On awakening or at night only
03		During the day and evening, but not constantly
04		Constantly
NA		Patient nonresponsive

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A,

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: M1720\_WHEN\_ANXIOUS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
When anxious (reported or observed)	Asmt		Code	2	878-879

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		None of the time
01		Less often than daily
02		Daily, but not constantly
03		All of the time
NA		Patient nonresponsive

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C,

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Brief Interview for Mental Status	Asmt		Code	1	1876-1876

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No (patient is rarely/never understood)
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]

#### Changes for Version

Type	ID	Description
Item	C0100	[V3.00.0] - New value



# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Repetition of three words	Asmt		Code	1	1877-1877

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two
3		Three
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]
-------	--------------	-------	---

### Changes for Version

Type	ID	Description
Item	C0200	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Able to report correct year	Asmt		Code	1	1878-1878

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Missed by > 5 years or no answer
1		Missed by 2-5 years
2		Missed by 1 year
3		Correct
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]
-------	--------------	-------	---

### Changes for Version

Type	ID	Description
Item	C0300A	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0300B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Able to report correct month	Asmt		Code	1	1879-1879

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Missed by > 1 month or no answer
1		Missed by 6 days to 1 month
2		Accurate within 5 days
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]
-------	--------------	-------	---

#### Changes for Version

Type	ID	Description
Item	C0300B	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0300C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Able to report correct day of the week	Asmt		Code	1	1880-1880

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Incorrect or no answer
1		Correct
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]



# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]
-------	--------------	-------	---

### Changes for Version

Type	ID	Description
Item	C0300C	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0400A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Able to recall "sock"	Asmt		Code	1	1881-1881

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No - could not recall
1		Yes, after cueing ("something to wear")
2		Yes, no cue required
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]
-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

#### Changes for Version

Type	ID	Description
Item	C0400A	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0400B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Able to recall "blue"	Asmt		Code	1	1882-1882

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No – could not recall
1		Yes, after cueing ("a color")
2		Yes, no cue required
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]
-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

#### Changes for Version

Type	ID	Description
Item	C0400B	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0400C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Able to recall "bed"	Asmt		Code	1	1883-1883

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No – could not recall
1		Yes, after cueing (“a piece of furniture”)
2		Yes, no cue required
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]
-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

#### Changes for Version

Type	ID	Description
Item	C0400C	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C0500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
BIMS Summary Score	Asmt		Number	2	1884-1885

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		Minimum value
15		Maximum value
99		Unable to complete interview
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5800	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500 must equal [-]
-5790	Skip pattern	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^] (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^] (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]



# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

#### Changes for Version

Type	ID	Description
Item	C0500	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5800	[V3.00.0] - New edit
Skip pattern	-5790	[V3.00.0] - New edit

**Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: C**

**Item ID: C1310A**

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Acute Onset Mental Status Change	Asmt		Code	1	1886-1886

***Item Subsets***

Active: 01,03,09  
 Inactive: 04,05,06,07,08,XX

***Item Values***

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

***Item Edits***

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Item	C1310A	[V3.00.0] - New value

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
--------	-------	--

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C1310B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Inattention	Asmt		Code	1	1887-1887

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Behavior not present
1		Behavior continuously present, does not fluctuate
2		Behavior present, fluctuates (comes and goes, changes in severity)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Item	C1310B	[V3.00.0] - New value

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
--------	-------	--

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C1310C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Disorganized thinking	Asmt		Code	1	1888-1888

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Behavior not present
1		Behavior continuously present, does not fluctuate
2		Behavior present, fluctuates (comes and goes, changes in severity)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Item	C1310C	[V3.00.0] - New value

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
--------	-------	--

# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Item ID: C1310D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Altered level of consciousness	Asmt		Code	1	1889-1889

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Behavior not present
1		Behavior continuously present, does not fluctuate
2		Behavior present, fluctuates (comes and goes, changes in severity)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Item	C1310D	[V3.00.0] - New value



# Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: C

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
--------	-------	--