

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: D

Item ID: D0150A1	2
Item ID: D0150A2	4
Item ID: D0150B1	7
Item ID: D0150B2	9
Item ID: D0150C1	12
Item ID: D0150C2	14
Item ID: D0150D1	17
Item ID: D0150D2	19
Item ID: D0150E1.....	22
Item ID: D0150E2.....	24
Item ID: D0150F1.....	27
Item ID: D0150F2.....	29
Item ID: D0150G1	32
Item ID: D0150G2	34
Item ID: D0150H1	37
Item ID: D0150H2	39
Item ID: D0150I1.....	42
Item ID: D0150I2.....	44
Item ID: D0160.....	47
Item ID: D0700.....	49

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Little interest or pleasure in doing things: Pres	Asmt		Code	1	1890-1890

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No Response
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5810	Consistency	Fatal	(a) If D0150A1 = [0], then D0150A2 must equal [0] (b) If D0150A1 = [1], then D0150A2 must equal [0,1,2,3] (c) If D0150A1 = [9], then D0150A2 must equal [^] (d) If D0150A1 = [-], then D0150A2 must equal [-]

Changes for Version

Type	ID	Description
Item	D0150A1	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5810	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Little interest or pleasure in doing things: Freq	Asmt		Code	1	1891-1891

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5810	Consistency	Fatal	(a) If D0150A1 = [0], then D0150A2 must equal [0] (b) If D0150A1 = [1], then D0150A2 must equal [0,1,2,3] (c) If D0150A1 = [9], then D0150A2 must equal [^] (d) If D0150A1 = [-], then D0150A2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

-5910 Consistency Fatal Total Severity Score Calculation:

D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer.

These are referred to as the "items in Column 2", below.

The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).

a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items

(b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)

(c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)

(d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150A2	[V3.00.0]- New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5810	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: D

Item ID: D0150B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Feeling down, depressed, or hopeless: Pres	Asmt		Code	1	1892-1892

Item Subsets

Active: 01,03,09
 Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5820	Consistency	Fatal	(a) If D0150B1 = [0], then D0150B2 must equal [0] (b) If D0150B1 = [1], then D0150B2 must equal [0,1,2,3] (c) If D0150B1 = [9], then D0150B2 must equal [^] (d) If D0150B1 = [-], then D0150B2 must equal [-]

Changes for Version

Type	ID	Description
Item	D0150B1	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5820	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)
Detailed Data Specifications Report
Section: D

Item ID: D0150B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Feeling down, depressed, or hopeless: Freq	Asmt		Code	1	1893-1893

Item Subsets

Active: 01,03,09
 Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5820	Consistency	Fatal	(a) If D0150B1 = [0], then D0150B2 must equal [0] (b) If D0150B1 = [1], then D0150B2 must equal [0,1,2,3] (c) If D0150B1 = [9], then D0150B2 must equal [^] (d) If D0150B1 = [-], then D0150B2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

-5910 Consistency Fatal Total Severity Score Calculation:

D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer.

These are referred to as the "items in Column 2", below.

The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g. , if the Patient was unexpectedly discharged before the assessment could be completed).

a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items

(b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)

(c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)

(d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150B2	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5820	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Trouble falling or staying asleep: Pres	Asmt		Code	1	1894-1894

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5830	Consistency	Fatal	(a) If D0150C1 = [0], then D0150C2 must equal [0] (b) If D0150C1 = [1], then D0150C2 must equal [0,1,2,3] (c) If D0150C1 = [9,^], then D0150C2 must equal [^] (d) If D0150C1 = [-], then D0150C2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150C1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5830	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Trouble falling or staying asleep: Freq	Asmt		Code	1	1895-1895

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (more than half the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5830	Consistency	Fatal	(a) If D0150C1 = [0], then D0150C2 must equal [0] (b) If D0150C1 = [1], then D0150C2 must equal [0,1,2,3] (c) If D0150C1 = [9,^], then D0150C2 must equal [^] (d) If D0150C1 = [-], then D0150C2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150C2	[V3.00.0]- New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5830	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Feeling tired or having little energy: Pres	Asmt		Code	1	1896-1896

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5840	Consistency	Fatal	(a) If D0150D1 = [0], then D0150D2 must equal [0] (b) If D0150D1 = [1], then D0150D2 must equal [0,1,2,3] (c) If D0150D1 = [9,^], then D0150D2 must equal [^] (d) If D0150D1 = [-], then D0150D2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150D1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5840	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Feeling tired or having little energy: Freq	Asmt		Code	1	1897-1897

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5840	Consistency	Fatal	(a) If D0150D1 = [0], then D0150D2 must equal [0] (b) If D0150D1 = [1], then D0150D2 must equal [0,1,2,3] (c) If D0150D1 = [9,^], then D0150D2 must equal [^] (d) If D0150D1 = [-], then D0150D2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g. , if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150D2	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5840	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Poor appetite or overeating: Pres	Asmt		Code	1	1898-1898

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5850	Consistency	Fatal	(a) If D0150E1 = [0], then D0150E2 must equal [0] (b) If D0150E1 = [1], then D0150E2 must equal [0,1,2,3] (c) If D0150E1 = [9,^], then D0150E2 must equal [^] (d) If D0150E1 = [-], then D0150E2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150E1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5850	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Poor appetite or overeating: Freq	Asmt		Code	1	1899-1899

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5850	Consistency	Fatal	(a) If D0150E1 = [0], then D0150E2 must equal [0] (b) If D0150E1 = [1], then D0150E2 must equal [0,1,2,3] (c) If D0150E1 = [9,^], then D0150E2 must equal [^] (d) If D0150E1 = [-], then D0150E2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150E2	[V3.00.0]- New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5850	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Feeling bad about yourself: Pres	Asmt		Code	1	1900-1900

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5860	Consistency	Fatal	(a) If D0150F1 = [0], then D0150F2 must equal [0] (b) If D0150F1 = [1], then D0150F2 must equal [0,1,2,3] (c) If D0150F1 = [9,^], then D0150F2 must equal [^] (d) If D0150F1 = [-], then D0150F2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150F1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5860	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Feeling bad about yourself: Freq	Asmt		Code	1	1901-1901

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5860	Consistency	Fatal	(a) If D0150F1 = [0], then D0150F2 must equal [0] (b) If D0150F1 = [1], then D0150F2 must equal [0,1,2,3] (c) If D0150F1 = [9,^], then D0150F2 must equal [^] (d) If D0150F1 = [-], then D0150F2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150F2	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5860	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Trouble concentrating on things: Pres	Asmt		Code	1	1902-1902

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5870	Consistency	Fatal	(a) If D0150G1 = [0], then D0150G2 must equal [0] (b) If D0150G1 = [1], then D0150G2 must equal [0,1,2,3] (c) If D0150G1 = [9,^], then D0150G2 must equal [^] (d) If D0150G1 = [-], then D0150G2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150G1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5870	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Trouble concentrating on things: Freq	Asmt		Code	1	1903-1903

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5870	Consistency	Fatal	(a) If D0150G1 = [0], then D0150G2 must equal [0] (b) If D0150G1 = [1], then D0150G2 must equal [0,1,2,3] (c) If D0150G1 = [9,^], then D0150G2 must equal [^] (d) If D0150G1 = [-], then D0150G2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150G2	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5870	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150H1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Moving or speaking so slowly: Pres	Asmt		Code	1	1904-1904

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5880	Consistency	Fatal	(a) If D0150H1 = [0], then D0150H2 must equal [0] (b) If D0150H1 = [1], then D0150H2 must equal [0,1,2,3] (c) If D0150H1 = [9,^], then D0150H2 must equal [^] (d) If D0150H1 = [-], then D0150H2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150H1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5880	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150H2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Moving or speaking so slowly: Freq	Asmt		Code	1	1905-1905

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5880	Consistency	Fatal	(a) If D0150H1 = [0], then D0150H2 must equal [0] (b) If D0150H1 = [1], then D0150H2 must equal [0,1,2,3] (c) If D0150H1 = [9,^], then D0150H2 must equal [^] (d) If D0150H1 = [-], then D0150H2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150H2	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5880	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150I1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Thoughts that you would be better off dead: Pres	Asmt		Code	1	1906-1906

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5890	Consistency	Fatal	(a) If D0150I1 = [0], then D0150I2 must equal [0] (b) If D0150I1 = [1], then D0150I2 must equal [0,1,2,3] (c) If D0150I1 = [9,^], then D0150I2 must equal [^] (d) If D0150I1 = [-], then D0150I2 must equal [-]
-5900	Consistency	Fatal	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^] (b) If D0150A2 and D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150I1	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5890	[V3.00.0] - New edit
Consistency	-5900	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0150I2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Thoughts that you would be better off dead: Freq	Asmt		Code	1	1907-1907

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5890	Consistency	Fatal	(a) If D0150I1 = [0], then D0150I2 must equal [0] (b) If D0150I1 = [1], then D0150I2 must equal [0,1,2,3] (c) If D0150I1 = [9,^], then D0150I2 must equal [^] (d) If D0150I1 = [-], then D0150I2 must equal [-]
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g. , if the Patient was unexpectedly discharged before the assessment could be completed).

- a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items
- (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)
- (c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)
- (d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0150I2	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Consistency	-5890	[V3.00.0] - New edit
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0160

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Total severity score	Asmt		Number	2	1908-1909

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
02		Minimum value
27		Maximum value
99		Unable to complete interview
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5910	Consistency	Fatal	Total Severity Score Calculation: D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to the nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g. , if the Patient was unexpectedly discharged before the assessment could be completed). a) If the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items (b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125)

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

(c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286)

(d) If three or more of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal [99]

Changes for Version

Type	ID	Description
Item	D0160	[V3.00.0] - New value
Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
Consistency	-5910	[V3.00.0] - New edit

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Item ID: D0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Social Isolation	Asmt		Code	1	1910-1910

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never
1		Rarely
2		Sometimes
3		Often
4		Always
8		Patient unable to respond

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	D0700	[V3.00.0] - New value

Data Submission Specifications for the OASIS Item Set (V3.00.0 DRAFT)

Detailed Data Specifications Report

Section: D

Format	-3060	[V3.00.0] - Removing mapping for M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVITY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Adding mapping to A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110F1a, O0110G1a, O0110G2a, O0110G3a, O0110H1a, O0110H2a, O0110H3a, O0110H4a, O0110H10a, O0110I1a, O0110J1a, O0110J2a, O0110J3a, O0110O1a, O0110O2a, O0110O3a, O0110O4a, O0110Z1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110O1c, O0110O2c, O0110O3c, O0110O4c, O0110Z1c
--------	-------	--